

Appendix - LTE Band_2

1. Effective (Isotropic) Radiated Power Output Data

1.1 Test Result

1.1.1 B2_1.4MHz_EIRP

Band: 2 / Bandwidth: 1.4MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1850.7	1	0	21.29	-1.62	19.67	<=33.01	Pass
			2	21.42	-1.62	19.80	<=33.01	Pass
			5	21.35	-1.62	19.73	<=33.01	Pass
		3	0	21.46	-1.62	19.84	<=33.01	Pass
			2	21.50	-1.62	19.88	<=33.01	Pass
			3	21.48	-1.62	19.86	<=33.01	Pass
		6	0	20.39	-1.62	18.77	<=33.01	Pass
	1880	1	0	21.74	-1.62	20.12	<=33.01	Pass
			2	21.83	-1.62	20.21	<=33.01	Pass
			5	21.85	-1.62	20.23	<=33.01	Pass
		3	0	21.90	-1.62	20.28	<=33.01	Pass
			2	21.93	-1.62	20.31	<=33.01	Pass
			3	21.95	-1.62	20.33	<=33.01	Pass
		6	0	20.82	-1.62	19.20	<=33.01	Pass
	1909.3	1	0	22.32	-1.62	20.70	<=33.01	Pass
			2	22.41	-1.62	20.79	<=33.01	Pass
			5	22.28	-1.62	20.66	<=33.01	Pass
		3	0	22.35	-1.62	20.73	<=33.01	Pass
			2	22.35	-1.62	20.73	<=33.01	Pass
			3	22.36	-1.62	20.74	<=33.01	Pass
		6	0	21.34	-1.62	19.72	<=33.01	Pass
16QAM	1850.7	1	0	20.52	-1.62	18.90	<=33.01	Pass
			2	20.61	-1.62	18.99	<=33.01	Pass
			5	20.56	-1.62	18.94	<=33.01	Pass
		3	0	20.43	-1.62	18.81	<=33.01	Pass
			2	20.45	-1.62	18.83	<=33.01	Pass
			3	20.48	-1.62	18.86	<=33.01	Pass
		6	0	19.42	-1.62	17.80	<=33.01	Pass
	1880	1	0	20.76	-1.62	19.14	<=33.01	Pass
			2	20.86	-1.62	19.24	<=33.01	Pass
			5	20.79	-1.62	19.17	<=33.01	Pass
		3	0	21.10	-1.62	19.48	<=33.01	Pass
			2	21.12	-1.62	19.50	<=33.01	Pass
			3	21.15	-1.62	19.53	<=33.01	Pass
		6	0	19.87	-1.62	18.25	<=33.01	Pass
	1909.3	1	0	21.24	-1.62	19.62	<=33.01	Pass
			2	21.35	-1.62	19.73	<=33.01	Pass
			5	21.30	-1.62	19.68	<=33.01	Pass
		3	0	21.37	-1.62	19.75	<=33.01	Pass
			2	21.38	-1.62	19.76	<=33.01	Pass
			3	21.36	-1.62	19.74	<=33.01	Pass
		6	0	20.25	-1.62	18.63	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.2 B2_3MHz_EIRP

Band: 2 / Bandwidth: 3MHz / NTNV								
----------------------------------	--	--	--	--	--	--	--	--

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 1 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1851.5	1	0	21.46	-1.62	19.84	<=33.01	Pass
			7	21.61	-1.62	19.99	<=33.01	Pass
			14	21.48	-1.62	19.86	<=33.01	Pass
		8	0	20.46	-1.62	18.84	<=33.01	Pass
			4	20.48	-1.62	18.86	<=33.01	Pass
			7	20.48	-1.62	18.86	<=33.01	Pass
		15	0	20.44	-1.62	18.82	<=33.01	Pass
	1880	1	0	21.75	-1.62	20.13	<=33.01	Pass
			7	21.98	-1.62	20.36	<=33.01	Pass
			14	21.82	-1.62	20.20	<=33.01	Pass
		8	0	20.86	-1.62	19.24	<=33.01	Pass
			4	20.93	-1.62	19.31	<=33.01	Pass
			7	20.89	-1.62	19.27	<=33.01	Pass
		15	0	20.91	-1.62	19.29	<=33.01	Pass
	1908.5	1	0	22.37	-1.62	20.75	<=33.01	Pass
			7	22.46	-1.62	20.84	<=33.01	Pass
			14	22.34	-1.62	20.72	<=33.01	Pass
		8	0	21.33	-1.62	19.71	<=33.01	Pass
			4	21.43	-1.62	19.81	<=33.01	Pass
			7	21.36	-1.62	19.74	<=33.01	Pass
		15	0	21.39	-1.62	19.77	<=33.01	Pass
16QAM	1851.5	1	0	20.48	-1.62	18.86	<=33.01	Pass
			7	20.63	-1.62	19.01	<=33.01	Pass
			14	20.49	-1.62	18.87	<=33.01	Pass
		8	0	19.53	-1.62	17.91	<=33.01	Pass
			4	19.56	-1.62	17.94	<=33.01	Pass
			7	19.50	-1.62	17.88	<=33.01	Pass
		15	0	19.49	-1.62	17.87	<=33.01	Pass
	1880	1	0	21.08	-1.62	19.46	<=33.01	Pass
			7	21.18	-1.62	19.56	<=33.01	Pass
			14	21.05	-1.62	19.43	<=33.01	Pass
		8	0	19.87	-1.62	18.25	<=33.01	Pass
			4	19.97	-1.62	18.35	<=33.01	Pass
			7	19.89	-1.62	18.27	<=33.01	Pass
		15	0	19.86	-1.62	18.24	<=33.01	Pass
	1908.5	1	0	21.84	-1.62	20.22	<=33.01	Pass
			7	21.94	-1.62	20.32	<=33.01	Pass
			14	21.78	-1.62	20.16	<=33.01	Pass
		8	0	20.51	-1.62	18.89	<=33.01	Pass
			4	20.58	-1.62	18.96	<=33.01	Pass
			7	20.52	-1.62	18.90	<=33.01	Pass
		15	0	20.44	-1.62	18.82	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.3 B2_5MHz_EIRP

Band: 2 / Bandwidth: 5MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1852.5	1	0	21.33	-1.62	19.71	<=33.01	Pass
			13	21.50	-1.62	19.88	<=33.01	Pass
			24	21.46	-1.62	19.84	<=33.01	Pass
		12	0	20.49	-1.62	18.87	<=33.01	Pass
			6	20.57	-1.62	18.95	<=33.01	Pass
			13	20.55	-1.62	18.93	<=33.01	Pass
		25	0	20.50	-1.62	18.88	<=33.01	Pass
	1880	1	0	21.78	-1.62	20.16	<=33.01	Pass
			0	21.78	-1.62	20.16	<=33.01	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 2 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

16QAM	1907.5	12	13	21.91	-1.62	20.29	<=33.01	Pass
			24	21.88	-1.62	20.26	<=33.01	Pass
			0	20.83	-1.62	19.21	<=33.01	Pass
			6	20.99	-1.62	19.37	<=33.01	Pass
		25	13	20.98	-1.62	19.36	<=33.01	Pass
			0	20.91	-1.62	19.29	<=33.01	Pass
			0	22.24	-1.62	20.62	<=33.01	Pass
			13	22.41	-1.62	20.79	<=33.01	Pass
		12	24	22.26	-1.62	20.64	<=33.01	Pass
			0	21.38	-1.62	19.76	<=33.01	Pass
			6	21.42	-1.62	19.80	<=33.01	Pass
			13	21.43	-1.62	19.81	<=33.01	Pass
	1852.5	1	0	21.35	-1.62	19.73	<=33.01	Pass
			0	20.42	-1.62	18.80	<=33.01	Pass
			13	20.63	-1.62	19.01	<=33.01	Pass
			24	20.56	-1.62	18.94	<=33.01	Pass
		12	0	19.38	-1.62	17.76	<=33.01	Pass
			6	19.53	-1.62	17.91	<=33.01	Pass
			13	19.54	-1.62	17.92	<=33.01	Pass
			25	19.57	-1.62	17.95	<=33.01	Pass
		25	0	21.04	-1.62	19.42	<=33.01	Pass
			13	21.22	-1.62	19.60	<=33.01	Pass
			24	21.16	-1.62	19.54	<=33.01	Pass
			0	19.91	-1.62	18.29	<=33.01	Pass
	1880	12	6	20.05	-1.62	18.43	<=33.01	Pass
			13	19.97	-1.62	18.35	<=33.01	Pass
			0	19.92	-1.62	18.30	<=33.01	Pass
			0	21.11	-1.62	19.49	<=33.01	Pass
		1	13	21.23	-1.62	19.61	<=33.01	Pass
			24	21.12	-1.62	19.50	<=33.01	Pass
			0	20.36	-1.62	18.74	<=33.01	Pass
			6	20.40	-1.62	18.78	<=33.01	Pass
		12	13	20.36	-1.62	18.74	<=33.01	Pass
			0	20.38	-1.62	18.76	<=33.01	Pass
			0	20.38	-1.62	18.76	<=33.01	Pass
			0	20.38	-1.62	18.76	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.4 B2_10MHz_EIRP

Band: 2 / Bandwidth: 10MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1855	1	0	21.37	-1.62	19.75	<=33.01	Pass
			25	21.72	-1.62	20.10	<=33.01	Pass
			49	21.59	-1.62	19.97	<=33.01	Pass
		25	0	20.50	-1.62	18.88	<=33.01	Pass
			13	20.58	-1.62	18.96	<=33.01	Pass
			25	20.62	-1.62	19.00	<=33.01	Pass
		50	0	20.59	-1.62	18.97	<=33.01	Pass
			0	21.79	-1.62	20.17	<=33.01	Pass
			25	22.06	-1.62	20.44	<=33.01	Pass
		1	49	21.96	-1.62	20.34	<=33.01	Pass
			0	20.97	-1.62	19.35	<=33.01	Pass
			13	20.97	-1.62	19.35	<=33.01	Pass
	1880	25	25	21.04	-1.62	19.42	<=33.01	Pass
			0	21.00	-1.62	19.38	<=33.01	Pass
			0	22.35	-1.62	20.73	<=33.01	Pass
		1	25	22.59	-1.62	20.97	<=33.01	Pass
			49	22.40	-1.62	20.78	<=33.01	Pass
			0	21.45	-1.62	19.83	<=33.01	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 3 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

16QAM	1855	50	13	21.42	-1.62	19.80	<=33.01	Pass
			25	21.42	-1.62	19.80	<=33.01	Pass
			0	21.44	-1.62	19.82	<=33.01	Pass
		1	0	20.43	-1.62	18.81	<=33.01	Pass
			25	20.72	-1.62	19.10	<=33.01	Pass
			49	20.54	-1.62	18.92	<=33.01	Pass
		25	0	19.61	-1.62	17.99	<=33.01	Pass
			13	19.69	-1.62	18.07	<=33.01	Pass
			25	19.74	-1.62	18.12	<=33.01	Pass
		50	0	19.65	-1.62	18.03	<=33.01	Pass
	1880	1	0	21.37	-1.62	19.75	<=33.01	Pass
			25	21.72	-1.62	20.10	<=33.01	Pass
			49	21.58	-1.62	19.96	<=33.01	Pass
		25	0	20.02	-1.62	18.40	<=33.01	Pass
			13	20.05	-1.62	18.43	<=33.01	Pass
			25	20.13	-1.62	18.51	<=33.01	Pass
		50	0	20.05	-1.62	18.43	<=33.01	Pass
	1905	1	0	21.33	-1.62	19.71	<=33.01	Pass
			25	21.55	-1.62	19.93	<=33.01	Pass
			49	21.40	-1.62	19.78	<=33.01	Pass
		25	0	20.55	-1.62	18.93	<=33.01	Pass
			13	20.50	-1.62	18.88	<=33.01	Pass
			25	20.54	-1.62	18.92	<=33.01	Pass
		50	0	20.54	-1.62	18.92	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.5 B2_15MHz_EIRP

Band: 2 / Bandwidth: 15MHz / NTNv								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1857.5	1	0	21.32	-1.62	19.70	<=33.01	Pass
			38	21.65	-1.62	20.03	<=33.01	Pass
			74	21.53	-1.62	19.91	<=33.01	Pass
		36	0	20.53	-1.62	18.91	<=33.01	Pass
			18	20.63	-1.62	19.01	<=33.01	Pass
			39	20.68	-1.62	19.06	<=33.01	Pass
		75	0	20.63	-1.62	19.01	<=33.01	Pass
	1880	1	0	21.67	-1.62	20.05	<=33.01	Pass
			38	21.92	-1.62	20.30	<=33.01	Pass
			74	21.98	-1.62	20.36	<=33.01	Pass
		36	0	20.86	-1.62	19.24	<=33.01	Pass
			18	20.97	-1.62	19.35	<=33.01	Pass
			39	21.04	-1.62	19.42	<=33.01	Pass
		75	0	20.99	-1.62	19.37	<=33.01	Pass
	1902.5	1	0	22.10	-1.62	20.48	<=33.01	Pass
			38	22.35	-1.62	20.73	<=33.01	Pass
			74	22.29	-1.62	20.67	<=33.01	Pass
		36	0	21.41	-1.62	19.79	<=33.01	Pass
			18	21.51	-1.62	19.89	<=33.01	Pass
			39	21.47	-1.62	19.85	<=33.01	Pass
		75	0	21.44	-1.62	19.82	<=33.01	Pass
16QAM	1857.5	1	0	20.69	-1.62	19.07	<=33.01	Pass
			38	21.03	-1.62	19.41	<=33.01	Pass
			74	20.91	-1.62	19.29	<=33.01	Pass
		36	0	19.42	-1.62	17.80	<=33.01	Pass
			18	19.57	-1.62	17.95	<=33.01	Pass
			39	19.58	-1.62	17.96	<=33.01	Pass
		75	0	19.59	-1.62	17.97	<=33.01	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 4 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

	1880	1	0	20.85	-1.62	19.23	<=33.01	Pass
			38	21.10	-1.62	19.48	<=33.01	Pass
			74	21.17	-1.62	19.55	<=33.01	Pass
		36	0	19.82	-1.62	18.20	<=33.01	Pass
			18	19.95	-1.62	18.33	<=33.01	Pass
			39	20.01	-1.62	18.39	<=33.01	Pass
		75	0	19.98	-1.62	18.36	<=33.01	Pass
	1902.5	1	0	21.75	-1.62	20.13	<=33.01	Pass
			38	21.87	-1.62	20.25	<=33.01	Pass
			74	21.82	-1.62	20.20	<=33.01	Pass
		36	0	20.40	-1.62	18.78	<=33.01	Pass
			18	20.46	-1.62	18.84	<=33.01	Pass
			39	20.49	-1.62	18.87	<=33.01	Pass
		75	0	20.44	-1.62	18.82	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

1.1.6 B2_20MHz_EIRP

Band: 2 / Bandwidth: 20MHz / NTNV								
Modulation	Frequency (MHz)	RB Allocation		Conducted Power (dBm)	Gain (dBi)	EIRP (dBm)		Verdict
		Size	Offset			Result	Limit	
QPSK	1860	1	0	21.27	-1.62	19.65	<=33.01	Pass
			50	21.66	-1.62	20.04	<=33.01	Pass
			99	21.48	-1.62	19.86	<=33.01	Pass
		50	0	20.44	-1.62	18.82	<=33.01	Pass
			25	20.55	-1.62	18.93	<=33.01	Pass
			50	20.66	-1.62	19.04	<=33.01	Pass
		100	0	20.58	-1.62	18.96	<=33.01	Pass
	1880	1	0	21.57	-1.62	19.95	<=33.01	Pass
			50	22.06	-1.62	20.44	<=33.01	Pass
			99	21.99	-1.62	20.37	<=33.01	Pass
		50	0	20.79	-1.62	19.17	<=33.01	Pass
			25	20.99	-1.62	19.37	<=33.01	Pass
			50	21.02	-1.62	19.40	<=33.01	Pass
		100	0	20.92	-1.62	19.30	<=33.01	Pass
	1900	1	0	22.09	-1.62	20.47	<=33.01	Pass
			50	22.48	-1.62	20.86	<=33.01	Pass
			99	22.23	-1.62	20.61	<=33.01	Pass
		50	0	21.28	-1.62	19.66	<=33.01	Pass
			25	21.39	-1.62	19.77	<=33.01	Pass
			50	21.33	-1.62	19.71	<=33.01	Pass
		100	0	21.31	-1.62	19.69	<=33.01	Pass
16QAM	1860	1	0	20.85	-1.62	19.23	<=33.01	Pass
			50	21.26	-1.62	19.64	<=33.01	Pass
			99	21.08	-1.62	19.46	<=33.01	Pass
		50	0	19.41	-1.62	17.79	<=33.01	Pass
			25	19.56	-1.62	17.94	<=33.01	Pass
			50	19.69	-1.62	18.07	<=33.01	Pass
		100	0	19.58	-1.62	17.96	<=33.01	Pass
	1880	1	0	20.74	-1.62	19.12	<=33.01	Pass
			50	21.29	-1.62	19.67	<=33.01	Pass
			99	21.18	-1.62	19.56	<=33.01	Pass
		50	0	19.84	-1.62	18.22	<=33.01	Pass
			25	19.97	-1.62	18.35	<=33.01	Pass
			50	20.03	-1.62	18.41	<=33.01	Pass
		100	0	19.94	-1.62	18.32	<=33.01	Pass
	1900	1	0	21.34	-1.62	19.72	<=33.01	Pass
			50	21.75	-1.62	20.13	<=33.01	Pass
			99	21.48	-1.62	19.86	<=33.01	Pass

		50	0	20.29	-1.62	18.67	<=33.01	Pass
			25	20.42	-1.62	18.80	<=33.01	Pass
			50	20.32	-1.62	18.70	<=33.01	Pass
		100	0	20.34	-1.62	18.72	<=33.01	Pass

Note1: EIRP=Conducted Power+Antenna Gain

2. Frequency Stability

2.1 Test Result

2.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1850.7	6	0	20	3.27	-2.975	-0.0016	-2.5 to 2.5	Pass
					3.85	-4.420	-0.0024	-2.5 to 2.5	Pass
					4.43	-1.574	-0.0009	-2.5 to 2.5	Pass
				-30	3.85	0.443	0.0002	-2.5 to 2.5	Pass
				-20	3.85	-12.760	-0.0069	-2.5 to 2.5	Pass
				-10	3.85	-6.094	-0.0033	-2.5 to 2.5	Pass
				0	3.85	-8.898	-0.0048	-2.5 to 2.5	Pass
				10	3.85	-13.318	-0.0072	-2.5 to 2.5	Pass
				30	3.85	-8.626	-0.0047	-2.5 to 2.5	Pass
				40	3.85	-12.760	-0.0069	-2.5 to 2.5	Pass
				50	3.85	-4.907	-0.0027	-2.5 to 2.5	Pass
	1880	6	0	20	3.27	-15.779	-0.0084	-2.5 to 2.5	Pass
					3.85	-4.606	-0.0025	-2.5 to 2.5	Pass
					4.43	-0.386	-0.0002	-2.5 to 2.5	Pass
				-30	3.85	-6.509	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-3.319	-0.0018	-2.5 to 2.5	Pass
				-10	3.85	-5.965	-0.0032	-2.5 to 2.5	Pass
				0	3.85	-11.587	-0.0062	-2.5 to 2.5	Pass
				10	3.85	1.945	0.0010	-2.5 to 2.5	Pass
				30	3.85	-13.704	-0.0073	-2.5 to 2.5	Pass
				40	3.85	-8.726	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-5.622	-0.0030	-2.5 to 2.5	Pass
	1909.3	6	0	20	3.27	-3.591	-0.0019	-2.5 to 2.5	Pass
					3.85	-4.549	-0.0024	-2.5 to 2.5	Pass
					4.43	-6.480	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-5.221	-0.0027	-2.5 to 2.5	Pass
				-20	3.85	-5.736	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-9.398	-0.0049	-2.5 to 2.5	Pass
				0	3.85	-16.623	-0.0087	-2.5 to 2.5	Pass
				10	3.85	-4.735	-0.0025	-2.5 to 2.5	Pass
				30	3.85	-2.403	-0.0013	-2.5 to 2.5	Pass
				40	3.85	-3.633	-0.0019	-2.5 to 2.5	Pass
				50	3.85	-8.554	-0.0045	-2.5 to 2.5	Pass
16QAM	1850.7	6	0	20	3.27	-11.287	-0.0061	-2.5 to 2.5	Pass
					3.85	-5.765	-0.0031	-2.5 to 2.5	Pass
					4.43	-4.749	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-6.909	-0.0037	-2.5 to 2.5	Pass
				-20	3.85	-8.240	-0.0045	-2.5 to 2.5	Pass
				-10	3.85	-6.251	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-2.089	-0.0011	-2.5 to 2.5	Pass
				10	3.85	-3.119	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-9.828	-0.0053	-2.5 to 2.5	Pass
				40	3.85	-11.802	-0.0064	-2.5 to 2.5	Pass

Total or partial reproduction of this document without permission of the Laboratory is not allowed.

Page 6 of 195

BTF Testing Lab (Shenzhen) Co., Ltd.

Plant 101, 201 and 301, Building 1, Block 2, Tantou Industrial Park, Tantou Community, Songgang Street, Bao'an District, Shenzhen, Guangdong, China

Email: info@btf-lab.com

Tel: +86-755-23146130

<http://www.btf-lab.com>

Version: 1/00

	1880	6	0	50	3.85	-10.600	-0.0057	-2.5 to 2.5	Pass
				20	3.27	1.531	0.0008	-2.5 to 2.5	Pass
					3.85	-2.275	-0.0012	-2.5 to 2.5	Pass
					4.43	-4.992	-0.0027	-2.5 to 2.5	Pass
				-30	3.85	-4.435	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-0.601	-0.0003	-2.5 to 2.5	Pass
				-10	3.85	-4.506	-0.0024	-2.5 to 2.5	Pass
				0	3.85	-5.736	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-3.619	-0.0019	-2.5 to 2.5	Pass
				30	3.85	-6.137	-0.0033	-2.5 to 2.5	Pass
	1909.3	6	0	40	3.85	-2.389	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-9.670	-0.0051	-2.5 to 2.5	Pass
				20	3.27	-8.826	-0.0046	-2.5 to 2.5	Pass
					3.85	-1.187	-0.0006	-2.5 to 2.5	Pass
					4.43	-8.140	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-10.271	-0.0054	-2.5 to 2.5	Pass
				-20	3.85	-8.698	-0.0046	-2.5 to 2.5	Pass
				-10	3.85	-7.782	-0.0041	-2.5 to 2.5	Pass
				0	3.85	-6.208	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-4.978	-0.0026	-2.5 to 2.5	Pass

2.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1851.5	15	0	20	3.27	-5.851	-0.0032	-2.5 to 2.5	Pass
					3.85	-10.543	-0.0057	-2.5 to 2.5	Pass
					4.43	-12.302	-0.0066	-2.5 to 2.5	Pass
				-30	3.85	-4.463	-0.0024	-2.5 to 2.5	Pass
				-20	3.85	-20.185	-0.0109	-2.5 to 2.5	Pass
				-10	3.85	-3.505	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-5.507	-0.0030	-2.5 to 2.5	Pass
				10	3.85	-7.954	-0.0043	-2.5 to 2.5	Pass
				30	3.85	-14.091	-0.0076	-2.5 to 2.5	Pass
				40	3.85	-6.166	-0.0033	-2.5 to 2.5	Pass
	1880	15	0	50	3.85	-9.198	-0.0050	-2.5 to 2.5	Pass
				20	3.27	-9.828	-0.0052	-2.5 to 2.5	Pass
					3.85	-7.582	-0.0040	-2.5 to 2.5	Pass
					4.43	-6.351	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-10.672	-0.0057	-2.5 to 2.5	Pass
				-20	3.85	-5.579	-0.0030	-2.5 to 2.5	Pass
				-10	3.85	-13.232	-0.0070	-2.5 to 2.5	Pass
				0	3.85	-13.590	-0.0072	-2.5 to 2.5	Pass
				10	3.85	-10.042	-0.0053	-2.5 to 2.5	Pass
				30	3.85	-10.815	-0.0058	-2.5 to 2.5	Pass
	1908.5	15	0	40	3.85	-8.869	-0.0047	-2.5 to 2.5	Pass
				50	3.85	-8.883	-0.0047	-2.5 to 2.5	Pass
				20	3.27	-8.755	-0.0046	-2.5 to 2.5	Pass
					3.85	-1.817	-0.0010	-2.5 to 2.5	Pass
					4.43	-9.184	-0.0048	-2.5 to 2.5	Pass
				-30	3.85	-6.723	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-2.589	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-8.426	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-6.380	-0.0033	-2.5 to 2.5	Pass
				10	3.85	1.631	0.0009	-2.5 to 2.5	Pass

16QAM	1851.5	15	0	30	3.85	-5.751	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-6.452	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-7.610	-0.0040	-2.5 to 2.5	Pass
				20	3.27	-4.592	-0.0025	-2.5 to 2.5	Pass
					3.85	-11.115	-0.0060	-2.5 to 2.5	Pass
					4.43	-9.727	-0.0053	-2.5 to 2.5	Pass
				-30	3.85	-0.043	0.0000	-2.5 to 2.5	Pass
				-20	3.85	-7.825	-0.0042	-2.5 to 2.5	Pass
				-10	3.85	-2.532	-0.0014	-2.5 to 2.5	Pass
	1880	15	0	0	3.85	-7.553	-0.0041	-2.5 to 2.5	Pass
				10	3.85	-9.656	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-4.177	-0.0023	-2.5 to 2.5	Pass
				40	3.85	-2.446	-0.0013	-2.5 to 2.5	Pass
				50	3.85	-7.524	-0.0041	-2.5 to 2.5	Pass
				20	3.27	-9.227	-0.0049	-2.5 to 2.5	Pass
					3.85	-1.631	-0.0009	-2.5 to 2.5	Pass
					4.43	-7.038	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-7.954	-0.0042	-2.5 to 2.5	Pass
				-20	3.85	-7.596	-0.0040	-2.5 to 2.5	Pass
				-10	3.85	-12.374	-0.0066	-2.5 to 2.5	Pass
				0	3.85	-3.719	-0.0020	-2.5 to 2.5	Pass
				10	3.85	-12.345	-0.0066	-2.5 to 2.5	Pass
				30	3.85	-7.482	-0.0040	-2.5 to 2.5	Pass
				40	3.85	-2.046	-0.0011	-2.5 to 2.5	Pass
				50	3.85	-9.971	-0.0053	-2.5 to 2.5	Pass
	1908.5	15	0	20	3.27	-4.292	-0.0022	-2.5 to 2.5	Pass
					3.85	-2.217	-0.0012	-2.5 to 2.5	Pass
					4.43	-11.029	-0.0058	-2.5 to 2.5	Pass
				-30	3.85	-12.631	-0.0066	-2.5 to 2.5	Pass
				-20	3.85	-4.220	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-6.566	-0.0034	-2.5 to 2.5	Pass
				0	3.85	-7.381	-0.0039	-2.5 to 2.5	Pass
				10	3.85	-2.017	-0.0011	-2.5 to 2.5	Pass
				30	3.85	-0.858	-0.0004	-2.5 to 2.5	Pass
				40	3.85	-7.124	-0.0037	-2.5 to 2.5	Pass
				50	3.85	-4.077	-0.0021	-2.5 to 2.5	Pass

2.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1852.5	25	0	20	3.27	-6.151	-0.0033	-2.5 to 2.5	Pass
					3.85	-7.524	-0.0041	-2.5 to 2.5	Pass
					4.43	-7.939	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-5.779	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-9.670	-0.0052	-2.5 to 2.5	Pass
				-10	3.85	-10.700	-0.0058	-2.5 to 2.5	Pass
				0	3.85	-8.640	-0.0047	-2.5 to 2.5	Pass
				10	3.85	-7.710	-0.0042	-2.5 to 2.5	Pass
				30	3.85	-7.625	-0.0041	-2.5 to 2.5	Pass
				40	3.85	-4.792	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-11.344	-0.0061	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-7.138	-0.0038	-2.5 to 2.5	Pass
					3.85	-8.612	-0.0046	-2.5 to 2.5	Pass
					4.43	-2.460	-0.0013	-2.5 to 2.5	Pass
				-30	3.85	-5.336	-0.0028	-2.5 to 2.5	Pass
				-20	3.85	-7.696	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-6.881	-0.0037	-2.5 to 2.5	Pass

				0	3.85	-10.343	-0.0055	-2.5 to 2.5	Pass
				10	3.85	-5.450	-0.0029	-2.5 to 2.5	Pass
				30	3.85	-7.997	-0.0043	-2.5 to 2.5	Pass
				40	3.85	-10.257	-0.0055	-2.5 to 2.5	Pass
				50	3.85	-3.047	-0.0016	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-10.414	-0.0055	-2.5 to 2.5	Pass
					3.85	-3.119	-0.0016	-2.5 to 2.5	Pass
					4.43	-6.366	-0.0033	-2.5 to 2.5	Pass
				-30	3.85	-12.217	-0.0064	-2.5 to 2.5	Pass
				-20	3.85	-7.281	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-10.586	-0.0055	-2.5 to 2.5	Pass
				0	3.85	-8.368	-0.0044	-2.5 to 2.5	Pass
				10	3.85	-10.328	-0.0054	-2.5 to 2.5	Pass
				30	3.85	-12.617	-0.0066	-2.5 to 2.5	Pass
				40	3.85	-6.080	-0.0032	-2.5 to 2.5	Pass
				50	3.85	-8.812	-0.0046	-2.5 to 2.5	Pass
16QAM	1852.5	25	0	20	3.27	-10.815	-0.0058	-2.5 to 2.5	Pass
					3.85	-4.992	-0.0027	-2.5 to 2.5	Pass
					4.43	-5.708	-0.0031	-2.5 to 2.5	Pass
				-30	3.85	-3.848	-0.0021	-2.5 to 2.5	Pass
				-20	3.85	-8.039	-0.0043	-2.5 to 2.5	Pass
				-10	3.85	-8.912	-0.0048	-2.5 to 2.5	Pass
				0	3.85	-2.604	-0.0014	-2.5 to 2.5	Pass
				10	3.85	-9.542	-0.0052	-2.5 to 2.5	Pass
				30	3.85	-6.080	-0.0033	-2.5 to 2.5	Pass
				40	3.85	1.001	0.0005	-2.5 to 2.5	Pass
				50	3.85	-2.947	-0.0016	-2.5 to 2.5	Pass
	1880	25	0	20	3.27	-6.151	-0.0033	-2.5 to 2.5	Pass
					3.85	-11.072	-0.0059	-2.5 to 2.5	Pass
					4.43	-7.296	-0.0039	-2.5 to 2.5	Pass
				-30	3.85	-1.574	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-7.110	-0.0038	-2.5 to 2.5	Pass
				-10	3.85	-10.886	-0.0058	-2.5 to 2.5	Pass
				0	3.85	-10.343	-0.0055	-2.5 to 2.5	Pass
				10	3.85	-6.838	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-4.449	-0.0024	-2.5 to 2.5	Pass
				40	3.85	-10.285	-0.0055	-2.5 to 2.5	Pass
				50	3.85	-6.552	-0.0035	-2.5 to 2.5	Pass
	1907.5	25	0	20	3.27	-2.031	-0.0011	-2.5 to 2.5	Pass
					3.85	-7.954	-0.0042	-2.5 to 2.5	Pass
					4.43	-8.683	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-10.629	-0.0056	-2.5 to 2.5	Pass
				-20	3.85	-9.499	-0.0050	-2.5 to 2.5	Pass
				-10	3.85	-11.745	-0.0062	-2.5 to 2.5	Pass
				0	3.85	-3.433	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-6.881	-0.0036	-2.5 to 2.5	Pass
				30	3.85	-9.985	-0.0052	-2.5 to 2.5	Pass
				40	3.85	-8.698	-0.0046	-2.5 to 2.5	Pass
				50	3.85	-14.448	-0.0076	-2.5 to 2.5	Pass

2.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1855	50	0	20	3.27	-6.738	-0.0036	-2.5 to 2.5	Pass
					3.85	-1.988	-0.0011	-2.5 to 2.5	Pass
					4.43	-7.467	-0.0040	-2.5 to 2.5	Pass
				-30	3.85	-1.688	-0.0009	-2.5 to 2.5	Pass

16QAM	1880	50	0	-20	3.85	-4.134	-0.0022	-2.5 to 2.5	Pass
				-10	3.85	-2.360	-0.0013	-2.5 to 2.5	Pass
				0	3.85	-3.347	-0.0018	-2.5 to 2.5	Pass
				10	3.85	-0.858	-0.0005	-2.5 to 2.5	Pass
				30	3.85	-3.734	-0.0020	-2.5 to 2.5	Pass
				40	3.85	-6.280	-0.0034	-2.5 to 2.5	Pass
				50	3.85	-2.246	-0.0012	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-6.466	-0.0034	-2.5 to 2.5	Pass
					3.85	-4.706	-0.0025	-2.5 to 2.5	Pass
					4.43	-8.082	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-9.284	-0.0049	-2.5 to 2.5	Pass
				-20	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass
				-10	3.85	-4.892	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-5.879	-0.0031	-2.5 to 2.5	Pass
				10	3.85	-7.625	-0.0041	-2.5 to 2.5	Pass
				30	3.85	-6.337	-0.0034	-2.5 to 2.5	Pass
				40	3.85	-7.653	-0.0041	-2.5 to 2.5	Pass
				50	3.85	-4.950	-0.0026	-2.5 to 2.5	Pass
				20	3.27	-6.738	-0.0035	-2.5 to 2.5	Pass
					3.85	-8.411	-0.0044	-2.5 to 2.5	Pass
					4.43	-6.437	-0.0034	-2.5 to 2.5	Pass
				-30	3.85	-7.825	-0.0041	-2.5 to 2.5	Pass
				-20	3.85	-7.739	-0.0041	-2.5 to 2.5	Pass
				-10	3.85	-3.762	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-6.337	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-4.277	-0.0022	-2.5 to 2.5	Pass
				30	3.85	-1.416	-0.0007	-2.5 to 2.5	Pass
				40	3.85	-4.964	-0.0026	-2.5 to 2.5	Pass
				50	3.85	-4.349	-0.0023	-2.5 to 2.5	Pass
	1855	50	0	20	3.27	-3.247	-0.0018	-2.5 to 2.5	Pass
					3.85	-4.420	-0.0024	-2.5 to 2.5	Pass
					4.43	1.702	0.0009	-2.5 to 2.5	Pass
				-30	3.85	1.516	0.0008	-2.5 to 2.5	Pass
				-20	3.85	-2.346	-0.0013	-2.5 to 2.5	Pass
				-10	3.85	2.646	0.0014	-2.5 to 2.5	Pass
				0	3.85	-1.044	-0.0006	-2.5 to 2.5	Pass
				10	3.85	-2.632	-0.0014	-2.5 to 2.5	Pass
				30	3.85	-1.144	-0.0006	-2.5 to 2.5	Pass
				40	3.85	-5.307	-0.0029	-2.5 to 2.5	Pass
				50	3.85	-3.390	-0.0018	-2.5 to 2.5	Pass
				20	3.27	-6.223	-0.0033	-2.5 to 2.5	Pass
					3.85	-7.195	-0.0038	-2.5 to 2.5	Pass
					4.43	-7.024	-0.0037	-2.5 to 2.5	Pass
				-30	3.85	-1.588	-0.0008	-2.5 to 2.5	Pass
				-20	3.85	-2.561	-0.0014	-2.5 to 2.5	Pass
				-10	3.85	-3.662	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-4.621	-0.0025	-2.5 to 2.5	Pass
				10	3.85	-6.180	-0.0033	-2.5 to 2.5	Pass
				30	3.85	-9.570	-0.0051	-2.5 to 2.5	Pass
				40	3.85	-8.240	-0.0044	-2.5 to 2.5	Pass
				50	3.85	-7.496	-0.0040	-2.5 to 2.5	Pass
	1905	50	0	20	3.27	-6.108	-0.0032	-2.5 to 2.5	Pass
					3.85	-4.578	-0.0024	-2.5 to 2.5	Pass
					4.43	-5.264	-0.0028	-2.5 to 2.5	Pass
				-30	3.85	-5.879	-0.0031	-2.5 to 2.5	Pass
				-20	3.85	-3.533	-0.0019	-2.5 to 2.5	Pass
				-10	3.85	-3.848	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-7.167	-0.0038	-2.5 to 2.5	Pass
				10	3.85	-6.022	-0.0032	-2.5 to 2.5	Pass

				30	3.85	-7.324	-0.0038	-2.5 to 2.5	Pass
				40	3.85	-9.298	-0.0049	-2.5 to 2.5	Pass
				50	3.85	-7.782	-0.0041	-2.5 to 2.5	Pass

2.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz										
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict	
		Size	Offset				Result	Limit		
QPSK	1857.5	75	0	20	3.27	-2.074	-0.0011	-2.5 to 2.5	Pass	
					3.85	-1.602	-0.0009	-2.5 to 2.5	Pass	
					4.43	-2.275	-0.0012	-2.5 to 2.5	Pass	
				-30	3.85	0.243	0.0001	-2.5 to 2.5	Pass	
				-20	3.85	1.073	0.0006	-2.5 to 2.5	Pass	
				-10	3.85	-0.458	-0.0002	-2.5 to 2.5	Pass	
				0	3.85	-3.762	-0.0020	-2.5 to 2.5	Pass	
				10	3.85	-3.633	-0.0020	-2.5 to 2.5	Pass	
				30	3.85	-0.014	0.0000	-2.5 to 2.5	Pass	
				40	3.85	-4.535	-0.0024	-2.5 to 2.5	Pass	
	50	3.85	-6.065	-0.0033	-2.5 to 2.5	Pass				
	1880	75	0	20	3.27	-7.997	-0.0043	-2.5 to 2.5	Pass	
					3.85	-11.373	-0.0060	-2.5 to 2.5	Pass	
					4.43	-5.279	-0.0028	-2.5 to 2.5	Pass	
				-30	3.85	-5.593	-0.0030	-2.5 to 2.5	Pass	
				-20	3.85	-10.228	-0.0054	-2.5 to 2.5	Pass	
				-10	3.85	-8.969	-0.0048	-2.5 to 2.5	Pass	
				0	3.85	-10.114	-0.0054	-2.5 to 2.5	Pass	
				10	3.85	-5.264	-0.0028	-2.5 to 2.5	Pass	
				30	3.85	-10.929	-0.0058	-2.5 to 2.5	Pass	
				40	3.85	-7.038	-0.0037	-2.5 to 2.5	Pass	
	50	3.85	-11.487	-0.0061	-2.5 to 2.5	Pass				
	1902.5	75	0	20	3.27	-6.738	-0.0035	-2.5 to 2.5	Pass	
					3.85	-9.241	-0.0049	-2.5 to 2.5	Pass	
					4.43	-6.051	-0.0032	-2.5 to 2.5	Pass	
				-30	3.85	-8.125	-0.0043	-2.5 to 2.5	Pass	
				-20	3.85	-5.150	-0.0027	-2.5 to 2.5	Pass	
				-10	3.85	-10.557	-0.0055	-2.5 to 2.5	Pass	
				0	3.85	-6.051	-0.0032	-2.5 to 2.5	Pass	
				10	3.85	-8.297	-0.0044	-2.5 to 2.5	Pass	
				30	3.85	-7.825	-0.0041	-2.5 to 2.5	Pass	
				40	3.85	-4.678	-0.0025	-2.5 to 2.5	Pass	
	50	3.85	-6.738	-0.0035	-2.5 to 2.5	Pass				
	16QAM	1857.5	75	0	20	3.27	-2.260	-0.0012	-2.5 to 2.5	Pass
						3.85	-5.965	-0.0032	-2.5 to 2.5	Pass
						4.43	-4.964	-0.0027	-2.5 to 2.5	Pass
					-30	3.85	-2.017	-0.0011	-2.5 to 2.5	Pass
					-20	3.85	-4.148	-0.0022	-2.5 to 2.5	Pass
					-10	3.85	-6.151	-0.0033	-2.5 to 2.5	Pass
					0	3.85	-3.204	-0.0017	-2.5 to 2.5	Pass
10					3.85	-2.575	-0.0014	-2.5 to 2.5	Pass	
30					3.85	-0.100	-0.0001	-2.5 to 2.5	Pass	
40					3.85	-2.332	-0.0013	-2.5 to 2.5	Pass	
50		3.85	-3.448	-0.0019	-2.5 to 2.5	Pass				
1880		75	0	20	3.27	-9.670	-0.0051	-2.5 to 2.5	Pass	
					3.85	-8.440	-0.0045	-2.5 to 2.5	Pass	
					4.43	-8.526	-0.0045	-2.5 to 2.5	Pass	
				-30	3.85	-10.672	-0.0057	-2.5 to 2.5	Pass	
				-20	3.85	-11.287	-0.0060	-2.5 to 2.5	Pass	
				-10	3.85	-9.341	-0.0050	-2.5 to 2.5	Pass	

				0	3.85	-7.825	-0.0042	-2.5 to 2.5	Pass
				10	3.85	-7.381	-0.0039	-2.5 to 2.5	Pass
				30	3.85	-8.626	-0.0046	-2.5 to 2.5	Pass
				40	3.85	-11.315	-0.0060	-2.5 to 2.5	Pass
				50	3.85	-6.938	-0.0037	-2.5 to 2.5	Pass
	1902.5	75	0	20	3.27	-5.307	-0.0028	-2.5 to 2.5	Pass
					3.85	-5.264	-0.0028	-2.5 to 2.5	Pass
					4.43	-5.736	-0.0030	-2.5 to 2.5	Pass
				-30	3.85	-6.666	-0.0035	-2.5 to 2.5	Pass
				-20	3.85	-5.593	-0.0029	-2.5 to 2.5	Pass
				-10	3.85	-4.964	-0.0026	-2.5 to 2.5	Pass
				0	3.85	-4.449	-0.0023	-2.5 to 2.5	Pass
				10	3.85	-9.327	-0.0049	-2.5 to 2.5	Pass
				30	3.85	-9.670	-0.0051	-2.5 to 2.5	Pass
				40	3.85	-7.553	-0.0040	-2.5 to 2.5	Pass
				50	3.85	-5.293	-0.0028	-2.5 to 2.5	Pass

2.1.6 B2_20MHz

Band: 2 / Bandwidth: 20MHz									
Modulation	Frequency (MHz)	RB Allocation		Temp. (°C)	Voltage (VDC)	Freq. Error (Hz)	Freq. vs. Rated (ppm)		Verdict
		Size	Offset				Result	Limit	
QPSK	1860	100	0	20	3.27	-5.207	-0.0028	-2.5 to 2.5	Pass
					3.85	-4.764	-0.0026	-2.5 to 2.5	Pass
					4.43	-4.835	-0.0026	-2.5 to 2.5	Pass
				-30	3.85	-4.334	-0.0023	-2.5 to 2.5	Pass
				-20	3.85	-1.817	-0.0010	-2.5 to 2.5	Pass
				-10	3.85	-6.623	-0.0036	-2.5 to 2.5	Pass
				0	3.85	-6.495	-0.0035	-2.5 to 2.5	Pass
				10	3.85	-3.247	-0.0017	-2.5 to 2.5	Pass
				30	3.85	-4.148	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-2.546	-0.0014	-2.5 to 2.5	Pass
				50	3.85	-3.004	-0.0016	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-4.363	-0.0023	-2.5 to 2.5	Pass
					3.85	-6.437	-0.0034	-2.5 to 2.5	Pass
					4.43	-7.782	-0.0041	-2.5 to 2.5	Pass
				-30	3.85	-6.123	-0.0033	-2.5 to 2.5	Pass
				-20	3.85	-6.280	-0.0033	-2.5 to 2.5	Pass
				-10	3.85	-5.851	-0.0031	-2.5 to 2.5	Pass
				0	3.85	-8.140	-0.0043	-2.5 to 2.5	Pass
				10	3.85	-6.595	-0.0035	-2.5 to 2.5	Pass
				30	3.85	-10.600	-0.0056	-2.5 to 2.5	Pass
				40	3.85	-7.911	-0.0042	-2.5 to 2.5	Pass
				50	3.85	-5.965	-0.0032	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-5.207	-0.0027	-2.5 to 2.5	Pass
					3.85	-5.379	-0.0028	-2.5 to 2.5	Pass
					4.43	-8.826	-0.0046	-2.5 to 2.5	Pass
				-30	3.85	-7.539	-0.0040	-2.5 to 2.5	Pass
				-20	3.85	-7.424	-0.0039	-2.5 to 2.5	Pass
				-10	3.85	-8.368	-0.0044	-2.5 to 2.5	Pass
				0	3.85	-6.237	-0.0033	-2.5 to 2.5	Pass
				10	3.85	-8.683	-0.0046	-2.5 to 2.5	Pass
				30	3.85	-8.612	-0.0045	-2.5 to 2.5	Pass
				40	3.85	-9.227	-0.0049	-2.5 to 2.5	Pass
				50	3.85	-4.220	-0.0022	-2.5 to 2.5	Pass
16QAM	1860	100	0	20	3.27	-0.186	-0.0001	-2.5 to 2.5	Pass
					3.85	-3.247	-0.0017	-2.5 to 2.5	Pass
					4.43	-4.120	-0.0022	-2.5 to 2.5	Pass
				-30	3.85	-4.549	-0.0024	-2.5 to 2.5	Pass

				-20	3.85	-1.001	-0.0005	-2.5 to 2.5	Pass
				-10	3.85	-3.734	-0.0020	-2.5 to 2.5	Pass
				0	3.85	-3.834	-0.0021	-2.5 to 2.5	Pass
				10	3.85	-4.206	-0.0023	-2.5 to 2.5	Pass
				30	3.85	-3.061	-0.0016	-2.5 to 2.5	Pass
				40	3.85	-4.234	-0.0023	-2.5 to 2.5	Pass
				50	3.85	-3.147	-0.0017	-2.5 to 2.5	Pass
	1880	100	0	20	3.27	-10.586	-0.0056	-2.5 to 2.5	Pass
					3.85	-8.025	-0.0043	-2.5 to 2.5	Pass
					4.43	-8.082	-0.0043	-2.5 to 2.5	Pass
				-30	3.85	-10.014	-0.0053	-2.5 to 2.5	Pass
				-20	3.85	-6.638	-0.0035	-2.5 to 2.5	Pass
				-10	3.85	-1.016	-0.0005	-2.5 to 2.5	Pass
				0	3.85	-5.536	-0.0029	-2.5 to 2.5	Pass
				10	3.85	-5.207	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-4.148	-0.0022	-2.5 to 2.5	Pass
				40	3.85	-5.836	-0.0031	-2.5 to 2.5	Pass
				50	3.85	-2.589	-0.0014	-2.5 to 2.5	Pass
	1900	100	0	20	3.27	-5.794	-0.0030	-2.5 to 2.5	Pass
					3.85	-9.384	-0.0049	-2.5 to 2.5	Pass
					4.43	-10.657	-0.0056	-2.5 to 2.5	Pass
				-30	3.85	-9.427	-0.0050	-2.5 to 2.5	Pass
				-20	3.85	-8.311	-0.0044	-2.5 to 2.5	Pass
				-10	3.85	-3.591	-0.0019	-2.5 to 2.5	Pass
				0	3.85	-6.552	-0.0034	-2.5 to 2.5	Pass
				10	3.85	-5.236	-0.0028	-2.5 to 2.5	Pass
				30	3.85	-5.722	-0.0030	-2.5 to 2.5	Pass
				40	3.85	-6.895	-0.0036	-2.5 to 2.5	Pass
				50	3.85	-4.520	-0.0024	-2.5 to 2.5	Pass

3. Modulation Characteristics

3.1 Test Result

3.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	1880	6	0	Refer To Test Graph	
16QAM	1880	6	0	Refer To Test Graph	
					Verdict
					Pass
					Pass

3.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	1880	15	0	Refer To Test Graph	
16QAM	1880	15	0	Refer To Test Graph	
					Verdict
					Pass
					Pass

3.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV					
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics	
		Size	Offset	Result	Limit
QPSK	1880	25	0	Refer To Test Graph	
16QAM	1880	25	0	Refer To Test Graph	
					Verdict
					Pass
					Pass

3.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	50	0	Refer To Test Graph		Pass
16QAM	1880	50	0	Refer To Test Graph		Pass

3.1.5 B2_15MHz


Band: 2 / Bandwidth: 15MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	75	0	Refer To Test Graph		Pass
16QAM	1880	75	0	Refer To Test Graph		Pass

3.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTV						
Modulation	Frequency (MHz)	RB Allocation		Modulation Characteristics		Verdict
		Size	Offset	Result	Limit	
QPSK	1880	100	0	Refer To Test Graph		Pass
16QAM	1880	100	0	Refer To Test Graph		Pass

3.2 Test Graph


3.2.1 B2_1.4MHz




3.2.2 B2_3MHz




3.2.3 B2_5MHz




3.2.4 B2_10MHz



3.2.5 B2_15MHz



3.2.6 B2_20MHz



4. 99% & 26dB Bandwidth

4.1 Test Result

4.1.1 Band2_OBW

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		99% Occupied Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.106	/	Pass
		1880	6	0	1.109	/	Pass
		1909.3	6	0	1.110	/	Pass
	16QAM	1850.7	6	0	1.121	/	Pass
		1880	6	0	1.109	/	Pass
		1909.3	6	0	1.106	/	Pass
3	QPSK	1851.5	15	0	2.722	/	Pass
		1880	15	0	2.737	/	Pass
		1908.5	15	0	2.723	/	Pass
	16QAM	1851.5	15	0	2.729	/	Pass
		1880	15	0	2.721	/	Pass
		1908.5	15	0	2.727	/	Pass
5	QPSK	1852.5	25	0	4.545	/	Pass
		1880	25	0	4.538	/	Pass
		1907.5	25	0	4.547	/	Pass
	16QAM	1852.5	25	0	4.527	/	Pass
		1880	25	0	4.557	/	Pass
		1907.5	25	0	4.529	/	Pass
10	QPSK	1855	50	0	9.067	/	Pass
		1880	50	0	9.060	/	Pass
		1905	50	0	9.060	/	Pass
	16QAM	1855	50	0	9.068	/	Pass
		1880	50	0	9.048	/	Pass
		1905	50	0	9.045	/	Pass
15	QPSK	1857.5	75	0	13.622	/	Pass
		1880	75	0	13.564	/	Pass
		1902.5	75	0	13.587	/	Pass
	16QAM	1857.5	75	0	13.583	/	Pass
		1880	75	0	13.552	/	Pass
		1902.5	75	0	13.570	/	Pass
20	QPSK	1860	100	0	18.095	/	Pass
		1880	100	0	18.079	/	Pass
		1900	100	0	18.106	/	Pass
	16QAM	1860	100	0	18.121	/	Pass
		1880	100	0	18.086	/	Pass
		1900	100	0	18.047	/	Pass


4.1.2 Band2_XDB

Band: 2 / NTNV							
Bandwidth (MHz)	Modulation	Frequency (MHz)	RB Allocation		26dB Bandwidth (MHz)		Verdict
			Size	Offset	Result	Limit	
1.4	QPSK	1850.7	6	0	1.316	/	Pass
		1880	6	0	1.303	/	Pass
		1909.3	6	0	1.316	/	Pass
	16QAM	1850.7	6	0	1.340	/	Pass
		1880	6	0	1.317	/	Pass


3	QPSK	1909.3	6	0	1.309	/	Pass
		1851.5	15	0	2.985	/	Pass
		1880	15	0	2.994	/	Pass
		1908.5	15	0	3.008	/	Pass
	16QAM	1851.5	15	0	2.995	/	Pass
		1880	15	0	2.996	/	Pass
		1908.5	15	0	3.012	/	Pass
5	QPSK	1852.5	25	0	5.164	/	Pass
		1880	25	0	5.026	/	Pass
		1907.5	25	0	5.033	/	Pass
	16QAM	1852.5	25	0	5.070	/	Pass
		1880	25	0	5.008	/	Pass
		1907.5	25	0	5.005	/	Pass
10	QPSK	1855	50	0	9.932	/	Pass
		1880	50	0	9.920	/	Pass
		1905	50	0	10.010	/	Pass
	16QAM	1855	50	0	9.946	/	Pass
		1880	50	0	9.927	/	Pass
		1905	50	0	9.939	/	Pass
15	QPSK	1857.5	75	0	18.688	/	Pass
		1880	75	0	14.936	/	Pass
		1902.5	75	0	14.972	/	Pass
	16QAM	1857.5	75	0	14.842	/	Pass
		1880	75	0	14.904	/	Pass
		1902.5	75	0	15.708	/	Pass
20	QPSK	1860	100	0	24.517	/	Pass
		1880	100	0	19.767	/	Pass
		1900	100	0	19.670	/	Pass
	16QAM	1860	100	0	19.629	/	Pass
		1880	100	0	19.675	/	Pass
		1900	100	0	19.667	/	Pass

4.2 Test Graph


4.2.1 Band2_OBW




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTN




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTN




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTNV




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTNV




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2_20MHz_QPSK_LCH_1860MHz_RB_100_0_NTNV




Band2_20MHz_QPSK_MCH_1880MHz_RB_100_0_NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV




Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV




Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV




4.2.2 Band2_XDB




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV




Band2_3MHz_QPSK_LCH_1851.5MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_MCH_1880MHz_RB_15_0_NTNV




Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV




Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV




Band2 3MHz 16QAM MCH 1880MHz RB 15 0 NTNV




Band2 3MHz 16QAM HCH 1908.5MHz RB 15 0 NTNV




Band2_5MHz_QPSK_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_QPSK_HCH_1907.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_LCH_1852.5MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_MCH_1880MHz_RB_25_0_NTNV




Band2_5MHz_16QAM_HCH_1907.5MHz_RB_25_0_NTNV




Band2_10MHz_QPSK_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_QPSK_HCH_1905MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_LCH_1855MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_MCH_1880MHz_RB_50_0_NTNV




Band2_10MHz_16QAM_HCH_1905MHz_RB_50_0_NTNV




Band2 15MHz QPSK LCH 1857.5MHz RB 75 0 NTN




Band2 15MHz QPSK MCH 1880MHz RB 75 0 NTN




Band2 15MHz QPSK HCH 1902.5MHz RB 75 0 NTNV




Band2 15MHz 16QAM LCH 1857.5MHz RB 75 0 NTNV




Band2_15MHz_16QAM_MCH_1880MHz_RB_75_0_NTNV




Band2_15MHz_16QAM_HCH_1902.5MHz_RB_75_0_NTNV




Band2 20MHz QPSK LCH 1860MHz RB 100 0 NTNV




Band2 20MHz QPSK MCH 1880MHz RB 100 0 NTNV




Band2 20MHz QPSK HCH 1900MHz RB 100 0 NTNV




Band2 20MHz 16QAM LCH 1860MHz RB 100 0 NTNV



Band2 20MHz 16QAM MCH 1880MHz RB 100 0 NTNV



Band2 20MHz 16QAM HCH 1900MHz RB 100 0 NTNV



5. Peak-Average Ratio

5.1 Test Result

5.1.1 B2_1.4MHz

Band: 2 / Bandwidth: 1.4MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1850.7	6	0	5.38	<=13	Pass
	1880	6	0	5.48	<=13	Pass
	1909.3	6	0	4.76	<=13	Pass
16QAM	1850.7	6	0	6.22	<=13	Pass
	1880	6	0	6.29	<=13	Pass
	1909.3	6	0	5.62	<=13	Pass

5.1.2 B2_3MHz

Band: 2 / Bandwidth: 3MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1851.5	15	0	5.48	<=13	Pass
	1880	15	0	5.46	<=13	Pass
	1908.5	15	0	4.86	<=13	Pass
16QAM	1851.5	15	0	6.26	<=13	Pass
	1880	15	0	6.33	<=13	Pass
	1908.5	15	0	5.71	<=13	Pass

5.1.3 B2_5MHz

Band: 2 / Bandwidth: 5MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1852.5	25	0	5.62	<=13	Pass
	1880	25	0	5.63	<=13	Pass
	1907.5	25	0	5.16	<=13	Pass
16QAM	1852.5	25	0	6.35	<=13	Pass
	1880	25	0	6.34	<=13	Pass
	1907.5	25	0	5.87	<=13	Pass

5.1.4 B2_10MHz

Band: 2 / Bandwidth: 10MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1855	50	0	5.57	<=13	Pass
	1880	50	0	5.57	<=13	Pass
	1905	50	0	5.18	<=13	Pass
16QAM	1855	50	0	6.34	<=13	Pass
	1880	50	0	6.36	<=13	Pass
	1905	50	0	5.94	<=13	Pass

5.1.5 B2_15MHz

Band: 2 / Bandwidth: 15MHz / NTNV						
-----------------------------------	--	--	--	--	--	--


Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1857.5	75	0	5.72	<=13	Pass
	1880	75	0	5.73	<=13	Pass
	1902.5	75	0	5.23	<=13	Pass
16QAM	1857.5	75	0	6.31	<=13	Pass
	1880	75	0	6.35	<=13	Pass
	1902.5	75	0	5.92	<=13	Pass

5.1.6 B2_20MHz


Band: 2 / Bandwidth: 20MHz / NTNV						
Modulation	Frequency (MHz)	RB Allocation		Peak-Average Ratio (dB)		Verdict
		Size	Offset	Result	Limit	
QPSK	1860	100	0	5.54	<=13	Pass
	1880	100	0	5.56	<=13	Pass
	1900	100	0	5.26	<=13	Pass
16QAM	1860	100	0	6.27	<=13	Pass
	1880	100	0	6.34	<=13	Pass
	1900	100	0	6.07	<=13	Pass

5.2 Test Graph


5.2.1 B2_1.4MHz




Band2 1.4MHz QPSK HCH 1909.3MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM LCH 1850.7MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM MCH 1880MHz RB 6 0 NTNV




Band2 1.4MHz 16QAM HCH 1909.3MHz RB 6 0 NTNV



5.2.2 B2_3MHz



Band2_3MHz_QPSK_HCH_1908.5MHz_RB_15_0_NTNV



Band2_3MHz_16QAM_LCH_1851.5MHz_RB_15_0_NTNV

