




Plot 5:

Test Date	2025-11-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1852.4
SAR 10g (W/Kg)	0.043
SAR 1g (W/Kg)	0.067
ConvF	1.34
Relative permittivity	40.21
Conductivity (S/m)	1.43

Maximum location: X=-48.00, Y=-56.00 ; SAR Peak: 0.11 W/kg






Plot 6:

Test Date	2025-11-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	Band 2 (1900)
Signal	WCDMA
Frequency	1852.4
SAR 10g (W/Kg)	0.089
SAR 1g (W/Kg)	0.176
ConvF	1.34
Relative permittivity	40.21
Conductivity (S/m)	1.43

Maximum location: X=7.00, Y=8.00 ; SAR Peak: 0.32 W/kg






Plot 7:

Test Date	2025-11-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1712.6
SAR 10g (W/Kg)	0.058
SAR 1g (W/Kg)	0.098
ConvF	1.21
Relative permittivity	40.54
Conductivity (S/m)	1.43

Maximum location: X=-49.00, Y=-56.00 ; SAR Peak: 0.14 W/kg






Plot 8:

Test Date	2025-11-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	Band 4 (1700)
Signal	WCDMA
Frequency	1712.6
SAR 10g (W/Kg)	0.145
SAR 1g (W/Kg)	0.238
ConvF	1.21
Relative permittivity	40.54
Conductivity (S/m)	1.43

Maximum location: X=3.00, Y=-3.00 ; SAR Peak: 0.35 W/kg






Plot 9:

Test Date	2025-11-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	Band 5 (850)
Signal	WCDMA
Frequency	826.4
SAR 10g (W/Kg)	0.342
SAR 1g (W/Kg)	0.434
ConvF	1.02
Relative permittivity	41.25
Conductivity (S/m)	0.93

Maximum location: X=-47.00, Y=-41.00 ; SAR Peak: 0.52 W/kg






Plot 10:

Test Date	2025-11-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	Band 5 (850)
Signal	WCDMA
Frequency	826.4
SAR 10g (W/Kg)	0.314
SAR 1g (W/Kg)	0.479
ConvF	1.02
Relative permittivity	41.25
Conductivity (S/m)	0.93

Maximum location: X=6.00, Y=12.00 ; SAR Peak: 0.69 W/kg






Plot 11:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	ISM
Signal	IEEE 802.11b
Frequency	1.51
SAR 10g (W/Kg)	0.271
SAR 1g (W/Kg)	0.534
ConvF	2.25
Relative permittivity	39.69
Conductivity (S/m)	1.83

Maximum location: X=-8.00, Y=7.00 ; SAR Peak: 0.88 W/kg






Plot 12:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back side
Band	ISM
Signal	IEEE 802.11b
Frequency	1.51
SAR 10g (W/Kg)	0.131
SAR 1g (W/Kg)	0.615
ConvF	2.25
Relative permittivity	39.69
Conductivity (S/m)	1.83

Maximum location: X=-24.00, Y=25.00 ; SAR Peak: 2.15 W/kg






Plot 13:

Test Date	2025-11-13
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	U-NII-1
Signal	IEEE 802.11a
Frequency	5200
SAR 10g (W/Kg)	0.232
SAR 1g (W/Kg)	0.675
ConvF	1.58
Relative permittivity	36.22
Conductivity (S/m)	4.61

Maximum location: X=-17.00, Y=0.00 ; SAR Peak: 1.79 W/kg






Plot 14:

Test Date	2025-11-13
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Back side
Band	U-NII-1
Signal	IEEE 802.11a
Frequency	5200
SAR 10g (W/Kg)	0.082
SAR 1g (W/Kg)	0.207
ConvF	1.58
Relative permittivity	36.22
Conductivity (S/m)	4.61

Maximum location: X=-2.00, Y=47.00 ; SAR Peak: 0.61 W/kg






Plot 15:

Test Date	2025-11-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	U-NII-2a
Signal	IEEE 802.11a
Frequency	5260
SAR 10g (W/Kg)	0.153
SAR 1g (W/Kg)	0.715
ConvF	1.60
Relative permittivity	36.18
Conductivity (S/m)	4.91

Maximum location: X=-24.00, Y=-24.00 ; SAR Peak: 23.33 W/kg






Plot 16:

Test Date	2025-11-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Back Side
Band	U-NII-2a
Signal	IEEE 802.11a
Frequency	5260
SAR 10g (W/Kg)	0.098
SAR 1g (W/Kg)	0.249
ConvF	1.60
Relative permittivity	36.18
Conductivity (S/m)	4.91

Maximum location: X=-8.00, Y=31.00 ; SAR Peak: 0.65 W/kg






Plot 17:

Test Date	2025-11-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	U-NII-2c
Signal	IEEE 802.11ac
Frequency	5510
SAR 10g (W/Kg)	0.212
SAR 1g (W/Kg)	0.689
ConvF	1.63
Relative permittivity	36.36
Conductivity (S/m)	5.12

Maximum location: X=-30.00, Y=-1.00 ; SAR Peak: 6.38 W/kg






Plot 18:

Test Date	2025-11-14
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Back Side
Band	U-NII-2c
Signal	IEEE 802.11ac
Frequency	5510
SAR 10g (W/Kg)	0.069
SAR 1g (W/Kg)	0.278
ConvF	1.63
Relative permittivity	36.36
Conductivity (S/m)	5.12

Maximum location: X=-8.00, Y=-9.00 ; SAR Peak: 6.95 W/kg






Plot 19:

Test Date	2025-11-15
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Left head
Device Position	Cheek
Band	U-NII-3
Signal	IEEE 802.11a
Frequency	5745
SAR 10g (W/Kg)	0.229
SAR 1g (W/Kg)	0.868
ConvF	1.62
Relative permittivity	36.18
Conductivity (S/m)	5.21

Maximum location: X=-32.00, Y=-1.00 ; SAR Peak: 3.62 W/kg






Plot 20:

Test Date	2025-11-15
Area Scan	dx=8mm dy=8mm
Zoom Scan	7x7x12,dx=4mm dy=4mm dz=2mm
Phantom	Validation plane
Device Position	Back Side
Band	U-NII-3
Signal	IEEE 802.11a
Frequency	5745
SAR 10g (W/Kg)	0.045
SAR 1g (W/Kg)	0.180
ConvF	1.62
Relative permittivity	36.18
Conductivity (S/m)	5.21

Maximum location: X=-16.00, Y=-8.00 ; SAR Peak: 2.72 W/kg






Plot 21:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Left head
Device Position	Cheek
Band	Bluetooth
Signal	Bluetooth
Frequency	2402
SAR 10g (W/Kg)	0.071
SAR 1g (W/Kg)	0.123
ConvF	1.51
Relative permittivity	39.69
Conductivity (S/m)	1.83

Maximum location: X=-10.00, Y=-1.00 ; SAR Peak: 0.17 W/kg






Plot 22:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Back Side
Band	Bluetooth
Signal	Bluetooth
Frequency	2402
SAR 10g (W/Kg)	0.048
SAR 1g (W/Kg)	0.225
ConvF	1.51
Relative permittivity	39.69
Conductivity (S/m)	1.83

Maximum location: X=-8.00, Y=-24.00 ; SAR Peak: 0.70 W/kg






Plot 23:

Test Date	2025-11-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 2
Signal	LTE FDD
Frequency	1900
SAR 10g (W/Kg)	0.047
SAR 1g (W/Kg)	0.085
ConvF	1.34
Relative permittivity	40.21
Conductivity (S/m)	1.43

Maximum location: X=-49.00, Y=-56.00 ; SAR Peak: 0.14 W/kg






Plot 24:

Test Date	2025-11-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 2
Signal	LTE FDD
Frequency	1900
SAR 10g (W/Kg)	0.056
SAR 1g (W/Kg)	0.128
ConvF	1.34
Relative permittivity	40.21
Conductivity (S/m)	1.43

Maximum location: X=-8.00, Y=-16.00 ; SAR Peak: 0.20 W/kg






Plot 25:

Test Date	2025-11-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.056
SAR 1g (W/Kg)	0.109
ConvF	1.21
Relative permittivity	40.54
Conductivity (S/m)	1.43

Maximum location: X=-49.00, Y=-48.00 ; SAR Peak: 0.19 W/kg






Plot 26:

Test Date	2025-11-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 4
Signal	LTE FDD
Frequency	1732.5
SAR 10g (W/Kg)	0.129
SAR 1g (W/Kg)	0.302
ConvF	1.21
Relative permittivity	40.54
Conductivity (S/m)	1.43


Maximum location: X=0.00, Y=-7.00 ; SAR Peak: 0.49 W/kg



Plot 27:

Test Date	2025-11-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.320
SAR 1g (W/Kg)	0.444
ConvF	1.02
Relative permittivity	41.25
Conductivity (S/m)	0.93

Maximum location: X=-47.00, Y=-47.00 ; SAR Peak: 0.71 W/kg






Plot 28:

Test Date	2025-11-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 5
Signal	LTE FDD
Frequency	829
SAR 10g (W/Kg)	0.323
SAR 1g (W/Kg)	0.560
ConvF	1.02
Relative permittivity	41.25
Conductivity (S/m)	0.93

Maximum location: X=7.00, Y=16.00 ; SAR Peak: 1.05 W/kg






Plot 29:

Test Date	2025-11-07
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 7
Signal	LTE FDD
Frequency	2510
SAR 10g (W/Kg)	0.242
SAR 1g (W/Kg)	0.511
ConvF	1.44
Relative permittivity	39.34
Conductivity (S/m)	1.94

Maximum location: X=-42.00, Y=-14.00 ; SAR Peak: 1.23 W/kg






Plot 30:

Test Date	2025-11-07
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 7
Signal	LTE FDD
Frequency	2510
SAR 10g (W/Kg)	0.126
SAR 1g (W/Kg)	0.428
ConvF	1.44
Relative permittivity	39.34
Conductivity (S/m)	1.94

Maximum location: X=-8.00, Y=-8.00 ; SAR Peak: 0.87 W/kg






Plot 31:

Test Date	2025-11-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 12
Signal	LTE FDD
Frequency	704
SAR 10g (W/Kg)	0.278
SAR 1g (W/Kg)	0.568
ConvF	1.08
Relative permittivity	42.56
Conductivity (S/m)	0.92

Maximum location: X=-49.00, Y=-41.00 ; SAR Peak: 1.58 W/kg






Plot 32:

Test Date	2025-11-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 12
Signal	LTE FDD
Frequency	704
SAR 10g (W/Kg)	0.399
SAR 1g (W/Kg)	0.652
ConvF	1.08
Relative permittivity	42.56
Conductivity (S/m)	0.92

Maximum location: X=6.00, Y=16.00 ; SAR Peak: 0.93 W/kg






Plot 33:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7, dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.274
SAR 1g (W/Kg)	0.355
ConvF	1.08
Relative permittivity	42.32
Conductivity (S/m)	0.88

Maximum location: X=-48.00, Y=-40.00 ; SAR Peak: 0.45 W/kg






Plot 34:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 13
Signal	LTE FDD
Frequency	782
SAR 10g (W/Kg)	0.416
SAR 1g (W/Kg)	0.656
ConvF	1.08
Relative permittivity	42.32
Conductivity (S/m)	0.88

Maximum location: X=3.00, Y=8.00 ; SAR Peak: 0.94 W/kg






Plot 35:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.301
SAR 1g (W/Kg)	0.397
ConvF	1.08
Relative permittivity	42.32
Conductivity (S/m)	0.88

Maximum location: X=-51.00, Y=-43.00 ; SAR Peak: 0.52 W/kg






Plot 36:

Test Date	2025-11-12
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 17
Signal	LTE FDD
Frequency	711
SAR 10g (W/Kg)	0.399
SAR 1g (W/Kg)	0.664
ConvF	1.08
Relative permittivity	42.32
Conductivity (S/m)	0.88

Maximum location: X=7.00, Y=0.00 ; SAR Peak: 0.88 W/kg






Plot 37:

Test Date	2025-11-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 25
Signal	LTE FDD
Frequency	1905
SAR 10g (W/Kg)	0.038
SAR 1g (W/Kg)	0.070
ConvF	1.34
Relative permittivity	40.21
Conductivity (S/m)	1.43

Maximum location: X=-42.00, Y=-50.00 ; SAR Peak: 0.13 W/kg






Plot 38:

Test Date	2025-11-11
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 25
Signal	LTE FDD
Frequency	1905
SAR 10g (W/Kg)	0.058
SAR 1g (W/Kg)	0.111
ConvF	1.34
Relative permittivity	40.21
Conductivity (S/m)	1.43

Maximum location: X=0.00, Y=-8.00 ; SAR Peak: 0.20 W/kg






Plot 39:

Test Date	2025-11-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 26
Signal	LTE FDD
Frequency	819
SAR 10g (W/Kg)	0.436
SAR 1g (W/Kg)	0.598
ConvF	1.02
Relative permittivity	41.25
Conductivity (S/m)	0.93

Maximum location: X=-47.00, Y=-41.00 ; SAR Peak: 0.82 W/kg






Plot 40:

Test Date	2025-11-06
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 2
Signal	LTE FDD
Frequency	819
SAR 10g (W/Kg)	0.415
SAR 1g (W/Kg)	0.633
ConvF	1.02
Relative permittivity	41.25
Conductivity (S/m)	0.93

Maximum location: X=7.00, Y=32.00 ; SAR Peak: 0.91 W/kg






Plot 41:

Test Date	2025-11-07
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.399
SAR 1g (W/Kg)	0.711
ConvF	1.44
Relative permittivity	39.34
Conductivity (S/m)	1.94

Maximum location: X=-54.00, Y=-18.00 ; SAR Peak: 1.37 W/kg






Plot 42:

Test Date	2025-11-07
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 38
Signal	LTE TDD
Frequency	2610
SAR 10g (W/Kg)	0.134
SAR 1g (W/Kg)	0.320
ConvF	1.44
Relative permittivity	39.34
Conductivity (S/m)	1.94

Maximum location: X=24.00, Y=1.00 ; SAR Peak: 1.46 W/kg






Plot 43:

Test Date	2025-11-07
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 41
Signal	LTE TDD
Frequency	2645
SAR 10g (W/Kg)	0.266
SAR 1g (W/Kg)	0.461
ConvF	1.44
Relative permittivity	39.34
Conductivity (S/m)	1.94

Maximum location: X=-49.00, Y=-17.00 ; SAR Peak: 0.69 W/kg






Plot 44:

Test Date	2025-11-07
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 41
Signal	LTE TDD
Frequency	2645
SAR 10g (W/Kg)	0.098
SAR 1g (W/Kg)	0.231
ConvF	1.44
Relative permittivity	39.34
Conductivity (S/m)	1.94

Maximum location: X=8.00, Y=-24.00 ; SAR Peak: 0.44 W/kg






Plot 45:

Test Date	2025-11-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.104
SAR 1g (W/Kg)	0.161
ConvF	1.21
Relative permittivity	40.54
Conductivity (S/m)	1.43

Maximum location: X=-64.00, Y=-31.00 ; SAR Peak: 0.25 W/kg






Plot 46:

Test Date	2025-11-10
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Bottom Side
Band	LTE band 66
Signal	LTE FDD
Frequency	1745
SAR 10g (W/Kg)	0.177
SAR 1g (W/Kg)	0.328
ConvF	1.21
Relative permittivity	40.54
Conductivity (S/m)	1.43

Maximum location: X=8.00, Y=8.00 ; SAR Peak: 0.56 W/kg






Plot 47:

Test Date	2025-11-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Right head
Device Position	Cheek
Band	LTE band 71
Signal	LTE FDD
Frequency	673
SAR 10g (W/Kg)	0.199
SAR 1g (W/Kg)	0.349
ConvF	1.08
Relative permittivity	42.56
Conductivity (S/m)	0.92

Maximum location: X=-32.00, Y=-24.00 ; SAR Peak: 0.44 W/kg






Plot 48:

Test Date	2025-11-09
Area Scan	dx=8mm dy=8mm
Zoom Scan	5x5x7,dx=8mm dy=8mm dz=5mm
Phantom	Validation plane
Device Position	Right Side
Band	LTE band 71
Signal	LTE FDD
Frequency	673
SAR 10g (W/Kg)	0.592
SAR 1g (W/Kg)	0.864
ConvF	1.08
Relative permittivity	42.56
Conductivity (S/m)	0.92

Maximum location: X=1.00, Y=-1.00 ; SAR Peak: 1.08 W/kg





Appendix C. Probe Calibration and Dipole Calibration Report

Refer the appendix Calibration Report.

※※※※※END OF THE REPORT※※※※※