


1 Cover Page

RF Exposure Evaluation Report

Application No.: KSCR2208001570AT
FCC ID: 2ADTD-3399DSD5B86
IC: 20199-3399DSD5B86
Applicant: Hangzhou Hikvision Digital Technology Co., Ltd.
Address of Applicant: No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China
Manufacturer: Hangzhou Hikvision Digital Technology Co., Ltd.
Address of Manufacturer: No.555 Qianmo Road, Binjiang District, Hangzhou 310052, China
Factory: 1. Hangzhou Hikvision Technology Co., Ltd.
 2. Hangzhou Hikvision Electronics Co., Ltd.
 3. Chongqing Hikvision technology Co., Ltd.
Address of Factory: 1. No.700, Dongliu Road, Binjiang District, Hangzhou City, Zhejiang, 310052, China;
 2. No.299, Qiushi Road, Tonglu Economic Development Zone, Tonglu County, Hangzhou, Zhejiang, 311500, China
 3. NO.118, Haikang Road, Area C, Jianqiao Industrial Park, Dadukou District, Chongqing, 401325, China.
Equipment Under Test (EUT):
EUT Name: Interactive Flat Panel
Model No.: Refer to page2~3
Standard(s) : FCC Rules 47 CFR §2.1091
 KDB 447498 D04 interim General RF Exposure Guidance v01
 RSS-102 Issue 5 Amendment 1 (February 2, 2021)
Date of Receipt: 2022-08-31
Date of Test: 2022-09-01 to 2022-09-08
Date of Issue: 2022-09-12

Test Result:	Pass*
---------------------	--------------

* In the configuration tested, the EUT complied with the standards specified above.



Eric Lin
Laboratory Manager



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300 t(86-512)57355888 f(86-512)57370818 www.sgs.com.cn
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300 t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Model No.:

DS-D5A86RB/A;DS-D5A86RB/B;DS-D5A86RB/E; DS-D5A86RB/C; DS-D5A86RB/D; DS-D5A86RB/F;
DS-D5A86RB/G; DS-D5A86RB/O; DS-D5A86RB/M;DS-D5A86RD/A;DS-D5A86RD/B;DS-
D5A86RD/C;DS-D5A86RD/D;DS-D5A86RD/E;DS-D5A86RO/A;DS-D5A86RO/B;DS-D5A86RO/C;DS-
D5A86RO/D;DS-D5A86RO/E;DS-D5A86RG/A;DS-D5A86RG/B;DS-D5A86RG/C;DS-D5A86RG/D;DS-
D5A86RG/E;DS-D5A86RM/A;DS-D5A86RM/B;DS-D5A86RM/C;DS-D5A86RM/D;DS-D5A86RM/E;
DS-D5B86RB/C; DS-D5B86RB/D; DS-D5B86RB/A;DS-D5B86RB/B;DS-D5B86RB/E; DS-D5B86RB/F;
DS-D5B86RB/G; DS-D5B86RB/O; DS-D5B86RB/M;DS-D5B86RD/A;DS-D5B86RD/B;DS-
D5B86RD/C;DS-D5B86RD/D;DS-D5B86RD/E;DS-D5B86RO/A;DS-D5B86RO/B;DS-D5B86RO/C;DS-
D5B86RO/D;DS-D5B86RO/E;DS-D5B86RG/A;DS-D5B86RG/B;DS-D5B86RG/C;DS-D5B86RG/D;DS-
D5B86RG/E;DS-D5B86RM/A;DS-D5B86RM/B;DS-D5B86RM/C;DS-D5B86RM/D;DS-D5B86RM/E;DS-
D5B86RB/A Pro;DS-D5B86RB/B Pro;DS-D5B86RB/C Pro;DS-D5B86RB/D Pro;DS-D5B86RB/E Pro;
DS-D5B86RD/A Pro;DS-D5B86RD/B Pro;DS-D5B86RD/C Pro;DS-D5B86RD/D Pro;DS-D5B86RD/E Pro;
DS-D5B86RO/A Pro;DS-D5B86RO/B Pro;DS-D5B86RO/C Pro;DS-D5B86RO/D Pro;DS-D5B86RO/E
Pro;DS-D5B86RG/A Pro;DS-D5B86RG/B Pro;DS-D5B86RG/C Pro;DS-D5B86RG/D Pro;DS-
D5B86RG/E Pro;DS-D5B86RM/A Pro;DS-D5B86RM/B Pro;DS-D5B86RM/C Pro;DS-D5B86RM/D
Pro;DS-D5B86RM/E Pro;DS-D5B86RB/ZC;DS-D5B86RD/ZC;DS-D5B86XX/ZC;DS-D5C86RB/A;DS-
D5C86RB/B;DS-D5C86RB/C;DS-D5C86RB/D;DS-D5C86RB/E;DS-D5C86RD/A;DS-D5C86RD/B;DS-
D5C86RD/C;DS-D5C86RD/D;DS-D5C86RD/E;DS-D5C86RO/A;DS-D5C86RO/B;DS-D5C86RO/C;DS-
D5C86RO/D;DS-D5C86RO/E;DS-D5C86RG/A;DS-D5C86RG/B;DS-D5C86RG/C;DS-D5C86RG/D;DS-
D5C86RG/E;DS-D5C86RM/A;DS-D5C86RM/B;DS-D5C86RM/C;DS-D5C86RM/D;DS-D5C86RM/E;DS-
D5C86RB/A Pro;DS-D5C86RB/B Pro;DS-D5C86RB/C Pro;DS-D5C86RB/D Pro;DS-D5C86RB/E
Pro;DS-D5C86RD/A Pro;DS-D5C86RD/B Pro;DS-D5C86RD/C Pro;DS-D5C86RD/D Pro;DS-
D5C86RD/E Pro;DS-D5C86RO/A Pro;DS-D5C86RO/B Pro;DS-D5C86RO/C Pro;DS-D5C86RO/D
Pro;DS-D5C86RO/E Pro;DS-D5C86RG/A Pro;DS-D5C86RG/B Pro;DS-D5C86RG/C Pro;DS-
D5C86RG/D Pro;DS-D5C86RG/E Pro;DS-D5C86RM/A Pro;DS-D5C86RM/B Pro;DS-D5C86RM/C
Pro;DS-D5C86RM/D Pro;DS-D5C86RM/E Pro;DS-D5C86RB/ZC;DS-D5C86RD/ZC;DS-
D5C86XX/ZC;DS-D5C86FD/AO;DS-D5C86FD/AP;DS-D5C86FB/AO;DS-D5C86FB/AP;DS-
D5C86FD/A;DS-D5C86FB/B;DS-D5C86FD/BO;DS-D5C86FD/BP;DS-D5C86FB/BO;DS-
D5C86FB/BP;DS-D5C86FD/B;DS-D5C86FB/B;DS-D5D86RB/A;DS-D5D86RB/B;DS-D5D86RB/C;DS-
D5D86RB/D;DS-D5D86RB/E;DS-D5D86RD/A;DS-D5D86RD/B;DS-D5D86RD/C;DS-D5D86RD/D;DS-
D5D86RD/E;DS-D5D86RO/A;DS-D5D86RO/B;DS-D5D86RO/C;DS-D5D86RO/D;DS-D5D86RO/E;
DS-D5D86RG/A;DS-D5D86RG/B;DS-D5D86RG/C;DS-D5D86RG/D;DS-D5D86RG/E;
DS-D5D86RM/A;DS-D5D86RM/B;DS-D5D86RM/C;DS-D5D86RM/D;DS-D5D86RM/E;
DS-D5D86RB/A Pro;DS-D5D86RB/B Pro;DS-D5D86RB/C Pro;DS-D5D86RB/D Pro;DS-D5D86RB/E Pro;
DS-D5D86RD/A Pro;DS-D5D86RD/B Pro;DS-D5D86RD/C Pro;DS-D5D86RD/D Pro;DS-D5D86RD/E
Pro;DS-D5D86RO/A Pro;DS-D5D86RO/B Pro;DS-D5D86RO/C Pro;DS-D5D86RO/D Pro;DS-
D5D86RO/E Pro;DS-D5D86RG/A Pro;DS-D5D86RG/B Pro;DS-D5D86RG/C Pro;DS-D5D86RG/D
Pro;DS-D5D86RG/E Pro;DS-D5D86RM/A Pro;DS-D5D86RM/B Pro;DS-D5D86RM/C Pro;DS-
D5D86RM/D Pro;DS-D5D86RM/E Pro;DS-D5D86RB/ZC;DS-D5D86RD/ZC;DS-D5D86XX/ZC;DS-
D5D86FD/AO;DS-D5D86FD/AP;DS-D5D86FB/AO;DS-D5D86FB/AP;DS-D5D86FD/A;DS-
D5D86FB/B;DS-D5D86FD/BO;DS-D5D86FD/BP;DS-D5D86FB/BO;DS-D5D86FB/BP;DS-
D5D86FD/B;DS-D5D86FB/B;DS-D5X86TH/P;DS-D5X86TL/P; DS-D5X86TM/P; DS-D5X86TH/P(B);DS-



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300
(86-512)57355888 (86-512)57370818 www.sgs.com.cn
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com



Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR220800157007

Page: 3 of 24

D5X86TL/P(B);DS-D5X86TM/P(B);DS-D5X86TH/P(C);DS-D5X86TL/P(C);DS-D5X86TM/P(C);DS-D5X86XX/X;DS-D5X86XX/XX;DS-D5XXXXX/X;DS-D5XXXXX/XX ("X"stand for A-Z, 0-9 or blank)

For IC Model No.: DS-D5B86RB/C;DS-D5B86RB/D



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Revision Record				
Version	Chapter	Date	Modifier	Remark
01		2022-09-12		Original

Authorized for issue by:				
		Damon Zhou		
		Damon_Zhou /Project Engineer		
		Eric Lin		
		Eric Lin/Reviewer		



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

2 Contents

	Page
1 COVER PAGE	1
2 CONTENTS	5
3 GENERAL INFORMATION	6
3.1 GENERAL DESCRIPTION OF E.U.T.	6
3.2 DETAILS OF E.U.T.	6
3.3 TEST LOCATION.....	9
3.4 TEST FACILITY.....	9
4 FCC RADIOFREQUENCY RADIATION EXPOSURE LIMITS	10
4.1 BLANKET 1 MW BLANKET EXEMPTION	10
4.2 MPE-BASED EXEMPTION	10
4.3 SAR-BASED EXEMPTION.....	11
5 IC RADIOFREQUENCY RADIATION EXPOSURE LIMITS:	14
6 MEASUREMENT AND CALCULATION	15
6.1 MAXIMUM TRANSMIT POWER	15
6.2 RF EXPOSURE CALCULATION.....	20



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 www.sgsgroup.com.cn
 ☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com

3 General Information

3.1 General Description of E.U.T.

Power supply:	100-240V~,50/60Hz,5.0A
S/N:	K26536274
Firmware Version:	V2.3.1

3.2 Details of E.U.T.

For Module DCT2JM2001

2.4G

Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz;802.11n(HT40): 2422MHz to 2452MHz
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11;802.11n(HT40):7
Channel Spacing:	5MHz
Data rate:	802.11b: 1/2/5.5/11Mbps 802.11g: 6/9/12/18/24/36/48/54Mbps 802.11n(20)/n(40): MCS0~MCS7
Antenna Type:	Antenna 1: PCB Antenna Antenna 2: PCB Antenna
Antenna Gain:	Ant 1:1.62dBi(Provided by the manufacturer) Ant 2:2.61dBi(Provided by the manufacturer) Directional gain:5.15dBi.

BT

Operation Frequency:	2402MHz to 2480MHz
Bluetooth Version:	V5.0 Dual mode
Modulation Type:	GFSK, π /4DQPSK, 8DPSK
Number of Channels:	79
Channel Spacing:	1MHz
Spectrum Spread Technology:	Frequency Hopping Spread Spectrum(FHSS)
Antenna Type:	PCB Antenna
Antenna Gain:	Ant 5:2.32dBi(Provided by the manufacturer)



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com

BLE

Operation Frequency:	2402MHz to 2480MHz
Bluetooth Version:	V5.0 Dual mode
Modulation Type:	GFSK
Number of Channels:	40
Channel Spacing:	2MHz
Data Rate:	1Mbps,2Mbps
Antenna Type:	PCB Antenna
Antenna Gain:	Ant 5:2.32dBi(Provided by the manufacturer)

5G

Operation Frequency (20MHz):	U-NII-1: 5180-5240MHz; U-NII-3: 5745-5825MHz
Operation Frequency (40MHz):	U-NII-1: 5190-5230MHz; U-NII-3: 5755-5795MHz
Operation Frequency (80MHz):	U-NII-1: 5210MHz; U-NII-3: 5775MHz
Modulation Type:	802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK); 802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM); 802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)
Channel Spacing:	802.11a/n(HT20)/ac(VHT20): 20MHz; 802.11n(HT40)/ac(VHT40): 40MHz; 802.11ac(VHT80): 80MHz
Antenna Type:	Ant 1: PCB Antenna Ant 2: PCB Antenna
Antenna Gain:	For U-NII-1: Ant 1:2.15dBi(Provided by the manufacturer) Ant 2:2.33dBi(Provided by the manufacturer) Directional gain:5.25dBi. For U-NII-3: Ant 1:2.54dBi(Provided by the manufacturer) Ant 2:2.62dBi(Provided by the manufacturer) Directional gain:5.59dBi



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing /inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 www.sgsgroup.com.cn
☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com

For Module WCB1R2001

2.4G

Operation Frequency:	802.11b/g/n(HT20): 2412MHz to 2462MHz;802.11n(HT40): 2422MHz to 2452MHz
Modulation Type:	802.11b: DSSS (CCK, DQPSK, DBPSK);802.11g/n: OFDM (64QAM, 16QAM, QPSK, BPSK)
Number of Channels:	802.11b/g/n(HT20):11;802.11n(HT40):7
Channel Spacing:	5MHz
Data rate:	802.11b: 1/2/5.5/11Mbps 802.11g: 6/9/12/18/24/36/48/54Mbps 802.11n(20)/n(40): MCS0~MCS7
Antenna Type:	Ant 3: PCB Antenna Ant 4: PCB Antenna
Antenna Gain:	Ant 3:2.18dBi(Provided by the manufacturer) Ant 4:2.24dBi(Provided by the manufacturer) Directional gain:5.22dBi.

5G

Operation Frequency (20MHz):	U-NII-1: 5180-5240MHz; U-NII-3: 5745-5825MHz
Operation Frequency (40MHz):	U-NII-1: 5190-5230MHz; U-NII-3: 5755-5795MHz
Operation Frequency (80MHz):	U-NII-1: 5210MHz; U-NII-3: 5775MHz
Modulation Type:	802.11a: OFDM (64QAM, 16QAM, QPSK, BPSK); 802.11n: OFDM (BPSK, QPSK, 16QAM, 64QAM); 802.11ac: OFDM (BPSK, QPSK, 16QAM, 64QAM, 256QAM)
Channel Spacing:	802.11a/n(HT20)/ac(VHT20): 20MHz; 802.11n(HT40)/ac(VHT40): 40MHz; 802.11ac(VHT80): 80MHz
Antenna Type:	Ant 3: PCB Antenna Ant 4: PCB Antenna
Antenna Gain:	For U-NII-1: Ant 3:2.5dBi(Provided by the manufacturer) Ant 4:1.62dBi(Provided by the manufacturer) Directional gain:5.09dBi. For U-NII-3: Ant 3:2.46dBi(Provided by the manufacturer) Ant 4:2.55dBi(Provided by the manufacturer) Directional gain:5.51dBi.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com

3.3 Test Location

All tests were performed at:

Compliance Certification Services (Kunshan) Inc.

No.10 Weiye Rd, Innovation park, Eco&Tec, Development Zone, Kunshan City, Jiangsu, China.

Tel: +86 512 5735 5888

Fax: +86 512 5737 0818

No tests were sub-contracted.

Note:

- 1.SGS is not responsible for wrong test results due to incorrect information (e.g. max. clock frequency, highest internal frequency, antenna gain, cable loss, etc) is provided by the applicant. (if applicable).
- 2.SGS is not responsible for the authenticity, integrity and the validity of the conclusion based on results of the data provided by applicant. (if applicable).

3.4 Test Facility

The test facility is recognized, certified, or accredited by the following organizations:

• CNAS (No. CNAS L4354)

CNAS has accredited Compliance Certification Services (Kunshan) Inc. to ISO/IEC 17025:2017 General Requirements for the Competence of Testing and Calibration Laboratories (CNAS-CL01 Accreditation Criteria for the Competence of Testing and Calibration Laboratories) for the competence in the field of testing.

• A2LA (Certificate No. 2541.01)

Compliance Certification Services (Kunshan) Inc. is accredited by the American Association for Laboratory Accreditation (A2LA). Certificate No. 2541.01.

• FCC (Designation Number: CN1172)

Compliance Certification Services (Kunshan) Inc. has been recognized as an accredited testing laboratory.

Designation Number: CN1172.

• ISED (CAB identifier: CN0072)

Compliance Certification Services (Kunshan) Inc. has been recognized by Innovation, Science and Economic Development Canada (ISED) as an accredited testing laboratory.

Company Number: 2324E

• VCCI (Member No.: 1938)

The 3m and 10m Semi-anechoic chamber and Shielded Room of Compliance Certification Services (Kunshan) Inc. has been registered in accordance with the Regulations for Voluntary Control Measures with Registration No.: R-20134, R-11600, C-11707, T-11499, G-10216 respectively.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

4 FCC Radiofrequency radiation exposure limits

Test exemptions apply for devices used in general population/uncontrolled exposure environments, according to the SAR-based, or MPE-based exemption thresholds.

4.1 Blanket 1 mW Blanket Exemption

The 1 mW Blanket Exemption of §1.1307(b)(3)(i)(A) applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power of no more than 1 mW, regardless of separation distance.

The 1-mW blanket exemption applies at separation distances less than 0.5 cm, including where there is no separation. This exemption shall not be used in conjunction with other exemption criteria other than those for multiple RF sources in paragraph §1.1307(b)(3)(ii)(A).

The 1-mW exemption is independent of service type and covers the full range of 100 kHz to 100 GHz, but it shall not be used in conjunction with other exemption criteria or in devices with higher-power transmitters operating in the same time-averaging period. Exposure from such higher-power transmitters would invalidate the underlying assumption that exposure from the lower-power transmitter is the only contributor to SAR in the relevant volume of tissue.

4.2 MPE-based Exemption

General frequency and separation-distance dependent MPE-based effective radiated power (ERP) thresholds are in Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] to support an exemption from further evaluation from 300 kHz through 100 GHz.

Table B.1—Thresholds For Single RF Sources Subject to Routine Environmental Evaluation

RF Source Frequency			Minimum Distance			Threshold ERP
f_L MHz		f_H MHz	$\lambda_L / 2\pi$		$\lambda_H / 2\pi$	W
0.3	—	1.34	159 m	—	35.6 m	1,920 R ²
1.34	—	30	35.6 m	—	1.6 m	3,450 R ² /f ²
30	—	300	1.6 m	—	159 mm	3.83 R ²
300	—	1,500	159 mm	—	31.8 mm	0.0128 R ² f
1,500	—	100,000	31.8 mm	—	0.5 mm	19.2R ²

Subscripts L and H are low and high; λ is wavelength.

From §1.1307(b)(3)(i)(C), modified by adding Minimum Distance columns.

The table applies to any RF source (i.e. single fixed, mobile, and portable transmitters) and specifies power and distance criteria for each of the five frequency ranges used for the MPE limits. These criteria apply at separation distances from any part of the radiating structure of at least $\lambda/2\pi$. The thresholds are



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgs.com

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

based on the general population MPE limits with a single perfect reflection, outside of the reactive near-field, and in the main beam of the radiator.

For mobile devices that are not exempt per Table B.1 [Table 1 of §1.1307(b)(1)(i)(C)] at distances from 20 cm to 40 cm and in 0.3 GHz to 6 GHz, evaluation of compliance with the exposure limits in §1.1310 is necessary if the ERP of the device is greater than ERP_{20cm} in Formula (B.1) [repeated from §2.1091(c)(1); also in §1.1307(b)(1)(i)(B)].

$$P_{th} \text{ (mW)} = ERP_{20 \text{ cm}} \text{ (mW)} = \begin{cases} 2040f & 0.3 \text{ GHz} \leq f < 1.5 \text{ GHz} \\ 3060 & 1.5 \text{ GHz} \leq f \leq 6 \text{ GHz} \end{cases} \quad (\text{B.1})$$

If the ERP is not easily obtained, then the available maximum time-averaged power may be used (i.e., without consideration of ERP only if the physical dimensions of the radiating structure(s) do not exceed the electrical length of $\lambda/4$ or if the antenna gain is less than that of a half-wave dipole.

SAR-based exemptions are constant at separation distances between 20 cm and 40 cm to avoid discontinuities in the threshold when transitioning between SAR-based and MPE-based exemption criteria at 40 cm, considering the importance of reflections.

Limit calculation			
Frequency range	Frequency(MHz)	$R(\lambda/2\pi)(m)$	Threshold ERP(W)
300~1500MHz	915	0.0522	0.032
1500~100000MHz	2462	0.0194	0.007

4.3 SAR-based Exemption

SAR-based thresholds are derived based on frequency, power, and separation distance of the RF source. The formula defines the thresholds in general for either available maximum time-averaged power or maximum time-averaged ERP, whichever is greater.

If the ERP of a device is not easily determined, such as for a portable device with a small form factor, the applicant may use the available maximum time-averaged power exclusively if the device antenna or radiating structure does not exceed an electrical length of $\lambda/4$.

As for devices with antennas of length greater than $\lambda/4$ where the gain is not well defined, but always less than that of a half-wave dipole (length $\lambda/2$), the available maximum time-averaged power generated by the device may be used in place of the maximum time-averaged ERP, where that value is not known.

The separation distance is the smallest distance from any part of the antenna or radiating structure for all persons, during operation at the applicable ERP. In the case of mobile or portable devices, the separation distance is from the outer housing of the device where it is closest to the antenna.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 www.sgsgroup.com.cn
 ☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR220800157007

Page: 12 of 24

The SAR-based exemption formula of §1.1307(b)(3)(i)(B), repeated here as Formula (B.2), applies for single fixed, mobile, and portable RF sources with available maximum time-averaged power or effective radiated power (ERP), whichever is greater, of less than or equal to the threshold P_{th} (mW).

This method shall only be used at separation distances from 0.5 cm to 40 cm and at frequencies from 0.3 GHz to 6 GHz (inclusive). P_{th} is given by Formula (B.2).

$$P_{th} \text{ (mW)} = \begin{cases} ERP_{20 \text{ cm}} (d/20 \text{ cm})^x & d \leq 20 \text{ cm} \\ ERP_{20 \text{ cm}} & 20 \text{ cm} < d \leq 40 \text{ cm} \end{cases} \quad (\text{B.2})$$

where

$$x = -\log_{10} \left(\frac{60}{ERP_{20 \text{ cm}} \sqrt{f}} \right)$$

and f is in GHz, d is the separation distance (cm), and $ERP_{20 \text{ cm}}$ is per Formula (B.1).



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
No.:10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 www.sgsgroup.com.cn
☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com

Example values shown in Table B.2 are for illustration only.

Table B.2—Example Power Thresholds (mW)

Frequency (MHz)	Distance(mm)									
	5	10	15	20	25	30	35	40	45	50
300	39	65	88	110	129	148	166	184	201	217
450	22	44	67	89	112	135	158	180	203	226
835	9	25	44	66	90	116	145	175	207	240
1900	3	12	26	44	66	92	122	157	195	236
2450	3	10	22	38	59	83	111	143	179	219
3600	2	8	18	32	49	71	96	125	158	195
5800	1	6	14	25	40	58	80	106	136	169

For 2.4G WiFi

Limit calculation				
Frequency range(GHz)	Frequency(GHz)	X	Distance(cm)	Pth (mW)
1.5~6	2.462	1.903	20	3060.000

For 5G WiFi

Limit calculation				
Frequency range(GHz)	Frequency(GHz)	X	Distance(cm)	Pth (mW)
1.5~6	5.825	2.090	20	3060.000

For BT

Limit calculation				
Frequency range(GHz)	Frequency(GHz)	X	Distance(cm)	Pth (mW)
1.5~6	2.48	1.905	20	3060.000

For BLE

Limit calculation				
Frequency range(GHz)	Frequency(GHz)	X	Distance(cm)	Pth (mW)
1.5~6	2.48	1.905	20	3060.000



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300
 ☎(86-512)57355888 ☎(86-512)57370818 www.sgs.com.cn
 ☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com

5 IC Radiofrequency radiation exposure limits:

According to RSS-102 section 2.5.2, RF exposure evaluation is required if the separation distance between the user and/or bystander and the device's radiating element is greater than 20 cm, except when the device operates as follows:

below 20 MHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than 1 W (adjusted for tune-up tolerance);

- at or above 20 MHz and below 48 MHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than $4.49/f^{0.5}$ W (adjusted for tune-up tolerance), where f is in MHz;
- at or above 48 MHz and below 300 MHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than 0.6 W (adjusted for tune-up tolerance);
- at or above 300 MHz and below 6 GHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than $1.31 \times 10^{-2} f^{0.6834}$ W (adjusted for tune-up tolerance), where f is in MHz;
- at or above 6 GHz and the source-based, time-averaged maximum e.i.r.p. of the device is equal to or less than 5 W (adjusted for tune-up tolerance).

For 2.4G device, the limit of worse case is 2.68 W

For 5G device, the limit of worse case is 4.53W



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com

6 Measurement and Calculation

6.1 Maximum transmit power

The Power Data is based on the RF Test Report KSCR220800157001, KSCR220800157002, KSCR220800157003, KSCR220800157004, KSCR220800157005, KSCR220800157006.

For Module DCT2JM2001

2.4G WiFi

Test Mode	Test Frequency (MHz)	Antenna 1 Power (dBm)	Antenna 2 Power (dBm)	MIMO Power (dBm)	Antenna 1 Power (mW)	Antenna 2 Power (mW)	MIMO Power (mW)
11B	2412	12.61	12.21	/	18.24	16.63	/
	2437	12.83	12.64	/	19.19	18.37	/
	2462	12.74	12.40	/	18.79	17.38	/
11G	2412	11.81	12.45	/	15.17	17.58	/
	2437	11.76	12.27	/	15.00	16.87	/
	2462	11.94	12.42	/	15.63	17.46	/
11N20MIMO	2412	9.51	9.57	12.55	8.93	9.06	17.99
	2437	9.60	9.62	12.62	9.12	9.16	18.28
	2462	9.66	9.70	12.69	9.25	9.33	18.58
11N40MIMO	2412	9.63	9.55	12.60	9.18	9.02	18.20
	2437	9.68	9.68	12.69	9.29	9.29	18.58
	2462	9.66	9.54	12.61	9.25	8.99	18.24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgs.com.cn
 (86-512)57355888 (86-512)57370818 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR220800157007

Page: 16 of 24

BT

Test Mode	Test Frequency (MHz)	Output Power (dBm)	Reading Power (mW)
GFSK	2402	3.42	2.20
	2441	3.34	2.16
	2480	3.06	2.02
$\pi/4$ DQPSK	2402	5.82	3.82
	2441	5.86	3.85
	2480	5.60	3.63
8DPSK	2402	6.26	4.23
	2441	6.27	4.24
	2480	6.00	3.98

BLE

Test Mode	Test Frequency (MHz)	Output Power (dBm)	Output Power (mW)
1M	2402	3.30	2.14
	2442	3.17	2.07
	2480	2.93	1.96
2M	2402	3.39	2.18
	2442	3.49	2.23
	2480	3.26	2.12



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

5G WiFi

Test Mode	Test Frequency (MHz)	Antenna 1 Power (dBm)	Antenna 2 Power (dBm)	MIMO Power (dBm)	Antenna 1 Power (mW)	Antenna 2 Power (mW)	MIMO Power (mW)
11A	5180	11.83	12.35	/	15.24	17.18	/
	5200	11.74	12.41	/	14.93	17.42	/
	5240	12.06	12.27	/	16.07	16.87	/
	5745	11.93	11.30	/	15.60	13.49	/
	5785	12.09	11.56	/	16.18	14.32	/
	5825	11.79	12.15	/	15.10	16.41	/
11N20 MIMO	5180	8.71	9.24	11.99	7.43	8.39	15.81
	5200	8.78	9.41	12.12	7.55	8.73	16.29
	5240	9.04	9.21	12.14	8.02	8.34	16.37
	5745	8.87	8.38	11.64	7.71	6.89	14.59
	5785	8.74	8.58	11.67	7.48	7.21	14.69
	5825	8.56	9.13	11.86	7.18	8.18	15.35
11N40 MIMO	5190	9.03	9.63	12.35	8.00	9.18	17.18
	5230	9.31	9.69	12.51	8.53	9.31	17.82
	5755	9.57	8.78	12.20	9.06	7.55	16.60
	5795	9.14	9.11	12.14	8.20	8.15	16.37
11AC20 MIMO	5180	8.85	9.35	12.12	7.67	8.61	16.29
	5200	8.94	9.62	12.30	7.83	9.16	16.98
	5240	9.35	9.44	12.41	8.61	8.79	17.42
	5745	8.91	8.46	11.70	7.78	7.01	14.79
	5785	9.04	8.62	11.85	8.02	7.28	15.31
	5825	8.77	9.30	12.05	7.53	8.51	16.03
11AC40 MIMO	5190	9.09	9.73	12.43	8.11	9.40	17.50
	5230	9.58	9.76	12.68	9.08	9.46	18.54
	5755	10.28	9.59	12.96	10.67	9.10	19.77
	5795	9.91	9.75	12.84	9.79	9.44	19.23
11AC80 MIMO	5210	9.41	8.28	11.89	8.73	6.73	15.45
	5775	9.70	9.28	12.51	9.33	8.47	17.82



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR220800157007

Page: 18 of 24

For Module WCB1R2001

2.4G WiFi

Test Mode	Test Frequency (MHz)	Antenna 3 Power (dBm)	Antenna 4 Power (dBm)	MIMO Power (dBm)	Antenna 3 Power (mW)	Antenna 4 Power (mW)	MIMO Power (mW)
11B	2412	12.59	12.25	/	18.16	16.79	/
	2437	12.80	12.63	/	19.05	18.32	/
	2462	12.69	12.42	/	18.58	17.46	/
11G	2412	11.93	12.33	/	15.60	17.10	/
	2437	11.77	12.23	/	15.03	16.71	/
	2462	11.81	12.35	/	15.17	17.18	/
11N20 MIMO	2412	9.47	9.46	12.48	8.85	8.83	17.70
	2437	9.57	9.54	12.57	9.06	8.99	18.07
	2462	9.56	9.55	12.57	9.04	9.02	18.07
11N40 MIMO	2412	9.51	9.40	12.47	8.93	8.71	17.66
	2437	9.67	9.51	12.60	9.27	8.93	18.20
	2462	9.67	9.53	12.61	9.27	8.97	18.24



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com
 No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
 中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 www.sgsgroup.com.cn
 ☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com

5G WiFi

Test Mode	Test Frequency (MHz)	Antenna 3 Power (dBm)	Antenna 4 Power (dBm)	MIMO Power (dBm)	Antenna 3 Power (mW)	Antenna 4 Power (mW)	MIMO Power (mW)
11A	5180	12.49	12.56	/	17.74	18.03	/
	5200	12.58	12.03	/	18.11	15.96	/
	5240	12.75	12.42	/	18.84	17.46	/
	5745	12.69	13.34	/	18.58	21.58	/
	5785	12.54	13.55	/	17.95	22.65	/
	5825	13.00	13.32	/	19.95	21.48	/
11N20 MIMO	5180	9.51	9.52	12.53	8.93	8.95	17.91
	5200	9.70	9.10	12.42	9.33	8.13	17.46
	5240	9.81	9.58	12.71	9.57	9.08	18.66
	5745	9.96	10.14	13.06	9.91	10.33	20.23
	5785	9.89	10.48	13.21	9.75	11.17	20.94
	5825	10.39	10.22	13.32	10.94	10.52	21.48
11N40 MIMO	5190	9.76	9.61	12.70	9.46	9.14	18.62
	5230	10.03	9.78	12.92	10.07	9.51	19.59
	5755	10.33	11.11	13.75	10.79	12.91	23.71
	5795	10.27	11.05	13.69	10.64	12.74	23.39
11AC20 MIMO	5180	9.48	9.55	12.53	8.87	9.02	17.91
	5200	9.68	9.13	12.42	9.29	8.18	17.46
	5240	9.78	9.58	12.69	9.51	9.08	18.58
	5745	9.95	10.33	13.15	9.89	10.79	20.65
	5785	9.90	10.48	13.21	9.77	11.17	20.94
	5825	10.35	10.32	13.35	10.84	10.76	21.63
11AC40 MIMO	5190	9.79	9.65	12.73	9.53	9.23	18.75
	5230	10.05	9.73	12.90	10.12	9.40	19.50
	5755	10.29	11.18	13.77	10.69	13.12	23.82
	5795	10.26	11.06	13.69	10.62	12.76	23.39
11AC80 MIMO	5210	9.23	9.04	12.15	8.38	8.02	16.41
	5775	9.01	9.86	12.47	7.96	9.68	17.66



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Document.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing/inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com

6.2 RF Exposure Calculation

For FCC:

For Module DCT2JM2001

2.4G WiFi

The Max Conducted Average Output Power is 19.19 mW for antenna1, 18.37 mW for antenna2, 18.58 mW for Mimo.

The best case gain of the antenna is 1.62dBi for antenna1 and 2.61dBi for antenna2.

Directional gain: 5.15dBi.

1.62dBi logarithmic terms convert to numeric result is nearly 1.45.

2.61dBi logarithmic terms convert to numeric result is nearly 1.82.

5.15dBi logarithmic terms convert to numeric result is nearly 3.27.

According to the formula, calculate the EIRP test result:

Antenna1: $EIRP = P \times G = 19.19 \text{ mW} \times 1.45 = 27.83 \text{ mW}$

Antenna2: $EIRP = P \times G = 18.37 \text{ mW} \times 1.82 = 33.43 \text{ mW}$

In MIMO mode: $EIRP = P \times G = 18.58 \text{ mW} \times 3.27 = 60.76 \text{ mW}$

BT:

The Max Conducted Peak Output Power is 4.24mW. The best case gain of the antenna is 2.32dBi.

2.32dBi logarithmic terms convert to numeric result is nearly 1.71.

According to the formula, calculate the EIRP test result:

$EIRP = P \times G = 4.24 \text{ mW} \times 1.71 = 7.30 \text{ mW}$

BLE:

The Max Conducted Peak Output Power is 2.23mW. The best case gain of the antenna is 2.32dBi.

2.32dBi logarithmic terms convert to numeric result is nearly 1.71.

According to the formula, calculate the EIRP test result:

$EIRP = P \times G = 2.23 \text{ mW} \times 1.71 = 3.81 \text{ mW}$

5G WiFi

The Max Conducted Peak Output Power is 16.18 mW for antenna1, 17.42 mW for antenna2, 19.77 mW for Mimo.

For U-NII-1 The best case gain of the antenna is 2.15dBi for antenna1 and 2.33dBi for antenna2.

Directional gain: 5.25dBi.

For U-NII-3 The best case gain of the antenna is 2.54dBi for antenna1 and 2.62dBi for antenna2.

Directional gain: 5.59dBi

2.15dBi logarithmic terms convert to numeric result is nearly 1.64.

2.33dBi logarithmic terms convert to numeric result is nearly 1.71.

2.54dBi logarithmic terms convert to numeric result is nearly 1.80.

2.62dBi logarithmic terms convert to numeric result is nearly 1.83.

5.25dBi logarithmic terms convert to numeric result is nearly 3.35.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No. 10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512) 57355888 (86-512) 57370818 www.sgs.com.cn
(86-512) 57355888 (86-512) 57370818 sgs.china@sgs.com

5.59dBi logarithmic terms convert to numeric result is nearly 3.62.

According to the formula. calculate the EIRP test result:

Antenna1: $EIRP = P \times G = 16.18mW \times 1.80 = 29.12mW$

Antenna2: $EIRP = P \times G = 17.42 mW \times 1.71 = 29.79mW$

In MIMO mode: $EIRP = P \times G = 19.77mW \times 3.62 = 71.57mW$

For Module WCB1R2001

2.4G WiFi

The Max Conducted Average Output Power is 19.05 mW for antenna3, 18.32mW for antenna4, 18.24 mW for Mimo.

The best case gain of the antenna is 2.18dBi for antenna3 and 2.24dBi for antenna4.

Directional gain: 5.22dBi.

2.18dBi logarithmic terms convert to numeric result is nearly 1.65.

2.24dBi logarithmic terms convert to numeric result is nearly 1.68.

5.22dBi logarithmic terms convert to numeric result is nearly 3.33.

According to the formula. calculate the EIRP test result:

Antenna3: $EIRP = P \times G = 19.05mW \times 1.65 = 31.43mW$

Antenna4: $EIRP = P \times G = 18.32mW \times 1.68 = 30.78mW$

In MIMO mode: $EIRP = P \times G = 18.24 mW \times 3.33 = 60.74mW$

5G WiFi

The Max Conducted Peak Output Power is 19.95 mW for antenna3, 22.65 mW for antenna4, 18.24 mW for Mimo.

For U-NII-1 The best case gain of the antenna is 2.50dBi for antenna3 and 1.62dBi for antenna4.

Directional gain: 5.09dBi.

For U-NII-3 The best case gain of the antenna is 2.46dBi for antenna3 and 2.55dBi for antenna4.

Directional gain: 5.51dBi

2.50dBi logarithmic terms convert to numeric result is nearly 1.78.

1.62dBi logarithmic terms convert to numeric result is nearly 1.45.

2.46dBi logarithmic terms convert to numeric result is nearly 1.76.

2.55dBi logarithmic terms convert to numeric result is nearly 1.80.

5.09dBi logarithmic terms convert to numeric result is nearly 3.23.

5.51dBi logarithmic terms convert to numeric result is nearly 3.56.

According to the formula. calculate the EIRP test result:

Antenna3: $EIRP = P \times G = 19.95mW \times 1.76 = 35.11mW$

Antenna4: $EIRP = P \times G = 22.65mW \times 1.80 = 40.72mW$

In MIMO mode: $EIRP = P \times G = 23.82mW \times 3.56 = 84.80mW$

The 2.4GHz WiFi, 5GHz WiFi, BT of DCT2JM2001 and 2.4GHz WiFi, 5GHz WiFi of WCB1R2001 can transmit simultaneously, but the maximum rate of MPE is

$60.76/3060 + 71.57/3060 + 7.30/3060 + 60.74/3060 + 84.80/3060 = 0.0932 \leq 1$.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.

Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300

中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn

t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Remark: we used the maximum power between the conducted power and ERP/EIRP to perform RF exposure exemption evaluation.

	Evaluation method	Exempt Limit(mW)	Verdict
☐	Blanket 1 mW Blanket Exemption	1mW	N/A
☐	MPE-based Exemption(ERP)	7mW(ERP) (2.4GHz Band)	N/A
☒	SAR-based Exemption(P_{th})	3060mW(ERP) (1.5GHz~6GHz)	Yes

So, the device is to qualify for SAR test exemption, the exemption report is in lieu of the SAR report
For IC:

For Module DCT2JM2001

2.4G WiFi

The Max Conducted Average Output Power is 19.19 mW for antenna1, 18.37 mW for antenna2, 18.58 mW for Mimo.

The best case gain of the antenna is 1.62dBi for antenna1 and 2.61dBi for antenna2.

Directional gain: 5.15dBi.

1.62dBi logarithmic terms convert to numeric result is nearly 1.45.

2.61dBi logarithmic terms convert to numeric result is nearly 1.82.

5.15dBi logarithmic terms convert to numeric result is nearly 3.27.

According to the formula. calculate the EIRP test result:

Antenna 1: E.I.R.P. = $P \times G = 0.02783W < 2.68W$

Antenna 2: E.I.R.P. = $P \times G = 0.03343W < 2.68W$

MIMO mode: E.I.R.P. = $P \times G = 0.06076W < 2.68W$

BT:

The Max Conducted Peak Output Power is 4.24mW,. The best case gain of the antenna is 2.32dBi.

2.32dBi logarithmic terms convert to numeric result is nearly 1.71.

According to the formula. calculate the EIRP test result:

For BT mode: E.I.R.P. = $P \times G = 0.0073W < 2.68W$

BLE:

The Max Conducted Peak Output Power is 2.23mW,. The best case gain of the antenna is 2.32dBi.

2.32dBi logarithmic terms convert to numeric result is nearly 1.71.

According to the formula. calculate the EIRP test result:

For BLE mode: E.I.R.P. = $P \times G = 0.00381W < 2.68W$

5G WiFi

The Max Conducted Peak Output Power is 16.18 mW for antenna1, 17.42 mW for antenna2, 19.77 mW for Mimo.

For U-NII-1 The best case gain of the antenna is 2.15dBi for antenna1 and 2.33dBi for antenna2.

Directional gain: 5.25dBi.

For U-NII-3 The best case gain of the antenna is 2.54dBi for antenna1 and 2.62dBi for antenna2.



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学生创业园伟业路10号 邮编 215300

t(86-512)57355888 f(86-512)57370818 www.sgsgroup.com.cn
t(86-512)57355888 f(86-512)57370818 sgs.china@sgs.com

Directional gain:5.59dBi

2.15dBi logarithmic terms convert to numeric result is nearly 1.64.

2.33dBi logarithmic terms convert to numeric result is nearly 1.71.

2.54dBi logarithmic terms convert to numeric result is nearly 1.80.

2.62dBi logarithmic terms convert to numeric result is nearly 1.83.

5.25dBi logarithmic terms convert to numeric result is nearly 3.35.

5.59dBi logarithmic terms convert to numeric result is nearly 3.62.

According to the formula. calculate the EIRP test result:

Antenna 1:E.I.R.P.= $P \times G = 0.02912W < 4.53W$

Antenna 2:E.I.R.P.= $P \times G = 0.02979W < 4.53W$

MIMO mode: E.I.R.P.= $P \times G = 0.07157W < 4.53W$

For Module WCB1R2001

2.4G WiFi

The Max Conducted Average Output Power is 19.05 mW for antenna3, 18.32mW for antenna4, 18.24 mW for Mimo.

The best case gain of the antenna is 2.18dBi for antenna3 and 2.24dBi for antenna4.

Directional gain:5.22dBi.

2.18dBi logarithmic terms convert to numeric result is nearly 1.65.

2.24dBi logarithmic terms convert to numeric result is nearly 1.68.

5.22dBi logarithmic terms convert to numeric result is nearly 3.33.

According to the formula. calculate the EIRP test result:

Antenna 3:E.I.R.P.= $P \times G = 0.03143W < 2.68W$

Antenna 4:E.I.R.P.= $P \times G = 0.03078 < 2.68W$

MIMO mode: E.I.R.P.= $P \times G = 0.06074W < 2.68W$

5G WiFi

The Max Conducted Peak Output Power is 19.95 mW for antenna3, 22.65 mW for antenna4, 18.24 mW for Mimo.

For U-NII-1 The best case gain of the antenna is 2.50dBi for antenna3 and 1.62dBi for antenna4.

Directional gain:5.09dBi.

For U-NII-3 The best case gain of the antenna is 2.46dBi for antenna3 and 2.55dBi for antenna4.

Directional gain:5.51dBi

2.50dBi logarithmic terms convert to numeric result is nearly 1.78.

1.62dBi logarithmic terms convert to numeric result is nearly 1.45.

2.46dBi logarithmic terms convert to numeric result is nearly 1.76.

2.55dBi logarithmic terms convert to numeric result is nearly 1.80.

5.09dBi logarithmic terms convert to numeric result is nearly 3.23.

5.51dBi logarithmic terms convert to numeric result is nearly 3.56.

According to the formula. calculate the EIRP test result:



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

(86-512)57355888 (86-512)57370818 www.sgsgroup.com.cn
(86-512)57355888 (86-512)57370818 sgs.china@sgs.com



Compliance Certification Services (Kunshan) Inc.

Report No.: KSCR220800157007

Page: 24 of 24

Antenna 3:E.I.R.P.= $P \cdot G = 0.03551W < 4.53W$

Antenna 4:E.I.R.P.= $P \cdot G = 0.04072W < 4.53W$

MIMO mode: E.I.R.P.= $P \cdot G = 0.08480W < 4.53W$

The 2.4GHz WiFi, 5GHz WiFi, BT of DCT2JM2001 and 2.4GHz WiFi, 5GHz WiFi of WCB1R2001 can transmit simultaneously, but the maximum rate of MPE is

$0.06076/2.68 + 0.07157/4.53 + 0.00730/2.68 + 0.06074/2.68 + 0.08480/4.53 = 0.0826 \leq 1$.

So the device is exclusion from SAR test.

--End of the Report--



Unless otherwise agreed in writing, this document is issued by the Company subject to its General Conditions of Service printed overleaf, available on request or accessible at <http://www.sgs.com/en/Terms-and-Conditions.aspx> and, for electronic format documents, subject to Terms and Conditions for Electronic Documents at <http://www.sgs.com/en/Terms-and-Conditions/Terms-e-Documents.aspx>. Attention is drawn to the limitation of liability, indemnification and jurisdiction issues defined therein. Any holder of this document is advised that information contained hereon reflects the Company's findings at the time of its intervention only and within the limits of Client's instructions, if any. The Company's sole responsibility is to its Client and this document does not exonerate parties to a transaction from exercising all their rights and obligations under the transaction documents. This document cannot be reproduced except in full, without prior written approval of the Company. Any unauthorized alteration, forgery or falsification of the content or appearance of this document is unlawful and offenders may be prosecuted to the fullest extent of the law. Unless otherwise stated the results shown in this test report refer only to the sample(s) tested and such sample(s) are retained for 30 days only.
Attention: To check the authenticity of testing / inspection report & certificate, please contact us at telephone: (86-755) 8307 1443, or email: CN.Doccheck@sgs.com

No.10, Weiye Road, Innovation Park, Kunshan, Jiangsu, China 215300
中国·江苏·昆山市留学院创业园伟业路10号 邮编 215300

☎(86-512)57355888 ☎(86-512)57370818 www.sgsgroup.com.cn
☎(86-512)57355888 ☎(86-512)57370818 sgs.china@sgs.com