





English

1 Appearance

1. LED Indicator
2. Buzzer
3. Power Switch
4. Tamper Switch
5. DC12 V Holder
6. Intercom
7. Loudspeaker

2 Set Up




1. Set up with App.
2. Open the shell.
3. Power on and install the rear panel.
 - I. Battery Powered
 - II. DC12 V Powered
4. Check signal strength.
5. Close the shell.

User Manual

Scan the QR code for more information and operation help.

Specification

Wireless technology	Cam-X, two-way communication
RF frequency	433 MHz
Modulation	2GFSK
RF distance	1000 m (open area)
Tamper-proof	Supported, front and rear
Buzzer	Supported
Mic	Supported
Power interface	12 VDC
Power switch	Power on/off
Serial port	1
LED indicator	Enrollment/Signal (red/green), Alarm (blue/red), Two-way audio service (blue/red)
Power consumption	Quiescent current: 25 uA Max current: 1.6 A Voltage: 3 V
Battery type	Four CR123 batteries
Battery life span	Up to 2 years (Alarm once a week, 5 mins alarm and 5 mins talk)
Power supply	Support 12 VDC Power Supply
Operation temperature	-10 °C to 55 °C
Operation humidity	10% to 90%
Color	White
Installation method	Wall mounting
Dimension (W × H × D)	130 × 128 × 39.5 mm
Weight	361.0 g



User Manual



©2022 Hangzhou Hikvision Digital Technology Co., Ltd. All rights reserved.
About this Manual
The Manual includes instructions for using and managing the Product. Pictures, charts, images and all other information herein are for description and explanation only. The information contained in the Manual is subject to change without notice, due to firmware updates or other reasons. Please find the latest version of this Manual at the Hikvision website (<https://www.hikvision.com/>).
Please use this Manual with the guidance and assistance of professionals trained in supporting the Product. HIKVISION and other Hikvision's trademarks and logos are the properties of Hikvision in various jurisdictions. Other trademarks and logos mentioned are the properties of their respective owners.
Disclaimer
TO THE MAXIMUM EXTENT PERMITTED BY APPLICABLE LAW, THIS MANUAL AND THE PRODUCT DESCRIBED, WITH ITS HARDWARE, SOFTWARE AND FIRMWARE, ARE PROVIDED "AS IS" AND "WITH ALL FAULTS AND ERRORS". HIKVISION MAKES NO WARRANTIES, EXPRESS OR IMPLIED, INCLUDING WITHOUT LIMITATION, MERCHANTABILITY, SATISFACTORY QUALITY, OR FITNESS FOR A PARTICULAR PURPOSE. THE USE OF THE PRODUCT BY YOU IS YOUR OWN RISK. IN NO EVENT WILL HIKVISION BE LIABLE TO YOU FOR ANY SPECIAL, CONSEQUENTIAL, INCIDENTAL, OR INDIRECT DAMAGES, INCLUDING, AMONG OTHERS, DAMAGES FOR LOSS OF BUSINESS PROFITS, BUSINESS INTERRUPTION, OR LOSS OF DATA, CORRUPTION OF SYSTEMS, OR LOSS OF DOCUMENTATION, WHETHER BASED ON BREACH OF CONTRACT, TORT (INCLUDING NEGLIGENCE), PRODUCT LIABILITY, OR OTHERWISE, IN CONNECTION WITH THE USE OF THE PRODUCT, EVEN IF HIKVISION HAS BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES OR LOSS.
YOU ACKNOWLEDGE THAT THE NATURE OF THE INTERNET SECURITY RISKS, AND THE SECURITY RISKS, AND OTHER DAMAGES RESULTING FROM OVER ATTACK, HACK ATTACK, VIRUS INFECTION AND OTHER INTERNET SECURITY RISKS, HOWEVER, HIKVISION WILL PROVIDE TIMELY TECHNICAL SUPPORT IF REQUIRED. YOU AGREE TO USE THIS PRODUCT IN COMPLIANCE WITH ALL APPLICABLE LAWS, AND YOU ARE SOLELY RESPONSIBLE FOR ENSURING THAT YOUR USE CONFORMS TO THE APPLICABLE LAW. ESPECIALLY, YOU ARE RESPONSIBLE FOR USING THIS PRODUCT IN A MANNER THAT DOES NOT INFRINGE ON THE RIGHTS OF THIRD PARTIES, INCLUDING WITHOUT LIMITATION, RIGHTS OF PUBLICITY, INTELLECTUAL PROPERTY RIGHTS, OR DATA PROTECTION AND OTHER PROVISIONS OF APPLICABLE LAW. HIKVISION DOES NOT WARRANT, PROHIBIT END-USES, INCLUDING THE DEVELOPMENT OR PRODUCTION OF WEAPONS OF MASS DESTRUCTION, THE DEVELOPMENT OR PRODUCTION OF CHEMICAL, BIOLOGICAL, NUCLEAR, OR IN SUPPORT OF HUMAN RIGHTS ABUSES. IN THE EVENT OF ANY CONFLICTS BETWEEN THIS MANUAL AND THE APPLICABLE LAW, THE LATTER PREVAILS.

CE
This product and, if applicable, the supplied accessories too are marked with "CE" and comply therewith with the applicable harmonized European standards listed under the RE Directive 2014/53/EU, the EMC Directive 2014/53/EU, the RoHS Directive 2011/65/EU.
2012/19/EU (WEEE directive): Products marked with this symbol cannot be disposed of as unsorted municipal waste in the European Union. For proper recycling, return this product to your local supplier upon the purchase of equivalent new equipment, or dispose of it at designated collection points. For more information see: www.recyclethis.info
2006/46/EC (Battery directive): This product contains a battery that cannot be disposed of as unsorted municipal waste in the European Union. See the product documentation for specific battery information. The battery is marked with this symbol, which may include lettering to indicate cadmium (Cd), lead (Pb), or mercury (Hg). For proper recycling, return the battery to your supplier or to a designated collection point. For more information see: www.recyclethis.info

CAUTION
The equipment shall not be exposed to dripping or splashing and that no objects filled with liquids, such as vases, shall be placed on the equipment.
BATTERY CAUTION
1. Risk of explosion if the battery is replaced by an incorrect type.
2. Improper replacement of the battery with an incorrect type may defeat a safeguard (for example, in the case of some lithium battery types).
3. Do not dispose of the battery into fire or a hot oven, or mechanically crush or cut the battery, which may result in an explosion.
4. Do not leave the battery in an extremely high temperature surrounding environment, which may result in an explosion or the leakage of flammable liquid or gas.
5. Do not subject the battery to extremely low air pressure, which may result in an explosion or the leakage of flammable liquid or gas.
6. Dispose of used batteries according to the instructions.

FCC Information
Please take attention that changes or modification not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.
FCC compliance: This equipment has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This equipment generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this equipment does cause harmful interference to radio or television reception, which can be determined by turning the equipment off and on, the user is encouraged to try to correct the interference by one or more of the following measures:
—Reorient or relocate the receiving antenna.
—Increase the separation between the equipment and receiver.
—Connect the equipment into an outlet on a circuit different from that to which the receiver is connected.
—Consult the dealer or an experienced radio/TV technician for help.
FCC Conditions
This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions:
1. This device may not cause harmful interference.
2. This device must accept any interference received, including interference that may cause undesired operation.

ပြန်ဟ

၁ ပုံသဏ္ဌာန်

1. LED အချက်ပြပို့စက်
2. အချက်ပြပေးကိရိယာ
3. ပါဝါခလုတ်
4. အခွင့်မရှိ ဝင်ရောက်ခြင်း အချက်ပြပေးခလုတ်
5. DC12 V ဝင်ပေါက်
6. အင်တာကန်း
7. စပီကာ

၂ တပ်ဆင်ပါ

1. App နှင့် တပ်ဆင်ခြင်း။
2. အခွံကို ဖွင့်လိုက်ပါ။
3. မိမိကိုယ် မိမိ အနေအထားပုံနှိပ်နှုန်းကို တပ်ဆင်ပါ။
 - I. ဘက်ထရီပါမီ ဖွင့်ထားသည်
 - II. DC12 V မိမိ ဖွင့်ထားသည်
4. လိုင်းဆွဲအားကို စစ်ပါ။
5. အဖုံးကို ပိတ်ပါ။

သုံးစွဲသူလက်စွဲ

နောက်ထပ်အချက်အလက်များနှင့် လုပ်ဆောင်မှု အကူအညီအတွက် QR ကုဒ်ကို စကန်ဖတ်ပါ။

အသေးစိတ် အချက်အလက်

ပြန်လှည့်သံသွား	Gsm-X နှစ်လယ်သွား ဖြိုက်ဆက်နွယ်
RF ခံနိုင်ရည်	433 MHz
ဆက်ကြွေလျှင်	2GFSK
RF ဆာသွားအဝေး	1000 m (လေကွက်ပြင်)
အကာအကွယ်	အဆူရှင်နို အဆူရှင်ကွက် အထက်ပုံသားသည်
အဆူရှင်ဖောက်ပြန်လာ	ပုံသားယထားအသား
ပိုက်ကွက်ဖိုနွယ်	ပုံသားယထားအသား
ဖိုနွယ် အဝက်ကနုရှင်	12 WDC
ဖိုနွယ်လျက်	ဖိုနွယ် ဖိုနွယ်ကွက်
စီနိုယယ်ပိုလ်အဖိုကွက်	1
LED အဆူရှင်နို	တပ်ဆင်တားနွယ်/ဆက်ကနွယ် (အနီဆောင်/အနီမဆောင်) နှစ်လယ်အဆူရှင် (အနီလျက်/အနီမလျက်)
ဖိုနွယ်လျက်	အဆူရှင်နို အဆူရှင်အဆူရှင် (အနီလျက်/အနီမလျက်)
ဖိုနွယ် ပုံသား	အဆူရှင်နို 25 uA အဆူရှင်နို လျက် 1.6 A ဇွတ်ဆူ 3 V
ဘက်ကွက် အဆူရှင်အဆူရှင်	CR123 ဘက်ကွက်လျက်လျက်
ဘက်ကွက်ဘက်ကွက်	2 နှစ်အဆူရှင် (တပ်ဆင်တားနွယ်/အနီလျက်) နှစ်လယ်အဆူရှင် 5 နှစ် အဆူရှင်အဆူရှင် 5 နှစ်အဆူရှင်အဆူရှင်
ဖိုနွယ် အဆူရှင်နို	12 WDC (ဖိုနွယ်အဆူရှင်သည်)
လျက်အဆူရှင်နို အဆူရှင်နို	-10 °C မှ 55 °C
လျက်အဆူရှင်နို နိုနွယ်အဆူရှင်	10% မှ 90%
အဆူရှင်	အဆူရှင်နို
တပ်ဆင်တားနွယ်လျက်	နိုနွယ် တပ်ဆင်တားနွယ်
အဆူရှင်အဆူရှင် (W x H x D)	130 x 128 x 39.5 mm
အဆူရှင်နို	361.0 g

עברית

1 תרשים רכיבים

- 2.2.2

2 כינון

1. התקן באמצעות אפליקציה.
2. פתח את המעטפת.
3. הפעל לחץ הבקרה האחורי והתקנתו.
1. הפעל סוללה
2. הפעל 12 VDC
4. בדוק עוצמת אות.
5. יש לסגור את המעטפת.

מדריך למשתמש

סרוק קוד QR למידע נוסף ועזרה בתפעול.

מיפרט

סוג סוללה	ארבע סוללות CR123
אורך חי' סוללה	עד שנתיים (הזעקה פעם בשבוע במשך 5 דקות וזמן שיחה)
ספק חמ	המביח בספק מוח 12 VDC
טמפרטורת עבודה	55 °C עד -10 °C
לחות הפעלה	10% עד 90%
צבע	לבן
שיטת ההקנה	הרכבה על קיר
מידות (רוחב X גובה X עומק)	130 על 128 על 39.5 מ"מ
משקל	361.0 גרם
צריכת חשמל	זרם בממונה (Quiescent): 25uA זרם מקסימלי: 1.6 אמפר מתח: 3V
מחזור יל	הרשמה/ אתר (אדם/ ידוק), הזעקה (כוחל/ אדם), שיחת אודיו דו-כיוונית (כוחל/ אדם)
ייצאה סורית	1 הפעלה/לכידה
משקל הפעלה	12 VDC נתמך
מנת הפעלה	נתמך
ממשק הפעלה	נתמך
עמיד מפני חבלה	נתמך, בחזית ומאחור
אפנו	2GFSK
תדר רדיו	433 MHz
סוג סוללה אלומיניום	Cam-X, תקשורת דו-כיוונית

©2022 Hangzhou Hikvision Digital Technology Co., Ltd. မူပိုင်ခွင့်ရသည့်အဖြစ်

[illegible][illegible]

CE တံဆိပ်ကိုင်ရန်လိုအပ်သော အချက်များကို အောက်ဖော်ပြပါအတိုင်း ဖော်ပြထားပါသည်။

2012/19/EU (WEEE) (ပြန်လည်ထုတ်လုပ်ခြင်း) ဥပဒေ၏ အောက်တွင် ထုတ်လုပ်မှုနှင့် ပြုပြင်ထိန်းသိမ်းမှုဆိုင်ရာ အခြေခံဥပဒေများနှင့် ပတ်သက်သည့် အချက်အလက်များကို အောက်ဖော်ပြပါ ဖြန့်ချိပါမည်။

2006/66/EC (ဘက်စုံသိရှိမှုပေးမှုညွှန်းကိန်း) ညွှန်ကြားမှုနှင့်ဆိုင်သည့် ဥပဒေသများတွင်ပါ စုစုပေါင်း ထုတ်ဝေချက်နှင့်ဆိုင်သည့် စွမ်းဆောင်ရည်
ဖော်ပြချက်များကို ဘက်စုံသိရှိမှု စာရင်း (၁) ခုနှင့်ဆိုင်သည့် ဘက်စုံသိရှိမှုစာရင်း အစုအဝေးကို ထုတ်ဝေကြောင်းပါ စာရင်းတစ်ရပ်ပါ အောက်ပါ
စာရင်းများ (၆) (a) (b) (c) (d) (e) (f) (g) (h) (i) (j) (k) (l) (m) (n) (o) (p) (q) (r) (s) (t) (u) (v) (w) (x) (y) (z) (aa) (ab) (ac) (ad) (ae) (af) (ag) (ah) (ai) (aj) (ak) (al) (am) (an) (ao) (ap) (aq) (ar) (as) (at) (au) (av) (aw) (ax) (ay) (az) (ba) (bb) (bc) (bd) (be) (bf) (bg) (bh) (bi) (bj) (bk) (bl) (bm) (bn) (bo) (bp) (bq) (br) (bs) (bt) (bu) (bv) (bw) (bx) (by) (bz) (ca) (cb) (cc) (cd) (ce) (cf) (cg) (ch) (ci) (cj) (ck) (cl) (cm) (cn) (co) (cp) (cq) (cr) (cs) (ct) (cu) (cv) (cw) (cx) (cy) (cz) (da) (db) (dc) (dd) (de) (df) (dg) (dh) (di) (dj) (dk) (dl) (dm) (dn) (do) (dp) (dq) (dr) (ds) (dt) (du) (dv) (dw) (dx) (dy) (dz) (ea) (eb) (ec) (ed) (ee) (ef) (eg) (eh) (ei) (ej) (ek) (el) (em) (en) (eo) (ep) (eq) (er) (es) (et) (eu) (ev) (ew) (ex) (ey) (ez) (fa) (fb) (fc) (fd) (fe) (ff) (fg) (fh) (fi) (fj) (fk) (fl) (fm) (fn) (fo) (fp) (fq) (fr) (fs) (ft) (fu) (fv) (fw) (fx) (fy) (fz) (ga) (gb) (gc) (gd) (ge) (gf) (gg) (gh) (gi) (gj) (gk) (gl) (gm) (gn) (go) (gp) (gq) (gr) (gs) (gt) (gu) (gv) (gw) (gx) (gy) (gz) (ha) (hb) (hc) (hd) (he) (hf) (hg) (hh) (hi) (hj) (hk) (hl) (hm) (hn) (ho) (hp) (hq) (hr) (hs) (ht) (hu) (hv) (hw) (hx) (hy) (hz) (ia) (ib) (ic) (id) (ie) (if) (ig) (ih) (ii) (ij) (ik) (il) (im) (in) (io) (ip) (iq) (ir) (is) (it) (iu) (iv) (iw) (ix) (iy) (iz) (ja) (jb) (jc) (jd) (je) (jf) (jg) (jh) (ji) (jj) (jk) (jl) (jm) (jn) (jo) (jp) (jq) (jr) (js) (jt) (ju) (jv) (jw) (jx) (jy) (jz) (ka) (kb) (kc) (kd) (ke) (kf) (kg) (kh) (ki) (kj) (kk) (kl) (km) (kn) (ko) (kp) (kq) (kr) (ks) (kt) (ku) (kv) (kw) (kx) (ky) (kz) (la) (lb) (lc) (ld) (le) (lf) (lg) (lh) (li) (lj) (lk) (ll) (lm) (ln) (lo) (lp) (lq) (lr) (ls) (lt) (lu) (lv) (lw) (lx) (ly) (lz) (ma) (mb) (mc) (md) (me) (mf) (mg) (mh) (mi) (mj) (mk) (ml) (mm) (mn) (mo) (mp) (mq) (mr) (ms) (mt) (mu) (mv) (mw) (mx) (my) (mz) (na) (nb) (nc) (nd) (ne) (nf) (ng) (nh) (ni) (nj) (nk) (nl) (nm) (nn) (no) (np) (nq) (nr) (ns) (nt) (nu) (nv) (nw) (nx) (ny) (nz) (oa) (ob) (oc) (od) (oe) (of) (og) (oh) (oi) (oj) (ok) (ol) (om) (on) (oo) (op) (oq) (or) (os) (ot) (ou) (ov) (ow) (ox) (oy) (oz) (pa) (pb) (pc) (pd) (pe) (pf) (pg) (ph) (pi) (pj) (pk) (pl) (pm) (pn) (po) (pp) (pq) (pr) (ps) (pt) (pu) (pv) (pw) (px) (py) (pz) (qa) (qb) (qc) (qd) (qe) (qf) (qg) (qh) (qi) (qj) (qk) (ql) (qm) (qn) (qo) (qp) (qq) (qr) (qs) (qt) (qu) (qv) (qw) (qx) (qy) (qz) (ra) (rb) (rc) (rd) (re) (rf) (rg) (rh) (ri) (rj) (rk) (rl) (rm) (rn) (ro) (rp) (rq) (rr) (rs) (rt) (ru) (rv) (rw) (rx) (ry) (rz) (sa) (sb) (sc) (sd) (se) (sf) (sg) (sh) (si) (sj) (sk) (sl) (sm) (sn) (so) (sp) (sq) (sr) (ss) (st) (su) (sv) (sw) (sx) (sy) (sz) (ta) (tb) (tc) (td) (te) (tf) (tg) (th) (ti) (tj) (tk) (tl) (tm) (tn) (to) (tp) (tq) (tr) (ts) (tt) (tu) (tv) (tw) (tx) (ty) (tz) (ua) (ub) (uc) (ud) (ue) (uf) (ug) (uh) (ui) (uj) (uk) (ul) (um) (un) (uo) (up) (uq) (ur) (us) (ut) (uu) (uv) (uw) (ux) (uy) (uz) (va) (vb) (vc) (vd) (ve) (vf) (vg) (vh) (vi) (vj) (vk) (vl) (vm) (vn) (vo) (vp) (vq) (vr) (vs) (vt) (vu) (vv) (vw) (vx) (vy) (vz) (wa) (wb) (wc) (wd) (we) (wf) (wg) (wh) (wi) (wj) (wk) (wl) (wm) (wn) (wo) (wp) (wq) (wr) (ws) (wt) (wu) (wv) (ww) (wx) (wy) (wz) (xa) (xb) (xc) (xd) (xe) (xf) (xg) (xh) (xi) (xj) (xk) (xl) (xm) (xn) (xo) (xp) (xq) (xr) (xs) (xt) (xu) (xv) (xw) (xx) (xy) (xz) (ya) (yb) (yc) (yd) (ye) (yf) (yg) (yh) (yi) (yj) (yk) (yl) (ym) (yn) (yo) (yp) (yq) (yr) (ys) (yt) (yu) (yv) (yw) (yx) (yy) (yz) (za) (zb) (zc) (zd) (ze) (zf) (zg) (zh) (zi) (zj) (zk) (zl) (zm) (zn) (zo) (zp) (zq) (zr) (zs) (zt) (zu) (zv) (zw) (zx) (zy) (zz) (aa) (ab) (ac) (ad) (ae) (af) (ag) (ah) (ai) (aj) (ak) (al) (am) (an) (ao) (ap) (aq) (ar) (as) (at) (au) (av) (aw) (ax) (ay) (az) (ba) (bb) (bc) (bd) (be) (bf) (bg) (bh) (bi) (bj) (bk) (bl) (bm) (bn) (bo) (bp) (bq) (br) (bs) (bt) (bu) (bv) (bw) (bx) (by) (bz) (ca) (cb) (cc) (cd) (ce) (cf) (cg) (ch) (ci) (cj) (ck) (cl) (cm) (cn) (co) (cp) (cq) (cr) (cs) (ct) (cu) (cv) (cw) (cx) (cy) (cz) (da) (db) (dc) (dd) (de) (df) (dg) (dh) (di) (dj) (dk) (dl) (dm) (dn) (do) (dp) (dq) (dr) (ds) (dt) (du) (dv) (dw) (dx) (dy) (dz) (ea) (eb) (ec) (ed) (ee) (ef) (eg) (eh) (ei) (ej) (ek) (el) (em) (en) (eo) (ep) (eq) (er) (es) (et) (eu) (ev) (ew) (ex) (ey) (ez) (fa) (fb) (fc) (fd) (fe) (ff) (fg) (fh) (fi) (fj) (fk) (fl) (fm) (fn) (fo) (fp) (fq) (fr) (fs) (ft) (fu) (fv) (fw) (fx) (fy) (fz) (ga) (gb) (gc) (gd) (ge) (gf) (gg) (gh) (gi) (gj) (gk) (gl) (gm) (gn) (go) (gp) (gq) (gr) (gs) (gt) (gu) (gv) (gw) (gx) (gy) (gz) (ha) (hb) (hc) (hd) (he) (hf) (hg) (hh) (hi) (hj) (hk) (hl) (hm) (hn) (ho) (hp) (hq) (hr) (hs) (ht) (hu) (hv) (hw) (hx) (hy) (hz) (ia) (ib) (ic) (id) (ie) (if) (ig) (ih) (ii) (ij) (ik) (il) (im) (in) (io) (ip) (iq) (ir) (is) (it) (iu) (iv) (iw) (ix) (iy) (iz) (ja) (jb) (jc) (jd) (je) (jf) (jg) (jh) (ji) (jj) (jk) (jl) (jm) (jn) (jo) (jp) (jq) (jr) (js) (jt) (ju) (jv) (jw) (jx) (jy) (jz) (ka) (kb) (kc) (kd) (ke) (kf) (kg) (kh) (ki) (kj) (kk) (kl) (km) (kn) (ko) (kp) (kq) (kr) (ks) (kt) (ku) (kv) (kw) (kx) (ky) (kz) (la) (lb) (lc) (ld) (le) (lf) (lg) (lh) (li) (lj) (lk) (ll) (lm) (ln) (lo) (lp) (lq) (lr) (ls) (lt) (lu) (lv) (lw) (lx) (ly) (lz) (ma) (mb) (mc) (md) (me) (mf) (mg) (mh) (mi) (mj) (mk) (ml) (mm) (mn) (mo) (mp) (mq) (mr) (ms) (mt) (mu) (mv) (mw) (mx) (my) (mz) (na) (nb) (nc) (nd) (ne) (nf) (ng) (nh) (ni) (nj) (nk) (nl) (nm) (nn) (no) (np) (nq) (nr) (ns) (nt) (nu) (nv) (nw) (nx) (ny) (nz) (oa) (ob) (oc) (od) (oe) (of) (og) (oh) (oi) (oj) (ok) (ol) (om) (on) (oo) (op) (oq) (or) (os) (ot) (ou) (ov) (ow) (ox) (oy) (oz) (pa) (pb) (pc) (pd) (pe) (pf) (pg) (ph) (pi) (pj) (pk) (pl) (pm) (pn) (po) (pp) (pq) (pr) (ps) (pt) (pu) (pv) (pw) (px) (py) (pz) (qa) (qb) (qc) (qd) (qe) (qf) (qg) (qh) (qi) (qj) (qk) (ql) (qm) (qn) (qo) (qp) (qq) (qr) (qs) (qt) (qu) (qv) (qw) (qx) (qy) (qz) (ra) (rb) (rc) (rd) (re) (rf) (rg) (rh) (ri) (rj) (rk) (rl) (rm) (rn) (ro) (rp) (rq) (rr) (rs) (rt) (ru) (rv) (rw) (rx) (ry) (rz) (sa) (sb) (sc) (sd) (se) (sf) (sg) (sh) (si) (sj) (sk) (sl) (sm) (sn) (so) (sp) (sq) (sr) (ss) (st) (su) (sv) (sw) (sx) (sy) (sz) (ta) (tb) (tc) (td) (te) (tf) (tg) (th) (ti) (tj) (tk) (tl) (tm) (tn) (to) (tp) (tq) (tr) (ts) (tt) (tu) (tv) (tw) (tx) (ty) (tz) (ua) (ub) (uc) (ud) (ue) (uf) (ug) (uh) (ui) (uj) (uk) (ul) (um) (un) (uo) (up) (uq) (ur) (us) (ut) (uu) (uv) (uw) (ux) (uy) (uz) (va) (vb) (vc) (vd) (ve) (vf) (vg) (vh) (vi) (vj) (vk) (vl) (vm) (vn) (vo) (vp) (vq) (vr) (vs) (vt) (vu) (vv) (vw) (vx) (vy) (vz) (wa) (wb) (wc) (wd) (we) (wf) (wg) (wh) (wi) (wj)

သတိပေးချက်



၁. မြန်မာနိုင်ငံတော် အစိုးရအဖွဲ့၏ လက်ထောက်အတွင်းဝန်ချုပ်သည်။

3

၁. ကြီးကြပ်မှုအဖွဲ့၏ ဖွဲ့စည်းပုံ၊ လုပ်ငန်းစဉ်၊ အာဏာပိုင်များ၏ အခွင့်အာဏာများ
၂. ကြီးကြပ်မှုအဖွဲ့၏ လုပ်ငန်းစဉ်၊ အာဏာပိုင်များ၏ အခွင့်အာဏာများ
၃. ကြီးကြပ်မှုအဖွဲ့၏ လုပ်ငန်းစဉ်၊ အာဏာပိုင်များ၏ အခွင့်အာဏာများ
၄. ကြီးကြပ်မှုအဖွဲ့၏ လုပ်ငန်းစဉ်၊ အာဏာပိုင်များ၏ အခွင့်အာဏာများ
၅. ကြီးကြပ်မှုအဖွဲ့၏ လုပ်ငန်းစဉ်၊ အာဏာပိုင်များ၏ အခွင့်အာဏာများ
၆. ကြီးကြပ်မှုအဖွဲ့၏ လုပ်ငန်းစဉ်၊ အာဏာပိုင်များ၏ အခွင့်အာဏာများ

© Hangzhou Hikvision Digital Technology Co., Ltd. 2022. כל הזכויות שמורות.

הערה על אודות עזרה: המדריך הזה מיועד לסייע במילוי הטופס, תשובות, תוספות וכל מה שחשוב להוסיף. את המידע המלא על המילוי של הטופס תמצאו בדף המידע המלא על המילוי של הטופס. את המידע המלא על המילוי של הטופס תמצאו בדף המידע המלא על המילוי של הטופס.

[illegible]

מקור זה – נאם הדג איש – האזינוס הולנד שולפון סקטורים בסל "CE" ומסמך כי עומד בדרישות התקנים המוגדרים האלוים הישנים המסומנים בתוך RE 2014/53/EC, בתוך EMC 2014/30/EC ובתוך RoHS 2011/65/EC.

תקן EC/2006/66 (סוללות): מוצר זה סליל סוללה, באיחוד האירופי, אין להשליך סוללות לאשפה עירונית בלתי ממומנת. עיין מילונות, למידע נוסף, ראה: www.recyclethis.info.

 בתדירות רחוקה של המוצר במולדות הסוּלָה סוכנות בסמך זה, שילוח עשיתי להפוך גם אודות המינימום חומרים כגון קדימיום (Cd), עופרת (Pb) או כספית (Hg). תמצין אותך, תורז את הסֵלָה לסכס המקום או השליח אותה לאשפה בקבוצת אלומף מפורטת למידע נוסף, ראה: www.recyclethis.info.

זהירות בשימוש בסוללה

- ⚠ 1. אם ההחלטה מחולקת על שני סוגי מורל, שחוק, קריית מבטח התפוצצות.
 2. ההחלטה לא מבנה על מורל, מבנה מסוג לא מורל, על מורל לבטא את המבנים. (לדבר, לדבר, מבנה מסוג לא מורל).
 3. אין להוסיף את ההחלטה כאלה או לתורם עם זה ולקח את ההחלטות מבנים. שכן הדבר עלול להבריא התפוצצות.
 4. אין להשיג את ההחלטה חשופה למסביב מספרות מבנה אחד שכן הדבר עלול להבריא התפוצצות או לדרוש של נזקים או שום דברים.
 5. אין להשיג את ההחלטה חשופה למסביב לחץ אוויר נמוך מאד שכן הדבר עלול להבריא התפוצצות, לדרוש של נזקים או שום דברים.
 6. החלטה מושגת משמשת לאפשר מבנים הוראות.