




Note.


1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: DC 24 V_802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 036.50	44.16	Peak	H	-7.93	-	36.23	74.00	37.77
1 248.48	43.98	Peak	V	-6.60	-	37.38	74.00	36.62



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 24 V_802.11b (1 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 012.30	44.75	Peak	H	-8.07	-	36.68	74.00	37.32
1 042.30	44.89	Peak	V	-7.89	-	37.00	74.00	37.00

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 484.01	48.97	Peak	H	1.31	-	50.28	74.00	23.72
2 484.09	48.12	Peak	V	1.31	-	49.43	74.00	24.57





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 12 V_802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 030.70	45.04	Peak	V	-7.96	-	37.08	74.00	36.92
1 032.10	44.66	Peak	H	-7.95	-	36.71	74.00	37.29

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 389.89	60.23	Peak	V	1.00	-	61.23	74.00	12.77
2 389.89	43.21	Average	V	1.00	0.32	44.53	54.00	9.47
2 389.90	65.48	Peak	H	1.00	-	66.48	74.00	7.52
2 389.90	48.69	Average	H	1.00	0.32	50.01	54.00	3.99





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : KES-RF250639

Mode: DC 12 V_802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 033.70	44.13	Peak	V	-7.94	-	36.19	74.00	37.81
1 268.67	45.14	Peak	H	-6.46	-	38.68	74.00	35.32



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 12 V_802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 025.10	44.88	Peak	H	-8.00	-	36.88	74.00	37.12
1 181.48	44.64	Peak	V	-7.07	-	37.57	74.00	36.43

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.51	64.53	Peak	V	1.31	-	65.84	74.00	8.16
2 483.51	49.32	Average	V	1.31	0.32	50.95	54.00	3.05
2 484.18	68.21	Peak	H	1.31	-	69.52	74.00	4.48
2 484.18	46.55	Average	H	1.31	0.32	48.18	54.00	5.82





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 24 V_802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 012.90	44.07	Peak	H	-8.07	-	36.00	74.00	38.00
1 116.49	44.24	Peak	V	-7.45	-	36.79	74.00	37.21

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 389.89	60.63	Peak	V	1.00	-	61.63	74.00	12.37
2 389.89	43.78	Average	V	1.00	0.32	45.10	54.00	8.90
2 389.99	65.72	Peak	H	1.00	-	66.72	74.00	7.28
2 389.99	48.51	Average	H	1.00	0.32	49.83	54.00	4.17





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Report No. : KES-RF250639

Mode: DC 24 V_802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 015.50	44.58	Peak	H	-8.05	-	36.53	74.00	37.47
1 075.29	44.80	Peak	V	-7.70	-	37.10	74.00	36.90



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 24 V_802.11g (6 Mbps)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 040.10	44.47	Peak	H	-7.91	-	36.56	74.00	37.44
1 058.69	43.67	Peak	V	-7.80	-	35.87	74.00	38.13

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 483.52	67.52	Peak	H	1.31	-	68.83	74.00	5.17
2 483.52	49.01	Average	H	1.31	0.32	50.64	54.00	3.36
2 483.62	65.55	Peak	V	1.31	-	66.86	74.00	7.14
2 483.62	48.42	Average	V	1.31	0.32	50.05	54.00	3.95





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: DC 12 V_802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 1

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 084.29	45.54	Peak	H	-7.64	-	37.90	74.00	36.10
1 208.88	44.36	Peak	V	-6.89	-	37.47	74.00	36.53

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 389.83	60.24	Peak	H	1.00	-	61.24	74.00	12.76
2 389.83	42.85	Average	H	1.00	0.36	44.21	54.00	9.79
2 389.98	57.21	Peak	V	1.00	-	58.21	74.00	15.79
2 389.98	40.16	Average	V	1.00	0.36	41.52	54.00	12.48

