




Note.


1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: DC 12 V_802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 041.70	44.43	Peak	V	-7.90	-	36.53	74.00	37.47
1 085.69	44.33	Peak	H	-7.64	-	36.69	74.00	37.31



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 12 V_802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 030.50	45.38	Peak	V	-7.96	-	37.42	74.00	36.58
1 034.70	43.86	Peak	H	-7.94	-	35.92	74.00	38.08

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 483.71	59.08	Peak	V	1.31	-	60.39	74.00	13.61
2 483.71	41.05	Average	V	1.31	0.36	42.72	54.00	11.28
2 483.92	62.33	Peak	H	1.31	-	63.64	74.00	10.36
2 483.92	46.10	Average	H	1.31	0.36	47.77	54.00	6.23





- Note.
1. No spurious emission were detected above 3 GHz.
 2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 24 V_802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 1


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 008.90	44.13	Peak	V	-8.09	-	36.04	74.00	37.96
1 021.90	44.39	Peak	H	-8.01	-	36.38	74.00	37.62

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 389.83	56.52	Peak	V	1.00	-	57.52	74.00	16.48
2 389.83	39.77	Average	V	1.00	0.36	41.13	54.00	12.87
2 389.91	60.43	Peak	H	1.00	-	61.43	74.00	12.57
2 389.91	43.38	Average	H	1.00	0.36	44.74	54.00	9.26





Note.


1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: DC 24 V_802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 044.70	44.34	Peak	V	-7.88	-	36.46	74.00	37.54
1 045.10	44.26	Peak	H	-7.88	-	36.38	74.00	37.62



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 24 V_802.11n_HT20 (MCS0)
Distance of measurement: 3 meter
Channel: 11


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 018.50	44.37	Peak	H	-8.03	-	36.34	74.00	37.66
1 230.48	44.52	Peak	V	-6.73	-	37.79	74.00	36.21

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 483.63	59.16	Peak	V	1.31	-	60.47	74.00	13.53
2 483.63	41.36	Average	V	1.31	0.36	43.03	54.00	10.97
2 483.82	63.37	Peak	H	1.31	-	64.68	74.00	9.32
2 483.82	46.26	Average	H	1.31	0.36	47.93	54.00	6.07





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 12 V_802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 3


- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 062.69	43.84	Peak	V	-7.77	-	36.07	74.00	37.93
1 070.29	43.83	Peak	H	-7.73	-	36.10	74.00	37.90

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 383.45	59.42	Peak	V	0.96	-	60.38	74.00	13.62
2 383.45	42.14	Average	V	0.96	0.46	43.56	54.00	10.44
2 383.49	62.91	Peak	H	0.96	-	63.87	74.00	10.13
2 383.49	45.56	Average	H	0.96	0.46	46.98	54.00	7.02
2 389.00	62.99	Peak	H	1.00	-	63.99	74.00	10.01
2 389.00	47.27	Average	H	1.00	0.46	48.73	54.00	5.27





Note.


1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: DC 12 V_802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 6

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 080.89	43.83	Peak	H	-7.66	-	36.17	74.00	37.83
1 294.27	44.61	Peak	V	-6.27	-	38.34	74.00	35.66



Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.




Mode: DC 12 V_802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 9


- Spurious

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
1 255.47	44.62	Peak	V	-6.55	-	38.07	74.00	35.93
1 327.87	44.24	Peak	H	-6.03	-	38.21	74.00	35.79

- Band edge

Frequency (MHz)	Level (dBμV)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dBμV/m)	Limit (dBμV/m)	Margin (dB)
2 484.27	60.32	Peak	V	1.31	-	61.63	74.00	12.37
2 484.27	45.35	Average	V	1.31	0.46	47.12	54.00	6.88
2 486.92	64.76	Peak	H	1.32	-	66.08	74.00	7.92
2 486.92	49.14	Average	H	1.32	0.46	50.92	54.00	3.08
2 487.31	64.16	Peak	H	1.32	-	65.48	74.00	8.52
2 487.31	49.21	Average	H	1.32	0.46	50.99	54.00	3.01
2 489.13	59.74	Peak	V	1.32	-	61.06	74.00	12.94
2 489.13	42.25	Average	V	1.32	0.46	44.03	54.00	9.97





Note.

1. No spurious emission were detected above 3 GHz.
2. Average test would be performed if the peak result were greater than the average limit.



Mode: DC 24 V_802.11n_HT40 (MCS0)
Distance of measurement: 3 meter
Channel: 3

- Spurious

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
1 187.68	44.15	Peak	H	-7.03	-	37.12	74.00	36.88
1 192.48	44.11	Peak	V	-7.00	-	37.11	74.00	36.89

- Band edge

Frequency (MHz)	Level (dB μ V)	Detect mode	Ant. Pol. (H/V)	CF (dB)	DCF (dB)	Field strength (dB μ V/m)	Limit (dB μ V/m)	Margin (dB)
2 383.45	58.88	Peak	V	0.96	-	59.84	74.00	14.16
2 383.45	42.05	Average	V	0.96	0.46	43.47	54.00	10.53
2 383.49	62.87	Peak	H	0.96	-	63.83	74.00	10.17
2 383.49	45.53	Average	H	0.96	0.46	46.95	54.00	7.05
2 389.01	62.82	Peak	H	1.00	-	63.82	74.00	10.18
2 389.01	46.95	Average	H	1.00	0.46	48.41	54.00	5.59

