





# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A8


Page 31 of 137




NTVN-n41-PC2-30-60-L-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-60-L-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-60-M-DFT-BPSK-Outer\_Full-PASS



NTVN-n41-PC2-30-60-M-DFT-QPSK-Outer\_Full-PASS



NTVN-n41-PC2-30-60-H-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-60-H-DFT-QPSK-Outer\_Full-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A8


Page 32 of 137




NTVN-n41-PC2-30-70-L-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-70-L-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-70-M-DFT-BPSK-Outer\_Full-PASS



NTVN-n41-PC2-30-70-M-DFT-QPSK-Outer\_Full-PASS



NTVN-n41-PC2-30-70-H-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-70-H-DFT-QPSK-Outer\_Full-PASS




# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A8


Page 33 of 137




NTVN-n41-PC2-30-80-L-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-80-L-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-80-M-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-80-M-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-80-H-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-80-H-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-90-L-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-90-L-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-90-M-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-90-M-DFT-QPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-90-H-DFT-BPSK-Outer\_Full-PASS




NTVN-n41-PC2-30-90-H-DFT-QPSK-Outer\_Full-PASS




NTV-n41-PC2-30-100-L-DFT-BPSK-Outer\_Full-PASS




NTV-n41-PC2-30-100-L-DFT-QPSK-Outer\_Full-PASS




NTV-n41-PC2-30-100-M-DFT-BPSK-Outer\_Full-PASS



NTV-n41-PC2-30-100-M-DFT-QPSK-Outer\_Full-PASS



NTV-n41-PC2-30-100-H-DFT-QPSK-Outer\_Full-PASS



NTV-n41-PC2-30-100-H-DFT-BPSK-Outer\_Full-PASS



## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band | SCS | Bandwidth | Modulation | Channel | RB Config  | 99% OBW (MHz) | 26dB BW (MHz) | Verdict |
|------|-----|-----------|------------|---------|------------|---------------|---------------|---------|
| n41  | 30  | 20        | DFT-BPSK   | L       | Outer_Full | 17.78         | 19.080        | PASS    |
| n41  | 30  | 20        | DFT-QPSK   | L       | Outer_Full | 17.738        | 19.080        | PASS    |
| n41  | 30  | 20        | DFT-16QAM  | L       | Outer_Full | 17.883        | 19.160        | PASS    |
| n41  | 30  | 20        | DFT-64QAM  | L       | Outer_Full | 17.852        | 19.160        | PASS    |
| n41  | 30  | 20        | DFT-256QAM | L       | Outer_Full | 17.783        | 18.920        | PASS    |
| n41  | 30  | 20        | DFT-BPSK   | M       | Outer_Full | 17.891        | 19.080        | PASS    |
| n41  | 30  | 20        | DFT-QPSK   | M       | Outer_Full | 17.807        | 19.040        | PASS    |
| n41  | 30  | 20        | DFT-16QAM  | M       | Outer_Full | 17.846        | 19.880        | PASS    |
| n41  | 30  | 20        | DFT-64QAM  | M       | Outer_Full | 17.9          | 19.240        | PASS    |
| n41  | 30  | 20        | DFT-256QAM | M       | Outer_Full | 17.797        | 18.920        | PASS    |
| n41  | 30  | 20        | DFT-BPSK   | H       | Outer_Full | 17.768        | 19.240        | PASS    |
| n41  | 30  | 20        | DFT-QPSK   | H       | Outer_Full | 17.834        | 18.960        | PASS    |
| n41  | 30  | 20        | DFT-16QAM  | H       | Outer_Full | 17.799        | 19.400        | PASS    |
| n41  | 30  | 20        | DFT-64QAM  | H       | Outer_Full | 17.812        | 18.800        | PASS    |
| n41  | 30  | 20        | DFT-256QAM | H       | Outer_Full | 17.794        | 19.280        | PASS    |
| n41  | 30  | 30        | DFT-BPSK   | L       | Outer_Full | 26.836        | 28.560        | PASS    |
| n41  | 30  | 30        | DFT-QPSK   | L       | Outer_Full | 26.705        | 28.200        | PASS    |
| n41  | 30  | 30        | DFT-16QAM  | L       | Outer_Full | 26.704        | 28.620        | PASS    |
| n41  | 30  | 30        | DFT-64QAM  | L       | Outer_Full | 26.728        | 28.380        | PASS    |
| n41  | 30  | 30        | DFT-256QAM | L       | Outer_Full | 26.685        | 28.740        | PASS    |
| n41  | 30  | 30        | DFT-BPSK   | M       | Outer_Full | 26.835        | 29.100        | PASS    |
| n41  | 30  | 30        | DFT-QPSK   | M       | Outer_Full | 26.804        | 28.080        | PASS    |
| n41  | 30  | 30        | DFT-16QAM  | M       | Outer_Full | 26.817        | 28.080        | PASS    |
| n41  | 30  | 30        | DFT-64QAM  | M       | Outer_Full | 26.831        | 28.020        | PASS    |
| n41  | 30  | 30        | DFT-256QAM | M       | Outer_Full | 26.841        | 28.380        | PASS    |
| n41  | 30  | 30        | DFT-BPSK   | H       | Outer_Full | 26.754        | 28.200        | PASS    |
| n41  | 30  | 30        | DFT-QPSK   | H       | Outer_Full | 26.808        | 28.620        | PASS    |
| n41  | 30  | 30        | DFT-16QAM  | H       | Outer_Full | 26.744        | 28.380        | PASS    |
| n41  | 30  | 30        | DFT-64QAM  | H       | Outer_Full | 26.768        | 28.320        | PASS    |
| n41  | 30  | 30        | DFT-256QAM | H       | Outer_Full | 26.799        | 28.380        | PASS    |
| n41  | 30  | 40        | DFT-BPSK   | L       | Outer_Full | 35.783        | 37.680        | PASS    |
| n41  | 30  | 40        | DFT-QPSK   | L       | Outer_Full | 35.784        | 37.680        | PASS    |
| n41  | 30  | 40        | DFT-16QAM  | L       | Outer_Full | 35.701        | 37.760        | PASS    |
| n41  | 30  | 40        | DFT-64QAM  | L       | Outer_Full | 35.739        | 38.160        | PASS    |
| n41  | 30  | 40        | DFT-256QAM | L       | Outer_Full | 35.75         | 37.440        | PASS    |
| n41  | 30  | 40        | DFT-BPSK   | M       | Outer_Full | 35.722        | 37.520        | PASS    |
| n41  | 30  | 40        | DFT-QPSK   | M       | Outer_Full | 35.82         | 37.600        | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A8

Page 37 of 137

|     |    |    |            |   |            |        |        |      |
|-----|----|----|------------|---|------------|--------|--------|------|
| n41 | 30 | 40 | DFT-16QAM  | M | Outer_Full | 35.687 | 37.280 | PASS |
| n41 | 30 | 40 | DFT-64QAM  | M | Outer_Full | 35.818 | 37.760 | PASS |
| n41 | 30 | 40 | DFT-256QAM | M | Outer_Full | 35.631 | 37.520 | PASS |
| n41 | 30 | 40 | DFT-BPSK   | H | Outer_Full | 35.597 | 38.080 | PASS |
| n41 | 30 | 40 | DFT-QPSK   | H | Outer_Full | 35.649 | 37.120 | PASS |
| n41 | 30 | 40 | DFT-16QAM  | H | Outer_Full | 35.826 | 37.200 | PASS |
| n41 | 30 | 40 | DFT-64QAM  | H | Outer_Full | 35.713 | 37.760 | PASS |
| n41 | 30 | 40 | DFT-256QAM | H | Outer_Full | 35.605 | 37.920 | PASS |
| n41 | 30 | 50 | DFT-BPSK   | L | Outer_Full | 45.716 | 47.600 | PASS |
| n41 | 30 | 50 | DFT-QPSK   | L | Outer_Full | 45.691 | 48.000 | PASS |
| n41 | 30 | 50 | DFT-16QAM  | L | Outer_Full | 45.618 | 47.500 | PASS |
| n41 | 30 | 50 | DFT-64QAM  | L | Outer_Full | 45.714 | 47.800 | PASS |
| n41 | 30 | 50 | DFT-256QAM | L | Outer_Full | 45.815 | 47.600 | PASS |
| n41 | 30 | 50 | DFT-BPSK   | M | Outer_Full | 45.745 | 47.500 | PASS |
| n41 | 30 | 50 | DFT-QPSK   | M | Outer_Full | 45.726 | 47.300 | PASS |
| n41 | 30 | 50 | DFT-16QAM  | M | Outer_Full | 45.816 | 47.700 | PASS |
| n41 | 30 | 50 | DFT-64QAM  | M | Outer_Full | 45.591 | 47.800 | PASS |
| n41 | 30 | 50 | DFT-256QAM | M | Outer_Full | 45.674 | 47.800 | PASS |
| n41 | 30 | 50 | DFT-BPSK   | H | Outer_Full | 45.854 | 47.400 | PASS |
| n41 | 30 | 50 | DFT-QPSK   | H | Outer_Full | 45.688 | 47.700 | PASS |
| n41 | 30 | 50 | DFT-16QAM  | H | Outer_Full | 45.679 | 47.400 | PASS |
| n41 | 30 | 50 | DFT-64QAM  | H | Outer_Full | 45.707 | 47.600 | PASS |
| n41 | 30 | 50 | DFT-256QAM | H | Outer_Full | 45.669 | 47.500 | PASS |
| n41 | 30 | 60 | DFT-BPSK   | L | Outer_Full | 57.852 | 59.880 | PASS |
| n41 | 30 | 60 | DFT-QPSK   | L | Outer_Full | 57.92  | 60.000 | PASS |
| n41 | 30 | 60 | DFT-16QAM  | L | Outer_Full | 57.749 | 59.880 | PASS |
| n41 | 30 | 60 | DFT-64QAM  | L | Outer_Full | 57.855 | 60.120 | PASS |
| n41 | 30 | 60 | DFT-256QAM | L | Outer_Full | 57.94  | 60.240 | PASS |
| n41 | 30 | 60 | DFT-BPSK   | M | Outer_Full | 57.889 | 59.880 | PASS |
| n41 | 30 | 60 | DFT-QPSK   | M | Outer_Full | 57.759 | 60.000 | PASS |
| n41 | 30 | 60 | DFT-16QAM  | M | Outer_Full | 57.899 | 59.640 | PASS |
| n41 | 30 | 60 | DFT-64QAM  | M | Outer_Full | 57.983 | 60.360 | PASS |
| n41 | 30 | 60 | DFT-256QAM | M | Outer_Full | 57.839 | 60.000 | PASS |
| n41 | 30 | 60 | DFT-BPSK   | H | Outer_Full | 57.825 | 59.880 | PASS |
| n41 | 30 | 60 | DFT-QPSK   | H | Outer_Full | 57.735 | 60.120 | PASS |
| n41 | 30 | 60 | DFT-16QAM  | H | Outer_Full | 57.939 | 59.760 | PASS |
| n41 | 30 | 60 | DFT-64QAM  | H | Outer_Full | 58.014 | 60.000 | PASS |
| n41 | 30 | 60 | DFT-256QAM | H | Outer_Full | 57.822 | 60.120 | PASS |
| n41 | 30 | 70 | DFT-BPSK   | L | Outer_Full | 64.327 | 66.360 | PASS |
| n41 | 30 | 70 | DFT-QPSK   | L | Outer_Full | 64.39  | 66.360 | PASS |
| n41 | 30 | 70 | DFT-16QAM  | L | Outer_Full | 64.209 | 66.360 | PASS |
| n41 | 30 | 70 | DFT-64QAM  | L | Outer_Full | 64.396 | 66.500 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A8

Page 38 of 137

|     |    |     |            |   |            |        |        |      |
|-----|----|-----|------------|---|------------|--------|--------|------|
| n41 | 30 | 70  | DFT-256QAM | L | Outer_Full | 64.178 | 66.360 | PASS |
| n41 | 30 | 70  | DFT-BPSK   | M | Outer_Full | 64.092 | 66.640 | PASS |
| n41 | 30 | 70  | DFT-QPSK   | M | Outer_Full | 64.321 | 66.780 | PASS |
| n41 | 30 | 70  | DFT-16QAM  | M | Outer_Full | 64.365 | 66.360 | PASS |
| n41 | 30 | 70  | DFT-64QAM  | M | Outer_Full | 64.331 | 66.500 | PASS |
| n41 | 30 | 70  | DFT-256QAM | M | Outer_Full | 64.249 | 66.640 | PASS |
| n41 | 30 | 70  | DFT-BPSK   | H | Outer_Full | 64.436 | 66.360 | PASS |
| n41 | 30 | 70  | DFT-QPSK   | H | Outer_Full | 64.219 | 66.500 | PASS |
| n41 | 30 | 70  | DFT-16QAM  | H | Outer_Full | 64.281 | 66.360 | PASS |
| n41 | 30 | 70  | DFT-64QAM  | H | Outer_Full | 64.384 | 66.360 | PASS |
| n41 | 30 | 70  | DFT-256QAM | H | Outer_Full | 64.231 | 66.500 | PASS |
| n41 | 30 | 80  | DFT-BPSK   | L | Outer_Full | 77.042 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-QPSK   | L | Outer_Full | 77.126 | 80.640 | PASS |
| n41 | 30 | 80  | DFT-16QAM  | L | Outer_Full | 77.047 | 80.640 | PASS |
| n41 | 30 | 80  | DFT-64QAM  | L | Outer_Full | 77.041 | 80.640 | PASS |
| n41 | 30 | 80  | DFT-256QAM | L | Outer_Full | 76.988 | 80.480 | PASS |
| n41 | 30 | 80  | DFT-BPSK   | M | Outer_Full | 77.11  | 80.160 | PASS |
| n41 | 30 | 80  | DFT-QPSK   | M | Outer_Full | 77.232 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-16QAM  | M | Outer_Full | 77.304 | 81.120 | PASS |
| n41 | 30 | 80  | DFT-64QAM  | M | Outer_Full | 76.888 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-256QAM | M | Outer_Full | 77.173 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-BPSK   | H | Outer_Full | 77.144 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-QPSK   | H | Outer_Full | 76.987 | 80.160 | PASS |
| n41 | 30 | 80  | DFT-16QAM  | H | Outer_Full | 77.072 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-64QAM  | H | Outer_Full | 76.997 | 80.320 | PASS |
| n41 | 30 | 80  | DFT-256QAM | H | Outer_Full | 77.006 | 80.320 | PASS |
| n41 | 30 | 90  | DFT-BPSK   | L | Outer_Full | 86.913 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-QPSK   | L | Outer_Full | 86.584 | 90.360 | PASS |
| n41 | 30 | 90  | DFT-16QAM  | L | Outer_Full | 86.671 | 90.180 | PASS |
| n41 | 30 | 90  | DFT-64QAM  | L | Outer_Full | 86.792 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-256QAM | L | Outer_Full | 86.76  | 90.000 | PASS |
| n41 | 30 | 90  | DFT-BPSK   | M | Outer_Full | 86.563 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-QPSK   | M | Outer_Full | 86.694 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-16QAM  | M | Outer_Full | 86.721 | 90.180 | PASS |
| n41 | 30 | 90  | DFT-64QAM  | M | Outer_Full | 86.803 | 89.820 | PASS |
| n41 | 30 | 90  | DFT-256QAM | M | Outer_Full | 86.499 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-BPSK   | H | Outer_Full | 86.671 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-QPSK   | H | Outer_Full | 86.606 | 90.360 | PASS |
| n41 | 30 | 90  | DFT-16QAM  | H | Outer_Full | 86.822 | 90.000 | PASS |
| n41 | 30 | 90  | DFT-64QAM  | H | Outer_Full | 86.36  | 90.000 | PASS |
| n41 | 30 | 90  | DFT-256QAM | H | Outer_Full | 86.546 | 90.180 | PASS |
| n41 | 30 | 100 | DFT-BPSK   | L | Outer_Full | 96.285 | 99.800 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A8

Page 39 of 137

|     |    |     |            |   |            |        |         |      |
|-----|----|-----|------------|---|------------|--------|---------|------|
| n41 | 30 | 100 | DFT-QPSK   | L | Outer_Full | 96.463 | 99.800  | PASS |
| n41 | 30 | 100 | DFT-16QAM  | L | Outer_Full | 96.548 | 100.000 | PASS |
| n41 | 30 | 100 | DFT-64QAM  | L | Outer_Full | 96.202 | 100.200 | PASS |
| n41 | 30 | 100 | DFT-256QAM | L | Outer_Full | 96.347 | 99.600  | PASS |
| n41 | 30 | 100 | DFT-BPSK   | M | Outer_Full | 96.458 | 99.600  | PASS |
| n41 | 30 | 100 | DFT-QPSK   | M | Outer_Full | 96.212 | 100.000 | PASS |
| n41 | 30 | 100 | DFT-16QAM  | M | Outer_Full | 96.291 | 100.000 | PASS |
| n41 | 30 | 100 | DFT-64QAM  | M | Outer_Full | 96.43  | 99.800  | PASS |
| n41 | 30 | 100 | DFT-256QAM | M | Outer_Full | 96.327 | 99.800  | PASS |
| n41 | 30 | 100 | DFT-BPSK   | H | Outer_Full | 96.39  | 100.200 | PASS |
| n41 | 30 | 100 | DFT-QPSK   | H | Outer_Full | 96.391 | 100.000 | PASS |
| n41 | 30 | 100 | DFT-16QAM  | H | Outer_Full | 96.443 | 99.600  | PASS |
| n41 | 30 | 100 | DFT-64QAM  | H | Outer_Full | 96.533 | 100.000 | PASS |
| n41 | 30 | 100 | DFT-256QAM | H | Outer_Full | 96.374 | 99.600  | PASS |





## Test Graphs



NTNV-n41-PC2-30-20-L-DFT-BPSK-Outter\_Full-Ant1-PASS

NTNV-n41-PC2-30-20-L-DFT-QPSK-Outter\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-L-DFT-16QAM-Outter\_Full-Ant1-PASS

NTNV-n41-PC2-30-20-L-DFT-64QAM-Outter\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-L-DFT-256QAM-Outter\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-M-DFT-BPSK-Outter\_Full-Ant1-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCSZ2025-0042-RF4-A8

Page 41 of 137





NTNV-n41-PC2-30-20-M-DFT-QPSK-Outet\_Full-Ant1-PASS

NTNV-n41-PC2-30-20-M-DFT-16QAM-Outet\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-M-DFT-64QAM-Outet\_Full-Ant1-PASS

NTNV-n41-PC2-30-20-M-DFT-256QAM-Outet\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-H-DFT-BPSK-Outet\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-H-DFT-QPSK-Outet\_Full-Ant1-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCSZ2025-0042-RF4-A8

Page 42 of 137





NTNV-n41-PC2-30-20-H-DFT-16QAM-Outer\_Full-Ant1-PASS

NTNV-n41-PC2-30-20-H-DFT-64QAM-Outer\_Full-Ant1-PASS



NTNV-n41-PC2-30-20-H-DFT-256QAM-Outer\_Full-Ant1-PASS

NTNV-n41-PC2-30-30-L-DFT-BPSK-Outer\_Full-Ant1-PASS




NTNV-n41-PC2-30-30-L-DFT-QPSK-Outer\_Full-Ant1-PASS


NTNV-n41-PC2-30-30-L-DFT-16QAM-Outer\_Full-Ant1-PASS




Page 43 of 137



NTNV-n41-PC2-30-30-L-DFT-256QAM-Outer\_Full-Ant1-PASS



NTNV-n41-PC2-30-30-M-DFT-QPSK-Outer\_Full-Ant1-PASS




NTNV-n41-PC2-30-30-M-DFT-64QAM-Outer Full-Ant1-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCS2025-0042-RF4-A8

Page 44 of 137





NTNV-n41-PC2-30-30-M-DFT-256QAM-Outer\_Full-Ant1-PASS

NTNV-n41-PC2-30-30-H-DFT-BPSK-Outer\_Full-Ant1-PASS



NTNV-n41-PC2-30-30-H-DFT-QPSK-Outer\_Full-Ant1-PASS

NTNV-n41-PC2-30-30-H-DFT-16QAM-Outer\_Full-Ant1-PASS



NTNV-n41-PC2-30-30-H-DFT-64QAM-Outer\_Full-Ant1-PASS


NTNV-n41-PC2-30-30-H-DFT-256QAM-Outer\_Full-Ant1-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCS2025-0042-RF4-A8

Page 45 of 137





NTNV-n41-PC2-30-40-L-DFT-BPSK-Outet\_Full-Ant1-PASS

NTNV-n41-PC2-30-40-L-DFT-QPSK-Outet\_Full-Ant1-PASS



NTNV-n41-PC2-30-40-L-DFT-16QAM-Outet\_Full-Ant1-PASS

NTNV-n41-PC2-30-40-L-DFT-64QAM-Outet\_Full-Ant1-PASS



NTNV-n41-PC2-30-40-L-DFT-256QAM-Outet\_Full-Ant1-PASS

NTNV-n41-PC2-30-40-M-DFT-BPSK-Outet\_Full-Ant1-PASS