



## Appendix A: Effective (Isotropic) Radiated Power Output Data

### Test Result

| Band           | SCS | Bandwidth | Modulation | Channel | RB Config       | Power (dBm) | EIRP (dBm) | Verdict |
|----------------|-----|-----------|------------|---------|-----------------|-------------|------------|---------|
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Edge_1RB_Left   | 21.48       | 24.80      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Inner_1RB_Left  | 22.99       | 26.31      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Inner_1RB_Right | 22.81       | 26.13      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Edge_1RB_Right  | 21.21       | 24.53      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Inner_Full      | 22.94       | 26.26      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Outer_Full      | 22.94       | 26.26      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Edge_1RB_Left   | 21.26       | 24.58      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Inner_1RB_Left  | 22.94       | 26.26      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Inner_1RB_Right | 22.82       | 26.14      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Edge_1RB_Right  | 21.31       | 24.63      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Inner_Full      | 22.75       | 26.07      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Outer_Full      | 22.01       | 25.33      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Edge_1RB_Left   | 21.30       | 24.62      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Inner_1RB_Left  | 22.17       | 25.49      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Inner_1RB_Right | 22.03       | 25.35      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Edge_1RB_Right  | 21.09       | 24.41      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Inner_Full      | 21.81       | 25.13      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Outer_Full      | 20.90       | 24.22      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Edge_1RB_Left   | 20.73       | 24.05      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Inner_1RB_Left  | 20.64       | 23.96      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Inner_1RB_Right | 20.57       | 23.89      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Edge_1RB_Right  | 20.58       | 23.90      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Inner_Full      | 20.35       | 23.67      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Outer_Full      | 20.42       | 23.74      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Edge_1RB_Left   | 19.05       | 22.37      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Inner_1RB_Left  | 19.05       | 22.37      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Inner_1RB_Right | 18.90       | 22.22      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Edge_1RB_Right  | 18.91       | 22.23      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Inner_Full      | 18.91       | 22.23      | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Outer_Full      | 19.07       | 22.39      | PASS    |
| n77(3700-3980) | 30  | 20        | CP-QPSK    | L       | Edge_1RB_Left   | 20.74       | 24.06      | PASS    |
| n77(3700-3980) | 30  | 20        | CP-QPSK    | L       | Inner_1RB_Left  | 21.68       | 25.00      | PASS    |
| n77(3700-3980) | 30  | 20        | CP-QPSK    | L       | Inner_1RB_Right | 21.57       | 24.89      | PASS    |
| n77(3700-3980) | 30  | 20        | CP-QPSK    | L       | Edge_1RB_Right  | 20.64       | 23.96      | PASS    |
| n77(3700-3980) | 30  | 20        | CP-QPSK    | L       | Inner_Full      | 21.32       | 24.64      | PASS    |
| n77(3700-3980) | 30  | 20        | CP-QPSK    | L       | Outer_Full      | 20.49       | 23.81      | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 2 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | M | Edge_1RB_Left   | 21.25 | 24.57 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | M | Inner_1RB_Left  | 22.74 | 26.06 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | M | Inner_1RB_Right | 22.51 | 25.83 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | M | Edge_1RB_Right  | 21.09 | 24.41 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | M | Inner_Full      | 22.62 | 25.94 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | M | Outer_Full      | 22.84 | 26.16 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | M | Edge_1RB_Left   | 21.24 | 24.56 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | M | Inner_1RB_Left  | 22.97 | 26.29 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | M | Inner_1RB_Right | 22.40 | 25.72 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | M | Edge_1RB_Right  | 21.00 | 24.32 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | M | Inner_Full      | 22.82 | 26.14 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | M | Outer_Full      | 22.57 | 25.89 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | M | Edge_1RB_Left   | 21.65 | 24.97 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | M | Inner_1RB_Left  | 22.86 | 26.18 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | M | Inner_1RB_Right | 22.51 | 25.83 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | M | Edge_1RB_Right  | 21.12 | 24.44 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | M | Inner_Full      | 22.35 | 25.67 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | M | Outer_Full      | 21.52 | 24.84 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | M | Edge_1RB_Left   | 21.45 | 24.77 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | M | Inner_1RB_Left  | 21.42 | 24.74 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | M | Inner_1RB_Right | 21.10 | 24.42 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | M | Edge_1RB_Right  | 21.02 | 24.34 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | M | Inner_Full      | 20.91 | 24.23 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | M | Outer_Full      | 21.03 | 24.35 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | M | Edge_1RB_Left   | 19.61 | 22.93 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | M | Inner_1RB_Left  | 19.61 | 22.93 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | M | Inner_1RB_Right | 19.29 | 22.61 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | M | Edge_1RB_Right  | 19.33 | 22.65 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | M | Inner_Full      | 19.45 | 22.77 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | M | Outer_Full      | 19.63 | 22.95 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | M | Edge_1RB_Left   | 21.41 | 24.73 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | M | Inner_1RB_Left  | 22.31 | 25.63 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | M | Inner_1RB_Right | 22.00 | 25.32 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | M | Edge_1RB_Right  | 21.00 | 24.32 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | M | Inner_Full      | 21.77 | 25.09 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | M | Outer_Full      | 20.95 | 24.27 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | H | Edge_1RB_Left   | 21.33 | 24.65 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | H | Inner_1RB_Left  | 22.96 | 26.28 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | H | Inner_1RB_Right | 23.03 | 26.35 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | H | Edge_1RB_Right  | 21.57 | 24.89 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | H | Inner_Full      | 23.02 | 26.34 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-BPSK   | H | Outer_Full      | 23.08 | 26.40 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 3 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | H | Edge_1RB_Left   | 21.43 | 24.75 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | H | Inner_1RB_Left  | 22.86 | 26.18 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | H | Inner_1RB_Right | 22.97 | 26.29 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | H | Edge_1RB_Right  | 21.56 | 24.88 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | H | Inner_Full      | 22.94 | 26.26 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-QPSK   | H | Outer_Full      | 22.41 | 25.73 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | H | Edge_1RB_Left   | 21.50 | 24.82 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | H | Inner_1RB_Left  | 22.59 | 25.91 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | H | Inner_1RB_Right | 22.41 | 25.73 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | H | Edge_1RB_Right  | 21.49 | 24.81 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | H | Inner_Full      | 22.13 | 25.45 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-16QAM  | H | Outer_Full      | 21.28 | 24.60 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | H | Edge_1RB_Left   | 21.20 | 24.52 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | H | Inner_1RB_Left  | 21.18 | 24.50 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | H | Inner_1RB_Right | 20.84 | 24.16 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | H | Edge_1RB_Right  | 20.84 | 24.16 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | H | Inner_Full      | 20.67 | 23.99 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-64QAM  | H | Outer_Full      | 20.78 | 24.10 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | H | Edge_1RB_Left   | 19.52 | 22.84 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | H | Inner_1RB_Left  | 19.52 | 22.84 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | H | Inner_1RB_Right | 19.25 | 22.57 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | H | Edge_1RB_Right  | 19.18 | 22.50 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | H | Inner_Full      | 19.21 | 22.53 | PASS |
| n77(3700-3980) | 30 | 20 | DFT-256QAM | H | Outer_Full      | 19.38 | 22.70 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | H | Edge_1RB_Left   | 21.07 | 24.39 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | H | Inner_1RB_Left  | 21.96 | 25.28 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | H | Inner_1RB_Right | 21.83 | 25.15 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | H | Edge_1RB_Right  | 20.94 | 24.26 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | H | Inner_Full      | 21.53 | 24.85 | PASS |
| n77(3700-3980) | 30 | 20 | CP-QPSK    | H | Outer_Full      | 20.74 | 24.06 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | L | Edge_1RB_Left   | 19.55 | 22.87 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | L | Inner_1RB_Left  | 23.03 | 26.35 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | L | Inner_1RB_Right | 22.88 | 26.2  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | L | Edge_1RB_Right  | 19.29 | 22.61 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | L | Inner_Full      | 23.09 | 26.41 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | L | Outer_Full      | 22.39 | 25.71 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | L | Edge_1RB_Left   | 19.63 | 22.95 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | L | Inner_1RB_Left  | 22.95 | 26.27 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | L | Inner_1RB_Right | 22.7  | 26.02 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | L | Edge_1RB_Right  | 19.24 | 22.56 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | L | Inner_Full      | 22.97 | 26.29 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | L | Outer_Full      | 22.08 | 25.4  | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 4 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | L | Edge_1RB_Left   | 19.58 | 22.9  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | L | Inner_1RB_Left  | 22.09 | 25.41 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | L | Inner_1RB_Right | 21.88 | 25.2  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | L | Edge_1RB_Right  | 19.56 | 22.88 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | L | Inner_Full      | 22.17 | 25.49 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | L | Outer_Full      | 21.16 | 24.48 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | L | Edge_1RB_Left   | 19.45 | 22.77 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | L | Inner_1RB_Left  | 20.77 | 24.09 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | L | Inner_1RB_Right | 20.51 | 23.83 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | L | Edge_1RB_Right  | 19.12 | 22.44 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | L | Inner_Full      | 20.56 | 23.88 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | L | Outer_Full      | 20.41 | 23.73 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | L | Edge_1RB_Left   | 18.43 | 21.75 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | L | Inner_1RB_Left  | 18.15 | 21.47 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | L | Inner_1RB_Right | 18.32 | 21.64 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | L | Edge_1RB_Right  | 17.99 | 21.31 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | L | Inner_Full      | 18.48 | 21.8  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | L | Outer_Full      | 18.62 | 21.94 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | L | Edge_1RB_Left   | 19.47 | 22.79 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | L | Inner_1RB_Left  | 21.62 | 24.94 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | L | Inner_1RB_Right | 21.4  | 24.72 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | L | Edge_1RB_Right  | 19.4  | 22.72 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | L | Inner_Full      | 21.63 | 24.95 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | L | Outer_Full      | 20.05 | 23.37 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | M | Edge_1RB_Left   | 19.66 | 22.98 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | M | Inner_1RB_Left  | 23.19 | 26.51 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | M | Inner_1RB_Right | 23.13 | 26.45 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | M | Edge_1RB_Right  | 19.56 | 22.88 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | M | Inner_Full      | 23.05 | 26.37 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | M | Outer_Full      | 22.64 | 25.96 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | M | Edge_1RB_Left   | 19.65 | 22.97 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | M | Inner_1RB_Left  | 23.24 | 26.56 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | M | Inner_1RB_Right | 23.13 | 26.45 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | M | Edge_1RB_Right  | 19.56 | 22.88 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | M | Inner_Full      | 23.26 | 26.58 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | M | Outer_Full      | 22.22 | 25.54 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | M | Edge_1RB_Left   | 19.5  | 22.82 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | M | Inner_1RB_Left  | 22.17 | 25.49 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | M | Inner_1RB_Right | 22.26 | 25.58 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | M | Edge_1RB_Right  | 19.4  | 22.72 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | M | Inner_Full      | 22.02 | 25.34 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | M | Outer_Full      | 21.21 | 24.53 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 5 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | M | Edge_1RB_Left   | 19.76 | 23.08 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | M | Inner_1RB_Left  | 20.53 | 23.85 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | M | Inner_1RB_Right | 20.82 | 24.14 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | M | Edge_1RB_Right  | 19.55 | 22.87 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | M | Inner_Full      | 20.83 | 24.15 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | M | Outer_Full      | 20.89 | 24.21 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | M | Edge_1RB_Left   | 18.3  | 21.62 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | M | Inner_1RB_Left  | 18.37 | 21.69 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | M | Inner_1RB_Right | 18.39 | 21.71 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | M | Edge_1RB_Right  | 18.1  | 21.42 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | M | Inner_Full      | 18.63 | 21.95 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | M | Outer_Full      | 18.79 | 22.11 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | M | Edge_1RB_Left   | 19.51 | 22.83 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | M | Inner_1RB_Left  | 21.84 | 25.16 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | M | Inner_1RB_Right | 21.51 | 24.83 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | M | Edge_1RB_Right  | 19.59 | 22.91 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | M | Inner_Full      | 21.62 | 24.94 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | M | Outer_Full      | 20.22 | 23.54 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | H | Edge_1RB_Left   | 19    | 22.32 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | H | Inner_1RB_Left  | 22.55 | 25.87 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | H | Inner_1RB_Right | 22.46 | 25.78 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | H | Edge_1RB_Right  | 18.92 | 22.24 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | H | Inner_Full      | 22.27 | 25.59 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-BPSK   | H | Outer_Full      | 21.97 | 25.29 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | H | Edge_1RB_Left   | 19.01 | 22.33 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | H | Inner_1RB_Left  | 22.56 | 25.88 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | H | Inner_1RB_Right | 22.31 | 25.63 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | H | Edge_1RB_Right  | 18.82 | 22.14 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | H | Inner_Full      | 22.5  | 25.82 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-QPSK   | H | Outer_Full      | 21.57 | 24.89 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | H | Edge_1RB_Left   | 18.98 | 22.3  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | H | Inner_1RB_Left  | 21.44 | 24.76 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | H | Inner_1RB_Right | 21.47 | 24.79 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | H | Edge_1RB_Right  | 18.9  | 22.22 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | H | Inner_Full      | 21.46 | 24.78 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-16QAM  | H | Outer_Full      | 20.58 | 23.9  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | H | Edge_1RB_Left   | 19.11 | 22.43 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | H | Inner_1RB_Left  | 19.93 | 23.25 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | H | Inner_1RB_Right | 19.88 | 23.2  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | H | Edge_1RB_Right  | 19.03 | 22.35 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | H | Inner_Full      | 19.98 | 23.3  | PASS |
| n77(3700-3980) | 30 | 30 | DFT-64QAM  | H | Outer_Full      | 20.06 | 23.38 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 6 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 30 | DFT-256QAM | H | Edge_1RB_Left   | 17.83 | 21.15 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | H | Inner_1RB_Left  | 17.85 | 21.17 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | H | Inner_1RB_Right | 17.77 | 21.09 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | H | Edge_1RB_Right  | 17.75 | 21.07 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | H | Inner_Full      | 18    | 21.32 | PASS |
| n77(3700-3980) | 30 | 30 | DFT-256QAM | H | Outer_Full      | 17.88 | 21.2  | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | H | Edge_1RB_Left   | 19.01 | 22.33 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | H | Inner_1RB_Left  | 21.13 | 24.45 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | H | Inner_1RB_Right | 20.99 | 24.31 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | H | Edge_1RB_Right  | 19.03 | 19.03 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | H | Inner_Full      | 21.07 | 21.07 | PASS |
| n77(3700-3980) | 30 | 30 | CP-QPSK    | H | Outer_Full      | 19.41 | 19.41 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | L | Edge_1RB_Left   | 21.64 | 24.96 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | L | Inner_1RB_Left  | 23.06 | 26.38 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | L | Inner_1RB_Right | 22.97 | 26.29 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | L | Edge_1RB_Right  | 21.46 | 24.78 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | L | Inner_Full      | 22.70 | 26.02 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | L | Outer_Full      | 22.82 | 26.14 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | L | Edge_1RB_Left   | 21.69 | 25.01 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | L | Inner_1RB_Left  | 22.92 | 26.24 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | L | Inner_1RB_Right | 22.87 | 26.19 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | L | Edge_1RB_Right  | 21.23 | 24.55 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | L | Inner_Full      | 22.77 | 26.09 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | L | Outer_Full      | 22.08 | 25.40 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | L | Edge_1RB_Left   | 21.26 | 24.58 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | L | Inner_1RB_Left  | 22.31 | 25.63 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | L | Inner_1RB_Right | 22.16 | 25.48 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | L | Edge_1RB_Right  | 21.29 | 24.61 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | L | Inner_Full      | 21.80 | 25.12 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | L | Outer_Full      | 20.94 | 24.26 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | L | Edge_1RB_Left   | 20.70 | 24.02 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | L | Inner_1RB_Left  | 20.70 | 24.02 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | L | Inner_1RB_Right | 20.71 | 24.03 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | L | Edge_1RB_Right  | 20.63 | 23.95 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | L | Inner_Full      | 20.36 | 23.68 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | L | Outer_Full      | 20.47 | 23.79 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | L | Edge_1RB_Left   | 18.92 | 22.24 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | L | Inner_1RB_Left  | 19.02 | 22.34 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | L | Inner_1RB_Right | 18.90 | 22.22 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | L | Edge_1RB_Right  | 18.92 | 22.24 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | L | Inner_Full      | 18.93 | 22.25 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | L | Outer_Full      | 19.12 | 22.44 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 7 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 40 | CP-QPSK    | L | Edge_1RB_Left   | 20.78 | 24.10 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | L | Inner_1RB_Left  | 21.75 | 25.07 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | L | Inner_1RB_Right | 21.71 | 25.03 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | L | Edge_1RB_Right  | 20.71 | 24.03 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | L | Inner_Full      | 21.22 | 24.54 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | L | Outer_Full      | 20.50 | 23.82 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | M | Edge_1RB_Left   | 21.46 | 24.78 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | M | Inner_1RB_Left  | 23.05 | 26.37 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | M | Inner_1RB_Right | 22.75 | 26.07 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | M | Edge_1RB_Right  | 21.20 | 24.52 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | M | Inner_Full      | 22.84 | 26.16 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | M | Outer_Full      | 22.80 | 26.12 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | M | Edge_1RB_Left   | 21.45 | 24.77 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | M | Inner_1RB_Left  | 23.07 | 26.39 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | M | Inner_1RB_Right | 22.68 | 26.00 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | M | Edge_1RB_Right  | 21.17 | 24.49 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | M | Inner_Full      | 22.70 | 26.02 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | M | Outer_Full      | 22.66 | 25.98 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | M | Edge_1RB_Left   | 21.49 | 24.81 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | M | Inner_1RB_Left  | 22.82 | 26.14 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | M | Inner_1RB_Right | 22.41 | 25.73 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | M | Edge_1RB_Right  | 21.20 | 24.52 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | M | Inner_Full      | 22.35 | 25.67 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | M | Outer_Full      | 21.51 | 24.83 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | M | Edge_1RB_Left   | 21.24 | 24.56 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | M | Inner_1RB_Left  | 21.28 | 24.60 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | M | Inner_1RB_Right | 21.07 | 24.39 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | M | Edge_1RB_Right  | 20.94 | 24.26 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | M | Inner_Full      | 20.89 | 24.21 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | M | Outer_Full      | 21.02 | 24.34 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | M | Edge_1RB_Left   | 19.72 | 23.04 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | M | Inner_1RB_Left  | 19.75 | 23.07 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | M | Inner_1RB_Right | 19.38 | 22.70 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | M | Edge_1RB_Right  | 19.41 | 22.73 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | M | Inner_Full      | 19.46 | 22.78 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | M | Outer_Full      | 19.63 | 22.95 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | M | Edge_1RB_Left   | 21.36 | 24.68 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | M | Inner_1RB_Left  | 22.30 | 25.62 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | M | Inner_1RB_Right | 21.88 | 25.20 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | M | Edge_1RB_Right  | 20.95 | 24.27 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | M | Inner_Full      | 21.68 | 25.00 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | M | Outer_Full      | 20.97 | 24.29 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 8 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | H | Edge_1RB_Left   | 21.42 | 24.74 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | H | Inner_1RB_Left  | 23.07 | 26.39 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | H | Inner_1RB_Right | 23.01 | 26.33 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | H | Edge_1RB_Right  | 21.54 | 24.86 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | H | Inner_Full      | 22.83 | 26.15 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-BPSK   | H | Outer_Full      | 22.77 | 26.09 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | H | Edge_1RB_Left   | 21.47 | 24.79 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | H | Inner_1RB_Left  | 22.94 | 26.26 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | H | Inner_1RB_Right | 22.99 | 26.31 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | H | Edge_1RB_Right  | 21.48 | 24.80 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | H | Inner_Full      | 22.72 | 26.04 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-QPSK   | H | Outer_Full      | 22.19 | 25.51 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | H | Edge_1RB_Left   | 21.55 | 24.87 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | H | Inner_1RB_Left  | 22.48 | 25.80 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | H | Inner_1RB_Right | 22.16 | 25.48 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | H | Edge_1RB_Right  | 21.12 | 24.44 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | H | Inner_Full      | 22.00 | 25.32 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-16QAM  | H | Outer_Full      | 21.11 | 24.43 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | H | Edge_1RB_Left   | 21.03 | 24.35 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | H | Inner_1RB_Left  | 20.96 | 24.28 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | H | Inner_1RB_Right | 20.62 | 23.94 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | H | Edge_1RB_Right  | 20.61 | 23.93 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | H | Inner_Full      | 20.54 | 23.86 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-64QAM  | H | Outer_Full      | 20.62 | 23.94 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | H | Edge_1RB_Left   | 19.20 | 22.52 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | H | Inner_1RB_Left  | 19.28 | 22.60 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | H | Inner_1RB_Right | 18.79 | 22.11 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | H | Edge_1RB_Right  | 18.74 | 22.06 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | H | Inner_Full      | 19.10 | 22.42 | PASS |
| n77(3700-3980) | 30 | 40 | DFT-256QAM | H | Outer_Full      | 19.23 | 22.55 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | H | Edge_1RB_Left   | 20.98 | 24.30 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | H | Inner_1RB_Left  | 21.92 | 25.24 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | H | Inner_1RB_Right | 21.47 | 24.79 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | H | Edge_1RB_Right  | 20.50 | 23.82 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | H | Inner_Full      | 21.33 | 24.65 | PASS |
| n77(3700-3980) | 30 | 40 | CP-QPSK    | H | Outer_Full      | 20.56 | 23.88 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | L | Edge_1RB_Left   | 20.60 | 23.92 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | L | Inner_1RB_Left  | 22.15 | 25.47 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | L | Inner_1RB_Right | 22.76 | 26.08 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | L | Edge_1RB_Right  | 21.35 | 24.67 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | L | Inner_Full      | 22.51 | 25.83 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | L | Outer_Full      | 22.76 | 26.08 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 9 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | L | Edge_1RB_Left   | 20.72 | 24.04 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | L | Inner_1RB_Left  | 22.35 | 25.67 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | L | Inner_1RB_Right | 22.90 | 26.22 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | L | Edge_1RB_Right  | 21.33 | 24.65 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | L | Inner_Full      | 22.73 | 26.05 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | L | Outer_Full      | 22.35 | 25.67 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | L | Edge_1RB_Left   | 20.74 | 24.06 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | L | Inner_1RB_Left  | 22.23 | 25.55 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | L | Inner_1RB_Right | 22.57 | 25.89 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | L | Edge_1RB_Right  | 21.49 | 24.81 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | L | Inner_Full      | 21.92 | 25.24 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | L | Outer_Full      | 21.22 | 24.54 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | L | Edge_1RB_Left   | 20.65 | 23.97 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | L | Inner_1RB_Left  | 21.01 | 24.33 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | L | Inner_1RB_Right | 21.09 | 24.41 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | L | Edge_1RB_Right  | 21.01 | 24.33 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | L | Inner_Full      | 20.48 | 23.80 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | L | Outer_Full      | 20.68 | 24.00 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | L | Edge_1RB_Left   | 19.23 | 22.55 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | L | Inner_1RB_Left  | 19.28 | 22.60 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | L | Inner_1RB_Right | 19.33 | 22.65 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | L | Edge_1RB_Right  | 19.27 | 22.59 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | L | Inner_Full      | 19.08 | 22.40 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | L | Outer_Full      | 19.35 | 22.67 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | L | Edge_1RB_Left   | 20.60 | 23.92 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | L | Inner_1RB_Left  | 21.95 | 25.27 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | L | Inner_1RB_Right | 21.98 | 25.30 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | L | Edge_1RB_Right  | 21.10 | 24.42 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | L | Inner_Full      | 21.34 | 24.66 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | L | Outer_Full      | 20.73 | 24.05 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | M | Edge_1RB_Left   | 19.67 | 22.99 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | M | Inner_1RB_Left  | 21.53 | 24.85 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | M | Inner_1RB_Right | 23.17 | 26.49 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | M | Edge_1RB_Right  | 21.79 | 25.11 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | M | Inner_Full      | 22.55 | 25.87 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | M | Outer_Full      | 22.53 | 25.85 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | M | Edge_1RB_Left   | 19.67 | 22.99 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | M | Inner_1RB_Left  | 21.46 | 24.78 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | M | Inner_1RB_Right | 23.00 | 26.32 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | M | Edge_1RB_Right  | 21.78 | 25.10 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | M | Inner_Full      | 22.56 | 25.88 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | M | Outer_Full      | 22.54 | 25.86 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 10 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | M | Edge_1RB_Left   | 19.80 | 23.12 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | M | Inner_1RB_Left  | 21.39 | 24.71 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | M | Inner_1RB_Right | 22.85 | 26.17 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | M | Edge_1RB_Right  | 21.77 | 25.09 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | M | Inner_Full      | 22.42 | 25.74 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | M | Outer_Full      | 21.76 | 25.08 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | M | Edge_1RB_Left   | 19.78 | 23.10 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | M | Inner_1RB_Left  | 20.98 | 24.30 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | M | Inner_1RB_Right | 21.39 | 24.71 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | M | Edge_1RB_Right  | 21.37 | 24.69 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | M | Inner_Full      | 21.01 | 24.33 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | M | Outer_Full      | 21.22 | 24.54 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | M | Edge_1RB_Left   | 18.57 | 21.89 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | M | Inner_1RB_Left  | 18.90 | 22.22 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | M | Inner_1RB_Right | 19.75 | 23.07 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | M | Edge_1RB_Right  | 19.71 | 23.03 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | M | Inner_Full      | 19.57 | 22.89 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | M | Outer_Full      | 19.85 | 23.17 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | M | Edge_1RB_Left   | 19.74 | 23.06 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | M | Inner_1RB_Left  | 21.44 | 24.76 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | M | Inner_1RB_Right | 22.09 | 25.41 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | M | Edge_1RB_Right  | 21.23 | 24.55 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | M | Inner_Full      | 21.77 | 25.09 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | M | Outer_Full      | 21.20 | 24.52 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | H | Edge_1RB_Left   | 20.17 | 23.49 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | H | Inner_1RB_Left  | 21.92 | 25.24 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | H | Inner_1RB_Right | 23.24 | 26.56 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | H | Edge_1RB_Right  | 21.87 | 25.19 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | H | Inner_Full      | 22.83 | 26.15 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-BPSK   | H | Outer_Full      | 22.77 | 26.09 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | H | Edge_1RB_Left   | 20.07 | 23.39 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | H | Inner_1RB_Left  | 21.87 | 25.19 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | H | Inner_1RB_Right | 23.31 | 26.63 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | H | Edge_1RB_Right  | 21.89 | 25.21 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | H | Inner_Full      | 22.89 | 26.21 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-QPSK   | H | Outer_Full      | 22.55 | 25.87 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | H | Edge_1RB_Left   | 20.41 | 23.73 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | H | Inner_1RB_Left  | 22.15 | 25.47 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | H | Inner_1RB_Right | 22.46 | 25.78 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | H | Edge_1RB_Right  | 21.59 | 24.91 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | H | Inner_Full      | 22.21 | 25.53 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-16QAM  | H | Outer_Full      | 21.49 | 24.81 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 11 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | H | Edge_1RB_Left   | 20.32 | 23.64 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | H | Inner_1RB_Left  | 21.38 | 24.70 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | H | Inner_1RB_Right | 20.95 | 24.27 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | H | Edge_1RB_Right  | 20.98 | 24.30 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | H | Inner_Full      | 20.77 | 24.09 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-64QAM  | H | Outer_Full      | 20.96 | 24.28 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | H | Edge_1RB_Left   | 18.93 | 22.25 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | H | Inner_1RB_Left  | 19.06 | 22.38 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | H | Inner_1RB_Right | 19.18 | 22.50 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | H | Edge_1RB_Right  | 19.15 | 22.47 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | H | Inner_Full      | 19.35 | 22.67 | PASS |
| n77(3700-3980) | 30 | 60 | DFT-256QAM | H | Outer_Full      | 19.60 | 22.92 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | H | Edge_1RB_Left   | 20.14 | 23.46 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | H | Inner_1RB_Left  | 21.87 | 25.19 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | H | Inner_1RB_Right | 21.84 | 25.16 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | H | Edge_1RB_Right  | 20.93 | 24.25 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | H | Inner_Full      | 21.56 | 24.88 | PASS |
| n77(3700-3980) | 30 | 60 | CP-QPSK    | H | Outer_Full      | 20.95 | 24.27 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | L | Edge_1RB_Left   | 21.18 | 24.50 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | L | Inner_1RB_Left  | 22.74 | 26.06 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | L | Inner_1RB_Right | 22.97 | 26.29 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | L | Edge_1RB_Right  | 21.43 | 24.75 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | L | Inner_Full      | 22.71 | 26.03 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | L | Outer_Full      | 22.70 | 26.02 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | L | Edge_1RB_Left   | 21.21 | 24.53 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | L | Inner_1RB_Left  | 22.65 | 25.97 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | L | Inner_1RB_Right | 22.81 | 26.13 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | L | Edge_1RB_Right  | 21.41 | 24.73 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | L | Inner_Full      | 22.77 | 26.09 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | L | Outer_Full      | 22.30 | 25.62 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | L | Edge_1RB_Left   | 21.37 | 24.69 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | L | Inner_1RB_Left  | 22.33 | 25.65 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | L | Inner_1RB_Right | 22.65 | 25.97 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | L | Edge_1RB_Right  | 21.41 | 24.73 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | L | Inner_Full      | 21.92 | 25.24 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | L | Outer_Full      | 21.15 | 24.47 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | L | Edge_1RB_Left   | 20.76 | 24.08 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | L | Inner_1RB_Left  | 20.77 | 24.09 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | L | Inner_1RB_Right | 21.04 | 24.36 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | L | Edge_1RB_Right  | 21.00 | 24.32 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | L | Inner_Full      | 20.47 | 23.79 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | L | Outer_Full      | 20.64 | 23.96 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 12 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 80 | DFT-256QAM | L | Edge_1RB_Left   | 18.95 | 22.27 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | L | Inner_1RB_Left  | 18.99 | 22.31 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | L | Inner_1RB_Right | 19.25 | 22.57 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | L | Edge_1RB_Right  | 19.27 | 22.59 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | L | Inner_Full      | 19.08 | 22.40 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | L | Outer_Full      | 19.29 | 22.61 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | L | Edge_1RB_Left   | 20.79 | 24.11 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | L | Inner_1RB_Left  | 21.76 | 25.08 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | L | Inner_1RB_Right | 22.03 | 25.35 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | L | Edge_1RB_Right  | 21.03 | 24.35 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | L | Inner_Full      | 21.33 | 24.65 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | L | Outer_Full      | 20.68 | 24.00 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | M | Edge_1RB_Left   | 21.45 | 24.77 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | M | Inner_1RB_Left  | 22.90 | 26.22 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | M | Inner_1RB_Right | 22.50 | 25.82 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | M | Edge_1RB_Right  | 20.96 | 24.28 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | M | Inner_Full      | 22.49 | 25.81 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | M | Outer_Full      | 22.61 | 25.93 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | M | Edge_1RB_Left   | 21.33 | 24.65 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | M | Inner_1RB_Left  | 22.74 | 26.06 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | M | Inner_1RB_Right | 22.37 | 25.69 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | M | Edge_1RB_Right  | 20.96 | 24.28 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | M | Inner_Full      | 22.58 | 25.90 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | M | Outer_Full      | 22.74 | 26.06 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | M | Edge_1RB_Left   | 21.23 | 24.55 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | M | Inner_1RB_Left  | 22.79 | 26.11 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | M | Inner_1RB_Right | 22.35 | 25.67 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | M | Edge_1RB_Right  | 20.67 | 23.99 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | M | Inner_Full      | 22.38 | 25.70 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | M | Outer_Full      | 21.61 | 24.93 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | M | Edge_1RB_Left   | 21.28 | 24.60 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | M | Inner_1RB_Left  | 21.40 | 24.72 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | M | Inner_1RB_Right | 20.85 | 24.17 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | M | Edge_1RB_Right  | 20.88 | 24.20 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | M | Inner_Full      | 20.94 | 24.26 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | M | Outer_Full      | 21.08 | 24.40 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | M | Edge_1RB_Left   | 19.79 | 23.11 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | M | Inner_1RB_Left  | 19.81 | 23.13 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | M | Inner_1RB_Right | 19.18 | 22.50 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | M | Edge_1RB_Right  | 19.23 | 22.55 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | M | Inner_Full      | 19.57 | 22.89 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | M | Outer_Full      | 19.75 | 23.07 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 13 of 114

|                |    |    |            |   |                 |       |       |      |
|----------------|----|----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 80 | CP-QPSK    | M | Edge_1RB_Left   | 21.30 | 24.62 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | M | Inner_1RB_Left  | 22.52 | 25.84 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | M | Inner_1RB_Right | 21.87 | 25.19 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | M | Edge_1RB_Right  | 20.90 | 24.22 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | M | Inner_Full      | 21.74 | 25.06 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | M | Outer_Full      | 21.09 | 24.41 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | H | Edge_1RB_Left   | 21.06 | 24.38 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | H | Inner_1RB_Left  | 22.79 | 26.11 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | H | Inner_1RB_Right | 22.63 | 25.95 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | H | Edge_1RB_Right  | 21.04 | 24.36 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | H | Inner_Full      | 22.85 | 26.17 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-BPSK   | H | Outer_Full      | 22.84 | 26.16 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | H | Edge_1RB_Left   | 21.20 | 24.52 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | H | Inner_1RB_Left  | 22.70 | 26.02 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | H | Inner_1RB_Right | 22.62 | 25.94 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | H | Edge_1RB_Right  | 21.22 | 24.54 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | H | Inner_Full      | 22.89 | 26.21 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-QPSK   | H | Outer_Full      | 22.63 | 25.95 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | H | Edge_1RB_Left   | 21.33 | 24.65 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | H | Inner_1RB_Left  | 22.72 | 26.04 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | H | Inner_1RB_Right | 22.52 | 25.84 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | H | Edge_1RB_Right  | 21.19 | 24.51 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | H | Inner_Full      | 22.40 | 25.72 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-16QAM  | H | Outer_Full      | 21.57 | 24.89 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | H | Edge_1RB_Left   | 21.12 | 24.44 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | H | Inner_1RB_Left  | 21.15 | 24.47 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | H | Inner_1RB_Right | 21.09 | 24.41 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | H | Edge_1RB_Right  | 20.98 | 24.30 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | H | Inner_Full      | 20.96 | 24.28 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-64QAM  | H | Outer_Full      | 21.06 | 24.38 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | H | Edge_1RB_Left   | 19.40 | 22.72 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | H | Inner_1RB_Left  | 19.45 | 22.77 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | H | Inner_1RB_Right | 19.25 | 22.57 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | H | Edge_1RB_Right  | 19.27 | 22.59 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | H | Inner_Full      | 19.57 | 22.89 | PASS |
| n77(3700-3980) | 30 | 80 | DFT-256QAM | H | Outer_Full      | 19.71 | 23.03 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | H | Edge_1RB_Left   | 21.09 | 24.41 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | H | Inner_1RB_Left  | 21.99 | 25.31 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | H | Inner_1RB_Right | 21.87 | 25.19 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | H | Edge_1RB_Right  | 20.99 | 24.31 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | H | Inner_Full      | 21.75 | 25.07 | PASS |
| n77(3700-3980) | 30 | 80 | CP-QPSK    | H | Outer_Full      | 21.03 | 24.35 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 14 of 114

|                |    |     |            |   |                 |       |       |      |
|----------------|----|-----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Edge_1RB_Left   | 21.20 | 24.52 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Inner_1RB_Left  | 22.52 | 25.84 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Inner_1RB_Right | 23.23 | 26.55 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Edge_1RB_Right  | 21.56 | 24.88 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Inner_Full      | 22.49 | 25.81 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Outer_Full      | 22.84 | 26.16 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Edge_1RB_Left   | 21.17 | 24.49 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Inner_1RB_Left  | 22.45 | 25.77 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Inner_1RB_Right | 23.06 | 26.38 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Edge_1RB_Right  | 21.53 | 24.85 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Inner_Full      | 22.81 | 26.13 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Outer_Full      | 22.27 | 25.59 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Edge_1RB_Left   | 21.05 | 24.37 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Inner_1RB_Left  | 22.11 | 25.43 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Inner_1RB_Right | 22.61 | 25.93 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Edge_1RB_Right  | 21.72 | 25.04 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Inner_Full      | 21.91 | 25.23 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Outer_Full      | 21.12 | 24.44 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Edge_1RB_Left   | 20.56 | 23.88 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Inner_1RB_Left  | 20.57 | 23.89 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Inner_1RB_Right | 21.11 | 24.43 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Edge_1RB_Right  | 21.06 | 24.38 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Inner_Full      | 20.43 | 23.75 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Outer_Full      | 20.59 | 23.91 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Edge_1RB_Left   | 18.79 | 22.11 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Inner_1RB_Left  | 18.87 | 22.19 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Inner_1RB_Right | 19.29 | 22.61 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Edge_1RB_Right  | 19.25 | 22.57 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Inner_Full      | 19.08 | 22.40 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Outer_Full      | 19.24 | 22.56 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | L | Edge_1RB_Left   | 20.58 | 23.90 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | L | Inner_1RB_Left  | 21.64 | 24.96 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | L | Inner_1RB_Right | 22.05 | 25.37 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | L | Edge_1RB_Right  | 21.12 | 24.44 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | L | Inner_Full      | 21.35 | 24.67 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | L | Outer_Full      | 20.67 | 23.99 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Edge_1RB_Left   | 21.37 | 24.69 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Inner_1RB_Left  | 22.86 | 26.18 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Inner_1RB_Right | 22.83 | 26.15 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Edge_1RB_Right  | 21.19 | 24.51 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Inner_Full      | 22.61 | 25.93 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Outer_Full      | 22.61 | 25.93 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 15 of 114

|                |    |     |            |   |                 |       |       |      |
|----------------|----|-----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Edge_1RB_Left   | 21.30 | 24.62 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Inner_1RB_Left  | 22.78 | 26.10 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Inner_1RB_Right | 22.76 | 26.08 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Edge_1RB_Right  | 21.19 | 24.51 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Inner_Full      | 22.50 | 25.82 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Outer_Full      | 22.67 | 25.99 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Edge_1RB_Left   | 21.44 | 24.76 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Inner_1RB_Left  | 22.88 | 26.20 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Inner_1RB_Right | 22.46 | 25.78 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Edge_1RB_Right  | 21.42 | 24.74 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Inner_Full      | 22.32 | 25.64 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Outer_Full      | 21.52 | 24.84 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Edge_1RB_Left   | 21.12 | 24.44 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Inner_1RB_Left  | 21.40 | 24.72 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Inner_1RB_Right | 20.94 | 24.26 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Edge_1RB_Right  | 20.92 | 24.24 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Inner_Full      | 20.85 | 24.17 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Outer_Full      | 21.00 | 24.32 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Edge_1RB_Left   | 19.59 | 22.91 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Inner_1RB_Left  | 19.58 | 22.90 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Inner_1RB_Right | 19.22 | 22.54 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Edge_1RB_Right  | 19.19 | 22.51 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Inner_Full      | 19.48 | 22.80 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Outer_Full      | 19.67 | 22.99 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | M | Edge_1RB_Left   | 21.21 | 24.53 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | M | Inner_1RB_Left  | 22.27 | 25.59 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | M | Inner_1RB_Right | 21.76 | 25.08 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | M | Edge_1RB_Right  | 20.97 | 24.29 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | M | Inner_Full      | 21.69 | 25.01 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | M | Outer_Full      | 21.03 | 24.35 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Edge_1RB_Left   | 20.66 | 23.98 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Inner_1RB_Left  | 22.22 | 25.54 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Inner_1RB_Right | 22.79 | 26.11 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Edge_1RB_Right  | 21.31 | 24.63 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Inner_Full      | 23.02 | 26.34 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Outer_Full      | 22.95 | 26.27 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Edge_1RB_Left   | 20.69 | 24.01 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Inner_1RB_Left  | 22.19 | 25.51 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Inner_1RB_Right | 22.75 | 26.07 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Edge_1RB_Right  | 21.21 | 24.53 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Inner_Full      | 23.10 | 26.42 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Outer_Full      | 22.59 | 25.91 | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 16 of 114

|                |    |     |            |   |                 |       |       |      |
|----------------|----|-----|------------|---|-----------------|-------|-------|------|
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Edge_1RB_Left   | 20.99 | 24.31 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Inner_1RB_Left  | 22.40 | 25.72 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Inner_1RB_Right | 22.37 | 25.69 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Edge_1RB_Right  | 21.50 | 24.82 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Inner_Full      | 22.45 | 25.77 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Outer_Full      | 21.51 | 24.83 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Edge_1RB_Left   | 20.79 | 24.11 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Inner_1RB_Left  | 20.83 | 24.15 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Inner_1RB_Right | 20.85 | 24.17 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Edge_1RB_Right  | 20.84 | 24.16 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Inner_Full      | 20.97 | 24.29 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Outer_Full      | 20.99 | 24.31 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Edge_1RB_Left   | 19.06 | 22.38 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Inner_1RB_Left  | 19.17 | 22.49 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Inner_1RB_Right | 19.11 | 22.43 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Edge_1RB_Right  | 19.07 | 22.39 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Inner_Full      | 19.62 | 22.94 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Outer_Full      | 19.65 | 22.97 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | H | Edge_1RB_Left   | 20.80 | 24.12 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | H | Inner_1RB_Left  | 21.65 | 24.97 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | H | Inner_1RB_Right | 21.69 | 25.01 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | H | Edge_1RB_Right  | 20.85 | 24.17 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | H | Inner_Full      | 21.81 | 25.13 | PASS |
| n77(3700-3980) | 30 | 100 | CP-QPSK    | H | Outer_Full      | 20.99 | 24.31 | PASS |




## Appendix B: Peak-to-Average Ratio

### Test Result

| Band           | SCS | Bandwidth | Modulation | Channel | RB Config  | Result(dB) | Limit(dB) | Verdict |
|----------------|-----|-----------|------------|---------|------------|------------|-----------|---------|
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Outer_Full | 10.94      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Outer_Full | 11.74      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | M       | Outer_Full | 11.3       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | M       | Outer_Full | 11.72      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | H       | Outer_Full | 10.9       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | H       | Outer_Full | 11.7       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-BPSK   | L       | Outer_Full | 10.82      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-QPSK   | L       | Outer_Full | 11.66      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-BPSK   | M       | Outer_Full | 11.4       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-QPSK   | M       | Outer_Full | 11.72      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-BPSK   | H       | Outer_Full | 10.66      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-QPSK   | H       | Outer_Full | 11.54      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-BPSK   | L       | Outer_Full | 11.38      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-QPSK   | L       | Outer_Full | 11.7       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-BPSK   | M       | Outer_Full | 11.3       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-QPSK   | M       | Outer_Full | 11.7       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-BPSK   | H       | Outer_Full | 11         | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-QPSK   | H       | Outer_Full | 11.84      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 60        | DFT-BPSK   | L       | Outer_Full | 11.56      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 60        | DFT-QPSK   | L       | Outer_Full | 12.6       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 60        | DFT-BPSK   | M       | Outer_Full | 11.6       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 60        | DFT-QPSK   | M       | Outer_Full | 11.04      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 60        | DFT-BPSK   | H       | Outer_Full | 9.74       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 60        | DFT-QPSK   | H       | Outer_Full | 12.36      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 80        | DFT-BPSK   | L       | Outer_Full | 10.66      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 80        | DFT-QPSK   | L       | Outer_Full | 10.62      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 80        | DFT-BPSK   | M       | Outer_Full | 10.98      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 80        | DFT-QPSK   | M       | Outer_Full | 11.22      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 80        | DFT-BPSK   | H       | Outer_Full | 10.12      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 80        | DFT-QPSK   | H       | Outer_Full | 12.8       | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 100       | DFT-BPSK   | L       | Outer_Full | 11.18      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 100       | DFT-QPSK   | L       | Outer_Full | 11.46      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 100       | DFT-BPSK   | M       | Outer_Full | 11.08      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 100       | DFT-QPSK   | M       | Outer_Full | 12.44      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 100       | DFT-BPSK   | H       | Outer_Full | 10.24      | ≤13dB     | PASS    |
| n77(3700-3980) | 30  | 100       | DFT-QPSK   | H       | Outer_Full | 10.32      | ≤13dB     | PASS    |




## Test Graphs




NTNV-n77(3700-3980)-PC2-30-20-L-DFT-BPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-20-L-DFT-QPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-20-M-DFT-BPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-20-M-DFT-QPSK-Outer\_Full-PAS

S



NTNV-n77(3700-3980)-PC2-30-20-H-DFT-BPSK-Outer\_Full-PAS

S



NTNV-n77(3700-3980)-PC2-30-20-H-DFT-QPSK-Outer\_Full-PAS



S



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 19 of 114





NTNV-n77(3700-3980)-PC2-30-30-L-DFT-BPSK-Outer\_Full-PAS

S

NTNV-n77(3700-3980)-PC2-30-30-L-DFT-QPSK-Outer\_Full-PAS

S





NTNV-n77(3700-3980)-PC2-30-30-M-DFT-BPSK-Outer\_Full-PAS

S

NTNV-n77(3700-3980)-PC2-30-30-M-DFT-QPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-30-H-DFT-BPSK-Outer\_Full-PAS

S


NTNV-n77(3700-3980)-PC2-30-30-H-DFT-QPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-40-L-DFT-BPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-40-L-DFT-QPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-40-M-DFT-BPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-40-M-DFT-QPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-BPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-QPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-BPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-QPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-60-M-DFT-BPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-60-M-DFT-QPSK-Outter\_Full-PAS

S



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-BPSK-Outter\_Full-PAS

S



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-QPSK-Outter\_Full-PAS



S



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 22 of 114





NTNV-n77(3700-3980)-PC2-30-80-L-DFT-BPSK-Outter\_Full-PAS

S

NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Outter\_Full-PAS

S





NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Outter\_Full-PAS

S

NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Outter\_Full-PAS

S


NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Outter\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Outer\_Full-PAS

S




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Outer\_Full-PA

SS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Outer\_Full-PA

SS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Outer\_Full-PA

SS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Outer\_Full-PA

SS



## Appendix C: 26dB Bandwidth and Occupied Bandwidth

### Test Result

| Band           | SCS | Bandwidth | Modulation | Channel | RB Config  | 99% OBW (MHz) | 26dB BW (MHz) | Verdict |
|----------------|-----|-----------|------------|---------|------------|---------------|---------------|---------|
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | L       | Outer_Full | 17.78         | 19.040        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | L       | Outer_Full | 17.867        | 19.520        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | L       | Outer_Full | 17.842        | 19.160        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | L       | Outer_Full | 17.876        | 19.080        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | L       | Outer_Full | 17.843        | 18.880        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | M       | Outer_Full | 17.816        | 19.000        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | M       | Outer_Full | 17.809        | 19.240        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | M       | Outer_Full | 17.836        | 19.440        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | M       | Outer_Full | 17.822        | 19.040        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | M       | Outer_Full | 17.805        | 19.120        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-BPSK   | H       | Outer_Full | 17.752        | 18.960        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-QPSK   | H       | Outer_Full | 17.842        | 19.240        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-16QAM  | H       | Outer_Full | 17.816        | 18.960        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-64QAM  | H       | Outer_Full | 17.841        | 19.080        | PASS    |
| n77(3700-3980) | 30  | 20        | DFT-256QAM | H       | Outer_Full | 17.849        | 18.960        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-BPSK   | L       | Outer_Full | 26.727        | 28.140        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-QPSK   | L       | Outer_Full | 26.735        | 28.140        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-16QAM  | L       | Outer_Full | 26.852        | 28.560        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-64QAM  | L       | Outer_Full | 26.837        | 28.320        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-256QAM | L       | Outer_Full | 26.66         | 28.440        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-BPSK   | M       | Outer_Full | 26.801        | 28.260        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-QPSK   | M       | Outer_Full | 26.849        | 28.260        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-16QAM  | M       | Outer_Full | 26.781        | 28.620        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-64QAM  | M       | Outer_Full | 26.704        | 28.620        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-256QAM | M       | Outer_Full | 26.81         | 28.200        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-BPSK   | H       | Outer_Full | 26.822        | 28.440        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-QPSK   | H       | Outer_Full | 26.726        | 28.620        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-16QAM  | H       | Outer_Full | 26.884        | 27.780        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-64QAM  | H       | Outer_Full | 26.738        | 27.840        | PASS    |
| n77(3700-3980) | 30  | 30        | DFT-256QAM | H       | Outer_Full | 26.645        | 28.440        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-BPSK   | L       | Outer_Full | 35.8          | 37.680        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-QPSK   | L       | Outer_Full | 35.744        | 37.360        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-16QAM  | L       | Outer_Full | 35.717        | 37.840        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-64QAM  | L       | Outer_Full | 35.826        | 37.280        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-256QAM | L       | Outer_Full | 35.835        | 37.360        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-BPSK   | M       | Outer_Full | 35.803        | 37.760        | PASS    |
| n77(3700-3980) | 30  | 40        | DFT-QPSK   | M       | Outer_Full | 35.75         | 37.280        | PASS    |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 25 of 114

|                |    |     |            |   |            |        |         |      |
|----------------|----|-----|------------|---|------------|--------|---------|------|
| n77(3700-3980) | 30 | 40  | DFT-16QAM  | M | Outer_Full | 35.79  | 37.280  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-64QAM  | M | Outer_Full | 35.811 | 37.040  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-256QAM | M | Outer_Full | 35.816 | 37.360  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-BPSK   | H | Outer_Full | 35.724 | 37.600  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-QPSK   | H | Outer_Full | 35.66  | 37.600  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-16QAM  | H | Outer_Full | 35.738 | 37.680  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-64QAM  | H | Outer_Full | 35.79  | 37.680  | PASS |
| n77(3700-3980) | 30 | 40  | DFT-256QAM | H | Outer_Full | 35.662 | 37.280  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-BPSK   | L | Outer_Full | 57.912 | 59.640  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-QPSK   | L | Outer_Full | 57.931 | 61.080  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-16QAM  | L | Outer_Full | 57.749 | 60.000  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-64QAM  | L | Outer_Full | 57.992 | 60.120  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-256QAM | L | Outer_Full | 57.741 | 60.240  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-BPSK   | M | Outer_Full | 57.9   | 60.360  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-QPSK   | M | Outer_Full | 57.883 | 60.120  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-16QAM  | M | Outer_Full | 57.907 | 59.640  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-64QAM  | M | Outer_Full | 58.026 | 60.120  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-256QAM | M | Outer_Full | 57.936 | 60.000  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-BPSK   | H | Outer_Full | 57.786 | 60.000  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-QPSK   | H | Outer_Full | 57.876 | 59.880  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-16QAM  | H | Outer_Full | 57.88  | 60.240  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-64QAM  | H | Outer_Full | 57.792 | 59.880  | PASS |
| n77(3700-3980) | 30 | 60  | DFT-256QAM | H | Outer_Full | 57.975 | 60.120  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-BPSK   | L | Outer_Full | 77.059 | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-QPSK   | L | Outer_Full | 77.06  | 80.480  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-16QAM  | L | Outer_Full | 77.076 | 80.480  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-64QAM  | L | Outer_Full | 77.086 | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-256QAM | L | Outer_Full | 77.024 | 80.160  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-BPSK   | M | Outer_Full | 77.231 | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-QPSK   | M | Outer_Full | 77.06  | 80.160  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-16QAM  | M | Outer_Full | 77.03  | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-64QAM  | M | Outer_Full | 77.118 | 80.160  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-256QAM | M | Outer_Full | 77.107 | 80.000  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-BPSK   | H | Outer_Full | 77.07  | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-QPSK   | H | Outer_Full | 77.121 | 80.640  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-16QAM  | H | Outer_Full | 77.046 | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-64QAM  | H | Outer_Full | 77.302 | 80.320  | PASS |
| n77(3700-3980) | 30 | 80  | DFT-256QAM | H | Outer_Full | 77.107 | 80.320  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | L | Outer_Full | 96.693 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | L | Outer_Full | 96.515 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | L | Outer_Full | 96.443 | 100.200 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | L | Outer_Full | 96.288 | 99.600  | PASS |



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 26 of 114

|                |    |     |            |   |            |        |         |      |
|----------------|----|-----|------------|---|------------|--------|---------|------|
| n77(3700-3980) | 30 | 100 | DFT-256QAM | L | Outer_Full | 96.521 | 100.200 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | M | Outer_Full | 96.144 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | M | Outer_Full | 96.198 | 99.600  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | M | Outer_Full | 96.334 | 100.000 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | M | Outer_Full | 96.473 | 100.200 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | M | Outer_Full | 96.281 | 100.000 | PASS |
| n77(3700-3980) | 30 | 100 | DFT-BPSK   | H | Outer_Full | 96.299 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-QPSK   | H | Outer_Full | 96.285 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-16QAM  | H | Outer_Full | 96.198 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-64QAM  | H | Outer_Full | 96.247 | 99.800  | PASS |
| n77(3700-3980) | 30 | 100 | DFT-256QAM | H | Outer_Full | 96.255 | 100.000 | PASS |





# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13



Page 27 of 114

## Test Graphs





NTNV-n77(3700-3980)-PC2-30-20-L-DFT-BPSK-Outter\_Full-Ant1-  
PASS

NTNV-n77(3700-3980)-PC2-30-20-L-DFT-QPSK-Outter\_Full-Ant1-  
PASS



NTNV-n77(3700-3980)-PC2-30-20-L-DFT-16QAM-Outter\_Full-Ant  
1-PASS

NTNV-n77(3700-3980)-PC2-30-20-L-DFT-64QAM-Outter\_Full-Ant  
1-PASS



NTNV-n77(3700-3980)-PC2-30-20-L-DFT-256QAM-Outter\_Full-An  
t1-PASS


NTNV-n77(3700-3980)-PC2-30-20-M-DFT-BPSK-Outter\_Full-Ant1  
-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A13

Page 28 of 114



NTNV-n77(3700-3980)-PC2-30-20-M-DFT-QPSK-Outet-Full-Ant1

-PASS



NTNV-n77(3700-3980)-PC2-30-20-M-DFT-16QAM-Outet-Full-Ant1

1-PASS




NTNV-n77(3700-3980)-PC2-30-20-M-DFT-64QAM-Outet-Full-Ant1

1-PASS




NTNV-n77(3700-3980)-PC2-30-20-M-DFT-256QAM-Outet-Full-Ant1

nt1-PASS



NTNV-n77(3700-3980)-PC2-30-20-H-DFT-BPSK-Outet-Full-Ant1

-PASS



NTNV-n77(3700-3980)-PC2-30-20-H-DFT-QPSK-Outet-Full-Ant1

-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A13

Page 29 of 114




NTNV-n77(3700-3980)-PC2-30-20-H-DFT-16QAM-Outet\_Full-Ant

1-PASS

NTNV-n77(3700-3980)-PC2-30-20-H-DFT-64QAM-Outet\_Full-Ant

1-PASS




NTNV-n77(3700-3980)-PC2-30-20-H-DFT-256QAM-Outet\_Full-A

nt1-PASS

NTNV-n77(3700-3980)-PC2-30-30-L-DFT-BPSK-Outet\_Full-Ant1

PASS



NTNV-n77(3700-3980)-PC2-30-30-L-DFT-QPSK-Outet\_Full-Ant1

PASS

NTNV-n77(3700-3980)-PC2-30-30-L-DFT-16QAM-Outet\_Full-Ant


1-PASS



# CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 30 of 114





NTNV-n77(3700-3980)-PC2-30-30-L-DFT-64QAM-Outer\_Full-Ant

1-PASS

NTNV-n77(3700-3980)-PC2-30-30-L-DFT-256QAM-Outer\_Full-An

t1-PASS





NTNV-n77(3700-3980)-PC2-30-30-M-DFT-BPSK-Outer\_Full-Ant1

-PASS

NTNV-n77(3700-3980)-PC2-30-30-M-DFT-QPSK-Outer\_Full-Ant1

-PASS



NTNV-n77(3700-3980)-PC2-30-30-M-DFT-16QAM-Outer\_Full-Ant

1-PASS

NTNV-n77(3700-3980)-PC2-30-30-M-DFT-64QAM-Outer\_Full-Ant

1-PASS