





CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A13

Page 46 of 114



07:32:41 下午 08/15/2025




07:31:50 下午 08/15/2025

NTNV-n77(3700-3980)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Right-P


ASS

NTNV-n77(3700-3980)-PC2-30-20-H-DFT-QPSK-Outer_Full-P

ASS



07:34:34 下午 08/15/2025



07:33:43 下午 08/15/2025

NTNV-n77(3700-3980)-PC2-30-25-L-DFT-BPSK-Edge_1RB_Left-PA


SS

NTNV-n77(3700-3980)-PC2-30-25-L-DFT-BPSK-Outer_Full-P

ASS



07:36:28 下午 08/15/2025



07:35:33 下午 08/15/2025

NTNV-n77(3700-3980)-PC2-30-25-L-DFT-QPSK-Edge_1RB_Left-PA

SS

NTNV-n77(3700-3980)-PC2-30-25-L-DFT-QPSK-Outer_Full-P


ASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCS2025-0042-RF4-A13

Page 47 of 114




NTNV-n77(3700-3980)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-PA

SS




NTNV-n77(3700-3980)-PC2-30-30-L-DFT-BPSK-Outer_Full-P

ASS




NTNV-n77(3700-3980)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-PA

SS




NTNV-n77(3700-3980)-PC2-30-30-L-DFT-QPSK-Outer_Full-P

ASS



NTNV-n77(3700-3980)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Right-P

ASS



NTNV-n77(3700-3980)-PC2-30-30-H-DFT-BPSK-Outer_Full-P


ASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A13

Page 48 of 114



07:43:51 下午 08/15/2025




07:42:59 下午 08/15/2025

NTNV-n77(3700-3980)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Right-P


ASS

NTNV-n77(3700-3980)-PC2-30-30-H-DFT-QPSK-Outer_Full-P

ASS



10:50:00 下午 05/29/2025




10:49:27 下午 05/29/2025

NTNV-n77(3700-3980)-PC2-30-40-L-DFT-BPSK-Edge_1RB_Left-PA


SS

NTNV-n77(3700-3980)-PC2-30-40-L-DFT-BPSK-Outer_Full-P

ASS



10:51:34 下午 05/29/2025



10:50:36 下午 05/29/2025

NTNV-n77(3700-3980)-PC2-30-40-L-DFT-QPSK-Edge_1RB_Left-PA

SS

NTNV-n77(3700-3980)-PC2-30-40-L-DFT-QPSK-Outer_Full-P

ASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCS2025-0042-RF4-A13

Page 49 of 114




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-BPSK-Edge_1RB_Right-P

ASS




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-BPSK-Outer_Full-P

ASS




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-QPSK-Edge_1RB_Right-P

ASS




NTNV-n77(3700-3980)-PC2-30-40-H-DFT-QPSK-Outer_Full-P

ASS



NTNV-n77(3700-3980)-PC2-30-60-L-DFT-BPSK-Edge_1RB_Left-PA

SS



NTNV-n77(3700-3980)-PC2-30-60-L-DFT-BPSK-Outer_Full-P


ASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCS2025-0042-RF4-A13

Page 50 of 114




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-QPSK-Edge_1RB_Left-PA

SS




NTNV-n77(3700-3980)-PC2-30-60-L-DFT-QPSK-Outer_Full-P

ASS



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-BPSK-Edge_1RB_Right-P

ASS




NTNV-n77(3700-3980)-PC2-30-60-H-DFT-BPSK-Outer_Full-P

ASS



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-QPSK-Edge_1RB_Right-P

ASS



NTNV-n77(3700-3980)-PC2-30-60-H-DFT-QPSK-Outer_Full-P


ASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCS2025-0042-RF4-A13

Page 51 of 114




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-PA

SS




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-BPSK-Outer_Full-P

ASS



NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-PA

SS




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Outer_Full-P

ASS



NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Right-P

ASS



NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Outer_Full-P

ASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A13

Page 52 of 114



11:06:43 下午 05/29/2025




11:06:09 下午 05/29/2025

NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Right-P


ASS

NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Outer_Full-P

ASS



11:08:29 下午 05/29/2025




11:07:56 下午 05/29/2025

NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Left-P


ASS

NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Outer_Full-P

ASS



11:09:38 下午 05/29/2025





11:09:05 下午 05/29/2025

NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Left-P

ASS



NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Outer_Full-P

PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Right-
PASS

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Outer_Full-
PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Right-
PASS

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Outer_Full-
PASS



Appendix E: Conducted Spurious Emission

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Start Freq (MHz)	Stop Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.57	≤-43dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.43	≤-33dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.07	≤-23dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.49	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.49	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-45.43	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-50.13	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.84	≤-43dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.70	≤-33dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.72	≤-23dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.54	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.83	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-45.40	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-50.05	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.73	≤-43dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.12	≤-33dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.35	≤-23dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.62	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.97	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-45.29	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-50.12	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.53	≤-43dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.68	≤-33dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.54	≤-23dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.04	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-45.33	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-50.12	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.17	≤-43dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.53	≤-33dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.30	≤-23dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-39.93	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-45.31	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-49.98	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.64	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 55 of 114

n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.12	≤-33dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.57	≤-23dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.53	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-39.31	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-45.42	≤-13dBm	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-50.12	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.32	≤-43dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.59	≤-33dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.69	≤-23dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.64	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-43.11	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-45.31	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-50.20	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.06	≤-43dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-83.85	≤-33dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.56	≤-23dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.96	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-45.31	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-50.14	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.87	≤-43dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.38	≤-33dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.24	≤-23dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.01	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-45.17	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-50.01	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-91.01	≤-43dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.08	≤-33dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.57	≤-23dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.52	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.21	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-45.53	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-50.14	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.17	≤-43dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.28	≤-33dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.80	≤-23dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.66	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-43.06	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-45.43	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-49.97	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.58	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 56 of 114

n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.41	≤-33dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.91	≤-23dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.60	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-41.71	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-45.37	≤-13dBm	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-50.18	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.87	≤-43dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.28	≤-33dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.35	≤-23dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.59	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-43.16	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-45.15	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-50.11	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-91.07	≤-43dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.48	≤-33dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.12	≤-23dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.61	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-43.20	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-45.20	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-50.03	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.32	≤-43dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.21	≤-33dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.95	≤-23dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.60	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.12	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-45.15	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-50.16	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.63	≤-43dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.42	≤-33dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.81	≤-23dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.39	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.92	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-45.23	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-49.91	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-88.61	≤-43dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-83.96	≤-33dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.06	≤-23dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.32	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-43.00	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-45.27	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-49.90	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.84	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 57 of 114

n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.43	≤-33dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.68	≤-23dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.35	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.79	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-45.01	≤-13dBm	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-49.91	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.99	≤-43dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.14	≤-33dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.19	≤-23dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.40	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-45.27	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-49.87	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-89.66	≤-43dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.65	≤-33dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.78	≤-23dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.36	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.46	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-45.31	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-49.80	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.49	≤-43dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.26	≤-33dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.59	≤-23dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.46	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.87	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-45.12	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-49.79	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-88.90	≤-43dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.28	≤-33dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.78	≤-23dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.92	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-45.23	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-49.86	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.47	≤-43dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.50	≤-33dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.75	≤-23dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-44.06	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-49.81	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-91.12	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 58 of 114

n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.49	≤-33dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.62	≤-23dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.45	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.17	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-43.93	≤-13dBm	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-49.96	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.52	≤-43dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.87	≤-33dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.72	≤-23dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.39	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-41.95	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-45.15	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-50.05	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-89.58	≤-43dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.80	≤-33dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.64	≤-23dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.39	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-41.59	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-45.17	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-49.78	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.03	≤-43dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.35	≤-33dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.57	≤-23dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.94	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-45.09	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-49.95	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.78	≤-43dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.12	≤-33dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.41	≤-23dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.38	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.97	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-45.20	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-50.04	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.11	≤-43dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-83.48	≤-33dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.83	≤-23dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.47	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.46	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-45.18	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-49.92	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.46	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 59 of 114

n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.28	≤-33dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.29	≤-23dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.49	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-44.94	≤-13dBm	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-49.97	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.86	≤-43dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-83.85	≤-33dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.21	≤-23dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.23	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.79	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-44.98	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-50.03	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-89.97	≤-43dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.13	≤-33dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.67	≤-23dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.47	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-45.25	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-49.90	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.61	≤-43dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.37	≤-33dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.68	≤-23dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.46	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-45.03	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-49.88	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.51	≤-43dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.22	≤-33dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.21	≤-23dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.41	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.89	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-45.21	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-49.70	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-89.91	≤-43dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-83.91	≤-33dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.32	≤-23dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.56	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.98	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-45.29	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-49.99	≤-13dBm	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.42	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 60 of 114

n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.42	$\leq -33\text{dBm}$	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.46	$\leq -23\text{dBm}$	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.44	$\leq -13\text{dBm}$	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.92	$\leq -13\text{dBm}$	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-45.29	$\leq -13\text{dBm}$	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-50.04	$\leq -13\text{dBm}$	PASS