







NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
26000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-1000-3000-PASS



NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS



NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
1000-3000-PASS



NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS





NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
6000-26000-PASS



NTNV-n77(3700-3980)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-26000-40000-PASS





NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS





NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left -0.15-30-PASS

NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left -30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left -1000-3000-PASS

NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left -3000-6000-PASS




NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left -6000-26000-PASS


NTNV-n77(3700-3980)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left -26000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Lef
t-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Lef
t-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Lef
t-3000-6000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-BPSK-Edge_1RB_Lef
t-26000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-1000-3000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-3000-6000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-100-L-DFT-QPSK-Edge_1RB_Lef
t-26000-40000-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef
t-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef
t-1000-3000-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-3000-6000-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef
t-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-26000-40000-PASS





NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-0.009-0.15-PASS



NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-0.15-30-PASS





NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-1000-3000-PASS

NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-3000-6000-PASS





NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-6000-26000-PASS

NTNV-n77(3700-3980)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-26000-40000-PASS





NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-0.009-0.15-PASS

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-0.15-30-PASS





NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-30-1000-PASS

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-1000-3000-PASS




NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-3000-6000-PASS

NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-6000-26000-PASS




NTNV-n77(3700-3980)-PC2-30-100-H-DFT-BPSK-Edge_1RB_Lef
t-26000-40000-PASS


NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Lef
t-0.009-0.15-PASS




NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Le
ft-0.15-30-PASS




NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Lef
t-30-1000-PASS




NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Le
ft-1000-3000-PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Lef
t-3000-6000-PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Le
ft-6000-26000-PASS



NTNV-n77(3700-3980)-PC2-30-100-H-DFT-QPSK-Edge_1RB_Lef
t-26000-40000-PASS



Appendix F: Frequency Stability

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	VL	NT	15	0.004043	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	VN	NT	9	0.002426	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	VH	NT	2	0.000539	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	VL	NT	2	0.000539	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	VN	NT	5	0.001348	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	VH	NT	15	0.004043	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	VL	NT	16	0.004167	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	VN	NT	10	0.002604	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	VH	NT	3	0.000781	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	VL	NT	5	0.001302	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	VN	NT	16	0.004167	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	VH	NT	9	0.002344	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	VL	NT	13	0.003275	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	VN	NT	13	0.003275	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	VH	NT	14	0.003526	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	VL	NT	1	0.000252	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	VN	NT	14	0.003526	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	VH	NT	7	0.001763	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	VL	NT	9	0.002423	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	VN	NT	10	0.002692	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	VH	NT	10	0.002692	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	VL	NT	10	0.002692	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	VN	NT	3	0.000808	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	VH	NT	3	0.000808	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	VL	NT	14	0.003646	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	VN	NT	10	0.002604	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	VH	NT	4	0.001042	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	VL	NT	4	0.001042	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	VN	NT	7	0.001823	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	VH	NT	1	0.00026	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	VL	NT	8	0.002018	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	VN	NT	2	0.000504	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	VH	NT	14	0.003531	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 104 of 114

n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	VL	NT	6	0.001513	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	VN	NT	7	0.001765	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	VH	NT	19	0.004792	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	VL	NT	4	0.001075	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	VN	NT	5	0.001344	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	VH	NT	17	0.00457	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	VL	NT	14	0.003763	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	VN	NT	14	0.003763	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	VH	NT	5	0.001344	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	VL	NT	17	0.004427	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	VN	NT	7	0.001823	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	VH	NT	11	0.002865	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	VL	NT	12	0.003125	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	VN	NT	6	0.001563	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	VH	NT	6	0.001563	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	VL	NT	2	0.000505	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	VN	NT	18	0.004545	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	VH	NT	11	0.002778	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	VL	NT	19	0.004798	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	VN	NT	9	0.002273	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	VH	NT	13	0.003283	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	VL	NT	10	0.002681	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	VN	NT	7	0.001877	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	VH	NT	7	0.001877	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	VL	NT	14	0.003753	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	VN	NT	14	0.003753	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	VH	NT	8	0.002145	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	VL	NT	8	0.002083	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	VN	NT	5	0.001302	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	VH	NT	18	0.004688	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	VL	NT	16	0.004167	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	VN	NT	9	0.002344	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	VH	NT	13	0.003385	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	VL	NT	8	0.002025	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	VN	NT	1	0.000253	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	VH	NT	9	0.002278	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	VL	NT	3	0.000759	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	VN	NT	4	0.001013	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	VH	NT	16	0.004051	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	VL	NT	6	0.001604	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	VN	NT	19	0.00508	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 105 of 114

n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	VH	NT	19	0.00508	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	VL	NT	10	0.002674	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	VN	NT	10	0.002674	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	VH	NT	11	0.002941	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	VL	NT	4	0.001042	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	VN	NT	17	0.004427	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	VH	NT	10	0.002604	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	VL	NT	6	0.001563	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	VN	NT	19	0.004948	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	VH	NT	19	0.004948	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	VL	NT	9	0.002284	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	VN	NT	3	0.000761	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	VH	NT	12	0.003046	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	VL	NT	18	0.004569	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	VN	NT	19	0.004822	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	VH	NT	4	0.001015	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	VL	NT	1	0.000267	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	VN	NT	14	0.003733	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	VH	NT	11	0.002933	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	VL	NT	5	0.001333	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	VN	NT	18	0.0048	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	VH	NT	18	0.0048	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	VL	NT	7	0.001823	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	VN	NT	7	0.001823	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	VH	NT	8	0.002083	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	VL	NT	11	0.002865	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	VN	NT	14	0.003646	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	VH	NT	5	0.001302	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	VL	NT	16	0.004071	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	VN	NT	16	0.004071	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	VH	NT	9	0.00229	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	VL	NT	4	0.001018	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	VN	NT	11	0.002799	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	VH	NT	5	0.001272	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 106 of 114

Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	-30	3	0.000809	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	-20	19	0.005121	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	-10	7	0.001887	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	0	4	0.001078	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	10	8	0.002156	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	20	9	0.002426	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	30	6	0.001617	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	40	6	0.001617	PASS
n77(3700-3980)	30	20	DFT-BPSK	L	Outer_Full	NV	50	10	0.002695	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	-30	3	0.000809	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	-20	19	0.005121	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	-10	4	0.001078	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	0	1	0.00027	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	10	9	0.002426	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	20	6	0.001617	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	30	17	0.004582	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	40	2	0.000539	PASS
n77(3700-3980)	30	20	DFT-QPSK	L	Outer_Full	NV	50	2	0.000539	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	-30	16	0.004167	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	-20	1	0.00026	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	-10	5	0.001302	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	0	12	0.003125	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	10	16	0.004167	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	20	6	0.001563	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	30	10	0.002604	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	40	11	0.002865	PASS
n77(3700-3980)	30	20	DFT-BPSK	M	Outer_Full	NV	50	8	0.002083	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	-30	9	0.002344	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	-20	14	0.003646	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	-10	18	0.004688	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	0	15	0.003906	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	10	19	0.004948	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	20	19	0.004948	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	30	4	0.001042	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	40	1	0.00026	PASS
n77(3700-3980)	30	20	DFT-QPSK	M	Outer_Full	NV	50	9	0.002344	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 107 of 114

n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	-30	4	0.001008	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	-20	8	0.002015	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	-10	9	0.002267	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	0	9	0.002267	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	10	6	0.001511	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	20	10	0.002519	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	30	17	0.004282	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	40	18	0.004534	PASS
n77(3700-3980)	30	20	DFT-BPSK	H	Outer_Full	NV	50	19	0.004786	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	-30	1	0.000252	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	-20	17	0.004282	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	-10	5	0.001259	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	0	13	0.003275	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	10	10	0.002519	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	20	17	0.004282	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	30	15	0.003778	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	40	15	0.003778	PASS
n77(3700-3980)	30	20	DFT-QPSK	H	Outer_Full	NV	50	19	0.004786	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	-30	3	0.000808	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	-20	1	0.000269	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	-10	1	0.000269	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	0	5	0.001346	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	10	2	0.000538	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	20	9	0.002423	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	30	13	0.003499	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	40	11	0.002961	PASS
n77(3700-3980)	30	30	DFT-BPSK	L	Outer_Full	NV	50	8	0.002153	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	-30	16	0.004307	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	-20	13	0.003499	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	-10	12	0.00323	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	0	9	0.002423	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	10	13	0.003499	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	20	13	0.003499	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	30	14	0.003769	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	40	4	0.001077	PASS
n77(3700-3980)	30	30	DFT-QPSK	L	Outer_Full	NV	50	8	0.002153	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	-30	4	0.001042	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	-20	8	0.002083	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	-10	9	0.002344	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	0	18	0.004688	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	10	6	0.001563	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 108 of 114

n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	20	14	0.003646	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	30	7	0.001823	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	40	18	0.004688	PASS
n77(3700-3980)	30	30	DFT-BPSK	M	Outer_Full	NV	50	9	0.002344	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	-30	10	0.002604	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004427	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	-10	17	0.004427	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	0	8	0.002083	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	10	15	0.003906	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	20	19	0.004948	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	30	16	0.004167	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	40	8	0.002083	PASS
n77(3700-3980)	30	30	DFT-QPSK	M	Outer_Full	NV	50	17	0.004427	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	-30	15	0.003783	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	-20	19	0.004792	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	-10	4	0.001009	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	0	4	0.001009	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	10	5	0.001261	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	20	12	0.003027	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	30	9	0.00227	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	40	16	0.004035	PASS
n77(3700-3980)	30	30	DFT-BPSK	H	Outer_Full	NV	50	14	0.003531	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	-30	1	0.000252	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	-20	2	0.000504	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	-10	5	0.001261	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	0	9	0.00227	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	10	6	0.001513	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	20	14	0.003531	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	30	14	0.003531	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	40	6	0.001513	PASS
n77(3700-3980)	30	30	DFT-QPSK	H	Outer_Full	NV	50	10	0.002522	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	-30	11	0.002957	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	-20	18	0.004839	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	-10	3	0.000806	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	0	19	0.005108	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	10	16	0.004301	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	20	4	0.001075	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	30	9	0.002419	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	40	18	0.004839	PASS
n77(3700-3980)	30	40	DFT-BPSK	L	Outer_Full	NV	50	2	0.000538	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	-30	5	0.001344	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 109 of 114

n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	-20	18	0.004839	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	-10	6	0.001613	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	0	3	0.000806	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	10	14	0.003763	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	20	11	0.002957	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	30	8	0.002151	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	40	16	0.004301	PASS
n77(3700-3980)	30	40	DFT-QPSK	L	Outer_Full	NV	50	1	0.000269	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	-30	1	0.00026	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	-20	1	0.00026	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	-10	5	0.001302	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	0	9	0.002344	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	10	13	0.003385	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	20	5	0.001302	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	30	3	0.000781	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	40	17	0.004427	PASS
n77(3700-3980)	30	40	DFT-BPSK	M	Outer_Full	NV	50	2	0.000521	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	-30	12	0.003125	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	-20	4	0.001042	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	-10	1	0.00026	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	0	5	0.001302	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	10	2	0.000521	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	20	6	0.001563	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	30	10	0.002604	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	40	14	0.003646	PASS
n77(3700-3980)	30	40	DFT-QPSK	M	Outer_Full	NV	50	6	0.001563	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	-30	15	0.003788	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	-20	16	0.00404	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	-10	13	0.003283	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	0	17	0.004293	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	10	17	0.004293	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	20	2	0.000505	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	30	3	0.000758	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	40	12	0.00303	PASS
n77(3700-3980)	30	40	DFT-BPSK	H	Outer_Full	NV	50	16	0.00404	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	-30	6	0.001515	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	-20	10	0.002525	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	-10	11	0.002778	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	0	3	0.000758	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	10	7	0.001768	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	20	3	0.000758	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 110 of 114

n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	30	19	0.004798	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	40	7	0.001768	PASS
n77(3700-3980)	30	40	DFT-QPSK	H	Outer_Full	NV	50	4	0.00101	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	-30	1	0.000268	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	-20	1	0.000268	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	-10	12	0.003217	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	0	9	0.002413	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	10	1	0.000268	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	20	17	0.004558	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	30	15	0.004021	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	40	19	0.005094	PASS
n77(3700-3980)	30	60	DFT-BPSK	L	Outer_Full	NV	50	7	0.001877	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	-30	8	0.002145	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	-20	5	0.00134	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	-10	6	0.001609	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	0	17	0.004558	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	10	7	0.001877	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	20	18	0.004826	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	30	15	0.004021	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	40	7	0.001877	PASS
n77(3700-3980)	30	60	DFT-QPSK	L	Outer_Full	NV	50	11	0.002949	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	-30	18	0.004688	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	-20	6	0.001563	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	-10	10	0.002604	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	0	14	0.003646	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	10	18	0.004688	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	20	12	0.003125	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	30	1	0.00026	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	40	5	0.001302	PASS
n77(3700-3980)	30	60	DFT-BPSK	M	Outer_Full	NV	50	2	0.000521	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	-30	3	0.000781	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	-20	10	0.002604	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	-10	14	0.003646	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	0	12	0.003125	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	10	3	0.000781	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	20	1	0.00026	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	30	17	0.004427	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	40	2	0.000521	PASS
n77(3700-3980)	30	60	DFT-QPSK	M	Outer_Full	NV	50	6	0.001563	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	-30	9	0.002278	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	-20	6	0.001519	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 111 of 114

n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	-10	3	0.000759	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	0	10	0.002532	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	10	8	0.002025	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	20	12	0.003038	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	30	12	0.003038	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	40	9	0.002278	PASS
n77(3700-3980)	30	60	DFT-BPSK	H	Outer_Full	NV	50	16	0.004051	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	-30	10	0.002532	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	-20	17	0.004304	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	-10	2	0.000506	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	0	6	0.001519	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	10	10	0.002532	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	20	14	0.003544	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	30	18	0.004557	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	40	15	0.003797	PASS
n77(3700-3980)	30	60	DFT-QPSK	H	Outer_Full	NV	50	19	0.00481	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	-30	12	0.003209	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	-20	13	0.003476	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	-10	13	0.003476	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	0	17	0.004545	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	10	18	0.004813	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	20	6	0.001604	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	30	7	0.001872	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	40	11	0.002941	PASS
n77(3700-3980)	30	80	DFT-BPSK	L	Outer_Full	NV	50	3	0.000802	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	-30	4	0.00107	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	-20	8	0.002139	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	-10	19	0.00508	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	0	9	0.002406	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	10	14	0.003743	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	20	5	0.001337	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	30	3	0.000802	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	40	7	0.001872	PASS
n77(3700-3980)	30	80	DFT-QPSK	L	Outer_Full	NV	50	14	0.003743	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	-30	11	0.002865	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	-20	15	0.003906	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	-10	6	0.001563	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	0	10	0.002604	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	10	14	0.003646	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	20	12	0.003125	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	30	16	0.004167	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 112 of 114

n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	40	13	0.003385	PASS
n77(3700-3980)	30	80	DFT-BPSK	M	Outer_Full	NV	50	17	0.004427	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	-30	10	0.002604	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004427	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	-10	2	0.000521	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	0	18	0.004688	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	10	18	0.004688	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	20	19	0.004948	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	30	11	0.002865	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	40	3	0.000781	PASS
n77(3700-3980)	30	80	DFT-QPSK	M	Outer_Full	NV	50	19	0.004948	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	-30	15	0.003807	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	-20	16	0.004061	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	-10	5	0.001269	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	0	2	0.000508	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	10	18	0.004569	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	20	3	0.000761	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	30	10	0.002538	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	40	11	0.002792	PASS
n77(3700-3980)	30	80	DFT-BPSK	H	Outer_Full	NV	50	18	0.004569	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	-30	16	0.004061	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	-20	1	0.000254	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	-10	12	0.003046	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	0	16	0.004061	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	10	1	0.000254	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	20	9	0.002284	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	30	13	0.0033	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	40	1	0.000254	PASS
n77(3700-3980)	30	80	DFT-QPSK	H	Outer_Full	NV	50	17	0.004315	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	-30	18	0.0048	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	-20	16	0.004267	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	-10	1	0.000267	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	0	5	0.001333	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	10	12	0.0032	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	20	16	0.004267	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	30	13	0.003467	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	40	17	0.004533	PASS
n77(3700-3980)	30	100	DFT-BPSK	L	Outer_Full	NV	50	9	0.0024	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	-30	15	0.004	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	-20	4	0.001067	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	-10	1	0.000267	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 113 of 114

n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	0	12	0.0032	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	10	9	0.0024	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	20	1	0.000267	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	30	5	0.001333	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	40	14	0.003733	PASS
n77(3700-3980)	30	100	DFT-QPSK	L	Outer_Full	NV	50	18	0.0048	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	-30	1	0.00026	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	-20	5	0.001302	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	-10	9	0.002344	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	0	13	0.003385	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	10	17	0.004427	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	20	9	0.002344	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	30	6	0.001563	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	40	10	0.002604	PASS
n77(3700-3980)	30	100	DFT-BPSK	M	Outer_Full	NV	50	2	0.000521	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	-30	17	0.004427	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	-20	5	0.001302	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	-10	6	0.001563	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	0	10	0.002604	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	10	11	0.002865	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	20	3	0.000781	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	30	7	0.001823	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	40	11	0.002865	PASS
n77(3700-3980)	30	100	DFT-QPSK	M	Outer_Full	NV	50	6	0.001563	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	-30	3	0.000763	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	-20	19	0.004835	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	-10	4	0.001018	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	0	15	0.003817	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	10	19	0.004835	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	20	11	0.002799	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	30	8	0.002036	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	40	12	0.003053	PASS
n77(3700-3980)	30	100	DFT-BPSK	H	Outer_Full	NV	50	10	0.002545	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	-30	18	0.00458	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	-20	9	0.00229	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	-10	10	0.002545	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	0	14	0.003562	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	10	3	0.000763	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	20	7	0.001781	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	30	4	0.001018	PASS
n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	40	8	0.002036	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A13

Page 114 of 114

n77(3700-3980)	30	100	DFT-QPSK	H	Outer_Full	NV	50	12	0.003053	PASS
----------------	----	-----	----------	---	------------	----	----	----	----------	------

-----END-----