



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A15

Page 81 of 166

n78(3700-3800)	30	50	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-79.53	≤-33dBm	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.27	≤-23dBm	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.99	≤-13dBm	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.94	≤-13dBm	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-47.37	≤-13dBm	PASS
n78(3700-3800)	30	50	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-52.18	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-73.74	≤-43dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-81.72	≤-33dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.51	≤-23dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.96	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.03	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-47.13	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-52.23	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-73.12	≤-43dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-81.34	≤-33dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.71	≤-23dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.87	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-43.02	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-47.09	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-51.98	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-73.38	≤-43dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-81.47	≤-33dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.28	≤-23dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.98	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.02	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-47.36	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-52.05	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-72.56	≤-43dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-80.42	≤-33dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.68	≤-23dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.93	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.03	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-47.35	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-52.14	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-74.43	≤-43dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-81.25	≤-33dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.20	≤-23dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.91	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-43.01	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-47.09	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-52.09	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-73.58	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A15

Page 82 of 166

n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-81.54	≤-33dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.58	≤-23dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.92	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-43.02	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-46.27	≤-13dBm	PASS
n78(3700-3800)	30	60	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-52.23	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-73.52	≤-43dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-80.11	≤-33dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.19	≤-23dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.93	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-43.02	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-47.24	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-52.21	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-74.04	≤-43dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-80.56	≤-33dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.56	≤-23dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-48.02	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-43.12	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-47.33	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-52.23	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-73.10	≤-43dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-80.35	≤-33dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.37	≤-23dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.95	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.02	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-46.81	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-52.13	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-73.79	≤-43dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-80.85	≤-33dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.13	≤-23dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.85	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.09	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-47.12	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-51.69	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-74.15	≤-43dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-78.45	≤-33dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.34	≤-23dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-48.02	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.97	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-46.81	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-52.11	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-73.31	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A15

Page 83 of 166

n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-80.35	≤-33dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	30	1000	-57.75	≤-23dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.97	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-43.06	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-46.46	≤-13dBm	PASS
n78(3700-3800)	30	70	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-52.05	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-73.77	≤-43dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-79.96	≤-33dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.83	≤-23dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.95	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-47.14	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-52.12	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-72.83	≤-43dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-81.06	≤-33dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.73	≤-23dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-48.06	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-43.06	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-47.10	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-52.23	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-73.08	≤-43dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-80.26	≤-33dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	30	1000	-57.68	≤-23dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.87	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.57	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-46.77	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-52.16	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-73.53	≤-43dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-80.62	≤-33dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.63	≤-23dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.80	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-43.08	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-47.28	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-52.02	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-73.66	≤-43dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-80.38	≤-33dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.52	≤-23dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.96	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-43.00	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-46.79	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-52.12	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-73.32	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A15

Page 84 of 166

n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-81.08	≤-33dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.16	≤-23dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.92	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-43.07	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-47.31	≤-13dBm	PASS
n78(3700-3800)	30	80	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-52.09	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-73.27	≤-43dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-81.19	≤-33dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	30	1000	-57.66	≤-23dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.98	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.74	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-47.17	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-52.19	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-73.45	≤-43dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-79.54	≤-33dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.50	≤-23dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.90	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.87	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-46.95	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-52.18	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-74.65	≤-43dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-80.00	≤-33dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.81	≤-23dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.94	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.03	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-47.26	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-52.15	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-72.73	≤-43dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-79.95	≤-33dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.69	≤-23dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.96	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.24	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-47.33	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-51.85	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-72.90	≤-43dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-80.82	≤-33dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.66	≤-23dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.87	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-46.43	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-51.78	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-73.46	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A15

Page 85 of 166

n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-80.83	≤-33dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.10	≤-23dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.93	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-43.01	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-47.25	≤-13dBm	PASS
n78(3700-3800)	30	90	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-52.33	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-73.48	≤-43dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-81.60	≤-33dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.48	≤-23dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.92	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	6000	26000	-47.10	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	L	Edge_1RB_Left	26000	40000	-52.34	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-72.92	≤-43dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-79.46	≤-33dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.32	≤-23dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-48.04	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.41	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	6000	26000	-47.25	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	L	Edge_1RB_Left	26000	40000	-52.29	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-73.02	≤-43dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-79.36	≤-33dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.44	≤-23dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-48.01	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.73	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	6000	26000	-47.12	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	M	Edge_1RB_Left	26000	40000	-52.11	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-72.81	≤-43dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-81.60	≤-33dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.56	≤-23dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-48.02	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.98	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	6000	26000	-47.17	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	M	Edge_1RB_Left	26000	40000	-52.21	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-73.09	≤-43dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-79.96	≤-33dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.62	≤-23dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.84	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.70	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	6000	26000	-47.21	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-BPSK	H	Edge_1RB_Left	26000	40000	-52.10	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-73.27	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCSZ2025-0042-RF4-A15

Page 86 of 166

n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-80.91	≤-33dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.58	≤-23dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-48.00	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.94	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	6000	26000	-46.97	≤-13dBm	PASS
n78(3700-3800)	30	100	DFT-QPSK	H	Edge_1RB_Left	26000	40000	-52.14	≤-13dBm	PASS





Test Graphs





NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
0.009-0.15-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
30-1000-PASS

NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
1000-3000-PASS



NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
3000-6000-PASS


NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-
26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-
26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-BPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-20-M-DFT-QPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-BPSK-Edge_1RB_Left
-26000-40000-PASS





NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS



NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS





NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS

NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-6000-26000-PASS

NTNV-n78(3700-3800)-PC2-30-30-M-DFT-QPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS


NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
1000-3000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
6000-26000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Left
-26000-40000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS



NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS



NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-6000-26000-PASS



NTNV-n78(3700-3800)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Left
-26000-40000-PASS