



Appendix A: Effective (Isotropic) Radiated Power Output Data

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Power (dBm)	EIRP (dBm)	Verdict
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	21.72	24.07	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Inner_1RB_Left	23.15	25.50	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Inner_1RB_Right	22.98	25.33	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Right	21.35	23.70	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Inner_Full	23.10	25.45	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	22.94	25.29	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Inner_1RB_Left	23.06	25.41	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Inner_1RB_Right	22.98	25.33	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Right	21.29	23.64	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Inner_Full	23.08	25.43	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	22.80	25.15	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Edge_1RB_Left	21.80	24.15	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Inner_1RB_Left	23.13	25.48	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Inner_1RB_Right	22.73	25.08	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Edge_1RB_Right	21.60	23.95	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Inner_Full	22.58	24.93	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Outer_Full	21.70	24.05	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Edge_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Inner_1RB_Left	21.52	23.87	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Inner_1RB_Right	21.27	23.62	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Edge_1RB_Right	21.28	23.63	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Inner_Full	21.13	23.48	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Outer_Full	21.21	23.56	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Edge_1RB_Left	19.85	22.20	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Inner_1RB_Left	19.83	22.18	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Inner_1RB_Right	19.45	21.80	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Edge_1RB_Right	19.43	21.78	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Inner_Full	19.65	22.00	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Outer_Full	19.81	22.16	PASS
n78(3450-3550)	30	20	CP-QPSK	L	Edge_1RB_Left	21.49	23.84	PASS
n78(3450-3550)	30	20	CP-QPSK	L	Inner_1RB_Left	22.64	24.99	PASS
n78(3450-3550)	30	20	CP-QPSK	L	Inner_1RB_Right	22.33	24.68	PASS
n78(3450-3550)	30	20	CP-QPSK	L	Edge_1RB_Right	21.39	23.74	PASS
n78(3450-3550)	30	20	CP-QPSK	L	Inner_Full	22.09	24.44	PASS
n78(3450-3550)	30	20	CP-QPSK	L	Outer_Full	21.25	23.60	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	21.73	24.08	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 2 of 156

n78(3450-3550)	30	20	DFT-BPSK	M	Inner_1RB_Left	23.09	25.44	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Inner_1RB_Right	23.11	25.46	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Right	21.58	23.93	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Inner_Full	23.26	25.61	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	23.12	25.47	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	21.55	23.90	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Inner_1RB_Left	23.08	25.43	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Inner_1RB_Right	23.29	25.64	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Right	21.78	24.13	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Inner_Full	23.23	25.58	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	22.85	25.20	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Edge_1RB_Left	21.70	24.05	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Inner_1RB_Left	23.05	25.40	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Inner_1RB_Right	22.93	25.28	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Edge_1RB_Right	21.76	24.11	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Inner_Full	22.60	24.95	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Outer_Full	21.75	24.10	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Edge_1RB_Left	21.58	23.93	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Inner_1RB_Left	21.57	23.92	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Inner_1RB_Right	21.40	23.75	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Edge_1RB_Right	21.40	23.75	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Inner_Full	21.12	23.47	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Outer_Full	21.25	23.60	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Edge_1RB_Left	19.77	22.12	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Inner_1RB_Left	19.77	22.12	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Inner_1RB_Right	19.63	21.98	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Edge_1RB_Right	19.69	22.04	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Inner_Full	19.67	22.02	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Outer_Full	19.85	22.20	PASS
n78(3450-3550)	30	20	CP-QPSK	M	Edge_1RB_Left	21.64	23.99	PASS
n78(3450-3550)	30	20	CP-QPSK	M	Inner_1RB_Left	22.58	24.93	PASS
n78(3450-3550)	30	20	CP-QPSK	M	Inner_1RB_Right	22.43	24.78	PASS
n78(3450-3550)	30	20	CP-QPSK	M	Edge_1RB_Right	21.56	23.91	PASS
n78(3450-3550)	30	20	CP-QPSK	M	Inner_Full	22.08	24.43	PASS
n78(3450-3550)	30	20	CP-QPSK	M	Outer_Full	21.29	23.64	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	21.95	24.30	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Inner_1RB_Left	23.48	25.83	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Inner_1RB_Right	23.50	25.85	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Right	21.76	24.11	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Inner_Full	23.60	25.95	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	23.52	25.87	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	21.77	24.12	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 3 of 156

n78(3450-3550)	30	20	DFT-QPSK	H	Inner_1RB_Left	23.25	25.60	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Inner_1RB_Right	23.27	25.62	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Right	21.95	24.30	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Inner_Full	23.46	25.81	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	23.09	25.44	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Edge_1RB_Left	21.95	24.30	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Inner_1RB_Left	23.26	25.61	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Inner_1RB_Right	23.19	25.54	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Edge_1RB_Right	21.97	24.32	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Inner_Full	22.87	25.22	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Outer_Full	21.96	24.31	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Edge_1RB_Left	21.65	24.00	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Inner_1RB_Left	21.71	24.06	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Inner_1RB_Right	21.63	23.98	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Edge_1RB_Right	21.63	23.98	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Inner_Full	21.34	23.69	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Outer_Full	21.46	23.81	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Edge_1RB_Left	19.93	22.28	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Inner_1RB_Left	19.87	22.22	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Inner_1RB_Right	19.86	22.21	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Edge_1RB_Right	19.79	22.14	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Inner_Full	19.90	22.25	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Outer_Full	20.05	22.40	PASS
n78(3450-3550)	30	20	CP-QPSK	H	Edge_1RB_Left	21.70	24.05	PASS
n78(3450-3550)	30	20	CP-QPSK	H	Inner_1RB_Left	22.70	25.05	PASS
n78(3450-3550)	30	20	CP-QPSK	H	Inner_1RB_Right	22.61	24.96	PASS
n78(3450-3550)	30	20	CP-QPSK	H	Edge_1RB_Right	21.66	24.01	PASS
n78(3450-3550)	30	20	CP-QPSK	H	Inner_Full	22.34	24.69	PASS
n78(3450-3550)	30	20	CP-QPSK	H	Outer_Full	21.49	23.84	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	21.70	24.05	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Inner_1RB_Left	23.21	25.56	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Inner_1RB_Right	22.99	25.34	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Right	21.58	23.93	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Inner_Full	23.01	25.36	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	23.09	25.44	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	21.68	24.03	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Inner_1RB_Left	23.07	25.42	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Inner_1RB_Right	23.10	25.45	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Right	21.57	23.92	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Inner_Full	23.02	25.37	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	22.92	25.27	PASS
n78(3450-3550)	30	30	DFT-16QAM	L	Edge_1RB_Left	21.87	24.22	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 4 of 156

n78(3450-3550)	30	30	DFT-16QAM	L	Inner_1RB_Left	23.11	25.46	PASS
n78(3450-3550)	30	30	DFT-16QAM	L	Inner_1RB_Right	22.74	25.09	PASS
n78(3450-3550)	30	30	DFT-16QAM	L	Edge_1RB_Right	21.56	23.91	PASS
n78(3450-3550)	30	30	DFT-16QAM	L	Inner_Full	22.72	25.07	PASS
n78(3450-3550)	30	30	DFT-16QAM	L	Outer_Full	21.86	24.21	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Edge_1RB_Left	21.55	23.90	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Inner_1RB_Left	21.63	23.98	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Inner_1RB_Right	21.16	23.51	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Edge_1RB_Right	21.21	23.56	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Inner_Full	21.24	23.59	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Outer_Full	21.34	23.69	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Edge_1RB_Left	19.82	22.17	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Inner_1RB_Left	19.79	22.14	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Inner_1RB_Right	19.45	21.80	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Edge_1RB_Right	19.35	21.70	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Inner_Full	19.81	22.16	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Outer_Full	19.90	22.25	PASS
n78(3450-3550)	30	30	CP-QPSK	L	Edge_1RB_Left	21.62	23.97	PASS
n78(3450-3550)	30	30	CP-QPSK	L	Inner_1RB_Left	22.51	24.86	PASS
n78(3450-3550)	30	30	CP-QPSK	L	Inner_1RB_Right	22.07	24.42	PASS
n78(3450-3550)	30	30	CP-QPSK	L	Edge_1RB_Right	21.18	23.53	PASS
n78(3450-3550)	30	30	CP-QPSK	L	Inner_Full	22.12	24.47	PASS
n78(3450-3550)	30	30	CP-QPSK	L	Outer_Full	21.33	23.68	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	21.84	24.19	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Inner_1RB_Left	23.30	25.65	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Inner_1RB_Right	23.18	25.53	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Right	21.60	23.95	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Inner_Full	23.04	25.39	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	23.26	25.61	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	21.67	24.02	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Inner_1RB_Left	23.22	25.57	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Inner_1RB_Right	23.30	25.65	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Right	21.77	24.12	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Inner_Full	23.04	25.39	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	22.96	25.31	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Edge_1RB_Left	21.72	24.07	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Inner_1RB_Left	23.16	25.51	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Inner_1RB_Right	23.01	25.36	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Edge_1RB_Right	22.02	24.37	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Inner_Full	22.75	25.10	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Outer_Full	21.90	24.25	PASS
n78(3450-3550)	30	30	DFT-64QAM	M	Edge_1RB_Left	21.51	23.86	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 5 of 156

n78(3450-3550)	30	30	DFT-64QAM	M	Inner_1RB_Left	21.51	23.86	PASS
n78(3450-3550)	30	30	DFT-64QAM	M	Inner_1RB_Right	21.42	23.77	PASS
n78(3450-3550)	30	30	DFT-64QAM	M	Edge_1RB_Right	21.36	23.71	PASS
n78(3450-3550)	30	30	DFT-64QAM	M	Inner_Full	21.25	23.60	PASS
n78(3450-3550)	30	30	DFT-64QAM	M	Outer_Full	21.37	23.72	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Edge_1RB_Left	19.77	22.12	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Inner_1RB_Left	19.80	22.15	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Inner_1RB_Right	19.63	21.98	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Edge_1RB_Right	19.61	21.96	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Inner_Full	19.83	22.18	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Outer_Full	19.94	22.29	PASS
n78(3450-3550)	30	30	CP-QPSK	M	Edge_1RB_Left	21.58	23.93	PASS
n78(3450-3550)	30	30	CP-QPSK	M	Inner_1RB_Left	22.45	24.80	PASS
n78(3450-3550)	30	30	CP-QPSK	M	Inner_1RB_Right	22.25	24.60	PASS
n78(3450-3550)	30	30	CP-QPSK	M	Edge_1RB_Right	21.37	23.72	PASS
n78(3450-3550)	30	30	CP-QPSK	M	Inner_Full	22.17	24.52	PASS
n78(3450-3550)	30	30	CP-QPSK	M	Outer_Full	21.38	23.73	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	21.96	24.31	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Inner_1RB_Left	23.44	25.79	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Inner_1RB_Right	23.56	25.91	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Right	21.81	24.16	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Inner_Full	23.45	25.80	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	23.28	25.63	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	21.97	24.32	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Inner_1RB_Left	23.47	25.82	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Inner_1RB_Right	23.40	25.75	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Right	22.02	24.37	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Inner_Full	23.40	25.75	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	23.09	25.44	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Edge_1RB_Left	22.04	24.39	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Inner_1RB_Left	23.10	25.45	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Inner_1RB_Right	23.06	25.41	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Edge_1RB_Right	21.97	24.32	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Inner_Full	22.81	25.16	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Outer_Full	21.96	24.31	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Edge_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Inner_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Inner_1RB_Right	21.41	23.76	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Edge_1RB_Right	21.47	23.82	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Inner_Full	21.35	23.70	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Outer_Full	21.45	23.80	PASS
n78(3450-3550)	30	30	DFT-256QAM	H	Edge_1RB_Left	19.74	22.09	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 6 of 156

n78(3450-3550)	30	30	DFT-256QAM	H	Inner_1RB_Left	19.82	22.17	PASS
n78(3450-3550)	30	30	DFT-256QAM	H	Inner_1RB_Right	19.63	21.98	PASS
n78(3450-3550)	30	30	DFT-256QAM	H	Edge_1RB_Right	19.64	21.99	PASS
n78(3450-3550)	30	30	DFT-256QAM	H	Inner_Full	19.91	22.26	PASS
n78(3450-3550)	30	30	DFT-256QAM	H	Outer_Full	20.00	22.35	PASS
n78(3450-3550)	30	30	CP-QPSK	H	Edge_1RB_Left	21.56	23.91	PASS
n78(3450-3550)	30	30	CP-QPSK	H	Inner_1RB_Left	22.60	24.95	PASS
n78(3450-3550)	30	30	CP-QPSK	H	Inner_1RB_Right	22.40	24.75	PASS
n78(3450-3550)	30	30	CP-QPSK	H	Edge_1RB_Right	21.50	23.85	PASS
n78(3450-3550)	30	30	CP-QPSK	H	Inner_Full	22.29	24.64	PASS
n78(3450-3550)	30	30	CP-QPSK	H	Outer_Full	21.47	23.82	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	21.76	24.11	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Inner_1RB_Left	23.27	25.62	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Inner_1RB_Right	23.12	25.47	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Right	21.46	23.81	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Inner_Full	23.12	25.47	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	23.18	25.53	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	21.80	24.15	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Inner_1RB_Left	23.15	25.50	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Inner_1RB_Right	23.09	25.44	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Right	21.44	23.79	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Inner_Full	23.08	25.43	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	23.02	25.37	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Edge_1RB_Left	21.87	24.22	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Inner_1RB_Left	23.38	25.73	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Inner_1RB_Right	22.90	25.25	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Edge_1RB_Right	21.65	24.00	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Inner_Full	22.74	25.09	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Outer_Full	21.85	24.20	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Edge_1RB_Left	21.67	24.02	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Inner_1RB_Left	21.74	24.09	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Inner_1RB_Right	21.33	23.68	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Edge_1RB_Right	21.25	23.60	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Inner_Full	21.25	23.60	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Outer_Full	21.36	23.71	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Edge_1RB_Left	20.02	22.37	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Inner_1RB_Left	20.03	22.38	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Inner_1RB_Right	19.48	21.83	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Edge_1RB_Right	19.45	21.80	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Inner_Full	19.79	22.14	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Outer_Full	19.98	22.33	PASS
n78(3450-3550)	30	40	CP-QPSK	L	Edge_1RB_Left	21.75	24.10	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 7 of 156

n78(3450-3550)	30	40	CP-QPSK	L	Inner_1RB_Left	22.71	25.06	PASS
n78(3450-3550)	30	40	CP-QPSK	L	Inner_1RB_Right	22.24	24.59	PASS
n78(3450-3550)	30	40	CP-QPSK	L	Edge_1RB_Right	21.33	23.68	PASS
n78(3450-3550)	30	40	CP-QPSK	L	Inner_Full	22.09	24.44	PASS
n78(3450-3550)	30	40	CP-QPSK	L	Outer_Full	21.36	23.71	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	21.73	24.08	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Inner_1RB_Left	23.24	25.59	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Inner_1RB_Right	23.32	25.67	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Right	21.66	24.01	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Inner_Full	23.16	25.51	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	23.25	25.60	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	21.87	24.22	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Inner_1RB_Left	23.28	25.63	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Inner_1RB_Right	23.22	25.57	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Right	21.70	24.05	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Inner_Full	23.07	25.42	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	23.04	25.39	PASS
n78(3450-3550)	30	40	DFT-16QAM	M	Edge_1RB_Left	21.85	24.20	PASS
n78(3450-3550)	30	40	DFT-16QAM	M	Inner_1RB_Left	23.39	25.74	PASS
n78(3450-3550)	30	40	DFT-16QAM	M	Inner_1RB_Right	23.13	25.48	PASS
n78(3450-3550)	30	40	DFT-16QAM	M	Edge_1RB_Right	21.79	24.14	PASS
n78(3450-3550)	30	40	DFT-16QAM	M	Inner_Full	22.78	25.13	PASS
n78(3450-3550)	30	40	DFT-16QAM	M	Outer_Full	21.95	24.30	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Edge_1RB_Left	21.76	24.11	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Inner_1RB_Left	21.83	24.18	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Inner_1RB_Right	21.55	23.90	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Edge_1RB_Right	21.48	23.83	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Inner_Full	21.33	23.68	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Outer_Full	21.47	23.82	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Edge_1RB_Left	20.01	22.36	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Inner_1RB_Left	20.02	22.37	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Inner_1RB_Right	19.75	22.10	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Edge_1RB_Right	19.72	22.07	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Inner_Full	19.88	22.23	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Outer_Full	20.06	22.41	PASS
n78(3450-3550)	30	40	CP-QPSK	M	Edge_1RB_Left	21.80	24.15	PASS
n78(3450-3550)	30	40	CP-QPSK	M	Inner_1RB_Left	22.78	25.13	PASS
n78(3450-3550)	30	40	CP-QPSK	M	Inner_1RB_Right	22.47	24.82	PASS
n78(3450-3550)	30	40	CP-QPSK	M	Edge_1RB_Right	21.48	23.83	PASS
n78(3450-3550)	30	40	CP-QPSK	M	Inner_Full	22.14	24.49	PASS
n78(3450-3550)	30	40	CP-QPSK	M	Outer_Full	21.44	23.79	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	21.87	24.22	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 8 of 156

n78(3450-3550)	30	40	DFT-BPSK	H	Inner_1RB_Left	23.37	25.72	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Inner_1RB_Right	23.51	25.86	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Right	21.98	24.33	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Inner_Full	23.46	25.81	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	23.45	25.80	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	21.87	24.22	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Inner_1RB_Left	23.45	25.80	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Inner_1RB_Right	23.37	25.72	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Right	21.77	24.12	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Inner_Full	23.40	25.75	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	23.16	25.51	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Edge_1RB_Left	22.21	24.56	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Inner_1RB_Left	23.29	25.64	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Inner_1RB_Right	23.10	25.45	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Edge_1RB_Right	22.21	24.56	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Inner_Full	22.85	25.20	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Outer_Full	21.98	24.33	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Edge_1RB_Left	21.78	24.13	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Inner_1RB_Left	21.74	24.09	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Inner_1RB_Right	21.61	23.96	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Edge_1RB_Right	21.55	23.90	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Inner_Full	21.39	23.74	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Outer_Full	21.50	23.85	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Edge_1RB_Left	19.95	22.30	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Inner_1RB_Left	20.02	22.37	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Inner_1RB_Right	19.83	22.18	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Edge_1RB_Right	19.80	22.15	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Inner_Full	19.93	22.28	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Outer_Full	20.11	22.46	PASS
n78(3450-3550)	30	40	CP-QPSK	H	Edge_1RB_Left	21.81	24.16	PASS
n78(3450-3550)	30	40	CP-QPSK	H	Inner_1RB_Left	22.71	25.06	PASS
n78(3450-3550)	30	40	CP-QPSK	H	Inner_1RB_Right	22.55	24.90	PASS
n78(3450-3550)	30	40	CP-QPSK	H	Edge_1RB_Right	21.54	23.89	PASS
n78(3450-3550)	30	40	CP-QPSK	H	Inner_Full	22.25	24.60	PASS
n78(3450-3550)	30	40	CP-QPSK	H	Outer_Full	21.52	23.87	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	21.29	23.64	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Inner_1RB_Left	22.86	25.21	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Inner_1RB_Right	22.40	24.75	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Right	21.10	23.45	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Inner_Full	22.50	24.85	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	22.50	24.85	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	21.10	23.45	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 9 of 156

n78(3450-3550)	30	50	DFT-QPSK	L	Inner_1RB_Left	18.16	20.51	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Inner_1RB_Right	22.41	24.76	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Right	21.02	23.37	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Inner_Full	22.59	24.94	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	21.96	24.31	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Edge_1RB_Left	21.40	23.75	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Inner_1RB_Left	22.30	24.65	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Inner_1RB_Right	21.75	24.10	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Edge_1RB_Right	20.94	23.29	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Inner_Full	21.89	24.24	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Outer_Full	20.92	23.27	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Edge_1RB_Left	20.77	23.12	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Inner_1RB_Left	20.89	23.24	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Inner_1RB_Right	20.32	22.67	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Edge_1RB_Right	20.49	22.84	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Inner_Full	20.33	22.68	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Outer_Full	20.38	22.73	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Edge_1RB_Left	19.09	21.44	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Inner_1RB_Left	19.32	21.67	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Inner_1RB_Right	18.63	20.98	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Edge_1RB_Right	18.59	20.94	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Inner_Full	18.86	21.21	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Outer_Full	19.04	21.39	PASS
n78(3450-3550)	30	50	CP-QPSK	L	Edge_1RB_Left	20.84	23.19	PASS
n78(3450-3550)	30	50	CP-QPSK	L	Inner_1RB_Left	21.79	24.14	PASS
n78(3450-3550)	30	50	CP-QPSK	L	Inner_1RB_Right	21.50	23.85	PASS
n78(3450-3550)	30	50	CP-QPSK	L	Edge_1RB_Right	20.31	22.66	PASS
n78(3450-3550)	30	50	CP-QPSK	L	Inner_Full	21.15	23.50	PASS
n78(3450-3550)	30	50	CP-QPSK	L	Outer_Full	20.48	22.83	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	21.51	23.86	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Inner_1RB_Left	23.01	25.36	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Inner_1RB_Right	23.02	25.37	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Right	21.35	23.70	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Inner_Full	22.87	25.22	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	23.06	25.41	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	21.34	23.69	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Inner_1RB_Left	22.81	25.16	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Inner_1RB_Right	23.03	25.38	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Right	21.59	23.94	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Inner_Full	23.03	25.38	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	23.02	25.37	PASS
n78(3450-3550)	30	50	DFT-16QAM	M	Edge_1RB_Left	21.59	23.94	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 10 of 156

n78(3450-3550)	30	50	DFT-16QAM	M	Inner_1RB_Left	23.23	25.58	PASS
n78(3450-3550)	30	50	DFT-16QAM	M	Inner_1RB_Right	23.10	25.45	PASS
n78(3450-3550)	30	50	DFT-16QAM	M	Edge_1RB_Right	21.67	24.02	PASS
n78(3450-3550)	30	50	DFT-16QAM	M	Inner_Full	22.76	25.11	PASS
n78(3450-3550)	30	50	DFT-16QAM	M	Outer_Full	22.00	24.35	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Edge_1RB_Left	21.40	23.75	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Inner_1RB_Left	21.96	24.31	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Inner_1RB_Right	21.63	23.98	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Edge_1RB_Right	21.61	23.96	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Inner_Full	21.29	23.64	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Outer_Full	21.41	23.76	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Edge_1RB_Left	20.10	22.45	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Inner_1RB_Left	20.14	22.49	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Inner_1RB_Right	19.84	22.19	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Edge_1RB_Right	19.80	22.15	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Inner_Full	19.84	22.19	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Outer_Full	20.07	22.42	PASS
n78(3450-3550)	30	50	CP-QPSK	M	Edge_1RB_Left	21.38	23.73	PASS
n78(3450-3550)	30	50	CP-QPSK	M	Inner_1RB_Left	22.92	25.27	PASS
n78(3450-3550)	30	50	CP-QPSK	M	Inner_1RB_Right	22.60	24.95	PASS
n78(3450-3550)	30	50	CP-QPSK	M	Edge_1RB_Right	21.44	23.79	PASS
n78(3450-3550)	30	50	CP-QPSK	M	Inner_Full	22.18	24.53	PASS
n78(3450-3550)	30	50	CP-QPSK	M	Outer_Full	21.50	23.85	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	21.23	23.58	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Inner_1RB_Left	22.80	25.15	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Inner_1RB_Right	22.62	24.97	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Right	21.03	23.38	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Inner_Full	22.66	25.01	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	17.70	20.05	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	21.00	23.35	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Inner_1RB_Left	22.70	25.05	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Inner_1RB_Right	22.59	24.94	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Right	21.03	23.38	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Inner_Full	22.73	25.08	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	21.95	24.30	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Edge_1RB_Left	21.25	23.60	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Inner_1RB_Left	22.13	24.48	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Inner_1RB_Right	21.75	24.10	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Edge_1RB_Right	20.67	23.02	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Inner_Full	21.74	24.09	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Outer_Full	20.88	23.23	PASS
n78(3450-3550)	30	50	DFT-64QAM	H	Edge_1RB_Left	20.58	22.93	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 11 of 156

n78(3450-3550)	30	50	DFT-64QAM	H	Inner_1RB_Left	20.61	22.96	PASS
n78(3450-3550)	30	50	DFT-64QAM	H	Inner_1RB_Right	20.25	22.60	PASS
n78(3450-3550)	30	50	DFT-64QAM	H	Edge_1RB_Right	20.46	22.81	PASS
n78(3450-3550)	30	50	DFT-64QAM	H	Inner_Full	20.28	22.63	PASS
n78(3450-3550)	30	50	DFT-64QAM	H	Outer_Full	20.32	22.67	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Edge_1RB_Left	17.40	19.75	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Inner_1RB_Left	18.92	21.27	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Inner_1RB_Right	18.55	20.90	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Edge_1RB_Right	18.55	20.90	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Inner_Full	18.81	21.16	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Outer_Full	19.00	21.35	PASS
n78(3450-3550)	30	50	CP-QPSK	H	Edge_1RB_Left	20.62	22.97	PASS
n78(3450-3550)	30	50	CP-QPSK	H	Inner_1RB_Left	21.68	24.03	PASS
n78(3450-3550)	30	50	CP-QPSK	H	Inner_1RB_Right	21.29	23.64	PASS
n78(3450-3550)	30	50	CP-QPSK	H	Edge_1RB_Right	20.25	22.60	PASS
n78(3450-3550)	30	50	CP-QPSK	H	Inner_Full	21.08	23.43	PASS
n78(3450-3550)	30	50	CP-QPSK	H	Outer_Full	20.37	22.72	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	21.52	23.87	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Inner_1RB_Left	23.04	25.39	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Inner_1RB_Right	23.35	25.70	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Right	22.00	24.35	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Inner_Full	22.81	25.16	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	22.96	25.31	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	21.73	24.08	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Inner_1RB_Left	23.12	25.47	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Inner_1RB_Right	23.21	25.56	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Right	21.87	24.22	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Inner_Full	23.01	25.36	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	22.97	25.32	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Edge_1RB_Left	21.96	24.31	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Inner_1RB_Left	23.17	25.52	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Inner_1RB_Right	23.14	25.49	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Edge_1RB_Right	22.05	24.40	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Inner_Full	22.85	25.20	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Outer_Full	22.10	24.45	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Edge_1RB_Left	21.66	24.01	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Inner_1RB_Left	22.26	24.61	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Inner_1RB_Right	21.57	23.92	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Edge_1RB_Right	21.55	23.90	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Inner_Full	21.40	23.75	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Outer_Full	21.56	23.91	PASS
n78(3450-3550)	30	60	DFT-256QAM	L	Edge_1RB_Left	20.21	22.56	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 12 of 156

n78(3450-3550)	30	60	DFT-256QAM	L	Inner_1RB_Left	20.39	22.74	PASS
n78(3450-3550)	30	60	DFT-256QAM	L	Inner_1RB_Right	19.82	22.17	PASS
n78(3450-3550)	30	60	DFT-256QAM	L	Edge_1RB_Right	19.79	22.14	PASS
n78(3450-3550)	30	60	DFT-256QAM	L	Inner_Full	19.96	22.31	PASS
n78(3450-3550)	30	60	DFT-256QAM	L	Outer_Full	20.20	22.55	PASS
n78(3450-3550)	30	60	CP-QPSK	L	Edge_1RB_Left	21.57	23.92	PASS
n78(3450-3550)	30	60	CP-QPSK	L	Inner_1RB_Left	23.10	25.45	PASS
n78(3450-3550)	30	60	CP-QPSK	L	Inner_1RB_Right	22.62	24.97	PASS
n78(3450-3550)	30	60	CP-QPSK	L	Edge_1RB_Right	21.60	23.95	PASS
n78(3450-3550)	30	60	CP-QPSK	L	Inner_Full	22.24	24.59	PASS
n78(3450-3550)	30	60	CP-QPSK	L	Outer_Full	21.61	23.96	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Inner_1RB_Left	23.15	25.50	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Inner_1RB_Right	23.23	25.58	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Right	21.98	24.33	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Inner_Full	23.05	25.40	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	23.14	25.49	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	21.45	23.80	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Inner_1RB_Left	23.14	25.49	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Inner_1RB_Right	23.18	25.53	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Right	21.97	24.32	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Inner_Full	23.05	25.40	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	23.14	25.49	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Edge_1RB_Left	21.85	24.20	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Inner_1RB_Left	23.27	25.62	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Inner_1RB_Right	23.14	25.49	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Edge_1RB_Right	21.94	24.29	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Inner_Full	22.82	25.17	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Outer_Full	22.08	24.43	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Edge_1RB_Left	21.57	23.92	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Inner_1RB_Left	22.07	24.42	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Inner_1RB_Right	21.55	23.90	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Edge_1RB_Right	21.61	23.96	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Inner_Full	21.36	23.71	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Outer_Full	21.53	23.88	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Edge_1RB_Left	20.22	22.57	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Inner_1RB_Left	20.30	22.65	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Inner_1RB_Right	19.85	22.20	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Edge_1RB_Right	19.82	22.17	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Inner_Full	19.93	22.28	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Outer_Full	20.20	22.55	PASS
n78(3450-3550)	30	60	CP-QPSK	M	Edge_1RB_Left	21.76	24.11	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 13 of 156

n78(3450-3550)	30	60	CP-QPSK	M	Inner_1RB_Left	23.03	25.38	PASS
n78(3450-3550)	30	60	CP-QPSK	M	Inner_1RB_Right	22.53	24.88	PASS
n78(3450-3550)	30	60	CP-QPSK	M	Edge_1RB_Right	21.60	23.95	PASS
n78(3450-3550)	30	60	CP-QPSK	M	Inner_Full	22.24	24.59	PASS
n78(3450-3550)	30	60	CP-QPSK	M	Outer_Full	21.60	23.95	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	21.71	24.06	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Inner_1RB_Left	23.13	25.48	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Inner_1RB_Right	23.55	25.90	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Right	21.91	24.26	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Inner_Full	23.18	25.53	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	23.22	25.57	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	21.55	23.90	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Inner_1RB_Left	23.02	25.37	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Inner_1RB_Right	23.41	25.76	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Right	22.11	24.46	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Inner_Full	23.22	25.57	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	23.02	25.37	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Edge_1RB_Left	21.87	24.22	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Inner_1RB_Left	23.06	25.41	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Inner_1RB_Right	23.32	25.67	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Edge_1RB_Right	22.25	24.60	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Inner_Full	22.84	25.19	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Outer_Full	22.10	24.45	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Edge_1RB_Left	21.68	24.03	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Inner_1RB_Left	21.99	24.34	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Inner_1RB_Right	21.69	24.04	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Edge_1RB_Right	21.67	24.02	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Inner_Full	21.39	23.74	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Outer_Full	21.55	23.90	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Edge_1RB_Left	20.19	22.54	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Inner_1RB_Left	20.21	22.56	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Inner_1RB_Right	19.90	22.25	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Edge_1RB_Right	19.94	22.29	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Inner_Full	19.97	22.32	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Outer_Full	20.20	22.55	PASS
n78(3450-3550)	30	60	CP-QPSK	H	Edge_1RB_Left	21.69	24.04	PASS
n78(3450-3550)	30	60	CP-QPSK	H	Inner_1RB_Left	23.02	25.37	PASS
n78(3450-3550)	30	60	CP-QPSK	H	Inner_1RB_Right	22.74	25.09	PASS
n78(3450-3550)	30	60	CP-QPSK	H	Edge_1RB_Right	21.79	24.14	PASS
n78(3450-3550)	30	60	CP-QPSK	H	Inner_Full	22.26	24.61	PASS
n78(3450-3550)	30	60	CP-QPSK	H	Outer_Full	21.60	23.95	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	21.35	23.70	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 14 of 156

n78(3450-3550)	30	70	DFT-BPSK	L	Inner_1RB_Left	22.84	25.19	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Inner_1RB_Right	22.55	24.90	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Right	21.14	23.49	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Inner_Full	22.50	24.85	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	22.56	24.91	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	21.17	23.52	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Inner_1RB_Left	22.63	24.98	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Inner_1RB_Right	17.64	19.99	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Right	21.04	23.39	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Inner_Full	17.62	19.97	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	22.00	24.35	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Edge_1RB_Left	21.23	23.58	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Inner_1RB_Left	22.22	24.57	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Inner_1RB_Right	21.75	24.10	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Edge_1RB_Right	20.63	22.98	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Inner_Full	21.78	24.13	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Outer_Full	20.85	23.20	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Edge_1RB_Left	20.61	22.96	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Inner_1RB_Left	20.78	23.13	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Inner_1RB_Right	20.14	22.49	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Edge_1RB_Right	20.21	22.56	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Inner_Full	20.32	22.67	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Outer_Full	20.40	22.75	PASS
n78(3450-3550)	30	70	DFT-256QAM	L	Edge_1RB_Left	18.94	21.29	PASS
n78(3450-3550)	30	70	DFT-256QAM	L	Inner_1RB_Left	19.06	21.41	PASS
n78(3450-3550)	30	70	DFT-256QAM	L	Inner_1RB_Right	18.40	20.75	PASS
n78(3450-3550)	30	70	DFT-256QAM	L	Edge_1RB_Right	18.43	20.78	PASS
n78(3450-3550)	30	70	DFT-256QAM	L	Inner_Full	18.89	21.24	PASS
n78(3450-3550)	30	70	DFT-256QAM	L	Outer_Full	19.05	21.40	PASS
n78(3450-3550)	30	70	CP-QPSK	L	Edge_1RB_Left	20.70	23.05	PASS
n78(3450-3550)	30	70	CP-QPSK	L	Inner_1RB_Left	21.70	24.05	PASS
n78(3450-3550)	30	70	CP-QPSK	L	Inner_1RB_Right	21.24	23.59	PASS
n78(3450-3550)	30	70	CP-QPSK	L	Edge_1RB_Right	20.18	22.53	PASS
n78(3450-3550)	30	70	CP-QPSK	L	Inner_Full	21.19	23.54	PASS
n78(3450-3550)	30	70	CP-QPSK	L	Outer_Full	17.45	19.80	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	21.16	23.51	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Inner_1RB_Left	22.82	25.17	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Inner_1RB_Right	22.72	25.07	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Right	20.96	23.31	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Inner_Full	22.72	25.07	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	17.62	19.97	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	21.20	23.55	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 15 of 156

n78(3450-3550)	30	70	DFT-QPSK	M	Inner_1RB_Left	22.76	25.11	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Inner_1RB_Right	22.53	24.88	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Right	21.13	23.48	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Inner_Full	22.72	25.07	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	21.90	24.25	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Edge_1RB_Left	21.20	23.55	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Inner_1RB_Left	22.17	24.52	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Inner_1RB_Right	21.68	24.03	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Edge_1RB_Right	20.52	22.87	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Inner_Full	21.75	24.10	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Outer_Full	20.87	23.22	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Edge_1RB_Left	20.55	22.90	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Inner_1RB_Left	20.67	23.02	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Inner_1RB_Right	20.05	22.40	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Edge_1RB_Right	19.96	22.31	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Inner_Full	20.34	22.69	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Outer_Full	20.40	22.75	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Edge_1RB_Left	18.89	21.24	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Inner_1RB_Left	19.08	21.43	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Inner_1RB_Right	18.36	20.71	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Edge_1RB_Right	18.23	20.58	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Inner_Full	18.86	21.21	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Outer_Full	19.01	21.36	PASS
n78(3450-3550)	30	70	CP-QPSK	M	Edge_1RB_Left	20.71	23.06	PASS
n78(3450-3550)	30	70	CP-QPSK	M	Inner_1RB_Left	21.58	23.93	PASS
n78(3450-3550)	30	70	CP-QPSK	M	Inner_1RB_Right	21.12	23.47	PASS
n78(3450-3550)	30	70	CP-QPSK	M	Edge_1RB_Right	17.48	19.83	PASS
n78(3450-3550)	30	70	CP-QPSK	M	Inner_Full	21.18	23.53	PASS
n78(3450-3550)	30	70	CP-QPSK	M	Outer_Full	20.40	22.75	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	21.42	23.77	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Inner_1RB_Left	22.87	25.22	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Inner_1RB_Right	22.59	24.94	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Right	21.08	23.43	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Inner_Full	22.71	25.06	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	22.76	25.11	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	21.32	23.67	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Inner_1RB_Left	22.76	25.11	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Inner_1RB_Right	17.51	19.86	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Right	20.92	23.27	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Inner_Full	22.61	24.96	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	21.96	24.31	PASS
n78(3450-3550)	30	70	DFT-16QAM	H	Edge_1RB_Left	21.17	23.52	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 16 of 156

n78(3450-3550)	30	70	DFT-16QAM	H	Inner_1RB_Left	22.17	24.52	PASS
n78(3450-3550)	30	70	DFT-16QAM	H	Inner_1RB_Right	21.56	23.91	PASS
n78(3450-3550)	30	70	DFT-16QAM	H	Edge_1RB_Right	20.49	22.84	PASS
n78(3450-3550)	30	70	DFT-16QAM	H	Inner_Full	21.75	24.10	PASS
n78(3450-3550)	30	70	DFT-16QAM	H	Outer_Full	20.84	23.19	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Edge_1RB_Left	20.72	23.07	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Inner_1RB_Left	20.64	22.99	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Inner_1RB_Right	20.12	22.47	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Edge_1RB_Right	20.13	22.48	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Inner_Full	20.31	22.66	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Outer_Full	20.36	22.71	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Edge_1RB_Left	18.93	21.28	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Inner_1RB_Left	19.01	21.36	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Inner_1RB_Right	18.36	20.71	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Edge_1RB_Right	18.29	20.64	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Inner_Full	18.89	21.24	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Outer_Full	19.01	21.36	PASS
n78(3450-3550)	30	70	CP-QPSK	H	Edge_1RB_Left	20.72	23.07	PASS
n78(3450-3550)	30	70	CP-QPSK	H	Inner_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	70	CP-QPSK	H	Inner_1RB_Right	21.18	23.53	PASS
n78(3450-3550)	30	70	CP-QPSK	H	Edge_1RB_Right	20.03	22.38	PASS
n78(3450-3550)	30	70	CP-QPSK	H	Inner_Full	21.17	23.52	PASS
n78(3450-3550)	30	70	CP-QPSK	H	Outer_Full	20.40	22.75	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	21.45	23.80	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Inner_1RB_Left	23.06	25.41	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Inner_1RB_Right	22.72	25.07	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Right	21.17	23.52	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Inner_Full	23.04	25.39	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	22.93	25.28	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	21.35	23.70	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Inner_1RB_Left	22.93	25.28	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Inner_1RB_Right	22.72	25.07	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Right	21.18	23.53	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Inner_Full	23.03	25.38	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	23.04	25.39	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Edge_1RB_Left	21.61	23.96	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Inner_1RB_Left	23.18	25.53	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Inner_1RB_Right	22.81	25.16	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Edge_1RB_Right	21.35	23.70	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Inner_Full	22.81	25.16	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Outer_Full	21.98	24.33	PASS
n78(3450-3550)	30	80	DFT-64QAM	L	Edge_1RB_Left	21.61	23.96	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 17 of 156

n78(3450-3550)	30	80	DFT-64QAM	L	Inner_1RB_Left	21.92	24.27	PASS
n78(3450-3550)	30	80	DFT-64QAM	L	Inner_1RB_Right	21.17	23.52	PASS
n78(3450-3550)	30	80	DFT-64QAM	L	Edge_1RB_Right	21.20	23.55	PASS
n78(3450-3550)	30	80	DFT-64QAM	L	Inner_Full	21.33	23.68	PASS
n78(3450-3550)	30	80	DFT-64QAM	L	Outer_Full	21.46	23.81	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Edge_1RB_Left	20.01	22.36	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Inner_1RB_Left	20.11	22.46	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Inner_1RB_Right	19.43	21.78	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Edge_1RB_Right	19.39	21.74	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Inner_Full	19.93	22.28	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Outer_Full	20.11	22.46	PASS
n78(3450-3550)	30	80	CP-QPSK	L	Edge_1RB_Left	21.53	23.88	PASS
n78(3450-3550)	30	80	CP-QPSK	L	Inner_1RB_Left	22.95	25.30	PASS
n78(3450-3550)	30	80	CP-QPSK	L	Inner_1RB_Right	22.21	24.56	PASS
n78(3450-3550)	30	80	CP-QPSK	L	Edge_1RB_Right	21.23	23.58	PASS
n78(3450-3550)	30	80	CP-QPSK	L	Inner_Full	22.20	24.55	PASS
n78(3450-3550)	30	80	CP-QPSK	L	Outer_Full	21.50	23.85	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	21.46	23.81	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Inner_1RB_Left	22.97	25.32	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Inner_1RB_Right	22.83	25.18	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Right	21.47	23.82	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Inner_Full	23.06	25.41	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	23.03	25.38	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	21.34	23.69	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Inner_1RB_Left	22.91	25.26	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Inner_1RB_Right	22.96	25.31	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Right	21.48	23.83	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Inner_Full	22.93	25.28	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	23.11	25.46	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Edge_1RB_Left	21.63	23.98	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Inner_1RB_Left	23.13	25.48	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Inner_1RB_Right	22.93	25.28	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Edge_1RB_Right	21.50	23.85	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Inner_Full	22.87	25.22	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Outer_Full	22.02	24.37	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Edge_1RB_Left	21.44	23.79	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Inner_1RB_Left	21.92	24.27	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Inner_1RB_Right	21.36	23.71	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Edge_1RB_Right	21.26	23.61	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Inner_Full	21.38	23.73	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Outer_Full	21.49	23.84	PASS
n78(3450-3550)	30	80	DFT-256QAM	M	Edge_1RB_Left	19.98	22.33	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 18 of 156

n78(3450-3550)	30	80	DFT-256QAM	M	Inner_1RB_Left	20.15	22.50	PASS
n78(3450-3550)	30	80	DFT-256QAM	M	Inner_1RB_Right	19.56	21.91	PASS
n78(3450-3550)	30	80	DFT-256QAM	M	Edge_1RB_Right	19.55	21.90	PASS
n78(3450-3550)	30	80	DFT-256QAM	M	Inner_Full	20.01	22.36	PASS
n78(3450-3550)	30	80	DFT-256QAM	M	Outer_Full	20.14	22.49	PASS
n78(3450-3550)	30	80	CP-QPSK	M	Edge_1RB_Left	21.34	23.69	PASS
n78(3450-3550)	30	80	CP-QPSK	M	Inner_1RB_Left	22.89	25.24	PASS
n78(3450-3550)	30	80	CP-QPSK	M	Inner_1RB_Right	22.26	24.61	PASS
n78(3450-3550)	30	80	CP-QPSK	M	Edge_1RB_Right	21.37	23.72	PASS
n78(3450-3550)	30	80	CP-QPSK	M	Inner_Full	22.26	24.61	PASS
n78(3450-3550)	30	80	CP-QPSK	M	Outer_Full	21.54	23.89	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	21.41	23.76	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Inner_1RB_Left	22.94	25.29	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Inner_1RB_Right	23.04	25.39	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Right	21.36	23.71	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Inner_Full	23.02	25.37	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	23.15	25.50	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	21.33	23.68	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Inner_1RB_Left	23.03	25.38	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Inner_1RB_Right	23.04	25.39	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Right	21.35	23.70	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Inner_Full	23.11	25.46	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	23.09	25.44	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Edge_1RB_Left	21.57	23.92	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Inner_1RB_Left	23.06	25.41	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Inner_1RB_Right	23.00	25.35	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Edge_1RB_Right	21.73	24.08	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Inner_Full	22.85	25.20	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Outer_Full	22.03	24.38	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Edge_1RB_Left	21.38	23.73	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Inner_1RB_Left	21.87	24.22	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Inner_1RB_Right	21.42	23.77	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Edge_1RB_Right	21.40	23.75	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Inner_Full	21.40	23.75	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Outer_Full	21.53	23.88	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Edge_1RB_Left	19.98	22.33	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Inner_1RB_Left	20.09	22.44	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Inner_1RB_Right	19.62	21.97	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Edge_1RB_Right	19.53	21.88	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Inner_Full	20.00	22.35	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Outer_Full	20.17	22.52	PASS
n78(3450-3550)	30	80	CP-QPSK	H	Edge_1RB_Left	21.50	23.85	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 19 of 156

n78(3450-3550)	30	80	CP-QPSK	H	Inner_1RB_Left	22.83	25.18	PASS
n78(3450-3550)	30	80	CP-QPSK	H	Inner_1RB_Right	22.33	24.68	PASS
n78(3450-3550)	30	80	CP-QPSK	H	Edge_1RB_Right	21.43	23.78	PASS
n78(3450-3550)	30	80	CP-QPSK	H	Inner_Full	22.27	24.62	PASS
n78(3450-3550)	30	80	CP-QPSK	H	Outer_Full	21.56	23.91	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	21.13	23.48	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Inner_1RB_Left	22.31	24.66	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Inner_1RB_Right	22.68	25.03	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Right	21.01	23.36	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Inner_Full	22.54	24.89	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	22.63	24.98	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	21.06	23.41	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Inner_1RB_Left	22.83	25.18	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Inner_1RB_Right	21.86	24.21	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Right	20.95	23.30	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Inner_Full	22.49	24.84	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	21.69	24.04	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Edge_1RB_Left	20.99	23.34	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Inner_1RB_Left	22.09	24.44	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Inner_1RB_Right	21.25	23.60	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Edge_1RB_Right	20.13	22.48	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Inner_Full	17.16	19.51	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Outer_Full	20.60	22.95	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Edge_1RB_Left	20.37	22.72	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Inner_1RB_Left	20.57	22.92	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Inner_1RB_Right	19.71	22.06	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Edge_1RB_Right	19.69	22.04	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Inner_Full	20.08	22.43	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Outer_Full	20.11	22.46	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Edge_1RB_Left	18.68	21.03	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Inner_1RB_Left	16.97	19.32	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Inner_1RB_Right	17.82	20.17	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Edge_1RB_Right	17.79	20.14	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Inner_Full	18.62	20.97	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Outer_Full	18.73	21.08	PASS
n78(3450-3550)	30	90	CP-QPSK	L	Edge_1RB_Left	17.81	20.16	PASS
n78(3450-3550)	30	90	CP-QPSK	L	Inner_1RB_Left	21.44	23.79	PASS
n78(3450-3550)	30	90	CP-QPSK	L	Inner_1RB_Right	20.65	23.00	PASS
n78(3450-3550)	30	90	CP-QPSK	L	Edge_1RB_Right	19.72	22.07	PASS
n78(3450-3550)	30	90	CP-QPSK	L	Inner_Full	20.87	23.22	PASS
n78(3450-3550)	30	90	CP-QPSK	L	Outer_Full	20.17	22.52	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	21.24	23.59	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 20 of 156

n78(3450-3550)	30	90	DFT-BPSK	M	Inner_1RB_Left	22.81	25.16	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Inner_1RB_Right	22.68	25.03	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Right	21.17	23.52	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Inner_Full	22.47	24.82	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	22.60	24.95	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	-0.65	1.70	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Inner_1RB_Left	22.69	25.04	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Inner_1RB_Right	22.24	24.59	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Right	21.13	23.48	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Inner_Full	22.60	24.95	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	21.76	24.11	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Edge_1RB_Left	21.22	23.57	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Inner_1RB_Left	22.26	24.61	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Inner_1RB_Right	21.46	23.81	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Edge_1RB_Right	20.40	22.75	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Inner_Full	21.71	24.06	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Outer_Full	20.79	23.14	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Edge_1RB_Left	20.70	23.05	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Inner_1RB_Left	20.70	23.05	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Inner_1RB_Right	19.89	22.24	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Edge_1RB_Right	19.81	22.16	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Inner_Full	20.23	22.58	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Outer_Full	20.25	22.60	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Edge_1RB_Left	18.91	21.26	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Inner_1RB_Left	18.77	21.12	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Inner_1RB_Right	18.15	20.50	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Edge_1RB_Right	18.10	20.45	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Inner_Full	18.78	21.13	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Outer_Full	18.88	21.23	PASS
n78(3450-3550)	30	90	CP-QPSK	M	Edge_1RB_Left	20.58	22.93	PASS
n78(3450-3550)	30	90	CP-QPSK	M	Inner_1RB_Left	21.53	23.88	PASS
n78(3450-3550)	30	90	CP-QPSK	M	Inner_1RB_Right	20.73	23.08	PASS
n78(3450-3550)	30	90	CP-QPSK	M	Edge_1RB_Right	19.84	22.19	PASS
n78(3450-3550)	30	90	CP-QPSK	M	Inner_Full	17.60	19.95	PASS
n78(3450-3550)	30	90	CP-QPSK	M	Outer_Full	20.27	22.62	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	21.19	23.54	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Inner_1RB_Left	22.66	25.01	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Inner_1RB_Right	22.64	24.99	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Right	20.99	23.34	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Inner_Full	22.80	25.15	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	22.84	25.19	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Edge_1RB_Left	21.17	23.52	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 21 of 156

n78(3450-3550)	30	90	DFT-QPSK	H	Inner_1RB_Left	22.65	25.00	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Inner_1RB_Right	22.34	24.69	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Edge_1RB_Right	21.11	23.46	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Inner_Full	22.78	25.13	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	21.92	24.27	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Edge_1RB_Left	21.15	23.50	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Inner_1RB_Left	22.12	24.47	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Inner_1RB_Right	21.35	23.70	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Edge_1RB_Right	20.28	22.63	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Inner_Full	21.78	24.13	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Outer_Full	20.86	23.21	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Edge_1RB_Left	20.50	22.85	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Inner_1RB_Left	20.70	23.05	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Inner_1RB_Right	19.84	22.19	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Edge_1RB_Right	19.71	22.06	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Inner_Full	20.32	22.67	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Outer_Full	20.32	22.67	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Edge_1RB_Left	18.94	21.29	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Inner_1RB_Left	18.88	21.23	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Inner_1RB_Right	18.20	20.55	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Edge_1RB_Right	18.12	20.47	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Inner_Full	18.86	21.21	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Outer_Full	18.97	21.32	PASS
n78(3450-3550)	30	90	CP-QPSK	H	Edge_1RB_Left	17.59	19.94	PASS
n78(3450-3550)	30	90	CP-QPSK	H	Inner_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	90	CP-QPSK	H	Inner_1RB_Right	20.80	23.15	PASS
n78(3450-3550)	30	90	CP-QPSK	H	Edge_1RB_Right	19.82	22.17	PASS
n78(3450-3550)	30	90	CP-QPSK	H	Inner_Full	17.77	20.12	PASS
n78(3450-3550)	30	90	CP-QPSK	H	Outer_Full	20.31	22.66	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Edge_1RB_Left	21.56	23.91	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Inner_1RB_Left	22.92	25.27	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Inner_1RB_Right	22.90	25.25	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Edge_1RB_Right	21.49	23.84	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Inner_Full	22.99	25.34	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	23.04	25.39	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Edge_1RB_Left	21.39	23.74	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Inner_1RB_Left	22.87	25.22	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Inner_1RB_Right	22.88	25.23	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Edge_1RB_Right	21.31	23.66	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Inner_Full	22.98	25.33	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	23.09	25.44	PASS
n78(3450-3550)	30	100	DFT-16QAM	M	Edge_1RB_Left	21.73	24.08	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 22 of 156

n78(3450-3550)	30	100	DFT-16QAM	M	Inner_1RB_Left	23.22	25.57	PASS
n78(3450-3550)	30	100	DFT-16QAM	M	Inner_1RB_Right	22.69	25.04	PASS
n78(3450-3550)	30	100	DFT-16QAM	M	Edge_1RB_Right	21.53	23.88	PASS
n78(3450-3550)	30	100	DFT-16QAM	M	Inner_Full	22.78	25.13	PASS
n78(3450-3550)	30	100	DFT-16QAM	M	Outer_Full	21.90	24.25	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Edge_1RB_Left	21.54	23.89	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Inner_1RB_Left	21.85	24.20	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Inner_1RB_Right	21.04	23.39	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Edge_1RB_Right	21.06	23.41	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Inner_Full	21.28	23.63	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Outer_Full	21.38	23.73	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Edge_1RB_Left	20.08	22.43	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Inner_1RB_Left	20.08	22.43	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Inner_1RB_Right	19.25	21.60	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Edge_1RB_Right	19.28	21.63	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Inner_Full	19.89	22.24	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Outer_Full	20.02	22.37	PASS
n78(3450-3550)	30	100	CP-QPSK	M	Edge_1RB_Left	21.61	23.96	PASS
n78(3450-3550)	30	100	CP-QPSK	M	Inner_1RB_Left	22.89	25.24	PASS
n78(3450-3550)	30	100	CP-QPSK	M	Inner_1RB_Right	22.05	24.40	PASS
n78(3450-3550)	30	100	CP-QPSK	M	Edge_1RB_Right	21.09	23.44	PASS
n78(3450-3550)	30	100	CP-QPSK	M	Inner_Full	22.19	24.54	PASS
n78(3450-3550)	30	100	CP-QPSK	M	Outer_Full	21.44	23.79	PASS



Appendix B: Peak-to-Average Ratio

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Result(dB)	Limit(dB)	Verdict
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	11.1	≤13dB	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	12.16	≤13dB	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	10.38	≤13dB	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	11.76	≤13dB	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	10.68	≤13dB	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	11.76	≤13dB	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	10.66	≤13dB	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	11.68	≤13dB	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	10.1	≤13dB	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	11.76	≤13dB	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	11.36	≤13dB	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	11.62	≤13dB	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	10.78	≤13dB	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	12	≤13dB	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	11	≤13dB	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	11.38	≤13dB	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	10.84	≤13dB	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	11.76	≤13dB	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	11.7	≤13dB	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	11.6	≤13dB	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	10.7	≤13dB	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	12.56	≤13dB	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	11.36	≤13dB	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	12.48	≤13dB	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	11.3	≤13dB	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	11.48	≤13dB	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	11.5	≤13dB	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	11.82	≤13dB	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	11.4	≤13dB	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	12.46	≤13dB	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	11.32	≤13dB	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	12.52	≤13dB	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	10.14	≤13dB	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	12.6	≤13dB	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	10.62	≤13dB	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	10.7	≤13dB	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	11.96	≤13dB	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	12.04	≤13dB	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 24 of 156

n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	10.5	≤13dB	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	12.7	≤13dB	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	11.24	≤13dB	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	12.08	≤13dB	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	10.54	≤13dB	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	11.8	≤13dB	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	10.86	≤13dB	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	10.52	≤13dB	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	10.2	≤13dB	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	9.6	≤13dB	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	9.44	≤13dB	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	10.96	≤13dB	PASS




Test Graphs




NTNV-n78(3450-3550)-PC2-30-20-L-DFT-BPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-20-L-DFT-QPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-20-M-DFT-BPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-20-M-DFT-QPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-BPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-QPSK-Outer_Full-PAS



S



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 26 of 156





NTNV-n78(3450-3550)-PC2-30-30-L-DFT-BPSK-Outer_Full-PAS

S

NTNV-n78(3450-3550)-PC2-30-30-L-DFT-QPSK-Outer_Full-PAS

S





NTNV-n78(3450-3550)-PC2-30-30-M-DFT-BPSK-Outer_Full-PAS

S

NTNV-n78(3450-3550)-PC2-30-30-M-DFT-QPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-30-H-DFT-BPSK-Outer_Full-PAS

S

NTNV-n78(3450-3550)-PC2-30-30-H-DFT-QPSK-Outer_Full-PAS



S



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 27 of 156





NTNV-n78(3450-3550)-PC2-30-40-L-DFT-BPSK-Outter_Full-PAS

S

NTNV-n78(3450-3550)-PC2-30-40-L-DFT-QPSK-Outter_Full-PAS

S





NTNV-n78(3450-3550)-PC2-30-40-M-DFT-BPSK-Outter_Full-PAS

S

NTNV-n78(3450-3550)-PC2-30-40-M-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-40-H-DFT-BPSK-Outter_Full-PAS

S


NTNV-n78(3450-3550)-PC2-30-40-H-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-L-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-L-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-M-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-M-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-H-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-H-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-60-L-DFT-BPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-60-L-DFT-QPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-60-M-DFT-BPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-60-M-DFT-QPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-60-H-DFT-BPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-60-H-DFT-QPSK-Outer_Full-PAS


S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 30 of 156




NTNV-n78(3450-3550)-PC2-30-70-L-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-70-L-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-70-M-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-70-M-DFT-QPSK-Outter_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Outter_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Outter_Full-PAS


S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 31 of 156




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Outter_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Outter_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Outter_Full-PAS


S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 32 of 156




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Outter_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Outter_Full-PAS

S





NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Outter_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Outter_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Outter_Full-PA

SS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Outter_Full-PA

SS



Appendix C: 26dB Bandwidth and Occupied Bandwidth

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	99% OBW (MHz)	26dB BW (MHz)	Verdict
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	17.791	19.080	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	17.873	19.120	PASS
n78(3450-3550)	30	20	DFT-16QAM	L	Outer_Full	17.885	18.800	PASS
n78(3450-3550)	30	20	DFT-64QAM	L	Outer_Full	17.872	19.200	PASS
n78(3450-3550)	30	20	DFT-256QAM	L	Outer_Full	17.844	19.040	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	17.819	19.160	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	17.813	19.120	PASS
n78(3450-3550)	30	20	DFT-16QAM	M	Outer_Full	17.878	18.920	PASS
n78(3450-3550)	30	20	DFT-64QAM	M	Outer_Full	17.783	19.080	PASS
n78(3450-3550)	30	20	DFT-256QAM	M	Outer_Full	17.759	18.960	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	17.821	18.760	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	17.826	19.280	PASS
n78(3450-3550)	30	20	DFT-16QAM	H	Outer_Full	17.867	19.000	PASS
n78(3450-3550)	30	20	DFT-64QAM	H	Outer_Full	17.808	18.920	PASS
n78(3450-3550)	30	20	DFT-256QAM	H	Outer_Full	17.853	18.920	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	26.781	28.200	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	26.765	28.140	PASS
n78(3450-3550)	30	30	DFT-16QAM	L	Outer_Full	26.658	28.200	PASS
n78(3450-3550)	30	30	DFT-64QAM	L	Outer_Full	26.734	28.680	PASS
n78(3450-3550)	30	30	DFT-256QAM	L	Outer_Full	26.886	28.260	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	26.774	28.080	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	26.777	28.560	PASS
n78(3450-3550)	30	30	DFT-16QAM	M	Outer_Full	26.755	28.140	PASS
n78(3450-3550)	30	30	DFT-64QAM	M	Outer_Full	26.729	28.920	PASS
n78(3450-3550)	30	30	DFT-256QAM	M	Outer_Full	26.7	28.320	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	26.768	27.840	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	26.75	28.620	PASS
n78(3450-3550)	30	30	DFT-16QAM	H	Outer_Full	26.711	28.380	PASS
n78(3450-3550)	30	30	DFT-64QAM	H	Outer_Full	26.735	28.320	PASS
n78(3450-3550)	30	30	DFT-256QAM	H	Outer_Full	26.608	28.260	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	35.783	37.440	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	35.806	37.520	PASS
n78(3450-3550)	30	40	DFT-16QAM	L	Outer_Full	35.806	37.280	PASS
n78(3450-3550)	30	40	DFT-64QAM	L	Outer_Full	35.812	37.840	PASS
n78(3450-3550)	30	40	DFT-256QAM	L	Outer_Full	35.726	37.200	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	35.813	37.360	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	35.78	37.760	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 35 of 156

n78(3450-3550)	30	40	DFT-16QAM	M	Outer_Full	35.667	37.680	PASS
n78(3450-3550)	30	40	DFT-64QAM	M	Outer_Full	35.717	37.520	PASS
n78(3450-3550)	30	40	DFT-256QAM	M	Outer_Full	35.74	37.200	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	35.724	37.680	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	35.693	37.760	PASS
n78(3450-3550)	30	40	DFT-16QAM	H	Outer_Full	35.681	37.440	PASS
n78(3450-3550)	30	40	DFT-64QAM	H	Outer_Full	35.752	37.680	PASS
n78(3450-3550)	30	40	DFT-256QAM	H	Outer_Full	35.793	37.120	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	45.748	47.900	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	45.804	47.600	PASS
n78(3450-3550)	30	50	DFT-16QAM	L	Outer_Full	45.83	48.100	PASS
n78(3450-3550)	30	50	DFT-64QAM	L	Outer_Full	45.812	47.900	PASS
n78(3450-3550)	30	50	DFT-256QAM	L	Outer_Full	45.639	47.700	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	45.803	48.100	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	45.836	47.600	PASS
n78(3450-3550)	30	50	DFT-16QAM	M	Outer_Full	45.91	47.800	PASS
n78(3450-3550)	30	50	DFT-64QAM	M	Outer_Full	45.842	47.700	PASS
n78(3450-3550)	30	50	DFT-256QAM	M	Outer_Full	45.727	47.500	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	45.713	47.800	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	45.898	48.000	PASS
n78(3450-3550)	30	50	DFT-16QAM	H	Outer_Full	45.787	47.500	PASS
n78(3450-3550)	30	50	DFT-64QAM	H	Outer_Full	45.838	47.700	PASS
n78(3450-3550)	30	50	DFT-256QAM	H	Outer_Full	45.631	47.400	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	58.056	59.880	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	57.856	60.120	PASS
n78(3450-3550)	30	60	DFT-16QAM	L	Outer_Full	57.818	60.000	PASS
n78(3450-3550)	30	60	DFT-64QAM	L	Outer_Full	57.801	59.760	PASS
n78(3450-3550)	30	60	DFT-256QAM	L	Outer_Full	57.779	59.880	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	57.943	60.120	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	57.953	59.760	PASS
n78(3450-3550)	30	60	DFT-16QAM	M	Outer_Full	57.984	59.760	PASS
n78(3450-3550)	30	60	DFT-64QAM	M	Outer_Full	58.006	60.000	PASS
n78(3450-3550)	30	60	DFT-256QAM	M	Outer_Full	58.012	59.880	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	57.85	59.880	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	57.912	60.240	PASS
n78(3450-3550)	30	60	DFT-16QAM	H	Outer_Full	57.804	60.720	PASS
n78(3450-3550)	30	60	DFT-64QAM	H	Outer_Full	57.993	60.240	PASS
n78(3450-3550)	30	60	DFT-256QAM	H	Outer_Full	57.812	60.360	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	64.159	66.360	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	64.499	67.620	PASS
n78(3450-3550)	30	70	DFT-16QAM	L	Outer_Full	64.081	66.220	PASS
n78(3450-3550)	30	70	DFT-64QAM	L	Outer_Full	64.329	66.780	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 36 of 156

n78(3450-3550)	30	70	DFT-256QAM	L	Outer_Full	64.224	66.220	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	64.33	66.220	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	64.378	66.640	PASS
n78(3450-3550)	30	70	DFT-16QAM	M	Outer_Full	64.125	66.640	PASS
n78(3450-3550)	30	70	DFT-64QAM	M	Outer_Full	64.183	66.500	PASS
n78(3450-3550)	30	70	DFT-256QAM	M	Outer_Full	64.311	66.220	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	64.212	66.220	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	64.411	66.500	PASS
n78(3450-3550)	30	70	DFT-16QAM	H	Outer_Full	64.389	66.640	PASS
n78(3450-3550)	30	70	DFT-64QAM	H	Outer_Full	64.432	66.220	PASS
n78(3450-3550)	30	70	DFT-256QAM	H	Outer_Full	64.161	66.220	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	77.006	80.000	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	77.048	80.320	PASS
n78(3450-3550)	30	80	DFT-16QAM	L	Outer_Full	77.083	80.160	PASS
n78(3450-3550)	30	80	DFT-64QAM	L	Outer_Full	77.051	80.480	PASS
n78(3450-3550)	30	80	DFT-256QAM	L	Outer_Full	76.988	80.800	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	77.167	80.320	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	77.059	80.320	PASS
n78(3450-3550)	30	80	DFT-16QAM	M	Outer_Full	77.311	80.320	PASS
n78(3450-3550)	30	80	DFT-64QAM	M	Outer_Full	77.1	80.320	PASS
n78(3450-3550)	30	80	DFT-256QAM	M	Outer_Full	76.881	80.320	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	77.025	81.120	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	77.086	80.480	PASS
n78(3450-3550)	30	80	DFT-16QAM	H	Outer_Full	77.157	80.320	PASS
n78(3450-3550)	30	80	DFT-64QAM	H	Outer_Full	77.062	80.160	PASS
n78(3450-3550)	30	80	DFT-256QAM	H	Outer_Full	76.907	80.480	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	86.606	90.180	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	86.672	90.000	PASS
n78(3450-3550)	30	90	DFT-16QAM	L	Outer_Full	86.898	90.180	PASS
n78(3450-3550)	30	90	DFT-64QAM	L	Outer_Full	86.855	90.180	PASS
n78(3450-3550)	30	90	DFT-256QAM	L	Outer_Full	86.551	90.000	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	86.912	90.180	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	86.646	90.000	PASS
n78(3450-3550)	30	90	DFT-16QAM	M	Outer_Full	86.529	90.000	PASS
n78(3450-3550)	30	90	DFT-64QAM	M	Outer_Full	86.582	90.180	PASS
n78(3450-3550)	30	90	DFT-256QAM	M	Outer_Full	86.63	90.180	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	86.51	90.180	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	86.844	90.180	PASS
n78(3450-3550)	30	90	DFT-16QAM	H	Outer_Full	86.711	90.180	PASS
n78(3450-3550)	30	90	DFT-64QAM	H	Outer_Full	86.636	90.000	PASS
n78(3450-3550)	30	90	DFT-256QAM	H	Outer_Full	86.647	90.000	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	96.524	99.800	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCSZ2025-0042-RF4-A14

Page 37 of 156

n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	96.428	100.000	PASS
n78(3450-3550)	30	100	DFT-16QAM	M	Outer_Full	96.337	99.800	PASS
n78(3450-3550)	30	100	DFT-64QAM	M	Outer_Full	96.456	99.800	PASS
n78(3450-3550)	30	100	DFT-256QAM	M	Outer_Full	96.439	99.800	PASS




Test Graphs





NTNV-n78(3450-3550)-PC2-30-20-L-DFT-BPSK-Outet-Full-Ant1-PASS

NTNV-n78(3450-3550)-PC2-30-20-L-DFT-QPSK-Outet-Full-Ant1-PASS



NTNV-n78(3450-3550)-PC2-30-20-L-DFT-16QAM-Outet-Full-Ant1-PASS

NTNV-n78(3450-3550)-PC2-30-20-L-DFT-64QAM-Outet-Full-Ant1-1-PASS



NTNV-n78(3450-3550)-PC2-30-20-L-DFT-256QAM-Outet-Full-Ant1-1-PASS

NTNV-n78(3450-3550)-PC2-30-20-M-DFT-BPSK-Outet-Full-Ant1-PASS



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 39 of 156



NTNV-n78(3450-3550)-PC2-30-20-M-DFT-QPSK-Outer_Full-Ant1-

PASS




NTNV-n78(3450-3550)-PC2-30-20-M-DFT-16QAM-Outer_Full-An

t1-PASS




NTNV-n78(3450-3550)-PC2-30-20-M-DFT-64QAM-Outer_Full-Ant

1-PASS




NTNV-n78(3450-3550)-PC2-30-20-M-DFT-256QAM-Outer_Full-A

nt1-PASS



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-BPSK-Outer_Full-Ant1-

PASS



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-QPSK-Outer_Full-Ant1


-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 40 of 156




NTNV-n78(3450-3550)-PC2-30-20-H-DFT-16QAM-Outer_Full-Ant
1-PASS



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-64QAM-Outer_Full-An
t1-PASS




NTNV-n78(3450-3550)-PC2-30-20-H-DFT-256QAM-Outer_Full-An
t1-PASS



NTNV-n78(3450-3550)-PC2-30-30-L-DFT-BPSK-Outer_Full-Ant1
-PASS



NTNV-n78(3450-3550)-PC2-30-30-L-DFT-QPSK-Outer_Full-Ant1-
PASS



NTNV-n78(3450-3550)-PC2-30-30-L-DFT-16QAM-Outer_Full-Ant
1-PASS