







Test Graphs




NTNV-n78(3450-3550)-PC2-30-20-L-DFT-BPSK-Edge_1RB_Left-PASS

NTNV-n78(3450-3550)-PC2-30-20-L-DFT-BPSK-Outer_Full-PAS S



NTNV-n78(3450-3550)-PC2-30-20-L-DFT-QPSK-Edge_1RB_Left-PASS

NTNV-n78(3450-3550)-PC2-30-20-L-DFT-QPSK-Outer_Full-PAS S



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-BPSK-Edge_1RB_Right t-PASS



NTNV-n78(3450-3550)-PC2-30-20-H-DFT-BPSK-Outer_Full-PAS S



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCS2025-0042-RF4-A14

Page 62 of 156





NTNV-n78(3450-3550)-PC2-30-20-H-DFT-QPSK-Edge_1RB_Rig
ht-PASS

NTNV-n78(3450-3550)-PC2-30-20-H-DFT-QPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-30-L-DFT-BPSK-Edge_1RB_Left-
PASS

NTNV-n78(3450-3550)-PC2-30-30-L-DFT-BPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-30-L-DFT-QPSK-Edge_1RB_Left-
PASS



NTNV-n78(3450-3550)-PC2-30-30-L-DFT-QPSK-Outer_Full-PAS
S



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCSZ2025-0042-RF4-A14

Page 63 of 156





NTNV-n78(3450-3550)-PC2-30-30-H-DFT-BPSK-Edge_1RB_Right
t-PASS

NTNV-n78(3450-3550)-PC2-30-30-H-DFT-BPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-30-H-DFT-QPSK-Edge_1RB_Right
ht-PASS

NTNV-n78(3450-3550)-PC2-30-30-H-DFT-QPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-40-L-DFT-BPSK-Edge_1RB_Left-PASS


NTNV-n78(3450-3550)-PC2-30-40-L-DFT-BPSK-Outer_Full-PAS
S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 64 of 156



NTNV-n78(3450-3550)-PC2-30-40-L-DFT-QPSK-Edge_1RB_Left

PASS




NTNV-n78(3450-3550)-PC2-30-40-L-DFT-QPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-40-H-DFT-BPSK-Edge_1RB_Right

t-PASS




NTNV-n78(3450-3550)-PC2-30-40-H-DFT-BPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-40-H-DFT-QPSK-Edge_1RB_Rig

ht-PASS



NTNV-n78(3450-3550)-PC2-30-40-H-DFT-QPSK-Outer_Full-PAS


S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 65 of 156




NTNV-n78(3450-3550)-PC2-30-50-L-DFT-BPSK-Edge_1RB_Left-

PASS




NTNV-n78(3450-3550)-PC2-30-50-L-DFT-BPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-50-L-DFT-QPSK-Edge_1RB_Left-

PASS




NTNV-n78(3450-3550)-PC2-30-50-L-DFT-QPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-50-H-DFT-BPSK-Edge_1RB_Right

t-PASS



NTNV-n78(3450-3550)-PC2-30-50-H-DFT-BPSK-Outer_Full-PAS



S



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCS2025-0042-RF4-A14

Page 66 of 156





NTNV-n78(3450-3550)-PC2-30-50-H-DFT-QPSK-Edge_1RB_Rig
ht-PASS

NTNV-n78(3450-3550)-PC2-30-50-H-DFT-QPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-60-L-DFT-BPSK-Edge_1RB_Left-
PASS

NTNV-n78(3450-3550)-PC2-30-60-L-DFT-BPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-60-L-DFT-QPSK-Edge_1RB_Left-
PASS



NTNV-n78(3450-3550)-PC2-30-60-L-DFT-QPSK-Outer_Full-PAS
S



CVC Testing Technology (Shenzhen) Co., Ltd.



Test Report No.: FCCSZ2025-0042-RF4-A14

Page 67 of 156





NTNV-n78(3450-3550)-PC2-30-60-H-DFT-BPSK-Edge_1RB_Right
t-PASS

NTNV-n78(3450-3550)-PC2-30-60-H-DFT-BPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-60-H-DFT-QPSK-Edge_1RB_Right
ht-PASS

NTNV-n78(3450-3550)-PC2-30-60-H-DFT-QPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-70-L-DFT-BPSK-Edge_1RB_Left
PASS


NTNV-n78(3450-3550)-PC2-30-70-L-DFT-BPSK-Outer_Full-PAS
S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 68 of 156




NTNV-n78(3450-3550)-PC2-30-70-L-DFT-QPSK-Edge_1RB_Left

PASS




NTNV-n78(3450-3550)-PC2-30-70-L-DFT-QPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Right

t-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Rig

ht-PASS



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Outer_Full-PAS


S




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14


Page 69 of 156




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
PASS



NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Outer_Full-PAS
S




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
PASS



NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Right
t-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Outer_Full-PAS
S




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A14


Page 70 of 156




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Rig
ht-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Outer_Full-PAS
S




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
PASS



NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Outer_Full-PAS
S



NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Outer_Full-PAS
S



CVC Testing Technology (Shenzhen) Co., Ltd.


Test Report No.: FCCSZ2025-0042-RF4-A14

Page 71 of 156




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Righ

t-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Outer_Full-PAS

S




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Rig

ht-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Outer_Full-PAS

S



NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef

t-PASS



NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Ri


ght-PASS




CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCS2025-0042-RF4-A14

Page 72 of 156




02:35:56 上午 08/16/2025




02:42:22 上午 08/16/2025

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Outer_Full-PA
SS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-PASS



02:43:57 上午 08/16/2025



02:40:46 上午 08/16/2025

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Ri
ght-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Outer_Full-PA
SS



Appendix E: Conducted Spurious Emission

Test Result

Band	SCS	Bandwidth	Modulation	Channel	RB Config	Start Freq (MHz)	Stop Freq (MHz)	Result (dBm)	Limit (dBm)	Verdict
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.14	≤-43dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.41	≤-33dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.47	≤-23dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.46	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.92	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.81	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.99	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.40	≤-43dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-83.29	≤-33dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.35	≤-23dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.51	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.90	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.12	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-49.92	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.10	≤-43dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-83.86	≤-33dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.41	≤-23dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.47	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.88	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.86	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.15	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-91.29	≤-43dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.66	≤-33dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.43	≤-23dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.39	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.96	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.59	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.15	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.15	≤-43dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.37	≤-33dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.13	≤-23dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.38	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.89	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.85	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.71	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 74 of 156

n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.63	≤-33dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.09	≤-23dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.37	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.88	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.59	≤-13dBm	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.00	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-89.68	≤-43dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-83.72	≤-33dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.33	≤-23dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.51	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.90	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.74	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.10	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.24	≤-43dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.05	≤-33dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.70	≤-23dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.40	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.83	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.84	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.18	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.37	≤-43dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.68	≤-33dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.83	≤-23dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.92	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.70	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.78	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.55	≤-43dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.26	≤-33dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.56	≤-23dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.93	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.99	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-49.82	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.60	≤-43dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.08	≤-33dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.36	≤-23dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.90	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.66	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.14	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.90	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 75 of 156

n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.86	≤-33dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.50	≤-23dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.38	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.80	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.67	≤-13dBm	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-49.93	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.28	≤-43dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-83.96	≤-33dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.87	≤-23dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.78	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.02	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.57	≤-43dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.49	≤-33dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	30	1000	-57.92	≤-23dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.71	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.32	≤-43dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-85.13	≤-33dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.26	≤-23dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.54	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-43.01	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.74	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.99	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-88.82	≤-43dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.55	≤-33dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.33	≤-23dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.47	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.92	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.63	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.10	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.18	≤-43dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.51	≤-33dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.38	≤-23dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.92	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-45.24	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.16	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-89.84	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 76 of 156

n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.06	≤-33dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.63	≤-23dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.53	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.85	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.88	≤-13dBm	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-49.99	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-87.83	≤-43dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-79.93	≤-33dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	30	1000	-57.68	≤-23dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.22	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.76	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.15	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.73	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-87.11	≤-43dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-80.73	≤-33dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	30	1000	-57.45	≤-23dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.21	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.59	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.34	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-49.57	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-87.30	≤-43dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-80.97	≤-33dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	30	1000	-57.73	≤-23dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-46.96	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.69	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.35	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.53	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-87.26	≤-43dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-80.42	≤-33dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	30	1000	-56.87	≤-23dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.28	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.85	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.39	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-49.69	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-87.05	≤-43dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-80.84	≤-33dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	30	1000	-57.30	≤-23dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.38	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.64	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.21	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-49.70	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-85.79	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 77 of 156

n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-80.45	≤-33dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	30	1000	-57.57	≤-23dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-46.99	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.74	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.54	≤-13dBm	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-49.65	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.38	≤-43dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-84.15	≤-33dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	30	1000	-57.84	≤-23dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.34	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.90	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.41	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-50.01	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.58	≤-43dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.51	≤-33dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.70	≤-23dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.52	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.38	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.68	≤-43dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.25	≤-33dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.50	≤-23dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.40	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.98	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.37	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.82	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-90.22	≤-43dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.16	≤-33dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.33	≤-23dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.78	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-50.10	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-91.06	≤-43dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.25	≤-33dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.91	≤-23dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.44	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.94	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-45.83	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-49.98	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-90.01	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 78 of 156

n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.50	≤-33dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.65	≤-23dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.52	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.93	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.77	≤-13dBm	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.06	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-87.14	≤-43dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-80.44	≤-33dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	30	1000	-57.94	≤-23dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.25	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.85	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.13	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.79	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-88.17	≤-43dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-80.66	≤-33dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	30	1000	-57.32	≤-23dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.19	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.75	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.24	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-49.65	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-89.08	≤-43dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-80.18	≤-33dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	30	1000	-57.97	≤-23dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.19	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.86	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.16	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.94	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-87.28	≤-43dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-80.38	≤-33dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	30	1000	-57.59	≤-23dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.22	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.68	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.44	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-49.86	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-88.43	≤-43dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-79.46	≤-33dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	30	1000	-57.61	≤-23dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.18	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.85	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.44	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-49.66	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-87.20	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 79 of 156

n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-80.60	≤-33dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	30	1000	-57.01	≤-23dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.13	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.61	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.12	≤-13dBm	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-49.87	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-90.42	≤-43dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-83.90	≤-33dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	30	1000	-58.64	≤-23dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.51	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-43.00	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-46.82	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.94	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-90.19	≤-43dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-84.32	≤-33dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	30	1000	-58.84	≤-23dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.45	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.95	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.72	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-50.05	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-90.42	≤-43dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-84.44	≤-33dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	30	1000	-58.71	≤-23dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.45	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.38	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-50.14	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-89.80	≤-43dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-84.18	≤-33dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	30	1000	-58.14	≤-23dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.48	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.80	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.33	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-49.90	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-90.20	≤-43dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-84.41	≤-33dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	30	1000	-58.32	≤-23dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.42	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.99	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.68	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-50.15	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-91.10	≤-43dBm	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 80 of 156

n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	0.15	30	-84.75	≤-33dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	30	1000	-58.99	≤-23dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	1000	3000	-47.50	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	3000	6000	-42.76	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	6000	20000	-46.82	≤-13dBm	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Edge_1RB_Left	20000	40000	-50.09	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	0.009	0.15	-86.56	≤-43dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	0.15	30	-80.44	≤-33dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	30	1000	-57.59	≤-23dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	1000	3000	-47.19	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	3000	6000	-42.78	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	6000	20000	-45.81	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Edge_1RB_Left	20000	40000	-49.78	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	0.009	0.15	-86.70	≤-43dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	0.15	30	-81.06	≤-33dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	30	1000	-57.34	≤-23dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	1000	3000	-47.36	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	3000	6000	-42.82	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	6000	20000	-46.39	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Edge_1RB_Left	20000	40000	-49.41	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	0.009	0.15	-88.50	≤-43dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	0.15	30	-80.22	≤-33dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	30	1000	-57.64	≤-23dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	1000	3000	-47.21	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	3000	6000	-42.74	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	6000	20000	-46.42	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Edge_1RB_Left	20000	40000	-49.78	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	0.009	0.15	-88.30	≤-43dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	0.15	30	-80.20	≤-33dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	30	1000	-57.32	≤-23dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	1000	3000	-47.14	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	3000	6000	-42.71	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	6000	20000	-46.43	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Edge_1RB_Left	20000	40000	-49.56	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	0.009	0.15	-86.64	≤-43dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	0.15	30	-81.01	≤-33dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	30	1000	-57.63	≤-23dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	1000	3000	-47.14	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	3000	6000	-42.75	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	6000	20000	-46.53	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Edge_1RB_Left	20000	40000	-49.80	≤-13dBm	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Edge_1RB_Left	0.009	0.15	-88.59	≤-43dBm	PASS