







NTNV-n78(3450-3550)-PC2-30-70-M-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-70-M-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-70-M-DFT-QPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-70-M-DFT-QPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-BPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-70-H-DFT-QPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-BPSK-Edge_1RB_Left-
20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-80-L-DFT-QPSK-Edge_1RB_Left-
20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-BPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-80-M-DFT-QPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-BPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-80-H-DFT-QPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-BPSK-Edge_1RB_Left-
20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-L-DFT-QPSK-Edge_1RB_Left-
20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-BPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-M-DFT-QPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-BPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-90-H-DFT-QPSK-Edge_1RB_Left
-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef
t-0.15-30-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-30-1000-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef
t-1000-3000-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-3000-6000-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Lef
t-6000-20000-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-BPSK-Edge_1RB_Le
ft-20000-40000-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-0.009-0.15-PASS




NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-0.15-30-PASS





NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-30-1000-PASS



NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-1000-3000-PASS



NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-3000-6000-PASS



NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-6000-20000-PASS

NTNV-n78(3450-3550)-PC2-30-100-M-DFT-QPSK-Edge_1RB_Le
ft-20000-40000-PASS



Appendix F: Frequency Stability

Test Result

Frequency Error VS. Voltage

Voltage										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	VL	NT	14	0.004046	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	VN	NT	2	0.000578	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	VH	NT	11	0.003179	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	VL	NT	19	0.005491	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	VN	NT	4	0.001156	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	VH	NT	8	0.002312	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	VL	NT	16	0.004571	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	VN	NT	17	0.004857	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	VH	NT	7	0.002	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	VL	NT	9	0.002571	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	VN	NT	19	0.005429	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	VH	NT	19	0.005429	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	VL	NT	14	0.003955	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	VN	NT	15	0.004237	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	VH	NT	12	0.00339	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	VL	NT	7	0.001977	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	VN	NT	8	0.00226	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	VH	NT	8	0.00226	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	VL	NT	9	0.002597	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	VN	NT	9	0.002597	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	VH	NT	6	0.001732	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	VL	NT	14	0.00404	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	VN	NT	6	0.001732	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	VH	NT	10	0.002886	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	VL	NT	7	0.002	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	VN	NT	4	0.001143	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	VH	NT	11	0.003143	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	VL	NT	7	0.002	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	VN	NT	14	0.004	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	VH	NT	8	0.002286	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	VL	NT	1	0.000283	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	VN	NT	17	0.004809	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	VH	NT	12	0.003395	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 142 of 156

n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	VL	NT	3	0.000849	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	VN	NT	3	0.000849	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	VH	NT	14	0.00396	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	VL	NT	16	0.004611	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	VN	NT	4	0.001153	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	VH	NT	4	0.001153	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	VL	NT	7	0.002017	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	VN	NT	5	0.001441	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	VH	NT	9	0.002594	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	VL	NT	1	0.000286	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	VN	NT	18	0.005143	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	VH	NT	18	0.005143	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	VL	NT	10	0.002857	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	VN	NT	14	0.004	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	VH	NT	12	0.003429	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	VL	NT	5	0.001416	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	VN	NT	5	0.001416	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	VH	NT	9	0.00255	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	VL	NT	4	0.001133	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	VN	NT	2	0.000567	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	VH	NT	6	0.0017	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	VL	NT	6	0.001727	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	VN	NT	10	0.002878	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	VH	NT	10	0.002878	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	VL	NT	8	0.002302	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	VN	NT	8	0.002302	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	VH	NT	12	0.003453	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	VL	NT	11	0.003143	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	VN	NT	1	0.000286	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	VH	NT	8	0.002286	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	VL	NT	8	0.002286	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	VN	NT	8	0.002286	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	VH	NT	9	0.002571	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	VL	NT	16	0.004539	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	VN	NT	1	0.000284	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	VH	NT	1	0.000284	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	VL	NT	4	0.001135	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	VN	NT	4	0.001135	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	VH	NT	8	0.00227	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	VL	NT	10	0.002874	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	VN	NT	2	0.000575	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 143 of 156

n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	VH	NT	18	0.005172	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	VL	NT	12	0.003448	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	VN	NT	12	0.003448	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	VH	NT	16	0.004598	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	VL	NT	12	0.003429	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	VN	NT	12	0.003429	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	VH	NT	16	0.004571	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	VL	NT	12	0.003429	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	VN	NT	2	0.000571	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	VH	NT	13	0.003714	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	VL	NT	1	0.000284	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	VN	NT	1	0.000284	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	VH	NT	18	0.005114	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	VL	NT	7	0.001989	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	VN	NT	8	0.002273	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	VH	NT	9	0.002557	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	VL	NT	10	0.002869	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	VN	NT	7	0.002009	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	VH	NT	8	0.002296	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	VL	NT	1	0.000287	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	VN	NT	12	0.003443	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	VH	NT	16	0.004591	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	VL	NT	8	0.002286	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	VN	NT	12	0.003429	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	VH	NT	16	0.004571	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	VL	NT	1	0.000286	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	VN	NT	2	0.000571	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	VH	NT	2	0.000571	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	VL	NT	9	0.00256	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	VN	NT	13	0.003698	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	VH	NT	1	0.000284	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	VL	NT	6	0.001707	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	VN	NT	10	0.002845	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	VH	NT	10	0.002845	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	VL	NT	17	0.004871	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	VN	NT	15	0.004298	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	VH	NT	19	0.005444	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	VL	NT	9	0.002579	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	VN	NT	13	0.003725	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	VH	NT	13	0.003725	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	VL	NT	17	0.004857	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 144 of 156

n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	VN	NT	2	0.000571	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	VH	NT	6	0.001714	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	VL	NT	12	0.003429	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	VN	NT	3	0.000857	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	VH	NT	4	0.001143	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	VL	NT	19	0.005413	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	VN	NT	17	0.004843	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	VH	NT	17	0.004843	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	VL	NT	6	0.001709	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	VN	NT	15	0.004274	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	VH	NT	3	0.000855	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	VL	NT	4	0.001144	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	VN	NT	8	0.002289	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	VH	NT	13	0.00372	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	VL	NT	5	0.001431	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	VN	NT	13	0.00372	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	VH	NT	17	0.004864	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	VL	NT	2	0.000571	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	VN	NT	2	0.000571	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	VH	NT	3	0.000857	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	VL	NT	13	0.003714	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	VN	NT	17	0.004857	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	VH	NT	7	0.002	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	VL	NT	4	0.001141	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	VN	NT	5	0.001427	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	VH	NT	9	0.002568	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	VL	NT	15	0.00428	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	VN	NT	12	0.003424	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	VH	NT	13	0.003709	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	VL	NT	10	0.002857	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	VN	NT	14	0.004	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	VH	NT	19	0.005429	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	VL	NT	14	0.004	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	VN	NT	18	0.005143	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	VH	NT	18	0.005143	PASS



Frequency Error VS. Temperature

Temperature										
Band	SCS	Bandwidth	Modulation	Channel	RB Config	Voltage	Temperature	Deviation (Hz)	Deviation (ppm)	Verdict
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	-30	19	0.005491	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	-20	4	0.001156	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	-10	8	0.002312	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	0	15	0.004335	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	10	19	0.005491	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	20	8	0.002312	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	30	12	0.003468	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	40	8	0.002312	PASS
n78(3450-3550)	30	20	DFT-BPSK	L	Outer_Full	NV	50	19	0.005491	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	-30	12	0.003468	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	-20	16	0.004624	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	-10	5	0.001445	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	0	9	0.002601	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	10	1	0.000289	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	20	17	0.004913	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	30	9	0.002601	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	40	17	0.004913	PASS
n78(3450-3550)	30	20	DFT-QPSK	L	Outer_Full	NV	50	9	0.002601	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	-30	11	0.003143	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	-20	3	0.000857	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	-10	14	0.004	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	0	18	0.005143	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	10	19	0.005429	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	20	4	0.001143	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	30	12	0.003429	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	40	3	0.000857	PASS
n78(3450-3550)	30	20	DFT-BPSK	M	Outer_Full	NV	50	14	0.004	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	-30	19	0.005429	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	-20	11	0.003143	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	-10	16	0.004571	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	0	1	0.000286	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	10	12	0.003429	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	20	16	0.004571	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	30	1	0.000286	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	40	12	0.003429	PASS
n78(3450-3550)	30	20	DFT-QPSK	M	Outer_Full	NV	50	16	0.004571	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 146 of 156

n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	-30	12	0.00339	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	-20	4	0.00113	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	-10	5	0.001412	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	0	16	0.00452	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	10	8	0.00226	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	20	12	0.00339	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	30	13	0.003672	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	40	17	0.004802	PASS
n78(3450-3550)	30	20	DFT-BPSK	H	Outer_Full	NV	50	6	0.001695	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	-30	17	0.004802	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	-20	9	0.002542	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	-10	13	0.003672	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	0	2	0.000565	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	10	6	0.001695	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	20	10	0.002825	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	30	14	0.003955	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	40	6	0.001695	PASS
n78(3450-3550)	30	20	DFT-QPSK	H	Outer_Full	NV	50	10	0.002825	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	-30	13	0.003752	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	-20	2	0.000577	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	-10	13	0.003752	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	0	14	0.00404	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	10	6	0.001732	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	20	10	0.002886	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	30	2	0.000577	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	40	6	0.001732	PASS
n78(3450-3550)	30	30	DFT-BPSK	L	Outer_Full	NV	50	7	0.00202	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	-30	2	0.000577	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	-20	6	0.001732	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	-10	10	0.002886	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	0	11	0.003175	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	10	15	0.004329	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	20	4	0.001154	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	30	15	0.004329	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	40	3	0.000866	PASS
n78(3450-3550)	30	30	DFT-QPSK	L	Outer_Full	NV	50	14	0.00404	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	-30	8	0.002286	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	-20	16	0.004571	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	-10	1	0.000286	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	0	5	0.001429	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	10	1	0.000286	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 147 of 156

n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	20	5	0.001429	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	30	7	0.002	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	40	8	0.002286	PASS
n78(3450-3550)	30	30	DFT-BPSK	M	Outer_Full	NV	50	12	0.003429	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	-30	12	0.003429	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	-20	13	0.003714	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	-10	5	0.001429	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	0	9	0.002571	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	10	13	0.003714	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	20	1	0.000286	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	30	5	0.001429	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	40	9	0.002571	PASS
n78(3450-3550)	30	30	DFT-QPSK	M	Outer_Full	NV	50	17	0.004857	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	-30	13	0.003678	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	-20	14	0.00396	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	-10	18	0.005092	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	0	10	0.002829	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	10	7	0.00198	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	20	18	0.005092	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	30	19	0.005375	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	40	17	0.004809	PASS
n78(3450-3550)	30	30	DFT-BPSK	H	Outer_Full	NV	50	18	0.005092	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	-30	18	0.005092	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	-20	19	0.005375	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	-10	8	0.002263	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	0	12	0.003395	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	10	10	0.002829	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	20	18	0.005092	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	30	10	0.002829	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	40	14	0.00396	PASS
n78(3450-3550)	30	30	DFT-QPSK	H	Outer_Full	NV	50	15	0.004243	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	-30	14	0.004035	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	-20	12	0.003458	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	-10	16	0.004611	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	0	9	0.002594	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	10	13	0.003746	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	20	5	0.001441	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	30	9	0.002594	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	40	10	0.002882	PASS
n78(3450-3550)	30	40	DFT-BPSK	L	Outer_Full	NV	50	8	0.002305	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	-30	9	0.002594	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 148 of 156

n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	-20	10	0.002882	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	-10	14	0.004035	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	0	18	0.005187	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	10	3	0.000865	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	20	2	0.000576	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	30	3	0.000865	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	40	7	0.002017	PASS
n78(3450-3550)	30	40	DFT-QPSK	L	Outer_Full	NV	50	17	0.004899	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	-30	3	0.000857	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	-20	14	0.004	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	-10	15	0.004286	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	0	19	0.005429	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	10	8	0.002286	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	20	18	0.005143	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	30	7	0.002	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	40	11	0.003143	PASS
n78(3450-3550)	30	40	DFT-BPSK	M	Outer_Full	NV	50	3	0.000857	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	-30	12	0.003429	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	-20	4	0.001143	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	-10	12	0.003429	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	0	4	0.001143	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	10	4	0.001143	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	20	8	0.002286	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	30	7	0.002	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	40	8	0.002286	PASS
n78(3450-3550)	30	40	DFT-QPSK	M	Outer_Full	NV	50	12	0.003429	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	-30	6	0.0017	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	-20	10	0.002833	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	-10	2	0.000567	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	0	10	0.002833	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	10	14	0.003966	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	20	18	0.005099	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	30	17	0.004816	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	40	17	0.004816	PASS
n78(3450-3550)	30	40	DFT-BPSK	H	Outer_Full	NV	50	6	0.0017	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	-30	6	0.0017	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	-20	7	0.001983	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	-10	3	0.00085	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	0	7	0.001983	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	10	11	0.003116	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	20	3	0.00085	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 149 of 156

n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	30	3	0.00085	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	40	14	0.003966	PASS
n78(3450-3550)	30	40	DFT-QPSK	H	Outer_Full	NV	50	3	0.00085	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	-30	8	0.002302	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	-20	18	0.00518	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	-10	3	0.000863	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	0	8	0.002302	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	10	3	0.000863	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	20	11	0.003165	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	30	15	0.004317	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	40	19	0.005468	PASS
n78(3450-3550)	30	50	DFT-BPSK	L	Outer_Full	NV	50	14	0.004029	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	-30	12	0.003453	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	-20	1	0.000288	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	-10	9	0.00259	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	0	1	0.000288	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	10	2	0.000576	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	20	16	0.004604	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	30	8	0.002302	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	40	12	0.003453	PASS
n78(3450-3550)	30	50	DFT-QPSK	L	Outer_Full	NV	50	1	0.000288	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	-30	16	0.004571	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	-20	11	0.003143	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	-10	15	0.004286	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	0	8	0.002286	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	10	12	0.003429	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	20	4	0.001143	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	30	8	0.002286	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	40	19	0.005429	PASS
n78(3450-3550)	30	50	DFT-BPSK	M	Outer_Full	NV	50	4	0.001143	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	-30	6	0.001714	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004857	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	-10	2	0.000571	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	0	13	0.003714	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	10	14	0.004	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	20	5	0.001429	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	30	6	0.001714	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	40	17	0.004857	PASS
n78(3450-3550)	30	50	DFT-QPSK	M	Outer_Full	NV	50	6	0.001714	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	-30	17	0.004823	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	-20	2	0.000567	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 150 of 156

n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	-10	13	0.003688	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	0	17	0.004823	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	10	18	0.005106	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	20	3	0.000851	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	30	14	0.003972	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	40	6	0.001702	PASS
n78(3450-3550)	30	50	DFT-BPSK	H	Outer_Full	NV	50	10	0.002837	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	-30	8	0.00227	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	-20	19	0.00539	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	-10	5	0.001418	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	0	16	0.004539	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	10	8	0.00227	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	20	9	0.002553	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	30	19	0.00539	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	40	11	0.003121	PASS
n78(3450-3550)	30	50	DFT-QPSK	H	Outer_Full	NV	50	12	0.003404	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	-30	7	0.002011	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	-20	8	0.002299	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	-10	6	0.001724	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	0	10	0.002874	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	10	11	0.003161	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	20	15	0.00431	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	30	19	0.00546	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	40	11	0.003161	PASS
n78(3450-3550)	30	60	DFT-BPSK	L	Outer_Full	NV	50	12	0.003448	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	-30	1	0.000287	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	-20	2	0.000575	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	-10	6	0.001724	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	0	17	0.004885	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	10	9	0.002586	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	20	10	0.002874	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	30	2	0.000575	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	40	10	0.002874	PASS
n78(3450-3550)	30	60	DFT-QPSK	L	Outer_Full	NV	50	1	0.000287	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	-30	17	0.004857	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	-20	12	0.003429	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	-10	1	0.000286	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	0	12	0.003429	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	10	19	0.005429	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	20	4	0.001143	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	30	9	0.002571	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 151 of 156

n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	40	9	0.002571	PASS
n78(3450-3550)	30	60	DFT-BPSK	M	Outer_Full	NV	50	1	0.000286	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	-30	17	0.004857	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	-20	2	0.000571	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	-10	6	0.001714	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	0	14	0.004	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	10	3	0.000857	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	20	1	0.000286	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	30	5	0.001429	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	40	6	0.001714	PASS
n78(3450-3550)	30	60	DFT-QPSK	M	Outer_Full	NV	50	10	0.002857	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	-30	18	0.005114	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	-20	19	0.005398	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	-10	18	0.005114	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	0	18	0.005114	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	10	10	0.002841	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	20	18	0.005114	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	30	14	0.003977	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	40	6	0.001705	PASS
n78(3450-3550)	30	60	DFT-BPSK	H	Outer_Full	NV	50	10	0.002841	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	-30	13	0.003693	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	-20	5	0.00142	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	-10	6	0.001705	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	0	16	0.004545	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	10	17	0.00483	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	20	9	0.002557	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	30	1	0.000284	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	40	2	0.000568	PASS
n78(3450-3550)	30	60	DFT-QPSK	H	Outer_Full	NV	50	6	0.001705	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	-30	8	0.002296	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	-20	16	0.004591	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	-10	8	0.002296	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	0	8	0.002296	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	10	13	0.00373	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	20	5	0.001435	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	30	13	0.00373	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	40	5	0.001435	PASS
n78(3450-3550)	30	70	DFT-BPSK	L	Outer_Full	NV	50	19	0.005452	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	-30	1	0.000287	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	-20	12	0.003443	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	-10	11	0.003156	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 152 of 156

n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	0	12	0.003443	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	10	11	0.003156	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	20	18	0.005165	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	30	19	0.005452	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	40	15	0.004304	PASS
n78(3450-3550)	30	70	DFT-QPSK	L	Outer_Full	NV	50	7	0.002009	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	-30	16	0.004571	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	-20	8	0.002286	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	-10	7	0.002	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	0	11	0.003143	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	10	12	0.003429	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	20	4	0.001143	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	30	8	0.002286	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	40	7	0.002	PASS
n78(3450-3550)	30	70	DFT-BPSK	M	Outer_Full	NV	50	11	0.003143	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	-30	9	0.002571	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	-20	17	0.004857	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	-10	18	0.005143	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	0	10	0.002857	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	10	5	0.001429	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	20	16	0.004571	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	30	2	0.000571	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	40	6	0.001714	PASS
n78(3450-3550)	30	70	DFT-QPSK	M	Outer_Full	NV	50	17	0.004857	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	-30	18	0.005121	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	-20	9	0.00256	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	-10	14	0.003983	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	0	18	0.005121	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	10	14	0.003983	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	20	6	0.001707	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	30	10	0.002845	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	40	17	0.004836	PASS
n78(3450-3550)	30	70	DFT-BPSK	H	Outer_Full	NV	50	2	0.000569	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	-30	8	0.002276	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	-20	10	0.002845	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	-10	14	0.003983	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	0	15	0.004267	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	10	14	0.003983	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	20	15	0.004267	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	30	3	0.000853	PASS
n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	40	2	0.000569	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 153 of 156

n78(3450-3550)	30	70	DFT-QPSK	H	Outer_Full	NV	50	6	0.001707	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	-30	7	0.002006	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	-20	11	0.003152	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	-10	15	0.004298	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	0	16	0.004585	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	10	5	0.001433	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	20	9	0.002579	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	30	19	0.005444	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	40	11	0.003152	PASS
n78(3450-3550)	30	80	DFT-BPSK	L	Outer_Full	NV	50	12	0.003438	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	-30	2	0.000573	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	-20	9	0.002579	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	-10	17	0.004871	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	0	9	0.002579	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	10	17	0.004871	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	20	12	0.003438	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	30	4	0.001146	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	40	5	0.001433	PASS
n78(3450-3550)	30	80	DFT-QPSK	L	Outer_Full	NV	50	16	0.004585	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	-30	10	0.002857	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	-20	18	0.005143	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	-10	10	0.002857	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	0	14	0.004	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	10	5	0.001429	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	20	13	0.003714	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	30	17	0.004857	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	40	18	0.005143	PASS
n78(3450-3550)	30	80	DFT-BPSK	M	Outer_Full	NV	50	10	0.002857	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	-30	8	0.002286	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	-20	7	0.002	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	-10	11	0.003143	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	0	12	0.003429	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	10	4	0.001143	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	20	15	0.004286	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	30	16	0.004571	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	40	8	0.002286	PASS
n78(3450-3550)	30	80	DFT-QPSK	M	Outer_Full	NV	50	9	0.002571	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	-30	2	0.00057	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	-20	10	0.002849	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	-10	14	0.003989	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	0	18	0.005128	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 154 of 156

n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	10	10	0.002849	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	20	11	0.003134	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	30	6	0.001709	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	40	8	0.002279	PASS
n78(3450-3550)	30	80	DFT-BPSK	H	Outer_Full	NV	50	13	0.003704	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	-30	4	0.00114	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	-20	3	0.000855	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	-10	11	0.003134	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	0	2	0.00057	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	10	7	0.001994	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	20	18	0.005128	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	30	1	0.000285	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	40	6	0.001709	PASS
n78(3450-3550)	30	80	DFT-QPSK	H	Outer_Full	NV	50	17	0.004843	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	-30	4	0.001144	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	-20	8	0.002289	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	-10	19	0.005436	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	0	8	0.002289	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	10	4	0.001144	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	20	11	0.003147	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	30	7	0.002003	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	40	11	0.003147	PASS
n78(3450-3550)	30	90	DFT-BPSK	L	Outer_Full	NV	50	7	0.002003	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	-30	14	0.004006	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	-20	6	0.001717	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	-10	17	0.004864	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	0	18	0.00515	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	10	10	0.002861	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	20	11	0.003147	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	30	3	0.000858	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	40	10	0.002861	PASS
n78(3450-3550)	30	90	DFT-QPSK	L	Outer_Full	NV	50	6	0.001717	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	-30	7	0.002	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	-20	15	0.004286	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	-10	6	0.001714	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	0	17	0.004857	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	10	6	0.001714	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	20	14	0.004	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	30	18	0.005143	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	40	10	0.002857	PASS
n78(3450-3550)	30	90	DFT-BPSK	M	Outer_Full	NV	50	11	0.003143	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 155 of 156

n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	-30	11	0.003143	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	-20	15	0.004286	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	-10	14	0.004	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	0	15	0.004286	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	10	7	0.002	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	20	17	0.004857	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	30	18	0.005143	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	40	10	0.002857	PASS
n78(3450-3550)	30	90	DFT-QPSK	M	Outer_Full	NV	50	6	0.001714	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	-30	5	0.001427	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	-20	9	0.002568	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	-10	7	0.001997	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	0	15	0.00428	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	10	4	0.001141	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	20	8	0.002282	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	30	12	0.003424	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	40	7	0.001997	PASS
n78(3450-3550)	30	90	DFT-BPSK	H	Outer_Full	NV	50	18	0.005136	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	-30	10	0.002853	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	-20	5	0.001427	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	-10	16	0.004565	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	0	1	0.000285	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	10	2	0.000571	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	20	1	0.000285	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	30	12	0.003424	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	40	4	0.001141	PASS
n78(3450-3550)	30	90	DFT-QPSK	H	Outer_Full	NV	50	8	0.002282	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	-30	16	0.004571	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	-20	8	0.002286	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	-10	18	0.005143	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	0	7	0.002	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	10	11	0.003143	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	20	12	0.003429	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	30	4	0.001143	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	40	12	0.003429	PASS
n78(3450-3550)	30	100	DFT-BPSK	M	Outer_Full	NV	50	16	0.004571	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	-30	10	0.002857	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	-20	11	0.003143	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	-10	19	0.005429	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	0	17	0.004857	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	10	6	0.001714	PASS



CVC Testing Technology (Shenzhen) Co., Ltd.

Test Report No.: FCCSZ2025-0042-RF4-A14

Page 156 of 156

n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	20	17	0.004857	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	30	18	0.005143	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	40	10	0.002857	PASS
n78(3450-3550)	30	100	DFT-QPSK	M	Outer_Full	NV	50	11	0.003143	PASS

-----END-----