



FCC SAR Test Report

<Photographs of EUT>




<Antenna Location>





FCC SAR Test Report



<Photographs of SAR Setup>

	
Test Position 1: USB Horizontal Up Both With 0.5 cm Gap(Antenna 0 degree)	Test Position 2:USB Horizontal Up Dongle With 0.5 cm Gap(Antenna 0 Degree)
	
Test Position 3: USB Vertical Front With 0.5 cm Gap(Antenna 0 degree)	Test Position 4: USB Vertical Back With 0.5 cm Gap(Antenna 0 degree)
	
Test Position 5: USB Tip with 0.5 cm Gap(Antenna 0 degree)	Test Position 6: USB Horizontal Up Both With 0.5 cm Gap(Antenna 45 degree)

FCC SAR Test Report

	
Test Position 7:USB Horizontal Up Dongle With 0.5 cm Gap(Antenna 45 Degree)	Test Position 8: USB Vertical Front With 0.5 cm Gap(Antenna 45 degree)
	
Test Position 9: USB Vertical Back With 0.5 cm Gap(Antenna 45 degree)	Test Position 10: USB Tip with 0.5 cm Gap(Antenna 45 degree)
	
Test Position 11: USB Horizontal Up Both With 0.5 cm Gap(Antenna 90 degree)	Test Position 12:USB Horizontal Up Dongle With 0.5 cm Gap(Antenna 90 Degree)

FCC SAR Test Report

	
Test Position 13: USB Vertical Front With 0.5 cm Gap(Antenna 90 degree)	Test Position 14: USB Vertical Back With 0.5 cm Gap(Antenna 90 degree)
	
Test Position 15: USB Tip with 0.5 cm Gap(Antenna 90 degree)	