



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-11.01	0.44	-3.64	-1.00	Pass
6695	-14.34	0.44	-6.97	-1.00	Pass
6855	-12.34	0.44	-4.97	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-12.69	0.44	-5.32	-1.00	Pass
6995	-12.34	0.44	-4.97	-1.00	Pass
7115	-13.02	0.44	-5.65	-1.00	Pass




Test Mode	IEEE 802.11ax(HE20)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.30	-1.00	Pass
6175	-2.13	-1.00	Pass
6415	-1.47	-1.00	Pass
6435	-1.63	-1.00	Pass
6475	-1.45	-1.00	Pass
6515	-1.46	-1.00	Pass
6535	-2.07	-1.00	Pass
6695	-2.24	-1.00	Pass
6855	-2.31	-1.00	Pass
6875	-2.27	-1.00	Pass
6995	-2.47	-1.00	Pass
7115	-2.38	-1.00	Pass

Test Mode	IEEE 802.11ax(HE40)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-15.06	3.45	-4.68	-1.00	Pass
6165	-14.83	3.45	-4.45	-1.00	Pass
6405	-14.30	3.45	-3.92	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-15.24	3.45	-4.86	-1.00	Pass
6485	-14.45	3.45	-4.07	-1.00	Pass
6525	-14.89	3.45	-4.51	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-14.52	3.45	-4.14	-1.00	Pass
6725	-14.30	3.45	-3.92	-1.00	Pass
6845	-15.18	3.45	-4.80	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-15.49	3.45	-5.11	-1.00	Pass
7005	-14.87	3.45	-4.49	-1.00	Pass
7085	-13.81	3.45	-3.43	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-14.68	3.45	-4.30	-1.00	Pass
6165	-14.30	3.45	-3.92	-1.00	Pass
6405	-14.81	3.45	-4.43	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-15.18	3.45	-4.80	-1.00	Pass
6485	-15.15	3.45	-4.77	-1.00	Pass
6525	-15.02	3.45	-4.64	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-16.10	3.45	-5.72	-1.00	Pass
6725	-15.82	3.45	-5.44	-1.00	Pass
6845	-15.21	3.45	-4.83	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-14.36	3.45	-3.98	-1.00	Pass
7005	-14.84	3.45	-4.46	-1.00	Pass
7085	-15.79	3.45	-5.41	-1.00	Pass




Test Mode	IEEE 802.11ax(HE40)_Total
-----------	---------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.48	-1.00	Pass
6165	-1.17	-1.00	Pass
6405	-1.16	-1.00	Pass
6445	-1.82	-1.00	Pass
6485	-1.40	-1.00	Pass
6525	-1.56	-1.00	Pass
6565	-1.85	-1.00	Pass
6725	-1.60	-1.00	Pass
6845	-1.80	-1.00	Pass
6885	-1.50	-1.00	Pass
7005	-1.46	-1.00	Pass
7085	-1.30	-1.00	Pass

Test Mode	IEEE 802.11ax(HE80)_Ant.1
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-16.48	4.77	-4.78	-1.00	Pass
6145	-16.11	4.77	-4.41	-1.00	Pass
6385	-16.27	4.77	-4.57	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-16.37	4.77	-4.67	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-16.42	4.77	-4.72	-1.00	Pass
6705	-16.65	4.77	-4.95	-1.00	Pass
6865	-16.31	4.77	-4.61	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-16.33	4.77	-4.63	-1.00	Pass
7025	-16.92	4.77	-5.22	-1.00	Pass




Test Mode	IEEE 802.11ax(HE80)_Ant.2
-----------	---------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-16.12	4.77	-4.42	-1.00	Pass
6145	-15.61	4.77	-3.91	-1.00	Pass
6385	-15.74	4.77	-4.04	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-15.90	4.77	-4.20	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-16.10	4.77	-4.40	-1.00	Pass
6705	-16.24	4.77	-4.54	-1.00	Pass
6865	-16.47	4.77	-4.77	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-16.06	4.77	-4.36	-1.00	Pass
7025	-15.78	4.77	-4.08	-1.00	Pass



Test Mode	IEEE 802.11ax(HE80)_Total
-----------	---------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.59	-1.00	Pass
6145	-1.14	-1.00	Pass
6385	-1.29	-1.00	Pass
6465	-1.42	-1.00	Pass
6545	-1.55	-1.00	Pass
6705	-1.73	-1.00	Pass
6865	-1.68	-1.00	Pass
6945	-1.48	-1.00	Pass
7025	-1.60	-1.00	Pass

Note:

1) Conducted Power Spectral Density= Measure result + Cable loss.

2) e.i.r.p. Spectral Density includes directional gain, refer to note 3 in section 3.1 for directional gain.

APPENDIX H - IN-BAND EMISSION (MASK)