



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6545	79.85	77.14	320	Pass
6705	79.92	76.94	320	Pass
6865	79.92	76.99	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	79.81	77.17	320	Pass
7025	79.88	76.98	320	Pass





Test Mode	IEEE 802.11be(EHT80)_Ant_2
-----------	----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
5985	79.93	77.10	320	Pass
6145	79.80	77.15	320	Pass
6385	79.80	76.96	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6465	79.93	77.13	320	Pass

6465 26 dB Bandwidth  Occupied Bandwidth 76.925 MHz Total Power 10.9 dBm Transmit Freq Error -77.720 kHz OBW Power 99.00 % x dB Bandwidth 79.93 MHz x dB -26.00 dB	-	-
99 % Occupied Bandwidth  Occupied Bandwidth 77.128 MHz Total Power 11.3 dBm Transmit Freq Error -144.52 kHz OBW Power 99.00 % x dB Bandwidth 81.39 MHz x dB -26.00 dB	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6545	79.93	76.95	320	Pass
6705	79.87	76.93	320	Pass
6865	79.90	77.14	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6945	79.79	76.97	320	Pass
7025	79.89	76.77	320	Pass





Test Mode	IEEE 802.11be(EHT160)_Ant_1
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6025	161.57	155.74	320	Pass
6185	161.16	155.76	320	Pass
6345	161.30	155.80	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6505	161.44	155.71	320	Pass

6505 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6665	161.43	155.51	320	Pass
6825	161.27	156.16	320	Pass




Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6985	161.45	156.03	320	Pass



6985 26 dB Bandwidth  Occupied Bandwidth: 155.33 MHz Total Power: 14.0 dBm Transmit Freq Error: 21.618 kHz x dB Bandwidth: 161.5 MHz	-	-
99 % Occupied Bandwidth  Occupied Bandwidth: 156.03 MHz Total Power: 15.5 dBm Transmit Freq Error: -157.52 kHz x dB Bandwidth: 164.0 MHz	-	-

Test Mode	IEEE 802.11be(EHT160)_Ant_2
-----------	-----------------------------


Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6025	161.57	155.79	320	Pass
6185	161.08	156.12	320	Pass
6345	161.46	155.13	320	Pass





Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6505	161.42	155.52	320	Pass

6505 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6665	161.50	155.45	320	Pass
6825	161.46	155.78	320	Pass



Test Frequency (MHz)	26 dB Bandwidth (MHz)	99 % Occupied Bandwidth (MHz)	Limit (MHz)	Result
6985	161.45	155.77	320	Pass

6985 26 dB Bandwidth 	-	-
99 % Occupied Bandwidth 	-	-

APPENDIX F - MAXIMUM E.I.R.P.

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-2.59	2.77	0.0019	24.00	0.2512	Pass
6175	-3.29	2.07	0.0016	24.00	0.2512	Pass
6415	-2.99	2.37	0.0017	24.00	0.2512	Pass
6435	-2.49	2.87	0.0019	24.00	0.2512	Pass
6475	-3.39	1.97	0.0016	24.00	0.2512	Pass
6515	-3.00	2.36	0.0017	24.00	0.2512	Pass
6535	-2.17	3.19	0.0021	24.00	0.2512	Pass
6695	-3.61	1.75	0.0015	24.00	0.2512	Pass
6855	-1.80	3.56	0.0023	24.00	0.2512	Pass
6875	-1.60	3.76	0.0024	24.00	0.2512	Pass
6995	-1.75	3.61	0.0023	24.00	0.2512	Pass
7115	-2.56	2.80	0.0019	24.00	0.2512	Pass

Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-2.27	3.09	0.0020	24.00	0.2512	Pass
6175	-2.25	3.11	0.0020	24.00	0.2512	Pass
6415	-1.98	3.38	0.0022	24.00	0.2512	Pass
6435	-1.80	3.56	0.0023	24.00	0.2512	Pass
6475	-3.42	1.94	0.0016	24.00	0.2512	Pass
6515	-2.36	3.00	0.0020	24.00	0.2512	Pass
6535	-1.95	3.41	0.0022	24.00	0.2512	Pass
6695	-3.48	1.88	0.0015	24.00	0.2512	Pass
6855	-4.80	0.56	0.0011	24.00	0.2512	Pass
6875	-1.66	3.70	0.0023	24.00	0.2512	Pass
6995	-2.75	2.61	0.0018	24.00	0.2512	Pass
7115	-2.17	3.19	0.0021	24.00	0.2512	Pass

Test Mode	IEEE 802.11a_Total
-----------	--------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	0.58	5.94	0.0039	24.00	0.2512	Pass
6175	0.27	5.63	0.0037	24.00	0.2512	Pass
6415	0.55	5.91	0.0039	24.00	0.2512	Pass
6435	0.88	6.24	0.0042	24.00	0.2512	Pass
6475	-0.39	4.97	0.0031	24.00	0.2512	Pass
6515	0.34	5.70	0.0037	24.00	0.2512	Pass
6535	0.95	6.31	0.0043	24.00	0.2512	Pass
6695	-0.53	4.83	0.0030	24.00	0.2512	Pass
6855	-0.04	5.32	0.0034	24.00	0.2512	Pass
6875	1.38	6.74	0.0047	24.00	0.2512	Pass
6995	0.79	6.15	0.0041	24.00	0.2512	Pass
7115	0.65	6.01	0.0040	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-2.90	2.46	0.0018	24.00	0.2512	Pass
6175	-3.65	1.71	0.0015	24.00	0.2512	Pass
6415	-3.24	2.12	0.0016	24.00	0.2512	Pass
6435	-2.05	3.31	0.0021	24.00	0.2512	Pass
6475	-2.52	2.84	0.0019	24.00	0.2512	Pass
6515	-2.71	2.65	0.0018	24.00	0.2512	Pass
6535	-2.27	3.09	0.0020	24.00	0.2512	Pass
6695	-3.50	1.86	0.0015	24.00	0.2512	Pass
6855	-0.97	4.39	0.0027	24.00	0.2512	Pass
6875	-1.46	3.90	0.0025	24.00	0.2512	Pass
6995	-1.50	3.86	0.0024	24.00	0.2512	Pass
7115	-1.93	3.43	0.0022	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	-2.18	3.18	0.0021	24.00	0.2512	Pass
6175	-3.04	2.32	0.0017	24.00	0.2512	Pass
6415	-1.85	3.51	0.0022	24.00	0.2512	Pass
6435	-1.83	3.53	0.0023	24.00	0.2512	Pass
6475	-2.54	2.82	0.0019	24.00	0.2512	Pass
6515	-2.47	2.89	0.0019	24.00	0.2512	Pass
6535	-2.17	3.19	0.0021	24.00	0.2512	Pass
6695	-3.49	1.87	0.0015	24.00	0.2512	Pass
6855	-3.71	1.65	0.0015	24.00	0.2512	Pass
6875	-1.81	3.55	0.0023	24.00	0.2512	Pass
6995	-2.57	2.79	0.0019	24.00	0.2512	Pass
7115	-1.84	3.52	0.0022	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5955	0.49	5.85	0.0038	24.00	0.2512	Pass
6175	-0.32	5.04	0.0032	24.00	0.2512	Pass
6415	0.52	5.88	0.0039	24.00	0.2512	Pass
6435	1.07	6.43	0.0044	24.00	0.2512	Pass
6475	0.48	5.84	0.0038	24.00	0.2512	Pass
6515	0.42	5.78	0.0038	24.00	0.2512	Pass
6535	0.79	6.15	0.0041	24.00	0.2512	Pass
6695	-0.48	4.88	0.0031	24.00	0.2512	Pass
6855	0.88	6.24	0.0042	24.00	0.2512	Pass
6875	1.38	6.74	0.0047	24.00	0.2512	Pass
6995	1.01	6.37	0.0043	24.00	0.2512	Pass
7115	1.13	6.49	0.0045	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	-1.07	4.29	0.0027	24.00	0.2512	Pass
6165	-0.12	5.24	0.0033	24.00	0.2512	Pass
6405	-0.84	4.52	0.0028	24.00	0.2512	Pass
6445	0.24	5.60	0.0036	24.00	0.2512	Pass
6485	0.08	5.44	0.0035	24.00	0.2512	Pass
6525	0.35	5.71	0.0037	24.00	0.2512	Pass
6565	0.89	6.25	0.0042	24.00	0.2512	Pass
6725	0.40	5.76	0.0038	24.00	0.2512	Pass
6845	1.21	6.57	0.0045	24.00	0.2512	Pass
6885	0.90	6.26	0.0042	24.00	0.2512	Pass
7005	1.63	6.99	0.0050	24.00	0.2512	Pass
7085	0.57	5.93	0.0039	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	-0.02	5.34	0.0034	24.00	0.2512	Pass
6165	0.06	5.42	0.0035	24.00	0.2512	Pass
6405	0.67	6.03	0.0040	24.00	0.2512	Pass
6445	0.40	5.76	0.0038	24.00	0.2512	Pass
6485	0.58	5.94	0.0039	24.00	0.2512	Pass
6525	0.61	5.97	0.0040	24.00	0.2512	Pass
6565	0.66	6.02	0.0040	24.00	0.2512	Pass
6725	0.34	5.70	0.0037	24.00	0.2512	Pass
6845	-1.37	3.99	0.0025	24.00	0.2512	Pass
6885	0.42	5.78	0.0038	24.00	0.2512	Pass
7005	0.83	6.19	0.0042	24.00	0.2512	Pass
7085	-0.15	5.21	0.0033	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5965	2.50	7.86	0.0061	24.00	0.2512	Pass
6165	2.98	8.34	0.0068	24.00	0.2512	Pass
6405	2.99	8.35	0.0068	24.00	0.2512	Pass
6445	3.33	8.69	0.0074	24.00	0.2512	Pass
6485	3.35	8.71	0.0074	24.00	0.2512	Pass
6525	3.49	8.85	0.0077	24.00	0.2512	Pass
6565	3.79	9.15	0.0082	24.00	0.2512	Pass
6725	3.38	8.74	0.0075	24.00	0.2512	Pass
6845	3.12	8.48	0.0070	24.00	0.2512	Pass
6885	3.68	9.04	0.0080	24.00	0.2512	Pass
7005	4.26	9.62	0.0092	24.00	0.2512	Pass
7085	3.24	8.60	0.0072	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	3.03	8.39	0.0069	24.00	0.2512	Pass
6145	5.48	10.84	0.0121	24.00	0.2512	Pass
6385	3.26	8.62	0.0073	24.00	0.2512	Pass
6465	2.65	8.01	0.0063	24.00	0.2512	Pass
6545	2.93	8.29	0.0067	24.00	0.2512	Pass
6705	2.66	8.02	0.0063	24.00	0.2512	Pass
6865	1.54	6.90	0.0049	24.00	0.2512	Pass
6945	2.56	7.92	0.0062	24.00	0.2512	Pass
7025	3.17	8.53	0.0071	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	3.14	8.50	0.0071	24.00	0.2512	Pass
6145	3.46	8.82	0.0076	24.00	0.2512	Pass
6385	3.17	8.53	0.0071	24.00	0.2512	Pass
6465	2.99	8.35	0.0068	24.00	0.2512	Pass
6545	3.16	8.52	0.0071	24.00	0.2512	Pass
6705	2.10	7.46	0.0056	24.00	0.2512	Pass
6865	4.32	9.68	0.0093	24.00	0.2512	Pass
6945	4.07	9.43	0.0088	24.00	0.2512	Pass
7025	4.56	9.92	0.0098	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
5985	6.10	11.46	0.0140	24.00	0.2512	Pass
6145	7.60	12.96	0.0198	24.00	0.2512	Pass
6385	6.23	11.59	0.0144	24.00	0.2512	Pass
6465	5.83	11.19	0.0132	24.00	0.2512	Pass
6545	6.06	11.42	0.0139	24.00	0.2512	Pass
6705	5.40	10.76	0.0119	24.00	0.2512	Pass
6865	6.16	11.52	0.0142	24.00	0.2512	Pass
6945	6.39	11.75	0.0150	24.00	0.2512	Pass
7025	6.93	12.29	0.0169	24.00	0.2512	Pass