

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	4.90	10.26	0.0106	24.00	0.2512	Pass
6185	5.93	11.29	0.0135	24.00	0.2512	Pass
6345	6.41	11.77	0.0150	24.00	0.2512	Pass
6505	4.85	10.21	0.0105	24.00	0.2512	Pass
6665	4.76	10.12	0.0103	24.00	0.2512	Pass
6825	5.65	11.01	0.0126	24.00	0.2512	Pass
6985	6.36	11.72	0.0149	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------

Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	5.32	10.68	0.0117	24.00	0.2512	Pass
6185	5.12	10.48	0.0112	24.00	0.2512	Pass
6345	5.14	10.50	0.0112	24.00	0.2512	Pass
6505	4.27	9.63	0.0092	24.00	0.2512	Pass
6665	5.67	11.03	0.0127	24.00	0.2512	Pass
6825	6.76	12.12	0.0163	24.00	0.2512	Pass
6985	7.10	12.46	0.0176	24.00	0.2512	Pass

Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power (dBm)	e.i.r.p. (dBm)	e.i.r.p. (W)	e.i.r.p. Limit (dBm)	e.i.r.p. Limit (W)	Result
6025	8.13	13.49	0.0223	24.00	0.2512	Pass
6185	8.55	13.91	0.0246	24.00	0.2512	Pass
6345	8.83	14.19	0.0262	24.00	0.2512	Pass
6505	7.58	12.94	0.0197	24.00	0.2512	Pass
6665	8.25	13.61	0.0230	24.00	0.2512	Pass
6825	9.25	14.61	0.0289	24.00	0.2512	Pass
6985	9.76	15.12	0.0325	24.00	0.2512	Pass

Note: Conducted power = Measure result + Cable loss + Duty factor


APPENDIX G - MAXIMUM POWER SPECTRAL DENSITY (E.I.R.P.)

Test Mode	IEEE 802.11a_Ant.1
-----------	--------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-12.62	0.16	-4.09	-1.00	Pass
6175	-12.57	0.16	-4.04	-1.00	Pass
6415	-12.61	0.16	-4.08	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.87	0.16	-4.34	-1.00	Pass
6475	-13.23	0.16	-4.70	-1.00	Pass
6515	-13.02	0.16	-4.49	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.87	0.16	-4.34	-1.00	Pass
6695	-12.88	0.16	-4.35	-1.00	Pass
6855	-11.49	0.16	-2.96	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-14.06	0.16	-5.53	-1.00	Pass
6995	-12.09	0.16	-3.56	-1.00	Pass
7115	-12.72	0.16	-4.19	-1.00	Pass




Test Mode	IEEE 802.11a_Ant.2
-----------	--------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-13.23	0.16	-4.70	-1.00	Pass
6175	-13.01	0.16	-4.48	-1.00	Pass
6415	-13.20	0.16	-4.67	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.50	0.16	-3.97	-1.00	Pass
6475	-13.00	0.16	-4.47	-1.00	Pass
6515	-12.73	0.16	-4.20	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.33	0.16	-3.80	-1.00	Pass
6695	-13.09	0.16	-4.56	-1.00	Pass
6855	-14.22	0.16	-5.69	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-12.14	0.16	-3.61	-1.00	Pass
6995	-13.68	0.16	-5.15	-1.00	Pass
7115	-12.48	0.16	-3.95	-1.00	Pass




Test Mode	IEEE 802.11a_Total
-----------	--------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.37	-1.00	Pass
6175	-1.24	-1.00	Pass
6415	-1.35	-1.00	Pass
6435	-1.14	-1.00	Pass
6475	-1.57	-1.00	Pass
6515	-1.33	-1.00	Pass
6535	-1.05	-1.00	Pass
6695	-1.44	-1.00	Pass
6855	-1.10	-1.00	Pass
6875	-1.45	-1.00	Pass
6995	-1.27	-1.00	Pass
7115	-1.06	-1.00	Pass

Test Mode	IEEE 802.11be(EHT20)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-13.11	0.18	-4.56	-1.00	Pass
6175	-12.42	0.18	-3.87	-1.00	Pass
6415	-12.86	0.18	-4.31	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.85	0.18	-4.30	-1.00	Pass
6475	-12.89	0.18	-4.34	-1.00	Pass
6515	-13.20	0.18	-4.65	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.58	0.18	-4.03	-1.00	Pass
6695	-12.68	0.18	-4.13	-1.00	Pass
6855	-11.46	0.18	-2.91	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-13.97	0.18	-5.42	-1.00	Pass
6995	-14.18	0.18	-5.63	-1.00	Pass
7115	-13.72	0.18	-5.17	-1.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-12.64	0.18	-4.09	-1.00	Pass
6175	-13.63	0.18	-5.08	-1.00	Pass
6415	-13.39	0.18	-4.84	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6435	-12.62	0.18	-4.07	-1.00	Pass
6475	-12.66	0.18	-4.11	-1.00	Pass
6515	-12.82	0.18	-4.27	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6535	-12.91	0.18	-4.36	-1.00	Pass
6695	-13.00	0.18	-4.45	-1.00	Pass
6855	-14.67	0.18	-6.12	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6875	-12.25	0.18	-3.70	-1.00	Pass
6995	-12.22	0.18	-3.67	-1.00	Pass
7115	-12.36	0.18	-3.81	-1.00	Pass




Test Mode	IEEE 802.11be(EHT20)_Total
-----------	----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5955	-1.31	-1.00	Pass
6175	-1.42	-1.00	Pass
6415	-1.56	-1.00	Pass
6435	-1.17	-1.00	Pass
6475	-1.21	-1.00	Pass
6515	-1.45	-1.00	Pass
6535	-1.18	-1.00	Pass
6695	-1.28	-1.00	Pass
6855	-1.21	-1.00	Pass
6875	-1.47	-1.00	Pass
6995	-1.53	-1.00	Pass
7115	-1.43	-1.00	Pass

Test Mode	IEEE 802.11be(EHT40)_Ant.1
-----------	----------------------------

Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-13.46	0.39	-4.70	-1.00	Pass
6165	-12.67	0.39	-3.91	-1.00	Pass
6405	-13.85	0.39	-5.09	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-13.36	0.39	-4.60	-1.00	Pass
6485	-13.42	0.39	-4.66	-1.00	Pass
6525	-12.74	0.39	-3.98	-1.00	Pass

