



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-12.47	0.39	-3.71	-1.00	Pass
6725	-13.27	0.39	-4.51	-1.00	Pass
6845	-12.23	0.39	-3.47	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-13.78	0.39	-5.02	-1.00	Pass
7005	-12.44	0.39	-3.68	-1.00	Pass
7085	-13.00	0.39	-4.24	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-13.59	0.39	-4.83	-1.00	Pass
6165	-13.46	0.39	-4.70	-1.00	Pass
6405	-13.13	0.39	-4.37	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6445	-13.75	0.39	-4.99	-1.00	Pass
6485	-13.20	0.39	-4.44	-1.00	Pass
6525	-13.48	0.39	-4.72	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6565	-13.25	0.39	-4.49	-1.00	Pass
6725	-12.48	0.39	-3.72	-1.00	Pass
6845	-15.14	0.39	-6.38	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6885	-12.42	0.39	-3.66	-1.00	Pass
7005	-13.68	0.39	-4.92	-1.00	Pass
7085	-13.43	0.39	-4.67	-1.00	Pass




Test Mode	IEEE 802.11be(EHT40)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5965	-1.75	-1.00	Pass
6165	-1.28	-1.00	Pass
6405	-1.70	-1.00	Pass
6445	-1.78	-1.00	Pass
6485	-1.54	-1.00	Pass
6525	-1.32	-1.00	Pass
6565	-1.07	-1.00	Pass
6725	-1.09	-1.00	Pass
6845	-1.68	-1.00	Pass
6885	-1.28	-1.00	Pass
7005	-1.25	-1.00	Pass
7085	-1.44	-1.00	Pass

Test Mode	IEEE 802.11be(EHT80)_Ant.1
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-13.13	0.62	-4.14	-1.00	Pass
6145	-13.95	0.62	-4.96	-1.00	Pass
6385	-13.07	0.62	-4.08	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-12.90	0.62	-3.91	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-13.10	0.62	-4.11	-1.00	Pass
6705	-13.48	0.62	-4.49	-1.00	Pass
6865	-15.43	0.62	-6.44	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-12.86	0.62	-3.87	-1.00	Pass
7025	-14.03	0.62	-5.04	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Ant.2
-----------	----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-13.98	0.62	-4.99	-1.00	Pass
6145	-12.68	0.62	-3.69	-1.00	Pass
6385	-13.49	0.62	-4.50	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6465	-13.14	0.62	-4.15	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6545	-12.97	0.62	-3.98	-1.00	Pass
6705	-13.49	0.62	-4.50	-1.00	Pass
6865	-12.10	0.62	-3.11	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6945	-14.72	0.62	-5.73	-1.00	Pass
7025	-12.96	0.62	-3.97	-1.00	Pass




Test Mode	IEEE 802.11be(EHT80)_Total
-----------	----------------------------


Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
5985	-1.53	-1.00	Pass
6145	-1.27	-1.00	Pass
6385	-1.27	-1.00	Pass
6465	-1.02	-1.00	Pass
6545	-1.03	-1.00	Pass
6705	-1.48	-1.00	Pass
6865	-1.45	-1.00	Pass
6945	-1.69	-1.00	Pass
7025	-1.46	-1.00	Pass

Test Mode	IEEE 802.11be(EHT160)_Ant.1
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-13.42	0.60	-4.45	-1.00	Pass
6185	-14.17	0.60	-5.20	-1.00	Pass
6345	-12.59	0.60	-3.62	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-13.36	0.60	-4.39	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-13.23	0.60	-4.26	-1.00	Pass
6825	-12.24	0.60	-3.27	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-14.31	0.60	-5.34	-1.00	Pass




Test Mode	IEEE 802.11be(EHT160)_Ant.2
-----------	-----------------------------


Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-13.32	0.60	-4.35	-1.00	Pass
6185	-12.74	0.60	-3.77	-1.00	Pass
6345	-13.59	0.60	-4.62	-1.00	Pass




Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6505	-13.32	0.60	-4.35	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6665	-13.29	0.60	-4.32	-1.00	Pass
6825	-14.07	0.60	-5.10	-1.00	Pass



Test Frequency (MHz)	Conducted Power Spectral Density (dBm/MHz)	Duty Factor (dB)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6985	-12.88	0.60	-3.91	-1.00	Pass



Test Mode	IEEE 802.11be(EHT160)_Total
-----------	-----------------------------

Test Frequency (MHz)	e.i.r.p. Spectral Density (dBm/MHz)	Maximum Limit (dBm/MHz)	Result
6025	-1.39	-1.00	Pass
6185	-1.42	-1.00	Pass
6345	-1.08	-1.00	Pass
6505	-1.36	-1.00	Pass
6665	-1.28	-1.00	Pass
6825	-1.08	-1.00	Pass
6985	-1.56	-1.00	Pass

APPENDIX H - IN-BAND EMISSION (MASK)