


Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2640.1093	18.70	36.24	54.94	74.00	19.06	PASS	Horizontal	PK
2	2945.3297	18.74	36.44	55.18	74.00	18.82	PASS	Horizontal	PK
3	8011.3341	0.39	44.38	44.77	74.00	29.23	PASS	Horizontal	PK
4	11969.598	3.71	44.93	48.64	74.00	25.36	PASS	Horizontal	PK
5	16338.8893	11.33	40.57	51.90	74.00	22.10	PASS	Horizontal	PK
6	17762.9842	17.55	35.19	52.74	74.00	21.26	PASS	Horizontal	PK
7	2638.9093	18.63	18.09	36.72	54.00	17.28	PASS	Horizontal	AV
8	2898.3932	18.93	17.85	36.78	54.00	17.22	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2669.1779	18.22	37.20	55.42	74.00	18.58	PASS	Vertical	PK
2	2948.5299	18.75	36.09	54.84	74.00	19.16	PASS	Vertical	PK
3	5133.1422	-6.43	48.66	42.23	74.00	31.77	PASS	Vertical	PK
4	7959.3306	-0.09	45.25	45.16	74.00	28.84	PASS	Vertical	PK
5	13682.7122	6.77	42.82	49.59	74.00	24.41	PASS	Vertical	PK
6	17703.9803	16.82	35.76	52.58	74.00	21.42	PASS	Vertical	PK
7	2644.643	18.44	18.32	36.76	54.00	17.24	PASS	Vertical	AV
8	2962.9309	19.12	17.86	36.98	54.00	17.02	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19542.3017	-25.60	61.71	36.11	74.00	37.89	PASS	Horizontal	PK
2	20347.7939	-25.49	60.10	34.61	74.00	39.39	PASS	Horizontal	PK
3	21871.3949	-25.63	60.68	35.05	74.00	38.95	PASS	Horizontal	PK
4	23509.9204	-23.29	57.59	34.30	74.00	39.70	PASS	Horizontal	PK
5	25093.0237	-21.63	56.72	35.09	74.00	38.91	PASS	Horizontal	PK
6	25824.053	-20.83	56.55	35.72	74.00	38.28	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19173.0469	-26.09	61.56	35.47	74.00	38.53	PASS	Vertical	PK
2	20016.6207	-24.69	60.64	35.95	74.00	38.05	PASS	Vertical	PK
3	20955.3982	-25.92	60.24	34.32	74.00	39.68	PASS	Vertical	PK
4	21779.9312	-25.55	60.39	34.84	74.00	39.16	PASS	Vertical	PK
5	23661.2264	-22.84	57.56	34.72	74.00	39.28	PASS	Vertical	PK
6	25373.875	-21.39	56.38	34.99	74.00	39.01	PASS	Vertical	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2602.7735	17.77	36.33	54.10	74.00	19.90	PASS	Horizontal	PK
2	2968.3979	18.91	36.75	55.66	74.00	18.34	PASS	Horizontal	PK
3	7982.3322	0.27	48.18	48.45	74.00	25.55	PASS	Horizontal	PK
4	11374.5583	3.35	44.64	47.99	74.00	26.01	PASS	Horizontal	PK
5	13747.7165	6.75	45.14	51.89	74.00	22.11	PASS	Horizontal	PK
6	16885.9257	14.75	38.71	53.46	74.00	20.54	PASS	Horizontal	PK
7	2638.3759	18.59	17.63	36.22	54.00	17.78	PASS	Horizontal	AV
8	2962.5308	19.13	17.93	37.06	54.00	16.94	PASS	Horizontal	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2662.7775	18.33	36.71	55.04	74.00	18.96	PASS	Vertical	PK
2	2989.7326	18.90	36.50	55.40	74.00	18.60	PASS	Vertical	PK
3	8070.338	0.50	45.07	45.57	74.00	28.43	PASS	Vertical	PK
4	12557.6372	4.92	44.88	49.80	74.00	24.20	PASS	Vertical	PK
5	16263.8843	11.05	41.14	52.19	74.00	21.81	PASS	Vertical	PK
6	17794.9863	17.01	35.58	52.59	74.00	21.41	PASS	Vertical	PK
7	2666.3778	18.27	18.36	36.63	54.00	17.37	PASS	Vertical	AV
8	2999.4666	19.27	17.79	37.06	54.00	16.94	PASS	Vertical	AV

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	19450.498	-25.61	60.82	35.21	74.00	38.79	PASS	Horizontal	PK
2	20009.1404	-24.66	60.18	35.52	74.00	38.48	PASS	Horizontal	PK
3	20808.5123	-25.66	59.56	33.90	74.00	40.10	PASS	Horizontal	PK
4	21862.2145	-25.62	60.73	35.11	74.00	38.89	PASS	Horizontal	PK
5	23384.4554	-23.62	58.01	34.39	74.00	39.61	PASS	Horizontal	PK
6	25342.9337	-21.32	56.47	35.15	74.00	38.85	PASS	Horizontal	PK

Test_Mode	802.11 g Transmitting	Test_Frequency	2462MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18496.7599	-26.70	62.83	36.13	74.00	37.87	PASS	Vertical	PK
2	19443.0177	-25.61	60.78	35.17	74.00	38.83	PASS	Vertical	PK
3	20461.3585	-25.66	60.96	35.30	74.00	38.70	PASS	Vertical	PK
4	21809.5124	-25.55	60.50	34.95	74.00	39.05	PASS	Vertical	PK
5	23400.776	-23.56	58.16	34.60	74.00	39.40	PASS	Vertical	PK
6	25195.0278	-21.07	55.70	34.63	74.00	39.37	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2120.208	16.34	36.94	53.28	74.00	20.72	PASS	Horizontal	PK
2	2626.2417	17.97	37.17	55.14	74.00	18.86	PASS	Horizontal	PK
3	2932.2622	18.61	37.14	55.75	74.00	18.25	PASS	Horizontal	PK
4	7995.333	0.14	45.33	45.47	74.00	28.53	PASS	Horizontal	PK
5	13685.7124	6.85	43.67	50.52	74.00	23.48	PASS	Horizontal	PK
6	16893.9263	14.50	37.70	52.20	74.00	21.80	PASS	Horizontal	PK
7	2640.1093	18.70	17.71	36.41	54.00	17.59	PASS	Horizontal	AV
8	2959.864	19.22	17.61	36.83	54.00	17.17	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2619.1746	17.94	37.08	55.02	74.00	18.98	PASS	Vertical	PK
2	2954.9303	18.99	36.66	55.65	74.00	18.35	PASS	Vertical	PK
3	7981.3321	0.27	45.73	46.00	74.00	28.00	PASS	Vertical	PK
4	13733.7156	6.76	43.04	49.80	74.00	24.20	PASS	Vertical	PK
5	16507.9005	12.54	40.64	53.18	74.00	20.82	PASS	Vertical	PK
6	17778.9853	17.57	35.86	53.43	74.00	20.57	PASS	Vertical	PK
7	2644.9097	18.43	18.30	36.73	54.00	17.27	PASS	Vertical	AV
8	2956.5304	19.06	18.00	37.06	54.00	16.94	PASS	Vertical	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18897.9759	-26.28	62.06	35.78	74.00	38.22	PASS	Horizontal	PK
2	19531.0812	-25.60	61.26	35.66	74.00	38.34	PASS	Horizontal	PK
3	20626.9451	-26.01	60.49	34.48	74.00	39.52	PASS	Horizontal	PK
4	21838.4135	-25.58	61.05	35.47	74.00	38.53	PASS	Horizontal	PK
5	23638.4455	-22.92	58.04	35.12	74.00	38.88	PASS	Horizontal	PK
6	25781.5513	-20.81	57.25	36.44	74.00	37.56	PASS	Horizontal	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2412MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	18877.2351	-26.28	62.30	36.02	74.00	37.98	PASS	Vertical	PK
2	19688.1675	-25.43	61.38	35.95	74.00	38.05	PASS	Vertical	PK
3	21108.4043	-25.87	61.02	35.15	74.00	38.85	PASS	Vertical	PK
4	23399.416	-23.56	58.41	34.85	74.00	39.15	PASS	Vertical	PK
5	24781.5713	-21.96	56.98	35.02	74.00	38.98	PASS	Vertical	PK
6	25789.0316	-20.81	56.55	35.74	74.00	38.26	PASS	Vertical	PK

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/3


Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2166.6111	16.58	35.34	51.92	74.00	22.08	PASS	Horizontal	PK
2	2755.4504	18.27	36.80	55.07	74.00	18.93	PASS	Horizontal	PK
3	2977.8652	18.84	35.51	54.35	74.00	19.65	PASS	Horizontal	PK
4	8586.3724	-0.08	46.08	46.00	74.00	28.00	PASS	Horizontal	PK
5	14423.7616	10.35	40.54	50.89	74.00	23.11	PASS	Horizontal	PK
6	16990.9327	12.98	38.90	51.88	74.00	22.12	PASS	Horizontal	PK
7	2697.9799	18.37	18.20	36.57	54.00	17.43	PASS	Horizontal	AV
8	2982.9322	18.86	18.17	37.03	54.00	16.97	PASS	Horizontal	AV

Test_Mode	802.11 n(HT20) Transmitting	Test_Frequency	2437MHz
Remark:	/	Test_Date	2026/6/3

Test Graph



Suspected List									
NO	Freq. [MHz]	Factor [dB]	Reading [dBμV]	Level [dBμV/m]	Limit [dBμV/m]	Margin [dB]	Result	Polarity	Remark
1	2191.0127	16.56	36.15	52.71	74.00	21.29	PASS	Vertical	PK
2	2751.7168	18.34	36.29	54.63	74.00	19.37	PASS	Vertical	PK
3	2998.7999	19.25	35.84	55.09	74.00	18.91	PASS	Vertical	PK
4	12561.6374	5.05	44.98	50.03	74.00	23.97	PASS	Vertical	PK
5	16271.8848	10.91	41.03	51.94	74.00	22.06	PASS	Vertical	PK
6	17751.9835	17.55	34.63	52.18	74.00	21.82	PASS	Vertical	PK
7	2682.5122	18.10	18.32	36.42	54.00	17.58	PASS	Vertical	AV
8	2983.4656	18.86	18.20	37.06	54.00	16.94	PASS	Vertical	AV