

FCC Part 15.247

Test Information:

Serial No.:	2KI0-3	Test Date:	2024/04/25~2024/04/29
Test Site:	RF	Test Mode:	Transmitting
Tester:	Chin Qin	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	25.7-26.8	Relative Humidity: (%)	51-53	ATM Pressure: (kPa)	100.6-100.9
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Spectrum Analyzer	FSU26	200256	2024/04/01	2025/03/31
zhuoxiang	Coaxial Cable	SMA-178	211001	Each time	N/A

** Statement of Traceability: China Certification ICT Co., Ltd (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

100 kHz Bandwidth of Frequency Band Edge**MAIN ANT :****BDR**

Mode	Value (dB)	Limit (dB)	Result
GFSK_Low	52.16	20.00	Pass
GFSK_High	41.00	20.00	Pass
GFSK_Hopping_Lower	52.15	20.00	Pass
GFSK_Hopping_Upper	52.57	20.00	Pass

EDR


Mode	Value (dB)	Limit (dB)	Result
$\pi/4$ -DQPSK_Low	47.93	20.00	Pass
$\pi/4$ -DQPSK_High	51.99	20.00	Pass
$\pi/4$ -DQPSK_Hopping_Lower	51.69	20.00	Pass
$\pi/4$ -DQPSK_Hopping_Upper	52.05	20.00	Pass
8DPSK_Low	50.98	20.00	Pass
8DPSK_High	51.36	20.00	Pass
8DPSK_Hopping_Lower	51.32	20.00	Pass
8DPSK_Hopping_Upper	51.59	20.00	Pass

AUX ANT:**BDR**


Mode	Value (dB)	Limit (dB)	Result
GFSK_Low	51.48	20.00	Pass
GFSK_High	52.38	20.00	Pass
GFSK_Hopping_Lower	52.32	20.00	Pass
GFSK_Hopping_Upper	52.90	20.00	Pass

EDR


Mode	Value (dB)	Limit (dB)	Result
$\pi/4$ -DQPSK_Low	51.94	20.00	Pass
$\pi/4$ -DQPSK_High	51.72	20.00	Pass
$\pi/4$ -DQPSK_Hopping_Lower	51.48	20.00	Pass
$\pi/4$ -DQPSK_Hopping_Upper	51.80	20.00	Pass
8DPSK_Low	50.19	20.00	Pass
8DPSK_High	51.44	20.00	Pass
8DPSK_Hopping_Lower	50.82	20.00	Pass
8DPSK_Hopping_Upper	51.89	20.00	Pass

**MAIN ANT:
BDR****GFSK_Low 52.16 dB**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:21:31

GFSK_High 41.00 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:45:23

GFSK_Hopping_Lower 52.15 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:39:31

GFSK_Hopping_Upper 52.57 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:43:55

EDR **$\pi/4$ -DQPSK_Low 47.93 dB**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:48:40

 $\pi/4$ -DQPSK_High 51.99 dB

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:49:56


$\pi/4$ -DQPSK_Hopping_Lower 51.69 dB

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:04:19

 $\pi/4$ -DQPSK_Hopping_Upper 52.05 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:09:18

8DPSK_Low 50.98 dB




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:12:59

8DPSK_High 51.36 dB




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:25:25

8DPSK_Hopping_Lower 51.32 dB




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:31:52


8DPSK_Hopping_Upper 51.59 dB




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:36:29

**AUX ANT:
BDR****GFSK_Low 51.48 dB**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:02:28

GFSK_High 52.38 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:15:29

GFSK_Hopping_Lower 52.32 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:24:07

GFSK_Hopping_Upper 52.90 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:28:28

EDR **$\pi/4$ -DQPSK_Low 51.94 dB**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:32:13

 $\pi/4$ -DQPSK_High 51.72 dB

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:47:37


$\pi/4$ -DQPSK_Hopping_Lower 51.48 dB

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:54:33

 $\pi/4$ -DQPSK_Hopping_Upper 51.80 dB


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 01:00:05

8DPSK_Low 50.19 dB




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:01:38

8DPSK_High 51.44 dB




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:14:03

8DPSK_Hopping_Lower 50.82 dB



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:19:47

8DPSK_Hopping_Upper 51.89 dB



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:25:15

20 dB Emission Bandwidth**MAIN ANT:****BDR**

Mode	Value (MHz)
GFSK_Low	0.824
GFSK_Middle	0.827
GFSK_High	0.824

EDR

Mode	Value (MHz)
$\pi/4$ -DQPSK_Low	1.115
$\pi/4$ -DQPSK_Middle	1.115
$\pi/4$ -DQPSK_High	1.118
8DPSK_Low	1.163
8DPSK_Middle	1.166
8DPSK_High	1.166

AUX ANT:**BDR**


Mode	Value (MHz)
GFSK_Low	0.788
GFSK_Middle	0.785
GFSK_High	0.785

EDR

Mode	Value (MHz)
$\pi/4$ -DQPSK_Low	1.214
$\pi/4$ -DQPSK_Middle	1.214
$\pi/4$ -DQPSK_High	1.214
8DPSK_Low	0.439
8DPSK_Middle	0.433
8DPSK_High	0.436


MAIN ANT:
BDR

GFSK_Low 0.824 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:18:39

GFSK_Middle 0.827 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:24:30

GFSK_High 0.824 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:29:41

$\pi/4$ -DQPSK_Low 1.115 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:45:49

$\pi/4$ -DQPSK_Middle 1.115 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:52:56

$\pi/4$ -DQPSK_High 1.118 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:57:26

8DPSK_Low 1.163 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:10:07

8DPSK_Middle 1.166 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:17:39


8DPSK_High 1.166 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:21:15

**AUX ANT :
BDR****GFSK_Low 0.788 MHz**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 28.APR.2024 23:59:34

GFSK_Middle 0.785 MHz


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:07:53

FDD**GFSK_High 0.785 MHz**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:11:20

 $\pi/4$ -DQPSK_Low 1.214 MHz

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:29:23


 $\pi/4$ -DQPSK_Middle 1.214 MHz

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:38:59

 $\pi/4$ -DQPSK_High 1.214 MHz


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:43:28

8DPSK_Low 0.439 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 19:58:48

8DPSK_Middle 0.433 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:06:36

8DPSK_High 0.436 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:09:54

99% Occupied Bandwidth**MAIN ANT:****BDR**

Mode	99% OBW (MHz)
GFSK_Low	0.873
GFSK_Middle	0.873
GFSK_High	0.873

EDR

Mode	99% OBW (MHz)
$\pi/4$ -DQPSK_Low	1.053
$\pi/4$ -DQPSK_Middle	1.053
$\pi/4$ -DQPSK_High	1.053
8DPSK_Low	1.086
8DPSK_Middle	1.086
8DPSK_High	1.089

AUX ANT:**BDR**

Mode	99% OBW (MHz)
GFSK_Low	0.723
GFSK_Middle	0.723
GFSK_High	0.726

EDR

Mode	99% OBW (MHz)
$\pi/4$ -DQPSK_Low	1.131
$\pi/4$ -DQPSK_Middle	1.131
$\pi/4$ -DQPSK_High	1.134
8DPSK_Low	1.125
8DPSK_Middle	1.125
8DPSK_High	1.125

Ref 20 dBm Att 30 dB SWT 15 ms Marker 1 [T1] -0.49 dBm 2.401841000 GHz

20 Offset 0.5 dB

1

T1

T2

SWF 1000 c 1000

ObsW 3.000000000 kHz Temp 1 [T1 ObsW] -20.20 dBm 2.401563000 GHz 2 [T1 ObsW] -2.46 dBm 2.402439000 GHz


Center 2.402 GHz 300 kHz/ Span 3 MHz

Ref 20 dBm
 Offset 0.5 dB
 Att 30 dB
 PEW 30 kHz
 VBW 100 kHz
 SWT 15 ms
 Marker 1 [T1]
 0.30 dBm
 2.440841000 GHz

CHW0 13.000000000 kHz
 Temp 1 [T1 CHW]
 -15.48 dBm
 2.440565000 GHz
 Temp 2 [T1 CHW]
 -21.32 dBm
 2.441438000 GHz

T1
 T2
 SWF 1000 off 1000
 Center 2.441 GHz
 300 kHz/
 Span 3 MHz

EDR

[illegible]

Ref 20 dBm
 Offset 0.5 dB
 Att 30 dB
 BW 30 kHz
 VSW 100 kHz
 SWT 15 ms
 Marker 1 [T1]
 -3.11 dBm
 2.401838000 GHz

20 dBm
 10 dBm
 0 dBm
 -10 dBm
 -20 dBm
 -30 dBm
 -40 dBm
 -50 dBm
 -60 dBm
 -70 dBm
 -80 dBm

2.401 2.402 2.403 MHz

SWP 1000 of 1000
 T1
 T2
 1

1.053004000 MHz
 1 [T1] 0.0W
 Temp: -17.03 dBm
 2.401472000 GHz
 2 [T1] 0.0W
 Temp: -4.60 dBm
 2.402524000 GHz

30 dB

Center 2.402 GHz
 300 kHz/
 Span 3 MHz

Ref 20 dBm * Att 30 dB

* FBW 30 kHz * VIEW 100 kHz -2.25 dBm

SWF 15 ms 2.44083000 GHz

Marker 1 [T1]

Offset 0.5 dB

1 F2

MAX

SWF 1000 of 1000

Temp: 1.05300000 MHz

1 [T1 OSW] -15.27 dBm

2.44047000 GHz

Temp: 2 [T1 OSW]

-15.80 dBm

2.44152000 GHz

Center 2.441 GHz 300 kHz/ Span 3 MHz

FWH 30 kHz
View 100 kHz
SWF 15 ms
Ref 20 dBm
Att 30 dB
Marker 1 [T1] -2.83 dBm
2.479830000 GHz

20 Offset 0.5 dB
10
0
-10
-20
-30
-40
-50
-60
-70
-80

SWF 1000.00 1000

T1
T2


OSW 1.053000000 MHz
1 [T1 OSW]
Temp -14.70 dBm
2.479472000 GHz
2 [T1 OSW]
Temp -14.47 dBm
2.480520000 GHz

1.74
MHz

Center 2.48 GHz
300 kHz/
Span 3 MHz


Page 13 of 34

8DPSK_Low 1.086 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:13:58

8DPSK_Middle 1.086 MHz





ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:18:33

8DPSK_High 1.089 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:26:20


AUX ANT:
BDR




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:03:26

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:08:47


EDR




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:16:24



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:33:11




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:39:54




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:48:32

8DPSK_Low 1.125 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:02:36

8DPSK_Middle 1.125 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:07:31

8DPSK_High 1.125 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:14:59

Channel Separation**MAIN ANT:****BDR**

Mode	Value (MHz)	Limit (MHz)	Result
GFSK_Low	1.004	0.549	Pass
GFSK_Middle	1.004	0.551	Pass
GFSK_High	1.004	0.549	Pass

EDR


Mode	Value (MHz)	Limit (MHz)	Result
$\pi/4$ -DQPSK_Low	1.004	0.743	Pass
$\pi/4$ -DQPSK_Middle	1.004	0.743	Pass
$\pi/4$ -DQPSK_High	1.004	0.745	Pass
8DPSK_Low	1.001	0.775	Pass
8DPSK_Middle	1.001	0.777	Pass
8DPSK_High	1.001	0.777	Pass

AUX ANT:**BDR**


Mode	Value (MHz)	Limit (MHz)	Result
GFSK_Low	1.007	0.525	Pass
GFSK_Middle	1.004	0.523	Pass
GFSK_High	1.004	0.523	Pass

EDR


Mode	Value (MHz)	Limit (MHz)	Result
$\pi/4$ -DQPSK_Low	1.004	0.809	Pass
$\pi/4$ -DQPSK_Middle	1.001	0.809	Pass
$\pi/4$ -DQPSK_High	1.001	0.809	Pass
8DPSK_Low	0.337	0.293	Pass
8DPSK_Middle	0.998	0.289	Pass
8DPSK_High	1.159	0.291	Pass

**MAIN ANT:
BDR****GFSK_Low 1.004 MHz**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:24:00

GFSK_Middle 1.004 MHz


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:28:38

EDR**GFSK_High 1.004 MHz**


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:36:29

 $\pi/4$ -DQPSK_Low 1.004 MHz

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:52:15


 $\pi/4$ -DQPSK_Middle 1.004 MHz

ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:56:50

 $\pi/4$ -DQPSK_High 1.004 MHz


ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:01:18

8DPSK_Low 1.001 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:16:16

8DPSK_Middle 1.001 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:20:38


8DPSK_High 1.001 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 23:28:50


AUX ANT :
BDR

GFSK_Low 1.007 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:06:21


GFSK_Middle 1.004 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:10:46


EDR

GFSK_High 1.004 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:19:40

$\pi/4$ -DQPSK_Low 1.004 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:38:17

$\pi/4$ -DQPSK_Middle 1.001 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:42:08

$\pi/4$ -DQPSK_High 1.001 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 00:50:26

8DPSK_Low 0.337 MHz




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:04:47

8DPSK_Middle 0.998 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:35:46

8DPSK_High 1.159 MHz



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 29.APR.2024 20:16:39

Maximum Conducted Output Power**MAIN ANT:****BDR**

Mode	Value (dBm)	Limit (dBm)	Result
GFSK_Low	0.00	21.00	Pass
GFSK_Middle	0.79	21.00	Pass
GFSK_High	0.24	21.00	Pass

EDR

Mode	Value (dBm)	Limit (dBm)	Result
$\pi/4$ -DQPSK_Low	-0.71	21.00	Pass
$\pi/4$ -DQPSK_Middle	0.09	21.00	Pass
$\pi/4$ -DQPSK_High	-0.43	21.00	Pass
8DPSK_Low	-0.89	21.00	Pass
8DPSK_Middle	-0.09	21.00	Pass
8DPSK_High	-0.61	21.00	Pass

AUX ANT:**BDR**


Mode	Value (dBm)	Limit (dBm)	Result
GFSK_Low	0.17	21.00	Pass
GFSK_Middle	0.83	21.00	Pass
GFSK_High	0.30	21.00	Pass

EDR

Mode	Value (dBm)	Limit (dBm)	Result
$\pi/4$ -DQPSK_Low	-0.47	21.00	Pass
$\pi/4$ -DQPSK_Middle	0.17	21.00	Pass
$\pi/4$ -DQPSK_High	-0.31	21.00	Pass
8DPSK_Low	-0.59	21.00	Pass
8DPSK_Middle	0.06	21.00	Pass
8DPSK_High	-0.40	21.00	Pass


MAIN ANT:
BDR

GFSK_Low 0.00 dBm



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:23:05


GFSK_Middle 0.79 dBm



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:26:02


EDR

GFSK_High 0.24 dBm




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:35:22

$\pi/4$ -DQPSK_Low -0.71 dBm




ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:50:20

$\pi/4$ -DQPSK_Middle 0.09 dBm



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:54:28

$\pi/4$ -DQPSK_High -0.43 dBm



ProjectNo.:2403S72396E-RF Tester:Chin Qin
Date: 25.APR.2024 22:59:46