



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ac80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5442.930	47.00	10.05	57.05	74.00	16.95	Peak
2	5442.930	33.58	10.05	43.63	54.00	10.37	Average
3	5460.000	45.80	10.09	55.89	74.00	18.11	Peak
4	5460.000	32.11	10.09	42.20	54.00	11.80	Average
5	5470.000	45.13	10.09	55.22	68.20	12.98	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.69	10.09	53.78	74.00	20.22	Peak
2	5460.000	31.49	10.09	41.58	54.00	12.42	Average
3	5470.000	43.01	10.09	53.10	68.20	15.10	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax20 Low Channel 5500MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.37	10.09	53.46	74.00	20.54	Peak
2	5460.000	31.48	10.09	41.57	54.00	12.43	Average
3	5470.000	43.75	10.09	53.84	68.20	14.36	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.69	9.40	54.09	68.20	14.11	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 High Channel 5700MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.08	9.40	53.48	68.20	14.72	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.10	10.09	53.19	74.00	20.81	Peak
2	5460.000	31.49	10.09	41.58	54.00	12.42	Average
3	5470.000	43.25	10.09	53.34	68.20	14.86	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 Low Channel 5510MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.29	10.09	53.38	74.00	20.62	Peak
2	5460.000	31.48	10.09	41.57	54.00	12.43	Average
3	5470.000	42.79	10.09	52.88	68.20	15.32	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.001	43.84	9.42	53.26	68.20	14.94	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.39	9.40	53.79	68.20	14.41	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5437.292	47.23	10.04	57.27	74.00	16.73	Peak
2	5437.292	34.48	10.04	44.52	54.00	9.48	Average
3	5460.000	45.11	10.09	55.20	74.00	18.80	Peak
4	5460.000	32.24	10.09	42.33	54.00	11.67	Average
5	5470.000	44.08	10.09	54.17	68.20	14.03	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax80 Low Channel 5530MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5443.203	45.42	10.05	55.47	74.00	18.53	Peak
2	5460.000	43.45	10.09	53.54	74.00	20.46	Peak
3	5460.000	31.49	10.09	41.58	54.00	12.42	Average
4	5470.000	43.84	10.09	53.93	68.20	14.27	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.50	9.40	53.90	68.20	14.30	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax80 High Channel 5610MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.55	9.40	53.95	68.20	14.25	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax160 Middle Channel 5570MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5414.703	48.30	9.96	58.26	74.00	15.74	Peak
2	5414.703	34.73	9.96	44.69	54.00	9.31	Average
3	5460.000	44.59	10.09	54.68	74.00	19.32	Peak
4	5460.000	32.01	10.09	42.10	54.00	11.90	Average
5	5465.893	46.70	10.09	56.79	68.20	11.41	Peak
6	5470.000	44.76	10.09	54.85	68.20	13.35	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax160 Middle Channel 5570MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5412.422	48.48	9.95	58.43	74.00	15.57	Peak
2	5412.422	33.61	9.95	43.56	54.00	10.44	Average
3	5460.000	45.57	10.09	55.66	74.00	18.34	Peak
4	5460.000	32.49	10.09	42.58	54.00	11.42	Average
5	5470.000	44.80	10.09	54.89	68.20	13.31	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 Low Channel 5500MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.39	10.09	53.48	74.00	20.52	Peak
2	5460.000	32.11	10.09	42.20	54.00	11.80	Average
3	5470.000	44.19	10.09	54.28	68.20	13.92	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax20 RU26-0 Low Channel 5500MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.09	10.09	53.18	74.00	20.82	Peak
2	5460.000	32.01	10.09	42.10	54.00	11.90	Average
3	5470.000	43.81	10.09	53.90	68.20	14.30	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 High Channel 5700MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	45.21	9.40	54.61	68.20	13.59	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 RU26-0 High Channel 5700MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.28	9.40	53.68	68.20	14.52	Peak
2	5749.020	46.15	9.40	55.55	68.20	12.65	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax40 RU26-0 Low Channel 5510MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.87	10.09	53.96	74.00	20.04	Peak
2	5460.000	31.38	10.09	41.47	54.00	12.53	Average
3	5470.000	44.13	10.09	54.22	68.20	13.98	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax40 RU26-0 Low Channel 5510MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.52	10.09	53.61	74.00	20.39	Peak
2	5460.000	31.93	10.09	42.02	54.00	11.98	Average
3	5470.000	43.90	10.09	53.99	68.20	14.21	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 High Channel 5670MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.59	9.40	53.99	68.20	14.21	Peak
2	5742.552	46.44	9.40	55.84	68.20	12.36	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 RU26-0 High Channel 5670MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	43.69	9.40	53.09	68.20	15.11	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 RU26-0 Low Channel 5530MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	44.48	10.09	54.57	74.00	19.43	Peak
2	5460.000	31.60	10.09	41.69	54.00	12.31	Average
3	5469.990	44.34	10.09	54.43	68.20	13.77	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax80 RU26-0 Low Channel 5530MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.78	10.09	53.87	74.00	20.13	Peak
2	5460.000	31.48	10.09	41.57	54.00	12.43	Average
3	5469.990	43.59	10.09	53.68	68.20	14.52	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 RU26-0 High Channel 5610MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.55	9.40	53.95	68.20	14.25	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax80 RU26-0 High Channel 5610MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.05	9.40	53.45	68.20	14.75	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax160 RU26-0 Middle Channel 5570MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	43.93	10.09	54.02	74.00	19.98	Peak
2	5460.000	31.57	10.09	41.66	54.00	12.34	Average
3	5470.000	43.87	10.09	53.96	68.20	14.24	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax160 RU26-0 Middle Channel 5570MHz Band3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5460.000	44.34	10.09	54.43	74.00	19.57	Peak
2	5460.000	31.48	10.09	41.57	54.00	12.43	Average
3	5470.000	44.12	10.09	54.21	68.20	13.99	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: a Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.70	9.61	54.31	68.20	13.89	Peak
2	5700.000	44.88	9.42	54.30	105.20	50.90	Peak
3	5720.000	45.69	9.41	55.10	110.80	55.70	Peak
4	5725.000	45.72	9.40	55.12	122.20	67.08	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: a Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.20	9.61	53.81	68.20	14.39	Peak
2	5700.000	45.33	9.42	54.75	105.20	50.45	Peak
3	5720.000	44.95	9.41	54.36	110.80	56.44	Peak
4	5725.000	45.19	9.40	54.59	122.20	67.61	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.84	9.27	55.11	122.20	67.09	Peak
2	5855.000	45.57	9.31	54.88	110.80	55.92	Peak
3	5875.000	45.76	9.43	55.19	105.20	50.01	Peak
4	5925.000	44.71	9.83	54.54	68.20	13.66	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: a High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.85	9.27	54.12	122.20	68.08	Peak
2	5855.000	45.56	9.31	54.87	110.80	55.93	Peak
3	5875.000	45.15	9.43	54.58	105.20	50.62	Peak
4	5925.000	44.31	9.83	54.14	68.20	14.06	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: n20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.92	9.61	53.53	68.20	14.67	Peak
2	5700.000	45.52	9.42	54.94	105.20	50.26	Peak
3	5720.000	44.64	9.41	54.05	110.80	56.75	Peak
4	5725.000	45.45	9.40	54.85	122.20	67.35	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.58	9.61	53.19	68.20	15.01	Peak
2	5700.000	44.66	9.42	54.08	105.20	51.12	Peak
3	5720.000	44.19	9.41	53.60	110.80	57.20	Peak
4	5725.000	44.85	9.40	54.25	122.20	67.95	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.67	9.27	53.94	122.20	68.26	Peak
2	5855.000	44.41	9.31	53.72	110.80	57.08	Peak
3	5875.000	44.99	9.43	54.42	105.20	50.78	Peak
4	5925.000	44.16	9.83	53.99	68.20	14.21	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.23	9.27	54.50	122.20	67.70	Peak
2	5855.000	45.11	9.31	54.42	110.80	56.38	Peak
3	5875.000	44.58	9.43	54.01	105.20	51.19	Peak
4	5925.000	44.21	9.83	54.04	68.20	14.16	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.48	9.61	54.09	68.20	14.11	Peak
2	5700.000	44.34	9.42	53.76	105.20	51.44	Peak
3	5720.000	46.26	9.41	55.67	110.80	55.13	Peak
4	5725.000	46.79	9.40	56.19	122.20	66.01	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: n40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.88	9.61	53.49	68.20	14.71	Peak
2	5700.000	44.22	9.42	53.64	105.20	51.56	Peak
3	5720.000	44.94	9.41	54.35	110.80	56.45	Peak
4	5725.000	45.20	9.40	54.60	122.20	67.60	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.81	9.27	55.08	122.20	67.12	Peak
2	5855.000	45.38	9.31	54.69	110.80	56.11	Peak
3	5875.000	45.34	9.43	54.77	105.20	50.43	Peak
4	5925.000	44.72	9.83	54.55	68.20	13.65	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: n40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.03	9.27	54.30	122.20	67.90	Peak
2	5855.000	44.74	9.31	54.05	110.80	56.75	Peak
3	5875.000	44.90	9.43	54.33	105.20	50.87	Peak
4	5925.000	44.53	9.83	54.36	68.20	13.84	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.87	9.61	54.48	68.20	13.72	Peak
2	5700.000	47.27	9.42	56.69	105.20	48.51	Peak
3	5720.000	48.59	9.41	58.00	110.80	52.80	Peak
4	5725.000	50.20	9.40	59.60	122.20	62.60	Peak
5	5850.000	45.87	9.27	55.14	122.20	67.06	Peak
6	5855.000	45.68	9.31	54.99	110.80	55.81	Peak
7	5875.000	45.38	9.43	54.81	105.20	50.39	Peak
8	5925.000	45.81	9.83	55.64	68.20	12.56	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ac80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.42	9.61	54.03	68.20	14.17	Peak
2	5700.000	46.57	9.42	55.99	105.20	49.21	Peak
3	5720.000	45.79	9.41	55.20	110.80	55.60	Peak
4	5725.000	46.95	9.40	56.35	122.20	65.85	Peak
5	5850.000	46.62	9.27	55.89	122.20	66.31	Peak
6	5855.000	45.32	9.31	54.63	110.80	56.17	Peak
7	5875.000	45.47	9.43	54.90	105.20	50.30	Peak
8	5925.000	44.56	9.83	54.39	68.20	13.81	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.57	9.61	54.18	68.20	14.02	Peak
2	5700.000	44.16	9.42	53.58	105.20	51.62	Peak
3	5720.000	44.63	9.41	54.04	110.80	56.76	Peak
4	5725.000	46.22	9.40	55.62	122.20	66.58	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 Low Channel 5745MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.26	9.61	52.87	68.20	15.33	Peak
2	5700.000	43.54	9.42	52.96	105.20	52.24	Peak
3	5720.000	43.79	9.41	53.20	110.80	57.60	Peak
4	5725.000	44.17	9.40	53.57	122.20	68.63	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	43.98	9.27	53.25	122.20	68.95	Peak
2	5855.000	44.13	9.31	53.44	110.80	57.36	Peak
3	5875.000	43.92	9.43	53.35	105.20	51.85	Peak
4	5925.000	43.60	9.83	53.43	68.20	14.77	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax20 High Channel 5825MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.72	9.27	53.99	122.20	68.21	Peak
2	5855.000	44.78	9.31	54.09	110.80	56.71	Peak
3	5875.000	44.19	9.43	53.62	105.20	51.58	Peak
4	5925.000	43.69	9.83	53.52	68.20	14.68	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.49	9.61	53.10	68.20	15.10	Peak
2	5700.000	44.37	9.42	53.79	105.20	51.41	Peak
3	5720.000	46.42	9.41	55.83	110.80	54.97	Peak
4	5725.000	49.17	9.40	58.57	122.20	63.63	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 Low Channel 5755MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.85	9.61	53.46	68.20	14.74	Peak
2	5700.000	44.20	9.42	53.62	105.20	51.58	Peak
3	5720.000	44.34	9.41	53.75	110.80	57.05	Peak
4	5725.000	44.03	9.40	53.43	122.20	68.77	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.19	9.27	54.46	122.20	67.74	Peak
2	5855.000	45.00	9.31	54.31	110.80	56.49	Peak
3	5875.000	45.32	9.43	54.75	105.20	50.45	Peak
4	5925.000	44.41	9.83	54.24	68.20	13.96	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao Zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax40 High Channel 5795MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.60	9.27	53.87	122.20	68.33	Peak
2	5855.000	45.01	9.31	54.32	110.80	56.48	Peak
3	5875.000	45.00	9.43	54.43	105.20	50.77	Peak
4	5925.000	44.04	9.83	53.87	68.20	14.33	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.61	9.61	53.22	68.20	14.98	Peak
2	5700.000	45.84	9.42	55.26	105.20	49.94	Peak
3	5720.000	45.94	9.41	55.35	110.80	55.45	Peak
4	5725.000	47.43	9.40	56.83	122.20	65.37	Peak
5	5850.000	44.54	9.27	53.81	122.20	68.39	Peak
6	5855.000	44.98	9.31	54.29	110.80	56.51	Peak
7	5875.000	44.57	9.43	54.00	105.20	51.20	Peak
8	5925.000	44.04	9.83	53.87	68.20	14.33	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax80 Middle Channel 5775MHz Band 4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.54	9.61	53.15	68.20	15.05	Peak
2	5700.000	44.45	9.42	53.87	105.20	51.33	Peak
3	5720.000	45.12	9.41	54.53	110.80	56.27	Peak
4	5725.000	45.48	9.40	54.88	122.20	67.32	Peak
5	5850.000	44.69	9.27	53.96	122.20	68.24	Peak
6	5855.000	43.95	9.31	53.26	110.80	57.54	Peak
7	5875.000	44.49	9.43	53.92	105.20	51.28	Peak
8	5925.000	44.44	9.83	54.27	68.20	13.93	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 High Channel 5670MHz Band 3




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5725.000	44.39	9.40	53.79	68.20	14.41	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Horizontal
 Note: ax20 RU26-0 Low Channel 5745MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBUV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.39	9.61	54.00	68.20	14.20	Peak
2	5700.000	44.54	9.42	53.96	105.20	51.24	Peak
3	5720.000	43.94	9.41	53.35	110.80	57.45	Peak
4	5725.000	44.28	9.40	53.68	122.20	68.52	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax20 RU26-0 Low Channel 5745MHz Band4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Detector
1	5650.000	43.76	9.61	53.37	68.20	14.83	Peak
2	5700.000	43.88	9.42	53.30	105.20	51.90	Peak
3	5720.000	43.45	9.41	52.86	110.80	57.94	Peak
4	5725.000	44.95	9.40	54.35	122.20	67.85	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax20 RU26-0 High Channel 5825MHz Band4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	45.39	9.27	54.66	122.20	67.54	Peak
2	5855.000	44.77	9.31	54.08	110.80	56.72	Peak
3	5875.000	44.88	9.43	54.31	105.20	50.89	Peak
4	5925.000	43.92	9.83	53.75	68.20	14.45	Peak