



Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax20 RU26-0 High Channel 5825MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.70	9.27	53.97	122.20	68.23	Peak
2	5855.000	44.37	9.31	53.68	110.80	57.12	Peak
3	5875.000	45.25	9.43	54.68	105.20	50.52	Peak
4	5925.000	44.58	9.83	54.41	68.20	13.79	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 Low Channel 5755MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.65	9.61	53.26	68.20	14.94	Peak
2	5700.000	44.65	9.42	54.07	105.20	51.13	Peak
3	5720.000	44.85	9.41	54.26	110.80	56.54	Peak
4	5725.000	44.63	9.40	54.03	122.20	68.17	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax40 RU26-0 Low Channel 5755MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	43.57	9.61	53.18	68.20	15.02	Peak
2	5700.000	44.47	9.42	53.89	105.20	51.31	Peak
3	5720.000	43.95	9.41	53.36	110.80	57.44	Peak
4	5725.000	44.65	9.40	54.05	122.20	68.15	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax40 RU26-0 High Channel 5795MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	44.39	9.27	53.66	122.20	68.54	Peak
2	5855.000	44.93	9.31	54.24	110.80	56.56	Peak
3	5875.000	44.09	9.43	53.52	105.20	51.68	Peak
4	5925.000	44.53	9.83	54.36	68.20	13.84	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Vertical
Note: ax40 RU26-0 High Channel 5795MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5850.000	43.92	9.27	53.19	122.20	69.01	Peak
2	5855.000	44.59	9.31	53.90	110.80	56.90	Peak
3	5875.000	45.21	9.43	54.64	105.20	50.56	Peak
4	5885.346	46.18	9.50	55.68	97.52	41.84	Peak
5	5925.000	43.98	9.83	53.81	68.20	14.39	Peak

Project No.: 2403Z104805E-RF
Tester: Tao zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: Horizontal
Note: ax80 RU26-0 Middle Channel 5775MHz Band4



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.73	9.61	54.34	68.20	13.86	Peak
2	5700.000	45.38	9.42	54.80	105.20	50.40	Peak
3	5720.000	46.75	9.41	56.16	110.80	54.64	Peak
4	5725.000	46.11	9.40	55.51	122.20	66.69	Peak
5	5850.000	44.99	9.27	54.26	122.20	67.94	Peak
6	5855.000	45.35	9.31	54.66	110.80	56.14	Peak
7	5875.000	45.31	9.43	54.74	105.20	50.46	Peak
8	5925.000	45.21	9.83	55.04	68.20	13.16	Peak

Project No.: 2403Z104805E-RF
 Tester: Tao zhu
 Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
 Polarization: Vertical
 Note: ax80 RU26-0 Middle Channel 5775MHz Band4




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5650.000	44.13	9.61	53.74	68.20	14.46	Peak
2	5700.000	44.92	9.42	54.34	105.20	50.86	Peak
3	5720.000	48.78	9.41	58.19	110.80	52.61	Peak
4	5725.000	47.06	9.40	56.46	122.20	65.74	Peak
5	5850.000	44.96	9.27	54.23	122.20	67.97	Peak
6	5855.000	45.01	9.31	54.32	110.80	56.48	Peak
7	5875.000	44.45	9.43	53.88	105.20	51.32	Peak
8	5925.000	44.94	9.83	54.77	68.20	13.43	Peak


Worst radiation spurious emissions margin test plots for each mode

Note: for 18 – 40 GHz range, only report the worst case mode


Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5240MHz Band 1



Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5240MHz Band 1




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.69	14.13	47.82	68.20	20.38	Peak
2	15720.000	37.95	16.08	54.03	74.00	19.97	Peak
3	15720.000	25.34	16.08	41.42	54.00	12.58	Average
4	17752.800	33.94	25.84	59.78	74.00	14.22	Peak
5	17752.800	21.82	25.84	47.66	54.00	6.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: a High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.50	14.13	47.63	68.20	20.57	Peak
2	15720.000	38.11	16.08	54.19	74.00	19.81	Peak
3	15720.000	26.30	16.08	42.38	54.00	11.62	Average
4	17738.400	33.76	25.86	59.62	74.00	14.38	Peak
5	17738.400	21.80	25.86	47.66	54.00	6.34	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5802.000	35.38	9.54	44.92	68.20	23.28	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5801.000	34.73	9.55	44.28	68.20	23.92	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.09	14.13	47.22	68.20	20.98	Peak
2	15720.000	37.38	16.08	53.46	74.00	20.54	Peak
3	15720.000	25.36	16.08	41.44	54.00	12.56	Average
4	17659.200	34.25	25.31	59.56	68.20	8.64	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n20 High Channel 5240MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.84	14.13	47.97	68.20	20.23	Peak
2	15720.000	37.36	16.08	53.44	74.00	20.56	Peak
3	15720.000	25.11	16.08	41.19	54.00	12.81	Average
4	17779.200	33.96	25.80	59.76	74.00	14.24	Peak
5	17779.200	21.59	25.80	47.39	54.00	6.61	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5554.000	34.56	10.05	44.61	68.20	23.59	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5964.000	33.85	10.12	43.97	68.20	24.23	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10460.000	33.21	14.00	47.21	68.20	20.99	Peak
2	15690.000	37.56	15.99	53.55	74.00	20.45	Peak
3	15690.000	25.46	15.99	41.45	54.00	12.55	Average
4	17664.000	34.33	25.39	59.72	68.20	8.48	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: n40 High Channel 5230MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10460.000	33.06	14.00	47.06	68.20	21.14	Peak
2	15690.000	37.18	15.99	53.17	74.00	20.83	Peak
3	15690.000	25.33	15.99	41.32	54.00	12.68	Average
4	17664.000	33.97	25.39	59.36	68.20	8.84	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5809.000	34.68	9.50	44.18	68.20	24.02	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5826.000	35.39	9.41	44.80	68.20	23.40	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10420.000	33.65	13.74	47.39	68.20	20.81	Peak
2	15630.000	36.60	16.37	52.97	74.00	21.03	Peak
3	15630.000	24.28	16.37	40.65	54.00	13.35	Average
4	17637.600	34.69	25.00	59.69	68.20	8.51	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ac80 Middle Channel 5210MHz Band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10420.000	33.35	13.74	47.09	68.20	21.11	Peak
2	15630.000	37.79	16.37	54.16	74.00	19.84	Peak
3	15630.000	25.36	16.37	41.73	54.00	12.27	Average
4	17724.000	34.26	25.87	60.13	74.00	13.87	Peak
5	17724.000	21.72	25.87	47.59	54.00	6.41	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5240MHz band 1




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5240MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5797.000	34.59	9.54	44.13	68.20	24.07	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 High Channel 5240MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.25	14.13	47.38	68.20	20.82	Peak
2	15720.000	37.36	16.08	53.44	74.00	20.56	Peak
3	15720.000	25.41	16.08	41.49	54.00	12.51	Average
4	17666.400	33.81	25.42	59.23	68.20	8.97	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 High Channel 5240MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.41	14.13	47.54	68.20	20.66	Peak
2	15720.000	37.69	16.08	53.77	74.00	20.23	Peak
3	15720.000	25.45	16.08	41.53	54.00	12.47	Average
4	17757.600	33.42	25.83	59.25	74.00	14.75	Peak
5	17757.600	21.75	25.83	47.58	54.00	6.42	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5230MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5935.000	34.41	9.92	44.33	68.20	23.87	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5230MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5934.000	35.01	9.92	44.93	68.20	23.27	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 High Channel 5230MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10460.000	33.17	14.00	47.17	68.20	21.03	Peak
2	15690.000	37.45	15.99	53.44	74.00	20.56	Peak
3	15690.000	25.25	15.99	41.24	54.00	12.76	Average
4	17935.200	34.54	25.57	60.11	74.00	13.89	Peak
5	17935.200	22.01	25.57	47.58	54.00	6.42	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax40 High Channel 5230MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10460.000	33.26	14.00	47.26	68.20	20.94	Peak
2	15690.000	37.36	15.99	53.35	74.00	20.65	Peak
3	15690.000	25.18	15.99	41.17	54.00	12.83	Average
4	17772.000	33.24	25.82	59.06	74.00	14.94	Peak
5	17772.000	22.00	25.82	47.82	54.00	6.18	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 Middle Channel 5210MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5936.000	33.88	9.92	43.80	68.20	24.40	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 Middle Channel 5210MHz band 1




Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax80 Middle Channel 5210MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10420.000	33.55	13.74	47.29	68.20	20.91	Peak
2	15630.000	36.53	16.37	52.90	74.00	21.10	Peak
3	15630.000	24.73	16.37	41.10	54.00	12.90	Average
4	17637.600	34.28	25.00	59.28	68.20	8.92	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax80 Middle Channel 5210MHz band 1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10420.000	33.34	13.74	47.08	68.20	21.12	Peak
2	15630.000	37.11	16.37	53.48	74.00	20.52	Peak
3	15630.000	25.66	16.37	42.03	54.00	11.97	Average
4	17757.600	33.02	25.83	58.85	74.00	15.15	Peak
5	17757.600	21.38	25.83	47.21	54.00	6.79	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 RU26-0 High Channel 5240MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5933.000	34.00	9.90	43.90	68.20	24.30	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5240MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5954.000	34.00	10.07	44.07	68.20	24.13	Peak

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax20 RU26-0 High Channel 5240MHz Band1




No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	33.63	14.13	47.76	68.20	20.44	Peak
2	15720.000	37.59	16.08	53.67	74.00	20.33	Peak
3	15720.000	25.69	16.08	41.77	54.00	12.23	Average
4	17752.800	33.72	25.84	59.56	74.00	14.44	Peak
5	17752.800	21.85	25.84	47.69	54.00	6.31	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: vertical
Note: ax20 RU26-0 High Channel 5240MHz Band1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	10480.000	34.10	14.13	48.23	68.20	19.97	Peak
2	15720.000	37.57	16.08	53.65	74.00	20.35	Peak
3	15720.000	25.49	16.08	41.57	54.00	12.43	Average
4	17776.800	33.42	25.80	59.22	74.00	14.78	Peak
5	17776.800	21.84	25.80	47.64	54.00	6.36	Average

Project No.: 2403Z104805E-RF
Tester: Tao Zhu
Condition: RBW:1000 kHz VBW:3000 kHz SWT:0.3 sec
Polarization: horizontal
Note: ax40 RU26-0 High Channel 5230MHz Band1



No.	Frequency (MHz)	Reading (dBμV)	Factor (dB/m)	Result (dBμV/m)	Limit (dBμV/m)	Margin (dB)	Detector
1	5973.000	34.58	10.16	44.74	68.20	23.46	Peak