
























Report No.: WSCT-ANAB-R&E260200024A-Wi-Fi2 Issued Date: 09 April 2026



ANT2


















































































7.8 FREQUENCY STABILITY

Product:	EUT-Sample	Test Item:	Frequency Stability
Temperature:	25 °C	Humidity:	56%RH
Test Voltage:	DC 3.82V	Test Result:	PASS

Mode	Frequency (MHz)	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
a	5180	5179.94	-60000	-11.58	25	Pass
a	5240	5239.92	-80000	-15.27	25	Pass
a	5260	5259.92	-80000	-15.21	25	Pass
a	5320	5319.92	-80000	-15.04	25	Pass
a	5500	5499.92	-80000	-14.55	25	Pass
a	5700	5699.94	-60000	-10.53	25	Pass
a	5745	5744.92	-80000	-13.93	25	Pass
a	5825	5824.92	-80000	-13.73	25	Pass
n20	5180	5179.94	-60000	-11.58	25	Pass
n20	5240	5239.92	-80000	-15.27	25	Pass
n20	5260	5259.92	-80000	-15.21	25	Pass
n20	5320	5319.92	-80000	-15.04	25	Pass
n20	5500	5499.94	-60000	-10.91	25	Pass
n20	5700	5699.94	-60000	-10.53	25	Pass
n20	5745	5744.94	-60000	-10.44	25	Pass
n20	5825	5824.92	-80000	-13.73	25	Pass
n40	5190	5190	0	0	25	Pass
n40	5230	5229.96	-40000	-7.65	25	Pass
n40	5270	5269.92	-80000	-15.18	25	Pass
n40	5310	5309.92	-80000	-15.07	25	Pass
n40	5510	5509.92	-80000	-14.52	25	Pass
n40	5670	5669.92	-80000	-14.11	25	Pass
n40	5755	5754.92	-80000	-13.9	25	Pass
n40	5795	5794.88	-120000	-20.71	25	Pass
ac20	5180	5179.94	-60000	-11.58	25	Pass
ac20	5240	5239.94	-60000	-11.45	25	Pass
ac20	5260	5259.96	-40000	-7.6	25	Pass
ac20	5320	5319.9	-100000	-18.8	25	Pass
ac20	5500	5499.94	-60000	-10.91	25	Pass
ac20	5700	5699.92	-80000	-14.04	25	Pass
ac20	5745	5744.92	-80000	-13.93	25	Pass
ac20	5825	5824.94	-60000	-10.3	25	Pass
ac40	5190	5189.96	-40000	-7.71	25	Pass
ac40	5230	5229.96	-40000	-7.65	25	Pass
ac40	5270	5269.96	-40000	-7.59	25	Pass
ac40	5310	5309.92	-80000	-15.07	25	Pass
ac40	5510	5509.92	-80000	-14.52	25	Pass
ac40	5670	5669.96	-40000	-7.05	25	Pass
ac40	5755	5754.92	-80000	-13.9	25	Pass
ac40	5795	5794.96	-40000	-6.9	25	Pass
ac80	5210	5209.92	-80000	-15.36	25	Pass
ac80	5290	5289.92	-80000	-15.12	25	Pass
ac80	5530	5529.92	-80000	-14.47	25	Pass
ac80	5610	5609.92	-80000	-14.26	25	Pass
ac80	5775	5774.92	-80000	-13.85	25	Pass

