Appendix F3

Test Information:

Sample No.:	3DDN-3	Test Date:	2025/12/16~2026/01/06
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jojo Zhou	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	20.2-26.1	Relative Humidity: (%)	34-55	ATM Pressure: (kPa)	101.1-102.2

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A
Micro-Coax	Coaxial Cable	UFB205A	323308-024	2025/6/1	2026/5/31
Eastsheep	Coaxial Attenuator	2W-SMA-JK-6G-10dB	F-08-EM510	2025/6/6	2026/6/5
Anritsu	Radio Communication Test Station	MT8000A	6272709229	2025/09/21	2026/09/20
R&S	Spectrum Analyzer	FSV40	101636	2025/7/28	2026/7/27
HP	Coaxial Divider	11636B	56199	2025/9/10	2026/9/9

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

Peak-to-average Ratio(PAR)

FCC Part 96

n77_2

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB24@0	7.48	13	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	7.04	13	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	7.80	13	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	8.61	13	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	8.41	13	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	8.43	13	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	8.46	13	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	8.41	13	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	8.49	13	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB36@0	8.46	13	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	8.67	13	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	7.65	13	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	8.49	13	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	8.35	13	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	8.29	13	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	11.45	13	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	8.46	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	10.17	13	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB50@0	8.35	13	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	8.52	13	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	8.46	13	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	7.91	13	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	12	13	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	9.51	13	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	8.43	13	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	8.52	13	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	8.46	13	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB75@0	4.99	13	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	7.83	13	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	8.58	13	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	8.41	13	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	12.75	13	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	12.06	13	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	11.16	13	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	9.91	13	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	8.58	13	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB100@0	4.99	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	8.17	13	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	8.52	13	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	11.83	13	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	9.33	13	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	9.91	13	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	8.46	13	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	8.55	13	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	8.38	13	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB128@0	8.29	13	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	6.84	13	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	8.52	13	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	8.84	13	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	8.46	13	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	8.41	13	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	8.41	13	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	9.91	13	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	8.55	13	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB162@0	7.94	13	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	7.45	13	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	8.64	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	8.52	13	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	8.32	13	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	9.97	13	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	8.46	13	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	8.43	13	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	12.81	13	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB180@0	8.43	13	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	8.46	13	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	8.49	13	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	8.67	13	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	9.59	13	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	10.38	13	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	8.46	13	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	8.41	13	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	8.46	13	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB216@0	8.46	13	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	8.38	13	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	9.77	13	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	12.12	13	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	8.58	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	10.99	13	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	8.35	13	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	12.03	13	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	10.12	13	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB243@0	8.43	13	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	12.03	13	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	8.52	13	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	8.32	13	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	8.41	13	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	8.32	13	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	9.83	13	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	10.87	13	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	8.41	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB270@0	9.77	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	8.58	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	9.04	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	11.16	13	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	8.41	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	8.46	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	8.41	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	8.46	13	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	8.46	13	Pass

n78_2

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB24@0	8.43	13	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	7.36	13	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	8.41	13	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	8.38	13	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	8.41	13	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	8.43	13	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	10.72	13	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	8.41	13	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	8.35	13	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB36@0	9.16	13	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	6.93	13	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	8.38	13	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	8.32	13	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	8.32	13	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	8.49	13	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	8.43	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	10.75	13	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	8.52	13	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB50@0	9.01	13	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	6.93	13	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	10.29	13	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	7.88	13	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	8.38	13	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	11.33	13	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	12.26	13	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	8.43	13	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	8.46	13	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB75@0	4.87	13	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	6.29	13	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	8.26	13	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	8.64	13	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	8.41	13	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	8.49	13	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	8.49	13	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	12.43	13	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	8.55	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB100@0	8.52	13	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	8.32	13	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	8.52	13	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	11.83	13	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	9.10	13	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	8.41	13	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	8.35	13	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	8.41	13	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	11.68	13	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB128@0	12	13	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	8.09	13	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	8.55	13	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	9.22	13	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	8.41	13	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	11.22	13	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	12.58	13	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	8.52	13	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	8.43	13	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB162@0	8.43	13	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	8.61	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	8.46	13	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	8.41	13	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	8.43	13	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	8.49	13	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	8.41	13	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	8.46	13	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	12.20	13	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB180@0	5.62	13	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	8.43	13	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	8.52	13	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	8.49	13	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	8.46	13	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	10.70	13	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	8.46	13	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	8.41	13	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	8.43	13	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB216@0	6.64	13	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	8.23	13	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	8.46	13	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	8.49	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	8.32	13	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	9.88	13	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	11.48	13	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	8.43	13	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	8.61	13	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB243@0	8.41	13	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	8.46	13	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	8.49	13	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	8.55	13	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	9.10	13	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	9.80	13	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	8.41	13	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	8.49	13	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	11.62	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM π/2 BPSK_RB270@0	6.99	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	8.55	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	8.43	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	9.13	13	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	8.38	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	9.86	13	Pass

Mode	Result (dB)	Limit (dB)	Verdict
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	8.32	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	8.43	13	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	9.86	13	Pass