






REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:





COMPANY: TRANSSION TOP SECRET				MODEL: H8022	Modified Date: 2018/1/12
DRAWN	YQY	DATED	< >	TITLE: 1_RF_TXM_2G	VERSION: V1.0
CHECKED	< >	DATED	< >		
					SHEET: 1 OF 15


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



	MODE \ Logic	DCXO_32K_EN	XMODE	VXODIG
	VCTCXO	0(GND)	0(GND)	1(VIO18)
	DCXO + 32K XO	0(GND)	1(VIO18)	1(VIO18)
default	DCXO + 32K-Less	1(VTXCO28)	1(VTXCO28)	1(VTXCO28)




```
(BPBIBUS11, BPBIBUS10, PWRA_SPI0_CSN)
(0, x, x) : eMMC
(1, 0, 1) : LPDDR2 SLC Nand
(1, 0, 0) : LPDDR2 MLC Nand
(1, 1, 0) : Legacy Nand
(1, 1, 1) : Toggle/ONFI/TLC Nand
```



b= 4250



COMPANY: TRANSSION TOP SECRET				MODEL: H8022	Modified Date: 2018/1/12
DRAWN	YQY	DATED	< >	TITLE: 2_RF_WCDMA	VERSION: V1.0
CHECKED	< >	DATED	< >		
				SHEET: 2 OF 15	

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



COMPANY: TRANSSION TOP SECRET				MODEL: H8022	Modified Date: 2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 5_BB_3	VERSION: V1.0	SHEET: 5 OF 15
CHECKED	< >	DATED	< >			

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




BATTERY CONNECTOR

COMPANY: TRANSSION TOP SECRET				MODEL: H8022	Modified Date: 2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 7_BAT_SWCHR	VERSION: V1.0	SHEET: 7 OF 15
CHECKED	< >	DATED	< >			

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


MICOPHONE

Close to PMU




RECEIVER

Close to Receiver





HEADSET RECEIVER


close to IC



3.5mm Audio Jack



HEADSET MIC





Close to PMU

COMPANY:				MODEL:		Modified Date:	
TRANSSION TOP SECRET				H8022		2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 10_AUDIO		VERSION: V1.0	SHEET: 10 OF 15
CHECKED	< >	DATED	< >				

LTR	ECO NO:	APPROVED:	DATE

Speaker






Fingersensor


COMPANY: TRANSSION TOP SECRET				MODEL: H8022		Modified Date: 2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 11_SPK_FS		VERSION: V1.0	SHEET: 11 OF 15
CHECKED	< >	DATED	< >				

REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:


KEYPAD



G-Sensor MXC4005 I2C ADDRESS:0x2AH(write) 0x2BH(read)




NTC




R6316 close to BB ,and located in the same layer

COMPANY:				MODEL:		Modified Date:	
TRANSSION TOP SECRET				H8022		2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 12_KEY_SENSORS		VERSION: V1.0	SHEET: 12 OF 15
CHECKED	< >	DATED	< >				


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:



LCD_BACKLIGHT




CTP




LCD_INTERFACE

COMPANY: TRANSSION TOP SECRET				MODEL: H8022		Modified Date: 2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 13_LCD_CTP		VERSION: V1.0	SHEET: 13 OF 15
CHECKED	< >	DATED	< >				


REVISION RECORD			
LTR	ECO NO:	APPROVED:	DATE:




SIM1 SOCKET





T_FLASH



SIM2 SOCKET



DRILL10 1 ⌀ DRILL8 1 ⌀ DRILL12 1 ⌀ DRILL13 1 ⌀ DRILL14 1 ⌀
DRILL_1.2_UP DRILL_2.8_UP DRILL_0.9_UP DRILL_0.8_UP DRILL_0.8_UP



MARK5 1 ⌀ FIDUCIAL MARK8 1 ⌀ FIDUCIAL

MARK6 1 ⌀ SN_S LOGO1 1 ⌀ ITEL-3.5H

COMPANY: TRANSSION TOP SECRET				MODEL: H8022	Modified Date: 2018/1/12	
DRAWN	YQY	DATED	< >	TITLE: 15_SIM_T_FLASH	VERSION: V1.0	SHEET: 15 OF 15
CHECKED	< >	DATED	< >			