







-26dB Bandwidth ac20 5260MHz







-26dB Bandwidth ac20 5320MHz






































### -26dB Bandwidth ax40 5270MHz




### -26dB Bandwidth ax40 5310MHz




### -26dB Bandwidth ax40 5510MHz




### -26dB Bandwidth ax40 5670MHz





### -26dB Bandwidth ax80 5210MHz




### -26dB Bandwidth ax80 5290MHz





### -26dB Bandwidth ax160 5250MHz




### -26dB Bandwidth ax160 5570MHz






## Test Graphs



### -6dB Bandwidth a 5745MHz




### -6dB Bandwidth a 5825MHz












-6dB Bandwidth ac20 5745MHz




-6dB Bandwidth ac20 5825MHz










### -6dB Bandwidth ax20 5825MHz



### -6dB Bandwidth ax40 5755MHz





## 7.5 MAXIMUM CONDUCTED (AVERAGE) OUTPUT POWER

|              |                   |             |                   |
|--------------|-------------------|-------------|-------------------|
| Product      | : Laptop Computer | Test Mode   | : See Section 3.4 |
| Test Item    | : Average Power   | Temperature | : 25 °C           |
| Test Voltage | : DC 11.55V       | Humidity    | : 56%RH           |
| Test Result  | : PASS            |             |                   |

Total Power(dBm)= Conducted Power+ Duty Factor

### Ant1

| Mode | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a    | 5180            | 12.94                 | 4.70             | 17.64             | 24          | Pass    |
| a    | 5240            | 13.57                 | 4.72             | 18.29             | 24          | Pass    |
| a    | 5260            | 13.62                 | 4.65             | 18.27             | 24          | Pass    |
| a    | 5320            | 13.28                 | 4.65             | 17.93             | 24          | Pass    |
| a    | 5500            | 13.04                 | 4.62             | 17.66             | 24          | Pass    |
| a    | 5700            | 13.46                 | 4.62             | 18.08             | 24          | Pass    |
| a    | 5745            | 13.65                 | 4.65             | 18.30             | 30          | Pass    |
| a    | 5825            | 14.09                 | 4.62             | 18.71             | 30          | Pass    |
| n20  | 5180            | 12.20                 | 4.90             | 17.10             | 24          | Pass    |
| n20  | 5240            | 12.28                 | 5.00             | 17.28             | 24          | Pass    |
| n20  | 5260            | 11.92                 | 4.90             | 16.82             | 24          | Pass    |
| n20  | 5320            | 12.10                 | 5.00             | 17.10             | 24          | Pass    |
| n20  | 5500            | 11.85                 | 4.98             | 16.83             | 24          | Pass    |
| n20  | 5700            | 12.31                 | 4.90             | 17.21             | 24          | Pass    |
| n20  | 5745            | 11.48                 | 5.00             | 16.48             | 30          | Pass    |
| n20  | 5825            | 12.75                 | 4.93             | 17.68             | 30          | Pass    |
| n40  | 5190            | 10.53                 | 6.52             | 17.05             | 24          | Pass    |
| n40  | 5230            | 11.11                 | 6.52             | 17.63             | 24          | Pass    |
| n40  | 5270            | 11.12                 | 6.52             | 17.64             | 24          | Pass    |
| n40  | 5310            | 9.87                  | 6.52             | 16.39             | 24          | Pass    |
| n40  | 5510            | 10.28                 | 6.52             | 16.80             | 24          | Pass    |
| n40  | 5670            | 11.29                 | 6.57             | 17.86             | 24          | Pass    |
| n40  | 5755            | 11.17                 | 6.53             | 17.70             | 30          | Pass    |
| n40  | 5795            | 11.34                 | 6.57             | 17.91             | 30          | Pass    |
| ac20 | 5180            | 11.20                 | 6.19             | 17.39             | 24          | Pass    |
| ac20 | 5240            | 10.71                 | 6.19             | 16.90             | 24          | Pass    |
| ac20 | 5260            | 11.07                 | 6.23             | 17.30             | 24          | Pass    |
| ac20 | 5320            | 10.76                 | 6.19             | 16.95             | 24          | Pass    |
| ac20 | 5500            | 10.44                 | 6.19             | 16.63             | 24          | Pass    |
| ac20 | 5700            | 10.80                 | 6.19             | 16.99             | 24          | Pass    |
| ac20 | 5745            | 11.05                 | 6.19             | 17.24             | 30          | Pass    |
| ac20 | 5825            | 10.52                 | 6.19             | 16.71             | 30          | Pass    |
| ac40 | 5190            | 10.54                 | 7.36             | 17.90             | 24          | Pass    |
| ac40 | 5230            | 10.19                 | 7.42             | 17.61             | 24          | Pass    |
| ac40 | 5270            | 10.06                 | 7.36             | 17.42             | 24          | Pass    |
| ac40 | 5310            | 9.76                  | 7.36             | 17.12             | 24          | Pass    |
| ac40 | 5510            | 9.36                  | 7.36             | 16.72             | 24          | Pass    |
| ac40 | 5670            | 10.17                 | 7.36             | 17.53             | 24          | Pass    |
| ac40 | 5755            | 9.99                  | 7.36             | 17.35             | 30          | Pass    |
| ac40 | 5795            | 9.78                  | 7.42             | 17.20             | 30          | Pass    |
| ac80 | 5210            | 8.92                  | 8.42             | 17.34             | 24          | Pass    |
| ac80 | 5290            | 8.47                  | 8.42             | 16.89             | 24          | Pass    |
| ac80 | 5530            | 8.58                  | 8.42             | 17.00             | 24          | Pass    |
| ac80 | 5610            | 9.22                  | 8.45             | 17.67             | 24          | Pass    |
| ac80 | 5775            | 7.91                  | 6.28             | 14.19             | 30          | Pass    |
| ax20 | 5180            | 13.57                 | 5.06             | 18.63             | 24          | Pass    |
| ax20 | 5240            | 13.54                 | 5.03             | 18.57             | 24          | Pass    |
| ax20 | 5260            | 13.66                 | 4.95             | 18.61             | 24          | Pass    |
| ax20 | 5320            | 13.13                 | 5.06             | 18.19             | 24          | Pass    |
| ax20 | 5500            | 13.22                 | 5.06             | 18.28             | 24          | Pass    |
| ax20 | 5700            | 13.21                 | 5.03             | 18.24             | 24          | Pass    |
| ax20 | 5745            | 13.33                 | 5.05             | 18.38             | 30          | Pass    |
| ax20 | 5825            | 12.98                 | 5.06             | 18.04             | 30          | Pass    |
| ax40 | 5190            | 14.06                 | 5.26             | 19.32             | 24          | Pass    |
| ax40 | 5230            | 13.13                 | 5.33             | 18.46             | 24          | Pass    |

Report No.: WSCT-ANAB-R&amp;E250700057A-Wi-Fi2

Issued Date: 14 August 2025

Revised: None

|       |      |       |      |       |    |      |
|-------|------|-------|------|-------|----|------|
| ax40  | 5270 | 13.64 | 5.40 | 19.04 | 24 | Pass |
| ax40  | 5310 | 13.54 | 5.26 | 18.80 | 24 | Pass |
| ax40  | 5510 | 13.36 | 5.33 | 18.69 | 24 | Pass |
| ax40  | 5670 | 14.03 | 5.33 | 19.36 | 24 | Pass |
| ax40  | 5755 | 14.08 | 5.26 | 19.34 | 30 | Pass |
| ax40  | 5795 | 14.28 | 5.31 | 19.59 | 30 | Pass |
| ax80  | 5210 | 13.11 | 5.89 | 19.00 | 24 | Pass |
| ax80  | 5290 | 12.78 | 5.83 | 18.61 | 24 | Pass |
| ax80  | 5530 | 12.82 | 5.89 | 18.71 | 24 | Pass |
| ax80  | 5610 | 13.59 | 5.88 | 19.47 | 24 | Pass |
| ax80  | 5775 | 13.35 | 5.82 | 19.17 | 30 | Pass |
| ax160 | 5250 | 11.16 | 6.81 | 17.97 | 24 | Pass |
| ax160 | 5570 | 11.6  | 6.79 | 18.39 | 24 | Pass |



## Ant2



| Mode  | Frequency (MHz) | Conducted Power (dBm) | Duty Factor (dB) | Total Power (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|-----------------------|------------------|-------------------|-------------|---------|
| a     | 5180            | 14.17                 | 4.65             | 18.82             | 24          | Pass    |
| a     | 5240            | 13.34                 | 4.65             | 17.99             | 24          | Pass    |
| a     | 5260            | 13.04                 | 4.64             | 17.68             | 24          | Pass    |
| a     | 5320            | 13.25                 | 4.72             | 17.97             | 24          | Pass    |
| a     | 5500            | 12.36                 | 4.65             | 17.01             | 24          | Pass    |
| a     | 5700            | 12.96                 | 4.70             | 17.66             | 24          | Pass    |
| a     | 5745            | 13.17                 | 4.65             | 17.82             | 30          | Pass    |
| a     | 5825            | 13.98                 | 4.72             | 18.70             | 30          | Pass    |
| n20   | 5180            | 12.45                 | 4.93             | 17.38             | 24          | Pass    |
| n20   | 5240            | 12.21                 | 5.00             | 17.21             | 24          | Pass    |
| n20   | 5260            | 12.01                 | 4.93             | 16.94             | 24          | Pass    |
| n20   | 5320            | 11.78                 | 5.00             | 16.78             | 24          | Pass    |
| n20   | 5500            | 11.14                 | 4.93             | 16.07             | 24          | Pass    |
| n20   | 5700            | 11.58                 | 5.00             | 16.58             | 24          | Pass    |
| n20   | 5745            | 11.82                 | 5.00             | 16.82             | 30          | Pass    |
| n20   | 5825            | 13.03                 | 4.93             | 17.96             | 30          | Pass    |
| n40   | 5190            | 11.38                 | 6.52             | 17.90             | 24          | Pass    |
| n40   | 5230            | 11.14                 | 6.52             | 17.66             | 24          | Pass    |
| n40   | 5270            | 12.36                 | 4.91             | 17.27             | 24          | Pass    |
| n40   | 5310            | 10.44                 | 6.57             | 17.01             | 24          | Pass    |
| n40   | 5510            | 11.41                 | 4.91             | 16.32             | 24          | Pass    |
| n40   | 5670            | 10.69                 | 6.53             | 17.22             | 24          | Pass    |
| n40   | 5755            | 10.85                 | 6.52             | 17.37             | 30          | Pass    |
| n40   | 5795            | 10.83                 | 6.52             | 17.35             | 30          | Pass    |
| ac20  | 5180            | 11.37                 | 6.23             | 17.60             | 24          | Pass    |
| ac20  | 5240            | 11.09                 | 6.23             | 17.32             | 24          | Pass    |
| ac20  | 5260            | 10.55                 | 6.23             | 16.78             | 24          | Pass    |
| ac20  | 5320            | 10.65                 | 6.23             | 16.88             | 24          | Pass    |
| ac20  | 5500            | 10.05                 | 6.31             | 16.36             | 24          | Pass    |
| ac20  | 5700            | 10.26                 | 6.23             | 16.49             | 24          | Pass    |
| ac20  | 5745            | 10.60                 | 6.23             | 16.83             | 30          | Pass    |
| ac20  | 5825            | 11.23                 | 6.23             | 17.46             | 30          | Pass    |
| ac40  | 5190            | 10.57                 | 7.36             | 17.93             | 24          | Pass    |
| ac40  | 5230            | 10.29                 | 7.36             | 17.65             | 24          | Pass    |
| ac40  | 5270            | 6.73                  | 6.12             | 12.85             | 24          | Pass    |
| ac40  | 5310            | 9.60                  | 6.02             | 15.62             | 24          | Pass    |
| ac40  | 5510            | 6.69                  | 6.12             | 12.81             | 24          | Pass    |
| ac40  | 5670            | 9.70                  | 7.45             | 17.15             | 24          | Pass    |
| ac40  | 5755            | 9.64                  | 7.41             | 17.05             | 30          | Pass    |
| ac40  | 5795            | 10.09                 | 7.45             | 17.54             | 30          | Pass    |
| ac80  | 5210            | 9.14                  | 8.42             | 17.56             | 24          | Pass    |
| ac80  | 5290            | 8.36                  | 8.39             | 16.75             | 24          | Pass    |
| ac80  | 5530            | 7.81                  | 8.42             | 16.23             | 24          | Pass    |
| ac80  | 5610            | 8.70                  | 8.42             | 17.12             | 24          | Pass    |
| ac80  | 5775            | 8.53                  | 8.54             | 17.07             | 30          | Pass    |
| ax20  | 5180            | 13.97                 | 5.06             | 19.03             | 24          | Pass    |
| ax20  | 5240            | 13.85                 | 5.06             | 18.91             | 24          | Pass    |
| ax20  | 5260            | 13.21                 | 5.06             | 18.27             | 24          | Pass    |
| ax20  | 5320            | 12.98                 | 5.08             | 18.06             | 24          | Pass    |
| ax20  | 5500            | 12.43                 | 5.06             | 17.49             | 24          | Pass    |
| ax20  | 5700            | 12.68                 | 5.06             | 17.74             | 24          | Pass    |
| ax20  | 5745            | 13.08                 | 5.07             | 18.15             | 30          | Pass    |
| ax20  | 5825            | 13.68                 | 5.06             | 18.74             | 30          | Pass    |
| ax40  | 5190            | 14.18                 | 5.30             | 19.48             | 24          | Pass    |
| ax40  | 5230            | 14.45                 | 5.33             | 19.78             | 24          | Pass    |
| ax40  | 5270            | 13.28                 | 5.23             | 18.51             | 24          | Pass    |
| ax40  | 5310            | 13.19                 | 5.26             | 18.45             | 24          | Pass    |
| ax40  | 5510            | 12.29                 | 5.33             | 17.62             | 24          | Pass    |
| ax40  | 5670            | 13.64                 | 5.30             | 18.94             | 24          | Pass    |
| ax40  | 5755            | 13.25                 | 5.26             | 18.51             | 30          | Pass    |
| ax40  | 5795            | 13.57                 | 5.26             | 18.83             | 30          | Pass    |
| ax80  | 5210            | 13.24                 | 5.88             | 19.12             | 24          | Pass    |
| ax80  | 5290            | 12.43                 | 5.87             | 18.30             | 24          | Pass    |
| ax80  | 5530            | 12.07                 | 5.88             | 17.95             | 24          | Pass    |
| ax80  | 5610            | 10.45                 | 6.75             | 17.20             | 24          | Pass    |
| ax80  | 5775            | 10.15                 | 6.74             | 16.89             | 30          | Pass    |
| ax160 | 5250            | 10.23                 | 6.84             | 17.07             | 24          | Pass    |
| ax160 | 5570            | 10.02                 | 6.87             | 16.89             | 24          | Pass    |

### MIMO Mode



| Mode  | Frequency (MHz) | Conducted Power (dBm) | Total Power (dBm) | Limit (dBm) | Verdict |
|-------|-----------------|-----------------------|-------------------|-------------|---------|
| n20   | 5180            | 15.34                 | 20.25             | 24          | Pass    |
| n20   | 5240            | 15.26                 | 20.26             | 24          | Pass    |
| n20   | 5260            | 14.98                 | 19.89             | 24          | Pass    |
| n20   | 5320            | 14.95                 | 19.95             | 24          | Pass    |
| n20   | 5500            | 14.52                 | 19.48             | 24          | Pass    |
| n20   | 5700            | 14.97                 | 19.92             | 24          | Pass    |
| n20   | 5745            | 14.66                 | 19.66             | 30          | Pass    |
| n20   | 5825            | 15.90                 | 20.83             | 30          | Pass    |
| n40   | 5190            | 13.99                 | 20.51             | 24          | Pass    |
| n40   | 5230            | 14.14                 | 20.66             | 24          | Pass    |
| n40   | 5270            | 14.79                 | 20.47             | 24          | Pass    |
| n40   | 5310            | 13.17                 | 19.72             | 24          | Pass    |
| n40   | 5510            | 13.89                 | 19.58             | 24          | Pass    |
| n40   | 5670            | 14.01                 | 20.56             | 24          | Pass    |
| n40   | 5755            | 14.02                 | 20.55             | 30          | Pass    |
| n40   | 5795            | 14.10                 | 20.65             | 30          | Pass    |
| ac20  | 5180            | 14.30                 | 20.51             | 24          | Pass    |
| ac20  | 5240            | 13.91                 | 20.13             | 24          | Pass    |
| ac20  | 5260            | 13.83                 | 20.06             | 24          | Pass    |
| ac20  | 5320            | 13.72                 | 19.93             | 24          | Pass    |
| ac20  | 5500            | 13.26                 | 19.51             | 24          | Pass    |
| ac20  | 5700            | 13.55                 | 19.76             | 24          | Pass    |
| ac20  | 5745            | 13.84                 | 20.05             | 30          | Pass    |
| ac20  | 5825            | 13.90                 | 20.11             | 30          | Pass    |
| ac40  | 5190            | 13.57                 | 20.93             | 24          | Pass    |
| ac40  | 5230            | 13.25                 | 20.64             | 24          | Pass    |
| ac40  | 5270            | 11.72                 | 18.72             | 24          | Pass    |
| ac40  | 5310            | 12.69                 | 19.44             | 24          | Pass    |
| ac40  | 5510            | 11.24                 | 18.20             | 24          | Pass    |
| ac40  | 5670            | 12.95                 | 20.35             | 24          | Pass    |
| ac40  | 5755            | 12.83                 | 20.21             | 30          | Pass    |
| ac40  | 5795            | 12.95                 | 20.38             | 30          | Pass    |
| ac80  | 5210            | 12.04                 | 20.46             | 24          | Pass    |
| ac80  | 5290            | 11.43                 | 19.83             | 24          | Pass    |
| ac80  | 5530            | 11.22                 | 19.64             | 24          | Pass    |
| ac80  | 5610            | 11.98                 | 20.41             | 24          | Pass    |
| ac80  | 5775            | 11.24                 | 18.87             | 30          | Pass    |
| ax20  | 5180            | 16.78                 | 21.84             | 24          | Pass    |
| ax20  | 5240            | 16.71                 | 21.75             | 24          | Pass    |
| ax20  | 5260            | 16.45                 | 21.45             | 24          | Pass    |
| ax20  | 5320            | 16.07                 | 21.14             | 24          | Pass    |
| ax20  | 5500            | 15.85                 | 20.91             | 24          | Pass    |
| ax20  | 5700            | 15.96                 | 21.01             | 24          | Pass    |
| ax20  | 5745            | 16.22                 | 21.28             | 30          | Pass    |
| ax20  | 5825            | 16.35                 | 21.41             | 30          | Pass    |
| ax40  | 5190            | 17.13                 | 22.41             | 24          | Pass    |
| ax40  | 5230            | 16.85                 | 22.18             | 24          | Pass    |
| ax40  | 5270            | 16.47                 | 21.79             | 24          | Pass    |
| ax40  | 5310            | 16.38                 | 21.64             | 24          | Pass    |
| ax40  | 5510            | 15.87                 | 21.20             | 24          | Pass    |
| ax40  | 5670            | 16.85                 | 22.17             | 24          | Pass    |
| ax40  | 5755            | 16.70                 | 21.96             | 30          | Pass    |
| ax40  | 5795            | 16.95                 | 22.24             | 30          | Pass    |
| ax80  | 5210            | 16.19                 | 22.07             | 24          | Pass    |
| ax80  | 5290            | 15.62                 | 21.47             | 24          | Pass    |
| ax80  | 5530            | 15.47                 | 21.36             | 24          | Pass    |
| ax80  | 5610            | 15.31                 | 21.49             | 24          | Pass    |
| ax80  | 5775            | 15.05                 | 21.19             | 30          | Pass    |
| ax160 | 5250            | 13.73                 | 20.55             | 24          | Pass    |
| ax160 | 5570            | 13.89                 | 20.71             | 24          | Pass    |



Ant1



















### Power n20 5745MHz



### Power n20 5825MHz

