



















































PSD ax40 5230MHz




PSD ax40 5270MHz



PSD ax40 5310MHz



PSD ax40 5510MHz







PSD ax40 5670MHz







PSD ax40 5755MHz











Report No.: WSCT-ANAB-R&E250700057A-Wi-Fi2

Issued Date: 14 August 2025

Revised: None

7.7 FREQUENCY STABILITY

Product:	Laptop Computer	Test Item:	Frequency Stability
Temperature:	25 °C	Humidity:	56%RH
Test Voltage:	DC 11.55V	Test Result:	PASS

Mode	Frequency (MHz)	Measured Frequency (MHz)	Frequency Error (Hz)	Deviation (ppm)	Limit (ppm)	Verdict
a	5180	5179.96	-40000	-7.72	25	Pass
a	5240	5239.96	-40000	-7.63	25	Pass
a	5260	5259.96	-40000	-7.6	25	Pass
a	5320	5319.98	-20000	-3.76	25	Pass
a	5500	5499.96	-40000	-7.27	25	Pass
a	5700	5699.96	-40000	-7.02	25	Pass
a	5745	5744.96	-40000	-6.96	25	Pass
a	5825	5824.96	-40000	-6.87	25	Pass
n20	5180	5179.96	-40000	-7.72	25	Pass
n20	5240	5240	0	0	25	Pass
n20	5260	5259.94	-60000	-11.41	25	Pass
n20	5320	5319.96	-40000	-7.52	25	Pass
n20	5500	5499.96	-40000	-7.27	25	Pass
n20	5700	5699.96	-40000	-7.02	25	Pass
n20	5745	5745	0	0	25	Pass
n20	5825	5824.96	-40000	-6.87	25	Pass
n40	5190	5189.96	-40000	-7.71	25	Pass
n40	5230	5230.12	120000	22.94	25	Pass
n40	5270	5270	0	0	25	Pass
n40	5310	5310	0	0	25	Pass
n40	5510	5509.96	-40000	-7.26	25	Pass
n40	5670	5669.96	-40000	-7.05	25	Pass
n40	5755	5754.96	-40000	-6.95	25	Pass
n40	5795	5794.96	-40000	-6.9	25	Pass
ac20	5180	5179.96	-40000	-7.72	25	Pass
ac20	5240	5240	0	0	25	Pass
ac20	5260	5259.96	-40000	-7.6	25	Pass
ac20	5320	5320	0	0	25	Pass
ac20	5500	5499.96	-40000	-7.27	25	Pass
ac20	5700	5699.98	-20000	-3.51	25	Pass
ac20	5745	5744.96	-40000	-6.96	25	Pass
ac20	5825	5824.96	-40000	-6.87	25	Pass
ac40	5190	5189.96	-40000	-7.71	25	Pass
ac40	5230	5229.96	-40000	-7.65	25	Pass
ac40	5270	5269.96	-40000	-7.59	25	Pass
ac40	5310	5310	0	0	25	Pass
ac40	5510	5509.96	-40000	-7.26	25	Pass
ac40	5670	5669.96	-40000	-7.05	25	Pass
ac40	5755	5754.96	-40000	-6.95	25	Pass
ac40	5795	5794.96	-40000	-6.9	25	Pass
ac80	5210	5210.08	80000	15.36	25	Pass
ac80	5290	5289.92	-80000	-15.12	25	Pass
ac80	5530	5530	0	0	25	Pass
ac80	5610	5609.92	-80000	-14.26	25	Pass
ac80	5775	5775.08	80000	13.85	25	Pass
ax20	5180	5179.98	-20000	-3.86	25	Pass
ax20	5240	5239.96	-40000	-7.63	25	Pass
ax20	5260	5259.98	-20000	-3.8	25	Pass
ax20	5320	5319.96	-40000	-7.52	25	Pass
ax20	5500	5499.96	-40000	-7.27	25	Pass
ax20	5700	5699.96	-40000	-7.02	25	Pass
ax20	5745	5744.94	-60000	-10.44	25	Pass
ax20	5825	5824.96	-40000	-6.87	25	Pass
ax40	5190	5189.96	-40000	-7.71	25	Pass
ax40	5230	5229.96	-40000	-7.65	25	Pass
ax40	5270	5269.96	-40000	-7.59	25	Pass
ax40	5310	5310	0	0	25	Pass
ax40	5510	5509.96	-40000	-7.26	25	Pass
ax40	5670	5670	0	0	25	Pass

Report No.: WSCT-ANAB-R&E250700057A-Wi-Fi2


Issued Date: 14 August 2025

Revised: None

ax40	5755	5755	0	0	25	Pass
ax40	5795	5794.96	-40000	-6.9	25	Pass
ax80	5210	5210.08	80000	15.36	25	Pass
ax80	5290	5290	0	0	25	Pass
ax80	5530	5530	0	0	25	Pass
ax80	5610	5610	0	0	25	Pass
ax80	5775	5774.92	-80000	-13.85	25	Pass
ax160	5250	5250	0	0	25	Pass
ax160	5570	5570	0	0	25	Pass

Test Graphs


Freq. Stability a 5180MHz 0 Minutes



Freq. Stability a 5240MHz 0 Minutes




Freq. Stability a 5260MHz 0 Minutes




Freq. Stability a 5320MHz 0 Minutes




Freq. Stability a 5500MHz 0 Minutes




Freq. Stability a 5700MHz 0 Minutes



Freq. Stability a 5745MHz 0 Minutes



Freq. Stability a 5825MHz 0 Minutes



Freq. Stability n20 5180MHz 0 Minutes



Freq. Stability n20 5240MHz 0 Minutes



Freq. Stability n20 5260MHz 0 Minutes



Freq. Stability n20 5320MHz 0 Minutes



Freq. Stability n20 5500MHz 0 Minutes




Freq. Stability n20 5700MHz 0 Minutes



Freq. Stability n20 5745MHz 0 Minutes



Freq. Stability n20 5825MHz 0 Minutes



Freq. Stability n40 5190MHz 0 Minutes



Freq. Stability n40 5230MHz 0 Minutes



Freq. Stability n40 5270MHz 0 Minutes



Freq. Stability n40 5310MHz 0 Minutes



Freq. Stability n40 5510MHz 0 Minutes



Freq. Stability n40 5670MHz 0 Minutes



Freq. Stability n40 5755MHz 0 Minutes



Freq. Stability n40 5795MHz 0 Minutes




Freq. Stability ac20 5180MHz 0 Minutes



Freq. Stability ac20 5240MHz 0 Minutes





Freq. Stability ac20 5260MHz 0 Minutes



Freq. Stability ac20 5320MHz 0 Minutes





Freq. Stability ac20 5745MHz 0 Minutes



Freq. Stability ac20 5825MHz 0 Minutes



Freq. Stability ac40 5190MHz 0 Minutes



Freq. Stability ac40 5230MHz 0 Minutes



Freq. Stability ac40 5270MHz 0 Minutes



Freq. Stability ac40 5310MHz 0 Minutes



Freq. Stability ac40 5510MHz 0 Minutes



Freq. Stability ac40 5670MHz 0 Minutes



Freq. Stability ac40 5755MHz 0 Minutes



Freq. Stability ac40 5795MHz 0 Minutes



Freq. Stability ac80 5210MHz 0 Minutes



Freq. Stability ac80 5290MHz 0 Minutes



Freq. Stability ac80 5530MHz 0 Minutes



Freq. Stability ac80 5610MHz 0 Minutes



Freq. Stability ac80 5775MHz 0 Minutes



Freq. Stability ax20 5180MHz 0 Minutes



Freq. Stability ax20 5240MHz 0 Minutes



Freq. Stability ax20 5260MHz 0 Minutes




Freq. Stability ax20 5320MHz 0 Minutes



Freq. Stability ax20 5500MHz 0 Minutes




Freq. Stability ax20 5700MHz 0 Minutes



Freq. Stability ax20 5745MHz 0 Minutes



Freq. Stability ax20 5825MHz 0 Minutes



Freq. Stability ax40 5190MHz 0 Minutes

