

































































Report No.: WSCT-ANAB-R&E250700063A-Wi-Fi2 Issued: 29 August 2025 Revised: None



-6dB&99% Bandwidth























7.6 MAXIMUM CONDUCTED OUTPUT POWER

Product	: EUT-Sample	Test Mode	: See section 3.4
Test Item	: Maximum Conducted Output Power	Temperature	: 25 °C
Test Voltage	: DC 11.55V	Humidity	: 56%RH
Test Result	: PASS		

Mode	Frequency (MHz)	Antenna	Conducted Power (dBm)	Duty Factor (dB)	Total Power (dBm)	Limit (dBm)	Verdict
a	5180	Ant1	11.74	1.61	13.35	24	Pass
a	5180	Ant2	10.57	4.65	15.22	24	Pass
a	5180	MIMO	14.2	-	17.4	24	Pass
a	5240	Ant1	11.39	1.65	13.04	24	Pass
a	5240	Ant2	10.18	4.7	14.88	24	Pass
a	5240	MIMO	13.84	-	17.07	24	Pass
a	5260	Ant1	11	1.65	12.65	24	Pass
a	5260	Ant2	9.43	4.64	14.07	24	Pass
a	5260	MIMO	13.3	-	16.43	24	Pass
a	5320	Ant1	10.96	1.65	12.61	24	Pass
a	5320	Ant2	9.07	4.63	13.7	24	Pass
a	5320	MIMO	13.13	-	16.2	24	Pass
a	5500	Ant1	10.94	1.65	12.59	24	Pass
a	5500	Ant2	9.41	4.63	14.04	24	Pass
a	5500	MIMO	13.25	-	16.39	24	Pass
a	5700	Ant1	11.3	1.65	12.95	24	Pass
a	5700	Ant2	10.34	4.72	15.06	24	Pass
a	5700	MIMO	13.86	-	17.14	24	Pass
a	5745	Ant1	11.47	1.65	13.12	30	Pass
a	5745	Ant2	10.06	4.65	14.71	30	Pass
a	5745	MIMO	13.83	-	17	30	Pass
a	5825	Ant1	11.47	1.65	13.12	30	Pass
a	5825	Ant2	10.8	4.65	15.45	30	Pass
a	5825	MIMO	14.16	-	17.45	30	Pass
n20	5180	Ant1	10.6	1.72	12.32	24	Pass
n20	5180	Ant2	9.13	4.98	14.11	24	Pass
n20	5180	MIMO	12.94	-	16.32	24	Pass
n20	5240	Ant1	9.86	1.72	11.58	24	Pass
n20	5240	Ant2	8.99	4.93	13.92	24	Pass
n20	5240	MIMO	12.46	-	15.92	24	Pass
n20	5260	Ant1	9.88	1.76	11.64	24	Pass
n20	5260	Ant2	8.16	5	13.16	24	Pass
n20	5260	MIMO	12.11	-	15.48	24	Pass
n20	5320	Ant1	9.37	1.72	11.09	24	Pass
n20	5320	Ant2	7.64	5	12.64	24	Pass
n20	5320	MIMO	11.6	-	14.94	24	Pass
n20	5500	Ant1	9.48	1.72	11.2	24	Pass
n20	5500	Ant2	8.49	5	13.49	24	Pass
n20	5500	MIMO	12.02	-	15.5	24	Pass
n20	5700	Ant1	9.94	0	9.94	24	Pass

n20	5700	Ant2	8.57	4.93	13.5	24	Pass
n20	5700	MIMO	12.32	-	15.09	24	Pass
n20	5745	Ant1	10.28	1.72	12.04	30	Pass
n20	5745	Ant2	8.61	5.02	13.63	30	Pass
n20	5745	MIMO	12.54	-	15.9	30	Pass
n20	5825	Ant1	10.32	1.72	12.04	30	Pass
n20	5825	Ant2	9.04	5	14.04	30	Pass
n20	5825	MIMO	12.74	-	16.16	30	Pass
n40	5190	Ant1	9.22	1.14	10.36	24	Pass
n40	5190	Ant2	7.54	6.77	14.31	24	Pass
n40	5190	MIMO	11.47	-	15.78	24	Pass
n40	5230	Ant1	8.75	2.82	11.57	24	Pass
n40	5230	Ant2	7.41	6.82	14.23	24	Pass
n40	5230	MIMO	11.14	-	16.11	24	Pass
n40	5270	Ant1	8.52	2.82	11.34	24	Pass
n40	5270	Ant2	6.6	7.36	13.96	24	Pass
n40	5270	MIMO	10.68	-	15.85	24	Pass
n40	5310	Ant1	8.11	2.82	10.93	24	Pass
n40	5310	Ant2	7.11	6.57	13.68	24	Pass
n40	5310	MIMO	10.65	-	15.53	24	Pass
n40	5510	Ant1	7.33	2.82	10.15	24	Pass
n40	5510	Ant2	6.68	6.73	13.41	24	Pass
n40	5510	MIMO	10.03	-	15.09	24	Pass
n40	5670	Ant1	8.42	2.82	11.24	24	Pass
n40	5670	Ant2	8.44	6.57	15.01	24	Pass
n40	5670	MIMO	11.44	-	16.53	24	Pass
n40	5755	Ant1	8.66	2.83	11.49	30	Pass
n40	5755	Ant2	7.92	6.52	14.44	30	Pass
n40	5755	MIMO	11.32	-	16.22	30	Pass
n40	5795	Ant1	9.28	0.62	9.9	30	Pass
n40	5795	Ant2	8.26	6.52	14.78	30	Pass
n40	5795	MIMO	11.81	-	16	30	Pass
ac20	5180	Ant1	9.07	2.76	11.83	24	Pass
ac20	5180	Ant2	7.53	6.19	13.72	24	Pass
ac20	5180	MIMO	11.38	-	15.89	24	Pass
ac20	5240	Ant1	8.74	2.83	11.57	24	Pass
ac20	5240	Ant2	7.51	6.19	13.7	24	Pass
ac20	5240	MIMO	11.18	-	15.77	24	Pass
ac20	5260	Ant1	8.65	2.76	11.41	24	Pass
ac20	5260	Ant2	6.83	6.23	13.06	24	Pass
ac20	5260	MIMO	10.84	-	15.32	24	Pass
ac20	5320	Ant1	8.21	2.82	11.03	24	Pass
ac20	5320	Ant2	6.45	6.23	12.68	24	Pass
ac20	5320	MIMO	10.43	-	14.94	24	Pass
ac20	5500	Ant1	8.02	2.76	10.78	24	Pass
ac20	5500	Ant2	7.09	6.23	13.32	24	Pass
ac20	5500	MIMO	10.59	-	15.24	24	Pass
ac20	5700	Ant1	8.46	2.82	11.28	24	Pass
ac20	5700	Ant2	7.62	6.23	13.85	24	Pass
ac20	5700	MIMO	11.07	-	15.76	24	Pass
ac20	5745	Ant1	8.98	2.82	11.8	30	Pass
ac20	5745	Ant2	7.29	6.23	13.52	30	Pass

ac20	5745	MIMO	11.23	-	15.75	30	Pass
ac20	5825	Ant1	8.9	2.76	11.66	30	Pass
ac20	5825	Ant2	7.98	6.31	14.29	30	Pass
ac20	5825	MIMO	11.47	-	16.18	30	Pass
ac40	5190	Ant1	8.14	4	12.14	24	Pass
ac40	5190	Ant2	7.17	7.36	14.53	24	Pass
ac40	5190	MIMO	10.69	-	16.51	24	Pass
ac40	5230	Ant1	7.84	4.02	11.86	24	Pass
ac40	5230	Ant2	6.8	7.5	14.3	24	Pass
ac40	5230	MIMO	10.36	-	16.26	24	Pass
ac40	5270	Ant1	7.64	4	11.64	24	Pass
ac40	5270	Ant2	6.63	7.42	14.05	24	Pass
ac40	5270	MIMO	10.17	-	16.02	24	Pass
ac40	5310	Ant1	7.06	4	11.06	24	Pass
ac40	5310	Ant2	6.41	7.36	13.77	24	Pass
ac40	5310	MIMO	9.76	-	15.63	24	Pass
ac40	5510	Ant1	6.51	4	10.51	24	Pass
ac40	5510	Ant2	5.86	7.36	13.22	24	Pass
ac40	5510	MIMO	9.21	-	15.08	24	Pass
ac40	5670	Ant1	7.71	4.07	11.78	24	Pass
ac40	5670	Ant2	6.93	9.03	15.96	24	Pass
ac40	5670	MIMO	10.35	-	17.36	24	Pass
ac40	5755	Ant1	7.83	4.02	11.85	30	Pass
ac40	5755	Ant2	7.97	6.43	14.4	30	Pass
ac40	5755	MIMO	10.91	-	16.32	30	Pass
ac40	5795	Ant1	8.29	4.02	12.31	30	Pass
ac40	5795	Ant2	8.18	6.55	14.73	30	Pass
ac40	5795	MIMO	11.25	-	16.7	30	Pass
ac80	5210	Ant1	6.72	5.71	12.43	24	Pass
ac80	5210	Ant2	6.26	8.1	14.36	24	Pass
ac80	5210	MIMO	9.51	-	16.51	24	Pass
ac80	5290	Ant1	6.13	5.52	11.65	24	Pass
ac80	5290	Ant2	5.79	7.21	13	24	Pass
ac80	5290	MIMO	8.97	-	15.39	24	Pass
ac80	5530	Ant1	5.7	5.7	11.4	24	Pass
ac80	5530	Ant2	6.42	7.42	13.84	24	Pass
ac80	5530	MIMO	9.09	-	15.8	24	Pass
ac80	5610	Ant1	6.27	5.78	12.05	24	Pass
ac80	5610	Ant2	6.94	7.42	14.36	24	Pass
ac80	5610	MIMO	9.63	-	16.37	24	Pass
ac80	5775	Ant1	6.82	5.7	12.52	30	Pass
ac80	5775	Ant2	7.18	7.21	14.39	30	Pass
ac80	5775	MIMO	10.01	-	16.57	30	Pass
ax20	5180	Ant1	11.41	4.02	15.43	24	Pass
ax20	5180	Ant2	10.17	5.06	15.23	24	Pass
ax20	5180	MIMO	13.84	-	18.34	24	Pass
ax20	5240	Ant1	11.38	4.01	15.39	24	Pass
ax20	5240	Ant2	10.14	5.06	15.2	24	Pass
ax20	5240	MIMO	13.81	-	18.31	24	Pass
ax20	5260	Ant1	11.18	4.09	15.27	24	Pass
ax20	5260	Ant2	9.71	5.06	14.77	24	Pass
ax20	5260	MIMO	13.52	-	18.04	24	Pass

ax20	5320	Ant1	10.68	4.09	14.77	24	Pass
ax20	5320	Ant2	8.94	5.08	14.02	24	Pass
ax20	5320	MIMO	12.91	-	17.42	24	Pass
ax20	5500	Ant1	10.34	4.02	14.36	24	Pass
ax20	5500	Ant2	9.66	5.06	14.72	24	Pass
ax20	5500	MIMO	13.02	-	17.55	24	Pass
ax20	5700	Ant1	11.25	4	15.25	24	Pass
ax20	5700	Ant2	10.06	5.06	15.12	24	Pass
ax20	5700	MIMO	13.71	-	18.2	24	Pass
ax20	5745	Ant1	11.26	4.02	15.28	30	Pass
ax20	5745	Ant2	9.82	5.06	14.88	30	Pass
ax20	5745	MIMO	13.61	-	18.09	30	Pass
ax20	5825	Ant1	11.56	4.02	15.58	30	Pass
ax20	5825	Ant2	10.72	5.06	15.78	30	Pass
ax20	5825	MIMO	14.17	-	18.69	30	Pass
ax40	5190	Ant1	11.66	2.47	14.13	24	Pass
ax40	5190	Ant2	11.21	5.28	16.49	24	Pass
ax40	5190	MIMO	14.45	-	18.48	24	Pass
ax40	5230	Ant1	11.57	4	15.57	24	Pass
ax40	5230	Ant2	10.45	5.26	15.71	24	Pass
ax40	5230	MIMO	14.06	-	18.65	24	Pass
ax40	5270	Ant1	11.23	4.02	15.25	24	Pass
ax40	5270	Ant2	9.87	5.28	15.15	24	Pass
ax40	5270	MIMO	13.61	-	18.21	24	Pass
ax40	5310	Ant1	11.04	4.02	15.06	24	Pass
ax40	5310	Ant2	9.89	5.33	15.22	24	Pass
ax40	5310	MIMO	13.51	-	18.15	24	Pass
ax40	5510	Ant1	10.22	4.07	14.29	24	Pass
ax40	5510	Ant2	9.67	5.28	14.95	24	Pass
ax40	5510	MIMO	12.96	-	17.64	24	Pass
ax40	5670	Ant1	11.81	4.02	15.83	24	Pass
ax40	5670	Ant2	10.62	5.28	15.9	24	Pass
ax40	5670	MIMO	14.27	-	18.88	24	Pass
ax40	5755	Ant1	11.85	4.02	15.87	30	Pass
ax40	5755	Ant2	10.51	5.51	16.02	30	Pass
ax40	5755	MIMO	14.24	-	18.96	30	Pass
ax40	5795	Ant1	12.17	4.02	16.19	30	Pass
ax40	5795	Ant2	10.94	5.33	16.27	30	Pass
ax40	5795	MIMO	14.61	-	19.24	30	Pass
ax80	5210	Ant1	10.95	4.29	15.24	24	Pass
ax80	5210	Ant2	10.21	5.92	16.13	24	Pass
ax80	5210	MIMO	13.61	-	18.72	24	Pass
ax80	5290	Ant1	10.32	4.5	14.82	24	Pass
ax80	5290	Ant2	8.71	5.9	14.61	24	Pass
ax80	5290	MIMO	12.6	-	17.73	24	Pass
ax80	5530	Ant1	9.87	4.29	14.16	24	Pass
ax80	5530	Ant2	8.97	5.9	14.87	24	Pass
ax80	5530	MIMO	12.45	-	17.54	24	Pass
ax80	5610	Ant1	10.78	4.44	15.22	24	Pass
ax80	5610	Ant2	9.96	5.92	15.88	24	Pass
ax80	5610	MIMO	13.4	-	18.57	24	Pass
ax80	5775	Ant1	11.07	4.3	15.37	30	Pass

ax80	5775	Ant2	10.07	5.83	15.9	30	Pass
ax80	5775	MIMO	13.61	-	18.65	30	Pass
ax160	5250	Ant1	8.03	4.7	12.73	24	Pass
ax160	5250	Ant2	7.28	6.84	14.12	24	Pass
ax160	5250	MIMO	10.68	-	16.49	24	Pass
ax160	5570	Ant1	8.95	4.73	13.68	24	Pass
ax160	5570	Ant2	7.07	6.84	13.91	24	Pass
ax160	5570	MIMO	11.12	-	16.81	24	Pass

Report No.: WSCT-ANAB-R&E250700063A-Wi-Fi2 Issued: 29 August 2025 Revised: None

ANT1

