


FCC PART 27
FCC PART 22H, PART 24E
TEST REPORT
For
TECNO MOBILE LIMITED

ROOM 604 6/F SOUTH TOWER WORLD FINANCE CTR HARBOUR CITY 17 CANTON
ROAD TST KL, Hong Kong

FCC ID: 2ADYY-KB8

Report Type: Original Report	Product Type: Mobile phone
Report Number: RSZ190123005-00D	
Report Date: 2019-03-01	
Reviewed By: RF Engineer	Rocky Kang 
Prepared By: Bay Area Compliance Laboratories Corp. (Shenzhen) 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China Tel: +86-755-33320018 Fax: +86-755-33320008 www.baclcorp.com.cn	

Note: This report must not be used by the customer to claim product certification, approval, or endorsement by A2LA* or any agency of the Federal Government. * This report may contain data that are not covered by the A2LA accreditation and are marked with an asterisk “*”.

TABLE OF CONTENTS

GENERAL INFORMATION.....	3
PRODUCT DESCRIPTION FOR EQUIPMENT UNDER TEST (EUT)	3
OBJECTIVE	3
RELATED SUBMITTAL(S)/GRANT(S).....	3
TEST METHODOLOGY	4
MEASUREMENT UNCERTAINTY	4
TEST FACILITY	4
SYSTEM TEST CONFIGURATION	5
DESCRIPTION OF TEST CONFIGURATION	5
EQUIPMENT MODIFICATIONS	5
SUPPORT EQUIPMENT LIST AND DETAILS	5
BLOCK DIAGRAM OF TEST SETUP	5
SUMMARY OF TEST RESULTS	6
TEST EQUIPMENT LIST	7
FCC §1.1307(B) & §2.1093 - RF EXPOSURE INFORMATION.....	9
APPLICABLE STANDARD	9
TEST RESULT	9
FCC §2.1047 - MODULATION CHARACTERISTIC	10
FCC § 2.1046, § 22.913 (A) & § 24.232 (C); §27.50 (D) (H) - RF OUTPUT POWER	11
APPLICABLE STANDARD	11
TEST PROCEDURE	11
TEST DATA	11
FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH	35
APPLICABLE STANDARD	35
TEST PROCEDURE	35
TEST DATA	35
FCC §2.1051, §22.917(A) & §24.238(A); §27.53 (H) (M) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS.....	68
APPLICABLE STANDARD	68
TEST PROCEDURE	68
TEST DATA	68
FCC § 2.1053; § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) SPURIOUS RADIATED EMISSIONS.....	95
APPLICABLE STANDARD	95
TEST PROCEDURE	95
TEST DATA	95
FCC § 22.917 (A);§ 24.238 (A); §27.53 (H)(M) - BAND EDGES	98
APPLICABLE STANDARD	98
TEST PROCEDURE	98
TEST DATA	98
FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY	152
APPLICABLE STANDARD	152
TEST PROCEDURE	152
TEST DATA	153

GENERAL INFORMATION

Product Description for Equipment under Test (EUT)

Product	Mobile phone
Tested Model	KB8
Frequency Range	Cellular: 824-849 MHz PCS: 1850-1910 MHz WCDMA B2/LTE B2: 1850-1910 MHz WCDMA B5/LTE B5: 824-849 MHz WCDMA B4/LTE B4: 1710- 1755 MHz LTE B7: 2500-2570 MHz
Transmit Power	GSM 850 : 33.6 dBm PCS 1900: 30.2 dBm WCDMA Band 2: 22 dBm; WCDMA Band 4: 22 dBm WCDMA Band 5: 22.8 dBm LTE Band 2: 23.3 dBm; LTE Band 4: 22.1 dBm LTE Band 5: 23.1 dBm; LTE Band 7: 23.1 dBm
Modulation Technique	2G: GMSK,8PSK 3G: BPSK, QPSK, 16QAM 4G: QPSK, 16QAM
Antenna Specification	2G/3G/4G:FPC Antennas
Voltage Range	DC 3.8 V from battery or DC 5.0V from adapter
Date of Test	Jan 14, 2019~ Feb. 27, 2019
Sample serial number	190123005
Received date	2019-01-23
Sample/EUT Status	Good condition
Adapter information	Model: CU-52JT Input: AC 100-240V, 50/60Hz, 200mA Output: DC 5.0V, 1.2A

Objective

This test report is prepared on behalf of *TECNO MOBILE LIMITED* in accordance with Part 2-Subpart J, Part 22-Subpart H and Part 24-Subpart E and Subpart 27 of the Federal Communication Commissions rules.

The objective is to determine the compliance of the EUT with FCC rules for output power, modulation characteristic, occupied bandwidth, and spurious emission at antenna terminal, spurious radiated emission, frequency stability and band edge.

Related Submittal(s)/Grant(s)

FCC Part 15.247 DSS, Part 15.247 DTS and Part 15B JBP submissions with FCC ID: 2ADYY-KB8.

Test Methodology

All tests and measurements indicated in this document were performed in accordance with the Code of Federal Regulations Title 47 Part 2-Subpart J as well as the following parts:

Part 22 Subpart H - Public Mobile Services
Part 24 Subpart E - Personal Communication Services
Part 27 – Miscellaneous wireless communications services

Applicable Standards: TIA/EIA 603-D.

All emissions measurement was performed at Bay Area Compliance Laboratories Corp. (Shenzhen). The radiated testing was performed at an antenna-to-EUT distance of 3 meters.

Measurement Uncertainty

Parameter		Uncertainty
Occupied Channel Bandwidth		±5%
RF output power, conducted		±0.5dB
Unwanted Emission, conducted		±1.5dB
Radiated Emissions	Below 1GHz	±4.75dB
	Above 1GHz	±4.88dB
Temperature		±3°C
Supply voltages		±0.4%

Note: Otherwise required by the applicant or Product Regulations, Decision Rule in this report did not consider the uncertainty.

Test Facility

The Test site used by Bay Area Compliance Laboratories Corp. (Shenzhen) to collect test data is located on the 6/F., West Wing, Third Phase of Wanli Industrial Building, Shihua Road, Futian Free Trade Zone, Shenzhen, Guangdong, China.

The test site has been approved by the FCC under the KDB 974614 D01 and is listed in the FCC Public Access Link (PAL) database, FCC Registration No.: 342867, the FCC Designation No.: CN1221.

The test site has been registered with ISED Canada under ISED Canada Registration Number 3062B.

SYSTEM TEST CONFIGURATION

Description of Test Configuration

The EUT was configured for testing according to TIA/EIA-603-D.

The final qualification test was performed with the EUT operating at normal mode.


Equipment Modifications

No modification was made to the EUT.

Support Equipment List and Details

Manufacturer	Description	Model	Serial Number
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-116218-UY
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	110605

Block Diagram of Test Setup



SUMMARY OF TEST RESULTS

FCC Rules	Description of Test	Result
§ 1.1307 , §2.1093	RF Exposure (SAR)	Compliance*
§2.1046; § 22.913 (a); § 24.232 (c); §27.50 (d) (h)	RF Output Power	Compliance
§ 2.1047	Modulation Characteristics	Not Applicable
§ 2.1049; § 22.905; § 22.917; § 24.238; §27.53	Occupied Bandwidth	Compliance
§ 2.1051; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Spurious Emissions at Antenna Terminal	Compliance
§ 2.1053; § 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Field Strength of Spurious Radiation	Compliance
§ 22.917 (a); § 24.238 (a); §27.53 (h)(m)	Band Edge	Compliance
§ 2.1055; § 22.355; § 24.235; §27.54;	Frequency stability	Compliance

Note: * Please refer to SAR report released by BACL, report number: RSZ190123005-20

TEST EQUIPMENT LIST

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Radiated Emission Test					
Sunol Sciences	Horn Antenna	DRH-118	A052604	2017-12-22	2020-12-21
Rohde & Schwarz	Signal Analyzer	FSEM	845987/005	2018-06-23	2019-06-23
Sunol Sciences	Broadband Antenna	JB1	A040904-1	2017-12-22	2020-12-21
COM-POWER	Pre-amplifier	PA-122	181919	2018-11-12	2019-11-12
Sonoma Instrument	Amplifier	310N	186238	2018-11-12	2019-11-12
Anritsu	Signal Generator	68369B	004114	2018-12-24	2019-12-24
Rohde & Schwarz	EMI Test Receiver	ESCI	101120	2019-01-11	2020-01-11
COM POWER	Dipole Antenna	AD-100	041000	NCR	NCR
A.H. System	Horn Antenna	SAS-200/571	135	2018-09-01	2021-08-31
Ducommun technologies	RF Cable	UFA147A-2362-100100	MFR64639 231029-003	2018-07-11	2021-07-10
Ducommun Technologies	RF Cable	104PEA	218124002	2018-11-12	2019-11-12
Ducommun Technologies	RF Cable	RG-214	1	2018-11-19	2019-05-21
Ducommun Technologies	RF Cable	RG-214	2	2018-11-12	2019-11-12
Ducommun Technologies	Horn Antenna	ARH-4223-02	1007726-04	2017-12-29	2020-12-28
Ducommun technologies	Horn Antenna	ARH-4223-02	1007726-03	2017-12-29	2020-12-28
Heatsink Required	Amplifier	QLW-18405536-J0	15964001002	2018-11-12	2019-11-12

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
RF Conducted Test					
Rohde & Schwarz	SPECTRUM ANALYZER	FSU26	200120	2018-12-24	2019-12-24
ESPEC	Temperature & Humidity Chamber	EL-10KA	9107726	2018-12-21	2019-12-21
Long Wei	DC Power Supply	TPR-6420D	398363	NCR	NCR
Rohde & Schwarz	Universal Radio Communication Tester	CMU200	106891	2018-12-14	2019-12-14
Rohde & Schwarz	Wideband Radio Communication Tester	CMW500	1201.002K50-146520-wh	2018-06-23	2019-06-23
Ducommun technologies	RF Cable	RG-214	3	Each Time	
WEINSCHTEL	10dB Attenuator	5324	AU 3842	Each Time	
WEINSCHTEL	3dB Attenuator	6231	666	Each Time	
Unknown	Power Splitter	227	6958	Each Time	

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Shenzhen) attests that all calibrations have been performed in accordance to requirements that traceable to National Primary Standards and International System of Units (SI).

FCC §1.1307(b) & §2.1093 - RF EXPOSURE INFORMATION

Applicable Standard

FCC§1.1310 and §2.1093.

Test Result

Compliance, please refer to the SAR report: RSZ190123005-20.

FCC §2.1047 - MODULATION CHARACTERISTIC

According to FCC § 2.1047(d), Part 22H & 24E & 27 there is no specific requirement for digital modulation, therefore modulation characteristic is not presented.

FCC § 2.1046, § 22.913 (a) & § 24.232 (c); §27.50 (d) (h) - RF OUTPUT POWER

Applicable Standard

According to FCC §2.1046 and §22.913 (a), the ERP of mobile transmitters and auxiliary test transmitters must not exceed 7 watts.

According to FCC §2.1046 and §24.232 (C), mobile and portable stations are limited to 2 watts EIRP and the equipment must employ a means for limiting power to the minimum necessary for successful communications.

The peak-to-average power ratio (PAPR) of the transmitter output power must not exceed 13 dB.


According to §27.50(d), the maximum EIRP must not exceed 1Watts (30dBm) for 1710-1755MHz.

According to §27.50(h), the maximum EIRP must not exceed 2Watts (33dBm) for 2500-2570MHz.

Test Procedure

Conducted method:

The RF output of the transmitter was connected to the CMW500/CMU200 through sufficient attenuation.



Radiated method:

TIA 603-D section 2.2.17

Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2019-02-14.

Conducted Power**Cellular Band (Part 22H)**

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	128	824.2	33.51	38.45
	190	836.6	33.23	38.45
	251	848.8	32.86	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	128	824.2	33.48	32.52	30.53	29.35	38.45
	190	836.6	33.20	32.22	30.23	29.12	38.45
	251	848.8	32.86	31.83	29.85	28.83	38.45

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	128	824.2	28.49	27.55	25.49	23.56	38.45
	190	836.6	28.41	27.41	25.42	23.39	38.45
	251	848.8	28.24	27.20	25.28	23.21	38.45

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band V)	Normal	RMC12.2k		22.53	22.41	22.36
		HSDPA	1	21.45	21.18	21.01
			2	21.53	21.45	21.35
			3	21.65	21.66	21.50
			4	21.48	21.50	21.34
		HSUPA	1	20.82	20.96	20.83
			2	20.74	20.56	20.69
			3	20.69	20.71	20.63
			4	20.63	20.53	20.48
			5	20.82	20.73	20.63

PCS Band (Part 24E)

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)
GSM	512	1850.2	29.91	33
	661	1880.0	30.13	33
	810	1909.8	29.45	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
GPRS	512	1850.2	29.91	28.18	26.47	25.51	33
	661	1880.0	30.17	28.56	26.77	25.68	33
	810	1909.8	29.46	28.09	26.28	25.32	33

Mode	Channel	Frequency (MHz)	Average Output Power (dBm)				Limit (dBm)
			1 slot	2 slots	3 slots	4 slots	
EGPRS	512	1850.2	26.15	24.88	22.58	21.31	33
	661	1880.0	26.13	24.85	22.54	21.35	33
	810	1909.8	25.73	24.51	22.21	21.13	33

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band II)	Normal	RMC12.2k		21.71	21.61	21.70
		HSDPA	1	21.12	21.53	21.16
			2	21.63	21.54	21.58
			3	21.71	21.73	21.63
			4	21.69	21.66	21.73
		HSUPA	1	20.63	20.76	20.87
			2	20.77	20.68	20.76
			3	20.82	20.73	20.69
			4	20.69	20.66	20.52
			5	20.82	20.47	20.46

Band 4:

Mode	Test Condition	Test Mode	3GPP Sub Test	Average Output Power (dBm)		
				Low Frequency	Middle Frequency	High Frequency
WCDMA (Band 4)	Normal	RMC12.2k		21.57	21.34	21.28
		HSDPA	1	21.18	21.01	21.18
			2	21.45	21.35	21.58
			3	21.66	21.5	21.63
			4	21.5	21.34	21.73
		HSUPA	1	20.62	20.55	20.78
			2	20.46	20.38	20.76
			3	20.68	20.55	20.69
			4	20.44	20.43	20.52
			5	20.68	20.58	20.46

Peak-to-average ratio (PAR)**Cellular Band**

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.21	13
	Middle	2.13	13
	High	2.22	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.34	13
	Middle	2.28	13
	High	2.22	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	2.56	13
	Middle	2.63	13
	High	2.85	13
HSDPA (16QAM)	Low	2.87	13
	Middle	2.66	13
	High	2.86	13
HSUPA (BPSK)	Low	2.88	13
	Middle	2.64	13
	High	2.74	13

PCS Band

Mode	Channel	PAR (dB)	Limit (dB)
GSM	Low	2.23	13
	Middle	2.08	13
	High	2.14	13

Mode	Channel	PAR (dB)	Limit (dB)
EGPRS	Low	2.15	13
	Middle	2.26	13
	High	2.14	13

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.63	13
	Middle	3.61	13
	High	3.87	13
HSDPA (16QAM)	Low	3.84	13
	Middle	3.68	13
	High	3.85	13
HSUPA (BPSK)	Low	3.89	13
	Middle	3.63	13
	High	3.85	13

AWS Band

Mode	Channel	PAR (dB)	Limit (dB)
RMC (BPSK)	Low	3.65	13
	Middle	3.68	13
	High	3.67	13
HSDPA (16QAM)	Low	3.84	13
	Middle	3.58	13
	High	3.75	13
HSUPA (BPSK)	Low	3.89	13
	Middle	3.65	13
	High	3.88	13

**Radiated Power
GSM Mode:**

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP for Cellular Band (Part 22H), Middle Channel										
836.6	92.01	92	1.7	H	32.6	1.9	0.0	30.70	38.45	7.75
836.6	85.26	52	1.9	V	25.3	1.9	0.0	23.40	38.45	15.05
EIRP for PCS Band (Part 24E), Middle Channel										
1880.00	89.78	47	1.4	H	20.0	1.30	9.40	28.10	33	4.9
1880.00	85.63	242	1.1	V	17.5	1.30	9.40	25.60	33	7.4

EDGE Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP, Cellular Band (Part 22H), Middle Channel										
836.6	87.24	267	1.8	H	27.9	1.9	0.0	26.00	38.45	12.45
836.6	85.19	116	2.1	V	25.2	1.9	0.0	23.30	38.45	15.15
EIRP, PCS Band (Part 24E), Middle Channel										
1880.00	86.35	342	2.3	H	16.3	1.30	9.40	24.40	33	8.6
1880.00	82.33	83	1.5	V	12.1	1.30	9.40	20.20	33	12.8

WCDMA Mode:

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
			Height (m)	Polar (H/V)	Level (dBm)	Cable loss (dB)	Antenna Gain (dBi)			
ERP for WCDMA Band V (Part 22H), Middle Channel										
836.6	81.42	197	1.4	H	22.0	1.9	0.0	20.10	38.45	18.35
836.6	78.08	312	2.3	V	18.1	1.9	0.0	16.20	38.45	22.25
EIRP for WCDMA Band II (Part 24E), Middle Channel										
1880.00	83.38	226	1.3	H	13.6	1.30	9.40	21.70	33	11.3
1880.00	79.46	251	1.3	V	11.3	1.30	9.40	19.40	33	13.6
EIRP for WCDMA Band VI (Part 27), Middle Channel										
1732.60	86.18	53	1.6	H	13.7	1.30	8.90	21.30	30	8.70
1732.60	84.26	117	1.3	V	12.2	1.30	8.90	19.80	30	10.20

Note:

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

LTE Band 2:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.45	22.41	22.38
		RB Size=1, RB Offset=2	21.75	21.74	21.62
		RB Size=1, RB Offset=5	21.96	21.92	21.88
		RB Size=3, RB Offset=0	22.52	22.51	22.40
		RB Size=3, RB Offset=1	22.52	22.47	22.37
		RB Size=3, RB Offset=2	21.81	21.76	21.68
		RB Size=6, RB Offset=0	22.91	22.88	22.76
	16QAM	RB Size=1, RB Offset=0	22.34	22.22	22.10
		RB Size=1, RB Offset=2	21.58	21.52	21.40
		RB Size=1, RB Offset=5	21.78	21.73	21.63
		RB Size=3, RB Offset=0	22.36	22.24	22.16
		RB Size=3, RB Offset=1	22.25	22.14	22.05
		RB Size=3, RB Offset=2	21.61	21.57	21.49
		RB Size=6, RB Offset=0	22.72	22.68	22.59
3.0	QPSK	RB Size=1, RB Offset=0	22.70	22.70	22.57
		RB Size=1, RB Offset=7	22.56	22.55	22.44
		RB Size=1, RB Offset=14	22.99	22.98	22.92
		RB Size=8, RB Offset=0	22.54	22.56	22.50
		RB Size=8, RB Offset=4	22.55	22.49	22.37
		RB Size=8, RB Offset=7	22.62	22.62	22.53
		RB Size=15, RB Offset=0	22.21	22.16	22.04
	16QAM	RB Size=1, RB Offset=0	22.54	22.49	22.44
		RB Size=1, RB Offset=7	22.34	22.25	22.14
		RB Size=1, RB Offset=14	22.88	22.82	22.78
		RB Size=8, RB Offset=0	22.47	22.40	22.29
		RB Size=8, RB Offset=4	22.25	22.16	22.07
		RB Size=8, RB Offset=7	22.48	22.43	22.33
		RB Size=15, RB Offset=0	21.94	21.83	21.77

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.26	22.4	22.15
		RB Size=1, RB Offset=12	22.21	22.35	22.05
		RB Size=1, RB Offset=24	22.37	22.47	22.24
		RB Size=12, RB Offset=0	21.87	22.06	21.82
		RB Size=12, RB Offset=6	21.80	22.02	21.69
		RB Size=12, RB Offset=11	21.98	22.19	21.92
		RB Size=25, RB Offset=0	21.45	21.79	21.54
	16QAM	RB Size=1, RB Offset=0	22.22	22.43	22.11
		RB Size=1, RB Offset=12	22.12	22.34	22.05
		RB Size=1, RB Offset=24	22.29	22.56	22.16
		RB Size=12, RB Offset=0	21.89	22.15	21.86
		RB Size=12, RB Offset=6	21.82	22.05	21.74
		RB Size=12, RB Offset=11	21.96	22.21	21.99
		RB Size=25, RB Offset=0	21.54	21.83	21.57
10.0	QPSK	RB Size=1, RB Offset=0	21.95	22.12	21.87
		RB Size=1, RB Offset=24	21.86	22.07	21.75
		RB Size=1, RB Offset=49	21.94	22.25	21.92
		RB Size=25, RB Offset=0	21.84	22.17	21.86
		RB Size=25, RB Offset=12	21.80	22.00	21.74
		RB Size=25, RB Offset=24	21.88	22.15	21.97
		RB Size=50, RB Offset=0	21.75	22.00	21.84
	16QAM	RB Size=1, RB Offset=0	21.92	22.08	21.84
		RB Size=1, RB Offset=24	21.83	22.03	21.71
		RB Size=1, RB Offset=49	21.97	22.19	21.89
		RB Size=25, RB Offset=0	21.72	21.95	21.71
		RB Size=25, RB Offset=12	21.64	21.84	21.65
		RB Size=25, RB Offset=24	21.85	22.06	21.78
		RB Size=50, RB Offset=0	21.45	21.86	21.57

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	21.43	21.73	21.37
		RB Size=1, RB Offset=37	21.35	21.65	21.26
		RB Size=1, RB Offset=74	21.55	21.78	21.47
		RB Size=36, RB Offset=0	21.42	21.68	21.48
		RB Size=36, RB Offset=18	21.34	21.60	21.41
		RB Size=36, RB Offset=37	21.51	21.80	21.54
		RB Size=75, RB Offset=0	21.42	21.65	21.34
	16QAM	RB Size=1, RB Offset=0	21.45	21.70	21.32
		RB Size=1, RB Offset=37	21.40	21.58	21.26
		RB Size=1, RB Offset=74	21.51	21.83	21.42
		RB Size=36, RB Offset=0	21.34	21.51	21.37
		RB Size=36, RB Offset=18	21.24	21.42	21.34
		RB Size=36, RB Offset=37	21.45	21.63	21.42
		RB Size=75, RB Offset=0	21.15	21.37	21.18
20.0	QPSK	RB Size=1, RB Offset=0	22.75	23.03	22.81
		RB Size=1, RB Offset=49	22.63	22.99	22.76
		RB Size=1, RB Offset=99	22.79	23.11	22.93
		RB Size=50, RB Offset=0	21.57	21.84	21.59
		RB Size=50, RB Offset=24	21.52	21.72	21.52
		RB Size=50, RB Offset=49	21.64	21.89	21.69
		RB Size=100, RB Offset=0	21.34	21.59	21.24
	16QAM	RB Size=1, RB Offset=0	22.74	23.02	22.72
		RB Size=1, RB Offset=49	22.71	22.94	22.63
		RB Size=1, RB Offset=99	22.86	23.12	22.76
		RB Size=50, RB Offset=0	22.26	22.51	22.17
		RB Size=50, RB Offset=24	22.22	22.39	22.14
		RB Size=50, RB Offset=49	22.29	22.63	22.26
		RB Size=100, RB Offset=0	21.54	21.83	21.45

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.95	13	Pass
QPSK (100RB Size)	7.66	13	Pass
16QAM (1RB Size)	7.75	13	Pass
16QAM (100RB Size)	7.38	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	83.05	115	1.8	H	13.3	1.30	9.40	21.40	33
1880.00	80.46	210	2.3	V	12.3	1.30	9.40	20.40	33
3 MHz Bandwidth									
1880.00	82.95	50	1.4	H	13.2	1.30	9.40	21.30	33
1880.00	79.60	295	2.3	V	11.5	1.30	9.40	19.60	33
5 MHz Bandwidth									
1880.00	83.25	146	2.0	H	13.5	1.30	9.40	21.60	33
1880.00	81.29	138	1.3	V	13.1	1.30	9.40	21.20	33
10 MHz Bandwidth									
1880.00	82.79	55	1.1	H	13.0	1.30	9.40	21.10	33
1880.00	80.24	201	1.6	V	12.1	1.30	9.40	20.20	33
15 MHz Bandwidth									
1880.00	83.42	10	1.2	H	13.6	1.30	9.40	21.70	33
1880.00	80.25	30	1.3	V	12.1	1.30	9.40	20.20	33
20 MHz Bandwidth									
1880.00	82.39	306	1.9	H	12.6	1.30	9.40	20.70	33
1880.00	81.24	200	2.4	V	13.1	1.30	9.40	21.20	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1880.00	83.56	140	2.1	H	13.8	1.30	9.40	21.90	33
1880.00	80.30	144	2.0	V	12.2	1.30	9.40	20.30	33
3 MHz Bandwidth									
1880.00	83.40	46	1.1	H	13.6	1.30	9.40	21.70	33
1880.00	83.16	300	1.9	V	15.0	1.30	9.40	23.10	33
5 MHz Bandwidth									
1880.00	82.90	74	2.0	H	13.1	1.30	9.40	21.20	33
1880.00	80.21	154	1.9	V	12.1	1.30	9.40	20.20	33
10 MHz Bandwidth									
1880.00	82.56	243	1.5	H	12.8	1.30	9.40	20.90	33
1880.00	81.10	228	2.3	V	13.0	1.30	9.40	21.10	33
15 MHz Bandwidth									
1880.00	83.27	195	1.3	H	13.5	1.30	9.40	21.60	33
1880.00	81.05	308	1.5	V	12.9	1.30	9.40	21.00	33
20 MHz Bandwidth									
1880.00	83.30	72	2.4	H	13.5	1.30	9.40	21.60	33
1880.00	82.01	240	1.3	V	13.9	1.30	9.40	22.00	33

LTE Band 4:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.37	22.35	22.45
		RB Size=1, RB Offset=2	22.28	22.26	22.18
		RB Size=1, RB Offset=5	21.99	21.93	21.85
		RB Size=3, RB Offset=0	22.59	22.53	22.46
		RB Size=3, RB Offset=1	22.71	22.66	22.58
		RB Size=3, RB Offset=2	21.87	21.87	21.83
		RB Size=6, RB Offset=0	22.53	22.49	22.39
	16QAM	RB Size=1, RB Offset=0	22.22	22.14	22.02
		RB Size=1, RB Offset=2	22.12	22.03	21.93
		RB Size=1, RB Offset=5	21.72	21.62	21.54
		RB Size=3, RB Offset=0	22.34	22.21	22.08
		RB Size=3, RB Offset=1	22.49	22.36	22.29
		RB Size=3, RB Offset=2	21.77	21.67	21.59
		RB Size=6, RB Offset=0	22.26	22.21	22.10
3.0	QPSK	RB Size=1, RB Offset=0	22.30	22.31	22.23
		RB Size=1, RB Offset=7	22.09	22.10	22.00
		RB Size=1, RB Offset=14	22.72	22.72	22.60
		RB Size=8, RB Offset=0	22.32	22.25	22.17
		RB Size=8, RB Offset=4	21.84	21.85	21.74
		RB Size=8, RB Offset=7	21.52	21.53	21.46
		RB Size=15, RB Offset=0	21.62	21.57	21.51
	16QAM	RB Size=1, RB Offset=0	22.38	22.32	22.43
		RB Size=1, RB Offset=7	22.93	22.25	22.56
		RB Size=1, RB Offset=14	22.89	22.11	22.73
		RB Size=8, RB Offset=0	22.91	21.84	22.61
		RB Size=8, RB Offset=4	22.78	21.94	22.62
		RB Size=8, RB Offset=7	22.51	22.21	23.02
		RB Size=15, RB Offset=0	22.49	22.31	22.86

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.21	22.32	22.36
		RB Size=1, RB Offset=12	22.30	21.99	22.49
		RB Size=1, RB Offset=24	22.56	22.26	22.46
		RB Size=12, RB Offset=0	22.77	21.84	22.62
		RB Size=12, RB Offset=6	22.49	21.97	22.75
		RB Size=12, RB Offset=11	22.67	21.91	23.08
		RB Size=25, RB Offset=0	22.60	21.86	22.80
	16QAM	RB Size=1, RB Offset=0	22.25	22.18	22.33
		RB Size=1, RB Offset=12	22.55	21.95	22.68
		RB Size=1, RB Offset=24	22.79	21.72	22.33
		RB Size=12, RB Offset=0	22.45	22.17	22.46
		RB Size=12, RB Offset=6	22.28	21.95	22.69
		RB Size=12, RB Offset=11	22.36	22.05	22.72
		RB Size=25, RB Offset=0	22.77	21.72	22.50
10.0	QPSK	RB Size=1, RB Offset=0	22.15	22.13	22.28
		RB Size=1, RB Offset=24	22.52	21.87	22.76
		RB Size=1, RB Offset=49	22.38	21.86	22.49
		RB Size=25, RB Offset=0	22.31	21.94	22.58
		RB Size=25, RB Offset=12	22.23	21.83	22.46
		RB Size=25, RB Offset=24	22.63	22.10	22.87
		RB Size=50, RB Offset=0	22.38	21.78	22.77
	16QAM	RB Size=1, RB Offset=0	22.24	22.17	22.24
		RB Size=1, RB Offset=24	21.93	21.98	21.92
		RB Size=1, RB Offset=49	21.92	22.01	21.90
		RB Size=25, RB Offset=0	21.89	21.82	22.03
		RB Size=25, RB Offset=12	22.09	21.75	21.93
		RB Size=25, RB Offset=24	21.90	22.05	21.62
		RB Size=50, RB Offset=0	21.83	21.71	21.78

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15.0	QPSK	RB Size=1, RB Offset=0	22.11	22.13	22.21
		RB Size=1, RB Offset=37	21.78	21.84	22.13
		RB Size=1, RB Offset=74	21.86	21.77	21.89
		RB Size=36, RB Offset=0	21.84	21.76	22.17
		RB Size=36, RB Offset=18	21.71	21.82	21.94
		RB Size=36, RB Offset=37	21.78	21.69	21.85
		RB Size=75, RB Offset=0	22.06	21.82	22.07
	16QAM	RB Size=1, RB Offset=0	21.89	22.05	22.13
		RB Size=1, RB Offset=37	21.41	21.71	21.68
		RB Size=1, RB Offset=74	21.50	21.57	21.92
		RB Size=36, RB Offset=0	21.73	22.00	22.09
		RB Size=36, RB Offset=18	21.73	21.57	21.71
		RB Size=36, RB Offset=37	21.60	21.62	21.23
		RB Size=75, RB Offset=0	21.71	21.82	21.78
20.0	QPSK	RB Size=1, RB Offset=0	21.85	21.85	22.07
		RB Size=1, RB Offset=49	21.42	21.81	21.92
		RB Size=1, RB Offset=99	21.69	21.73	21.86
		RB Size=50, RB Offset=0	21.43	21.77	21.70
		RB Size=50, RB Offset=24	21.38	21.39	21.94
		RB Size=50, RB Offset=49	21.56	21.35	21.93
		RB Size=100, RB Offset=0	21.70	21.44	21.60
	16QAM	RB Size=1, RB Offset=0	21.89	21.93	22.01
		RB Size=1, RB Offset=49	21.84	21.87	21.63
		RB Size=1, RB Offset=99	21.63	21.59	21.79
		RB Size=50, RB Offset=0	21.84	21.46	21.86
		RB Size=50, RB Offset=24	21.80	21.68	21.55
		RB Size=50, RB Offset=49	21.56	21.47	21.23
		RB Size=100, RB Offset=0	21.80	21.63	21.97

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.73	13	Pass
QPSK (100RB Size)	6.84	13	Pass
16QAM (1RB Size)	7.30	13	Pass
16QAM (100RB Size)	7.32	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	86.20	24	1.1	H	13.7	1.30	8.90	21.30	30
1732.50	81.27	251	2.1	V	9.2	1.30	8.90	16.80	30
3 MHz Bandwidth									
1732.50	86.03	254	1.4	H	13.6	1.30	8.90	21.20	30
1732.50	82.40	351	1.5	V	10.4	1.30	8.90	18.00	30
5 MHz Bandwidth									
1732.50	85.20	207	1.8	H	12.7	1.30	8.90	20.30	30
1732.50	81.90	64	1.4	V	9.9	1.30	8.90	17.50	30
10 MHz Bandwidth									
1732.50	84.79	32	1.9	H	12.3	1.30	8.90	19.90	30
1732.50	81.10	349	1.6	V	9.1	1.30	8.90	16.70	30
15 MHz Bandwidth									
1732.50	85.30	199	1.7	H	12.8	1.30	8.90	20.40	30
1732.50	82.20	235	2.4	V	10.2	1.30	8.90	17.80	30
20 MHz Bandwidth									
1732.50	85.49	213	1.4	H	13.0	1.30	8.90	20.60	30
1732.50	81.06	271	1.8	V	9.0	1.30	8.90	16.60	30

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
1732.50	86.79	56	2.4	H	14.3	1.30	8.90	21.90	30
1732.50	84.30	113	2.2	V	12.3	1.30	8.90	19.90	30
3 MHz Bandwidth									
1732.50	86.55	201	1.7	H	14.1	1.30	8.90	21.70	30
1732.50	83.15	293	1.1	V	11.1	1.30	8.90	18.70	30
5 MHz Bandwidth									
1732.50	86.72	3	1.3	H	14.3	1.30	8.90	21.90	30
1732.50	83.25	4	1.5	V	11.2	1.30	8.90	18.80	30
10 MHz Bandwidth									
1732.50	86.20	339	1.4	H	13.7	1.30	8.90	21.30	30
1732.50	81.90	111	1.4	V	9.9	1.30	8.90	17.50	30
15 MHz Bandwidth									
1732.50	85.46	59	1.1	H	13.0	1.30	8.90	20.60	30
1732.50	81.24	266	1.8	V	9.2	1.30	8.90	16.80	30
20 MHz Bandwidth									
1732.50	85.77	211	2.0	H	13.3	1.30	8.90	20.90	30
1732.50	82.00	339	1.2	V	10.0	1.30	8.90	17.60	30

LTE Band 5:**Maximum Output Power**

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
1.4	QPSK	RB Size=1, RB Offset=0	22.08	22.32	22.17
		RB Size=1, RB Offset=2	21.92	22.33	21.89
		RB Size=1, RB Offset=5	22.11	22.31	22.12
		RB Size=3, RB Offset=0	22.78	23.02	22.81
		RB Size=3, RB Offset=1	22.74	22.98	22.72
		RB Size=3, RB Offset=2	22.89	23.09	22.88
		RB Size=6, RB Offset=0	20.78	21.00	20.74
	16QAM	RB Size=1, RB Offset=0	22.09	22.26	22.03
		RB Size=1, RB Offset=2	22.05	22.14	21.90
		RB Size=1, RB Offset=5	22.19	22.33	22.06
		RB Size=3, RB Offset=0	21.56	21.84	21.61
		RB Size=3, RB Offset=1	21.50	21.73	21.55
		RB Size=3, RB Offset=2	21.64	21.94	21.71
		RB Size=6, RB Offset=0	21.26	21.54	21.28
3.0	QPSK	RB Size=1, RB Offset=0	22.07	22.3	22.08
		RB Size=1, RB Offset=7	21.94	22.18	22.00
		RB Size=1, RB Offset=14	22.15	22.42	22.18
		RB Size=8, RB Offset=0	21.67	21.91	21.64
		RB Size=8, RB Offset=4	21.56	21.80	21.59
		RB Size=8, RB Offset=7	21.76	21.99	21.73
		RB Size=15, RB Offset=0	21.32	21.60	21.24
	16QAM	RB Size=1, RB Offset=0	22.01	22.28	22.03
		RB Size=1, RB Offset=7	21.91	22.16	21.93
		RB Size=1, RB Offset=14	22.13	22.33	22.12
		RB Size=8, RB Offset=0	21.64	21.97	21.69
		RB Size=8, RB Offset=4	21.55	21.85	21.62
		RB Size=8, RB Offset=7	21.71	22.05	21.80
		RB Size=15, RB Offset=0	21.35	21.62	21.42

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5.0	QPSK	RB Size=1, RB Offset=0	22.15	22.36	22.16
		RB Size=1, RB Offset=12	22.03	22.26	22.07
		RB Size=1, RB Offset=24	22.27	22.43	22.26
		RB Size=12, RB Offset=0	21.67	21.95	21.62
		RB Size=12, RB Offset=6	21.62	21.82	21.51
		RB Size=12, RB Offset=11	21.73	22.00	21.67
		RB Size=25, RB Offset=0	21.32	21.66	21.27
	16QAM	RB Size=1, RB Offset=0	22.26	22.4	22.21
		RB Size=1, RB Offset=12	22.19	22.33	22.12
		RB Size=1, RB Offset=24	22.36	22.46	22.31
		RB Size=12, RB Offset=0	21.63	21.92	21.66
		RB Size=12, RB Offset=6	21.57	21.87	21.55
		RB Size=12, RB Offset=11	21.75	21.96	21.76
		RB Size=25, RB Offset=0	21.32	21.64	21.27
10.0	QPSK	RB Size=1, RB Offset=0	22.12	22.37	22.15
		RB Size=1, RB Offset=24	22.00	22.29	22.04
		RB Size=1, RB Offset=49	22.23	22.50	22.26
		RB Size=25, RB Offset=0	21.71	21.95	21.73
		RB Size=25, RB Offset=12	21.59	21.84	21.63
		RB Size=25, RB Offset=24	21.82	22.03	21.83
		RB Size=50, RB Offset=0	21.25	21.64	21.34
	16QAM	RB Size=1, RB Offset=0	22.15	22.31	22.17
		RB Size=1, RB Offset=24	22.06	22.19	22.12
		RB Size=1, RB Offset=49	22.19	22.39	22.25
		RB Size=25, RB Offset=0	21.61	21.94	21.63
		RB Size=25, RB Offset=12	21.49	21.82	21.54
		RB Size=25, RB Offset=24	21.70	22.02	21.75
		RB Size=50, RB Offset=0	21.24	21.56	21.34

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.75	13	Pass
QPSK (50RB Size)	7.14	13	Pass
16QAM (1RB Size)	7.08	13	Pass
16QAM (50RB Size)	7.82	13	Pass

QPSK:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	81.36	258	1.2	H	20.8	1.9	0.0	20.10	38.45
836.5	79.23	34	2.3	V	18.0	1.9	0.0	17.30	38.45
3 MHz Bandwidth									
836.5	81.52	257	1.3	H	20.9	1.9	0.0	20.20	38.45
836.5	79.44	22	2.0	V	18.2	1.9	0.0	17.50	38.45
5 MHz Bandwidth									
836.5	81.24	113	2.1	H	20.7	1.9	0.0	20.00	38.45
836.5	79.46	16	1.9	V	18.3	1.9	0.0	17.60	38.45
10 MHz Bandwidth									
836.5	81.69	79	1.3	H	21.1	1.9	0.0	20.40	38.45
836.5	71.64	65	2.3	V	18.1	1.9	0.0	17.40	38.45

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
1.4 MHz Bandwidth									
836.5	81.36	45	2.1	H	20.8	1.9	0.0	20.10	38.45
836.5	79.43	149	2.2	V	18.2	1.9	0.0	17.50	38.45
3 MHz Bandwidth									
836.5	81.49	256	1.1	H	20.9	1.9	0.0	20.20	38.45
836.5	80.11	201	1.1	V	18.9	1.9	0.0	18.20	38.45
5 MHz Bandwidth									
836.5	81.81	194	1.7	H	21.2	1.9	0.0	20.50	38.45
836.5	79.19	49	1.9	V	18.0	1.9	0.0	17.30	38.45
10 MHz Bandwidth									
836.5	81.31	274	1.8	H	20.7	1.9	0.0	20.00	38.45
836.5	80.02	304	2.0	V	18.8	1.9	0.0	18.10	38.45

LTE Band 7:

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
5	QPSK	RB Size=1, RB Offset=0	22.39	22.32	22.15
		RB Size=1, RB Offset=12	21.38	21.33	21.29
		RB Size=1, RB Offset=24	21.39	21.37	21.26
		RB Size=12, RB Offset=0	22.51	22.48	22.43
		RB Size=12, RB Offset=6	22.36	22.32	22.29
		RB Size=12, RB Offset=11	22.12	22.14	22.01
		RB Size=25, RB Offset=0	22.72	22.73	22.60
	16QAM	RB Size=1, RB Offset=0	22.02	21.96	21.86
		RB Size=1, RB Offset=12	21.14	21.04	20.97
		RB Size=1, RB Offset=24	21.19	21.14	21.04
		RB Size=12, RB Offset=0	22.38	22.27	22.15
		RB Size=12, RB Offset=6	22.17	22.04	21.98
		RB Size=12, RB Offset=11	21.96	21.89	21.84
		RB Size=25, RB Offset=0	22.53	22.47	22.35
10	QPSK	RB Size=1, RB Offset=0	22.54	22.48	22.39
		RB Size=1, RB Offset=24	22.13	22.10	22.05
		RB Size=1, RB Offset=49	22.93	22.95	22.90
		RB Size=25, RB Offset=0	22.44	22.40	22.34
		RB Size=25, RB Offset=12	22.41	22.36	22.28
		RB Size=25, RB Offset=24	21.81	21.80	21.75
		RB Size=50, RB Offset=0	22.57	22.55	22.46
	16QAM	RB Size=1, RB Offset=0	22.29	22.17	22.08
		RB Size=1, RB Offset=24	21.94	21.86	21.78
		RB Size=1, RB Offset=49	22.82	22.76	22.70
		RB Size=25, RB Offset=0	22.24	22.11	22.01
		RB Size=25, RB Offset=12	22.15	22.07	22.01
		RB Size=25, RB Offset=24	21.63	21.52	21.47
		RB Size=50, RB Offset=0	22.41	22.33	22.23

Bandwidth (MHz)	Modulation	RB size/RB Offset	Low Channel (dBm)	Middle Channel (dBm)	High Channel (dBm)
15	QPSK	RB Size=1, RB Offset=0	21.76	21.74	21.61
		RB Size=1, RB Offset=37	21.41	21.38	21.32
		RB Size=1, RB Offset=74	21.26	21.27	21.20
		RB Size=36, RB Offset=0	22.02	21.98	21.92
		RB Size=36, RB Offset=18	22.16	22.10	22.02
		RB Size=36, RB Offset=37	21.61	21.57	21.54
		RB Size=75, RB Offset=0	22.14	22.13	22.05
	16QAM	RB Size=1, RB Offset=0	21.52	21.45	21.33
		RB Size=1, RB Offset=37	21.27	21.18	21.10
		RB Size=1, RB Offset=74	21.11	21.05	21.00
		RB Size=36, RB Offset=0	21.87	21.81	21.77
		RB Size=36, RB Offset=18	21.92	21.86	21.82
		RB Size=36, RB Offset=37	21.49	21.42	21.31
		RB Size=75, RB Offset=0	21.94	21.90	21.86
20	QPSK	RB Size=1, RB Offset=0	22.13	22.13	22.05
		RB Size=1, RB Offset=49	22.07	22.07	21.97
		RB Size=1, RB Offset=99	22.40	22.34	22.26
		RB Size=50, RB Offset=0	21.76	21.78	21.68
		RB Size=50, RB Offset=24	21.47	21.42	21.33
		RB Size=50, RB Offset=49	21.26	21.23	21.16
		RB Size=100, RB Offset=0	21.28	21.26	21.15
	16QAM	RB Size=1, RB Offset=0	22.00	21.97	21.92
		RB Size=1, RB Offset=49	21.88	21.83	21.78
		RB Size=1, RB Offset=99	22.15	22.06	21.99
		RB Size=50, RB Offset=0	21.64	21.54	21.45
		RB Size=50, RB Offset=24	21.25	21.16	21.04
		RB Size=50, RB Offset=49	21.13	21.06	21.02
		RB Size=100, RB Offset=0	21.04	20.97	20.93

Peak-to-average ratio (PAR)

Modulation	Middle Channel (dB)	PAR Limit (dB)	Result
QPSK (1RB Size)	6.76	13	Pass
QPSK (100RB Size)	6.17	13	Pass
16QAM (1RB Size)	7.15	13	Pass
16QAM (100RB Size)	7.89	13	Pass

EIRP:**QPSK:**

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2535.00	83.10	141	1.4	H	14.3	2.60	10.20	21.90	33
2535.00	80.24	343	2.4	V	12.1	2.60	10.20	19.70	33
10 MHz Bandwidth									
2535.00	82.70	2	1.5	H	13.9	2.60	10.20	21.50	33
2535.00	80.24	358	1.1	V	12.1	2.60	10.20	19.70	33
15 MHz Bandwidth									
2535.00	82.51	288	1.9	H	13.7	2.60	10.20	21.30	33
2535.00	79.60	252	2.0	V	11.5	2.60	10.20	19.10	33
20 MHz Bandwidth									
2535.00	82.38	332	2.0	H	13.5	2.60	10.20	21.10	33
2535.00	80.02	138	2.5	V	11.9	2.60	10.20	19.50	33

16QAM:

Frequency (MHz)	Receiver Reading (dBμV)	Turn table Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		
Middle Channel									
5 MHz Bandwidth									
2535.00	83.57	19	1.7	H	14.7	2.60	10.20	22.30	33
2535.00	80.40	289	1.8	V	12.3	2.60	10.20	19.90	33
10 MHz Bandwidth									
2535.00	82.95	134	1.7	H	14.1	2.60	10.20	21.70	33
2535.00	80.60	250	1.7	V	12.5	2.60	10.20	20.10	33
15 MHz Bandwidth									
2535.00	82.70	246	1.1	H	13.9	2.60	10.20	21.50	33
2535.00	79.26	179	1.2	V	11.1	2.60	10.20	18.70	33
20 MHz Bandwidth									
2535.00	82.55	210	2.0	H	13.7	2.60	10.20	21.30	33
2535.00	80.10	105	1.4	V	12.0	2.60	10.20	19.60	33

Note:

All above data were tested with no amplifier

Absolute Level = Substituted Level - Cable loss + Antenna Gain

Margin = Limit- Absolute Level

FCC §2.1049, §22.917, §22.905 & §24.238 & §27.53 - OCCUPIED BANDWIDTH


Applicable Standard

FCC 47 §2.1049, §22.917, §22.905, §24.238 and §27.53.

Test Procedure

The RF output of the transmitter was connected to the simulator and the spectrum analyzer through sufficient attenuation.

The resolution bandwidth of the spectrum analyzer was set at 1% to 5% of the anticipated emission bandwidth and the 26 dB & 99% bandwidth was recorded.



Test Data

Environmental Conditions

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2019-01-24 to 2019-01-27.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables and plots.

Cellular Band (Part 22H)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	836.6	245.2	320.5
EGPRS(8PSK)	836.6	250.0	320.5

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	836.6	4.167	4.712
HSUPA (BPSK)	836.6	4.199	5.112
HSDPA (16QAM)	836.6	4.199	4.856

PCS Band (Part 24E)

Mode	Frequency (MHz)	99% Occupied Bandwidth (kHz)	26 dB Emission Bandwidth (kHz)
GSM(GMSK)	1880.0	246.8	320.5
EGPRS(8PSK)	1880.0	243.6	310.9


Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1880.0	4.167	4.712
HSUPA (BPSK)	1880.0	4.183	4.728
HSDPA (16QAM)	1880.0	4.199	4.936

AWS Band (Part 27)

Mode	Frequency (MHz)	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
RMC (BPSK)	1732.6	4.183	4.744
HSUPA (BPSK)	1732.6	4.183	4.728
HSDPA (16QAM)	1732.6	4.183	4.728


Cellular Band (Part 22H)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 24.JAN.2019 19:58:10

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 24.JAN.2019 21:13:35

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 25.JAN.2019 22:07:56

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 24.JAN.2019 22:13:14


26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 24.JAN.2019 22:55:42


PCS Band (Part 24E)

26 dB Emissions & 99% Occupied Bandwidth for GSM (GMSK) Mode




Date: 24.JAN.2019 20:46:57

26 dB Emissions & 99% Occupied Bandwidth for EDGE Mode




Date: 24.JAN.2019 21:01:23


26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode



Date: 24.JAN.2019 22:44:22

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode


Date: 24.JAN.2019 22:36:23

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode

Date: 24.JAN.2019 23:04:37


AWS Band (Part 27)

26 dB Emissions & 99% Occupied Bandwidth for RMC (BPSK) Mode




Date: 24.JAN.2019 22:46:33

26 dB Emissions & 99% Occupied Bandwidth for HSUPA (BPSK) Mode



Date: 24.JAN.2019 22:33:14

26 dB Emissions & 99% Occupied Bandwidth for HSDPA (16QAM) Mode



Date: 24.JAN.2019 22:58:24

LTE Band 2: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.104	1.306
	16QAM	1.104	1.310
3.0	QPSK	2.683	2.923
	16QAM	2.683	2.885
5.0	QPSK	4.519	4.968
	16QAM	4.503	4.936
10.0	QPSK	8.974	9.615
	16QAM	8.974	9.615
15.0	QPSK	13.462	14.567
	16QAM	13.462	14.471
20.0	QPSK	17.949	19.808
	16QAM	17.885	19.103

The screenshot displays a spectrum analyzer interface with a blue trace showing a signal. Two markers are present: D1 at 16.2 dBm and D2 at -9.8 dBm. The signal is centered at 1.88 GHz with a span of 2.8 MHz. The y-axis represents power in dBm, ranging from -70 to -20. The x-axis represents frequency in kHz, ranging from 280 kHz to 2.8 MHz. The interface includes various measurement parameters and a table of data.

Measurement Parameters:

- Ref: 29 dBm
- * Att: 10 dB
- * RBW: 30 kHz
- * VBW: 100 kHz
- SWT: 15 ms
- Delta 1 [T1]: -1.62 dB
- 1.305769231 MHz

Table Data:

OBW	1.103844	154 MHz
Marker 1 [T1]		
	-8.66 dBm	
Temp 1 [T1 OBW]	1.879356	933 GHz
	-9.37 dBm	
Temp 2 [T1 OBW]	1.879443	590 GHz
	-8.16 dBm	
	1.880547	436 GHz

Bottom Labels:


- Center: 1.88 GHz
- 280 kHz/
- Span: 2.8 MHz

The screenshot displays a spectrum analyzer interface with the following details:

- Top Bar:**
 - Left: A red 'X' icon in a square box.
 - Center: 'Ref 29 dBm', '* Att 10 dB'.
 - Right: '* RBW 30 kHz', '* VBW 100 kHz', 'SWT 15 ms', 'Delta 1 [T1]', '-1.49 dB', '1.310256410 MHz'.
- Plot Area:**
 - Y-axis: Power level in dB, ranging from -70 to -20.
 - X-axis: Frequency in kHz, ranging from 180 to 280 kHz.
 - Signal: A blue trace showing a signal with two distinct peaks labeled '1' and '2'.
 - Markers: Two red horizontal lines labeled 'D1 16 dBm' and 'D2 10 dBm'.
 - Annotations: '1 PK MAXH' in a blue box on the left, '3DB' in green on the right.
- Right Panel:**
 - OBW: 1.103840154 MHz
 - Marker 1 [T1]
 - Temp 1 [T1 OBW]
 - Temp 2 [T1 OBW]
 - 1.879443872 GHz
 - 1.879443590 GHz
 - 1.880547436 GHz
 - 7.00 dBm
 - 7.76 dBm
 - 7.86 dBm
- Bottom Bar:**
 - Center: 1.88 GHz
 - Span: 2.8 MHz


Page 45 of 161

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:02:34


16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 25.JAN.2019 23:04:10


QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 25.JAN.2019 22:58:47

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:00:30

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 22:53:55


16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 22:56:01

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:08:40

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 25.JAN.2019 23:09:59

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:13:28

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:14:53

LTE Band 4: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.099	1.301
	16QAM	1.104	1.337
3.0	QPSK	2.682	2.872
	16QAM	2.683	2.881
5.0	QPSK	4.519	4.952
	16QAM	4.503	4.936
10.0	QPSK	8.942	9.647
	16QAM	8.942	9.503
15.0	QPSK	13.413	14.439
	16QAM	13.413	14.487
20.0	QPSK	17.885	19.231
	16QAM	17.885	19.487


QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 25.JAN.2019 23:31:43

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:30:55

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:29:36

16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:28:18

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:27:08

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:26:15

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:24:36

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:23:02

QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:21:08

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:19:57

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 25.JAN.2019 23:18:47


16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:17:34

LTE Band 5: (Middle Channel)

Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
1.4	QPSK	1.104	1.292
	16QAM	1.099	1.288
3.0	QPSK	2.692	2.872
	16QAM	2.692	2.891
5.0	QPSK	4.503	4.933
	16QAM	4.503	4.965
10.0	QPSK	8.942	9.692
	16QAM	8.942	9.904


QPSK (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 25.JAN.2019 23:37:34

16-QAM (1.4 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:36:47

QPSK (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:38:26


16-QAM (3.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 25.JAN.2019 23:40:24


QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 25.JAN.2019 23:42:08

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 25.JAN.2019 23:43:29

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 25.JAN.2019 23:44:52

16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 25.JAN.2019 23:47:16

LTE Band 7: (Middle Channel)


Bandwidth (MHz)	Modulation	99% Occupied Bandwidth (MHz)	26 dB Emission Bandwidth (MHz)
5.0	QPSK	4.519	4.952
	16QAM	4.503	4.920
10.0	QPSK	8.974	9.679
	16QAM	8.974	9.583
15.0	QPSK	13.510	14.583
	16QAM	13.413	14.487
20.0	QPSK	17.885	19.071
	16QAM	17.949	19.071

QPSK (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 27.JAN.2019 08:28:50

16-QAM (5.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 27.JAN.2019 08:30:55

QPSK (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel




Date: 27.JAN.2019 08:36:48


16-QAM (10.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 27.JAN.2019 08:34:27


QPSK (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel

Date: 27.JAN.2019 08:40:24

16-QAM (15.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel


Date: 27.JAN.2019 08:38:04

QPSK (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 27.JAN.2019 08:43:12

16-QAM (20.0 MHz) - 26 dB Bandwidth & 99% Occupied Bandwidth, Middle channel



Date: 27.JAN.2019 08:41:49

FCC §2.1051, §22.917(a) & §24.238(a); §27.53 (h) (m) - SPURIOUS EMISSIONS AT ANTENNA TERMINALS


Applicable Standard

FCC §2.1051, §22.917(a) and §24.238(a) and §27.53(h) (m).

The spectrum was to be investigated to the tenth harmonics of the highest fundamental frequency as specified in § 2.1051.

Test Procedure

The RF output of the transceiver was connected to a spectrum analyzer and simulator through appropriate attenuation. The resolution bandwidth of the spectrum analyzer was set at 1MHz. Sufficient scans were taken to show any out of band emissions up to 10th harmonic.



Test Data

Environmental Conditions

Temperature:	25~26 °C
Relative Humidity:	52~54 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu from 2019-01-24 to 2019-01-27.


Test result: Compliance.

EUT operation mode: transmitting

Please refer to the following plots.

Cellular Band (Part 22H)


30 MHz – 1 GHz (GSM Mode)



Fundamental test


Date: 24.JAN.2019 21:18:12

1 GHz – 10 GHz (GSM Mode)




Date: 24.JAN.2019 21:20:53

30 MHz – 1 GHz (WCDMA Mode)



Date: 24.JAN.2019 22:04:52


1 GHz – 10 GHz (WCDMA Mode)



Date: 24.JAN.2019 22:05:57


PCS Band (Part 24E)

30 MHz – 1 GHz (GSM Mode)




Date: 24.JAN.2019 21:24:51

1 GHz – 2 GHz (GSM Mode)




Date: 24.JAN.2019 21:24:14

2 GHz – 20 GHz (GSM Mode)




Date: 24.JAN.2019 21:23:17

30 MHz – 1 GHz (WCDMA Mode)



Date: 24.JAN.2019 21:57:38


1 GHz – 2 GHz (WCDMA Mode)



Fundamental test

Date: 24.JAN.2019 21:59:00


2 GHz – 20 GHz (WCDMA Mode)



Date: 24.JAN.2019 21:58:23


AWS Band (Part 27)

30 MHz – 1 GHz (GSM Mode)




Date: 24.JAN.2019 22:03:51


1 GHz – 2 GHz (GSM Mode)



Date: 24.JAN.2019 22:00:44


2 GHz – 20 GHz (GSM Mode)

Date: 24.JAN.2019 22:03:09

LTE Band 2:**30 MHz - 1 GHz (1.4 MHz, Middle Channel)**

Date: 27.JAN.2019 12:40:11


1 GHz – 2 GHz (1.4 MHz, Middle Channel)



Fundamental test


Date: 27.JAN.2019 12:47:27

2 GHz – 20 GHz (1.4 MHz, Middle Channel)




Date: 27.JAN.2019 12:42:29

30 MHz - 1 GHz (3.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:40:34

1 GHz - 2 GHz (3.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:47:04

2 GHz – 20 GHz (3.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:42:55

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:40:47

1 GHz – 2 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:46:11

2 GHz – 20 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:43:29

30 MHz - 1 GHz (10.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:40:59

1 GHz – 2 GHz (10.0 MHz, Middle Channel)




Fundamental test

Date: 27.JAN.2019 12:46:11


2 GHz – 20 GHz (10.0 MHz, Middle Channel)

Date: 27.JAN.2019 12:43:29

30 MHz - 1 GHz (15.0 MHz, Middle Channel)


Date: 27.JAN.2019 12:41:18

1 GHz – 2 GHz (15.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:45:02

2 GHz – 20 GHz (15.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:43:45

30 MHz - 1 GHz (20.0 MHz, Middle Channel)



Date: 27.JAN.2019 12:41:30


1 GHz - 2 GHz (20.0 MHz, Middle Channel)



Fundamental test

Date: 27.JAN.2019 12:44:39


2 GHz –20 GHz (20.0 MHz, Middle Channel)



Date: 27.JAN.2019 12:44:17

LTE Band 5:


30 MHz - 1 GHz (1.4 MHz, Middle Channel)



Fundamental test


Date: 27.JAN.2019 12:23:23

1 GHz – 10 GHz (1.4 MHz, Middle Channel)



Date: 27.JAN.2019 12:24:05


30 MHz - 1 GHz (3.0 MHz, Middle Channel)



Fundamental test


Date: 27.JAN.2019 12:22:45

1 GHz – 10 GHz (3.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:24:24

30 MHz - 1 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:22:27

1 GHz – 10 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:24:47

30 MHz - 1 GHz (10.0 MHz, Middle Channel)



Date: 27.JAN.2019 12:21:56


1 GHz – 10 GHz (10.0 MHz, Middle Channel)



Date: 27.JAN.2019 12:25:51


LTE Band 7:

30 MHz – 1 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:18:18

1 GHz – 3.0 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:15:17

3.0 GHz – 26 GHz (5.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:17:37

30 MHz – 1.0 GHz (10.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:18:18

1 GHz – 3 GHz (10.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:14:48

3 GHz – 26 GHz (10.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:17:18

30 MHz – 1 GHz (15.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:19:02

1 GHz – 3 GHz (15.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:15:39

3 GHz – 26 GHz (15.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:17:05

30 MHz – 1 GHz (20.0 MHz, Middle Channel)




Date: 27.JAN.2019 12:19:25

1 GHz – 3 GHz (20.0 MHz, Middle Channel)



Date: 27.JAN.2019 12:15:58

3 GHz – 26 GHz (20.0 MHz, Middle Channel)



Date: 27.JAN.2019 12:16:45

FCC § 2.1053; § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) SPURIOUS RADIATED EMISSIONS

Applicable Standard

FCC § 2.1053, § 22.917(a) and § 24.238(a) and § 27.53(h)(m)

Test Procedure

The transmitter was placed on a wooden turntable, and it was transmitting into a non-radiating load which was also placed on the turntable.

The measurement antenna was placed at a distance of 3 meters from the EUT. During the tests, the receiving antenna height and polarization as well as EUT azimuth were varied in order to identify the maximum level of emissions from the EUT. The test was performed by placing the EUT on 3-orthogonal axis.

The frequency range up to tenth harmonic of the fundamental frequency was investigated.

Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2019-02-27.

EUT operation mode: Transmitting

Pre-scan with Low, Middle and High channel, the worst case as below:

30 MHz ~ 10 GHz:

Cellular Band (Part 22H)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 22H	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
149.56	33.04	38	2.5	H	-64.00	0.26	0	-64.26	-13	51.26
149.56	31.99	59	2.2	V	-65.00	0.26	0	-65.26	-13	52.26
1673.20	45.72	132	1.8	H	-60.6	1.30	8.90	-53.00	-13	40.00
1673.20	45.23	308	1.7	V	-60.7	1.30	8.90	-53.10	-13	40.10
WCDMA Mode, Middle channel										
149.56	33.54	57	1.6	H	-63.50	0.26	0	-63.76	-13	50.76
149.56	30.45	47	1.8	V	-66.50	0.26	0	-66.76	-13	53.76
1673.20	47.65	53	2.4	H	-58.7	1.30	8.90	-51.10	-13	38.10
1673.20	46.03	21	2.3	V	-59.9	1.30	8.90	-52.30	-13	39.30

30 MHz ~ 20 GHz:

PCS Band (Part 24E)

Frequency (MHz)	Receiver Reading (dBμV)	Turntable Angle Degree	Rx Antenna		Substituted			Absolute Level (dBm)	FCC Part 24E	
			Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)		Limit (dBm)	Margin (dB)
GSM Mode, middle channel										
149.56	33.14	108	2.3	H	-63.90	0.26	0	-64.16	-13	51.16
149.56	30.22	26	1.3	V	-66.80	0.26	0	-67.06	-13	54.06
3760.00	45.99	137	1.1	H	-54.0	1.50	11.80	-43.70	-13	30.70
3760.00	44.62	63	1.9	V	-55.4	1.50	11.80	-45.10	-13	32.10
WCDMA Mode Band II, Middle channel										
149.56	33.55	133	1.2	H	-63.40	0.26	0	-63.66	-13	50.66
149.56	31.84	158	1.6	V	-65.20	0.26	0	-65.46	-13	52.46
3760.00	50.36	168	1.6	H	-50.0	1.50	11.80	-39.70	-13	26.70
3760.00	48.96	256	1.2	V	-51.4	1.50	11.80	-41.10	-13	28.10
WCDMA Mode Band IV, Middle channel										
149.56	33.92	180	1.3	H	-63.10	0.26	0	-63.36	-13	50.36
149.56	30.30	148	2.4	V	-66.70	0.26	0	-66.96	-13	53.96
3465.20	49.68	103	1.1	H	-50.8	1.50	12.00	-40.30	-13	27.30
3465.20	48.71	340	2.2	V	-53.2	1.50	12.00	-42.70	-13	29.70

LTE Band: (Pre-scan with all the bandwidth, and worse case as below)

Frequency	Receiver	Turntable	Rx Antenna		Substituted			Absolute Level (dBm)	Limit (dBm)	Margin (dB)
(MHz)	Reading (dBμV)	Angle Degree	Height (m)	Polar (H/V)	Level (dBm)	Cable Loss (dB)	Antenna Gain (dBi)			
Band 2 Middle channel										
Test frequency range:30 MHz ~ 20 GHz										
149.56	33.44	32	1.5	H	-63.60	0.26	0	-63.86	-13	50.86
149.56	31.14	16	2.0	V	-65.90	0.26	0	-66.16	-13	53.16
3760.00	51.59	36	1.0	H	-49.6	1.50	11.80	-39.30	-13	26.30
3760.00	48.50	131	2.3	V	-52.3	1.50	11.80	-42.00	-13	29.00
Band 4 Middle channel										
Test frequency range:30 MHz ~ 18 GHz										
149.56	32.59	85	1.1	H	-64.40	0.26	0	-64.66	-13	51.66
149.56	31.79	355	1.3	V	-65.20	0.26	0	-65.46	-13	52.46
3465.00	53.46	80	2.3	H	-46.9	1.50	12.00	-36.40	-13	23.40
3465.00	51.28	175	1.1	V	-49.9	1.50	12.00	-39.40	-13	26.40
Band 5 Middle channel										
Test frequency range:30 MHz ~ 10 GHz										
149.56	33.48	35	1.8	H	-63.50	0.26	0	-63.76	-13	50.76
149.56	30.56	29	1.1	V	-66.40	0.26	0	-66.66	-13	53.66
1673.00	47.87	220	1.1	H	-59.2	1.30	8.90	-51.60	-13	38.60
1673.00	45.90	57	2.5	V	-60.6	1.30	8.90	-53.00	-13	40.00
Band 7 Middle channel										
Test frequency range: 30 MHz ~ 26GHz										
221.16	36.48	266	1.6	H	-60.50	0.30	0	-60.80	-25	35.80
221.16	34.97	337	2.4	V	-62.00	0.30	0	-62.30	-25	37.30
5070.00	46.01	8	1.5	H	-51.9	1.60	12.10	-41.40	-25	16.40
5070.00	45.36	240	1.2	V	-52.5	1.60	12.10	-42.00	-25	17.00

Note:

1) Absolute Level = Substituted Level - Cable loss + Antenna Gain

2) Margin = Limit- Absolute Level

FCC § 22.917 (a); § 24.238 (a); § 27.53 (h)(m) - BAND EDGES**Applicable Standard**

According to § 22.917(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.


According to § 24.238(a), the power of any emissions outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

According to FCC § 27.53 (h)(m), the power of any emission outside of the authorized operating frequency ranges must be attenuated below the transmitting power (P) by a factor of at least $43 + 10 \log(P)$ dB.

Test Procedure

The RF output of the transmitter was connected to the input of the spectrum analyzer through sufficient attenuation.

The center of the spectrum analyzer was set to block edge frequency

**Test Data****Environmental Conditions**


Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2019-01-24 to 2019-01-27.

EUT operation mode: Transmitting


Test Result: Compliance. Please refer to the following plots.

Cellular Band, Left Band Edge for GSM (GMSK) Mode




Date: 24.JAN.2019 20:02:05

Cellular Band, Right Band Edge for GSM (GMSK) Mode




Date: 24.JAN.2019 20:03:14

Cellular Band, Left Band Edge for EDGE Mode




Date: 24.JAN.2019 20:19:12

Cellular Band, Right Band Edge for EDGE Mode




Date: 24.JAN.2019 20:14:34

Cellular Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 24.JAN.2019 22:51:04

Cellular Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 24.JAN.2019 22:50:30

Cellular Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 24.JAN.2019 22:53:06

Cellular Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 24.JAN.2019 22:53:44

Cellular Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 24.JAN.2019 22:17:59

Cellular Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 24.JAN.2019 22:19:03

PCS Band, Left Band Edge for GSM (GMSK) Mode




Date: 24.JAN.2019 20:42:32

PCS Band, Right Band Edge for GSM (GMSK) Mode




Date: 24.JAN.2019 20:43:23

PCS Band, Left Band Edge for EDGE Mode




Date: 24.JAN.2019 21:02:41

PCS Band, Right Band Edge for EDGE Mode




Date: 24.JAN.2019 21:03:33

PCS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 24.JAN.2019 22:43:05

PCS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 24.JAN.2019 22:42:33

PCS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 24.JAN.2019 23:02:01

PCS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 24.JAN.2019 23:02:43

PCS Band, Left Band Edge for HSUPA (BPSK) Mode




Date: 24.JAN.2019 22:37:54

PCS Band, Right Band Edge for HSUPA (BPSK) Mode




Date: 24.JAN.2019 22:39:03

AWS Band, Left Band Edge for WCDMA (BPSK) Mode




Date: 24.JAN.2019 22:48:34

AWS Band, Right Band Edge for WCDMA (BPSK) Mode




Date: 24.JAN.2019 22:49:12

AWS Band, Left Band Edge for HSDPA (16QAM) Mode




Date: 24.JAN.2019 22:59:36

AWS Band, Right Band Edge for HSDPA (16QAM) Mode




Date: 24.JAN.2019 23:00:38

AWS Band, Left Band Edge for HSUPA (BPSK) Mode



Date: 24.JAN.2019 22:30:53


AWS Band, Right Band Edge for HSUPA (BPSK) Mode



Date: 24.JAN.2019 22:31:26


Band 2:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:49:04

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:49:54

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:48:38

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:50:24

QPSK (3.0 MHz, FULL RB) - Left Band Edge





Date: 27.JAN.2019 10:46:51


QPSK (3.0 MHz, FULL RB) - Right Band Edge



Date: 27.JAN.2019 10:45:55




QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:42:27

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:43:38

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:42:51

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:44:09

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:41:32

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:39:42

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:41:09

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:40:14

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:35:24

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:38:36

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:35:48

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:38:01

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:34:27

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:31:50

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 27.JAN.2019 10:34:06


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 27.JAN.2019 10:33:22


Band 4:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:59:51

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:01:10

16-QAM (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:59:26

16-QAM (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:01:55

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:06:22

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:05:16

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:06:56

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:04:29

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:11:06

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:12:01

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:09:11

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:12:47

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:17:30

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:15:41

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:16:54

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:15:12

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 10:26:43

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 10:28:23

16-QAM (15.0 MHz, FULL RB) - Left Band Edge





Date: 27.JAN.2019 10:27:12


16-QAM (15.0 MHz, FULL RB) - Right Band Edge



Date: 27.JAN.2019 10:28:02




16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 27.JAN.2019 10:25:01


16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 27.JAN.2019 10:24:09


Band 5:

QPSK (1.4 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:48:31

QPSK (1.4 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:45:12

16-QAM 1.4 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:57:28

16-QAM (1.4MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:46:16

QPSK (3.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:42:12

QPSK (3.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:42:55

16-QAM (3.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:41:20

16-QAM (3.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:43:17

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:38:38

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:37:26

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:39:57

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:36:26

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:17:46

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:24:22

16-QAM (10.0 MHz, FULL RB) - Left Band Edge



Date: 27.JAN.2019 09:18:42


16-QAM (10.0 MHz, FULL RB) - Right Band Edge



Date: 27.JAN.2019 09:19:45


Band 7:

QPSK (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:09:55

QPSK (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:11:47

16-QAM (5.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:10:50

16-QAM (5.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:12:18

QPSK (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:08:15

QPSK (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:05:34

16-QAM (10.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:07:29

16-QAM (10.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:06:20

QPSK (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 09:00:32

QPSK (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 09:00:32

16-QAM (15.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 08:56:55

16-QAM (15.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 08:59:39

QPSK (20.0 MHz, FULL RB) - Left Band Edge




Date: 27.JAN.2019 08:53:08

QPSK (20.0 MHz, FULL RB) - Right Band Edge




Date: 27.JAN.2019 08:47:13

16-QAM (20.0 MHz, FULL RB) - Left Band Edge



Date: 27.JAN.2019 08:52:27

16-QAM (20.0 MHz, FULL RB) - Right Band Edge



Date: 27.JAN.2019 08:50:05

FCC § 2.1055; § 22.355; § 24.235; §27.54 - FREQUENCY STABILITY

Applicable Standard

FCC § 2.1055, §22.355, §24.235 and §27.54.

According to FCC §2.1055, the frequency stability shall be sufficient to ensure that the fundamental emissions stay within the authorized bands of operation.

According to §22.355, the carrier frequency of each transmitter in the Public Mobile Services must be maintained within the tolerances given in Table below:

Frequency Tolerance for Transmitters in the Public Mobile Services

Frequency Range (MHz)	Base, fixed (ppm)	Mobile ≤ 3 watts (ppm)	Mobile > 3 watts (ppm)
25 to 50	20.0	20.0	50.0
50 to 450	5.0	5.0	50.0
450 to 512	2.5	5.0	5.0
821 to 896	1.5	2.5	2.5
928 to 929.	5.0	N/A	N/A
929 to 960.	1.5	N/A	N/A
2110 to 2220	10.0	N/A	N/A


According to §24.235, the frequency stability shall be sufficient to ensure that the fundamental emissions stays within the authorized frequency block.

Test Procedure

Frequency Stability vs. Temperature: The equipment under test was connected to an external DC power supply and the RF output was connected to communication test set via feed-through attenuators. The EUT was placed inside the temperature chamber. The DC leads and RF output cable exited the chamber through an opening made for the purpose.

After the temperature stabilized for approximately 20 minutes, the frequency output was recorded from the communication test set.

Frequency Stability vs. Voltage: For hand carried, battery powered equipment; reduce primary supply voltage to the battery operating end point which shall be specified by the manufacturer.



Test Data**Environmental Conditions**

Temperature:	25 °C
Relative Humidity:	52 %
ATM Pressure:	101.0 kPa

The testing was performed by Tracy Hu on 2019-01-24.

EUT operation mode: Transmitting

Test Result: Compliance. Please refer to the following tables.

Cellular Band (Part 22H)**GSM Mode**

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	2	0.0024	2.5
-20		2	0.0024	2.5
-10		5	0.0060	2.5
0		0	0.0000	2.5
10		3	0.0036	2.5
20		3	0.0036	2.5
30		3	0.0036	2.5
40		4	0.0048	2.5
50		1	0.0012	2.5
20	V min.= 3.5	4	0.0048	2.5
	V max.= 4.35	2	0.0024	2.5

EDGE Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	2	0.002391	2.5
-20		2	0.002391	2.5
-10		9	0.010758	2.5
0		4	0.004781	2.5
10		-5	-0.005977	2.5
20		3	0.003586	2.5
30		2	0.002391	2.5
40		4	0.004781	2.5
50		-5	-0.005977	2.5
20	V min.= 3.5	-3	-0.003586	2.5
	V max.= 4.35	11	0.013148	2.5

WCDMA Mode

Middle Channel, $f_0=836.6\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-6	-0.0072	2.5
-20		-2	-0.0024	2.5
-10		-4	-0.0048	2.5
0		-3	-0.0036	2.5
10		-5	-0.0060	2.5
20		-3	-0.0036	2.5
30		-3	-0.0036	2.5
40		-3	-0.0036	2.5
50		-3	-0.0036	2.5
20	V min.= 3.5	-4	-0.0048	2.5
	V max.= 4.35	-6	-0.0072	2.5

PCS Band (Part 24E)**GSM Mode**

Middle Channel, $f_0=1880.0\text{ MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	8	0.0043	pass
-20		13	0.0069	pass
-10		10	0.0053	pass
0		12	0.0064	pass
10		11	0.0059	pass
20		12	0.0064	pass
30		11	0.0059	pass
40		15	0.0080	pass
50		10	0.0053	pass
20	V min.= 3.5	12	0.0064	pass
	V max.= 4.35	8	0.0043	pass

EDGE Mode

Middle Channel, $f_o = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	9	0.004787	pass
-20		-4	-0.002128	pass
-10		9	0.004787	pass
0		7	0.003723	pass
10		4	0.002128	pass
20		-3	-0.001596	pass
30		3	0.001596	pass
40		9	0.004787	pass
50		8	0.004255	pass
20	V min.= 3.5	9	0.004787	pass
	V max.= 4.35	11	0.005851	pass

WCDMA Mode

Middle Channel, $f_o = 1880.0$ MHz				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	5	0.0027	pass
-20		5	0.0027	pass
-10		7	0.0037	pass
0		5	0.0027	pass
10		5	0.0027	pass
20		6	0.0032	pass
30		8	0.0043	pass
40		8	0.0043	pass
50		6	0.0032	pass
20	V min.= 3.5	4	0.0021	pass
	V max.= 4.35	5	0.0027	pass

AWS Band (Part 27)

Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	1710.316408	1754.681822	1710.0000	1755.0000
-20		1710.317357	1754.679826	1710.0000	1755.0000
-10		1710.316683	1754.684339	1710.0000	1755.0000
0		1710.321596	1754.685494	1710.0000	1755.0000
10		1710.318126	1754.681734	1710.0000	1755.0000
20		1710.317257	1754.678845	1710.0000	1755.0000
30		1710.319775	1754.680324	1710.0000	1755.0000
40		1710.316536	1754.678819	1710.0000	1755.0000
50		1710.319102	1754.681403	1710.0000	1755.0000
20	V min.= 3.5	1710.316095	1754.683521	1710.0000	1755.0000
	V max.= 4.35	1710.321151	1754.679756	1710.0000	1755.0000

LTE:
QPSK:

Band 2:

10.0 MHz Middle Channel, $f_o=1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V_{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-4	-0.0021	pass
-20		-2	-0.0011	pass
-10		-3	-0.0016	pass
0		-2	-0.0011	pass
10		-3	-0.0016	pass
20		-2	-0.0011	pass
30		-1	-0.0005	pass
40		-2	-0.0011	pass
50		-2	-0.0011	pass
20	V min.= 3.5	-3	-0.0016	pass
	V max.= 4.35	-1	-0.0005	pass

Band 4:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V_{DC})	F_L (MHz)	F_H (MHz)	F_L Limit (MHz)	F_H Limit (MHz)
-30	3.8	1710.112206	1754.871797	1710.0000	1755.0000
-20		1710.112193	1754.871814	1710.0000	1755.0000
-10		1710.112201	1754.871806	1710.0000	1755.0000
0		1710.112184	1754.871816	1710.0000	1755.0000
10		1710.112197	1754.871796	1710.0000	1755.0000
20		1710.112179	1754.871795	1710.0000	1755.0000
30		1710.112199	1754.871811	1710.0000	1755.0000
40		1710.112203	1754.871802	1710.0000	1755.0000
50		1710.112184	1754.87181	1710.0000	1755.0000
20	V min.= 3.5	1710.112187	1754.871811	1710.0000	1755.0000
	V max.= 4.35	1710.112182	1754.871817	1710.0000	1755.0000

Band 5:

10.0 MHz Middle Channel, $f_o = 836.5\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-6	-0.0072	2.5
-20		-4	-0.0048	2.5
-10		-1	-0.0012	2.5
0		-4	-0.0048	2.5
10		-3	-0.0036	2.5
20		-3	-0.0036	2.5
30		-3	-0.0036	2.5
40		-3	-0.0036	2.5
50		-4	-0.0048	2.5
20	V min.= 3.5	-1	-0.0012	2.5
	V max.= 4.35	-3	-0.0036	2.5

Band 7:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	2500.144257	2569.85568	2500	2570
-20		2500.144231	2569.855671	2500	2570
-10		2500.144250	2569.855678	2500	2570
0		2500.144247	2569.855676	2500	2570
10		2500.144236	2569.85567	2500	2570
20		2500.144231	2569.855769	2500	2570
30		2500.144247	2569.855659	2500	2570
40		2500.144259	2569.855658	2500	2570
50		2500.144247	2569.85565	2500	2570
20	V min.= 3.5	2500.144242	2569.85568	2500	2570
	V max.= 4.35	2500.144258	2569.855671	2500	2570

16QAM:**Band 2:**

10.0 MHz Middle Channel, $f_0=1880\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Result
-30	3.8	-5	-0.0027	pass
-20		-2	-0.0011	pass
-10		-3	-0.0016	pass
0		-6	-0.0032	pass
10		-3	-0.0016	pass
20		-2	-0.0011	pass
30		-2	-0.0011	pass
40		-2	-0.0011	pass
50		-1	-0.0005	pass
20	V min.= 3.5	3	0.003586	pass
	V max.= 4.35	7	0.008368	pass

Band 4:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	1710.128221	1754.871818	1710.0000	1755.0000
-20		1710.128223	1754.871822	1710.0000	1755.0000
-10		1710.128214	1754.871796	1710.0000	1755.0000
0		1710.128223	1754.871812	1710.0000	1755.0000
10		1710.128210	1754.871817	1710.0000	1755.0000
20		1710.128205	1754.871795	1710.0000	1755.0000
30		1710.128246	1754.871814	1710.0000	1755.0000
40		1710.128245	1754.871828	1710.0000	1755.0000
50		1710.128237	1754.871830	1710.0000	1755.0000
20	V min.= 3.5	1710.128239	1754.871818	1710.0000	1755.0000
	V max.= 4.35	1710.128223	1754.871812	1710.0000	1755.0000

Band 5:

10.0 MHz Middle Channel, $f_o=836.5\text{MHz}$				
Temperature (°C)	Voltage Supplied (V _{DC})	Frequency Error (Hz)	Frequency Error (ppm)	Limit (ppm)
-30	3.8	-6	-0.0072	2.5
-20		-4	-0.0048	2.5
-10		-1	-0.0012	2.5
0		-4	-0.0048	2.5
10		-3	-0.0036	2.5
20		-3	-0.0036	2.5
30		-5	-0.0060	2.5
40		-3	-0.0036	2.5
50		-1	-0.0012	2.5
20	V min.= 3.5	-5	-0.0060	2.5
	V max.= 4.35	-6	-0.0072	2.5

Band 7:

10 MHz Bandwidth					
Temperature (°C)	Power Supplied (V _{DC})	F _L (MHz)	F _H (MHz)	F _L Limit (MHz)	F _H Limit (MHz)
-30	3.8	2500.144242	2569.871806	2500	2570
-20		2500.144242	2569.871823	2500	2570
-10		2500.144239	2569.871817	2500	2570
0		2500.144250	2569.871804	2500	2570
10		2500.144243	2569.871801	2500	2570
20		2500.144231	2569.871795	2500	2570
30		2500.144259	2569.871824	2500	2570
40		2500.144243	2569.871827	2500	2570
50		2500.144249	2569.871808	2500	2570
20	V min.= 3.5	2500.144259	2569.871813	2500	2570
	V max.= 4.35	2500.144234	2569.871807	2500	2570

***** END OF REPORT *****