

Frequency Stability

Band	PCC Freq	SCC Freq	Modulation	PCC_Deviation (Hz)	PCC_Deviation(ppm)	SCC_Deviation (Hz)	SCC_Deviation (ppm)	Limit (ppm)	Verdict	Environment
CA_5B	831.6	841.5	QPSK	-17.61	-0.02117	-17.19	-0.02042	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	16QAM	78.84	0.09481	10.52	0.01250	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	64QAM	70.90	0.08526	69.89	0.08305	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	256QAM	65.91	0.07925	-15.88	-0.01887	±2.5	PASS	20°C/3.45V
CA_5B	831.6	841.5	QPSK	-50.29	-0.06047	-54.86	-0.06520	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	16QAM	32.39	0.03895	-95.84	-0.11389	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	64QAM	-77.02	-0.09262	-72.38	-0.08601	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	256QAM	81.11	0.09754	89.53	0.10639	±2.5	PASS	20°C/4.45V
CA_5B	831.6	841.5	QPSK	-43.16	-0.05190	-0.10	-0.00012	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	16QAM	-33.77	-0.04061	-10.72	-0.01274	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	64QAM	-42.78	-0.05145	-20.30	-0.02412	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	256QAM	98.63	0.11860	-37.65	-0.04474	±2.5	PASS	50°C/3.87V
CA_5B	831.6	841.5	QPSK	64.14	0.07713	-17.48	-0.02077	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	16QAM	8.60	0.01035	67.80	0.08057	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	64QAM	62.33	0.07495	11.43	0.01358	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	256QAM	-36.45	-0.04383	24.87	0.02956	±2.5	PASS	40°C/3.87V
CA_5B	831.6	841.5	QPSK	-35.37	-0.04253	34.96	0.04154	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	16QAM	44.55	0.05357	60.87	0.07234	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	64QAM	-91.16	-0.10962	-38.26	-0.04547	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	256QAM	51.27	0.06166	46.29	0.05500	±2.5	PASS	30°C/3.87V
CA_5B	831.6	841.5	QPSK	6.33	0.00761	-35.40	-0.04206	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	16QAM	-97.64	-0.11741	71.89	0.08543	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	64QAM	7.04	0.00846	-71.87	-0.08541	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	256QAM	49.33	0.05932	-58.14	-0.06910	±2.5	PASS	20°C/3.87V
CA_5B	831.6	841.5	QPSK	66.75	0.08027	74.05	0.08800	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	16QAM	92.56	0.11131	-16.32	-0.01939	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	64QAM	-93.91	-0.11292	47.10	0.05597	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	256QAM	53.06	0.06381	-64.51	-0.07666	±2.5	PASS	10°C/3.87V
CA_5B	831.6	841.5	QPSK	54.48	0.06551	-90.52	-0.10757	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	16QAM	-80.20	-0.09644	-4.98	-0.00592	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	64QAM	39.77	0.04782	-21.54	-0.02560	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	256QAM	68.61	0.08250	33.78	0.04015	±2.5	PASS	0°C/3.87V
CA_5B	831.6	841.5	QPSK	-81.88	-0.09847	-58.90	-0.07000	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	16QAM	69.59	0.08368	62.81	0.07464	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	64QAM	66.38	0.07982	85.42	0.10151	±2.5	PASS	-10°C/3.87V
CA_5B	831.6	841.5	256QAM	-52.66	-0.06332	-64.55	-0.07671	±2.5	PASS	-10°C/3.87V

CA_5B	831.6	841.5	QPSK	85.72	0.10308	86.47	0.10276	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	16QAM	-78.45	-0.09433	-67.70	-0.08045	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	64QAM	-74.27	-0.08931	-80.98	-0.09623	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	256QAM	-51.55	-0.06199	-97.16	-0.11546	±2.5	PASS	-20°C/3.87V
CA_5B	831.6	841.5	QPSK	-49.55	-0.05958	55.32	0.06574	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	16QAM	-68.32	-0.08216	-6.64	-0.00789	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	64QAM	-43.72	-0.05257	-66.48	-0.07900	±2.5	PASS	-30°C/3.87V
CA_5B	831.6	841.5	256QAM	86.08	0.10351	23.65	0.02810	±2.5	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_7C	2500/2570	QPSK	2500.127	2500	2569.927	2570	PASS	20°C/3.45V
CA_7C	2500/2570	16QAM	2500.017	2500	2569.850	2570	PASS	20°C/3.45V
CA_7C	2500/2570	64QAM	2500.005	2500	2569.817	2570	PASS	20°C/3.45V
CA_7C	2500/2570	256QAM	2500.094	2500	2569.909	2570	PASS	20°C/3.45V
CA_7C	2500/2570	QPSK	2500.063	2500	2569.809	2570	PASS	20°C/4.45V
CA_7C	2500/2570	16QAM	2500.055	2500	2569.857	2570	PASS	20°C/4.45V
CA_7C	2500/2570	64QAM	2500.188	2500	2569.956	2570	PASS	20°C/4.45V
CA_7C	2500/2570	256QAM	2500.178	2500	2569.902	2570	PASS	20°C/4.45V
CA_7C	2500/2570	QPSK	2500.172	2500	2569.871	2570	PASS	50°C/3.87V
CA_7C	2500/2570	16QAM	2500.158	2500	2569.874	2570	PASS	50°C/3.87V
CA_7C	2500/2570	64QAM	2500.132	2500	2569.969	2570	PASS	50°C/3.87V
CA_7C	2500/2570	256QAM	2500.198	2500	2569.888	2570	PASS	50°C/3.87V
CA_7C	2500/2570	QPSK	2500.072	2500	2569.828	2570	PASS	40°C/3.87V
CA_7C	2500/2570	16QAM	2500.133	2500	2569.893	2570	PASS	40°C/3.87V
CA_7C	2500/2570	64QAM	2500.071	2500	2569.965	2570	PASS	40°C/3.87V
CA_7C	2500/2570	256QAM	2500.134	2500	2569.813	2570	PASS	40°C/3.87V
CA_7C	2500/2570	QPSK	2500.054	2500	2569.970	2570	PASS	30°C/3.87V
CA_7C	2500/2570	16QAM	2500.141	2500	2569.992	2570	PASS	30°C/3.87V
CA_7C	2500/2570	64QAM	2500.015	2500	2569.939	2570	PASS	30°C/3.87V
CA_7C	2500/2570	256QAM	2500.076	2500	2569.960	2570	PASS	30°C/3.87V
CA_7C	2500/2570	QPSK	2500.042	2500	2569.838	2570	PASS	20°C/3.87V
CA_7C	2500/2570	16QAM	2500.159	2500	2569.916	2570	PASS	20°C/3.87V
CA_7C	2500/2570	64QAM	2500.104	2500	2569.800	2570	PASS	20°C/3.87V
CA_7C	2500/2570	256QAM	2500.161	2500	2569.906	2570	PASS	20°C/3.87V
CA_7C	2500/2570	QPSK	2500.062	2500	2569.875	2570	PASS	10°C/3.87V
CA_7C	2500/2570	16QAM	2500.038	2500	2569.972	2570	PASS	10°C/3.87V
CA_7C	2500/2570	64QAM	2500.111	2500	2569.865	2570	PASS	10°C/3.87V
CA_7C	2500/2570	256QAM	2500.074	2500	2569.852	2570	PASS	10°C/3.87V
CA_7C	2500/2570	QPSK	2500.120	2500	2569.849	2570	PASS	0°C/3.87V
CA_7C	2500/2570	16QAM	2500.062	2500	2569.942	2570	PASS	0°C/3.87V
CA_7C	2500/2570	64QAM	2500.126	2500	2569.953	2570	PASS	0°C/3.87V
CA_7C	2500/2570	256QAM	2500.068	2500	2569.820	2570	PASS	0°C/3.87V
CA_7C	2500/2570	QPSK	2500.114	2500	2569.892	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	16QAM	2500.125	2500	2569.873	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	64QAM	2500.138	2500	2569.965	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	256QAM	2500.183	2500	2569.943	2570	PASS	-10°C/3.87V
CA_7C	2500/2570	QPSK	2500.096	2500	2569.930	2570	PASS	-20°C/3.87V

CA_7C	2500/2570	16QAM	2500.118	2500	2569.959	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	64QAM	2500.074	2500	2569.856	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	256QAM	2500.060	2500	2569.945	2570	PASS	-20°C/3.87V
CA_7C	2500/2570	QPSK	2500.115	2500	2569.900	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	16QAM	2500.008	2500	2569.821	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	64QAM	2500.120	2500	2569.836	2570	PASS	-30°C/3.87V
CA_7C	2500/2570	256QAM	2500.165	2500	2569.941	2570	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_38C	2570/2620	QPSK	2570.016	2570	2619.917	2620	PASS	20°C/3.45V
CA_38C	2570/2620	16QAM	2570.073	2570	2619.951	2620	PASS	20°C/3.45V
CA_38C	2570/2620	64QAM	2570.145	2570	2619.993	2620	PASS	20°C/3.45V
CA_38C	2570/2620	256QAM	2570.166	2570	2619.854	2620	PASS	20°C/3.45V
CA_38C	2570/2620	QPSK	2570.059	2570	2619.809	2620	PASS	20°C/4.45V
CA_38C	2570/2620	16QAM	2570.081	2570	2619.935	2620	PASS	20°C/4.45V
CA_38C	2570/2620	64QAM	2570.070	2570	2619.818	2620	PASS	20°C/4.45V
CA_38C	2570/2620	256QAM	2570.022	2570	2619.983	2620	PASS	20°C/4.45V
CA_38C	2570/2620	QPSK	2570.002	2570	2619.916	2620	PASS	50°C/3.87V
CA_38C	2570/2620	16QAM	2570.031	2570	2619.803	2620	PASS	50°C/3.87V
CA_38C	2570/2620	64QAM	2570.124	2570	2619.867	2620	PASS	50°C/3.87V
CA_38C	2570/2620	256QAM	2570.178	2570	2619.801	2620	PASS	50°C/3.87V
CA_38C	2570/2620	QPSK	2570.028	2570	2619.979	2620	PASS	40°C/3.87V
CA_38C	2570/2620	16QAM	2570.128	2570	2619.917	2620	PASS	40°C/3.87V
CA_38C	2570/2620	64QAM	2570.076	2570	2619.843	2620	PASS	40°C/3.87V
CA_38C	2570/2620	256QAM	2570.117	2570	2619.990	2620	PASS	40°C/3.87V
CA_38C	2570/2620	QPSK	2570.054	2570	2619.816	2620	PASS	30°C/3.87V
CA_38C	2570/2620	16QAM	2570.126	2570	2619.911	2620	PASS	30°C/3.87V
CA_38C	2570/2620	64QAM	2570.011	2570	2619.958	2620	PASS	30°C/3.87V
CA_38C	2570/2620	256QAM	2570.016	2570	2619.910	2620	PASS	30°C/3.87V
CA_38C	2570/2620	QPSK	2570.129	2570	2619.994	2620	PASS	20°C/3.87V
CA_38C	2570/2620	16QAM	2570.105	2570	2619.888	2620	PASS	20°C/3.87V
CA_38C	2570/2620	64QAM	2570.177	2570	2619.823	2620	PASS	20°C/3.87V
CA_38C	2570/2620	256QAM	2570.025	2570	2619.843	2620	PASS	20°C/3.87V
CA_38C	2570/2620	QPSK	2570.100	2570	2619.962	2620	PASS	10°C/3.87V
CA_38C	2570/2620	16QAM	2570.081	2570	2619.977	2620	PASS	10°C/3.87V
CA_38C	2570/2620	64QAM	2570.016	2570	2619.914	2620	PASS	10°C/3.87V
CA_38C	2570/2620	256QAM	2570.188	2570	2619.982	2620	PASS	10°C/3.87V
CA_38C	2570/2620	QPSK	2570.144	2570	2619.890	2620	PASS	0°C/3.87V
CA_38C	2570/2620	16QAM	2570.039	2570	2619.902	2620	PASS	0°C/3.87V
CA_38C	2570/2620	64QAM	2570.035	2570	2619.805	2620	PASS	0°C/3.87V
CA_38C	2570/2620	256QAM	2570.043	2570	2619.920	2620	PASS	0°C/3.87V
CA_38C	2570/2620	QPSK	2570.011	2570	2619.858	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	16QAM	2570.063	2570	2619.971	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	64QAM	2570.025	2570	2619.882	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	256QAM	2570.081	2570	2619.867	2620	PASS	-10°C/3.87V
CA_38C	2570/2620	QPSK	2570.130	2570	2619.917	2620	PASS	-20°C/3.87V

CA_38C	2570/2620	16QAM	2570.047	2570	2619.909	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	64QAM	2570.015	2570	2619.965	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	256QAM	2570.126	2570	2619.814	2620	PASS	-20°C/3.87V
CA_38C	2570/2620	QPSK	2570.052	2570	2619.897	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	16QAM	2570.067	2570	2619.809	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	64QAM	2570.145	2570	2619.985	2620	PASS	-30°C/3.87V
CA_38C	2570/2620	256QAM	2570.117	2570	2619.909	2620	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_41C	2496/2690	QPSK	2496.120	2496	2689.920	2690	PASS	20°C/3.45V
CA_41C	2496/2690	16QAM	2496.019	2496	2689.874	2690	PASS	20°C/3.45V
CA_41C	2496/2690	64QAM	2496.147	2496	2689.961	2690	PASS	20°C/3.45V
CA_41C	2496/2690	256QAM	2496.008	2496	2689.834	2690	PASS	20°C/3.45V
CA_41C	2496/2690	QPSK	2496.107	2496	2689.854	2690	PASS	20°C/4.45V
CA_41C	2496/2690	16QAM	2496.169	2496	2689.930	2690	PASS	20°C/4.45V
CA_41C	2496/2690	64QAM	2496.192	2496	2689.815	2690	PASS	20°C/4.45V
CA_41C	2496/2690	256QAM	2496.091	2496	2689.975	2690	PASS	20°C/4.45V
CA_41C	2496/2690	QPSK	2496.147	2496	2689.841	2690	PASS	50°C/3.87V
CA_41C	2496/2690	16QAM	2496.150	2496	2689.818	2690	PASS	50°C/3.87V
CA_41C	2496/2690	64QAM	2496.160	2496	2689.861	2690	PASS	50°C/3.87V
CA_41C	2496/2690	256QAM	2496.107	2496	2689.877	2690	PASS	50°C/3.87V
CA_41C	2496/2690	QPSK	2496.141	2496	2689.988	2690	PASS	40°C/3.87V
CA_41C	2496/2690	16QAM	2496.189	2496	2689.943	2690	PASS	40°C/3.87V
CA_41C	2496/2690	64QAM	2496.042	2496	2689.923	2690	PASS	40°C/3.87V
CA_41C	2496/2690	256QAM	2496.038	2496	2689.828	2690	PASS	40°C/3.87V
CA_41C	2496/2690	QPSK	2496.172	2496	2689.916	2690	PASS	30°C/3.87V
CA_41C	2496/2690	16QAM	2496.165	2496	2689.832	2690	PASS	30°C/3.87V
CA_41C	2496/2690	64QAM	2496.125	2496	2689.882	2690	PASS	30°C/3.87V
CA_41C	2496/2690	256QAM	2496.084	2496	2689.845	2690	PASS	30°C/3.87V
CA_41C	2496/2690	QPSK	2496.078	2496	2689.892	2690	PASS	20°C/3.87V
CA_41C	2496/2690	16QAM	2496.069	2496	2689.818	2690	PASS	20°C/3.87V
CA_41C	2496/2690	64QAM	2496.116	2496	2689.940	2690	PASS	20°C/3.87V
CA_41C	2496/2690	256QAM	2496.195	2496	2689.884	2690	PASS	20°C/3.87V
CA_41C	2496/2690	QPSK	2496.197	2496	2689.858	2690	PASS	10°C/3.87V
CA_41C	2496/2690	16QAM	2496.032	2496	2689.982	2690	PASS	10°C/3.87V
CA_41C	2496/2690	64QAM	2496.200	2496	2689.955	2690	PASS	10°C/3.87V
CA_41C	2496/2690	256QAM	2496.075	2496	2689.971	2690	PASS	10°C/3.87V
CA_41C	2496/2690	QPSK	2496.069	2496	2689.909	2690	PASS	0°C/3.87V
CA_41C	2496/2690	16QAM	2496.186	2496	2689.811	2690	PASS	0°C/3.87V
CA_41C	2496/2690	64QAM	2496.164	2496	2689.920	2690	PASS	0°C/3.87V
CA_41C	2496/2690	256QAM	2496.054	2496	2689.862	2690	PASS	0°C/3.87V
CA_41C	2496/2690	QPSK	2496.109	2496	2689.832	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	16QAM	2496.029	2496	2689.922	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	64QAM	2496.033	2496	2689.873	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	256QAM	2496.153	2496	2689.818	2690	PASS	-10°C/3.87V
CA_41C	2496/2690	QPSK	2496.010	2496	2689.865	2690	PASS	-20°C/3.87V

CA_41C	2496/2690	16QAM	2496.003	2496	2689.826	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	64QAM	2496.140	2496	2689.843	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	256QAM	2496.136	2496	2689.898	2690	PASS	-20°C/3.87V
CA_41C	2496/2690	QPSK	2496.144	2496	2689.921	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	16QAM	2496.199	2496	2689.928	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	64QAM	2496.086	2496	2689.915	2690	PASS	-30°C/3.87V
CA_41C	2496/2690	256QAM	2496.108	2496	2689.868	2690	PASS	-30°C/3.87V

Band	Freq (MHz)	Modulation	Lower Edge (MHz) (Result)	Limit (MHz)	Upper Edge (MHz) (Result)	Limit (MHz)	Verdict	Environment
CA_66C	1710/1780	QPSK	1710.008	1710	1779.840	1780	PASS	20°C/3.45V
CA_66C	1710/1780	16QAM	1710.185	1710	1779.914	1780	PASS	20°C/3.45V
CA_66C	1710/1780	64QAM	1710.074	1710	1779.866	1780	PASS	20°C/3.45V
CA_66C	1710/1780	256QAM	1710.007	1710	1779.856	1780	PASS	20°C/3.45V
CA_66C	1710/1780	QPSK	1710.079	1710	1779.900	1780	PASS	20°C/4.45V
CA_66C	1710/1780	16QAM	1710.198	1710	1779.966	1780	PASS	20°C/4.45V
CA_66C	1710/1780	64QAM	1710.052	1710	1779.959	1780	PASS	20°C/4.45V
CA_66C	1710/1780	256QAM	1710.160	1710	1779.891	1780	PASS	20°C/4.45V
CA_66C	1710/1780	QPSK	1710.107	1710	1779.862	1780	PASS	50°C/3.87V
CA_66C	1710/1780	16QAM	1710.082	1710	1779.982	1780	PASS	50°C/3.87V
CA_66C	1710/1780	64QAM	1710.176	1710	1779.965	1780	PASS	50°C/3.87V
CA_66C	1710/1780	256QAM	1710.172	1710	1779.802	1780	PASS	50°C/3.87V
CA_66C	1710/1780	QPSK	1710.112	1710	1779.841	1780	PASS	40°C/3.87V
CA_66C	1710/1780	16QAM	1710.096	1710	1779.879	1780	PASS	40°C/3.87V
CA_66C	1710/1780	64QAM	1710.122	1710	1779.813	1780	PASS	40°C/3.87V
CA_66C	1710/1780	256QAM	1710.031	1710	1779.854	1780	PASS	40°C/3.87V
CA_66C	1710/1780	QPSK	1710.116	1710	1779.884	1780	PASS	30°C/3.87V
CA_66C	1710/1780	16QAM	1710.117	1710	1779.892	1780	PASS	30°C/3.87V
CA_66C	1710/1780	64QAM	1710.093	1710	1779.843	1780	PASS	30°C/3.87V
CA_66C	1710/1780	256QAM	1710.147	1710	1779.850	1780	PASS	30°C/3.87V
CA_66C	1710/1780	QPSK	1710.017	1710	1779.862	1780	PASS	20°C/3.87V
CA_66C	1710/1780	16QAM	1710.114	1710	1779.895	1780	PASS	20°C/3.87V
CA_66C	1710/1780	64QAM	1710.102	1710	1779.956	1780	PASS	20°C/3.87V
CA_66C	1710/1780	256QAM	1710.006	1710	1779.915	1780	PASS	20°C/3.87V
CA_66C	1710/1780	QPSK	1710.071	1710	1779.910	1780	PASS	10°C/3.87V
CA_66C	1710/1780	16QAM	1710.132	1710	1779.822	1780	PASS	10°C/3.87V
CA_66C	1710/1780	64QAM	1710.112	1710	1779.988	1780	PASS	10°C/3.87V
CA_66C	1710/1780	256QAM	1710.169	1710	1779.835	1780	PASS	10°C/3.87V
CA_66C	1710/1780	QPSK	1710.142	1710	1779.880	1780	PASS	0°C/3.87V
CA_66C	1710/1780	16QAM	1710.178	1710	1779.831	1780	PASS	0°C/3.87V
CA_66C	1710/1780	64QAM	1710.013	1710	1779.860	1780	PASS	0°C/3.87V
CA_66C	1710/1780	256QAM	1710.001	1710	1779.808	1780	PASS	0°C/3.87V
CA_66C	1710/1780	QPSK	1710.019	1710	1779.819	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	16QAM	1710.137	1710	1779.878	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	64QAM	1710.050	1710	1779.925	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	256QAM	1710.116	1710	1779.832	1780	PASS	-10°C/3.87V
CA_66C	1710/1780	QPSK	1710.163	1710	1779.980	1780	PASS	-20°C/3.87V

CA_66C	1710/1780	16QAM	1710.116	1710	1779.934	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	64QAM	1710.016	1710	1779.989	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	256QAM	1710.106	1710	1779.906	1780	PASS	-20°C/3.87V
CA_66C	1710/1780	QPSK	1710.133	1710	1779.893	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	16QAM	1710.006	1710	1779.951	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	64QAM	1710.023	1710	1779.898	1780	PASS	-30°C/3.87V
CA_66C	1710/1780	256QAM	1710.069	1710	1779.827	1780	PASS	-30°C/3.87V