






802.11n-20 MHz LOW CHANNEL CARRIER LEVEL

802.11n-20 MHz LOW CHANNEL, SPURIOUS
30 MHz ~ 3 GHz802.11n-20 MHz LOW CHANNEL, SPURIOUS
2 GHz ~ 25 GHz


802.11n-20 MHz MIDDLE CHANNEL CARRIER LEVEL




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




802.11n-20 MHz MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




802.11n-20 MHz HIGH CHANNEL CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



802.11n-20 MHz HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note 1: The 99% OBW of the fundamental emission is without 2 MHz of the authorized band.

Test Data

802.11b Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-43.20	7.95	-12.05	Pass
High	-51.16	8.02	-11.98	Pass

802.11g Mode:


Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-24.96	4.82	-15.18	Pass
High	-44.58	5.11	-14.89	Pass

802.11n-20 MHz Mode:

Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-19.46	5.92	-14.08	Pass
High	-40.20	5.74	-14.26	Pass

Test Plots


802.11b LOW CHANNEL, CARRIER LEVEL




802.11b LOW CHANNEL, BAND EDGE




802.11b HIGH CHANNEL, CARRIER LEVEL




802.11b HIGH CHANNEL, BAND EDGE




802.11g LOW CHANNEL, CARRIER LEVEL




802.11g LOW CHANNEL, BAND EDGE




802.11g HIGH CHANNEL, CARRIER LEVEL



802.11g HIGH CHANNEL, BAND EDGE




802.11n-20 MHz LOW CHANNEL, CARRIER LEVEL




802.11n-20 MHz LOW CHANNEL, BAND EDGE



802.11n-20 MHz HIGH CHANNEL, CARRIER LEVEL



802.11n-20 MHz HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission


Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.174	52.88	10.08	64.77	11.89	Peak	L	Pass
1**	0.174	32.37	10.08	54.77	22.40	AV	L	Pass
2	0.316	46.64	10.12	59.81	13.17	Peak	L	Pass
2**	0.316	28.37	10.12	49.81	21.44	AV	L	Pass
3	0.492	44.31	10.15	56.13	11.82	Peak	L	Pass
3**	0.492	27.60	10.15	46.13	18.53	AV	L	Pass
4	2.282	39.58	10.36	56.00	16.42	Peak	L	Pass
4**	2.282	22.40	10.36	46.00	23.60	AV	L	Pass
5	7.308	32.07	10.74	60.00	27.93	Peak	L	Pass
5**	7.308	20.34	10.74	50.00	29.66	AV	L	Pass
6	15.172	40.32	11.18	60.00	19.68	Peak	L	Pass
6**	15.172	24.01	11.18	50.00	25.99	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin(dB)	Detector	Line	Verdict
1	0.158	52.77	10.15	65.57	12.80	Peak	N	Pass
1**	0.158	35.15	10.15	55.57	20.42	AV	N	Pass
2	0.506	43.38	10.17	56.00	12.62	Peak	N	Pass
2**	0.506	27.96	10.17	46.00	18.04	AV	N	Pass
3	2.394	40.15	10.27	56.00	15.85	Peak	N	Pass
3**	2.394	23.59	10.27	46.00	22.41	AV	N	Pass
4	4.012	35.71	10.38	56.00	20.29	Peak	N	Pass
4**	4.012	20.92	10.38	46.00	25.08	AV	N	Pass
5	8.900	34.53	10.82	60.00	25.47	Peak	N	Pass
5**	8.900	22.83	10.82	50.00	27.17	AV	N	Pass
6	12.856	39.41	11.04	60.00	20.59	Peak	N	Pass
6**	12.856	27.26	11.04	50.00	22.74	AV	N	Pass

A.6 Radiated Emission

Note 1: The symbol of "--" in the table which means not application.

Note 2: For the test data above 1 GHz, According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The EUT is working in the Normal link mode below 1 GHz. All modes have been tested and normal link mode is worst.

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	32.667	19.56	-28.52	40.0	20.44	Peak	265.00	200	Horizontal	Pass
2	62.301	20.87	-26.59	40.0	19.13	Peak	260.00	200	Horizontal	Pass
3	113.371	34.70	-27.04	43.5	8.80	Peak	230.00	200	Horizontal	Pass
4	187.819	24.96	-26.73	43.5	18.54	Peak	312.00	100	Horizontal	Pass
5	539.881	23.70	-17.18	46.0	22.30	Peak	8.00	100	Horizontal	Pass
6	952.422	31.31	-9.03	46.0	14.69	Peak	227.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.288	38.20	-27.71	40.0	1.80	Peak	221.00	113	Vertical	N/A
1*	35.288	34.45	-27.71	40.0	5.55	QP	221.00	113	Vertical	Pass
2	61.525	26.34	-26.40	40.0	13.66	Peak	184.00	100	Vertical	Pass
3	108.667	30.79	-26.52	43.5	12.71	Peak	0.00	100	Vertical	Pass
4	209.353	24.98	-26.37	43.5	18.52	Peak	264.00	200	Vertical	Pass
5	532.896	22.73	-17.36	46.0	23.27	Peak	227.00	200	Vertical	Pass
6	970.948	32.53	-8.58	54.0	21.47	Peak	47.00	200	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious above 18G is noise only, do not show on the report.

1 GHz to 18 GHz, ANT H 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1365.500	41.07	-15.86	74.0	32.93	Peak	190.00	150	Horizontal	Pass
1**	1365.500	28.49	-15.86	54.0	25.51	AV	190.00	150	Horizontal	Pass
2	2438.250	102.90	-12.38	74.0	-28.90	Peak	18.00	150	Horizontal	N/A
2**	2438.250	100.02	-12.38	54.0	-46.02	AV	18.00	150	Horizontal	N/A
3	4874.500	52.50	-2.25	74.0	21.50	Peak	145.00	150	Horizontal	Pass
3**	4874.500	49.60	-2.25	54.0	4.40	AV	145.00	150	Horizontal	Pass
4	6450.000	52.76	-0.05	74.0	21.24	Peak	125.00	150	Horizontal	Pass
4**	6450.000	41.84	-0.05	54.0	12.16	AV	125.00	150	Horizontal	Pass
5	10877.500	47.99	-3.26	74.0	26.01	Peak	360.00	150	Horizontal	Pass
5**	10877.500	37.13	-3.26	54.0	16.87	AV	360.00	150	Horizontal	Pass
6	15266.000	49.40	-1.02	74.0	24.60	Peak	126.00	150	Horizontal	Pass
6**	15266.000	39.61	-1.02	54.0	14.39	AV	126.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11b Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1302.750	39.80	-15.59	74.0	34.20	Peak	139.00	150	Vertical	Pass
1**	1302.750	28.83	-15.59	54.0	25.17	AV	139.00	150	Vertical	Pass
2	2438.250	95.90	-12.38	74.0	-21.90	Peak	139.00	150	Vertical	N/A
2**	2438.250	93.07	-12.38	54.0	-39.07	AV	139.00	150	Vertical	N/A
3	4874.500	48.91	-2.25	74.0	25.09	Peak	124.00	150	Vertical	Pass
3**	4874.500	43.73	-2.25	54.0	10.27	AV	124.00	150	Vertical	Pass
4	6442.000	52.51	-0.09	74.0	21.49	Peak	333.00	150	Vertical	Pass
4**	6442.000	41.80	-0.09	54.0	12.20	AV	333.00	150	Vertical	Pass
5	10021.500	47.65	-4.08	74.0	26.35	Peak	294.00	150	Vertical	Pass
5**	10021.500	36.63	-4.08	54.0	17.37	AV	294.00	150	Vertical	Pass
6	16241.000	50.02	-1.37	74.0	23.98	Peak	63.00	150	Vertical	Pass
6**	16241.000	39.12	-1.37	54.0	14.88	AV	63.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1050.500	44.07	-15.41	74.0	29.93	Peak	319.00	150	Horizontal	Pass
1**	1050.500	28.11	-15.41	54.0	25.89	AV	319.00	150	Horizontal	Pass
2	2439.000	105.32	-12.37	74.0	-31.32	Peak	22.00	150	Horizontal	N/A
2**	2439.000	97.55	-12.37	54.0	-43.55	AV	22.00	150	Horizontal	N/A
3	3411.000	47.25	-5.30	74.0	26.75	Peak	0.00	150	Horizontal	Pass
3**	3411.000	36.57	-5.30	54.0	17.43	AV	0.00	150	Horizontal	Pass
4	4844.000	49.87	-1.88	74.0	24.13	Peak	105.00	150	Horizontal	Pass
4**	4844.000	38.82	-1.88	54.0	15.18	AV	105.00	150	Horizontal	Pass
5	7241.000	54.35	0.96	74.0	19.65	Peak	27.00	150	Horizontal	Pass
5**	7241.000	42.98	0.96	54.0	11.02	AV	27.00	150	Horizontal	Pass
6	13674.500	49.34	-2.65	74.0	24.66	Peak	0.00	150	Horizontal	Pass
6**	13674.500	38.22	-2.65	54.0	15.78	AV	0.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11g Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1412.500	40.05	-15.95	74.0	33.95	Peak	352.00	150	Vertical	Pass
1**	1412.500	28.85	-15.95	54.0	25.15	AV	352.00	150	Vertical	Pass
2	2438.250	96.01	-12.38	74.0	-22.01	Peak	238.00	150	Vertical	N/A
2**	2438.250	88.29	-12.38	54.0	-34.29	AV	238.00	150	Vertical	N/A
3	2933.750	46.33	-8.06	74.0	27.67	Peak	0.00	150	Vertical	Pass
3**	2933.750	36.14	-8.06	54.0	17.86	AV	0.00	150	Vertical	Pass
4	4873.000	50.55	-2.22	74.0	23.45	Peak	265.00	150	Vertical	Pass
4**	4873.000	38.69	-2.22	54.0	15.31	AV	265.00	150	Vertical	Pass
5	6646.000	53.63	0.32	74.0	20.37	Peak	27.00	150	Vertical	Pass
5**	6646.000	42.23	0.32	54.0	11.77	AV	27.00	150	Vertical	Pass
6	13962.000	48.97	-1.82	74.0	25.03	Peak	10.00	150	Vertical	Pass
6**	13962.000	38.02	-1.82	54.0	15.98	AV	10.00	150	Vertical	Pass

1 GHz to 18 GHz, ANT H 802.11n20 Middle Channel


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.000	40.44	-15.91	74.0	33.56	Peak	189.00	150	Horizontal	Pass
1**	1327.000	28.16	-15.91	54.0	25.84	AV	189.00	150	Horizontal	Pass
2	2437.250	105.52	-12.37	74.0	-31.52	Peak	23.00	150	Horizontal	N/A
2**	2437.250	95.94	-12.37	54.0	-41.94	AV	23.00	150	Horizontal	N/A
3	3408.000	47.87	-5.34	74.0	26.13	Peak	241.00	150	Horizontal	Pass
3**	3408.000	38.07	-5.34	54.0	15.93	AV	241.00	150	Horizontal	Pass
4	5164.500	50.32	-2.24	74.0	23.68	Peak	312.00	150	Horizontal	Pass
4**	5164.500	38.91	-2.24	54.0	15.09	AV	312.00	150	Horizontal	Pass
5	6906.000	54.20	0.22	74.0	19.80	Peak	331.00	150	Horizontal	Pass
5**	6906.000	42.39	0.22	54.0	11.61	AV	331.00	150	Horizontal	Pass
6	14591.000	49.46	-2.12	74.0	24.54	Peak	212.00	150	Horizontal	Pass
6**	14591.000	38.92	-2.12	54.0	15.08	AV	212.00	150	Horizontal	Pass

1 GHz to 18 GHz, ANT V 802.11n20 Middle Channel

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1323.750	40.62	-15.87	74.0	33.38	Peak	59.00	150	Vertical	Pass
1**	1323.750	28.61	-15.87	54.0	25.39	AV	59.00	150	Vertical	Pass
2	2438.500	96.22	-12.37	74.0	-22.22	Peak	239.00	150	Vertical	N/A
2**	2438.500	88.31	-12.37	54.0	-34.31	AV	239.00	150	Vertical	N/A
3	3408.500	47.79	-5.36	74.0	26.21	Peak	327.00	150	Vertical	Pass
3**	3408.500	39.43	-5.36	54.0	14.57	AV	327.00	150	Vertical	Pass
4	5186.500	50.00	-2.33	74.0	24.00	Peak	170.00	150	Vertical	Pass
4**	5186.500	39.30	-2.33	54.0	14.70	AV	170.00	150	Vertical	Pass
5	7796.500	54.28	1.69	74.0	19.72	Peak	10.00	150	Vertical	Pass
5**	7796.500	43.29	1.69	54.0	10.71	AV	10.00	150	Vertical	Pass
6	13740.000	49.12	-2.45	74.0	24.88	Peak	60.00	150	Vertical	Pass
6**	13740.000	37.71	-2.45	54.0	16.29	AV	60.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)


Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.

Note 3: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.


Test Data and Plots

802.11b LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	49.91	-4.87	74.0	24.09	Peak	282.64	150	Vertical	Pass
1**	2390.000	40.02	-4.87	54.0	13.98	AV	282.64	150	Vertical	Pass
2	2365.200	52.49	-4.52	74.0	21.51	Peak	196.00	150	Vertical	Pass
2**	2365.200	40.53	-4.52	54.0	13.47	AV	196.00	150	Vertical	Pass

802.11b HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.45	-3.78	74.0	22.55	Peak	323.00	150	Horizontal	Pass
1**	2483.500	41.51	-3.78	54.0	12.49	AV	323.00	150	Horizontal	Pass
2	2488.330	53.56	-3.81	74.0	20.44	Peak	35.00	150	Horizontal	Pass
2**	2488.330	41.95	-3.81	54.0	12.05	AV	35.00	150	Horizontal	Pass

802.11g LOW CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	60.88	-4.87	74.0	13.12	Peak	34.02	150	Horizontal	Pass
1**	2390.000	45.39	-4.87	54.0	8.61	AV	34.02	150	Horizontal	Pass
2	2388.800	62.15	-4.81	74.0	11.85	Peak	34.00	150	Horizontal	Pass
2**	2388.800	43.20	-4.81	54.0	10.80	AV	34.00	150	Horizontal	Pass

802.11g HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.54	-3.78	74.0	22.46	Peak	59.00	150	Horizontal	Pass
1**	2483.500	41.25	-3.78	54.0	12.75	AV	59.00	150	Horizontal	Pass
2	2488.570	53.07	-3.82	74.0	20.93	Peak	68.00	150	Horizontal	Pass
2**	2488.570	41.41	-3.82	54.0	12.59	AV	68.00	150	Horizontal	Pass

802.11n20 LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	65.79	-4.87	74.0	8.21	Peak	21.02	150	Horizontal	Pass
1**	2390.000	49.66	-4.87	54.0	4.34	AV	21.02	150	Horizontal	Pass
2	2389.600	67.28	-4.85	74.0	6.72	Peak	225.00	150	Horizontal	Pass
2**	2389.600	48.91	-4.85	54.0	5.09	AV	225.00	150	Horizontal	Pass

802.11n20 HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin(dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.96	-3.78	74.0	11.04	Peak	28.00	150	Horizontal	Pass
1**	2483.500	48.78	-3.78	54.0	5.22	AV	28.00	150	Horizontal	Pass
2	2483.620	67.60	-3.78	74.0	6.40	Peak	34.00	150	Horizontal	Pass
2**	2483.620	48.82	-3.78	54.0	5.18	AV	34.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

802.11b Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-8.13	8
Middle	-8.62	8
High	-7.57	8

802.11g Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.72	8
Middle	-9.32	8
High	-10.21	8

802.11n-20 MHz Mode:

Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)
Low	-9.13	8
Middle	-10.60	8
High	-9.81	8

Test Plots

802.11b LOW CHANNEL



802.11b MIDDLE CHANNEL



802.11b HIGH CHANNEL



802.11g LOW CHANNEL




802.11g MIDDLE CHANNEL




802.11g HIGH CHANNEL




802.11n-20 MHz LOW CHANNEL



802.11 n-20 MHz MIDDLE CHANNEL



802.11n-20 MHz HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH25C1428-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH25C1428-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH25C1428-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--