

Transmitter Radiated Power (EIRP/ERP)

GSM Mode Test Data

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
GSM850	LCH	27.49	-6	-8.15	19.34	0.086	7.000	Pass
	MCH	27.29	-6	-8.15	19.14	0.082	7.000	Pass
	HCH	27.42	-6	-8.15	19.27	0.085	7.000	Pass
GPRS850	LCH	24.46	-6	-8.15	16.31	0.043	7.000	Pass
	MCH	24.28	-6	-8.15	16.13	0.041	7.000	Pass
	HCH	24.37	-6	-8.15	16.22	0.042	7.000	Pass
EGPRS850	LCH	22.53	-6	-8.15	14.38	0.027	7.000	Pass
	MCH	22.48	-6	-8.15	14.33	0.027	7.000	Pass
	HCH	22.35	-6	-8.15	14.20	0.026	7.000	Pass

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
GSM1900	LCH	22.53	-3	19.53	0.090	2.000	Pass
	MCH	22.46	-3	19.46	0.088	2.000	Pass
	HCH	22.29	-3	19.29	0.085	2.000	Pass
GPRS1900	LCH	22.53	-3	19.53	0.090	2.000	Pass
	MCH	22.48	-3	19.48	0.089	2.000	Pass
	HCH	22.35	-3	19.35	0.086	2.000	Pass

GPRS Conducted Output Power

Test Band	Test CH	GPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
GPRS850	LCH	24.46	0.28	23.77	0.24	22.24	0.17	21.11	0.13	Pass
	MCH	24.28	0.27	23.60	0.23	21.98	0.16	20.83	0.12	Pass
	HCH	24.37	0.27	23.68	0.23	22.10	0.16	20.92	0.12	Pass
GPRS1900	LCH	22.53	0.18	21.91	0.16	20.18	0.10	18.95	0.08	Pass
	MCH	22.48	0.18	21.85	0.15	20.15	0.10	18.92	0.08	Pass
	HCH	22.35	0.17	21.76	0.15	20.13	0.10	18.95	0.08	Pass

WCDMA Mode Test Data

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B2	LCH	15.57	-4	11.57	0.014	2.000	Pass
	MCH	15.79	-4	11.79	0.015	2.000	Pass
	HCH	15.42	-4	11.42	0.014	2.000	Pass
HSDPA B2	LCH	14.63	-4	10.63	0.012	2.000	Pass
	MCH	14.89	-4	10.89	0.012	2.000	Pass
	HCH	14.54	-4	10.54	0.011	2.000	Pass
HSUPA B2	LCH	15.66	-4	11.66	0.015	2.000	Pass
	MCH	15.90	-4	11.90	0.015	2.000	Pass
	HCH	15.58	-4	11.58	0.014	2.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B4	LCH	17.67	-4	13.67	0.023	1.000	Pass
	MCH	17.50	-4	13.50	0.022	1.000	Pass
	HCH	17.61	-4	13.61	0.023	1.000	Pass
HSDPA B4	LCH	14.71	-4	10.71	0.012	1.000	Pass
	MCH	14.60	-4	10.60	0.011	1.000	Pass
	HCH	14.68	-4	10.68	0.012	1.000	Pass
HSUPA B4	LCH	15.71	-4	11.71	0.015	1.000	Pass
	MCH	15.64	-4	11.64	0.015	1.000	Pass
	HCH	15.72	-4	11.72	0.015	1.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
WCDMA B5	LCH	22.77	-6	-8.15	14.62	0.029	7.000	Pass
	MCH	22.61	-6	-8.15	14.46	0.028	7.000	Pass
	HCH	22.65	-6	-8.15	14.50	0.028	7.000	Pass
HSDPA B5	LCH	21.76	-6	-8.15	13.61	0.023	7.000	Pass
	MCH	21.73	-6	-8.15	13.58	0.023	7.000	Pass
	HCH	21.67	-6	-8.15	13.52	0.022	7.000	Pass
HSUPA B5	LCH	20.75	-6	-8.15	12.60	0.018	7.000	Pass
	MCH	20.74	-6	-8.15	12.59	0.018	7.000	Pass
	HCH	20.66	-6	-8.15	12.51	0.018	7.000	Pass

HSDPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B2	Subtest 1	14.63	14.84	14.51	0.029	0.030	0.028	Pass
	Subtest 2	14.63	14.89	14.54	0.029	0.031	0.028	Pass
	Subtest 3	14.16	14.43	14.06	0.026	0.028	0.025	Pass
	Subtest 4	14.10	14.36	13.99	0.026	0.027	0.025	Pass
HSDPA B4	Subtest 1	14.71	14.56	14.66	0.030	0.029	0.029	Pass
	Subtest 2	14.70	14.60	14.68	0.030	0.029	0.029	Pass
	Subtest 3	14.23	14.12	14.20	0.026	0.026	0.026	Pass
	Subtest 4	14.17	14.09	14.17	0.026	0.026	0.026	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B5	Subtest 1	21.73	21.71	21.67	0.149	0.148	0.147	Pass
	Subtest 2	21.76	21.73	21.65	0.150	0.149	0.146	Pass
	Subtest 3	21.30	21.29	21.19	0.135	0.135	0.132	Pass
	Subtest 4	21.31	21.25	21.16	0.135	0.133	0.131	Pass

HSUPA Conducted Output Power

Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B2	Subtest 1	14.66	14.91	14.56	0.029	0.031	0.029	Pass
	Subtest 2	14.63	14.92	14.58	0.029	0.031	0.029	Pass
	Subtest 3	15.66	15.90	15.58	0.037	0.039	0.036	Pass
	Subtest 4	14.19	14.40	14.12	0.026	0.028	0.026	Pass
	Subtest 5	15.60	15.86	15.54	0.036	0.039	0.036	Pass
HSUPA B4	Subtest 1	14.70	14.62	14.71	0.030	0.029	0.030	Pass
	Subtest 2	14.71	14.65	14.70	0.030	0.029	0.030	Pass
	Subtest 3	15.71	15.64	15.72	0.037	0.037	0.037	Pass
	Subtest 4	14.21	14.19	14.25	0.026	0.026	0.027	Pass
	Subtest 5	15.68	15.62	15.71	0.037	0.036	0.037	Pass
Conducted Output Power		(dBm)			(W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B5	Subtest 1	19.75	19.73	19.65	0.094	0.094	0.092	Pass
	Subtest 2	19.74	19.71	19.63	0.094	0.094	0.092	Pass
	Subtest 3	20.75	20.74	20.66	0.119	0.119	0.116	Pass
	Subtest 4	19.27	19.28	19.22	0.085	0.085	0.084	Pass
	Subtest 5	20.73	20.70	20.63	0.118	0.117	0.116	Pass

LTE Mode Test Data

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
1.4	LCH	QPSK	1	Low	17.16	-4	13.16	0.021	2.000	Pass
			1	Mid	17.04	-4	13.04	0.020	2.000	Pass
			1	High	17.09	-4	13.09	0.020	2.000	Pass
			3	Low	16.9	-4	12.90	0.019	2.000	Pass
			3	Mid	16.88	-4	12.88	0.019	2.000	Pass
			3	High	16.91	-4	12.91	0.020	2.000	Pass
			6	Low	15.93	-4	11.93	0.016	2.000	Pass
		Q16	1	Low	16.04	-4	12.04	0.016	2.000	Pass
			1	Mid	15.97	-4	11.97	0.016	2.000	Pass
			1	High	16	-4	12.00	0.016	2.000	Pass
			3	Low	16	-4	12.00	0.016	2.000	Pass
			3	Mid	16	-4	12.00	0.016	2.000	Pass
			3	High	16.02	-4	12.02	0.016	2.000	Pass
			6	Low	15.1	-4	11.10	0.013	2.000	Pass
		Q64	1	Low	15.36	-4	11.36	0.014	2.000	Pass
			1	Mid	15.35	-4	11.35	0.014	2.000	Pass
			1	High	15.29	-4	11.29	0.013	2.000	Pass
			3	Low	15.24	-4	11.24	0.013	2.000	Pass
			3	Mid	15.24	-4	11.24	0.013	2.000	Pass
			3	High	15.22	-4	11.22	0.013	2.000	Pass
			6	Low	13.91	-4	9.91	0.010	2.000	Pass
		Q256	1	Low	12.04	-4	8.04	0.006	2.000	Pass
			1	Mid	12	-4	8.00	0.006	2.000	Pass
			1	High	11.99	-4	7.99	0.006	2.000	Pass
			3	Low	11.98	-4	7.98	0.006	2.000	Pass
			3	Mid	11.95	-4	7.95	0.006	2.000	Pass
			3	High	11.94	-4	7.94	0.006	2.000	Pass
			6	Low	11.96	-4	7.96	0.006	2.000	Pass
	MCH	QPSK	1	Low	16.99	-4	12.99	0.020	2.000	Pass
			1	Mid	16.97	-4	12.97	0.020	2.000	Pass
			1	High	16.97	-4	12.97	0.020	2.000	Pass
			3	Low	16.91	-4	12.91	0.020	2.000	Pass
			3	Mid	16.93	-4	12.93	0.020	2.000	Pass
			3	High	16.91	-4	12.91	0.020	2.000	Pass
			6	Low	15.95	-4	11.95	0.016	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	1	Low	16.36	-4	12.36	0.017	2.000	Pass
			1	Mid	16.31	-4	12.31	0.017	2.000	Pass
			1	High	16.33	-4	12.33	0.017	2.000	Pass
			3	Low	16.11	-4	12.11	0.016	2.000	Pass
			3	Mid	16.12	-4	12.12	0.016	2.000	Pass
			3	High	16.08	-4	12.08	0.016	2.000	Pass
			6	Low	14.83	-4	10.83	0.012	2.000	Pass
		Q64	1	Low	15.08	-4	11.08	0.013	2.000	Pass
			1	Mid	15.07	-4	11.07	0.013	2.000	Pass
			1	High	15.04	-4	11.04	0.013	2.000	Pass
			3	Low	14.99	-4	10.99	0.013	2.000	Pass
			3	Mid	14.97	-4	10.97	0.013	2.000	Pass
			3	High	14.99	-4	10.99	0.013	2.000	Pass
			6	Low	14.21	-4	10.21	0.010	2.000	Pass
		Q256	1	Low	11.83	-4	7.83	0.006	2.000	Pass
			1	Mid	11.8	-4	7.80	0.006	2.000	Pass
			1	High	11.82	-4	7.82	0.006	2.000	Pass
			3	Low	11.98	-4	7.98	0.006	2.000	Pass
			3	Mid	11.98	-4	7.98	0.006	2.000	Pass
			3	High	11.96	-4	7.96	0.006	2.000	Pass
			6	Low	11.91	-4	7.91	0.006	2.000	Pass
	HCH	QPSK	1	Low	16.96	-4	12.96	0.020	2.000	Pass
			1	Mid	16.93	-4	12.93	0.020	2.000	Pass
			1	High	16.95	-4	12.95	0.020	2.000	Pass
			3	Low	17.04	-4	13.04	0.020	2.000	Pass
			3	Mid	17.04	-4	13.04	0.020	2.000	Pass
			3	High	17.05	-4	13.05	0.020	2.000	Pass
			6	Low	16.01	-4	12.01	0.016	2.000	Pass
		Q16	1	Low	16.13	-4	12.13	0.016	2.000	Pass
			1	Mid	16.08	-4	12.08	0.016	2.000	Pass
			1	High	16.17	-4	12.17	0.016	2.000	Pass
			3	Low	16.2	-4	12.20	0.017	2.000	Pass
			3	Mid	16.14	-4	12.14	0.016	2.000	Pass
			3	High	16.17	-4	12.17	0.016	2.000	Pass
			6	Low	15.22	-4	11.22	0.013	2.000	Pass
		Q64	1	Low	15.18	-4	11.18	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	15.1	-4	11.10	0.013	2.000	Pass
			1	High	15.18	-4	11.18	0.013	2.000	Pass
			3	Low	14.91	-4	10.91	0.012	2.000	Pass
			3	Mid	14.86	-4	10.86	0.012	2.000	Pass
			3	High	14.91	-4	10.91	0.012	2.000	Pass
			6	Low	14.09	-4	10.09	0.010	2.000	Pass
		Q256	1	Low	11.84	-4	7.84	0.006	2.000	Pass
			1	Mid	11.81	-4	7.81	0.006	2.000	Pass
			1	High	11.82	-4	7.82	0.006	2.000	Pass
			3	Low	12.06	-4	8.06	0.006	2.000	Pass
			3	Mid	12.04	-4	8.04	0.006	2.000	Pass
			3	High	12.02	-4	8.02	0.006	2.000	Pass
			6	Low	12.05	-4	8.05	0.006	2.000	Pass
3	LCH	QPSK	1	Low	16.95	-4	12.95	0.020	2.000	Pass
			1	Mid	16.95	-4	12.95	0.020	2.000	Pass
			1	High	16.91	-4	12.91	0.020	2.000	Pass
			8	Low	15.92	-4	11.92	0.016	2.000	Pass
			8	Mid	15.89	-4	11.89	0.015	2.000	Pass
			8	High	15.87	-4	11.87	0.015	2.000	Pass
			15	Low	15.9	-4	11.90	0.015	2.000	Pass
		Q16	1	Low	15.85	-4	11.85	0.015	2.000	Pass
			1	Mid	15.82	-4	11.82	0.015	2.000	Pass
			1	High	15.77	-4	11.77	0.015	2.000	Pass
			8	Low	15.04	-4	11.04	0.013	2.000	Pass
			8	Mid	15.01	-4	11.01	0.013	2.000	Pass
			8	High	14.99	-4	10.99	0.013	2.000	Pass
			15	Low	14.93	-4	10.93	0.012	2.000	Pass
		Q64	1	Low	15.25	-4	11.25	0.013	2.000	Pass
			1	Mid	15.21	-4	11.21	0.013	2.000	Pass
			1	High	15.19	-4	11.19	0.013	2.000	Pass
			8	Low	14	-4	10.00	0.010	2.000	Pass
			8	Mid	13.96	-4	9.96	0.010	2.000	Pass
			8	High	13.93	-4	9.93	0.010	2.000	Pass
			15	Low	13.87	-4	9.87	0.010	2.000	Pass
		Q2556	1	Low	12.48	-4	8.48	0.007	2.000	Pass
			1	Mid	12.47	-4	8.47	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	MCH		1	High	12.42	-4	8.42	0.007	2.000	Pass
			8	Low	12	-4	8.00	0.006	2.000	Pass
			8	Mid	11.95	-4	7.95	0.006	2.000	Pass
			8	High	11.95	-4	7.95	0.006	2.000	Pass
			15	Low	11.96	-4	7.96	0.006	2.000	Pass
		QPSK	1	Low	16.92	-4	12.92	0.020	2.000	Pass
			1	Mid	17	-4	13.00	0.020	2.000	Pass
			1	High	16.97	-4	12.97	0.020	2.000	Pass
			8	Low	15.91	-4	11.91	0.016	2.000	Pass
			8	Mid	15.93	-4	11.93	0.016	2.000	Pass
			8	High	16.01	-4	12.01	0.016	2.000	Pass
			15	Low	15.92	-4	11.92	0.016	2.000	Pass
		Q16	1	Low	16.28	-4	12.28	0.017	2.000	Pass
			1	Mid	16.37	-4	12.37	0.017	2.000	Pass
			1	High	16.34	-4	12.34	0.017	2.000	Pass
			8	Low	15	-4	11.00	0.013	2.000	Pass
			8	Mid	15.01	-4	11.01	0.013	2.000	Pass
			8	High	15.08	-4	11.08	0.013	2.000	Pass
			15	Low	14.95	-4	10.95	0.012	2.000	Pass
		Q64	1	Low	14.99	-4	10.99	0.013	2.000	Pass
			1	Mid	15.08	-4	11.08	0.013	2.000	Pass
			1	High	15.09	-4	11.09	0.013	2.000	Pass
			8	Low	13.96	-4	9.96	0.010	2.000	Pass
			8	Mid	13.98	-4	9.98	0.010	2.000	Pass
			8	High	14.04	-4	10.04	0.010	2.000	Pass
			15	Low	13.97	-4	9.97	0.010	2.000	Pass
		Q256	1	Low	11.77	-4	7.77	0.006	2.000	Pass
			1	Mid	11.86	-4	7.86	0.006	2.000	Pass
			1	High	11.82	-4	7.82	0.006	2.000	Pass
			8	Low	11.88	-4	7.88	0.006	2.000	Pass
			8	Mid	11.92	-4	7.92	0.006	2.000	Pass
			8	High	11.97	-4	7.97	0.006	2.000	Pass
			15	Low	11.96	-4	7.96	0.006	2.000	Pass
	HCH	QPSK	1	Low	16.98	-4	12.98	0.020	2.000	Pass
			1	Mid	17.02	-4	13.02	0.020	2.000	Pass
			1	High	16.98	-4	12.98	0.020	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			8	Low	16.02	-4	12.02	0.016	2.000	Pass
			8	Mid	16.01	-4	12.01	0.016	2.000	Pass
			8	High	16.03	-4	12.03	0.016	2.000	Pass
			15	Low	16.03	-4	12.03	0.016	2.000	Pass
		Q16	1	Low	16.15	-4	12.15	0.016	2.000	Pass
			1	Mid	16.07	-4	12.07	0.016	2.000	Pass
			1	High	15.96	-4	11.96	0.016	2.000	Pass
			8	Low	15.09	-4	11.09	0.013	2.000	Pass
			8	Mid	15.09	-4	11.09	0.013	2.000	Pass
			8	High	15.11	-4	11.11	0.013	2.000	Pass
			15	Low	15.01	-4	11.01	0.013	2.000	Pass
		Q64	1	Low	15.2	-4	11.20	0.013	2.000	Pass
			1	Mid	15.21	-4	11.21	0.013	2.000	Pass
			1	High	15.17	-4	11.17	0.013	2.000	Pass
			8	Low	13.94	-4	9.94	0.010	2.000	Pass
			8	Mid	13.94	-4	9.94	0.010	2.000	Pass
			8	High	13.98	-4	9.98	0.010	2.000	Pass
			15	Low	14.06	-4	10.06	0.010	2.000	Pass
		Q256	1	Low	11.82	-4	7.82	0.006	2.000	Pass
			1	Mid	11.93	-4	7.93	0.006	2.000	Pass
			1	High	11.91	-4	7.91	0.006	2.000	Pass
			8	Low	12.06	-4	8.06	0.006	2.000	Pass
			8	Mid	12.06	-4	8.06	0.006	2.000	Pass
			8	High	12.09	-4	8.09	0.006	2.000	Pass
			15	Low	12.02	-4	8.02	0.006	2.000	Pass
5	LCH	QPSK	1	Low	17	-4	13.00	0.020	2.000	Pass
			1	Mid	17.01	-4	13.01	0.020	2.000	Pass
			1	High	16.95	-4	12.95	0.020	2.000	Pass
			12	Low	15.99	-4	11.99	0.016	2.000	Pass
			12	Mid	15.94	-4	11.94	0.016	2.000	Pass
			12	High	15.92	-4	11.92	0.016	2.000	Pass
			25	Low	15.99	-4	11.99	0.016	2.000	Pass
		Q16	1	Low	16.18	-4	12.18	0.017	2.000	Pass
			1	Mid	16.21	-4	12.21	0.017	2.000	Pass
			1	High	16.06	-4	12.06	0.016	2.000	Pass
			12	Low	15.07	-4	11.07	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	Mid	15.05	-4	11.05	0.013	2.000	Pass
			12	High	15.03	-4	11.03	0.013	2.000	Pass
			25	Low	15.03	-4	11.03	0.013	2.000	Pass
		Q64	1	Low	14.88	-4	10.88	0.012	2.000	Pass
			1	Mid	14.91	-4	10.91	0.012	2.000	Pass
			1	High	14.83	-4	10.83	0.012	2.000	Pass
			12	Low	14.04	-4	10.04	0.010	2.000	Pass
			12	Mid	14.02	-4	10.02	0.010	2.000	Pass
			12	High	14.02	-4	10.02	0.010	2.000	Pass
			25	Low	13.96	-4	9.96	0.010	2.000	Pass
		Q256	1	Low	11.6	-4	7.60	0.006	2.000	Pass
			1	Mid	11.62	-4	7.62	0.006	2.000	Pass
			1	High	11.54	-4	7.54	0.006	2.000	Pass
			12	Low	11.98	-4	7.98	0.006	2.000	Pass
			12	Mid	11.94	-4	7.94	0.006	2.000	Pass
			12	High	11.93	-4	7.93	0.006	2.000	Pass
			25	Low	11.98	-4	7.98	0.006	2.000	Pass
	MCH	QPSK	1	Low	16.99	-4	12.99	0.020	2.000	Pass
			1	Mid	17.05	-4	13.05	0.020	2.000	Pass
			1	High	17.02	-4	13.02	0.020	2.000	Pass
			12	Low	15.96	-4	11.96	0.016	2.000	Pass
			12	Mid	16	-4	12.00	0.016	2.000	Pass
			12	High	16.02	-4	12.02	0.016	2.000	Pass
			25	Low	16.03	-4	12.03	0.016	2.000	Pass
		Q16	1	Low	16.53	-4	12.53	0.018	2.000	Pass
			1	Mid	16.56	-4	12.56	0.018	2.000	Pass
			1	High	16.66	-4	12.66	0.018	2.000	Pass
			12	Low	15.12	-4	11.12	0.013	2.000	Pass
			12	Mid	15.18	-4	11.18	0.013	2.000	Pass
			12	High	15.17	-4	11.17	0.013	2.000	Pass
			25	Low	15.09	-4	11.09	0.013	2.000	Pass
		Q64	1	Low	15.25	-4	11.25	0.013	2.000	Pass
			1	Mid	15.35	-4	11.35	0.014	2.000	Pass
			1	High	15.29	-4	11.29	0.013	2.000	Pass
			12	Low	13.93	-4	9.93	0.010	2.000	Pass
			12	Mid	13.97	-4	9.97	0.010	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	High	13.98	-4	9.98	0.010	2.000	Pass
			25	Low	13.96	-4	9.96	0.010	2.000	Pass
		Q256	1	Low	12.12	-4	8.12	0.006	2.000	Pass
			1	Mid	12.23	-4	8.23	0.007	2.000	Pass
			1	High	12.18	-4	8.18	0.007	2.000	Pass
			12	Low	12.05	-4	8.05	0.006	2.000	Pass
			12	Mid	12.11	-4	8.11	0.006	2.000	Pass
			12	High	12.11	-4	8.11	0.006	2.000	Pass
			25	Low	12.03	-4	8.03	0.006	2.000	Pass
	HCH	QPSK	1	Low	17.15	-4	13.15	0.021	2.000	Pass
			1	Mid	17.18	-4	13.18	0.021	2.000	Pass
			1	High	17.16	-4	13.16	0.021	2.000	Pass
			12	Low	16.09	-4	12.09	0.016	2.000	Pass
			12	Mid	16.08	-4	12.08	0.016	2.000	Pass
			12	High	16.05	-4	12.05	0.016	2.000	Pass
			25	Low	16.08	-4	12.08	0.016	2.000	Pass
		Q16	1	Low	16.17	-4	12.17	0.016	2.000	Pass
			1	Mid	16.14	-4	12.14	0.016	2.000	Pass
			1	High	16.15	-4	12.15	0.016	2.000	Pass
			12	Low	15.14	-4	11.14	0.013	2.000	Pass
			12	Mid	15.13	-4	11.13	0.013	2.000	Pass
			12	High	15.15	-4	11.15	0.013	2.000	Pass
			25	Low	15.03	-4	11.03	0.013	2.000	Pass
		Q64	1	Low	15.25	-4	11.25	0.013	2.000	Pass
			1	Mid	15.28	-4	11.28	0.013	2.000	Pass
			1	High	15.32	-4	11.32	0.014	2.000	Pass
			12	Low	14.14	-4	10.14	0.010	2.000	Pass
			12	Mid	14.16	-4	10.16	0.010	2.000	Pass
			12	High	14.16	-4	10.16	0.010	2.000	Pass
			25	Low	14.09	-4	10.09	0.010	2.000	Pass
		Q256	1	Low	11.97	-4	7.97	0.006	2.000	Pass
			1	Mid	11.98	-4	7.98	0.006	2.000	Pass
			1	High	11.98	-4	7.98	0.006	2.000	Pass
			12	Low	12.15	-4	8.15	0.007	2.000	Pass
			12	Mid	12.14	-4	8.14	0.007	2.000	Pass
			12	High	12.15	-4	8.15	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
10	LCH	QPSK	25	Low	12.1	-4	8.10	0.006	2.000	Pass
			1	Low	17.01	-4	13.01	0.020	2.000	Pass
			1	Mid	16.86	-4	12.86	0.019	2.000	Pass
			1	High	16.97	-4	12.97	0.020	2.000	Pass
			25	Low	15.96	-4	11.96	0.016	2.000	Pass
			25	Mid	15.9	-4	11.90	0.015	2.000	Pass
			25	High	15.96	-4	11.96	0.016	2.000	Pass
			50	Low	15.96	-4	11.96	0.016	2.000	Pass
		Q16	1	Low	15.85	-4	11.85	0.015	2.000	Pass
			1	Mid	15.76	-4	11.76	0.015	2.000	Pass
			1	High	15.91	-4	11.91	0.016	2.000	Pass
			25	Low	14.94	-4	10.94	0.012	2.000	Pass
			25	Mid	14.92	-4	10.92	0.012	2.000	Pass
			25	High	14.97	-4	10.97	0.013	2.000	Pass
			50	Low	14.93	-4	10.93	0.012	2.000	Pass
		Q64	1	Low	15.23	-4	11.23	0.013	2.000	Pass
			1	Mid	15.19	-4	11.19	0.013	2.000	Pass
			1	High	15.31	-4	11.31	0.014	2.000	Pass
			25	Low	14	-4	10.00	0.010	2.000	Pass
			25	Mid	13.95	-4	9.95	0.010	2.000	Pass
			25	High	14	-4	10.00	0.010	2.000	Pass
			50	Low	13.96	-4	9.96	0.010	2.000	Pass
		Q256	1	Low	12.58	-4	8.58	0.007	2.000	Pass
			1	Mid	12.49	-4	8.49	0.007	2.000	Pass
			1	High	12.57	-4	8.57	0.007	2.000	Pass
			25	Low	11.97	-4	7.97	0.006	2.000	Pass
			25	Mid	11.95	-4	7.95	0.006	2.000	Pass
			25	High	11.98	-4	7.98	0.006	2.000	Pass
			50	Low	11.98	-4	7.98	0.006	2.000	Pass
	MCH	QPSK	1	Low	16.98	-4	12.98	0.020	2.000	Pass
			1	Mid	17.01	-4	13.01	0.020	2.000	Pass
			1	High	17.03	-4	13.03	0.020	2.000	Pass
			25	Low	15.96	-4	11.96	0.016	2.000	Pass
			25	Mid	15.97	-4	11.97	0.016	2.000	Pass
			25	High	16.03	-4	12.03	0.016	2.000	Pass
			50	Low	16.01	-4	12.01	0.016	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	1	Low	16.33	-4	12.33	0.017	2.000	Pass
			1	Mid	16.38	-4	12.38	0.017	2.000	Pass
			1	High	16.42	-4	12.42	0.017	2.000	Pass
			25	Low	14.98	-4	10.98	0.013	2.000	Pass
			25	Mid	14.99	-4	10.99	0.013	2.000	Pass
			25	High	15.06	-4	11.06	0.013	2.000	Pass
			50	Low	15.01	-4	11.01	0.013	2.000	Pass
		Q64	1	Low	15.07	-4	11.07	0.013	2.000	Pass
			1	Mid	15.11	-4	11.11	0.013	2.000	Pass
			1	High	15.17	-4	11.17	0.013	2.000	Pass
			25	Low	14.02	-4	10.02	0.010	2.000	Pass
			25	Mid	14.05	-4	10.05	0.010	2.000	Pass
			25	High	14.09	-4	10.09	0.010	2.000	Pass
			50	Low	14.03	-4	10.03	0.010	2.000	Pass
		Q256	1	Low	11.81	-4	7.81	0.006	2.000	Pass
			1	Mid	11.87	-4	7.87	0.006	2.000	Pass
			1	High	11.9	-4	7.90	0.006	2.000	Pass
			25	Low	12.01	-4	8.01	0.006	2.000	Pass
			25	Mid	12.03	-4	8.03	0.006	2.000	Pass
			25	High	12.05	-4	8.05	0.006	2.000	Pass
			50	Low	12	-4	8.00	0.006	2.000	Pass
	HCH	QPSK	1	Low	17.12	-4	13.12	0.021	2.000	Pass
			1	Mid	17.04	-4	13.04	0.020	2.000	Pass
			1	High	17.04	-4	13.04	0.020	2.000	Pass
			25	Low	16.14	-4	12.14	0.016	2.000	Pass
			25	Mid	16.09	-4	12.09	0.016	2.000	Pass
			25	High	16.07	-4	12.07	0.016	2.000	Pass
			50	Low	16.12	-4	12.12	0.016	2.000	Pass
		Q16	1	Low	16.25	-4	12.25	0.017	2.000	Pass
			1	Mid	16.15	-4	12.15	0.016	2.000	Pass
			1	High	16.2	-4	12.20	0.017	2.000	Pass
			25	Low	15.24	-4	11.24	0.013	2.000	Pass
			25	Mid	15.18	-4	11.18	0.013	2.000	Pass
			25	High	15.16	-4	11.16	0.013	2.000	Pass
			50	Low	15.13	-4	11.13	0.013	2.000	Pass
		Q64	1	Low	15.35	-4	11.35	0.014	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	15.25	-4	11.25	0.013	2.000	Pass
			1	High	15.23	-4	11.23	0.013	2.000	Pass
			25	Low	14.22	-4	10.22	0.011	2.000	Pass
			25	Mid	14.15	-4	10.15	0.010	2.000	Pass
			25	High	14.12	-4	10.12	0.010	2.000	Pass
			50	Low	14.1	-4	10.10	0.010	2.000	Pass
		Q256	1	Low	12.03	-4	8.03	0.006	2.000	Pass
			1	Mid	11.96	-4	7.96	0.006	2.000	Pass
			1	High	11.98	-4	7.98	0.006	2.000	Pass
			25	Low	12.24	-4	8.24	0.007	2.000	Pass
			25	Mid	12.15	-4	8.15	0.007	2.000	Pass
			25	High	12.13	-4	8.13	0.007	2.000	Pass
			50	Low	12.1	-4	8.10	0.006	2.000	Pass
			1	Low	17.02	-4	13.02	0.020	2.000	Pass
15	LCH	QPSK	1	Mid	17.02	-4	13.02	0.020	2.000	Pass
			1	High	17	-4	13.00	0.020	2.000	Pass
			36	Low	15.95	-4	11.95	0.016	2.000	Pass
			36	Mid	15.97	-4	11.97	0.016	2.000	Pass
			36	High	15.99	-4	11.99	0.016	2.000	Pass
			75	Low	15.97	-4	11.97	0.016	2.000	Pass
		Q16	1	Low	15.9	-4	11.90	0.015	2.000	Pass
			1	Mid	15.91	-4	11.91	0.016	2.000	Pass
			1	High	15.91	-4	11.91	0.016	2.000	Pass
			36	Low	14.94	-4	10.94	0.012	2.000	Pass
			36	Mid	14.96	-4	10.96	0.012	2.000	Pass
			36	High	14.99	-4	10.99	0.013	2.000	Pass
			75	Low	14.99	-4	10.99	0.013	2.000	Pass
		Q64	1	Low	15.28	-4	11.28	0.013	2.000	Pass
			1	Mid	15.29	-4	11.29	0.013	2.000	Pass
			1	High	15.29	-4	11.29	0.013	2.000	Pass
			36	Low	13.99	-4	9.99	0.010	2.000	Pass
			36	Mid	13.98	-4	9.98	0.010	2.000	Pass
			36	High	14.05	-4	10.05	0.010	2.000	Pass
			75	Low	14.02	-4	10.02	0.010	2.000	Pass
		Q256	1	Low	12.58	-4	8.58	0.007	2.000	Pass
			1	Mid	12.67	-4	8.67	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	MCH		1	High	12.61	-4	8.61	0.007	2.000	Pass
			36	Low	11.98	-4	7.98	0.006	2.000	Pass
			36	Mid	11.97	-4	7.97	0.006	2.000	Pass
			36	High	12.03	-4	8.03	0.006	2.000	Pass
			75	Low	12.05	-4	8.05	0.006	2.000	Pass
		QPSK	1	Low	17.03	-4	13.03	0.020	2.000	Pass
			1	Mid	17.11	-4	13.11	0.020	2.000	Pass
			1	High	17.03	-4	13.03	0.020	2.000	Pass
			36	Low	15.98	-4	11.98	0.016	2.000	Pass
			36	Mid	15.98	-4	11.98	0.016	2.000	Pass
			36	High	16.02	-4	12.02	0.016	2.000	Pass
			75	Low	16	-4	12.00	0.016	2.000	Pass
		Q16	1	Low	16.38	-4	12.38	0.017	2.000	Pass
			1	Mid	16.41	-4	12.41	0.017	2.000	Pass
			1	High	16.44	-4	12.44	0.018	2.000	Pass
			36	Low	15.03	-4	11.03	0.013	2.000	Pass
			36	Mid	15.07	-4	11.07	0.013	2.000	Pass
			36	High	15.08	-4	11.08	0.013	2.000	Pass
			75	Low	15.07	-4	11.07	0.013	2.000	Pass
		Q64	1	Low	15.14	-4	11.14	0.013	2.000	Pass
			1	Mid	15.21	-4	11.21	0.013	2.000	Pass
			1	High	15.21	-4	11.21	0.013	2.000	Pass
			36	Low	14.07	-4	10.07	0.010	2.000	Pass
			36	Mid	14.08	-4	10.08	0.010	2.000	Pass
			36	High	14.11	-4	10.11	0.010	2.000	Pass
			75	Low	14.07	-4	10.07	0.010	2.000	Pass
		Q256	1	Low	11.92	-4	7.92	0.006	2.000	Pass
			1	Mid	11.93	-4	7.93	0.006	2.000	Pass
			1	High	11.95	-4	7.95	0.006	2.000	Pass
			36	Low	11.99	-4	7.99	0.006	2.000	Pass
			36	Mid	11.98	-4	7.98	0.006	2.000	Pass
			36	High	12.04	-4	8.04	0.006	2.000	Pass
			75	Low	12.05	-4	8.05	0.006	2.000	Pass
	HCH	QPSK	1	Low	17.2	-4	13.20	0.021	2.000	Pass
			1	Mid	17.21	-4	13.21	0.021	2.000	Pass
			1	High	17.18	-4	13.18	0.021	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			36	Low	16.15	-4	12.15	0.016	2.000	Pass
			36	Mid	16.15	-4	12.15	0.016	2.000	Pass
			36	High	16.09	-4	12.09	0.016	2.000	Pass
			75	Low	16.16	-4	12.16	0.016	2.000	Pass
		Q16	1	Low	16.48	-4	12.48	0.018	2.000	Pass
			1	Mid	16.52	-4	12.52	0.018	2.000	Pass
			1	High	16.45	-4	12.45	0.018	2.000	Pass
			36	Low	15.14	-4	11.14	0.013	2.000	Pass
			36	Mid	15.14	-4	11.14	0.013	2.000	Pass
			36	High	15.1	-4	11.10	0.013	2.000	Pass
			75	Low	15.17	-4	11.17	0.013	2.000	Pass
		Q64	1	Low	15.73	-4	11.73	0.015	2.000	Pass
			1	Mid	15.77	-4	11.77	0.015	2.000	Pass
			1	High	15.74	-4	11.74	0.015	2.000	Pass
			36	Low	14.17	-4	10.17	0.010	2.000	Pass
			36	Mid	14.14	-4	10.14	0.010	2.000	Pass
			36	High	14.11	-4	10.11	0.010	2.000	Pass
			75	Low	14.21	-4	10.21	0.010	2.000	Pass
		Q256	1	Low	12.56	-4	8.56	0.007	2.000	Pass
			1	Mid	12.61	-4	8.61	0.007	2.000	Pass
			1	High	12.53	-4	8.53	0.007	2.000	Pass
			36	Low	12.17	-4	8.17	0.007	2.000	Pass
			36	Mid	12.17	-4	8.17	0.007	2.000	Pass
			36	High	12.14	-4	8.14	0.007	2.000	Pass
			75	Low	12.2	-4	8.20	0.007	2.000	Pass
20	LCH	QPSK	1	Low	17.01	-4	13.01	0.020	2.000	Pass
			1	Mid	17.05	-4	13.05	0.020	2.000	Pass
			1	High	17.03	-4	13.03	0.020	2.000	Pass
			50	Low	16	-4	12.00	0.016	2.000	Pass
			50	Mid	16.01	-4	12.01	0.016	2.000	Pass
			50	High	16.02	-4	12.02	0.016	2.000	Pass
			100	Low	16.01	-4	12.01	0.016	2.000	Pass
		Q16	1	Low	16.55	-4	12.55	0.018	2.000	Pass
			1	Mid	16.58	-4	12.58	0.018	2.000	Pass
			1	High	16.54	-4	12.54	0.018	2.000	Pass
			50	Low	15.02	-4	11.02	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	Mid	15.03	-4	11.03	0.013	2.000	Pass
			50	High	15.03	-4	11.03	0.013	2.000	Pass
			100	Low	15.03	-4	11.03	0.013	2.000	Pass
		Q64	1	Low	15.31	-4	11.31	0.014	2.000	Pass
			1	Mid	15.32	-4	11.32	0.014	2.000	Pass
			1	High	15.32	-4	11.32	0.014	2.000	Pass
			50	Low	14.06	-4	10.06	0.010	2.000	Pass
			50	Mid	14.08	-4	10.08	0.010	2.000	Pass
			50	High	14.06	-4	10.06	0.010	2.000	Pass
			100	Low	14.02	-4	10.02	0.010	2.000	Pass
		Q256	1	Low	12.2	-4	8.20	0.007	2.000	Pass
			1	Mid	12.21	-4	8.21	0.007	2.000	Pass
			1	High	12.18	-4	8.18	0.007	2.000	Pass
			50	Low	12.02	-4	8.02	0.006	2.000	Pass
			50	Mid	12.03	-4	8.03	0.006	2.000	Pass
			50	High	12.03	-4	8.03	0.006	2.000	Pass
			100	Low	11.99	-4	7.99	0.006	2.000	Pass
	MCH	QPSK	1	Low	17.04	-4	13.04	0.020	2.000	Pass
			1	Mid	17.07	-4	13.07	0.020	2.000	Pass
			1	High	17.09	-4	13.09	0.020	2.000	Pass
			50	Low	15.98	-4	11.98	0.016	2.000	Pass
			50	Mid	16.05	-4	12.05	0.016	2.000	Pass
			50	High	16.11	-4	12.11	0.016	2.000	Pass
			100	Low	16.04	-4	12.04	0.016	2.000	Pass
		Q16	1	Low	16.48	-4	12.48	0.018	2.000	Pass
			1	Mid	16.48	-4	12.48	0.018	2.000	Pass
			1	High	16.48	-4	12.48	0.018	2.000	Pass
			50	Low	15.01	-4	11.01	0.013	2.000	Pass
			50	Mid	15.05	-4	11.05	0.013	2.000	Pass
			50	High	15.12	-4	11.12	0.013	2.000	Pass
			100	Low	15.05	-4	11.05	0.013	2.000	Pass
		Q64	1	Low	15.67	-4	11.67	0.015	2.000	Pass
			1	Mid	15.69	-4	11.69	0.015	2.000	Pass
			1	High	15.69	-4	11.69	0.015	2.000	Pass
			50	Low	14.02	-4	10.02	0.010	2.000	Pass
			50	Mid	14.1	-4	10.10	0.010	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	High	14.15	-4	10.15	0.010	2.000	Pass
			100	Low	14.05	-4	10.05	0.010	2.000	Pass
		Q256	1	Low	12.16	-4	8.16	0.007	2.000	Pass
			1	Mid	12.19	-4	8.19	0.007	2.000	Pass
			1	High	12.23	-4	8.23	0.007	2.000	Pass
			50	Low	12.03	-4	8.03	0.006	2.000	Pass
			50	Mid	12.07	-4	8.07	0.006	2.000	Pass
			50	High	12.12	-4	8.12	0.006	2.000	Pass
			100	Low	12.05	-4	8.05	0.006	2.000	Pass
	HCH	QPSK	1	Low	17.13	-4	13.13	0.021	2.000	Pass
			1	Mid	17.14	-4	13.14	0.021	2.000	Pass
			1	High	17.12	-4	13.12	0.021	2.000	Pass
			50	Low	16.23	-4	12.23	0.017	2.000	Pass
			50	Mid	16.21	-4	12.21	0.017	2.000	Pass
			50	High	16.16	-4	12.16	0.016	2.000	Pass
			100	Low	16.19	-4	12.19	0.017	2.000	Pass
		Q16	1	Low	16.57	-4	12.57	0.018	2.000	Pass
			1	Mid	16.59	-4	12.59	0.018	2.000	Pass
			1	High	16.54	-4	12.54	0.018	2.000	Pass
			50	Low	15.19	-4	11.19	0.013	2.000	Pass
			50	Mid	15.18	-4	11.18	0.013	2.000	Pass
			50	High	15.11	-4	11.11	0.013	2.000	Pass
			100	Low	15.2	-4	11.20	0.013	2.000	Pass
		Q64	1	Low	15.27	-4	11.27	0.013	2.000	Pass
			1	Mid	15.35	-4	11.35	0.014	2.000	Pass
			1	High	15.32	-4	11.32	0.014	2.000	Pass
			50	Low	14.22	-4	10.22	0.011	2.000	Pass
			50	Mid	14.23	-4	10.23	0.011	2.000	Pass
			50	High	14.2	-4	10.20	0.010	2.000	Pass
			100	Low	14.2	-4	10.20	0.010	2.000	Pass
		Q256	1	Low	12.15	-4	8.15	0.007	2.000	Pass
			1	Mid	12.16	-4	8.16	0.007	2.000	Pass
			1	High	12.13	-4	8.13	0.007	2.000	Pass
			50	Low	12.25	-4	8.25	0.007	2.000	Pass
			50	Mid	12.21	-4	8.21	0.007	2.000	Pass
			50	High	12.18	-4	8.18	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			100	Low	12.2	-4	8.20	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
1.4	LCH	QPSK	1	Low	15.45	-4	11.45	0.014	1.000	Pass
			1	Mid	15.37	-4	11.37	0.014	1.000	Pass
			1	High	15.4	-4	11.40	0.014	1.000	Pass
			3	Low	15.23	-4	11.23	0.013	1.000	Pass
			3	Mid	15.23	-4	11.23	0.013	1.000	Pass
			3	High	15.23	-4	11.23	0.013	1.000	Pass
			6	Low	14.24	-4	10.24	0.011	1.000	Pass
		Q16	1	Low	14.39	-4	10.39	0.011	1.000	Pass
			1	Mid	14.38	-4	10.38	0.011	1.000	Pass
			1	High	14.33	-4	10.33	0.011	1.000	Pass
			3	Low	14.35	-4	10.35	0.011	1.000	Pass
			3	Mid	14.36	-4	10.36	0.011	1.000	Pass
			3	High	14.34	-4	10.34	0.011	1.000	Pass
			6	Low	13.39	-4	9.39	0.009	1.000	Pass
		Q64	1	Low	13.7	-4	9.70	0.009	1.000	Pass
			1	Mid	13.68	-4	9.68	0.009	1.000	Pass
			1	High	13.63	-4	9.63	0.009	1.000	Pass
			3	Low	13.57	-4	9.57	0.009	1.000	Pass
			3	Mid	13.59	-4	9.59	0.009	1.000	Pass
			3	High	13.54	-4	9.54	0.009	1.000	Pass
			6	Low	12.24	-4	8.24	0.007	1.000	Pass
		Q256	1	Low	10.39	-4	6.39	0.004	1.000	Pass
			1	Mid	10.37	-4	6.37	0.004	1.000	Pass
			1	High	10.35	-4	6.35	0.004	1.000	Pass
			3	Low	10.36	-4	6.36	0.004	1.000	Pass
			3	Mid	10.31	-4	6.31	0.004	1.000	Pass
			3	High	10.31	-4	6.31	0.004	1.000	Pass
			6	Low	10.31	-4	6.31	0.004	1.000	Pass
	MCH	QPSK	1	Low	14.94	-4	10.94	0.012	1.000	Pass
			1	Mid	14.9	-4	10.90	0.012	1.000	Pass
			1	High	14.95	-4	10.95	0.012	1.000	Pass
			3	Low	14.93	-4	10.93	0.012	1.000	Pass
			3	Mid	14.9	-4	10.90	0.012	1.000	Pass
			3	High	14.93	-4	10.93	0.012	1.000	Pass
			6	Low	13.96	-4	9.96	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	14.36	-4	10.36	0.011	1.000	Pass
			1	Mid	14.3	-4	10.30	0.011	1.000	Pass
			1	High	14.38	-4	10.38	0.011	1.000	Pass
			3	Low	14.08	-4	10.08	0.010	1.000	Pass
			3	Mid	14.12	-4	10.12	0.010	1.000	Pass
			3	High	14.08	-4	10.08	0.010	1.000	Pass
		Q64	6	Low	12.85	-4	8.85	0.008	1.000	Pass
			1	Low	13.08	-4	9.08	0.008	1.000	Pass
			1	Mid	13.08	-4	9.08	0.008	1.000	Pass
			1	High	13.07	-4	9.07	0.008	1.000	Pass
			3	Low	12.99	-4	8.99	0.008	1.000	Pass
			3	Mid	13.04	-4	9.04	0.008	1.000	Pass
			3	High	13	-4	9.00	0.008	1.000	Pass
			6	Low	12.23	-4	8.23	0.007	1.000	Pass
		Q256	1	Low	9.85	-4	5.85	0.004	1.000	Pass
			1	Mid	9.8	-4	5.80	0.004	1.000	Pass
			1	High	9.87	-4	5.87	0.004	1.000	Pass
			3	Low	10.01	-4	6.01	0.004	1.000	Pass
			3	Mid	9.97	-4	5.97	0.004	1.000	Pass
			3	High	10	-4	6.00	0.004	1.000	Pass
			6	Low	9.99	-4	5.99	0.004	1.000	Pass
	HCH	QPSK	1	Low	14.82	-4	10.82	0.012	1.000	Pass
			1	Mid	14.76	-4	10.76	0.012	1.000	Pass
			1	High	14.74	-4	10.74	0.012	1.000	Pass
			3	Low	14.8	-4	10.80	0.012	1.000	Pass
			3	Mid	14.79	-4	10.79	0.012	1.000	Pass
			3	High	14.79	-4	10.79	0.012	1.000	Pass
			6	Low	13.78	-4	9.78	0.010	1.000	Pass
		Q16	1	Low	13.88	-4	9.88	0.010	1.000	Pass
			1	Mid	13.82	-4	9.82	0.010	1.000	Pass
			1	High	13.84	-4	9.84	0.010	1.000	Pass
			3	Low	13.96	-4	9.96	0.010	1.000	Pass
			3	Mid	13.96	-4	9.96	0.010	1.000	Pass
			3	High	13.92	-4	9.92	0.010	1.000	Pass
			6	Low	12.92	-4	8.92	0.008	1.000	Pass
		Q64	1	Low	13.03	-4	9.03	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	12.96	-4	8.96	0.008	1.000	Pass
			1	High	12.99	-4	8.99	0.008	1.000	Pass
			3	Low	12.7	-4	8.70	0.007	1.000	Pass
			3	Mid	12.69	-4	8.69	0.007	1.000	Pass
			3	High	12.69	-4	8.69	0.007	1.000	Pass
			6	Low	11.88	-4	7.88	0.006	1.000	Pass
		Q256	1	Low	9.72	-4	5.72	0.004	1.000	Pass
			1	Mid	9.67	-4	5.67	0.004	1.000	Pass
			1	High	9.65	-4	5.65	0.004	1.000	Pass
			3	Low	9.85	-4	5.85	0.004	1.000	Pass
			3	Mid	9.84	-4	5.84	0.004	1.000	Pass
			3	High	9.81	-4	5.81	0.004	1.000	Pass
			6	Low	9.84	-4	5.84	0.004	1.000	Pass
3	LCH	QPSK	1	Low	15.25	-4	11.25	0.013	1.000	Pass
			1	Mid	15.23	-4	11.23	0.013	1.000	Pass
			1	High	15.22	-4	11.22	0.013	1.000	Pass
			8	Low	14.25	-4	10.25	0.011	1.000	Pass
			8	Mid	14.23	-4	10.23	0.011	1.000	Pass
			8	High	14.21	-4	10.21	0.010	1.000	Pass
			15	Low	14.22	-4	10.22	0.011	1.000	Pass
		Q16	1	Low	14.19	-4	10.19	0.010	1.000	Pass
			1	Mid	14.11	-4	10.11	0.010	1.000	Pass
			1	High	14.05	-4	10.05	0.010	1.000	Pass
			8	Low	13.41	-4	9.41	0.009	1.000	Pass
			8	Mid	13.33	-4	9.33	0.009	1.000	Pass
			8	High	13.29	-4	9.29	0.008	1.000	Pass
			15	Low	13.27	-4	9.27	0.008	1.000	Pass
		Q64	1	Low	13.59	-4	9.59	0.009	1.000	Pass
			1	Mid	13.52	-4	9.52	0.009	1.000	Pass
			1	High	13.5	-4	9.50	0.009	1.000	Pass
			8	Low	12.32	-4	8.32	0.007	1.000	Pass
			8	Mid	12.29	-4	8.29	0.007	1.000	Pass
			8	High	12.27	-4	8.27	0.007	1.000	Pass
			15	Low	12.2	-4	8.20	0.007	1.000	Pass
		Q2556	1	Low	10.85	-4	6.85	0.005	1.000	Pass
			1	Mid	10.76	-4	6.76	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		1	High	10.66	-4	6.66	0.005	1.000	Pass
			8	Low	10.34	-4	6.34	0.004	1.000	Pass
			8	Mid	10.33	-4	6.33	0.004	1.000	Pass
			8	High	10.28	-4	6.28	0.004	1.000	Pass
			15	Low	10.25	-4	6.25	0.004	1.000	Pass
		QPSK	1	Low	14.96	-4	10.96	0.012	1.000	Pass
			1	Mid	14.95	-4	10.95	0.012	1.000	Pass
			1	High	14.95	-4	10.95	0.012	1.000	Pass
			8	Low	13.99	-4	9.99	0.010	1.000	Pass
			8	Mid	13.95	-4	9.95	0.010	1.000	Pass
			8	High	13.95	-4	9.95	0.010	1.000	Pass
			15	Low	13.95	-4	9.95	0.010	1.000	Pass
		Q16	1	Low	14.37	-4	10.37	0.011	1.000	Pass
			1	Mid	14.4	-4	10.40	0.011	1.000	Pass
			1	High	14.35	-4	10.35	0.011	1.000	Pass
			8	Low	13.08	-4	9.08	0.008	1.000	Pass
			8	Mid	13.01	-4	9.01	0.008	1.000	Pass
			8	High	13.02	-4	9.02	0.008	1.000	Pass
			15	Low	12.99	-4	8.99	0.008	1.000	Pass
		Q64	1	Low	13.1	-4	9.10	0.008	1.000	Pass
			1	Mid	13.11	-4	9.11	0.008	1.000	Pass
			1	High	13.11	-4	9.11	0.008	1.000	Pass
			8	Low	12.04	-4	8.04	0.006	1.000	Pass
			8	Mid	11.99	-4	7.99	0.006	1.000	Pass
			8	High	11.99	-4	7.99	0.006	1.000	Pass
			15	Low	11.97	-4	7.97	0.006	1.000	Pass
		Q256	1	Low	9.88	-4	5.88	0.004	1.000	Pass
			1	Mid	9.81	-4	5.81	0.004	1.000	Pass
			1	High	9.83	-4	5.83	0.004	1.000	Pass
			8	Low	9.98	-4	5.98	0.004	1.000	Pass
			8	Mid	9.97	-4	5.97	0.004	1.000	Pass
			8	High	9.95	-4	5.95	0.004	1.000	Pass
			15	Low	10	-4	6.00	0.004	1.000	Pass
	HCH	QPSK	1	Low	14.96	-4	10.96	0.012	1.000	Pass
			1	Mid	14.83	-4	10.83	0.012	1.000	Pass
			1	High	14.75	-4	10.75	0.012	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			8	Low	13.88	-4	9.88	0.010	1.000	Pass
			8	Mid	13.82	-4	9.82	0.010	1.000	Pass
			8	High	13.81	-4	9.81	0.010	1.000	Pass
			15	Low	13.86	-4	9.86	0.010	1.000	Pass
		Q16	1	Low	14.04	-4	10.04	0.010	1.000	Pass
			1	Mid	13.88	-4	9.88	0.010	1.000	Pass
			1	High	13.82	-4	9.82	0.010	1.000	Pass
			8	Low	12.96	-4	8.96	0.008	1.000	Pass
			8	Mid	12.9	-4	8.90	0.008	1.000	Pass
			8	High	12.9	-4	8.90	0.008	1.000	Pass
			15	Low	12.82	-4	8.82	0.008	1.000	Pass
		Q64	1	Low	13.16	-4	9.16	0.008	1.000	Pass
			1	Mid	13.07	-4	9.07	0.008	1.000	Pass
			1	High	12.94	-4	8.94	0.008	1.000	Pass
			8	Low	11.83	-4	7.83	0.006	1.000	Pass
			8	Mid	11.78	-4	7.78	0.006	1.000	Pass
			8	High	11.75	-4	7.75	0.006	1.000	Pass
			15	Low	11.92	-4	7.92	0.006	1.000	Pass
		Q256	1	Low	9.76	-4	5.76	0.004	1.000	Pass
			1	Mid	9.66	-4	5.66	0.004	1.000	Pass
			1	High	9.64	-4	5.64	0.004	1.000	Pass
			8	Low	9.98	-4	5.98	0.004	1.000	Pass
			8	Mid	9.92	-4	5.92	0.004	1.000	Pass
			8	High	9.87	-4	5.87	0.004	1.000	Pass
			15	Low	9.88	-4	5.88	0.004	1.000	Pass
5	LCH	QPSK	1	Low	15.45	-4	11.45	0.014	1.000	Pass
			1	Mid	15.35	-4	11.35	0.014	1.000	Pass
			1	High	15.35	-4	11.35	0.014	1.000	Pass
			12	Low	14.29	-4	10.29	0.011	1.000	Pass
			12	Mid	14.22	-4	10.22	0.011	1.000	Pass
			12	High	14.22	-4	10.22	0.011	1.000	Pass
			25	Low	14.31	-4	10.31	0.011	1.000	Pass
		Q16	1	Low	14.53	-4	10.53	0.011	1.000	Pass
			1	Mid	14.48	-4	10.48	0.011	1.000	Pass
			1	High	14.39	-4	10.39	0.011	1.000	Pass
			12	Low	13.39	-4	9.39	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	Mid	13.33	-4	9.33	0.009	1.000	Pass
			12	High	13.34	-4	9.34	0.009	1.000	Pass
			25	Low	13.33	-4	9.33	0.009	1.000	Pass
		Q64	1	Low	13.26	-4	9.26	0.008	1.000	Pass
			1	Mid	13.18	-4	9.18	0.008	1.000	Pass
			1	High	13.17	-4	9.17	0.008	1.000	Pass
			12	Low	12.38	-4	8.38	0.007	1.000	Pass
			12	Mid	12.3	-4	8.30	0.007	1.000	Pass
			12	High	12.3	-4	8.30	0.007	1.000	Pass
			25	Low	12.26	-4	8.26	0.007	1.000	Pass
		Q256	1	Low	9.94	-4	5.94	0.004	1.000	Pass
			1	Mid	9.83	-4	5.83	0.004	1.000	Pass
			1	High	9.93	-4	5.93	0.004	1.000	Pass
			12	Low	10.24	-4	6.24	0.004	1.000	Pass
			12	Mid	10.22	-4	6.22	0.004	1.000	Pass
			12	High	10.19	-4	6.19	0.004	1.000	Pass
			25	Low	10.29	-4	6.29	0.004	1.000	Pass
	MCH	QPSK	1	Low	15.02	-4	11.02	0.013	1.000	Pass
			1	Mid	15.04	-4	11.04	0.013	1.000	Pass
			1	High	15.01	-4	11.01	0.013	1.000	Pass
			12	Low	14.05	-4	10.05	0.010	1.000	Pass
			12	Mid	14.05	-4	10.05	0.010	1.000	Pass
			12	High	14.02	-4	10.02	0.010	1.000	Pass
			25	Low	14.03	-4	10.03	0.010	1.000	Pass
		Q16	1	Low	14.57	-4	10.57	0.011	1.000	Pass
			1	Mid	14.63	-4	10.63	0.012	1.000	Pass
			1	High	14.61	-4	10.61	0.012	1.000	Pass
			12	Low	13.2	-4	9.20	0.008	1.000	Pass
			12	Mid	13.19	-4	9.19	0.008	1.000	Pass
			12	High	13.16	-4	9.16	0.008	1.000	Pass
			25	Low	13.09	-4	9.09	0.008	1.000	Pass
		Q64	1	Low	13.32	-4	9.32	0.009	1.000	Pass
			1	Mid	13.35	-4	9.35	0.009	1.000	Pass
			1	High	13.31	-4	9.31	0.009	1.000	Pass
			12	Low	12.01	-4	8.01	0.006	1.000	Pass
			12	Mid	12	-4	8.00	0.006	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	High	11.96	-4	7.96	0.006	1.000	Pass
			25	Low	11.99	-4	7.99	0.006	1.000	Pass
		Q256	1	Low	10.31	-4	6.31	0.004	1.000	Pass
			1	Mid	10.19	-4	6.19	0.004	1.000	Pass
			1	High	10.21	-4	6.21	0.004	1.000	Pass
			12	Low	10.15	-4	6.15	0.004	1.000	Pass
			12	Mid	10.11	-4	6.11	0.004	1.000	Pass
			12	High	10.09	-4	6.09	0.004	1.000	Pass
			25	Low	10.07	-4	6.07	0.004	1.000	Pass
		QPSK	1	Low	15.17	-4	11.17	0.013	1.000	Pass
			1	Mid	15.06	-4	11.06	0.013	1.000	Pass
			1	High	14.9	-4	10.90	0.012	1.000	Pass
			12	Low	14.05	-4	10.05	0.010	1.000	Pass
			12	Mid	13.98	-4	9.98	0.010	1.000	Pass
			12	High	13.9	-4	9.90	0.010	1.000	Pass
			25	Low	14	-4	10.00	0.010	1.000	Pass
	HCH	Q16	1	Low	14.18	-4	10.18	0.010	1.000	Pass
			1	Mid	14.09	-4	10.09	0.010	1.000	Pass
			1	High	13.93	-4	9.93	0.010	1.000	Pass
			12	Low	13.14	-4	9.14	0.008	1.000	Pass
			12	Mid	13.04	-4	9.04	0.008	1.000	Pass
			12	High	12.96	-4	8.96	0.008	1.000	Pass
			25	Low	12.94	-4	8.94	0.008	1.000	Pass
		Q64	1	Low	13.28	-4	9.28	0.008	1.000	Pass
			1	Mid	13.24	-4	9.24	0.008	1.000	Pass
			1	High	13.07	-4	9.07	0.008	1.000	Pass
			12	Low	12.1	-4	8.10	0.006	1.000	Pass
			12	Mid	12.03	-4	8.03	0.006	1.000	Pass
			12	High	11.94	-4	7.94	0.006	1.000	Pass
			25	Low	12.02	-4	8.02	0.006	1.000	Pass
		Q256	1	Low	9.95	-4	5.95	0.004	1.000	Pass
			1	Mid	9.93	-4	5.93	0.004	1.000	Pass
			1	High	9.77	-4	5.77	0.004	1.000	Pass
			12	Low	10.15	-4	6.15	0.004	1.000	Pass
			12	Mid	10.07	-4	6.07	0.004	1.000	Pass
			12	High	10	-4	6.00	0.004	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
10	LCH	QPSK	25	Low	10.03	-4	6.03	0.004	1.000	Pass
			1	Low	15.34	-4	11.34	0.014	1.000	Pass
			1	Mid	15.21	-4	11.21	0.013	1.000	Pass
			1	High	15.25	-4	11.25	0.013	1.000	Pass
			25	Low	14.28	-4	10.28	0.011	1.000	Pass
			25	Mid	14.25	-4	10.25	0.011	1.000	Pass
			25	High	14.29	-4	10.29	0.011	1.000	Pass
		Q16	50	Low	14.29	-4	10.29	0.011	1.000	Pass
			1	Low	14.23	-4	10.23	0.011	1.000	Pass
			1	Mid	14.1	-4	10.10	0.010	1.000	Pass
			1	High	14.15	-4	10.15	0.010	1.000	Pass
			25	Low	13.29	-4	9.29	0.008	1.000	Pass
			25	Mid	13.26	-4	9.26	0.008	1.000	Pass
			25	High	13.29	-4	9.29	0.008	1.000	Pass
		Q64	50	Low	13.24	-4	9.24	0.008	1.000	Pass
			1	Low	13.6	-4	9.60	0.009	1.000	Pass
			1	Mid	13.5	-4	9.50	0.009	1.000	Pass
			1	High	13.54	-4	9.54	0.009	1.000	Pass
			25	Low	12.3	-4	8.30	0.007	1.000	Pass
			25	Mid	12.27	-4	8.27	0.007	1.000	Pass
			25	High	12.31	-4	8.31	0.007	1.000	Pass
		Q256	50	Low	12.28	-4	8.28	0.007	1.000	Pass
			1	Low	10.89	-4	6.89	0.005	1.000	Pass
			1	Mid	10.82	-4	6.82	0.005	1.000	Pass
			1	High	10.82	-4	6.82	0.005	1.000	Pass
			25	Low	10.3	-4	6.30	0.004	1.000	Pass
			25	Mid	10.3	-4	6.30	0.004	1.000	Pass
			25	High	10.36	-4	6.36	0.004	1.000	Pass
	MCH	QPSK	50	Low	10.31	-4	6.31	0.004	1.000	Pass
			1	Low	15.13	-4	11.13	0.013	1.000	Pass
			1	Mid	15	-4	11.00	0.013	1.000	Pass
			1	High	15.02	-4	11.02	0.013	1.000	Pass
			25	Low	14.08	-4	10.08	0.010	1.000	Pass
			25	Mid	14.04	-4	10.04	0.010	1.000	Pass
			25	High	14	-4	10.00	0.010	1.000	Pass
			50	Low	14.04	-4	10.04	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	14.48	-4	10.48	0.011	1.000	Pass
			1	Mid	14.38	-4	10.38	0.011	1.000	Pass
			1	High	14.41	-4	10.41	0.011	1.000	Pass
			25	Low	13.1	-4	9.10	0.008	1.000	Pass
			25	Mid	13.05	-4	9.05	0.008	1.000	Pass
			25	High	13.01	-4	9.01	0.008	1.000	Pass
			50	Low	13.04	-4	9.04	0.008	1.000	Pass
		Q64	1	Low	13.27	-4	9.27	0.008	1.000	Pass
			1	Mid	13.15	-4	9.15	0.008	1.000	Pass
			1	High	13.19	-4	9.19	0.008	1.000	Pass
			25	Low	12.16	-4	8.16	0.007	1.000	Pass
			25	Mid	12.1	-4	8.10	0.006	1.000	Pass
			25	High	12.09	-4	8.09	0.006	1.000	Pass
			50	Low	12.07	-4	8.07	0.006	1.000	Pass
		Q256	1	Low	10.07	-4	6.07	0.004	1.000	Pass
			1	Mid	9.85	-4	5.85	0.004	1.000	Pass
			1	High	9.89	-4	5.89	0.004	1.000	Pass
			25	Low	10.12	-4	6.12	0.004	1.000	Pass
			25	Mid	10.09	-4	6.09	0.004	1.000	Pass
			25	High	10.04	-4	6.04	0.004	1.000	Pass
			50	Low	10.05	-4	6.05	0.004	1.000	Pass
	HCH	QPSK	1	Low	14.97	-4	10.97	0.013	1.000	Pass
			1	Mid	15.04	-4	11.04	0.013	1.000	Pass
			1	High	14.82	-4	10.82	0.012	1.000	Pass
			25	Low	14.03	-4	10.03	0.010	1.000	Pass
			25	Mid	14.04	-4	10.04	0.010	1.000	Pass
			25	High	13.99	-4	9.99	0.010	1.000	Pass
			50	Low	14.03	-4	10.03	0.010	1.000	Pass
		Q16	1	Low	14.07	-4	10.07	0.010	1.000	Pass
			1	Mid	14.13	-4	10.13	0.010	1.000	Pass
			1	High	13.9	-4	9.90	0.010	1.000	Pass
			25	Low	13.12	-4	9.12	0.008	1.000	Pass
			25	Mid	13.12	-4	9.12	0.008	1.000	Pass
			25	High	13.07	-4	9.07	0.008	1.000	Pass
			50	Low	13.04	-4	9.04	0.008	1.000	Pass
		Q64	1	Low	13.21	-4	9.21	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	13.25	-4	9.25	0.008	1.000	Pass
			1	High	13.07	-4	9.07	0.008	1.000	Pass
			25	Low	12.12	-4	8.12	0.006	1.000	Pass
			25	Mid	12.1	-4	8.10	0.006	1.000	Pass
			25	High	12.04	-4	8.04	0.006	1.000	Pass
			50	Low	12.01	-4	8.01	0.006	1.000	Pass
		Q256	1	Low	9.96	-4	5.96	0.004	1.000	Pass
			1	Mid	9.85	-4	5.85	0.004	1.000	Pass
			1	High	9.69	-4	5.69	0.004	1.000	Pass
			25	Low	10.13	-4	6.13	0.004	1.000	Pass
			25	Mid	10.06	-4	6.06	0.004	1.000	Pass
			25	High	10.03	-4	6.03	0.004	1.000	Pass
			50	Low	10	-4	6.00	0.004	1.000	Pass
15	LCH	QPSK	1	Low	15.38	-4	11.38	0.014	1.000	Pass
			1	Mid	15.31	-4	11.31	0.014	1.000	Pass
			1	High	15.24	-4	11.24	0.013	1.000	Pass
			36	Low	14.3	-4	10.30	0.011	1.000	Pass
			36	Mid	14.3	-4	10.30	0.011	1.000	Pass
			36	High	14.25	-4	10.25	0.011	1.000	Pass
			75	Low	14.31	-4	10.31	0.011	1.000	Pass
		Q16	1	Low	14.28	-4	10.28	0.011	1.000	Pass
			1	Mid	14.26	-4	10.26	0.011	1.000	Pass
			1	High	14.15	-4	10.15	0.010	1.000	Pass
			36	Low	13.29	-4	9.29	0.008	1.000	Pass
			36	Mid	13.31	-4	9.31	0.009	1.000	Pass
			36	High	13.26	-4	9.26	0.008	1.000	Pass
			75	Low	13.33	-4	9.33	0.009	1.000	Pass
		Q64	1	Low	13.69	-4	9.69	0.009	1.000	Pass
			1	Mid	13.62	-4	9.62	0.009	1.000	Pass
			1	High	13.56	-4	9.56	0.009	1.000	Pass
			36	Low	12.32	-4	8.32	0.007	1.000	Pass
			36	Mid	12.34	-4	8.34	0.007	1.000	Pass
			36	High	12.28	-4	8.28	0.007	1.000	Pass
			75	Low	12.33	-4	8.33	0.007	1.000	Pass
		Q256	1	Low	10.92	-4	6.92	0.005	1.000	Pass
			1	Mid	10.94	-4	6.94	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		1	High	10.87	-4	6.87	0.005	1.000	Pass
			36	Low	10.31	-4	6.31	0.004	1.000	Pass
			36	Mid	10.35	-4	6.35	0.004	1.000	Pass
			36	High	10.26	-4	6.26	0.004	1.000	Pass
			75	Low	10.35	-4	6.35	0.004	1.000	Pass
		QPSK	1	Low	15.33	-4	11.33	0.014	1.000	Pass
			1	Mid	15.09	-4	11.09	0.013	1.000	Pass
			1	High	15.11	-4	11.11	0.013	1.000	Pass
			36	Low	14.12	-4	10.12	0.010	1.000	Pass
			36	Mid	14.07	-4	10.07	0.010	1.000	Pass
			36	High	14.04	-4	10.04	0.010	1.000	Pass
			75	Low	14.09	-4	10.09	0.010	1.000	Pass
		Q16	1	Low	14.7	-4	10.70	0.012	1.000	Pass
			1	Mid	14.45	-4	10.45	0.011	1.000	Pass
			1	High	14.48	-4	10.48	0.011	1.000	Pass
			36	Low	13.18	-4	9.18	0.008	1.000	Pass
			36	Mid	13.13	-4	9.13	0.008	1.000	Pass
			36	High	13.09	-4	9.09	0.008	1.000	Pass
			75	Low	13.14	-4	9.14	0.008	1.000	Pass
		Q64	1	Low	13.49	-4	9.49	0.009	1.000	Pass
			1	Mid	13.23	-4	9.23	0.008	1.000	Pass
			1	High	13.26	-4	9.26	0.008	1.000	Pass
			36	Low	12.24	-4	8.24	0.007	1.000	Pass
			36	Mid	12.14	-4	8.14	0.007	1.000	Pass
			36	High	12.11	-4	8.11	0.006	1.000	Pass
			75	Low	12.16	-4	8.16	0.007	1.000	Pass
		Q256	1	Low	10.21	-4	6.21	0.004	1.000	Pass
			1	Mid	9.94	-4	5.94	0.004	1.000	Pass
			1	High	9.96	-4	5.96	0.004	1.000	Pass
			36	Low	10.15	-4	6.15	0.004	1.000	Pass
			36	Mid	10.06	-4	6.06	0.004	1.000	Pass
			36	High	10.05	-4	6.05	0.004	1.000	Pass
			75	Low	10.13	-4	6.13	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.11	-4	11.11	0.013	1.000	Pass
			1	Mid	15.13	-4	11.13	0.013	1.000	Pass
			1	High	14.97	-4	10.97	0.013	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			36	Low	14.05	-4	10.05	0.010	1.000	Pass
			36	Mid	14.06	-4	10.06	0.010	1.000	Pass
			36	High	14.05	-4	10.05	0.010	1.000	Pass
			75	Low	14.08	-4	10.08	0.010	1.000	Pass
		Q16	1	Low	14.43	-4	10.43	0.011	1.000	Pass
			1	Mid	14.46	-4	10.46	0.011	1.000	Pass
			1	High	14.33	-4	10.33	0.011	1.000	Pass
			36	Low	13.04	-4	9.04	0.008	1.000	Pass
			36	Mid	13.03	-4	9.03	0.008	1.000	Pass
			36	High	13.03	-4	9.03	0.008	1.000	Pass
			75	Low	13.08	-4	9.08	0.008	1.000	Pass
		Q64	1	Low	13.7	-4	9.70	0.009	1.000	Pass
			1	Mid	13.66	-4	9.66	0.009	1.000	Pass
			1	High	13.55	-4	9.55	0.009	1.000	Pass
			36	Low	12.05	-4	8.05	0.006	1.000	Pass
			36	Mid	12.02	-4	8.02	0.006	1.000	Pass
			36	High	12.06	-4	8.06	0.006	1.000	Pass
			75	Low	12.14	-4	8.14	0.007	1.000	Pass
		Q256	1	Low	10.52	-4	6.52	0.004	1.000	Pass
			1	Mid	10.47	-4	6.47	0.004	1.000	Pass
			1	High	10.3	-4	6.30	0.004	1.000	Pass
			36	Low	10.15	-4	6.15	0.004	1.000	Pass
			36	Mid	10.09	-4	6.09	0.004	1.000	Pass
			36	High	10.01	-4	6.01	0.004	1.000	Pass
			75	Low	10.09	-4	6.09	0.004	1.000	Pass
20	LCH	QPSK	1	Low	15.43	-4	11.43	0.014	1.000	Pass
			1	Mid	15.32	-4	11.32	0.014	1.000	Pass
			1	High	15.18	-4	11.18	0.013	1.000	Pass
			50	Low	14.34	-4	10.34	0.011	1.000	Pass
			50	Mid	14.32	-4	10.32	0.011	1.000	Pass
			50	High	14.29	-4	10.29	0.011	1.000	Pass
			100	Low	14.33	-4	10.33	0.011	1.000	Pass
		Q16	1	Low	14.99	-4	10.99	0.013	1.000	Pass
			1	Mid	15	-4	11.00	0.013	1.000	Pass
			1	High	14.75	-4	10.75	0.012	1.000	Pass
			50	Low	13.37	-4	9.37	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	Mid	13.34	-4	9.34	0.009	1.000	Pass
			50	High	13.31	-4	9.31	0.009	1.000	Pass
			100	Low	13.33	-4	9.33	0.009	1.000	Pass
		Q64	1	Low	13.71	-4	9.71	0.009	1.000	Pass
			1	Mid	13.65	-4	9.65	0.009	1.000	Pass
			1	High	13.46	-4	9.46	0.009	1.000	Pass
			50	Low	12.37	-4	8.37	0.007	1.000	Pass
			50	Mid	12.35	-4	8.35	0.007	1.000	Pass
			50	High	12.33	-4	8.33	0.007	1.000	Pass
			100	Low	12.31	-4	8.31	0.007	1.000	Pass
		Q256	1	Low	10.54	-4	6.54	0.005	1.000	Pass
			1	Mid	10.44	-4	6.44	0.004	1.000	Pass
			1	High	10.36	-4	6.36	0.004	1.000	Pass
			50	Low	10.29	-4	6.29	0.004	1.000	Pass
			50	Mid	10.3	-4	6.30	0.004	1.000	Pass
			50	High	10.29	-4	6.29	0.004	1.000	Pass
			100	Low	10.27	-4	6.27	0.004	1.000	Pass
	MCH	QPSK	1	Low	15.28	-4	11.28	0.013	1.000	Pass
			1	Mid	15.14	-4	11.14	0.013	1.000	Pass
			1	High	15.04	-4	11.04	0.013	1.000	Pass
			50	Low	14.23	-4	10.23	0.011	1.000	Pass
			50	Mid	14.14	-4	10.14	0.010	1.000	Pass
			50	High	14.09	-4	10.09	0.010	1.000	Pass
			100	Low	14.14	-4	10.14	0.010	1.000	Pass
		Q16	1	Low	14.65	-4	10.65	0.012	1.000	Pass
			1	Mid	14.49	-4	10.49	0.011	1.000	Pass
			1	High	14.43	-4	10.43	0.011	1.000	Pass
			50	Low	13.22	-4	9.22	0.008	1.000	Pass
			50	Mid	13.13	-4	9.13	0.008	1.000	Pass
			50	High	13.1	-4	9.10	0.008	1.000	Pass
			100	Low	13.16	-4	9.16	0.008	1.000	Pass
		Q64	1	Low	13.87	-4	9.87	0.010	1.000	Pass
			1	Mid	13.71	-4	9.71	0.009	1.000	Pass
			1	High	13.63	-4	9.63	0.009	1.000	Pass
			50	Low	12.23	-4	8.23	0.007	1.000	Pass
			50	Mid	12.16	-4	8.16	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	High	12.11	-4	8.11	0.006	1.000	Pass
			100	Low	12.11	-4	8.11	0.006	1.000	Pass
		Q256	1	Low	10.41	-4	6.41	0.004	1.000	Pass
			1	Mid	10.19	-4	6.19	0.004	1.000	Pass
			1	High	10.21	-4	6.21	0.004	1.000	Pass
			50	Low	10.25	-4	6.25	0.004	1.000	Pass
			50	Mid	10.13	-4	6.13	0.004	1.000	Pass
			50	High	10.1	-4	6.10	0.004	1.000	Pass
			100	Low	10.14	-4	6.14	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.12	-4	11.12	0.013	1.000	Pass
			1	Mid	15.06	-4	11.06	0.013	1.000	Pass
			1	High	14.98	-4	10.98	0.013	1.000	Pass
			50	Low	14.14	-4	10.14	0.010	1.000	Pass
			50	Mid	14.13	-4	10.13	0.010	1.000	Pass
			50	High	14.11	-4	10.11	0.010	1.000	Pass
			100	Low	14.1	-4	10.10	0.010	1.000	Pass
		Q16	1	Low	14.52	-4	10.52	0.011	1.000	Pass
			1	Mid	14.46	-4	10.46	0.011	1.000	Pass
			1	High	14.38	-4	10.38	0.011	1.000	Pass
			50	Low	13.08	-4	9.08	0.008	1.000	Pass
			50	Mid	13.07	-4	9.07	0.008	1.000	Pass
			50	High	13.06	-4	9.06	0.008	1.000	Pass
			100	Low	13.07	-4	9.07	0.008	1.000	Pass
		Q64	1	Low	13.31	-4	9.31	0.009	1.000	Pass
			1	Mid	13.28	-4	9.28	0.008	1.000	Pass
			1	High	13.19	-4	9.19	0.008	1.000	Pass
			50	Low	12.14	-4	8.14	0.007	1.000	Pass
			50	Mid	12.12	-4	8.12	0.006	1.000	Pass
			50	High	12.1	-4	8.10	0.006	1.000	Pass
			100	Low	12.1	-4	8.10	0.006	1.000	Pass
		Q256	1	Low	10.09	-4	6.09	0.004	1.000	Pass
			1	Mid	10.11	-4	6.11	0.004	1.000	Pass
			1	High	9.92	-4	5.92	0.004	1.000	Pass
			50	Low	10.16	-4	6.16	0.004	1.000	Pass
			50	Mid	10.13	-4	6.13	0.004	1.000	Pass
			50	High	10.05	-4	6.05	0.004	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			100	Low	10.12	-4	6.12	0.004	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
1.4	LCH	QPSK	1	Low	19.13	-6	-8.15	10.98	0.013	7.000	Pass
			1	Mid	19.01	-6	-8.15	10.86	0.012	7.000	Pass
			1	High	19.1	-6	-8.15	10.95	0.012	7.000	Pass
			3	Low	18.96	-6	-8.15	10.81	0.012	7.000	Pass
			3	Mid	18.95	-6	-8.15	10.80	0.012	7.000	Pass
			3	High	18.98	-6	-8.15	10.83	0.012	7.000	Pass
		Q16	6	Low	18.02	-6	-8.15	9.87	0.010	7.000	Pass
			1	Low	18.17	-6	-8.15	10.02	0.010	7.000	Pass
			1	Mid	18.06	-6	-8.15	9.91	0.010	7.000	Pass
			1	High	18.15	-6	-8.15	10.00	0.010	7.000	Pass
			3	Low	18.03	-6	-8.15	9.88	0.010	7.000	Pass
			3	Mid	18.05	-6	-8.15	9.90	0.010	7.000	Pass
			3	High	18.07	-6	-8.15	9.92	0.010	7.000	Pass
		Q64	6	Low	17.16	-6	-8.15	9.01	0.008	7.000	Pass
			1	Low	17.46	-6	-8.15	9.31	0.009	7.000	Pass
			1	Mid	17.46	-6	-8.15	9.31	0.009	7.000	Pass
			1	High	17.39	-6	-8.15	9.24	0.008	7.000	Pass
			3	Low	17.32	-6	-8.15	9.17	0.008	7.000	Pass
			3	Mid	17.32	-6	-8.15	9.17	0.008	7.000	Pass
			3	High	17.33	-6	-8.15	9.18	0.008	7.000	Pass
		Q256	6	Low	16	-6	-8.15	7.85	0.006	7.000	Pass
			1	Low	14.18	-6	-8.15	6.03	0.004	7.000	Pass
			1	Mid	14.15	-6	-8.15	6.00	0.004	7.000	Pass
			1	High	14.06	-6	-8.15	5.91	0.004	7.000	Pass
			3	Low	14.15	-6	-8.15	6.00	0.004	7.000	Pass
			3	Mid	14.12	-6	-8.15	5.97	0.004	7.000	Pass
			3	High	14.09	-6	-8.15	5.94	0.004	7.000	Pass
			6	Low	14.06	-6	-8.15	5.91	0.004	7.000	Pass
	MCH	QPSK	1	Low	19.12	-6	-8.15	10.97	0.013	7.000	Pass
			1	Mid	19.17	-6	-8.15	11.02	0.013	7.000	Pass
			1	High	19.16	-6	-8.15	11.01	0.013	7.000	Pass
			3	Low	19.12	-6	-8.15	10.97	0.013	7.000	Pass
			3	Mid	19.13	-6	-8.15	10.98	0.013	7.000	Pass
			3	High	19.12	-6	-8.15	10.97	0.013	7.000	Pass
			6	Low	18.11	-6	-8.15	9.96	0.010	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	18.51	-6	-8.15	10.36	0.011	7.000	Pass
			1	Mid	18.52	-6	-8.15	10.37	0.011	7.000	Pass
			1	High	18.54	-6	-8.15	10.39	0.011	7.000	Pass
			3	Low	18.32	-6	-8.15	10.17	0.010	7.000	Pass
			3	Mid	18.34	-6	-8.15	10.19	0.010	7.000	Pass
			3	High	18.28	-6	-8.15	10.13	0.010	7.000	Pass
			6	Low	17.02	-6	-8.15	8.87	0.008	7.000	Pass
		Q64	1	Low	17.23	-6	-8.15	9.08	0.008	7.000	Pass
			1	Mid	17.25	-6	-8.15	9.10	0.008	7.000	Pass
			1	High	17.25	-6	-8.15	9.10	0.008	7.000	Pass
			3	Low	17.21	-6	-8.15	9.06	0.008	7.000	Pass
			3	Mid	17.25	-6	-8.15	9.10	0.008	7.000	Pass
			3	High	17.22	-6	-8.15	9.07	0.008	7.000	Pass
			6	Low	16.38	-6	-8.15	8.23	0.007	7.000	Pass
		Q256	1	Low	14.11	-6	-8.15	5.96	0.004	7.000	Pass
			1	Mid	14.04	-6	-8.15	5.89	0.004	7.000	Pass
			1	High	14.11	-6	-8.15	5.96	0.004	7.000	Pass
			3	Low	14.24	-6	-8.15	6.09	0.004	7.000	Pass
			3	Mid	14.23	-6	-8.15	6.08	0.004	7.000	Pass
			3	High	14.24	-6	-8.15	6.09	0.004	7.000	Pass
			6	Low	14.18	-6	-8.15	6.03	0.004	7.000	Pass
	HCH	QPSK	1	Low	18.93	-6	-8.15	10.78	0.012	7.000	Pass
			1	Mid	18.93	-6	-8.15	10.78	0.012	7.000	Pass
			1	High	18.93	-6	-8.15	10.78	0.012	7.000	Pass
			3	Low	19.02	-6	-8.15	10.87	0.012	7.000	Pass
			3	Mid	19.02	-6	-8.15	10.87	0.012	7.000	Pass
			3	High	19.04	-6	-8.15	10.89	0.012	7.000	Pass
			6	Low	17.98	-6	-8.15	9.83	0.010	7.000	Pass
		Q16	1	Low	18.02	-6	-8.15	9.87	0.010	7.000	Pass
			1	Mid	17.98	-6	-8.15	9.83	0.010	7.000	Pass
			1	High	18.03	-6	-8.15	9.88	0.010	7.000	Pass
			3	Low	18.17	-6	-8.15	10.02	0.010	7.000	Pass
			3	Mid	18.16	-6	-8.15	10.01	0.010	7.000	Pass
			3	High	18.14	-6	-8.15	9.99	0.010	7.000	Pass
			6	Low	17.22	-6	-8.15	9.07	0.008	7.000	Pass
		Q64	1	Low	17.18	-6	-8.15	9.03	0.008	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	17.14	-6	-8.15	8.99	0.008	7.000	Pass
			1	High	17.22	-6	-8.15	9.07	0.008	7.000	Pass
			3	Low	16.93	-6	-8.15	8.78	0.008	7.000	Pass
			3	Mid	16.89	-6	-8.15	8.74	0.007	7.000	Pass
			3	High	16.9	-6	-8.15	8.75	0.007	7.000	Pass
			6	Low	16.08	-6	-8.15	7.93	0.006	7.000	Pass
		Q256	1	Low	13.96	-6	-8.15	5.81	0.004	7.000	Pass
			1	Mid	13.93	-6	-8.15	5.78	0.004	7.000	Pass
			1	High	13.94	-6	-8.15	5.79	0.004	7.000	Pass
			3	Low	14.11	-6	-8.15	5.96	0.004	7.000	Pass
			3	Mid	14.09	-6	-8.15	5.94	0.004	7.000	Pass
			3	High	14.13	-6	-8.15	5.98	0.004	7.000	Pass
			6	Low	14.11	-6	-8.15	5.96	0.004	7.000	Pass
3	LCH	QPSK	1	Low	19.02	-6	-8.15	10.87	0.012	7.000	Pass
			1	Mid	18.93	-6	-8.15	10.78	0.012	7.000	Pass
			1	High	18.95	-6	-8.15	10.80	0.012	7.000	Pass
			8	Low	18.06	-6	-8.15	9.91	0.010	7.000	Pass
			8	Mid	17.99	-6	-8.15	9.84	0.010	7.000	Pass
			8	High	17.99	-6	-8.15	9.84	0.010	7.000	Pass
			15	Low	18.05	-6	-8.15	9.90	0.010	7.000	Pass
		Q16	1	Low	17.97	-6	-8.15	9.82	0.010	7.000	Pass
			1	Mid	17.91	-6	-8.15	9.76	0.009	7.000	Pass
			1	High	17.88	-6	-8.15	9.73	0.009	7.000	Pass
			8	Low	17.17	-6	-8.15	9.02	0.008	7.000	Pass
			8	Mid	17.11	-6	-8.15	8.96	0.008	7.000	Pass
			8	High	17.11	-6	-8.15	8.96	0.008	7.000	Pass
			15	Low	17.1	-6	-8.15	8.95	0.008	7.000	Pass
		Q64	1	Low	17.38	-6	-8.15	9.23	0.008	7.000	Pass
			1	Mid	17.35	-6	-8.15	9.20	0.008	7.000	Pass
			1	High	17.28	-6	-8.15	9.13	0.008	7.000	Pass
			8	Low	16.14	-6	-8.15	7.99	0.006	7.000	Pass
			8	Mid	16.04	-6	-8.15	7.89	0.006	7.000	Pass
			8	High	16.07	-6	-8.15	7.92	0.006	7.000	Pass
			15	Low	16.01	-6	-8.15	7.86	0.006	7.000	Pass
		Q2556	1	Low	14.67	-6	-8.15	6.52	0.004	7.000	Pass
			1	Mid	14.52	-6	-8.15	6.37	0.004	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	High	14.5	-6	-8.15	6.35	0.004	7.000	Pass
			8	Low	14.14	-6	-8.15	5.99	0.004	7.000	Pass
			8	Mid	14.06	-6	-8.15	5.91	0.004	7.000	Pass
			8	High	14.05	-6	-8.15	5.90	0.004	7.000	Pass
			15	Low	14.04	-6	-8.15	5.89	0.004	7.000	Pass
		QPSK	1	Low	19.15	-6	-8.15	11.00	0.013	7.000	Pass
			1	Mid	19.19	-6	-8.15	11.04	0.013	7.000	Pass
			1	High	19.15	-6	-8.15	11.00	0.013	7.000	Pass
			8	Low	18.12	-6	-8.15	9.97	0.010	7.000	Pass
			8	Mid	18.08	-6	-8.15	9.93	0.010	7.000	Pass
			8	High	18.12	-6	-8.15	9.97	0.010	7.000	Pass
			15	Low	18.12	-6	-8.15	9.97	0.010	7.000	Pass
		Q16	1	Low	18.5	-6	-8.15	10.35	0.011	7.000	Pass
			1	Mid	18.56	-6	-8.15	10.41	0.011	7.000	Pass
			1	High	18.51	-6	-8.15	10.36	0.011	7.000	Pass
			8	Low	17.24	-6	-8.15	9.09	0.008	7.000	Pass
			8	Mid	17.18	-6	-8.15	9.03	0.008	7.000	Pass
			8	High	17.24	-6	-8.15	9.09	0.008	7.000	Pass
			15	Low	17.17	-6	-8.15	9.02	0.008	7.000	Pass
	MCH	Q64	1	Low	17.21	-6	-8.15	9.06	0.008	7.000	Pass
			1	Mid	17.27	-6	-8.15	9.12	0.008	7.000	Pass
			1	High	17.29	-6	-8.15	9.14	0.008	7.000	Pass
			8	Low	16.19	-6	-8.15	8.04	0.006	7.000	Pass
			8	Mid	16.15	-6	-8.15	8.00	0.006	7.000	Pass
			8	High	16.17	-6	-8.15	8.02	0.006	7.000	Pass
			15	Low	16.16	-6	-8.15	8.01	0.006	7.000	Pass
		Q256	1	Low	14.1	-6	-8.15	5.95	0.004	7.000	Pass
			1	Mid	14.09	-6	-8.15	5.94	0.004	7.000	Pass
			1	High	14.04	-6	-8.15	5.89	0.004	7.000	Pass
			8	Low	14.19	-6	-8.15	6.04	0.004	7.000	Pass
			8	Mid	14.17	-6	-8.15	6.02	0.004	7.000	Pass
			8	High	14.15	-6	-8.15	6.00	0.004	7.000	Pass
			15	Low	14.24	-6	-8.15	6.09	0.004	7.000	Pass
	HCH	QPSK	1	Low	19.06	-6	-8.15	10.91	0.012	7.000	Pass
			1	Mid	18.98	-6	-8.15	10.83	0.012	7.000	Pass
			1	High	18.94	-6	-8.15	10.79	0.012	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			8	Low	18.08	-6	-8.15	9.93	0.010	7.000	Pass
			8	Mid	18.02	-6	-8.15	9.87	0.010	7.000	Pass
			8	High	17.99	-6	-8.15	9.84	0.010	7.000	Pass
			15	Low	18.05	-6	-8.15	9.90	0.010	7.000	Pass
		Q16	1	Low	18.13	-6	-8.15	9.98	0.010	7.000	Pass
			1	Mid	18.11	-6	-8.15	9.96	0.010	7.000	Pass
			1	High	18.04	-6	-8.15	9.89	0.010	7.000	Pass
			8	Low	17.17	-6	-8.15	9.02	0.008	7.000	Pass
			8	Mid	17.09	-6	-8.15	8.94	0.008	7.000	Pass
			8	High	17.07	-6	-8.15	8.92	0.008	7.000	Pass
			15	Low	17.01	-6	-8.15	8.86	0.008	7.000	Pass
		Q64	1	Low	17.31	-6	-8.15	9.16	0.008	7.000	Pass
			1	Mid	17.25	-6	-8.15	9.10	0.008	7.000	Pass
			1	High	17.17	-6	-8.15	9.02	0.008	7.000	Pass
			8	Low	16.03	-6	-8.15	7.88	0.006	7.000	Pass
			8	Mid	15.97	-6	-8.15	7.82	0.006	7.000	Pass
			8	High	15.97	-6	-8.15	7.82	0.006	7.000	Pass
			15	Low	16.11	-6	-8.15	7.96	0.006	7.000	Pass
		Q256	1	Low	13.95	-6	-8.15	5.80	0.004	7.000	Pass
			1	Mid	13.99	-6	-8.15	5.84	0.004	7.000	Pass
			1	High	13.95	-6	-8.15	5.80	0.004	7.000	Pass
			8	Low	14.2	-6	-8.15	6.05	0.004	7.000	Pass
			8	Mid	14.2	-6	-8.15	6.05	0.004	7.000	Pass
			8	High	14.15	-6	-8.15	6.00	0.004	7.000	Pass
			15	Low	14.11	-6	-8.15	5.96	0.004	7.000	Pass
5	LCH	QPSK	1	Low	19.18	-6	-8.15	11.03	0.013	7.000	Pass
			1	Mid	19.12	-6	-8.15	10.97	0.013	7.000	Pass
			1	High	19.05	-6	-8.15	10.90	0.012	7.000	Pass
			12	Low	18.04	-6	-8.15	9.89	0.010	7.000	Pass
			12	Mid	18.01	-6	-8.15	9.86	0.010	7.000	Pass
			12	High	17.97	-6	-8.15	9.82	0.010	7.000	Pass
			25	Low	18.05	-6	-8.15	9.90	0.010	7.000	Pass
		Q16	1	Low	18.31	-6	-8.15	10.16	0.010	7.000	Pass
			1	Mid	18.23	-6	-8.15	10.08	0.010	7.000	Pass
			1	High	18.22	-6	-8.15	10.07	0.010	7.000	Pass
			12	Low	17.16	-6	-8.15	9.01	0.008	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	Mid	17.11	-6	-8.15	8.96	0.008	7.000	Pass
			12	High	17.11	-6	-8.15	8.96	0.008	7.000	Pass
			25	Low	17.09	-6	-8.15	8.94	0.008	7.000	Pass
		Q64	1	Low	17.04	-6	-8.15	8.89	0.008	7.000	Pass
			1	Mid	16.94	-6	-8.15	8.79	0.008	7.000	Pass
			1	High	16.95	-6	-8.15	8.80	0.008	7.000	Pass
			12	Low	16.15	-6	-8.15	8.00	0.006	7.000	Pass
			12	Mid	16.08	-6	-8.15	7.93	0.006	7.000	Pass
			12	High	16.08	-6	-8.15	7.93	0.006	7.000	Pass
			25	Low	16.03	-6	-8.15	7.88	0.006	7.000	Pass
		Q256	1	Low	13.79	-6	-8.15	5.64	0.004	7.000	Pass
			1	Mid	13.65	-6	-8.15	5.50	0.004	7.000	Pass
			1	High	13.76	-6	-8.15	5.61	0.004	7.000	Pass
			12	Low	14.04	-6	-8.15	5.89	0.004	7.000	Pass
			12	Mid	14.01	-6	-8.15	5.86	0.004	7.000	Pass
			12	High	14.07	-6	-8.15	5.92	0.004	7.000	Pass
			25	Low	14.08	-6	-8.15	5.93	0.004	7.000	Pass
	MCH	QPSK	1	Low	19.18	-6	-8.15	11.03	0.013	7.000	Pass
			1	Mid	19.24	-6	-8.15	11.09	0.013	7.000	Pass
			1	High	19.09	-6	-8.15	10.94	0.012	7.000	Pass
			12	Low	18.19	-6	-8.15	10.04	0.010	7.000	Pass
			12	Mid	18.14	-6	-8.15	9.99	0.010	7.000	Pass
			12	High	18.14	-6	-8.15	9.99	0.010	7.000	Pass
			25	Low	18.17	-6	-8.15	10.02	0.010	7.000	Pass
		Q16	1	Low	18.71	-6	-8.15	10.56	0.011	7.000	Pass
			1	Mid	18.76	-6	-8.15	10.61	0.012	7.000	Pass
			1	High	18.62	-6	-8.15	10.47	0.011	7.000	Pass
			12	Low	17.35	-6	-8.15	9.20	0.008	7.000	Pass
			12	Mid	17.31	-6	-8.15	9.16	0.008	7.000	Pass
			12	High	17.32	-6	-8.15	9.17	0.008	7.000	Pass
			25	Low	17.26	-6	-8.15	9.11	0.008	7.000	Pass
		Q64	1	Low	17.46	-6	-8.15	9.31	0.009	7.000	Pass
			1	Mid	17.56	-6	-8.15	9.41	0.009	7.000	Pass
			1	High	17.38	-6	-8.15	9.23	0.008	7.000	Pass
			12	Low	16.15	-6	-8.15	8.00	0.006	7.000	Pass
			12	Mid	16.11	-6	-8.15	7.96	0.006	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	High	16.12	-6	-8.15	7.97	0.006	7.000	Pass
			25	Low	16.16	-6	-8.15	8.01	0.006	7.000	Pass
		Q256	1	Low	14.49	-6	-8.15	6.34	0.004	7.000	Pass
			1	Mid	14.55	-6	-8.15	6.40	0.004	7.000	Pass
			1	High	14.32	-6	-8.15	6.17	0.004	7.000	Pass
			12	Low	14.34	-6	-8.15	6.19	0.004	7.000	Pass
			12	Mid	14.32	-6	-8.15	6.17	0.004	7.000	Pass
			12	High	14.27	-6	-8.15	6.12	0.004	7.000	Pass
			25	Low	14.3	-6	-8.15	6.15	0.004	7.000	Pass
	HCH	QPSK	1	Low	19.14	-6	-8.15	10.99	0.013	7.000	Pass
			1	Mid	19.2	-6	-8.15	11.05	0.013	7.000	Pass
			1	High	19.11	-6	-8.15	10.96	0.012	7.000	Pass
			12	Low	18.14	-6	-8.15	9.99	0.010	7.000	Pass
			12	Mid	18.13	-6	-8.15	9.98	0.010	7.000	Pass
			12	High	18.07	-6	-8.15	9.92	0.010	7.000	Pass
			25	Low	18.16	-6	-8.15	10.01	0.010	7.000	Pass
		Q16	1	Low	18.2	-6	-8.15	10.05	0.010	7.000	Pass
			1	Mid	18.26	-6	-8.15	10.11	0.010	7.000	Pass
			1	High	18.14	-6	-8.15	9.99	0.010	7.000	Pass
			12	Low	17.25	-6	-8.15	9.10	0.008	7.000	Pass
			12	Mid	17.19	-6	-8.15	9.04	0.008	7.000	Pass
			12	High	17.17	-6	-8.15	9.02	0.008	7.000	Pass
			25	Low	17.07	-6	-8.15	8.92	0.008	7.000	Pass
		Q64	1	Low	17.31	-6	-8.15	9.16	0.008	7.000	Pass
			1	Mid	17.42	-6	-8.15	9.27	0.008	7.000	Pass
			1	High	17.31	-6	-8.15	9.16	0.008	7.000	Pass
			12	Low	16.24	-6	-8.15	8.09	0.006	7.000	Pass
			12	Mid	16.2	-6	-8.15	8.05	0.006	7.000	Pass
			12	High	16.14	-6	-8.15	7.99	0.006	7.000	Pass
			25	Low	16.16	-6	-8.15	8.01	0.006	7.000	Pass
		Q256	1	Low	14.09	-6	-8.15	5.94	0.004	7.000	Pass
			1	Mid	14.05	-6	-8.15	5.90	0.004	7.000	Pass
			1	High	14.1	-6	-8.15	5.95	0.004	7.000	Pass
			12	Low	14.26	-6	-8.15	6.11	0.004	7.000	Pass
			12	Mid	14.25	-6	-8.15	6.10	0.004	7.000	Pass
			12	High	14.22	-6	-8.15	6.07	0.004	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
10	LCH	QPSK	25	Low	14.2	-6	-8.15	6.05	0.004	7.000	Pass
			1	Low	19.1	-6	-8.15	10.95	0.012	7.000	Pass
			1	Mid	18.97	-6	-8.15	10.82	0.012	7.000	Pass
			1	High	19.21	-6	-8.15	11.06	0.013	7.000	Pass
			25	Low	18.04	-6	-8.15	9.89	0.010	7.000	Pass
			25	Mid	18.02	-6	-8.15	9.87	0.010	7.000	Pass
			25	High	18.1	-6	-8.15	9.95	0.010	7.000	Pass
			50	Low	18.07	-6	-8.15	9.92	0.010	7.000	Pass
		Q16	1	Low	18.03	-6	-8.15	9.88	0.010	7.000	Pass
			1	Mid	17.93	-6	-8.15	9.78	0.010	7.000	Pass
			1	High	18.17	-6	-8.15	10.02	0.010	7.000	Pass
			25	Low	17.07	-6	-8.15	8.92	0.008	7.000	Pass
			25	Mid	17.05	-6	-8.15	8.90	0.008	7.000	Pass
			25	High	17.1	-6	-8.15	8.95	0.008	7.000	Pass
			50	Low	17.05	-6	-8.15	8.90	0.008	7.000	Pass
		Q64	1	Low	17.41	-6	-8.15	9.26	0.008	7.000	Pass
			1	Mid	17.33	-6	-8.15	9.18	0.008	7.000	Pass
			1	High	17.53	-6	-8.15	9.38	0.009	7.000	Pass
			25	Low	16.08	-6	-8.15	7.93	0.006	7.000	Pass
			25	Mid	16.09	-6	-8.15	7.94	0.006	7.000	Pass
			25	High	16.15	-6	-8.15	8.00	0.006	7.000	Pass
			50	Low	16.07	-6	-8.15	7.92	0.006	7.000	Pass
		Q256	1	Low	14.72	-6	-8.15	6.57	0.005	7.000	Pass
			1	Mid	14.68	-6	-8.15	6.53	0.004	7.000	Pass
			1	High	14.93	-6	-8.15	6.78	0.005	7.000	Pass
			25	Low	14.1	-6	-8.15	5.95	0.004	7.000	Pass
			25	Mid	14.15	-6	-8.15	6.00	0.004	7.000	Pass
			25	High	14.23	-6	-8.15	6.08	0.004	7.000	Pass
			50	Low	14.15	-6	-8.15	6.00	0.004	7.000	Pass
	MCH	QPSK	1	Low	19.19	-6	-8.15	11.04	0.013	7.000	Pass
			1	Mid	19.16	-6	-8.15	11.01	0.013	7.000	Pass
			1	High	18.98	-6	-8.15	10.83	0.012	7.000	Pass
			25	Low	18.17	-6	-8.15	10.02	0.010	7.000	Pass
			25	Mid	18.11	-6	-8.15	9.96	0.010	7.000	Pass
			25	High	18.07	-6	-8.15	9.92	0.010	7.000	Pass
			50	Low	18.09	-6	-8.15	9.94	0.010	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	18.5	-6	-8.15	10.35	0.011	7.000	Pass
			1	Mid	18.53	-6	-8.15	10.38	0.011	7.000	Pass
			1	High	18.34	-6	-8.15	10.19	0.010	7.000	Pass
			25	Low	17.2	-6	-8.15	9.05	0.008	7.000	Pass
			25	Mid	17.16	-6	-8.15	9.01	0.008	7.000	Pass
			25	High	17.09	-6	-8.15	8.94	0.008	7.000	Pass
			50	Low	17.11	-6	-8.15	8.96	0.008	7.000	Pass
		Q64	1	Low	17.26	-6	-8.15	9.11	0.008	7.000	Pass
			1	Mid	17.31	-6	-8.15	9.16	0.008	7.000	Pass
			1	High	17.11	-6	-8.15	8.96	0.008	7.000	Pass
			25	Low	16.23	-6	-8.15	8.08	0.006	7.000	Pass
			25	Mid	16.2	-6	-8.15	8.05	0.006	7.000	Pass
			25	High	16.14	-6	-8.15	7.99	0.006	7.000	Pass
			50	Low	16.13	-6	-8.15	7.98	0.006	7.000	Pass
		Q256	1	Low	14.07	-6	-8.15	5.92	0.004	7.000	Pass
			1	Mid	14.06	-6	-8.15	5.91	0.004	7.000	Pass
			1	High	13.89	-6	-8.15	5.74	0.004	7.000	Pass
			25	Low	14.26	-6	-8.15	6.11	0.004	7.000	Pass
			25	Mid	14.25	-6	-8.15	6.10	0.004	7.000	Pass
			25	High	14.11	-6	-8.15	5.96	0.004	7.000	Pass
			50	Low	14.16	-6	-8.15	6.01	0.004	7.000	Pass
	HCH	QPSK	1	Low	18.86	-6	-8.15	10.71	0.012	7.000	Pass
			1	Mid	18.92	-6	-8.15	10.77	0.012	7.000	Pass
			1	High	18.97	-6	-8.15	10.82	0.012	7.000	Pass
			25	Low	17.94	-6	-8.15	9.79	0.010	7.000	Pass
			25	Mid	18	-6	-8.15	9.85	0.010	7.000	Pass
			25	High	18.05	-6	-8.15	9.90	0.010	7.000	Pass
			50	Low	17.97	-6	-8.15	9.82	0.010	7.000	Pass
		Q16	1	Low	17.97	-6	-8.15	9.82	0.010	7.000	Pass
			1	Mid	17.93	-6	-8.15	9.78	0.010	7.000	Pass
			1	High	17.98	-6	-8.15	9.83	0.010	7.000	Pass
			25	Low	17.03	-6	-8.15	8.88	0.008	7.000	Pass
			25	Mid	17.08	-6	-8.15	8.93	0.008	7.000	Pass
			25	High	17.14	-6	-8.15	8.99	0.008	7.000	Pass
			50	Low	17.02	-6	-8.15	8.87	0.008	7.000	Pass
		Q64	1	Low	17.14	-6	-8.15	8.99	0.008	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	17.2	-6	-8.15	9.05	0.008	7.000	Pass
			1	High	17.22	-6	-8.15	9.07	0.008	7.000	Pass
			25	Low	16.01	-6	-8.15	7.86	0.006	7.000	Pass
			25	Mid	16.08	-6	-8.15	7.93	0.006	7.000	Pass
			25	High	16.12	-6	-8.15	7.97	0.006	7.000	Pass
			50	Low	15.99	-6	-8.15	7.84	0.006	7.000	Pass
		Q256	1	Low	13.89	-6	-8.15	5.74	0.004	7.000	Pass
			1	Mid	13.92	-6	-8.15	5.77	0.004	7.000	Pass
			1	High	13.98	-6	-8.15	5.83	0.004	7.000	Pass
			25	Low	14.09	-6	-8.15	5.94	0.004	7.000	Pass
			25	Mid	14.15	-6	-8.15	6.00	0.004	7.000	Pass
			25	High	14.14	-6	-8.15	5.99	0.004	7.000	Pass
			50	Low	14.02	-6	-8.15	5.87	0.004	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
5	LCH	QPSK	1	Low	14.29	-5	9.29	0.008	2.000	Pass
			1	Mid	14.23	-5	9.23	0.008	2.000	Pass
			1	High	14.26	-5	9.26	0.008	2.000	Pass
			12	Low	13.22	-5	8.22	0.007	2.000	Pass
			12	Mid	13.18	-5	8.18	0.007	2.000	Pass
			12	High	13.18	-5	8.18	0.007	2.000	Pass
			25	Low	13.26	-5	8.26	0.007	2.000	Pass
		Q16	1	Low	13.37	-5	8.37	0.007	2.000	Pass
			1	Mid	13.36	-5	8.36	0.007	2.000	Pass
			1	High	13.38	-5	8.38	0.007	2.000	Pass
			12	Low	12.28	-5	7.28	0.005	2.000	Pass
			12	Mid	12.28	-5	7.28	0.005	2.000	Pass
			12	High	12.27	-5	7.27	0.005	2.000	Pass
			25	Low	12.26	-5	7.26	0.005	2.000	Pass
		Q64	1	Low	12.1	-5	7.10	0.005	2.000	Pass
			1	Mid	12.08	-5	7.08	0.005	2.000	Pass
			1	High	12.11	-5	7.11	0.005	2.000	Pass
			12	Low	11.29	-5	6.29	0.004	2.000	Pass
			12	Mid	11.27	-5	6.27	0.004	2.000	Pass
			12	High	11.23	-5	6.23	0.004	2.000	Pass
			25	Low	11.2	-5	6.20	0.004	2.000	Pass
		Q256	1	Low	8.84	-5	3.84	0.002	2.000	Pass
			1	Mid	8.84	-5	3.84	0.002	2.000	Pass
			1	High	8.82	-5	3.82	0.002	2.000	Pass
			12	Low	9.2	-5	4.20	0.003	2.000	Pass
			12	Mid	9.18	-5	4.18	0.003	2.000	Pass
			12	High	9.18	-5	4.18	0.003	2.000	Pass
			25	Low	9.22	-5	4.22	0.003	2.000	Pass
	MCH	QPSK	1	Low	14.4	-5	9.40	0.009	2.000	Pass
			1	Mid	14.35	-5	9.35	0.009	2.000	Pass
			1	High	14.33	-5	9.33	0.009	2.000	Pass
			12	Low	13.36	-5	8.36	0.007	2.000	Pass
			12	Mid	13.37	-5	8.37	0.007	2.000	Pass
			12	High	13.35	-5	8.35	0.007	2.000	Pass
			25	Low	13.38	-5	8.38	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	13.94	-5	8.94	0.008	2.000	Pass
			1	Mid	13.94	-5	8.94	0.008	2.000	Pass
			1	High	13.94	-5	8.94	0.008	2.000	Pass
			12	Low	12.52	-5	7.52	0.006	2.000	Pass
			12	Mid	12.49	-5	7.49	0.006	2.000	Pass
			12	High	12.48	-5	7.48	0.006	2.000	Pass
			25	Low	12.44	-5	7.44	0.006	2.000	Pass
		Q64	1	Low	12.64	-5	7.64	0.006	2.000	Pass
			1	Mid	12.65	-5	7.65	0.006	2.000	Pass
			1	High	12.62	-5	7.62	0.006	2.000	Pass
			12	Low	11.35	-5	6.35	0.004	2.000	Pass
			12	Mid	11.33	-5	6.33	0.004	2.000	Pass
			12	High	11.29	-5	6.29	0.004	2.000	Pass
			25	Low	11.34	-5	6.34	0.004	2.000	Pass
		Q256	1	Low	9.6	-5	4.60	0.003	2.000	Pass
			1	Mid	9.61	-5	4.61	0.003	2.000	Pass
			1	High	9.58	-5	4.58	0.003	2.000	Pass
			12	Low	9.42	-5	4.42	0.003	2.000	Pass
			12	Mid	9.41	-5	4.41	0.003	2.000	Pass
			12	High	9.39	-5	4.39	0.003	2.000	Pass
			25	Low	9.36	-5	4.36	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.35	-5	9.35	0.009	2.000	Pass
			1	Mid	14.36	-5	9.36	0.009	2.000	Pass
			1	High	14.34	-5	9.34	0.009	2.000	Pass
			12	Low	13.27	-5	8.27	0.007	2.000	Pass
			12	Mid	13.26	-5	8.26	0.007	2.000	Pass
			12	High	13.26	-5	8.26	0.007	2.000	Pass
			25	Low	13.3	-5	8.30	0.007	2.000	Pass
		Q16	1	Low	13.37	-5	8.37	0.007	2.000	Pass
			1	Mid	13.37	-5	8.37	0.007	2.000	Pass
			1	High	13.32	-5	8.32	0.007	2.000	Pass
			12	Low	12.36	-5	7.36	0.005	2.000	Pass
			12	Mid	12.36	-5	7.36	0.005	2.000	Pass
			12	High	12.34	-5	7.34	0.005	2.000	Pass
			25	Low	12.25	-5	7.25	0.005	2.000	Pass
		Q64	1	Low	12.48	-5	7.48	0.006	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	12.56	-5	7.56	0.006	2.000	Pass
			1	High	12.51	-5	7.51	0.006	2.000	Pass
			12	Low	11.33	-5	6.33	0.004	2.000	Pass
			12	Mid	11.33	-5	6.33	0.004	2.000	Pass
			12	High	11.32	-5	6.32	0.004	2.000	Pass
			25	Low	11.3	-5	6.30	0.004	2.000	Pass
		Q256	1	Low	9.22	-5	4.22	0.003	2.000	Pass
			1	Mid	9.25	-5	4.25	0.003	2.000	Pass
			1	High	9.23	-5	4.23	0.003	2.000	Pass
			12	Low	9.37	-5	4.37	0.003	2.000	Pass
			12	Mid	9.34	-5	4.34	0.003	2.000	Pass
			12	High	9.34	-5	4.34	0.003	2.000	Pass
			25	Low	9.33	-5	4.33	0.003	2.000	Pass
10	LCH	QPSK	1	Low	14.21	-5	9.21	0.008	2.000	Pass
			1	Mid	14.18	-5	9.18	0.008	2.000	Pass
			1	High	14.18	-5	9.18	0.008	2.000	Pass
			25	Low	13.22	-5	8.22	0.007	2.000	Pass
			25	Mid	13.21	-5	8.21	0.007	2.000	Pass
			25	High	13.21	-5	8.21	0.007	2.000	Pass
			50	Low	13.23	-5	8.23	0.007	2.000	Pass
		Q16	1	Low	13.11	-5	8.11	0.006	2.000	Pass
			1	Mid	13.12	-5	8.12	0.006	2.000	Pass
			1	High	13.11	-5	8.11	0.006	2.000	Pass
			25	Low	12.26	-5	7.26	0.005	2.000	Pass
			25	Mid	12.24	-5	7.24	0.005	2.000	Pass
			25	High	12.23	-5	7.23	0.005	2.000	Pass
			50	Low	12.22	-5	7.22	0.005	2.000	Pass
		Q64	1	Low	12.5	-5	7.50	0.006	2.000	Pass
			1	Mid	12.5	-5	7.50	0.006	2.000	Pass
			1	High	12.5	-5	7.50	0.006	2.000	Pass
			25	Low	11.28	-5	6.28	0.004	2.000	Pass
			25	Mid	11.27	-5	6.27	0.004	2.000	Pass
			25	High	11.25	-5	6.25	0.004	2.000	Pass
			50	Low	11.24	-5	6.24	0.004	2.000	Pass
		Q256	1	Low	9.8	-5	4.80	0.003	2.000	Pass
			1	Mid	9.78	-5	4.78	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
	MCH		1	High	9.79	-5	4.79	0.003	2.000	Pass
			25	Low	9.26	-5	4.26	0.003	2.000	Pass
			25	Mid	9.25	-5	4.25	0.003	2.000	Pass
			25	High	9.24	-5	4.24	0.003	2.000	Pass
			50	Low	9.26	-5	4.26	0.003	2.000	Pass
		QPSK	1	Low	14.44	-5	9.44	0.009	2.000	Pass
			1	Mid	14.37	-5	9.37	0.009	2.000	Pass
			1	High	14.35	-5	9.35	0.009	2.000	Pass
			25	Low	13.36	-5	8.36	0.007	2.000	Pass
			25	Mid	13.38	-5	8.38	0.007	2.000	Pass
			25	High	13.35	-5	8.35	0.007	2.000	Pass
			50	Low	13.38	-5	8.38	0.007	2.000	Pass
		Q16	1	Low	13.81	-5	8.81	0.008	2.000	Pass
			1	Mid	13.75	-5	8.75	0.007	2.000	Pass
			1	High	13.71	-5	8.71	0.007	2.000	Pass
			25	Low	12.44	-5	7.44	0.006	2.000	Pass
			25	Mid	12.41	-5	7.41	0.006	2.000	Pass
			25	High	12.39	-5	7.39	0.005	2.000	Pass
			50	Low	12.41	-5	7.41	0.006	2.000	Pass
		Q64	1	Low	12.57	-5	7.57	0.006	2.000	Pass
			1	Mid	12.5	-5	7.50	0.006	2.000	Pass
			1	High	12.51	-5	7.51	0.006	2.000	Pass
			25	Low	11.46	-5	6.46	0.004	2.000	Pass
			25	Mid	11.47	-5	6.47	0.004	2.000	Pass
			25	High	11.45	-5	6.45	0.004	2.000	Pass
			50	Low	11.44	-5	6.44	0.004	2.000	Pass
		Q256	1	Low	9.31	-5	4.31	0.003	2.000	Pass
			1	Mid	9.25	-5	4.25	0.003	2.000	Pass
			1	High	9.26	-5	4.26	0.003	2.000	Pass
			25	Low	9.43	-5	4.43	0.003	2.000	Pass
			25	Mid	9.42	-5	4.42	0.003	2.000	Pass
			25	High	9.39	-5	4.39	0.003	2.000	Pass
			50	Low	9.36	-5	4.36	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.31	-5	9.31	0.009	2.000	Pass
			1	Mid	14.21	-5	9.21	0.008	2.000	Pass
			1	High	14.2	-5	9.20	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			25	Low	13.33	-5	8.33	0.007	2.000	Pass
			25	Mid	13.31	-5	8.31	0.007	2.000	Pass
			25	High	13.28	-5	8.28	0.007	2.000	Pass
			50	Low	13.28	-5	8.28	0.007	2.000	Pass
		Q16	1	Low	13.39	-5	8.39	0.007	2.000	Pass
			1	Mid	13.22	-5	8.22	0.007	2.000	Pass
			1	High	13.25	-5	8.25	0.007	2.000	Pass
			25	Low	12.42	-5	7.42	0.006	2.000	Pass
			25	Mid	12.41	-5	7.41	0.006	2.000	Pass
			25	High	12.37	-5	7.37	0.005	2.000	Pass
			50	Low	12.3	-5	7.30	0.005	2.000	Pass
		Q64	1	Low	12.5	-5	7.50	0.006	2.000	Pass
			1	Mid	12.39	-5	7.39	0.005	2.000	Pass
			1	High	12.4	-5	7.40	0.005	2.000	Pass
			25	Low	11.38	-5	6.38	0.004	2.000	Pass
			25	Mid	11.39	-5	6.39	0.004	2.000	Pass
			25	High	11.34	-5	6.34	0.004	2.000	Pass
			50	Low	11.29	-5	6.29	0.004	2.000	Pass
		Q256	1	Low	9.2	-5	4.20	0.003	2.000	Pass
			1	Mid	9.13	-5	4.13	0.003	2.000	Pass
			1	High	9.15	-5	4.15	0.003	2.000	Pass
			25	Low	9.4	-5	4.40	0.003	2.000	Pass
			25	Mid	9.36	-5	4.36	0.003	2.000	Pass
			25	High	9.35	-5	4.35	0.003	2.000	Pass
			50	Low	9.27	-5	4.27	0.003	2.000	Pass
15	LCH	QPSK	1	Low	14.15	-5	9.15	0.008	2.000	Pass
			1	Mid	14.18	-5	9.18	0.008	2.000	Pass
			1	High	14.21	-5	9.21	0.008	2.000	Pass
			36	Low	13.19	-5	8.19	0.007	2.000	Pass
			36	Mid	13.19	-5	8.19	0.007	2.000	Pass
			36	High	13.21	-5	8.21	0.007	2.000	Pass
			75	Low	13.2	-5	8.20	0.007	2.000	Pass
		Q16	1	Low	13.08	-5	8.08	0.006	2.000	Pass
			1	Mid	13.14	-5	8.14	0.007	2.000	Pass
			1	High	13.15	-5	8.15	0.007	2.000	Pass
			36	Low	12.2	-5	7.20	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	Mid	12.2	-5	7.20	0.005	2.000	Pass
			36	High	12.22	-5	7.22	0.005	2.000	Pass
			75	Low	12.22	-5	7.22	0.005	2.000	Pass
		Q64	1	Low	12.49	-5	7.49	0.006	2.000	Pass
			1	Mid	12.52	-5	7.52	0.006	2.000	Pass
			1	High	12.56	-5	7.56	0.006	2.000	Pass
			36	Low	11.24	-5	6.24	0.004	2.000	Pass
			36	Mid	11.22	-5	6.22	0.004	2.000	Pass
			36	High	11.26	-5	6.26	0.004	2.000	Pass
			75	Low	11.23	-5	6.23	0.004	2.000	Pass
		Q256	1	Low	9.8	-5	4.80	0.003	2.000	Pass
			1	Mid	9.85	-5	4.85	0.003	2.000	Pass
			1	High	9.86	-5	4.86	0.003	2.000	Pass
			36	Low	9.24	-5	4.24	0.003	2.000	Pass
			36	Mid	9.21	-5	4.21	0.003	2.000	Pass
			36	High	9.24	-5	4.24	0.003	2.000	Pass
			75	Low	9.27	-5	4.27	0.003	2.000	Pass
	MCH	QPSK	1	Low	14.33	-5	9.33	0.009	2.000	Pass
			1	Mid	14.38	-5	9.38	0.009	2.000	Pass
			1	High	14.35	-5	9.35	0.009	2.000	Pass
			36	Low	13.34	-5	8.34	0.007	2.000	Pass
			36	Mid	13.34	-5	8.34	0.007	2.000	Pass
			36	High	13.31	-5	8.31	0.007	2.000	Pass
			75	Low	13.36	-5	8.36	0.007	2.000	Pass
		Q16	1	Low	13.7	-5	8.70	0.007	2.000	Pass
			1	Mid	13.79	-5	8.79	0.008	2.000	Pass
			1	High	13.68	-5	8.68	0.007	2.000	Pass
			36	Low	12.43	-5	7.43	0.006	2.000	Pass
			36	Mid	12.42	-5	7.42	0.006	2.000	Pass
			36	High	12.39	-5	7.39	0.005	2.000	Pass
			75	Low	12.42	-5	7.42	0.006	2.000	Pass
		Q64	1	Low	12.49	-5	7.49	0.006	2.000	Pass
			1	Mid	12.55	-5	7.55	0.006	2.000	Pass
			1	High	12.49	-5	7.49	0.006	2.000	Pass
			36	Low	11.43	-5	6.43	0.004	2.000	Pass
			36	Mid	11.43	-5	6.43	0.004	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	High	11.4	-5	6.40	0.004	2.000	Pass
			75	Low	11.41	-5	6.41	0.004	2.000	Pass
		Q256	1	Low	9.24	-5	4.24	0.003	2.000	Pass
			1	Mid	9.33	-5	4.33	0.003	2.000	Pass
			1	High	9.26	-5	4.26	0.003	2.000	Pass
			36	Low	9.38	-5	4.38	0.003	2.000	Pass
			36	Mid	9.34	-5	4.34	0.003	2.000	Pass
			36	High	9.35	-5	4.35	0.003	2.000	Pass
			75	Low	9.39	-5	4.39	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.36	-5	9.36	0.009	2.000	Pass
			1	Mid	14.35	-5	9.35	0.009	2.000	Pass
			1	High	14.28	-5	9.28	0.008	2.000	Pass
			36	Low	13.35	-5	8.35	0.007	2.000	Pass
			36	Mid	13.33	-5	8.33	0.007	2.000	Pass
			36	High	13.28	-5	8.28	0.007	2.000	Pass
			75	Low	13.32	-5	8.32	0.007	2.000	Pass
		Q16	1	Low	13.69	-5	8.69	0.007	2.000	Pass
			1	Mid	13.69	-5	8.69	0.007	2.000	Pass
			1	High	13.58	-5	8.58	0.007	2.000	Pass
			36	Low	12.37	-5	7.37	0.005	2.000	Pass
			36	Mid	12.3	-5	7.30	0.005	2.000	Pass
			36	High	12.28	-5	7.28	0.005	2.000	Pass
			75	Low	12.36	-5	7.36	0.005	2.000	Pass
		Q64	1	Low	12.92	-5	7.92	0.006	2.000	Pass
			1	Mid	12.88	-5	7.88	0.006	2.000	Pass
			1	High	12.8	-5	7.80	0.006	2.000	Pass
			36	Low	11.37	-5	6.37	0.004	2.000	Pass
			36	Mid	11.31	-5	6.31	0.004	2.000	Pass
			36	High	11.3	-5	6.30	0.004	2.000	Pass
			75	Low	11.38	-5	6.38	0.004	2.000	Pass
		Q256	1	Low	9.77	-5	4.77	0.003	2.000	Pass
			1	Mid	9.77	-5	4.77	0.003	2.000	Pass
			1	High	9.67	-5	4.67	0.003	2.000	Pass
			36	Low	9.39	-5	4.39	0.003	2.000	Pass
			36	Mid	9.35	-5	4.35	0.003	2.000	Pass
			36	High	9.31	-5	4.31	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
20	LCH	QPSK	75	Low	9.37	-5	4.37	0.003	2.000	Pass
			1	Low	14.21	-5	9.21	0.008	2.000	Pass
			1	Mid	14.25	-5	9.25	0.008	2.000	Pass
			1	High	14.3	-5	9.30	0.009	2.000	Pass
			50	Low	13.24	-5	8.24	0.007	2.000	Pass
			50	Mid	13.26	-5	8.26	0.007	2.000	Pass
			50	High	13.32	-5	8.32	0.007	2.000	Pass
		Q16	100	Low	13.27	-5	8.27	0.007	2.000	Pass
			1	Low	13.81	-5	8.81	0.008	2.000	Pass
			1	Mid	13.79	-5	8.79	0.008	2.000	Pass
			1	High	13.89	-5	8.89	0.008	2.000	Pass
			50	Low	12.28	-5	7.28	0.005	2.000	Pass
			50	Mid	12.32	-5	7.32	0.005	2.000	Pass
			50	High	12.37	-5	7.37	0.005	2.000	Pass
		Q64	100	Low	12.34	-5	7.34	0.005	2.000	Pass
			1	Low	12.48	-5	7.48	0.006	2.000	Pass
			1	Mid	12.49	-5	7.49	0.006	2.000	Pass
			1	High	12.59	-5	7.59	0.006	2.000	Pass
			50	Low	11.31	-5	6.31	0.004	2.000	Pass
			50	Mid	11.32	-5	6.32	0.004	2.000	Pass
			50	High	11.41	-5	6.41	0.004	2.000	Pass
		Q256	100	Low	11.32	-5	6.32	0.004	2.000	Pass
			1	Low	9.42	-5	4.42	0.003	2.000	Pass
			1	Mid	9.45	-5	4.45	0.003	2.000	Pass
			1	High	9.55	-5	4.55	0.003	2.000	Pass
			50	Low	9.25	-5	4.25	0.003	2.000	Pass
			50	Mid	9.29	-5	4.29	0.003	2.000	Pass
			50	High	9.34	-5	4.34	0.003	2.000	Pass
	MCH	QPSK	100	Low	9.29	-5	4.29	0.003	2.000	Pass
			1	Low	14.3	-5	9.30	0.009	2.000	Pass
			1	Mid	14.45	-5	9.45	0.009	2.000	Pass
			1	High	14.43	-5	9.43	0.009	2.000	Pass
			50	Low	13.39	-5	8.39	0.007	2.000	Pass
			50	Mid	13.41	-5	8.41	0.007	2.000	Pass
			50	High	13.39	-5	8.39	0.007	2.000	Pass
			100	Low	13.38	-5	8.38	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	13.66	-5	8.66	0.007	2.000	Pass
			1	Mid	13.74	-5	8.74	0.007	2.000	Pass
			1	High	13.77	-5	8.77	0.008	2.000	Pass
			50	Low	12.4	-5	7.40	0.005	2.000	Pass
			50	Mid	12.44	-5	7.44	0.006	2.000	Pass
			50	High	12.41	-5	7.41	0.006	2.000	Pass
			100	Low	12.41	-5	7.41	0.006	2.000	Pass
		Q64	1	Low	12.85	-5	7.85	0.006	2.000	Pass
			1	Mid	12.99	-5	7.99	0.006	2.000	Pass
			1	High	13	-5	8.00	0.006	2.000	Pass
			50	Low	11.41	-5	6.41	0.004	2.000	Pass
			50	Mid	11.46	-5	6.46	0.004	2.000	Pass
			50	High	11.43	-5	6.43	0.004	2.000	Pass
			100	Low	11.38	-5	6.38	0.004	2.000	Pass
		Q256	1	Low	9.43	-5	4.43	0.003	2.000	Pass
			1	Mid	9.6	-5	4.60	0.003	2.000	Pass
			1	High	9.62	-5	4.62	0.003	2.000	Pass
			50	Low	9.4	-5	4.40	0.003	2.000	Pass
			50	Mid	9.41	-5	4.41	0.003	2.000	Pass
			50	High	9.43	-5	4.43	0.003	2.000	Pass
			100	Low	9.38	-5	4.38	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.25	-5	9.25	0.008	2.000	Pass
			1	Mid	14.38	-5	9.38	0.009	2.000	Pass
			1	High	14.23	-5	9.23	0.008	2.000	Pass
			50	Low	13.38	-5	8.38	0.007	2.000	Pass
			50	Mid	13.41	-5	8.41	0.007	2.000	Pass
			50	High	13.34	-5	8.34	0.007	2.000	Pass
			100	Low	13.35	-5	8.35	0.007	2.000	Pass
		Q16	1	Low	13.64	-5	8.64	0.007	2.000	Pass
			1	Mid	13.74	-5	8.74	0.007	2.000	Pass
			1	High	13.58	-5	8.58	0.007	2.000	Pass
			50	Low	12.37	-5	7.37	0.005	2.000	Pass
			50	Mid	12.34	-5	7.34	0.005	2.000	Pass
			50	High	12.31	-5	7.31	0.005	2.000	Pass
			100	Low	12.33	-5	7.33	0.005	2.000	Pass
		Q64	1	Low	12.41	-5	7.41	0.006	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	12.52	-5	7.52	0.006	2.000	Pass
			1	High	12.36	-5	7.36	0.005	2.000	Pass
			50	Low	11.4	-5	6.40	0.004	2.000	Pass
			50	Mid	11.4	-5	6.40	0.004	2.000	Pass
			50	High	11.36	-5	6.36	0.004	2.000	Pass
			100	Low	11.36	-5	6.36	0.004	2.000	Pass
		Q256	1	Low	9.27	-5	4.27	0.003	2.000	Pass
			1	Mid	9.37	-5	4.37	0.003	2.000	Pass
			1	High	9.23	-5	4.23	0.003	2.000	Pass
			50	Low	9.4	-5	4.40	0.003	2.000	Pass
			50	Mid	9.42	-5	4.42	0.003	2.000	Pass
			50	High	9.37	-5	4.37	0.003	2.000	Pass
			100	Low	9.35	-5	4.35	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
1.4	LCH	QPSK	1	Low	23.08	-2	-4.15	18.93	0.078	3.000	Pass
			1	Mid	23.04	-2	-4.15	18.89	0.077	3.000	Pass
			1	High	23	-2	-4.15	18.85	0.077	3.000	Pass
			3	Low	22.9	-2	-4.15	18.75	0.075	3.000	Pass
			3	Mid	22.89	-2	-4.15	18.74	0.075	3.000	Pass
			3	High	22.9	-2	-4.15	18.75	0.075	3.000	Pass
			6	Low	21.94	-2	-4.15	17.79	0.060	3.000	Pass
		Q16	1	Low	22.09	-2	-4.15	17.94	0.062	3.000	Pass
			1	Mid	22.06	-2	-4.15	17.91	0.062	3.000	Pass
			1	High	22.11	-2	-4.15	17.96	0.063	3.000	Pass
			3	Low	22	-2	-4.15	17.85	0.061	3.000	Pass
			3	Mid	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			3	High	22	-2	-4.15	17.85	0.061	3.000	Pass
			6	Low	21.21	-2	-4.15	17.06	0.051	3.000	Pass
		Q64	1	Low	21.48	-2	-4.15	17.33	0.054	3.000	Pass
			1	Mid	21.53	-2	-4.15	17.38	0.055	3.000	Pass
			1	High	21.45	-2	-4.15	17.30	0.054	3.000	Pass
			3	Low	21.41	-2	-4.15	17.26	0.053	3.000	Pass
			3	Mid	21.41	-2	-4.15	17.26	0.053	3.000	Pass
			3	High	21.38	-2	-4.15	17.23	0.053	3.000	Pass
			6	Low	20.06	-2	-4.15	15.91	0.039	3.000	Pass
		Q256	1	Low	18.14	-2	-4.15	13.99	0.025	3.000	Pass
			1	Mid	18.14	-2	-4.15	13.99	0.025	3.000	Pass
			1	High	18.09	-2	-4.15	13.94	0.025	3.000	Pass
			3	Low	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			3	Mid	18.09	-2	-4.15	13.94	0.025	3.000	Pass
			3	High	18.08	-2	-4.15	13.93	0.025	3.000	Pass
			6	Low	18.07	-2	-4.15	13.92	0.025	3.000	Pass
	MCH	QPSK	1	Low	22.92	-2	-4.15	18.77	0.075	3.000	Pass
			1	Mid	22.88	-2	-4.15	18.73	0.075	3.000	Pass
			1	High	22.9	-2	-4.15	18.75	0.075	3.000	Pass
			3	Low	22.84	-2	-4.15	18.69	0.074	3.000	Pass
			3	Mid	22.82	-2	-4.15	18.67	0.074	3.000	Pass
			3	High	22.87	-2	-4.15	18.72	0.074	3.000	Pass
			6	Low	21.9	-2	-4.15	17.75	0.060	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	22.3	-2	-4.15	18.15	0.065	3.000	Pass
			1	Mid	22.25	-2	-4.15	18.10	0.065	3.000	Pass
			1	High	22.28	-2	-4.15	18.13	0.065	3.000	Pass
			3	Low	22.02	-2	-4.15	17.87	0.061	3.000	Pass
			3	Mid	22.04	-2	-4.15	17.89	0.062	3.000	Pass
			3	High	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			6	Low	20.96	-2	-4.15	16.81	0.048	3.000	Pass
		Q64	1	Low	21.17	-2	-4.15	17.02	0.050	3.000	Pass
			1	Mid	21.19	-2	-4.15	17.04	0.051	3.000	Pass
			1	High	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			3	Low	21.12	-2	-4.15	16.97	0.050	3.000	Pass
			3	Mid	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			3	High	21.12	-2	-4.15	16.97	0.050	3.000	Pass
			6	Low	20.28	-2	-4.15	16.13	0.041	3.000	Pass
		Q256	1	Low	17.94	-2	-4.15	13.79	0.024	3.000	Pass
			1	Mid	17.87	-2	-4.15	13.72	0.024	3.000	Pass
			1	High	17.89	-2	-4.15	13.74	0.024	3.000	Pass
			3	Low	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			3	Mid	18.05	-2	-4.15	13.90	0.025	3.000	Pass
			3	High	18.04	-2	-4.15	13.89	0.024	3.000	Pass
			6	Low	17.98	-2	-4.15	13.83	0.024	3.000	Pass
	HCH	QPSK	1	Low	22.91	-2	-4.15	18.76	0.075	3.000	Pass
			1	Mid	22.88	-2	-4.15	18.73	0.075	3.000	Pass
			1	High	22.81	-2	-4.15	18.66	0.073	3.000	Pass
			3	Low	22.89	-2	-4.15	18.74	0.075	3.000	Pass
			3	Mid	22.86	-2	-4.15	18.71	0.074	3.000	Pass
			3	High	22.87	-2	-4.15	18.72	0.074	3.000	Pass
			6	Low	21.86	-2	-4.15	17.71	0.059	3.000	Pass
		Q16	1	Low	22	-2	-4.15	17.85	0.061	3.000	Pass
			1	Mid	21.92	-2	-4.15	17.77	0.060	3.000	Pass
			1	High	21.9	-2	-4.15	17.75	0.060	3.000	Pass
			3	Low	22.09	-2	-4.15	17.94	0.062	3.000	Pass
			3	Mid	22.04	-2	-4.15	17.89	0.062	3.000	Pass
			3	High	22.01	-2	-4.15	17.86	0.061	3.000	Pass
			6	Low	21.19	-2	-4.15	17.04	0.051	3.000	Pass
		Q64	1	Low	21.27	-2	-4.15	17.12	0.052	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	21.18	-2	-4.15	17.03	0.050	3.000	Pass
			1	High	21.21	-2	-4.15	17.06	0.051	3.000	Pass
			3	Low	20.99	-2	-4.15	16.84	0.048	3.000	Pass
			3	Mid	20.98	-2	-4.15	16.83	0.048	3.000	Pass
			3	High	20.95	-2	-4.15	16.80	0.048	3.000	Pass
			6	Low	20.09	-2	-4.15	15.94	0.039	3.000	Pass
		Q256	1	Low	17.88	-2	-4.15	13.73	0.024	3.000	Pass
			1	Mid	17.86	-2	-4.15	13.71	0.023	3.000	Pass
			1	High	17.79	-2	-4.15	13.64	0.023	3.000	Pass
			3	Low	18.06	-2	-4.15	13.91	0.025	3.000	Pass
			3	Mid	18.05	-2	-4.15	13.90	0.025	3.000	Pass
			3	High	18.03	-2	-4.15	13.88	0.024	3.000	Pass
			6	Low	18.03	-2	-4.15	13.88	0.024	3.000	Pass
3	LCH	QPSK	1	Low	22.93	-2	-4.15	18.78	0.076	3.000	Pass
			1	Mid	22.85	-2	-4.15	18.70	0.074	3.000	Pass
			1	High	22.84	-2	-4.15	18.69	0.074	3.000	Pass
			8	Low	21.96	-2	-4.15	17.81	0.060	3.000	Pass
			8	Mid	21.91	-2	-4.15	17.76	0.060	3.000	Pass
			8	High	21.85	-2	-4.15	17.70	0.059	3.000	Pass
			15	Low	21.94	-2	-4.15	17.79	0.060	3.000	Pass
		Q16	1	Low	21.88	-2	-4.15	17.73	0.059	3.000	Pass
			1	Mid	21.81	-2	-4.15	17.66	0.058	3.000	Pass
			1	High	21.74	-2	-4.15	17.59	0.057	3.000	Pass
			8	Low	21.21	-2	-4.15	17.06	0.051	3.000	Pass
			8	Mid	21.1	-2	-4.15	16.95	0.050	3.000	Pass
			8	High	21.05	-2	-4.15	16.90	0.049	3.000	Pass
			15	Low	21.02	-2	-4.15	16.87	0.049	3.000	Pass
		Q64	1	Low	21.35	-2	-4.15	17.20	0.052	3.000	Pass
			1	Mid	21.28	-2	-4.15	17.13	0.052	3.000	Pass
			1	High	21.2	-2	-4.15	17.05	0.051	3.000	Pass
			8	Low	20.15	-2	-4.15	16.00	0.040	3.000	Pass
			8	Mid	20.07	-2	-4.15	15.92	0.039	3.000	Pass
			8	High	20.02	-2	-4.15	15.87	0.039	3.000	Pass
			15	Low	19.96	-2	-4.15	15.81	0.038	3.000	Pass
		Q2556	1	Low	18.65	-2	-4.15	14.50	0.028	3.000	Pass
			1	Mid	18.56	-2	-4.15	14.41	0.028	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	High	18.46	-2	-4.15	14.31	0.027	3.000	Pass
			8	Low	18.15	-2	-4.15	14.00	0.025	3.000	Pass
			8	Mid	18.09	-2	-4.15	13.94	0.025	3.000	Pass
			8	High	18.01	-2	-4.15	13.86	0.024	3.000	Pass
			15	Low	18.01	-2	-4.15	13.86	0.024	3.000	Pass
	MCH	QPSK	1	Low	22.91	-2	-4.15	18.76	0.075	3.000	Pass
			1	Mid	22.95	-2	-4.15	18.80	0.076	3.000	Pass
			1	High	22.91	-2	-4.15	18.76	0.075	3.000	Pass
			8	Low	21.84	-2	-4.15	17.69	0.059	3.000	Pass
			8	Mid	21.86	-2	-4.15	17.71	0.059	3.000	Pass
			8	High	21.93	-2	-4.15	17.78	0.060	3.000	Pass
			15	Low	21.87	-2	-4.15	17.72	0.059	3.000	Pass
		Q16	1	Low	22.29	-2	-4.15	18.14	0.065	3.000	Pass
			1	Mid	22.28	-2	-4.15	18.13	0.065	3.000	Pass
			1	High	22.3	-2	-4.15	18.15	0.065	3.000	Pass
			8	Low	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			8	Mid	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			8	High	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			15	Low	21.03	-2	-4.15	16.88	0.049	3.000	Pass
		Q64	1	Low	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			1	Mid	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			1	High	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			8	Low	20.07	-2	-4.15	15.92	0.039	3.000	Pass
			8	Mid	20.06	-2	-4.15	15.91	0.039	3.000	Pass
			8	High	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			15	Low	20.04	-2	-4.15	15.89	0.039	3.000	Pass
		Q256	1	Low	17.91	-2	-4.15	13.76	0.024	3.000	Pass
			1	Mid	17.89	-2	-4.15	13.74	0.024	3.000	Pass
			1	High	17.86	-2	-4.15	13.71	0.023	3.000	Pass
			8	Low	17.98	-2	-4.15	13.83	0.024	3.000	Pass
			8	Mid	17.96	-2	-4.15	13.81	0.024	3.000	Pass
			8	High	17.97	-2	-4.15	13.82	0.024	3.000	Pass
			15	Low	18.02	-2	-4.15	13.87	0.024	3.000	Pass
	HCH	QPSK	1	Low	22.94	-2	-4.15	18.79	0.076	3.000	Pass
			1	Mid	22.91	-2	-4.15	18.76	0.075	3.000	Pass
			1	High	22.79	-2	-4.15	18.64	0.073	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			8	Low	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			8	Mid	21.94	-2	-4.15	17.79	0.060	3.000	Pass
			8	High	21.85	-2	-4.15	17.70	0.059	3.000	Pass
			15	Low	21.93	-2	-4.15	17.78	0.060	3.000	Pass
		Q16	1	Low	22.02	-2	-4.15	17.87	0.061	3.000	Pass
			1	Mid	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			1	High	21.86	-2	-4.15	17.71	0.059	3.000	Pass
			8	Low	21.18	-2	-4.15	17.03	0.050	3.000	Pass
			8	Mid	21.15	-2	-4.15	17.00	0.050	3.000	Pass
			8	High	21.05	-2	-4.15	16.90	0.049	3.000	Pass
			15	Low	21.01	-2	-4.15	16.86	0.049	3.000	Pass
		Q64	1	Low	21.36	-2	-4.15	17.21	0.053	3.000	Pass
			1	Mid	21.28	-2	-4.15	17.13	0.052	3.000	Pass
			1	High	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			8	Low	20.06	-2	-4.15	15.91	0.039	3.000	Pass
			8	Mid	20.01	-2	-4.15	15.86	0.039	3.000	Pass
			8	High	19.95	-2	-4.15	15.80	0.038	3.000	Pass
			15	Low	20.09	-2	-4.15	15.94	0.039	3.000	Pass
		Q256	1	Low	17.94	-2	-4.15	13.79	0.024	3.000	Pass
			1	Mid	17.86	-2	-4.15	13.71	0.023	3.000	Pass
			1	High	17.81	-2	-4.15	13.66	0.023	3.000	Pass
			8	Low	18.14	-2	-4.15	13.99	0.025	3.000	Pass
			8	Mid	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			8	High	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			15	Low	18.04	-2	-4.15	13.89	0.024	3.000	Pass
5	LCH	QPSK	1	Low	23.15	-2	-4.15	19.00	0.079	3.000	Pass
			1	Mid	23	-2	-4.15	18.85	0.077	3.000	Pass
			1	High	23.01	-2	-4.15	18.86	0.077	3.000	Pass
			12	Low	21.98	-2	-4.15	17.83	0.061	3.000	Pass
			12	Mid	21.93	-2	-4.15	17.78	0.060	3.000	Pass
			12	High	21.92	-2	-4.15	17.77	0.060	3.000	Pass
			25	Low	21.97	-2	-4.15	17.82	0.061	3.000	Pass
		Q16	1	Low	22.25	-2	-4.15	18.10	0.065	3.000	Pass
			1	Mid	22.11	-2	-4.15	17.96	0.063	3.000	Pass
			1	High	22.13	-2	-4.15	17.98	0.063	3.000	Pass
			12	Low	21.18	-2	-4.15	17.03	0.050	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	Mid	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			12	High	21.1	-2	-4.15	16.95	0.050	3.000	Pass
			25	Low	21.09	-2	-4.15	16.94	0.049	3.000	Pass
		Q64	1	Low	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			1	Mid	20.91	-2	-4.15	16.76	0.047	3.000	Pass
			1	High	20.97	-2	-4.15	16.82	0.048	3.000	Pass
			12	Low	20.15	-2	-4.15	16.00	0.040	3.000	Pass
			12	Mid	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			12	High	20.06	-2	-4.15	15.91	0.039	3.000	Pass
			25	Low	20.04	-2	-4.15	15.89	0.039	3.000	Pass
		Q256	1	Low	17.75	-2	-4.15	13.60	0.023	3.000	Pass
			1	Mid	17.65	-2	-4.15	13.50	0.022	3.000	Pass
			1	High	17.61	-2	-4.15	13.46	0.022	3.000	Pass
			12	Low	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			12	Mid	17.98	-2	-4.15	13.83	0.024	3.000	Pass
			12	High	17.97	-2	-4.15	13.82	0.024	3.000	Pass
			25	Low	18.06	-2	-4.15	13.91	0.025	3.000	Pass
	MCH	QPSK	1	Low	22.89	-2	-4.15	18.74	0.075	3.000	Pass
			1	Mid	22.96	-2	-4.15	18.81	0.076	3.000	Pass
			1	High	23.01	-2	-4.15	18.86	0.077	3.000	Pass
			12	Low	21.89	-2	-4.15	17.74	0.059	3.000	Pass
			12	Mid	21.9	-2	-4.15	17.75	0.060	3.000	Pass
			12	High	21.95	-2	-4.15	17.80	0.060	3.000	Pass
			25	Low	21.96	-2	-4.15	17.81	0.060	3.000	Pass
		Q16	1	Low	22.4	-2	-4.15	18.25	0.067	3.000	Pass
			1	Mid	22.48	-2	-4.15	18.33	0.068	3.000	Pass
			1	High	22.52	-2	-4.15	18.37	0.069	3.000	Pass
			12	Low	21.21	-2	-4.15	17.06	0.051	3.000	Pass
			12	Mid	21.22	-2	-4.15	17.07	0.051	3.000	Pass
			12	High	21.24	-2	-4.15	17.09	0.051	3.000	Pass
			25	Low	21.15	-2	-4.15	17.00	0.050	3.000	Pass
		Q64	1	Low	21.32	-2	-4.15	17.17	0.052	3.000	Pass
			1	Mid	21.4	-2	-4.15	17.25	0.053	3.000	Pass
			1	High	21.37	-2	-4.15	17.22	0.053	3.000	Pass
			12	Low	20.02	-2	-4.15	15.87	0.039	3.000	Pass
			12	Mid	20	-2	-4.15	15.85	0.038	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	High	20.02	-2	-4.15	15.87	0.039	3.000	Pass
			25	Low	20.02	-2	-4.15	15.87	0.039	3.000	Pass
		Q256	1	Low	18.19	-2	-4.15	14.04	0.025	3.000	Pass
			1	Mid	18.28	-2	-4.15	14.13	0.026	3.000	Pass
			1	High	18.22	-2	-4.15	14.07	0.026	3.000	Pass
			12	Low	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			12	Mid	18.1	-2	-4.15	13.95	0.025	3.000	Pass
			12	High	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			25	Low	18.07	-2	-4.15	13.92	0.025	3.000	Pass
	HCH	QPSK	1	Low	23.05	-2	-4.15	18.90	0.078	3.000	Pass
			1	Mid	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			1	High	22.97	-2	-4.15	18.82	0.076	3.000	Pass
			12	Low	22	-2	-4.15	17.85	0.061	3.000	Pass
			12	Mid	22	-2	-4.15	17.85	0.061	3.000	Pass
			12	High	21.92	-2	-4.15	17.77	0.060	3.000	Pass
			25	Low	22.01	-2	-4.15	17.86	0.061	3.000	Pass
		Q16	1	Low	22.1	-2	-4.15	17.95	0.062	3.000	Pass
			1	Mid	22.18	-2	-4.15	18.03	0.064	3.000	Pass
			1	High	22	-2	-4.15	17.85	0.061	3.000	Pass
			12	Low	21.21	-2	-4.15	17.06	0.051	3.000	Pass
			12	Mid	21.22	-2	-4.15	17.07	0.051	3.000	Pass
			12	High	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			25	Low	21.07	-2	-4.15	16.92	0.049	3.000	Pass
		Q64	1	Low	21.3	-2	-4.15	17.15	0.052	3.000	Pass
			1	Mid	21.4	-2	-4.15	17.25	0.053	3.000	Pass
			1	High	21.27	-2	-4.15	17.12	0.052	3.000	Pass
			12	Low	20.19	-2	-4.15	16.04	0.040	3.000	Pass
			12	Mid	20.22	-2	-4.15	16.07	0.040	3.000	Pass
			12	High	20.11	-2	-4.15	15.96	0.039	3.000	Pass
			25	Low	20.14	-2	-4.15	15.99	0.040	3.000	Pass
		Q256	1	Low	18.01	-2	-4.15	13.86	0.024	3.000	Pass
			1	Mid	18.1	-2	-4.15	13.95	0.025	3.000	Pass
			1	High	17.93	-2	-4.15	13.78	0.024	3.000	Pass
			12	Low	18.21	-2	-4.15	14.06	0.025	3.000	Pass
			12	Mid	18.22	-2	-4.15	14.07	0.026	3.000	Pass
			12	High	18.12	-2	-4.15	13.97	0.025	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
10	LCH	QPSK	25	Low	18.13	-2	-4.15	13.98	0.025	3.000	Pass
			1	Low	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			1	Mid	22.89	-2	-4.15	18.74	0.075	3.000	Pass
			1	High	22.93	-2	-4.15	18.78	0.076	3.000	Pass
			25	Low	21.98	-2	-4.15	17.83	0.061	3.000	Pass
			25	Mid	21.89	-2	-4.15	17.74	0.059	3.000	Pass
			25	High	21.94	-2	-4.15	17.79	0.060	3.000	Pass
		Q16	50	Low	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			1	Low	22.01	-2	-4.15	17.86	0.061	3.000	Pass
			1	Mid	21.85	-2	-4.15	17.70	0.059	3.000	Pass
			1	High	21.85	-2	-4.15	17.70	0.059	3.000	Pass
			25	Low	21.06	-2	-4.15	16.91	0.049	3.000	Pass
			25	Mid	21.03	-2	-4.15	16.88	0.049	3.000	Pass
			25	High	21.08	-2	-4.15	16.93	0.049	3.000	Pass
		Q64	50	Low	21.05	-2	-4.15	16.90	0.049	3.000	Pass
			1	Low	21.42	-2	-4.15	17.27	0.053	3.000	Pass
			1	Mid	21.28	-2	-4.15	17.13	0.052	3.000	Pass
			1	High	21.35	-2	-4.15	17.20	0.052	3.000	Pass
			25	Low	20.1	-2	-4.15	15.95	0.039	3.000	Pass
			25	Mid	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			25	High	20.1	-2	-4.15	15.95	0.039	3.000	Pass
		Q256	50	Low	20.05	-2	-4.15	15.90	0.039	3.000	Pass
			1	Low	18.73	-2	-4.15	14.58	0.029	3.000	Pass
			1	Mid	18.57	-2	-4.15	14.42	0.028	3.000	Pass
			1	High	18.64	-2	-4.15	14.49	0.028	3.000	Pass
			25	Low	18.08	-2	-4.15	13.93	0.025	3.000	Pass
			25	Mid	18.04	-2	-4.15	13.89	0.024	3.000	Pass
			25	High	18.1	-2	-4.15	13.95	0.025	3.000	Pass
	MCH	QPSK	50	Low	18.1	-2	-4.15	13.95	0.025	3.000	Pass
			1	Low	23.06	-2	-4.15	18.91	0.078	3.000	Pass
			1	Mid	22.96	-2	-4.15	18.81	0.076	3.000	Pass
			1	High	23.03	-2	-4.15	18.88	0.077	3.000	Pass
			25	Low	21.91	-2	-4.15	17.76	0.060	3.000	Pass
			25	Mid	21.89	-2	-4.15	17.74	0.059	3.000	Pass
			25	High	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			50	Low	21.96	-2	-4.15	17.81	0.060	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	22.39	-2	-4.15	18.24	0.067	3.000	Pass
			1	Mid	22.28	-2	-4.15	18.13	0.065	3.000	Pass
			1	High	22.37	-2	-4.15	18.22	0.066	3.000	Pass
			25	Low	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			25	Mid	21.07	-2	-4.15	16.92	0.049	3.000	Pass
			25	High	21.08	-2	-4.15	16.93	0.049	3.000	Pass
			50	Low	21.06	-2	-4.15	16.91	0.049	3.000	Pass
		Q64	1	Low	21.2	-2	-4.15	17.05	0.051	3.000	Pass
			1	Mid	21.17	-2	-4.15	17.02	0.050	3.000	Pass
			1	High	21.25	-2	-4.15	17.10	0.051	3.000	Pass
			25	Low	20.12	-2	-4.15	15.97	0.040	3.000	Pass
			25	Mid	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			25	High	20.12	-2	-4.15	15.97	0.040	3.000	Pass
			50	Low	20.07	-2	-4.15	15.92	0.039	3.000	Pass
		Q256	1	Low	17.94	-2	-4.15	13.79	0.024	3.000	Pass
			1	Mid	17.88	-2	-4.15	13.73	0.024	3.000	Pass
			1	High	17.92	-2	-4.15	13.77	0.024	3.000	Pass
			25	Low	18.06	-2	-4.15	13.91	0.025	3.000	Pass
			25	Mid	18.04	-2	-4.15	13.89	0.024	3.000	Pass
			25	High	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			50	Low	18.02	-2	-4.15	13.87	0.024	3.000	Pass
	HCH	QPSK	1	Low	22.96	-2	-4.15	18.81	0.076	3.000	Pass
			1	Mid	22.87	-2	-4.15	18.72	0.074	3.000	Pass
			1	High	22.89	-2	-4.15	18.74	0.075	3.000	Pass
			25	Low	21.92	-2	-4.15	17.77	0.060	3.000	Pass
			25	Mid	21.98	-2	-4.15	17.83	0.061	3.000	Pass
			25	High	21.96	-2	-4.15	17.81	0.060	3.000	Pass
			50	Low	21.95	-2	-4.15	17.80	0.060	3.000	Pass
		Q16	1	Low	22.02	-2	-4.15	17.87	0.061	3.000	Pass
			1	Mid	21.93	-2	-4.15	17.78	0.060	3.000	Pass
			1	High	21.96	-2	-4.15	17.81	0.060	3.000	Pass
			25	Low	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			25	Mid	21.15	-2	-4.15	17.00	0.050	3.000	Pass
			25	High	21.16	-2	-4.15	17.01	0.050	3.000	Pass
			50	Low	21.06	-2	-4.15	16.91	0.049	3.000	Pass
		Q64	1	Low	21.34	-2	-4.15	17.19	0.052	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	21.22	-2	-4.15	17.07	0.051	3.000	Pass
			1	High	21.26	-2	-4.15	17.11	0.051	3.000	Pass
			25	Low	20.08	-2	-4.15	15.93	0.039	3.000	Pass
			25	Mid	20.14	-2	-4.15	15.99	0.040	3.000	Pass
			25	High	20.13	-2	-4.15	15.98	0.040	3.000	Pass
			50	Low	20.03	-2	-4.15	15.88	0.039	3.000	Pass
		Q256	1	Low	17.94	-2	-4.15	13.79	0.024	3.000	Pass
			1	Mid	17.85	-2	-4.15	13.70	0.023	3.000	Pass
			1	High	17.87	-2	-4.15	13.72	0.024	3.000	Pass
			25	Low	18.11	-2	-4.15	13.96	0.025	3.000	Pass
			25	Mid	18.1	-2	-4.15	13.95	0.025	3.000	Pass
			25	High	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			50	Low	18.02	-2	-4.15	13.87	0.024	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
5	LCH	QPSK	1	Low	23.14	-2	-4.15	18.99	0.079	3.000	Pass
			1	Mid	23.15	-2	-4.15	19.00	0.079	3.000	Pass
			1	High	23.11	-2	-4.15	18.96	0.079	3.000	Pass
			12	Low	22.04	-2	-4.15	17.89	0.062	3.000	Pass
			12	Mid	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			12	High	21.99	-2	-4.15	17.84	0.061	3.000	Pass
		Q16	25	Low	22.07	-2	-4.15	17.92	0.062	3.000	Pass
			1	Low	22.21	-2	-4.15	18.06	0.064	3.000	Pass
			1	Mid	22.18	-2	-4.15	18.03	0.064	3.000	Pass
			1	High	22.2	-2	-4.15	18.05	0.064	3.000	Pass
			12	Low	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			12	Mid	21.1	-2	-4.15	16.95	0.050	3.000	Pass
		Q64	12	High	21.12	-2	-4.15	16.97	0.050	3.000	Pass
			25	Low	21.07	-2	-4.15	16.92	0.049	3.000	Pass
			1	Low	20.92	-2	-4.15	16.77	0.048	3.000	Pass
			1	Mid	20.95	-2	-4.15	16.80	0.048	3.000	Pass
			1	High	20.95	-2	-4.15	16.80	0.048	3.000	Pass
			12	Low	20.05	-2	-4.15	15.90	0.039	3.000	Pass
		Q256	12	Mid	20.08	-2	-4.15	15.93	0.039	3.000	Pass
			12	High	20.08	-2	-4.15	15.93	0.039	3.000	Pass
			25	Low	20.01	-2	-4.15	15.86	0.039	3.000	Pass
			1	Low	17.55	-2	-4.15	13.40	0.022	3.000	Pass
			1	Mid	17.6	-2	-4.15	13.45	0.022	3.000	Pass
			1	High	17.66	-2	-4.15	13.51	0.022	3.000	Pass
5	MCH	QPSK	12	Low	17.96	-2	-4.15	13.81	0.024	3.000	Pass
			12	Mid	17.96	-2	-4.15	13.81	0.024	3.000	Pass
			12	High	17.94	-2	-4.15	13.79	0.024	3.000	Pass
			25	Low	18.01	-2	-4.15	13.86	0.024	3.000	Pass
			1	Low	23.05	-2	-4.15	18.90	0.078	3.000	Pass
			1	Mid	23.13	-2	-4.15	18.98	0.079	3.000	Pass
		QPSK	1	High	22.98	-2	-4.15	18.83	0.076	3.000	Pass
			12	Low	22.02	-2	-4.15	17.87	0.061	3.000	Pass
			12	Mid	22.07	-2	-4.15	17.92	0.062	3.000	Pass
			12	High	22.07	-2	-4.15	17.92	0.062	3.000	Pass
			25	Low	22.07	-2	-4.15	17.92	0.062	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
		Q16	1	Low	22.52	-2	-4.15	18.37	0.069	3.000	Pass
			1	Mid	22.67	-2	-4.15	18.52	0.071	3.000	Pass
			1	High	22.48	-2	-4.15	18.33	0.068	3.000	Pass
			12	Low	21.19	-2	-4.15	17.04	0.051	3.000	Pass
			12	Mid	21.19	-2	-4.15	17.04	0.051	3.000	Pass
			12	High	21.19	-2	-4.15	17.04	0.051	3.000	Pass
			25	Low	21.14	-2	-4.15	16.99	0.050	3.000	Pass
		Q64	1	Low	21.34	-2	-4.15	17.19	0.052	3.000	Pass
			1	Mid	21.43	-2	-4.15	17.28	0.053	3.000	Pass
			1	High	21.24	-2	-4.15	17.09	0.051	3.000	Pass
			12	Low	20.04	-2	-4.15	15.89	0.039	3.000	Pass
			12	Mid	20.04	-2	-4.15	15.89	0.039	3.000	Pass
			12	High	20	-2	-4.15	15.85	0.038	3.000	Pass
			25	Low	20.04	-2	-4.15	15.89	0.039	3.000	Pass
		Q256	1	Low	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			1	Mid	18.28	-2	-4.15	14.13	0.026	3.000	Pass
			1	High	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			12	Low	18.09	-2	-4.15	13.94	0.025	3.000	Pass
			12	Mid	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			12	High	18.06	-2	-4.15	13.91	0.025	3.000	Pass
			25	Low	18.09	-2	-4.15	13.94	0.025	3.000	Pass
	HCH	QPSK	1	Low	23.15	-2	-4.15	19.00	0.079	3.000	Pass
			1	Mid	23.12	-2	-4.15	18.97	0.079	3.000	Pass
			1	High	23.12	-2	-4.15	18.97	0.079	3.000	Pass
			12	Low	22.05	-2	-4.15	17.90	0.062	3.000	Pass
			12	Mid	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			12	High	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			25	Low	22.11	-2	-4.15	17.96	0.063	3.000	Pass
		Q16	1	Low	22.2	-2	-4.15	18.05	0.064	3.000	Pass
			1	Mid	22.2	-2	-4.15	18.05	0.064	3.000	Pass
			1	High	22.11	-2	-4.15	17.96	0.063	3.000	Pass
			12	Low	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			12	Mid	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			12	High	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			25	Low	21.05	-2	-4.15	16.90	0.049	3.000	Pass
		Q64	1	Low	21.29	-2	-4.15	17.14	0.052	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	Mid	21.37	-2	-4.15	17.22	0.053	3.000	Pass
			1	High	21.3	-2	-4.15	17.15	0.052	3.000	Pass
			12	Low	20.12	-2	-4.15	15.97	0.040	3.000	Pass
			12	Mid	20.13	-2	-4.15	15.98	0.040	3.000	Pass
			12	High	20.13	-2	-4.15	15.98	0.040	3.000	Pass
			25	Low	20.12	-2	-4.15	15.97	0.040	3.000	Pass
		Q256	1	Low	18.06	-2	-4.15	13.91	0.025	3.000	Pass
			1	Mid	18.03	-2	-4.15	13.88	0.024	3.000	Pass
			1	High	17.98	-2	-4.15	13.83	0.024	3.000	Pass
			12	Low	18.13	-2	-4.15	13.98	0.025	3.000	Pass
			12	Mid	18.14	-2	-4.15	13.99	0.025	3.000	Pass
			12	High	18.13	-2	-4.15	13.98	0.025	3.000	Pass
			25	Low	18.1	-2	-4.15	13.95	0.025	3.000	Pass
10	MCH	QPSK	1	Low	23.06	-2	-4.15	18.91	0.078	3.000	Pass
			1	Mid	23.11	-2	-4.15	18.96	0.079	3.000	Pass
			1	High	23.12	-2	-4.15	18.97	0.079	3.000	Pass
			25	Low	22.07	-2	-4.15	17.92	0.062	3.000	Pass
			25	Mid	22.09	-2	-4.15	17.94	0.062	3.000	Pass
			25	High	22.08	-2	-4.15	17.93	0.062	3.000	Pass
			50	Low	22.08	-2	-4.15	17.93	0.062	3.000	Pass
		Q16	1	Low	21.98	-2	-4.15	17.83	0.061	3.000	Pass
			1	Mid	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			1	High	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			25	Low	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			25	Mid	21.04	-2	-4.15	16.89	0.049	3.000	Pass
			25	High	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			50	Low	21.06	-2	-4.15	16.91	0.049	3.000	Pass
		Q64	1	Low	21.38	-2	-4.15	17.23	0.053	3.000	Pass
			1	Mid	21.37	-2	-4.15	17.22	0.053	3.000	Pass
			1	High	21.41	-2	-4.15	17.26	0.053	3.000	Pass
			25	Low	20.07	-2	-4.15	15.92	0.039	3.000	Pass
			25	Mid	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			25	High	20.11	-2	-4.15	15.96	0.039	3.000	Pass
			50	Low	20.07	-2	-4.15	15.92	0.039	3.000	Pass
		Q256	1	Low	18.52	-2	-4.15	14.37	0.027	3.000	Pass
			1	Mid	18.68	-2	-4.15	14.53	0.028	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	High	18.64	-2	-4.15	14.49	0.028	3.000	Pass
			25	Low	18.04	-2	-4.15	13.89	0.024	3.000	Pass
			25	Mid	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			25	High	18.08	-2	-4.15	13.93	0.025	3.000	Pass
			50	Low	18.09	-2	-4.15	13.94	0.025	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
5	LCH	QPSK	1	Low	23.12	-2	-4.15	18.97	0.079	3.000	Pass
			1	Mid	23.09	-2	-4.15	18.94	0.078	3.000	Pass
			1	High	23.03	-2	-4.15	18.88	0.077	3.000	Pass
			12	Low	21.99	-2	-4.15	17.84	0.061	3.000	Pass
			12	Mid	21.94	-2	-4.15	17.79	0.060	3.000	Pass
			12	High	21.95	-2	-4.15	17.80	0.060	3.000	Pass
			25	Low	22.03	-2	-4.15	17.88	0.061	3.000	Pass
		Q16	1	Low	22.21	-2	-4.15	18.06	0.064	3.000	Pass
			1	Mid	22.2	-2	-4.15	18.05	0.064	3.000	Pass
			1	High	22.13	-2	-4.15	17.98	0.063	3.000	Pass
			12	Low	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			12	Mid	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			12	High	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			25	Low	21.08	-2	-4.15	16.93	0.049	3.000	Pass
		Q64	1	Low	21.02	-2	-4.15	16.87	0.049	3.000	Pass
			1	Mid	21.05	-2	-4.15	16.90	0.049	3.000	Pass
			1	High	20.94	-2	-4.15	16.79	0.048	3.000	Pass
			12	Low	20.12	-2	-4.15	15.97	0.040	3.000	Pass
			12	Mid	20.1	-2	-4.15	15.95	0.039	3.000	Pass
			12	High	20.05	-2	-4.15	15.90	0.039	3.000	Pass
			25	Low	20.03	-2	-4.15	15.88	0.039	3.000	Pass
		Q256	1	Low	17.71	-2	-4.15	13.56	0.023	3.000	Pass
			1	Mid	17.74	-2	-4.15	13.59	0.023	3.000	Pass
			1	High	17.65	-2	-4.15	13.50	0.022	3.000	Pass
			12	Low	18.04	-2	-4.15	13.89	0.024	3.000	Pass
			12	Mid	18.01	-2	-4.15	13.86	0.024	3.000	Pass
			12	High	17.98	-2	-4.15	13.83	0.024	3.000	Pass
			25	Low	18.06	-2	-4.15	13.91	0.025	3.000	Pass
	MCH	QPSK	1	Low	22.99	-2	-4.15	18.84	0.077	3.000	Pass
			1	Mid	23.09	-2	-4.15	18.94	0.078	3.000	Pass
			1	High	22.96	-2	-4.15	18.81	0.076	3.000	Pass
			12	Low	22	-2	-4.15	17.85	0.061	3.000	Pass
			12	Mid	22.02	-2	-4.15	17.87	0.061	3.000	Pass
			12	High	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			25	Low	22.02	-2	-4.15	17.87	0.061	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
		Q16	1	Low	22.47	-2	-4.15	18.32	0.068	3.000	Pass
			1	Mid	22.61	-2	-4.15	18.46	0.070	3.000	Pass
			1	High	22.52	-2	-4.15	18.37	0.069	3.000	Pass
			12	Low	21.23	-2	-4.15	17.08	0.051	3.000	Pass
			12	Mid	21.29	-2	-4.15	17.14	0.052	3.000	Pass
			12	High	21.26	-2	-4.15	17.11	0.051	3.000	Pass
			25	Low	21.17	-2	-4.15	17.02	0.050	3.000	Pass
		Q64	1	Low	21.29	-2	-4.15	17.14	0.052	3.000	Pass
			1	Mid	21.48	-2	-4.15	17.33	0.054	3.000	Pass
			1	High	21.33	-2	-4.15	17.18	0.052	3.000	Pass
			12	Low	20.02	-2	-4.15	15.87	0.039	3.000	Pass
			12	Mid	20.11	-2	-4.15	15.96	0.039	3.000	Pass
			12	High	20.08	-2	-4.15	15.93	0.039	3.000	Pass
			25	Low	20.02	-2	-4.15	15.87	0.039	3.000	Pass
		Q256	1	Low	18.13	-2	-4.15	13.98	0.025	3.000	Pass
			1	Mid	18.38	-2	-4.15	14.23	0.026	3.000	Pass
			1	High	18.18	-2	-4.15	14.03	0.025	3.000	Pass
			12	Low	18.08	-2	-4.15	13.93	0.025	3.000	Pass
			12	Mid	18.18	-2	-4.15	14.03	0.025	3.000	Pass
			12	High	18.15	-2	-4.15	14.00	0.025	3.000	Pass
			25	Low	18.07	-2	-4.15	13.92	0.025	3.000	Pass
	HCH	QPSK	1	Low	23.05	-2	-4.15	18.90	0.078	3.000	Pass
			1	Mid	23.12	-2	-4.15	18.97	0.079	3.000	Pass
			1	High	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			12	Low	21.99	-2	-4.15	17.84	0.061	3.000	Pass
			12	Mid	21.99	-2	-4.15	17.84	0.061	3.000	Pass
			12	High	21.91	-2	-4.15	17.76	0.060	3.000	Pass
			25	Low	21.97	-2	-4.15	17.82	0.061	3.000	Pass
		Q16	1	Low	22.07	-2	-4.15	17.92	0.062	3.000	Pass
			1	Mid	22.2	-2	-4.15	18.05	0.064	3.000	Pass
			1	High	22.11	-2	-4.15	17.96	0.063	3.000	Pass
			12	Low	21.19	-2	-4.15	17.04	0.051	3.000	Pass
			12	Mid	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			12	High	21.03	-2	-4.15	16.88	0.049	3.000	Pass
			25	Low	21	-2	-4.15	16.85	0.048	3.000	Pass
		Q64	1	Low	21.38	-2	-4.15	17.23	0.053	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	Mid	21.28	-2	-4.15	17.13	0.052	3.000	Pass
			1	High	21.29	-2	-4.15	17.14	0.052	3.000	Pass
			12	Low	20.16	-2	-4.15	16.01	0.040	3.000	Pass
			12	Mid	20.11	-2	-4.15	15.96	0.039	3.000	Pass
			12	High	20.03	-2	-4.15	15.88	0.039	3.000	Pass
			25	Low	20.07	-2	-4.15	15.92	0.039	3.000	Pass
		Q256	1	Low	18.08	-2	-4.15	13.93	0.025	3.000	Pass
			1	Mid	17.97	-2	-4.15	13.82	0.024	3.000	Pass
			1	High	17.98	-2	-4.15	13.83	0.024	3.000	Pass
			12	Low	18.17	-2	-4.15	14.02	0.025	3.000	Pass
			12	Mid	18.11	-2	-4.15	13.96	0.025	3.000	Pass
			12	High	18.03	-2	-4.15	13.88	0.024	3.000	Pass
			25	Low	18.08	-2	-4.15	13.93	0.025	3.000	Pass
10	LCH	QPSK	1	Low	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			1	Mid	22.97	-2	-4.15	18.82	0.076	3.000	Pass
			1	High	23.04	-2	-4.15	18.89	0.077	3.000	Pass
			25	Low	21.98	-2	-4.15	17.83	0.061	3.000	Pass
			25	Mid	22.04	-2	-4.15	17.89	0.062	3.000	Pass
			25	High	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			50	Low	22	-2	-4.15	17.85	0.061	3.000	Pass
		Q16	1	Low	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			1	Mid	21.9	-2	-4.15	17.75	0.060	3.000	Pass
			1	High	21.96	-2	-4.15	17.81	0.060	3.000	Pass
			25	Low	21.06	-2	-4.15	16.91	0.049	3.000	Pass
			25	Mid	21.12	-2	-4.15	16.97	0.050	3.000	Pass
			25	High	21.14	-2	-4.15	16.99	0.050	3.000	Pass
			50	Low	21.05	-2	-4.15	16.90	0.049	3.000	Pass
		Q64	1	Low	21.4	-2	-4.15	17.25	0.053	3.000	Pass
			1	Mid	21.31	-2	-4.15	17.16	0.052	3.000	Pass
			1	High	21.36	-2	-4.15	17.21	0.053	3.000	Pass
			25	Low	20.08	-2	-4.15	15.93	0.039	3.000	Pass
			25	Mid	20.14	-2	-4.15	15.99	0.040	3.000	Pass
			25	High	20.17	-2	-4.15	16.02	0.040	3.000	Pass
			50	Low	20.1	-2	-4.15	15.95	0.039	3.000	Pass
		Q256	1	Low	18.72	-2	-4.15	14.57	0.029	3.000	Pass
			1	Mid	18.62	-2	-4.15	14.47	0.028	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
	MCH		1	High	18.66	-2	-4.15	14.51	0.028	3.000	Pass
			25	Low	18.09	-2	-4.15	13.94	0.025	3.000	Pass
			25	Mid	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			25	High	18.18	-2	-4.15	14.03	0.025	3.000	Pass
			50	Low	18.14	-2	-4.15	13.99	0.025	3.000	Pass
		QPSK	1	Low	23.05	-2	-4.15	18.90	0.078	3.000	Pass
			1	Mid	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			1	High	23	-2	-4.15	18.85	0.077	3.000	Pass
			25	Low	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			25	Mid	22.01	-2	-4.15	17.86	0.061	3.000	Pass
			25	High	22.03	-2	-4.15	17.88	0.061	3.000	Pass
			50	Low	22.01	-2	-4.15	17.86	0.061	3.000	Pass
		Q16	1	Low	22.38	-2	-4.15	18.23	0.067	3.000	Pass
			1	Mid	22.44	-2	-4.15	18.29	0.067	3.000	Pass
			1	High	22.34	-2	-4.15	18.19	0.066	3.000	Pass
			25	Low	21.07	-2	-4.15	16.92	0.049	3.000	Pass
			25	Mid	21.11	-2	-4.15	16.96	0.050	3.000	Pass
			25	High	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			50	Low	21.1	-2	-4.15	16.95	0.050	3.000	Pass
		Q64	1	Low	21.17	-2	-4.15	17.02	0.050	3.000	Pass
			1	Mid	21.26	-2	-4.15	17.11	0.051	3.000	Pass
			1	High	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			25	Low	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			25	Mid	20.15	-2	-4.15	16.00	0.040	3.000	Pass
			25	High	20.16	-2	-4.15	16.01	0.040	3.000	Pass
			50	Low	20.08	-2	-4.15	15.93	0.039	3.000	Pass
		Q256	1	Low	17.9	-2	-4.15	13.75	0.024	3.000	Pass
			1	Mid	17.98	-2	-4.15	13.83	0.024	3.000	Pass
			1	High	17.8	-2	-4.15	13.65	0.023	3.000	Pass
			25	Low	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			25	Mid	18.09	-2	-4.15	13.94	0.025	3.000	Pass
			25	High	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			50	Low	18.08	-2	-4.15	13.93	0.025	3.000	Pass
	HCH	QPSK	1	Low	23.03	-2	-4.15	18.88	0.077	3.000	Pass
			1	Mid	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			1	High	22.94	-2	-4.15	18.79	0.076	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			25	Low	22.02	-2	-4.15	17.87	0.061	3.000	Pass
			25	Mid	22	-2	-4.15	17.85	0.061	3.000	Pass
			25	High	21.95	-2	-4.15	17.80	0.060	3.000	Pass
			50	Low	21.99	-2	-4.15	17.84	0.061	3.000	Pass
		Q16	1	Low	22.11	-2	-4.15	17.96	0.063	3.000	Pass
			1	Mid	22.11	-2	-4.15	17.96	0.063	3.000	Pass
			1	High	21.98	-2	-4.15	17.83	0.061	3.000	Pass
			25	Low	21.13	-2	-4.15	16.98	0.050	3.000	Pass
			25	Mid	21.18	-2	-4.15	17.03	0.050	3.000	Pass
			25	High	21.09	-2	-4.15	16.94	0.049	3.000	Pass
			50	Low	21.07	-2	-4.15	16.92	0.049	3.000	Pass
		Q64	1	Low	21.32	-2	-4.15	17.17	0.052	3.000	Pass
			1	Mid	21.34	-2	-4.15	17.19	0.052	3.000	Pass
			1	High	21.17	-2	-4.15	17.02	0.050	3.000	Pass
			25	Low	20.11	-2	-4.15	15.96	0.039	3.000	Pass
			25	Mid	20.17	-2	-4.15	16.02	0.040	3.000	Pass
			25	High	20.09	-2	-4.15	15.94	0.039	3.000	Pass
			50	Low	20.03	-2	-4.15	15.88	0.039	3.000	Pass
		Q256	1	Low	17.96	-2	-4.15	13.81	0.024	3.000	Pass
			1	Mid	17.96	-2	-4.15	13.81	0.024	3.000	Pass
			1	High	17.85	-2	-4.15	13.70	0.023	3.000	Pass
			25	Low	18.12	-2	-4.15	13.97	0.025	3.000	Pass
			25	Mid	18.16	-2	-4.15	14.01	0.025	3.000	Pass
			25	High	18.07	-2	-4.15	13.92	0.025	3.000	Pass
			50	Low	18.05	-2	-4.15	13.90	0.025	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
5	LCH	QPSK	1	Low	15.29	-5	10.29	0.011	2.000	Pass
			1	Mid	15.3	-5	10.30	0.011	2.000	Pass
			1	High	15.29	-5	10.29	0.011	2.000	Pass
			12	Low	14.27	-5	9.27	0.008	2.000	Pass
			12	Mid	14.26	-5	9.26	0.008	2.000	Pass
			12	High	14.27	-5	9.27	0.008	2.000	Pass
			25	Low	14.34	-5	9.34	0.009	2.000	Pass
		Q16	1	Low	14.56	-5	9.56	0.009	2.000	Pass
			1	Mid	14.52	-5	9.52	0.009	2.000	Pass
			1	High	14.54	-5	9.54	0.009	2.000	Pass
			12	Low	13.37	-5	8.37	0.007	2.000	Pass
			12	Mid	13.33	-5	8.33	0.007	2.000	Pass
			12	High	13.33	-5	8.33	0.007	2.000	Pass
			25	Low	13.33	-5	8.33	0.007	2.000	Pass
		Q64	1	Low	13.35	-5	8.35	0.007	2.000	Pass
			1	Mid	13.36	-5	8.36	0.007	2.000	Pass
			1	High	13.33	-5	8.33	0.007	2.000	Pass
			12	Low	12.34	-5	7.34	0.005	2.000	Pass
			12	Mid	12.32	-5	7.32	0.005	2.000	Pass
			12	High	12.29	-5	7.29	0.005	2.000	Pass
			25	Low	12.35	-5	7.35	0.005	2.000	Pass
		Q256	1	Low	10.74	-5	5.74	0.004	2.000	Pass
			1	Mid	10.76	-5	5.76	0.004	2.000	Pass
			1	High	10.71	-5	5.71	0.004	2.000	Pass
			12	Low	10.32	-5	5.32	0.003	2.000	Pass
			12	Mid	10.29	-5	5.29	0.003	2.000	Pass
			12	High	10.3	-5	5.30	0.003	2.000	Pass
			25	Low	10.27	-5	5.27	0.003	2.000	Pass
	MCH	QPSK	1	Low	15.19	-5	10.19	0.010	2.000	Pass
			1	Mid	15.24	-5	10.24	0.011	2.000	Pass
			1	High	15.14	-5	10.14	0.010	2.000	Pass
			12	Low	14.2	-5	9.20	0.008	2.000	Pass
			12	Mid	14.2	-5	9.20	0.008	2.000	Pass
			12	High	14.15	-5	9.15	0.008	2.000	Pass
			25	Low	14.18	-5	9.18	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	14.47	-5	9.47	0.009	2.000	Pass
			1	Mid	14.51	-5	9.51	0.009	2.000	Pass
			1	High	14.4	-5	9.40	0.009	2.000	Pass
			12	Low	13.21	-5	8.21	0.007	2.000	Pass
			12	Mid	13.19	-5	8.19	0.007	2.000	Pass
			12	High	13.17	-5	8.17	0.007	2.000	Pass
			25	Low	13.17	-5	8.17	0.007	2.000	Pass
		Q64	1	Low	13.71	-5	8.71	0.007	2.000	Pass
			1	Mid	13.79	-5	8.79	0.008	2.000	Pass
			1	High	13.64	-5	8.64	0.007	2.000	Pass
			12	Low	12.31	-5	7.31	0.005	2.000	Pass
			12	Mid	12.29	-5	7.29	0.005	2.000	Pass
			12	High	12.26	-5	7.26	0.005	2.000	Pass
			25	Low	12.15	-5	7.15	0.005	2.000	Pass
		Q256	1	Low	10.56	-5	5.56	0.004	2.000	Pass
			1	Mid	10.64	-5	5.64	0.004	2.000	Pass
			1	High	10.48	-5	5.48	0.004	2.000	Pass
			12	Low	10.16	-5	5.16	0.003	2.000	Pass
			12	Mid	10.13	-5	5.13	0.003	2.000	Pass
			12	High	10.1	-5	5.10	0.003	2.000	Pass
			25	Low	10.13	-5	5.13	0.003	2.000	Pass
	HCH	QPSK	1	Low	15.02	-5	10.02	0.010	2.000	Pass
			1	Mid	14.99	-5	9.99	0.010	2.000	Pass
			1	High	14.94	-5	9.94	0.010	2.000	Pass
			12	Low	14.02	-5	9.02	0.008	2.000	Pass
			12	Mid	14	-5	9.00	0.008	2.000	Pass
			12	High	13.96	-5	8.96	0.008	2.000	Pass
			25	Low	14.03	-5	9.03	0.008	2.000	Pass
		Q16	1	Low	14.36	-5	9.36	0.009	2.000	Pass
			1	Mid	14.39	-5	9.39	0.009	2.000	Pass
			1	High	14.29	-5	9.29	0.008	2.000	Pass
			12	Low	13.12	-5	8.12	0.006	2.000	Pass
			12	Mid	13.08	-5	8.08	0.006	2.000	Pass
			12	High	13.06	-5	8.06	0.006	2.000	Pass
			25	Low	13.03	-5	8.03	0.006	2.000	Pass
		Q64	1	Low	13.28	-5	8.28	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	13.26	-5	8.26	0.007	2.000	Pass
			1	High	13.22	-5	8.22	0.007	2.000	Pass
			12	Low	11.99	-5	6.99	0.005	2.000	Pass
			12	Mid	11.97	-5	6.97	0.005	2.000	Pass
			12	High	11.93	-5	6.93	0.005	2.000	Pass
			25	Low	11.96	-5	6.96	0.005	2.000	Pass
		Q256	1	Low	10.36	-5	5.36	0.003	2.000	Pass
			1	Mid	10.37	-5	5.37	0.003	2.000	Pass
			1	High	10.31	-5	5.31	0.003	2.000	Pass
			12	Low	10.01	-5	5.01	0.003	2.000	Pass
			12	Mid	10	-5	5.00	0.003	2.000	Pass
			12	High	9.96	-5	4.96	0.003	2.000	Pass
			25	Low	10.01	-5	5.01	0.003	2.000	Pass
10	LCH	QPSK	1	Low	15.31	-5	10.31	0.011	2.000	Pass
			1	Mid	15.29	-5	10.29	0.011	2.000	Pass
			1	High	15.27	-5	10.27	0.011	2.000	Pass
			25	Low	14.3	-5	9.30	0.009	2.000	Pass
			25	Mid	14.28	-5	9.28	0.008	2.000	Pass
			25	High	14.31	-5	9.31	0.009	2.000	Pass
			50	Low	14.3	-5	9.30	0.009	2.000	Pass
		Q16	1	Low	14.62	-5	9.62	0.009	2.000	Pass
			1	Mid	14.58	-5	9.58	0.009	2.000	Pass
			1	High	14.56	-5	9.56	0.009	2.000	Pass
			25	Low	13.3	-5	8.30	0.007	2.000	Pass
			25	Mid	13.27	-5	8.27	0.007	2.000	Pass
			25	High	13.31	-5	8.31	0.007	2.000	Pass
			50	Low	13.27	-5	8.27	0.007	2.000	Pass
		Q64	1	Low	13.16	-5	8.16	0.007	2.000	Pass
			1	Mid	13.17	-5	8.17	0.007	2.000	Pass
			1	High	13.12	-5	8.12	0.006	2.000	Pass
			25	Low	12.32	-5	7.32	0.005	2.000	Pass
			25	Mid	12.32	-5	7.32	0.005	2.000	Pass
			25	High	12.33	-5	7.33	0.005	2.000	Pass
			50	Low	12.26	-5	7.26	0.005	2.000	Pass
		Q256	1	Low	10.52	-5	5.52	0.004	2.000	Pass
			1	Mid	10.45	-5	5.45	0.004	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
	MCH		1	High	10.48	-5	5.48	0.004	2.000	Pass
			25	Low	10.33	-5	5.33	0.003	2.000	Pass
			25	Mid	10.28	-5	5.28	0.003	2.000	Pass
			25	High	10.3	-5	5.30	0.003	2.000	Pass
			50	Low	10.3	-5	5.30	0.003	2.000	Pass
		QPSK	1	Low	15.19	-5	10.19	0.010	2.000	Pass
			1	Mid	15.31	-5	10.31	0.011	2.000	Pass
			1	High	15.15	-5	10.15	0.010	2.000	Pass
			25	Low	14.18	-5	9.18	0.008	2.000	Pass
			25	Mid	14.2	-5	9.20	0.008	2.000	Pass
			25	High	14.17	-5	9.17	0.008	2.000	Pass
			50	Low	14.18	-5	9.18	0.008	2.000	Pass
		Q16	1	Low	14.52	-5	9.52	0.009	2.000	Pass
			1	Mid	14.62	-5	9.62	0.009	2.000	Pass
			1	High	14.48	-5	9.48	0.009	2.000	Pass
			25	Low	13.19	-5	8.19	0.007	2.000	Pass
			25	Mid	13.2	-5	8.20	0.007	2.000	Pass
			25	High	13.17	-5	8.17	0.007	2.000	Pass
			50	Low	13.19	-5	8.19	0.007	2.000	Pass
		Q64	1	Low	13.66	-5	8.66	0.007	2.000	Pass
			1	Mid	13.71	-5	8.71	0.007	2.000	Pass
			1	High	13.58	-5	8.58	0.007	2.000	Pass
			25	Low	12.18	-5	7.18	0.005	2.000	Pass
			25	Mid	12.18	-5	7.18	0.005	2.000	Pass
			25	High	12.14	-5	7.14	0.005	2.000	Pass
			50	Low	12.15	-5	7.15	0.005	2.000	Pass
		Q256	1	Low	10.01	-5	5.01	0.003	2.000	Pass
			1	Mid	10.05	-5	5.05	0.003	2.000	Pass
			1	High	9.93	-5	4.93	0.003	2.000	Pass
			25	Low	10.24	-5	5.24	0.003	2.000	Pass
			25	Mid	10.23	-5	5.23	0.003	2.000	Pass
			25	High	10.2	-5	5.20	0.003	2.000	Pass
			50	Low	10.14	-5	5.14	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.97	-5	9.97	0.010	2.000	Pass
			1	Mid	14.98	-5	9.98	0.010	2.000	Pass
			1	High	14.98	-5	9.98	0.010	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			25	Low	13.96	-5	8.96	0.008	2.000	Pass
			25	Mid	14.01	-5	9.01	0.008	2.000	Pass
			25	High	14.03	-5	9.03	0.008	2.000	Pass
			50	Low	13.99	-5	8.99	0.008	2.000	Pass
		Q16	1	Low	14.29	-5	9.29	0.008	2.000	Pass
			1	Mid	14.32	-5	9.32	0.009	2.000	Pass
			1	High	14.32	-5	9.32	0.009	2.000	Pass
			25	Low	12.98	-5	7.98	0.006	2.000	Pass
			25	Mid	13.02	-5	8.02	0.006	2.000	Pass
			25	High	13.07	-5	8.07	0.006	2.000	Pass
			50	Low	13.07	-5	8.07	0.006	2.000	Pass
		Q64	1	Low	13.17	-5	8.17	0.007	2.000	Pass
			1	Mid	13.2	-5	8.20	0.007	2.000	Pass
			1	High	13.19	-5	8.19	0.007	2.000	Pass
			25	Low	11.91	-5	6.91	0.005	2.000	Pass
			25	Mid	11.94	-5	6.94	0.005	2.000	Pass
			25	High	11.96	-5	6.96	0.005	2.000	Pass
			50	Low	12	-5	7.00	0.005	2.000	Pass
		Q256	1	Low	10.33	-5	5.33	0.003	2.000	Pass
			1	Mid	10.35	-5	5.35	0.003	2.000	Pass
			1	High	10.36	-5	5.36	0.003	2.000	Pass
			25	Low	9.95	-5	4.95	0.003	2.000	Pass
			25	Mid	10.01	-5	5.01	0.003	2.000	Pass
			25	High	10.01	-5	5.01	0.003	2.000	Pass
			50	Low	9.99	-5	4.99	0.003	2.000	Pass
15	LCH	QPSK	1	Low	15.28	-5	10.28	0.011	2.000	Pass
			1	Mid	15.29	-5	10.29	0.011	2.000	Pass
			1	High	15.15	-5	10.15	0.010	2.000	Pass
			36	Low	14.28	-5	9.28	0.008	2.000	Pass
			36	Mid	14.35	-5	9.35	0.009	2.000	Pass
			36	High	14.29	-5	9.29	0.008	2.000	Pass
			75	Low	14.31	-5	9.31	0.009	2.000	Pass
		Q16	1	Low	14.61	-5	9.61	0.009	2.000	Pass
			1	Mid	14.64	-5	9.64	0.009	2.000	Pass
			1	High	14.45	-5	9.45	0.009	2.000	Pass
			36	Low	13.31	-5	8.31	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	Mid	13.32	-5	8.32	0.007	2.000	Pass
			36	High	13.26	-5	8.26	0.007	2.000	Pass
			75	Low	13.34	-5	8.34	0.007	2.000	Pass
		Q64	1	Low	13.19	-5	8.19	0.007	2.000	Pass
			1	Mid	13.19	-5	8.19	0.007	2.000	Pass
			1	High	13.04	-5	8.04	0.006	2.000	Pass
			36	Low	12.38	-5	7.38	0.005	2.000	Pass
			36	Mid	12.38	-5	7.38	0.005	2.000	Pass
			36	High	12.36	-5	7.36	0.005	2.000	Pass
			75	Low	12.31	-5	7.31	0.005	2.000	Pass
		Q256	1	Low	10.52	-5	5.52	0.004	2.000	Pass
			1	Mid	10.62	-5	5.62	0.004	2.000	Pass
			1	High	10.4	-5	5.40	0.003	2.000	Pass
			36	Low	10.35	-5	5.35	0.003	2.000	Pass
			36	Mid	10.35	-5	5.35	0.003	2.000	Pass
			36	High	10.34	-5	5.34	0.003	2.000	Pass
			75	Low	10.33	-5	5.33	0.003	2.000	Pass
	MCH	QPSK	1	Low	15.15	-5	10.15	0.010	2.000	Pass
			1	Mid	15.39	-5	10.39	0.011	2.000	Pass
			1	High	15.12	-5	10.12	0.010	2.000	Pass
			36	Low	14.12	-5	9.12	0.008	2.000	Pass
			36	Mid	14.18	-5	9.18	0.008	2.000	Pass
			36	High	14.11	-5	9.11	0.008	2.000	Pass
			75	Low	14.17	-5	9.17	0.008	2.000	Pass
		Q16	1	Low	14.5	-5	9.50	0.009	2.000	Pass
			1	Mid	14.68	-5	9.68	0.009	2.000	Pass
			1	High	14.47	-5	9.47	0.009	2.000	Pass
			36	Low	13.13	-5	8.13	0.007	2.000	Pass
			36	Mid	13.17	-5	8.17	0.007	2.000	Pass
			36	High	13.12	-5	8.12	0.006	2.000	Pass
			75	Low	13.19	-5	8.19	0.007	2.000	Pass
		Q64	1	Low	13.55	-5	8.55	0.007	2.000	Pass
			1	Mid	13.74	-5	8.74	0.007	2.000	Pass
			1	High	13.54	-5	8.54	0.007	2.000	Pass
			36	Low	12.22	-5	7.22	0.005	2.000	Pass
			36	Mid	12.24	-5	7.24	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	High	12.17	-5	7.17	0.005	2.000	Pass
			75	Low	12.22	-5	7.22	0.005	2.000	Pass
		Q256	1	Low	9.93	-5	4.93	0.003	2.000	Pass
			1	Mid	10.13	-5	5.13	0.003	2.000	Pass
			1	High	9.92	-5	4.92	0.003	2.000	Pass
			36	Low	10.16	-5	5.16	0.003	2.000	Pass
			36	Mid	10.18	-5	5.18	0.003	2.000	Pass
			36	High	10.14	-5	5.14	0.003	2.000	Pass
			75	Low	10.15	-5	5.15	0.003	2.000	Pass
	HCH	QPSK	1	Low	15.09	-5	10.09	0.010	2.000	Pass
			1	Mid	15.02	-5	10.02	0.010	2.000	Pass
			1	High	14.98	-5	9.98	0.010	2.000	Pass
			36	Low	13.98	-5	8.98	0.008	2.000	Pass
			36	Mid	13.94	-5	8.94	0.008	2.000	Pass
			36	High	13.97	-5	8.97	0.008	2.000	Pass
			75	Low	13.97	-5	8.97	0.008	2.000	Pass
		Q16	1	Low	14.35	-5	9.35	0.009	2.000	Pass
			1	Mid	14.26	-5	9.26	0.008	2.000	Pass
			1	High	14.24	-5	9.24	0.008	2.000	Pass
			36	Low	13.02	-5	8.02	0.006	2.000	Pass
			36	Mid	12.97	-5	7.97	0.006	2.000	Pass
			36	High	13.02	-5	8.02	0.006	2.000	Pass
			75	Low	13.03	-5	8.03	0.006	2.000	Pass
		Q64	1	Low	13.15	-5	8.15	0.007	2.000	Pass
			1	Mid	13.05	-5	8.05	0.006	2.000	Pass
			1	High	13.02	-5	8.02	0.006	2.000	Pass
			36	Low	11.96	-5	6.96	0.005	2.000	Pass
			36	Mid	11.91	-5	6.91	0.005	2.000	Pass
			36	High	11.97	-5	6.97	0.005	2.000	Pass
			75	Low	12.05	-5	7.05	0.005	2.000	Pass
		Q256	1	Low	10.6	-5	5.60	0.004	2.000	Pass
			1	Mid	10.5	-5	5.50	0.004	2.000	Pass
			1	High	10.46	-5	5.46	0.004	2.000	Pass
			36	Low	9.97	-5	4.97	0.003	2.000	Pass
			36	Mid	9.92	-5	4.92	0.003	2.000	Pass
			36	High	9.99	-5	4.99	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
20	LCH	QPSK	75	Low	10.04	-5	5.04	0.003	2.000	Pass
			1	Low	15.34	-5	10.34	0.011	2.000	Pass
			1	Mid	15.4	-5	10.40	0.011	2.000	Pass
			1	High	15.17	-5	10.17	0.010	2.000	Pass
			50	Low	14.32	-5	9.32	0.009	2.000	Pass
			50	Mid	14.34	-5	9.34	0.009	2.000	Pass
			50	High	14.25	-5	9.25	0.008	2.000	Pass
		Q16	100	Low	14.28	-5	9.28	0.008	2.000	Pass
			1	Low	14.63	-5	9.63	0.009	2.000	Pass
			1	Mid	14.71	-5	9.71	0.009	2.000	Pass
			1	High	14.46	-5	9.46	0.009	2.000	Pass
			50	Low	13.31	-5	8.31	0.007	2.000	Pass
			50	Mid	13.33	-5	8.33	0.007	2.000	Pass
			50	High	13.23	-5	8.23	0.007	2.000	Pass
		Q64	100	Low	13.27	-5	8.27	0.007	2.000	Pass
			1	Low	13.87	-5	8.87	0.008	2.000	Pass
			1	Mid	13.92	-5	8.92	0.008	2.000	Pass
			1	High	13.7	-5	8.70	0.007	2.000	Pass
			50	Low	12.36	-5	7.36	0.005	2.000	Pass
			50	Mid	12.37	-5	7.37	0.005	2.000	Pass
			50	High	12.27	-5	7.27	0.005	2.000	Pass
		Q256	100	Low	12.27	-5	7.27	0.005	2.000	Pass
			1	Low	10.75	-5	5.75	0.004	2.000	Pass
			1	Mid	10.81	-5	5.81	0.004	2.000	Pass
			1	High	10.55	-5	5.55	0.004	2.000	Pass
			50	Low	10.31	-5	5.31	0.003	2.000	Pass
			50	Mid	10.33	-5	5.33	0.003	2.000	Pass
			50	High	10.25	-5	5.25	0.003	2.000	Pass
	MCH	QPSK	100	Low	10.27	-5	5.27	0.003	2.000	Pass
			1	Low	15.26	-5	10.26	0.011	2.000	Pass
			1	Mid	15.42	-5	10.42	0.011	2.000	Pass
			1	High	15.23	-5	10.23	0.011	2.000	Pass
			50	Low	14.21	-5	9.21	0.008	2.000	Pass
			50	Mid	14.24	-5	9.24	0.008	2.000	Pass
			50	High	14.16	-5	9.16	0.008	2.000	Pass
			100	Low	14.16	-5	9.16	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	14.26	-5	9.26	0.008	2.000	Pass
			1	Mid	14.4	-5	9.40	0.009	2.000	Pass
			1	High	14.22	-5	9.22	0.008	2.000	Pass
			50	Low	13.21	-5	8.21	0.007	2.000	Pass
			50	Mid	13.23	-5	8.23	0.007	2.000	Pass
			50	High	13.19	-5	8.19	0.007	2.000	Pass
			100	Low	13.16	-5	8.16	0.007	2.000	Pass
		Q64	1	Low	13.23	-5	8.23	0.007	2.000	Pass
			1	Mid	13.4	-5	8.40	0.007	2.000	Pass
			1	High	13.21	-5	8.21	0.007	2.000	Pass
			50	Low	12.23	-5	7.23	0.005	2.000	Pass
			50	Mid	12.25	-5	7.25	0.005	2.000	Pass
			50	High	12.18	-5	7.18	0.005	2.000	Pass
			100	Low	12.18	-5	7.18	0.005	2.000	Pass
		Q256	1	Low	10.33	-5	5.33	0.003	2.000	Pass
			1	Mid	10.49	-5	5.49	0.004	2.000	Pass
			1	High	10.31	-5	5.31	0.003	2.000	Pass
			50	Low	10.22	-5	5.22	0.003	2.000	Pass
			50	Mid	10.21	-5	5.21	0.003	2.000	Pass
			50	High	10.17	-5	5.17	0.003	2.000	Pass
			100	Low	10.19	-5	5.19	0.003	2.000	Pass
	HCH	QPSK	1	Low	15.06	-5	10.06	0.010	2.000	Pass
			1	Mid	15.03	-5	10.03	0.010	2.000	Pass
			1	High	14.99	-5	9.99	0.010	2.000	Pass
			50	Low	14.07	-5	9.07	0.008	2.000	Pass
			50	Mid	14.04	-5	9.04	0.008	2.000	Pass
			50	High	14.04	-5	9.04	0.008	2.000	Pass
			100	Low	14.03	-5	9.03	0.008	2.000	Pass
		Q16	1	Low	14.47	-5	9.47	0.009	2.000	Pass
			1	Mid	14.45	-5	9.45	0.009	2.000	Pass
			1	High	14.42	-5	9.42	0.009	2.000	Pass
			50	Low	13.11	-5	8.11	0.006	2.000	Pass
			50	Mid	13.06	-5	8.06	0.006	2.000	Pass
			50	High	13.04	-5	8.04	0.006	2.000	Pass
			100	Low	13.05	-5	8.05	0.006	2.000	Pass
		Q64	1	Low	13.34	-5	8.34	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	13.34	-5	8.34	0.007	2.000	Pass
			1	High	13.27	-5	8.27	0.007	2.000	Pass
			50	Low	12.12	-5	7.12	0.005	2.000	Pass
			50	Mid	12.06	-5	7.06	0.005	2.000	Pass
			50	High	12.07	-5	7.07	0.005	2.000	Pass
			100	Low	12.09	-5	7.09	0.005	2.000	Pass
		Q256	1	Low	10.41	-5	5.41	0.003	2.000	Pass
			1	Mid	10.38	-5	5.38	0.003	2.000	Pass
			1	High	10.34	-5	5.34	0.003	2.000	Pass
			50	Low	10.07	-5	5.07	0.003	2.000	Pass
			50	Mid	10.04	-5	5.04	0.003	2.000	Pass
			50	High	10.02	-5	5.02	0.003	2.000	Pass
			100	Low	10.06	-5	5.06	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
5	LCH	QPSK	1	Low	15.27	-5	10.27	0.011	2.000	Pass
			1	Mid	15.23	-5	10.23	0.011	2.000	Pass
			1	High	15.22	-5	10.22	0.011	2.000	Pass
			12	Low	14.29	-5	9.29	0.008	2.000	Pass
			12	Mid	14.24	-5	9.24	0.008	2.000	Pass
			12	High	14.24	-5	9.24	0.008	2.000	Pass
			25	Low	14.31	-5	9.31	0.009	2.000	Pass
		Q16	1	Low	14.51	-5	9.51	0.009	2.000	Pass
			1	Mid	14.51	-5	9.51	0.009	2.000	Pass
			1	High	14.46	-5	9.46	0.009	2.000	Pass
			12	Low	13.36	-5	8.36	0.007	2.000	Pass
			12	Mid	13.31	-5	8.31	0.007	2.000	Pass
			12	High	13.31	-5	8.31	0.007	2.000	Pass
			25	Low	13.29	-5	8.29	0.007	2.000	Pass
		Q64	1	Low	13.3	-5	8.30	0.007	2.000	Pass
			1	Mid	13.3	-5	8.30	0.007	2.000	Pass
			1	High	13.26	-5	8.26	0.007	2.000	Pass
			12	Low	12.33	-5	7.33	0.005	2.000	Pass
			12	Mid	12.27	-5	7.27	0.005	2.000	Pass
			12	High	12.27	-5	7.27	0.005	2.000	Pass
			25	Low	12.31	-5	7.31	0.005	2.000	Pass
		Q256	1	Low	10.72	-5	5.72	0.004	2.000	Pass
			1	Mid	10.73	-5	5.73	0.004	2.000	Pass
			1	High	10.65	-5	5.65	0.004	2.000	Pass
			12	Low	10.33	-5	5.33	0.003	2.000	Pass
			12	Mid	10.31	-5	5.31	0.003	2.000	Pass
			12	High	10.28	-5	5.28	0.003	2.000	Pass
			25	Low	10.29	-5	5.29	0.003	2.000	Pass
	MCH	QPSK	1	Low	15.19	-5	10.19	0.010	2.000	Pass
			1	Mid	15.18	-5	10.18	0.010	2.000	Pass
			1	High	15.19	-5	10.19	0.010	2.000	Pass
			12	Low	14.17	-5	9.17	0.008	2.000	Pass
			12	Mid	14.15	-5	9.15	0.008	2.000	Pass
			12	High	14.14	-5	9.14	0.008	2.000	Pass
			25	Low	14.19	-5	9.19	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	14.46	-5	9.46	0.009	2.000	Pass
			1	Mid	14.48	-5	9.48	0.009	2.000	Pass
			1	High	14.44	-5	9.44	0.009	2.000	Pass
			12	Low	13.18	-5	8.18	0.007	2.000	Pass
			12	Mid	13.16	-5	8.16	0.007	2.000	Pass
			12	High	13.16	-5	8.16	0.007	2.000	Pass
			25	Low	13.19	-5	8.19	0.007	2.000	Pass
		Q64	1	Low	13.71	-5	8.71	0.007	2.000	Pass
			1	Mid	13.68	-5	8.68	0.007	2.000	Pass
			1	High	13.7	-5	8.70	0.007	2.000	Pass
			12	Low	12.28	-5	7.28	0.005	2.000	Pass
			12	Mid	12.28	-5	7.28	0.005	2.000	Pass
			12	High	12.26	-5	7.26	0.005	2.000	Pass
			25	Low	12.14	-5	7.14	0.005	2.000	Pass
		Q256	1	Low	10.56	-5	5.56	0.004	2.000	Pass
			1	Mid	10.53	-5	5.53	0.004	2.000	Pass
			1	High	10.54	-5	5.54	0.004	2.000	Pass
			12	Low	10.14	-5	5.14	0.003	2.000	Pass
			12	Mid	10.13	-5	5.13	0.003	2.000	Pass
			12	High	10.11	-5	5.11	0.003	2.000	Pass
			25	Low	10.16	-5	5.16	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.68	-5	9.68	0.009	2.000	Pass
			1	Mid	14.73	-5	9.73	0.009	2.000	Pass
			1	High	14.7	-5	9.70	0.009	2.000	Pass
			12	Low	13.71	-5	8.71	0.007	2.000	Pass
			12	Mid	13.73	-5	8.73	0.007	2.000	Pass
			12	High	13.74	-5	8.74	0.007	2.000	Pass
			25	Low	13.77	-5	8.77	0.008	2.000	Pass
		Q16	1	Low	14.01	-5	9.01	0.008	2.000	Pass
			1	Mid	14.05	-5	9.05	0.008	2.000	Pass
			1	High	14.06	-5	9.06	0.008	2.000	Pass
			12	Low	12.82	-5	7.82	0.006	2.000	Pass
			12	Mid	12.82	-5	7.82	0.006	2.000	Pass
			12	High	12.86	-5	7.86	0.006	2.000	Pass
			25	Low	12.77	-5	7.77	0.006	2.000	Pass
		Q64	1	Low	12.95	-5	7.95	0.006	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	13.07	-5	8.07	0.006	2.000	Pass
			1	High	13	-5	8.00	0.006	2.000	Pass
			12	Low	11.65	-5	6.65	0.005	2.000	Pass
			12	Mid	11.69	-5	6.69	0.005	2.000	Pass
			12	High	11.73	-5	6.73	0.005	2.000	Pass
			25	Low	11.68	-5	6.68	0.005	2.000	Pass
		Q256	1	Low	10.04	-5	5.04	0.003	2.000	Pass
			1	Mid	10.12	-5	5.12	0.003	2.000	Pass
			1	High	10.09	-5	5.09	0.003	2.000	Pass
			12	Low	9.73	-5	4.73	0.003	2.000	Pass
			12	Mid	9.75	-5	4.75	0.003	2.000	Pass
			12	High	9.79	-5	4.79	0.003	2.000	Pass
			25	Low	9.74	-5	4.74	0.003	2.000	Pass
10	LCH	QPSK	1	Low	15.27	-5	10.27	0.011	2.000	Pass
			1	Mid	15.21	-5	10.21	0.010	2.000	Pass
			1	High	15.18	-5	10.18	0.010	2.000	Pass
			25	Low	14.28	-5	9.28	0.008	2.000	Pass
			25	Mid	14.25	-5	9.25	0.008	2.000	Pass
			25	High	14.26	-5	9.26	0.008	2.000	Pass
			50	Low	14.26	-5	9.26	0.008	2.000	Pass
		Q16	1	Low	14.56	-5	9.56	0.009	2.000	Pass
			1	Mid	14.49	-5	9.49	0.009	2.000	Pass
			1	High	14.48	-5	9.48	0.009	2.000	Pass
			25	Low	13.28	-5	8.28	0.007	2.000	Pass
			25	Mid	13.26	-5	8.26	0.007	2.000	Pass
			25	High	13.24	-5	8.24	0.007	2.000	Pass
			50	Low	13.27	-5	8.27	0.007	2.000	Pass
		Q64	1	Low	13.14	-5	8.14	0.007	2.000	Pass
			1	Mid	13.07	-5	8.07	0.006	2.000	Pass
			1	High	13.04	-5	8.04	0.006	2.000	Pass
			25	Low	12.3	-5	7.30	0.005	2.000	Pass
			25	Mid	12.28	-5	7.28	0.005	2.000	Pass
			25	High	12.28	-5	7.28	0.005	2.000	Pass
			50	Low	12.25	-5	7.25	0.005	2.000	Pass
		Q256	1	Low	10.51	-5	5.51	0.004	2.000	Pass
			1	Mid	10.41	-5	5.41	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
	MCH		1	High	10.39	-5	5.39	0.003	2.000	Pass
			25	Low	10.29	-5	5.29	0.003	2.000	Pass
			25	Mid	10.27	-5	5.27	0.003	2.000	Pass
			25	High	10.28	-5	5.28	0.003	2.000	Pass
			50	Low	10.28	-5	5.28	0.003	2.000	Pass
		QPSK	1	Low	15.24	-5	10.24	0.011	2.000	Pass
			1	Mid	15.23	-5	10.23	0.011	2.000	Pass
			1	High	15.24	-5	10.24	0.011	2.000	Pass
			25	Low	14.17	-5	9.17	0.008	2.000	Pass
			25	Mid	14.17	-5	9.17	0.008	2.000	Pass
			25	High	14.16	-5	9.16	0.008	2.000	Pass
			50	Low	14.17	-5	9.17	0.008	2.000	Pass
		Q16	1	Low	14.59	-5	9.59	0.009	2.000	Pass
			1	Mid	14.59	-5	9.59	0.009	2.000	Pass
			1	High	14.57	-5	9.57	0.009	2.000	Pass
			25	Low	13.16	-5	8.16	0.007	2.000	Pass
			25	Mid	13.15	-5	8.15	0.007	2.000	Pass
			25	High	13.14	-5	8.14	0.007	2.000	Pass
			50	Low	13.17	-5	8.17	0.007	2.000	Pass
		Q64	1	Low	13.67	-5	8.67	0.007	2.000	Pass
			1	Mid	13.63	-5	8.63	0.007	2.000	Pass
			1	High	13.66	-5	8.66	0.007	2.000	Pass
			25	Low	12.13	-5	7.13	0.005	2.000	Pass
			25	Mid	12.13	-5	7.13	0.005	2.000	Pass
			25	High	12.14	-5	7.14	0.005	2.000	Pass
			50	Low	12.12	-5	7.12	0.005	2.000	Pass
		Q256	1	Low	10.07	-5	5.07	0.003	2.000	Pass
			1	Mid	10.02	-5	5.02	0.003	2.000	Pass
			1	High	10.01	-5	5.01	0.003	2.000	Pass
			25	Low	10.18	-5	5.18	0.003	2.000	Pass
			25	Mid	10.18	-5	5.18	0.003	2.000	Pass
			25	High	10.2	-5	5.20	0.003	2.000	Pass
			50	Low	10.12	-5	5.12	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.69	-5	9.69	0.009	2.000	Pass
			1	Mid	14.67	-5	9.67	0.009	2.000	Pass
			1	High	14.7	-5	9.70	0.009	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			25	Low	13.67	-5	8.67	0.007	2.000	Pass
			25	Mid	13.7	-5	8.70	0.007	2.000	Pass
			25	High	13.75	-5	8.75	0.007	2.000	Pass
			50	Low	13.67	-5	8.67	0.007	2.000	Pass
		Q16	1	Low	13.99	-5	8.99	0.008	2.000	Pass
			1	Mid	14	-5	9.00	0.008	2.000	Pass
			1	High	14.05	-5	9.05	0.008	2.000	Pass
			25	Low	12.68	-5	7.68	0.006	2.000	Pass
			25	Mid	12.7	-5	7.70	0.006	2.000	Pass
			25	High	12.76	-5	7.76	0.006	2.000	Pass
			50	Low	12.72	-5	7.72	0.006	2.000	Pass
		Q64	1	Low	12.87	-5	7.87	0.006	2.000	Pass
			1	Mid	12.88	-5	7.88	0.006	2.000	Pass
			1	High	12.91	-5	7.91	0.006	2.000	Pass
			25	Low	11.56	-5	6.56	0.005	2.000	Pass
			25	Mid	11.6	-5	6.60	0.005	2.000	Pass
			25	High	11.65	-5	6.65	0.005	2.000	Pass
			50	Low	11.66	-5	6.66	0.005	2.000	Pass
		Q256	1	Low	10.06	-5	5.06	0.003	2.000	Pass
			1	Mid	10.07	-5	5.07	0.003	2.000	Pass
			1	High	10.11	-5	5.11	0.003	2.000	Pass
			25	Low	9.69	-5	4.69	0.003	2.000	Pass
			25	Mid	9.68	-5	4.68	0.003	2.000	Pass
			25	High	9.75	-5	4.75	0.003	2.000	Pass
			50	Low	9.67	-5	4.67	0.003	2.000	Pass
15	LCH	QPSK	1	Low	15.23	-5	10.23	0.011	2.000	Pass
			1	Mid	15.18	-5	10.18	0.010	2.000	Pass
			1	High	15.09	-5	10.09	0.010	2.000	Pass
			36	Low	14.22	-5	9.22	0.008	2.000	Pass
			36	Mid	14.2	-5	9.20	0.008	2.000	Pass
			36	High	14.18	-5	9.18	0.008	2.000	Pass
			75	Low	14.23	-5	9.23	0.008	2.000	Pass
		Q16	1	Low	14.53	-5	9.53	0.009	2.000	Pass
			1	Mid	14.5	-5	9.50	0.009	2.000	Pass
			1	High	14.37	-5	9.37	0.009	2.000	Pass
			36	Low	13.25	-5	8.25	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			36	Mid	13.21	-5	8.21	0.007	2.000	Pass
			36	High	13.19	-5	8.19	0.007	2.000	Pass
			75	Low	13.26	-5	8.26	0.007	2.000	Pass
		Q64	1	Low	13.14	-5	8.14	0.007	2.000	Pass
			1	Mid	13.12	-5	8.12	0.006	2.000	Pass
			1	High	12.96	-5	7.96	0.006	2.000	Pass
			36	Low	12.3	-5	7.30	0.005	2.000	Pass
			36	Mid	12.26	-5	7.26	0.005	2.000	Pass
			36	High	12.23	-5	7.23	0.005	2.000	Pass
			75	Low	12.25	-5	7.25	0.005	2.000	Pass
		Q256	1	Low	10.49	-5	5.49	0.004	2.000	Pass
			1	Mid	10.51	-5	5.51	0.004	2.000	Pass
			1	High	10.34	-5	5.34	0.003	2.000	Pass
			36	Low	10.3	-5	5.30	0.003	2.000	Pass
			36	Mid	10.23	-5	5.23	0.003	2.000	Pass
			36	High	10.25	-5	5.25	0.003	2.000	Pass
			75	Low	10.27	-5	5.27	0.003	2.000	Pass
	MCH	QPSK	1	Low	15.24	-5	10.24	0.011	2.000	Pass
			1	Mid	15.3	-5	10.30	0.011	2.000	Pass
			1	High	15.2	-5	10.20	0.010	2.000	Pass
			36	Low	14.13	-5	9.13	0.008	2.000	Pass
			36	Mid	14.13	-5	9.13	0.008	2.000	Pass
			36	High	14.13	-5	9.13	0.008	2.000	Pass
			75	Low	14.15	-5	9.15	0.008	2.000	Pass
		Q16	1	Low	14.59	-5	9.59	0.009	2.000	Pass
			1	Mid	14.62	-5	9.62	0.009	2.000	Pass
			1	High	14.55	-5	9.55	0.009	2.000	Pass
			36	Low	13.14	-5	8.14	0.007	2.000	Pass
			36	Mid	13.14	-5	8.14	0.007	2.000	Pass
			36	High	13.13	-5	8.13	0.007	2.000	Pass
			75	Low	13.18	-5	8.18	0.007	2.000	Pass
		Q64	1	Low	13.65	-5	8.65	0.007	2.000	Pass
			1	Mid	13.67	-5	8.67	0.007	2.000	Pass
			1	High	13.63	-5	8.63	0.007	2.000	Pass
			36	Low	12.2	-5	7.20	0.005	2.000	Pass
			36	Mid	12.21	-5	7.21	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			36	High	12.2	-5	7.20	0.005	2.000	Pass
			75	Low	12.2	-5	7.20	0.005	2.000	Pass
		Q256	1	Low	10.04	-5	5.04	0.003	2.000	Pass
			1	Mid	10.11	-5	5.11	0.003	2.000	Pass
			1	High	10.04	-5	5.04	0.003	2.000	Pass
			36	Low	10.18	-5	5.18	0.003	2.000	Pass
			36	Mid	10.15	-5	5.15	0.003	2.000	Pass
			36	High	10.16	-5	5.16	0.003	2.000	Pass
			75	Low	10.16	-5	5.16	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.68	-5	9.68	0.009	2.000	Pass
			1	Mid	14.76	-5	9.76	0.009	2.000	Pass
			1	High	14.74	-5	9.74	0.009	2.000	Pass
			36	Low	13.66	-5	8.66	0.007	2.000	Pass
			36	Mid	13.71	-5	8.71	0.007	2.000	Pass
			36	High	13.72	-5	8.72	0.007	2.000	Pass
			75	Low	13.71	-5	8.71	0.007	2.000	Pass
		Q16	1	Low	13.91	-5	8.91	0.008	2.000	Pass
			1	Mid	14.01	-5	9.01	0.008	2.000	Pass
			1	High	14	-5	9.00	0.008	2.000	Pass
			36	Low	12.71	-5	7.71	0.006	2.000	Pass
			36	Mid	12.76	-5	7.76	0.006	2.000	Pass
			36	High	12.79	-5	7.79	0.006	2.000	Pass
			75	Low	12.75	-5	7.75	0.006	2.000	Pass
		Q64	1	Low	12.73	-5	7.73	0.006	2.000	Pass
			1	Mid	12.81	-5	7.81	0.006	2.000	Pass
			1	High	12.8	-5	7.80	0.006	2.000	Pass
			36	Low	11.67	-5	6.67	0.005	2.000	Pass
			36	Mid	11.69	-5	6.69	0.005	2.000	Pass
			36	High	11.72	-5	6.72	0.005	2.000	Pass
			75	Low	11.75	-5	6.75	0.005	2.000	Pass
		Q256	1	Low	10.19	-5	5.19	0.003	2.000	Pass
			1	Mid	10.27	-5	5.27	0.003	2.000	Pass
			1	High	10.29	-5	5.29	0.003	2.000	Pass
			36	Low	9.68	-5	4.68	0.003	2.000	Pass
			36	Mid	9.72	-5	4.72	0.003	2.000	Pass
			36	High	9.74	-5	4.74	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
20	LCH	QPSK	75	Low	9.78	-5	4.78	0.003	2.000	Pass
			1	Low	15.31	-5	10.31	0.011	2.000	Pass
			1	Mid	15.27	-5	10.27	0.011	2.000	Pass
			1	High	15.24	-5	10.24	0.011	2.000	Pass
			50	Low	14.29	-5	9.29	0.008	2.000	Pass
			50	Mid	14.25	-5	9.25	0.008	2.000	Pass
			50	High	14.27	-5	9.27	0.008	2.000	Pass
		Q16	100	Low	14.29	-5	9.29	0.008	2.000	Pass
			1	Low	14.57	-5	9.57	0.009	2.000	Pass
			1	Mid	14.55	-5	9.55	0.009	2.000	Pass
			1	High	14.52	-5	9.52	0.009	2.000	Pass
			50	Low	13.27	-5	8.27	0.007	2.000	Pass
			50	Mid	13.25	-5	8.25	0.007	2.000	Pass
			50	High	13.26	-5	8.26	0.007	2.000	Pass
		Q64	100	Low	13.28	-5	8.28	0.007	2.000	Pass
			1	Low	13.83	-5	8.83	0.008	2.000	Pass
			1	Mid	13.8	-5	8.80	0.008	2.000	Pass
			1	High	13.76	-5	8.76	0.008	2.000	Pass
			50	Low	12.3	-5	7.30	0.005	2.000	Pass
			50	Mid	12.27	-5	7.27	0.005	2.000	Pass
			50	High	12.29	-5	7.29	0.005	2.000	Pass
		Q256	100	Low	12.25	-5	7.25	0.005	2.000	Pass
			1	Low	10.72	-5	5.72	0.004	2.000	Pass
			1	Mid	10.73	-5	5.73	0.004	2.000	Pass
			1	High	10.65	-5	5.65	0.004	2.000	Pass
			50	Low	10.3	-5	5.30	0.003	2.000	Pass
			50	Mid	10.27	-5	5.27	0.003	2.000	Pass
			50	High	10.27	-5	5.27	0.003	2.000	Pass
	MCH	QPSK	100	Low	10.28	-5	5.28	0.003	2.000	Pass
			1	Low	15.29	-5	10.29	0.011	2.000	Pass
			1	Mid	15.34	-5	10.34	0.011	2.000	Pass
			1	High	15.28	-5	10.28	0.011	2.000	Pass
			50	Low	14.2	-5	9.20	0.008	2.000	Pass
			50	Mid	14.2	-5	9.20	0.008	2.000	Pass
			50	High	14.2	-5	9.20	0.008	2.000	Pass
			100	Low	14.19	-5	9.19	0.008	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	14.32	-5	9.32	0.009	2.000	Pass
			1	Mid	14.36	-5	9.36	0.009	2.000	Pass
			1	High	14.29	-5	9.29	0.008	2.000	Pass
			50	Low	13.21	-5	8.21	0.007	2.000	Pass
			50	Mid	13.22	-5	8.22	0.007	2.000	Pass
			50	High	13.19	-5	8.19	0.007	2.000	Pass
			100	Low	13.2	-5	8.20	0.007	2.000	Pass
		Q64	1	Low	13.3	-5	8.30	0.007	2.000	Pass
			1	Mid	13.34	-5	8.34	0.007	2.000	Pass
			1	High	13.28	-5	8.28	0.007	2.000	Pass
			50	Low	12.22	-5	7.22	0.005	2.000	Pass
			50	Mid	12.23	-5	7.23	0.005	2.000	Pass
			50	High	12.21	-5	7.21	0.005	2.000	Pass
			100	Low	12.2	-5	7.20	0.005	2.000	Pass
		Q256	1	Low	10.4	-5	5.40	0.003	2.000	Pass
			1	Mid	10.42	-5	5.42	0.003	2.000	Pass
			1	High	10.36	-5	5.36	0.003	2.000	Pass
			50	Low	10.23	-5	5.23	0.003	2.000	Pass
			50	Mid	10.22	-5	5.22	0.003	2.000	Pass
			50	High	10.22	-5	5.22	0.003	2.000	Pass
			100	Low	10.22	-5	5.22	0.003	2.000	Pass
	HCH	QPSK	1	Low	14.7	-5	9.70	0.009	2.000	Pass
			1	Mid	14.72	-5	9.72	0.009	2.000	Pass
			1	High	14.69	-5	9.69	0.009	2.000	Pass
			50	Low	13.66	-5	8.66	0.007	2.000	Pass
			50	Mid	13.74	-5	8.74	0.007	2.000	Pass
			50	High	13.75	-5	8.75	0.007	2.000	Pass
			100	Low	13.71	-5	8.71	0.007	2.000	Pass
		Q16	1	Low	14.09	-5	9.09	0.008	2.000	Pass
			1	Mid	14.13	-5	9.13	0.008	2.000	Pass
			1	High	14.12	-5	9.12	0.008	2.000	Pass
			50	Low	12.68	-5	7.68	0.006	2.000	Pass
			50	Mid	12.75	-5	7.75	0.006	2.000	Pass
			50	High	12.77	-5	7.77	0.006	2.000	Pass
			100	Low	12.7	-5	7.70	0.006	2.000	Pass
		Q64	1	Low	12.97	-5	7.97	0.006	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	13.02	-5	8.02	0.006	2.000	Pass
			1	High	12.98	-5	7.98	0.006	2.000	Pass
			50	Low	11.7	-5	6.70	0.005	2.000	Pass
			50	Mid	11.77	-5	6.77	0.005	2.000	Pass
			50	High	11.77	-5	6.77	0.005	2.000	Pass
			100	Low	11.75	-5	6.75	0.005	2.000	Pass
		Q256	1	Low	10.05	-5	5.05	0.003	2.000	Pass
			1	Mid	10.1	-5	5.10	0.003	2.000	Pass
			1	High	10.07	-5	5.07	0.003	2.000	Pass
			50	Low	9.69	-5	4.69	0.003	2.000	Pass
			50	Mid	9.77	-5	4.77	0.003	2.000	Pass
			50	High	9.75	-5	4.75	0.003	2.000	Pass
			100	Low	9.74	-5	4.74	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
5	LCH	QPSK	1	Low	19.27	0	19.27	0.085	1.000	Pass
			1	Mid	19.23	0	19.23	0.084	1.000	Pass
			1	High	19.22	0	19.22	0.084	1.000	Pass
			12	Low	18.29	0	18.29	0.067	1.000	Pass
			12	Mid	18.24	0	18.24	0.067	1.000	Pass
			12	High	18.24	0	18.24	0.067	1.000	Pass
			25	Low	18.31	0	18.31	0.068	1.000	Pass
		Q16	1	Low	18.51	0	18.51	0.071	1.000	Pass
			1	Mid	18.51	0	18.51	0.071	1.000	Pass
			1	High	18.46	0	18.46	0.070	1.000	Pass
			12	Low	17.36	0	17.36	0.054	1.000	Pass
			12	Mid	17.31	0	17.31	0.054	1.000	Pass
			12	High	17.31	0	17.31	0.054	1.000	Pass
			25	Low	17.29	0	17.29	0.054	1.000	Pass
		Q64	1	Low	17.3	0	17.30	0.054	1.000	Pass
			1	Mid	17.3	0	17.30	0.054	1.000	Pass
			1	High	17.26	0	17.26	0.053	1.000	Pass
			12	Low	16.33	0	16.33	0.043	1.000	Pass
			12	Mid	16.27	0	16.27	0.042	1.000	Pass
			12	High	16.27	0	16.27	0.042	1.000	Pass
			25	Low	16.31	0	16.31	0.043	1.000	Pass
		Q256	1	Low	14.72	0	14.72	0.030	1.000	Pass
			1	Mid	14.73	0	14.73	0.030	1.000	Pass
			1	High	14.65	0	14.65	0.029	1.000	Pass
			12	Low	14.33	0	14.33	0.027	1.000	Pass
			12	Mid	14.31	0	14.31	0.027	1.000	Pass
			12	High	14.28	0	14.28	0.027	1.000	Pass
			25	Low	14.29	0	14.29	0.027	1.000	Pass
	MCH	QPSK	1	Low	19.19	0	19.19	0.083	1.000	Pass
			1	Mid	19.18	0	19.18	0.083	1.000	Pass
			1	High	19.19	0	19.19	0.083	1.000	Pass
			12	Low	18.17	0	18.17	0.066	1.000	Pass
			12	Mid	18.15	0	18.15	0.065	1.000	Pass
			12	High	18.14	0	18.14	0.065	1.000	Pass
			25	Low	18.19	0	18.19	0.066	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	18.46	0	18.46	0.070	1.000	Pass
			1	Mid	18.48	0	18.48	0.070	1.000	Pass
			1	High	18.44	0	18.44	0.070	1.000	Pass
			12	Low	17.18	0	17.18	0.052	1.000	Pass
			12	Mid	17.16	0	17.16	0.052	1.000	Pass
			12	High	17.16	0	17.16	0.052	1.000	Pass
			25	Low	17.19	0	17.19	0.052	1.000	Pass
		Q64	1	Low	17.71	0	17.71	0.059	1.000	Pass
			1	Mid	17.68	0	17.68	0.059	1.000	Pass
			1	High	17.7	0	17.70	0.059	1.000	Pass
			12	Low	16.28	0	16.28	0.042	1.000	Pass
			12	Mid	16.28	0	16.28	0.042	1.000	Pass
			12	High	16.26	0	16.26	0.042	1.000	Pass
			25	Low	16.14	0	16.14	0.041	1.000	Pass
		Q256	1	Low	14.56	0	14.56	0.029	1.000	Pass
			1	Mid	14.53	0	14.53	0.028	1.000	Pass
			1	High	14.54	0	14.54	0.028	1.000	Pass
			12	Low	14.14	0	14.14	0.026	1.000	Pass
			12	Mid	14.13	0	14.13	0.026	1.000	Pass
			12	High	14.11	0	14.11	0.026	1.000	Pass
			25	Low	14.16	0	14.16	0.026	1.000	Pass
	HCH	QPSK	1	Low	18.68	0	18.68	0.074	1.000	Pass
			1	Mid	18.73	0	18.73	0.075	1.000	Pass
			1	High	18.7	0	18.70	0.074	1.000	Pass
			12	Low	17.71	0	17.71	0.059	1.000	Pass
			12	Mid	17.73	0	17.73	0.059	1.000	Pass
			12	High	17.74	0	17.74	0.059	1.000	Pass
			25	Low	17.77	0	17.77	0.060	1.000	Pass
		Q16	1	Low	18.01	0	18.01	0.063	1.000	Pass
			1	Mid	18.05	0	18.05	0.064	1.000	Pass
			1	High	18.06	0	18.06	0.064	1.000	Pass
			12	Low	16.82	0	16.82	0.048	1.000	Pass
			12	Mid	16.82	0	16.82	0.048	1.000	Pass
			12	High	16.86	0	16.86	0.049	1.000	Pass
			25	Low	16.77	0	16.77	0.048	1.000	Pass
		Q64	1	Low	16.95	0	16.95	0.050	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	17.07	0	17.07	0.051	1.000	Pass
			1	High	17	0	17.00	0.050	1.000	Pass
			12	Low	15.65	0	15.65	0.037	1.000	Pass
			12	Mid	15.69	0	15.69	0.037	1.000	Pass
			12	High	15.73	0	15.73	0.037	1.000	Pass
			25	Low	15.68	0	15.68	0.037	1.000	Pass
		Q256	1	Low	14.04	0	14.04	0.025	1.000	Pass
			1	Mid	14.12	0	14.12	0.026	1.000	Pass
			1	High	14.09	0	14.09	0.026	1.000	Pass
			12	Low	13.73	0	13.73	0.024	1.000	Pass
			12	Mid	13.75	0	13.75	0.024	1.000	Pass
			12	High	13.79	0	13.79	0.024	1.000	Pass
			25	Low	13.74	0	13.74	0.024	1.000	Pass
10	LCH	QPSK	1	Low	19.27	0	19.27	0.085	1.000	Pass
			1	Mid	19.21	0	19.21	0.083	1.000	Pass
			1	High	19.18	0	19.18	0.083	1.000	Pass
			25	Low	18.28	0	18.28	0.067	1.000	Pass
			25	Mid	18.25	0	18.25	0.067	1.000	Pass
			25	High	18.26	0	18.26	0.067	1.000	Pass
			50	Low	18.26	0	18.26	0.067	1.000	Pass
		Q16	1	Low	18.56	0	18.56	0.072	1.000	Pass
			1	Mid	18.49	0	18.49	0.071	1.000	Pass
			1	High	18.48	0	18.48	0.070	1.000	Pass
			25	Low	17.28	0	17.28	0.053	1.000	Pass
			25	Mid	17.26	0	17.26	0.053	1.000	Pass
			25	High	17.24	0	17.24	0.053	1.000	Pass
			50	Low	17.27	0	17.27	0.053	1.000	Pass
		Q64	1	Low	17.14	0	17.14	0.052	1.000	Pass
			1	Mid	17.07	0	17.07	0.051	1.000	Pass
			1	High	17.04	0	17.04	0.051	1.000	Pass
			25	Low	16.3	0	16.30	0.043	1.000	Pass
			25	Mid	16.28	0	16.28	0.042	1.000	Pass
			25	High	16.28	0	16.28	0.042	1.000	Pass
			50	Low	16.25	0	16.25	0.042	1.000	Pass
		Q256	1	Low	14.51	0	14.51	0.028	1.000	Pass
			1	Mid	14.41	0	14.41	0.028	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
	MCH		1	High	14.39	0	14.39	0.027	1.000	Pass
			25	Low	14.29	0	14.29	0.027	1.000	Pass
			25	Mid	14.27	0	14.27	0.027	1.000	Pass
			25	High	14.28	0	14.28	0.027	1.000	Pass
			50	Low	14.28	0	14.28	0.027	1.000	Pass
		QPSK	1	Low	19.24	0	19.24	0.084	1.000	Pass
			1	Mid	19.23	0	19.23	0.084	1.000	Pass
			1	High	19.24	0	19.24	0.084	1.000	Pass
			25	Low	18.17	0	18.17	0.066	1.000	Pass
			25	Mid	18.17	0	18.17	0.066	1.000	Pass
			25	High	18.16	0	18.16	0.065	1.000	Pass
			50	Low	18.17	0	18.17	0.066	1.000	Pass
		Q16	1	Low	18.59	0	18.59	0.072	1.000	Pass
			1	Mid	18.59	0	18.59	0.072	1.000	Pass
			1	High	18.57	0	18.57	0.072	1.000	Pass
			25	Low	17.16	0	17.16	0.052	1.000	Pass
			25	Mid	17.15	0	17.15	0.052	1.000	Pass
			25	High	17.14	0	17.14	0.052	1.000	Pass
			50	Low	17.17	0	17.17	0.052	1.000	Pass
		Q64	1	Low	17.67	0	17.67	0.058	1.000	Pass
			1	Mid	17.63	0	17.63	0.058	1.000	Pass
			1	High	17.66	0	17.66	0.058	1.000	Pass
			25	Low	16.13	0	16.13	0.041	1.000	Pass
			25	Mid	16.13	0	16.13	0.041	1.000	Pass
			25	High	16.14	0	16.14	0.041	1.000	Pass
			50	Low	16.12	0	16.12	0.041	1.000	Pass
		Q256	1	Low	14.07	0	14.07	0.026	1.000	Pass
			1	Mid	14.02	0	14.02	0.025	1.000	Pass
			1	High	14.01	0	14.01	0.025	1.000	Pass
			25	Low	14.18	0	14.18	0.026	1.000	Pass
			25	Mid	14.18	0	14.18	0.026	1.000	Pass
			25	High	14.2	0	14.20	0.026	1.000	Pass
			50	Low	14.12	0	14.12	0.026	1.000	Pass
	HCH	QPSK	1	Low	18.69	0	18.69	0.074	1.000	Pass
			1	Mid	18.67	0	18.67	0.074	1.000	Pass
			1	High	18.7	0	18.70	0.074	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			25	Low	17.67	0	17.67	0.058	1.000	Pass
			25	Mid	17.7	0	17.70	0.059	1.000	Pass
			25	High	17.75	0	17.75	0.060	1.000	Pass
			50	Low	17.67	0	17.67	0.058	1.000	Pass
		Q16	1	Low	17.99	0	17.99	0.063	1.000	Pass
			1	Mid	18	0	18.00	0.063	1.000	Pass
			1	High	18.05	0	18.05	0.064	1.000	Pass
			25	Low	16.68	0	16.68	0.047	1.000	Pass
			25	Mid	16.7	0	16.70	0.047	1.000	Pass
			25	High	16.76	0	16.76	0.047	1.000	Pass
			50	Low	16.72	0	16.72	0.047	1.000	Pass
		Q64	1	Low	16.87	0	16.87	0.049	1.000	Pass
			1	Mid	16.88	0	16.88	0.049	1.000	Pass
			1	High	16.91	0	16.91	0.049	1.000	Pass
			25	Low	15.56	0	15.56	0.036	1.000	Pass
			25	Mid	15.6	0	15.60	0.036	1.000	Pass
			25	High	15.65	0	15.65	0.037	1.000	Pass
			50	Low	15.66	0	15.66	0.037	1.000	Pass
		Q256	1	Low	14.06	0	14.06	0.025	1.000	Pass
			1	Mid	14.07	0	14.07	0.026	1.000	Pass
			1	High	14.11	0	14.11	0.026	1.000	Pass
			25	Low	13.69	0	13.69	0.023	1.000	Pass
			25	Mid	13.68	0	13.68	0.023	1.000	Pass
			25	High	13.75	0	13.75	0.024	1.000	Pass
			50	Low	13.67	0	13.67	0.023	1.000	Pass
15	LCH	QPSK	1	Low	19.23	0	19.23	0.084	1.000	Pass
			1	Mid	19.18	0	19.18	0.083	1.000	Pass
			1	High	19.09	0	19.09	0.081	1.000	Pass
			36	Low	18.22	0	18.22	0.066	1.000	Pass
			36	Mid	18.2	0	18.20	0.066	1.000	Pass
			36	High	18.18	0	18.18	0.066	1.000	Pass
			75	Low	18.23	0	18.23	0.067	1.000	Pass
		Q16	1	Low	18.53	0	18.53	0.071	1.000	Pass
			1	Mid	18.5	0	18.50	0.071	1.000	Pass
			1	High	18.37	0	18.37	0.069	1.000	Pass
			36	Low	17.25	0	17.25	0.053	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	Mid	17.21	0	17.21	0.053	1.000	Pass
			36	High	17.19	0	17.19	0.052	1.000	Pass
			75	Low	17.26	0	17.26	0.053	1.000	Pass
		Q64	1	Low	17.14	0	17.14	0.052	1.000	Pass
			1	Mid	17.12	0	17.12	0.052	1.000	Pass
			1	High	16.96	0	16.96	0.050	1.000	Pass
			36	Low	16.3	0	16.30	0.043	1.000	Pass
			36	Mid	16.26	0	16.26	0.042	1.000	Pass
			36	High	16.23	0	16.23	0.042	1.000	Pass
			75	Low	16.25	0	16.25	0.042	1.000	Pass
		Q256	1	Low	14.49	0	14.49	0.028	1.000	Pass
			1	Mid	14.51	0	14.51	0.028	1.000	Pass
			1	High	14.34	0	14.34	0.027	1.000	Pass
			36	Low	14.3	0	14.30	0.027	1.000	Pass
			36	Mid	14.23	0	14.23	0.026	1.000	Pass
			36	High	14.25	0	14.25	0.027	1.000	Pass
			75	Low	14.27	0	14.27	0.027	1.000	Pass
	MCH	QPSK	1	Low	19.24	0	19.24	0.084	1.000	Pass
			1	Mid	19.3	0	19.30	0.085	1.000	Pass
			1	High	19.2	0	19.20	0.083	1.000	Pass
			36	Low	18.13	0	18.13	0.065	1.000	Pass
			36	Mid	18.13	0	18.13	0.065	1.000	Pass
			36	High	18.13	0	18.13	0.065	1.000	Pass
			75	Low	18.15	0	18.15	0.065	1.000	Pass
		Q16	1	Low	18.59	0	18.59	0.072	1.000	Pass
			1	Mid	18.62	0	18.62	0.073	1.000	Pass
			1	High	18.55	0	18.55	0.072	1.000	Pass
			36	Low	17.14	0	17.14	0.052	1.000	Pass
			36	Mid	17.14	0	17.14	0.052	1.000	Pass
			36	High	17.13	0	17.13	0.052	1.000	Pass
			75	Low	17.18	0	17.18	0.052	1.000	Pass
		Q64	1	Low	17.65	0	17.65	0.058	1.000	Pass
			1	Mid	17.67	0	17.67	0.058	1.000	Pass
			1	High	17.63	0	17.63	0.058	1.000	Pass
			36	Low	16.2	0	16.20	0.042	1.000	Pass
			36	Mid	16.21	0	16.21	0.042	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	High	16.2	0	16.20	0.042	1.000	Pass
			75	Low	16.2	0	16.20	0.042	1.000	Pass
		Q256	1	Low	14.04	0	14.04	0.025	1.000	Pass
			1	Mid	14.11	0	14.11	0.026	1.000	Pass
			1	High	14.04	0	14.04	0.025	1.000	Pass
			36	Low	14.18	0	14.18	0.026	1.000	Pass
			36	Mid	14.15	0	14.15	0.026	1.000	Pass
			36	High	14.16	0	14.16	0.026	1.000	Pass
			75	Low	14.16	0	14.16	0.026	1.000	Pass
	HCH	QPSK	1	Low	18.68	0	18.68	0.074	1.000	Pass
			1	Mid	18.76	0	18.76	0.075	1.000	Pass
			1	High	18.74	0	18.74	0.075	1.000	Pass
			36	Low	17.66	0	17.66	0.058	1.000	Pass
			36	Mid	17.71	0	17.71	0.059	1.000	Pass
			36	High	17.72	0	17.72	0.059	1.000	Pass
			75	Low	17.71	0	17.71	0.059	1.000	Pass
		Q16	1	Low	17.91	0	17.91	0.062	1.000	Pass
			1	Mid	18.01	0	18.01	0.063	1.000	Pass
			1	High	18	0	18.00	0.063	1.000	Pass
			36	Low	16.71	0	16.71	0.047	1.000	Pass
			36	Mid	16.76	0	16.76	0.047	1.000	Pass
			36	High	16.79	0	16.79	0.048	1.000	Pass
			75	Low	16.75	0	16.75	0.047	1.000	Pass
		Q64	1	Low	16.73	0	16.73	0.047	1.000	Pass
			1	Mid	16.81	0	16.81	0.048	1.000	Pass
			1	High	16.8	0	16.80	0.048	1.000	Pass
			36	Low	15.67	0	15.67	0.037	1.000	Pass
			36	Mid	15.69	0	15.69	0.037	1.000	Pass
			36	High	15.72	0	15.72	0.037	1.000	Pass
			75	Low	15.75	0	15.75	0.038	1.000	Pass
		Q256	1	Low	14.19	0	14.19	0.026	1.000	Pass
			1	Mid	14.27	0	14.27	0.027	1.000	Pass
			1	High	14.29	0	14.29	0.027	1.000	Pass
			36	Low	13.68	0	13.68	0.023	1.000	Pass
			36	Mid	13.72	0	13.72	0.024	1.000	Pass
			36	High	13.74	0	13.74	0.024	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
20	LCH	QPSK	75	Low	13.78	0	13.78	0.024	1.000	Pass
			1	Low	19.31	0	19.31	0.085	1.000	Pass
			1	Mid	19.27	0	19.27	0.085	1.000	Pass
			1	High	19.24	0	19.24	0.084	1.000	Pass
			50	Low	18.29	0	18.29	0.067	1.000	Pass
			50	Mid	18.25	0	18.25	0.067	1.000	Pass
			50	High	18.27	0	18.27	0.067	1.000	Pass
		Q16	100	Low	18.29	0	18.29	0.067	1.000	Pass
			1	Low	18.57	0	18.57	0.072	1.000	Pass
			1	Mid	18.55	0	18.55	0.072	1.000	Pass
			1	High	18.52	0	18.52	0.071	1.000	Pass
			50	Low	17.27	0	17.27	0.053	1.000	Pass
			50	Mid	17.25	0	17.25	0.053	1.000	Pass
			50	High	17.26	0	17.26	0.053	1.000	Pass
		Q64	100	Low	17.28	0	17.28	0.053	1.000	Pass
			1	Low	17.83	0	17.83	0.061	1.000	Pass
			1	Mid	17.8	0	17.80	0.060	1.000	Pass
			1	High	17.76	0	17.76	0.060	1.000	Pass
			50	Low	16.3	0	16.30	0.043	1.000	Pass
			50	Mid	16.27	0	16.27	0.042	1.000	Pass
			50	High	16.29	0	16.29	0.043	1.000	Pass
		Q256	100	Low	16.25	0	16.25	0.042	1.000	Pass
			1	Low	14.72	0	14.72	0.030	1.000	Pass
			1	Mid	14.73	0	14.73	0.030	1.000	Pass
			1	High	14.65	0	14.65	0.029	1.000	Pass
			50	Low	14.3	0	14.30	0.027	1.000	Pass
			50	Mid	14.27	0	14.27	0.027	1.000	Pass
			50	High	14.27	0	14.27	0.027	1.000	Pass
	MCH	QPSK	100	Low	14.28	0	14.28	0.027	1.000	Pass
			1	Low	19.29	0	19.29	0.085	1.000	Pass
			1	Mid	19.34	0	19.34	0.086	1.000	Pass
			1	High	19.28	0	19.28	0.085	1.000	Pass
			50	Low	18.2	0	18.20	0.066	1.000	Pass
			50	Mid	18.2	0	18.20	0.066	1.000	Pass
			50	High	18.2	0	18.20	0.066	1.000	Pass
			100	Low	18.19	0	18.19	0.066	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	18.32	0	18.32	0.068	1.000	Pass
			1	Mid	18.36	0	18.36	0.069	1.000	Pass
			1	High	18.29	0	18.29	0.067	1.000	Pass
			50	Low	17.21	0	17.21	0.053	1.000	Pass
			50	Mid	17.22	0	17.22	0.053	1.000	Pass
			50	High	17.19	0	17.19	0.052	1.000	Pass
			100	Low	17.2	0	17.20	0.052	1.000	Pass
		Q64	1	Low	17.3	0	17.30	0.054	1.000	Pass
			1	Mid	17.34	0	17.34	0.054	1.000	Pass
			1	High	17.28	0	17.28	0.053	1.000	Pass
			50	Low	16.22	0	16.22	0.042	1.000	Pass
			50	Mid	16.23	0	16.23	0.042	1.000	Pass
			50	High	16.21	0	16.21	0.042	1.000	Pass
			100	Low	16.2	0	16.20	0.042	1.000	Pass
		Q256	1	Low	14.4	0	14.40	0.028	1.000	Pass
			1	Mid	14.42	0	14.42	0.028	1.000	Pass
			1	High	14.36	0	14.36	0.027	1.000	Pass
			50	Low	14.23	0	14.23	0.026	1.000	Pass
			50	Mid	14.22	0	14.22	0.026	1.000	Pass
			50	High	14.22	0	14.22	0.026	1.000	Pass
			100	Low	14.22	0	14.22	0.026	1.000	Pass
	HCH	QPSK	1	Low	18.7	0	18.70	0.074	1.000	Pass
			1	Mid	18.72	0	18.72	0.074	1.000	Pass
			1	High	18.69	0	18.69	0.074	1.000	Pass
			50	Low	17.66	0	17.66	0.058	1.000	Pass
			50	Mid	17.74	0	17.74	0.059	1.000	Pass
			50	High	17.75	0	17.75	0.060	1.000	Pass
			100	Low	17.71	0	17.71	0.059	1.000	Pass
		Q16	1	Low	18.09	0	18.09	0.064	1.000	Pass
			1	Mid	18.13	0	18.13	0.065	1.000	Pass
			1	High	18.12	0	18.12	0.065	1.000	Pass
			50	Low	16.68	0	16.68	0.047	1.000	Pass
			50	Mid	16.75	0	16.75	0.047	1.000	Pass
			50	High	16.77	0	16.77	0.048	1.000	Pass
			100	Low	16.7	0	16.70	0.047	1.000	Pass
		Q64	1	Low	16.97	0	16.97	0.050	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	17.02	0	17.02	0.050	1.000	Pass
			1	High	16.98	0	16.98	0.050	1.000	Pass
			50	Low	15.7	0	15.70	0.037	1.000	Pass
			50	Mid	15.77	0	15.77	0.038	1.000	Pass
			50	High	15.77	0	15.77	0.038	1.000	Pass
			100	Low	15.75	0	15.75	0.038	1.000	Pass
		Q256	1	Low	14.05	0	14.05	0.025	1.000	Pass
			1	Mid	14.1	0	14.10	0.026	1.000	Pass
			1	High	14.07	0	14.07	0.026	1.000	Pass
			50	Low	13.69	0	13.69	0.023	1.000	Pass
			50	Mid	13.77	0	13.77	0.024	1.000	Pass
			50	High	13.75	0	13.75	0.024	1.000	Pass
			100	Low	13.74	0	13.74	0.024	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
5	LCH	QPSK	1	Low	19.07	0	19.07	0.081	1.000	Pass
			1	Mid	19.05	0	19.05	0.080	1.000	Pass
			1	High	19.03	0	19.03	0.080	1.000	Pass
			12	Low	18.04	0	18.04	0.064	1.000	Pass
			12	Mid	18.01	0	18.01	0.063	1.000	Pass
			12	High	18	0	18.00	0.063	1.000	Pass
			25	Low	18.08	0	18.08	0.064	1.000	Pass
		Q16	1	Low	18.33	0	18.33	0.068	1.000	Pass
			1	Mid	18.32	0	18.32	0.068	1.000	Pass
			1	High	18.28	0	18.28	0.067	1.000	Pass
			12	Low	17.1	0	17.10	0.051	1.000	Pass
			12	Mid	17.08	0	17.08	0.051	1.000	Pass
			12	High	17.06	0	17.06	0.051	1.000	Pass
			25	Low	17.05	0	17.05	0.051	1.000	Pass
		Q64	1	Low	17.12	0	17.12	0.052	1.000	Pass
			1	Mid	17.09	0	17.09	0.051	1.000	Pass
			1	High	17.09	0	17.09	0.051	1.000	Pass
			12	Low	16.04	0	16.04	0.040	1.000	Pass
			12	Mid	16.02	0	16.02	0.040	1.000	Pass
			12	High	16.01	0	16.01	0.040	1.000	Pass
			25	Low	16.06	0	16.06	0.040	1.000	Pass
		Q256	1	Low	14.4	0	14.40	0.028	1.000	Pass
			1	Mid	14.4	0	14.40	0.028	1.000	Pass
			1	High	14.37	0	14.37	0.027	1.000	Pass
			12	Low	14.02	0	14.02	0.025	1.000	Pass
			12	Mid	13.98	0	13.98	0.025	1.000	Pass
			12	High	13.97	0	13.97	0.025	1.000	Pass
			25	Low	13.98	0	13.98	0.025	1.000	Pass
	MCH	QPSK	1	Low	18.79	0	18.79	0.076	1.000	Pass
			1	Mid	18.75	0	18.75	0.075	1.000	Pass
			1	High	18.74	0	18.74	0.075	1.000	Pass
			12	Low	17.75	0	17.75	0.060	1.000	Pass
			12	Mid	17.72	0	17.72	0.059	1.000	Pass
			12	High	17.72	0	17.72	0.059	1.000	Pass
			25	Low	17.74	0	17.74	0.059	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q16	1	Low	18.07	0	18.07	0.064	1.000	Pass
			1	Mid	18.03	0	18.03	0.064	1.000	Pass
			1	High	17.99	0	17.99	0.063	1.000	Pass
			12	Low	16.76	0	16.76	0.047	1.000	Pass
			12	Mid	16.73	0	16.73	0.047	1.000	Pass
			12	High	16.72	0	16.72	0.047	1.000	Pass
			25	Low	16.75	0	16.75	0.047	1.000	Pass
		Q64	1	Low	17.29	0	17.29	0.054	1.000	Pass
			1	Mid	17.23	0	17.23	0.053	1.000	Pass
			1	High	17.24	0	17.24	0.053	1.000	Pass
			12	Low	15.84	0	15.84	0.038	1.000	Pass
			12	Mid	15.81	0	15.81	0.038	1.000	Pass
			12	High	15.8	0	15.80	0.038	1.000	Pass
			25	Low	15.69	0	15.69	0.037	1.000	Pass
		Q256	1	Low	14.03	0	14.03	0.025	1.000	Pass
			1	Mid	14	0	14.00	0.025	1.000	Pass
			1	High	13.97	0	13.97	0.025	1.000	Pass
			12	Low	13.64	0	13.64	0.023	1.000	Pass
			12	Mid	13.63	0	13.63	0.023	1.000	Pass
			12	High	13.61	0	13.61	0.023	1.000	Pass
			25	Low	13.67	0	13.67	0.023	1.000	Pass
	HCH	QPSK	1	Low	18.58	0	18.58	0.072	1.000	Pass
			1	Mid	18.58	0	18.58	0.072	1.000	Pass
			1	High	18.55	0	18.55	0.072	1.000	Pass
			12	Low	17.61	0	17.61	0.058	1.000	Pass
			12	Mid	17.57	0	17.57	0.057	1.000	Pass
			12	High	17.57	0	17.57	0.057	1.000	Pass
			25	Low	17.61	0	17.61	0.058	1.000	Pass
		Q16	1	Low	17.97	0	17.97	0.063	1.000	Pass
			1	Mid	17.98	0	17.98	0.063	1.000	Pass
			1	High	17.94	0	17.94	0.062	1.000	Pass
			12	Low	16.71	0	16.71	0.047	1.000	Pass
			12	Mid	16.67	0	16.67	0.046	1.000	Pass
			12	High	16.65	0	16.65	0.046	1.000	Pass
			25	Low	16.61	0	16.61	0.046	1.000	Pass
		Q64	1	Low	16.86	0	16.86	0.049	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			1	Mid	16.91	0	16.91	0.049	1.000	Pass
			1	High	16.82	0	16.82	0.048	1.000	Pass
			12	Low	15.54	0	15.54	0.036	1.000	Pass
			12	Mid	15.5	0	15.50	0.035	1.000	Pass
			12	High	15.49	0	15.49	0.035	1.000	Pass
			25	Low	15.49	0	15.49	0.035	1.000	Pass
		Q256	1	Low	13.87	0	13.87	0.024	1.000	Pass
			1	Mid	13.89	0	13.89	0.024	1.000	Pass
			1	High	13.84	0	13.84	0.024	1.000	Pass
			12	Low	13.54	0	13.54	0.023	1.000	Pass
			12	Mid	13.51	0	13.51	0.022	1.000	Pass
			12	High	13.53	0	13.53	0.023	1.000	Pass
			25	Low	13.52	0	13.52	0.022	1.000	Pass
10	LCH	QPSK	1	Low	19.06	0	19.06	0.081	1.000	Pass
			1	Mid	18.98	0	18.98	0.079	1.000	Pass
			1	High	18.99	0	18.99	0.079	1.000	Pass
			25	Low	18.07	0	18.07	0.064	1.000	Pass
			25	Mid	18.03	0	18.03	0.064	1.000	Pass
			25	High	18.02	0	18.02	0.063	1.000	Pass
			50	Low	18.04	0	18.04	0.064	1.000	Pass
		Q16	1	Low	18.38	0	18.38	0.069	1.000	Pass
			1	Mid	18.32	0	18.32	0.068	1.000	Pass
			1	High	18.31	0	18.31	0.068	1.000	Pass
			25	Low	17.05	0	17.05	0.051	1.000	Pass
			25	Mid	17.01	0	17.01	0.050	1.000	Pass
			25	High	17	0	17.00	0.050	1.000	Pass
			50	Low	17.03	0	17.03	0.050	1.000	Pass
		Q64	1	Low	16.94	0	16.94	0.049	1.000	Pass
			1	Mid	16.89	0	16.89	0.049	1.000	Pass
			1	High	16.86	0	16.86	0.049	1.000	Pass
			25	Low	16.06	0	16.06	0.040	1.000	Pass
			25	Mid	16.01	0	16.01	0.040	1.000	Pass
			25	High	16	0	16.00	0.040	1.000	Pass
			50	Low	15.99	0	15.99	0.040	1.000	Pass
		Q256	1	Low	14.2	0	14.20	0.026	1.000	Pass
			1	Mid	14.1	0	14.10	0.026	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
	MCH		1	High	14.09	0	14.09	0.026	1.000	Pass
			25	Low	14	0	14.00	0.025	1.000	Pass
			25	Mid	13.94	0	13.94	0.025	1.000	Pass
			25	High	13.96	0	13.96	0.025	1.000	Pass
			50	Low	13.99	0	13.99	0.025	1.000	Pass
		QPSK	1	Low	18.87	0	18.87	0.077	1.000	Pass
			1	Mid	18.8	0	18.80	0.076	1.000	Pass
			1	High	18.83	0	18.83	0.076	1.000	Pass
			25	Low	17.77	0	17.77	0.060	1.000	Pass
			25	Mid	17.74	0	17.74	0.059	1.000	Pass
			25	High	17.76	0	17.76	0.060	1.000	Pass
			50	Low	17.72	0	17.72	0.059	1.000	Pass
		Q16	1	Low	18.22	0	18.22	0.066	1.000	Pass
			1	Mid	18.16	0	18.16	0.065	1.000	Pass
			1	High	18.17	0	18.17	0.066	1.000	Pass
			25	Low	16.73	0	16.73	0.047	1.000	Pass
			25	Mid	16.71	0	16.71	0.047	1.000	Pass
			25	High	16.7	0	16.70	0.047	1.000	Pass
			50	Low	16.74	0	16.74	0.047	1.000	Pass
		Q64	1	Low	17.24	0	17.24	0.053	1.000	Pass
			1	Mid	17.15	0	17.15	0.052	1.000	Pass
			1	High	17.21	0	17.21	0.053	1.000	Pass
			25	Low	15.71	0	15.71	0.037	1.000	Pass
			25	Mid	15.65	0	15.65	0.037	1.000	Pass
			25	High	15.67	0	15.67	0.037	1.000	Pass
			50	Low	15.65	0	15.65	0.037	1.000	Pass
		Q256	1	Low	13.5	0	13.50	0.022	1.000	Pass
			1	Mid	13.43	0	13.43	0.022	1.000	Pass
			1	High	13.46	0	13.46	0.022	1.000	Pass
			25	Low	13.73	0	13.73	0.024	1.000	Pass
			25	Mid	13.68	0	13.68	0.023	1.000	Pass
			25	High	13.73	0	13.73	0.024	1.000	Pass
			50	Low	13.64	0	13.64	0.023	1.000	Pass
	HCH	QPSK	1	Low	18.62	0	18.62	0.073	1.000	Pass
			1	Mid	18.53	0	18.53	0.071	1.000	Pass
			1	High	18.54	0	18.54	0.071	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			25	Low	17.62	0	17.62	0.058	1.000	Pass
			25	Mid	17.6	0	17.60	0.058	1.000	Pass
			25	High	17.58	0	17.58	0.057	1.000	Pass
			50	Low	17.59	0	17.59	0.057	1.000	Pass
		Q16	1	Low	18.03	0	18.03	0.064	1.000	Pass
			1	Mid	17.94	0	17.94	0.062	1.000	Pass
			1	High	17.94	0	17.94	0.062	1.000	Pass
			25	Low	16.61	0	16.61	0.046	1.000	Pass
			25	Mid	16.6	0	16.60	0.046	1.000	Pass
			25	High	16.59	0	16.59	0.046	1.000	Pass
			50	Low	16.61	0	16.61	0.046	1.000	Pass
		Q64	1	Low	16.85	0	16.85	0.048	1.000	Pass
			1	Mid	16.79	0	16.79	0.048	1.000	Pass
			1	High	16.78	0	16.78	0.048	1.000	Pass
			25	Low	15.49	0	15.49	0.035	1.000	Pass
			25	Mid	15.47	0	15.47	0.035	1.000	Pass
			25	High	15.47	0	15.47	0.035	1.000	Pass
			50	Low	15.52	0	15.52	0.036	1.000	Pass
		Q256	1	Low	13.92	0	13.92	0.025	1.000	Pass
			1	Mid	13.87	0	13.87	0.024	1.000	Pass
			1	High	13.86	0	13.86	0.024	1.000	Pass
			25	Low	13.55	0	13.55	0.023	1.000	Pass
			25	Mid	13.51	0	13.51	0.022	1.000	Pass
			25	High	13.51	0	13.51	0.022	1.000	Pass
			50	Low	13.51	0	13.51	0.022	1.000	Pass
15	LCH	QPSK	1	Low	19.02	0	19.02	0.080	1.000	Pass
			1	Mid	19	0	19.00	0.079	1.000	Pass
			1	High	18.94	0	18.94	0.078	1.000	Pass
			36	Low	18.02	0	18.02	0.063	1.000	Pass
			36	Mid	18.01	0	18.01	0.063	1.000	Pass
			36	High	17.97	0	17.97	0.063	1.000	Pass
			75	Low	18.02	0	18.02	0.063	1.000	Pass
		Q16	1	Low	18.38	0	18.38	0.069	1.000	Pass
			1	Mid	18.35	0	18.35	0.068	1.000	Pass
			1	High	18.27	0	18.27	0.067	1.000	Pass
			36	Low	17.02	0	17.02	0.050	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			36	Mid	17	0	17.00	0.050	1.000	Pass
			36	High	16.96	0	16.96	0.050	1.000	Pass
			75	Low	17.02	0	17.02	0.050	1.000	Pass
		Q64	1	Low	16.91	0	16.91	0.049	1.000	Pass
			1	Mid	16.9	0	16.90	0.049	1.000	Pass
			1	High	16.81	0	16.81	0.048	1.000	Pass
			36	Low	16.07	0	16.07	0.040	1.000	Pass
			36	Mid	16	0	16.00	0.040	1.000	Pass
			36	High	16	0	16.00	0.040	1.000	Pass
			75	Low	15.98	0	15.98	0.040	1.000	Pass
		Q256	1	Low	14.2	0	14.20	0.026	1.000	Pass
			1	Mid	14.19	0	14.19	0.026	1.000	Pass
			1	High	14.1	0	14.10	0.026	1.000	Pass
			36	Low	13.99	0	13.99	0.025	1.000	Pass
			36	Mid	13.94	0	13.94	0.025	1.000	Pass
			36	High	13.93	0	13.93	0.025	1.000	Pass
			75	Low	13.97	0	13.97	0.025	1.000	Pass
	MCH	QPSK	1	Low	18.89	0	18.89	0.077	1.000	Pass
			1	Mid	18.83	0	18.83	0.076	1.000	Pass
			1	High	18.79	0	18.79	0.076	1.000	Pass
			36	Low	17.75	0	17.75	0.060	1.000	Pass
			36	Mid	17.71	0	17.71	0.059	1.000	Pass
			36	High	17.7	0	17.70	0.059	1.000	Pass
			75	Low	17.74	0	17.74	0.059	1.000	Pass
		Q16	1	Low	18.25	0	18.25	0.067	1.000	Pass
			1	Mid	18.2	0	18.20	0.066	1.000	Pass
			1	High	18.17	0	18.17	0.066	1.000	Pass
			36	Low	16.73	0	16.73	0.047	1.000	Pass
			36	Mid	16.68	0	16.68	0.047	1.000	Pass
			36	High	16.69	0	16.69	0.047	1.000	Pass
			75	Low	16.74	0	16.74	0.047	1.000	Pass
		Q64	1	Low	17.26	0	17.26	0.053	1.000	Pass
			1	Mid	17.2	0	17.20	0.052	1.000	Pass
			1	High	17.18	0	17.18	0.052	1.000	Pass
			36	Low	15.79	0	15.79	0.038	1.000	Pass
			36	Mid	15.73	0	15.73	0.037	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			36	High	15.72	0	15.72	0.037	1.000	Pass
			75	Low	15.74	0	15.74	0.037	1.000	Pass
		Q256	1	Low	13.53	0	13.53	0.023	1.000	Pass
			1	Mid	13.51	0	13.51	0.022	1.000	Pass
			1	High	13.44	0	13.44	0.022	1.000	Pass
			36	Low	13.68	0	13.68	0.023	1.000	Pass
			36	Mid	13.65	0	13.65	0.023	1.000	Pass
			36	High	13.65	0	13.65	0.023	1.000	Pass
			75	Low	13.66	0	13.66	0.023	1.000	Pass
		QPSK	1	Low	18.63	0	18.63	0.073	1.000	Pass
			1	Mid	18.61	0	18.61	0.073	1.000	Pass
			1	High	18.54	0	18.54	0.071	1.000	Pass
			36	Low	17.58	0	17.58	0.057	1.000	Pass
			36	Mid	17.56	0	17.56	0.057	1.000	Pass
			36	High	17.54	0	17.54	0.057	1.000	Pass
			75	Low	17.58	0	17.58	0.057	1.000	Pass
	HCH	Q16	1	Low	17.91	0	17.91	0.062	1.000	Pass
			1	Mid	17.9	0	17.90	0.062	1.000	Pass
			1	High	17.85	0	17.85	0.061	1.000	Pass
			36	Low	16.61	0	16.61	0.046	1.000	Pass
			36	Mid	16.59	0	16.59	0.046	1.000	Pass
			36	High	16.57	0	16.57	0.045	1.000	Pass
			75	Low	16.59	0	16.59	0.046	1.000	Pass
		Q64	1	Low	16.69	0	16.69	0.047	1.000	Pass
			1	Mid	16.68	0	16.68	0.047	1.000	Pass
			1	High	16.61	0	16.61	0.046	1.000	Pass
			36	Low	15.53	0	15.53	0.036	1.000	Pass
			36	Mid	15.5	0	15.50	0.035	1.000	Pass
			36	High	15.48	0	15.48	0.035	1.000	Pass
			75	Low	15.56	0	15.56	0.036	1.000	Pass
		Q256	1	Low	14.01	0	14.01	0.025	1.000	Pass
			1	Mid	14	0	14.00	0.025	1.000	Pass
			1	High	13.93	0	13.93	0.025	1.000	Pass
			36	Low	13.52	0	13.52	0.022	1.000	Pass
			36	Mid	13.47	0	13.47	0.022	1.000	Pass
			36	High	13.49	0	13.49	0.022	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
20	LCH	QPSK	75	Low	13.55	0	13.55	0.023	1.000	Pass
			1	Low	19.11	0	19.11	0.081	1.000	Pass
			1	Mid	19.06	0	19.06	0.081	1.000	Pass
			1	High	19.04	0	19.04	0.080	1.000	Pass
			50	Low	18.05	0	18.05	0.064	1.000	Pass
			50	Mid	18.04	0	18.04	0.064	1.000	Pass
			50	High	18.03	0	18.03	0.064	1.000	Pass
		Q16	100	Low	18.04	0	18.04	0.064	1.000	Pass
			1	Low	18.42	0	18.42	0.070	1.000	Pass
			1	Mid	18.35	0	18.35	0.068	1.000	Pass
			1	High	18.32	0	18.32	0.068	1.000	Pass
			50	Low	17.04	0	17.04	0.051	1.000	Pass
			50	Mid	17.01	0	17.01	0.050	1.000	Pass
			50	High	17	0	17.00	0.050	1.000	Pass
		Q64	100	Low	17	0	17.00	0.050	1.000	Pass
			1	Low	17.65	0	17.65	0.058	1.000	Pass
			1	Mid	17.57	0	17.57	0.057	1.000	Pass
			1	High	17.55	0	17.55	0.057	1.000	Pass
			50	Low	16.04	0	16.04	0.040	1.000	Pass
			50	Mid	16.02	0	16.02	0.040	1.000	Pass
			50	High	16.01	0	16.01	0.040	1.000	Pass
		Q256	100	Low	15.98	0	15.98	0.040	1.000	Pass
			1	Low	14.41	0	14.41	0.028	1.000	Pass
			1	Mid	14.36	0	14.36	0.027	1.000	Pass
			1	High	14.31	0	14.31	0.027	1.000	Pass
			50	Low	13.98	0	13.98	0.025	1.000	Pass
			50	Mid	13.95	0	13.95	0.025	1.000	Pass
			50	High	13.95	0	13.95	0.025	1.000	Pass
	MCH	QPSK	100	Low	13.95	0	13.95	0.025	1.000	Pass
			1	Low	18.93	0	18.93	0.078	1.000	Pass
			1	Mid	18.83	0	18.83	0.076	1.000	Pass
			1	High	18.8	0	18.80	0.076	1.000	Pass
			50	Low	17.82	0	17.82	0.061	1.000	Pass
			50	Mid	17.76	0	17.76	0.060	1.000	Pass
			50	High	17.76	0	17.76	0.060	1.000	Pass
			100	Low	17.78	0	17.78	0.060	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
		Q16	1	Low	18.02	0	18.02	0.063	1.000	Pass
			1	Mid	17.91	0	17.91	0.062	1.000	Pass
			1	High	17.9	0	17.90	0.062	1.000	Pass
			50	Low	16.82	0	16.82	0.048	1.000	Pass
			50	Mid	16.76	0	16.76	0.047	1.000	Pass
			50	High	16.74	0	16.74	0.047	1.000	Pass
			100	Low	16.75	0	16.75	0.047	1.000	Pass
		Q64	1	Low	16.94	0	16.94	0.049	1.000	Pass
			1	Mid	16.85	0	16.85	0.048	1.000	Pass
			1	High	16.83	0	16.83	0.048	1.000	Pass
			50	Low	15.8	0	15.80	0.038	1.000	Pass
			50	Mid	15.73	0	15.73	0.037	1.000	Pass
			50	High	15.73	0	15.73	0.037	1.000	Pass
			100	Low	15.73	0	15.73	0.037	1.000	Pass
		Q256	1	Low	13.95	0	13.95	0.025	1.000	Pass
			1	Mid	13.87	0	13.87	0.024	1.000	Pass
			1	High	13.83	0	13.83	0.024	1.000	Pass
			50	Low	13.75	0	13.75	0.024	1.000	Pass
			50	Mid	13.71	0	13.71	0.023	1.000	Pass
			50	High	13.69	0	13.69	0.023	1.000	Pass
			100	Low	13.71	0	13.71	0.023	1.000	Pass
	HCH	QPSK	1	Low	18.68	0	18.68	0.074	1.000	Pass
			1	Mid	18.66	0	18.66	0.073	1.000	Pass
			1	High	18.6	0	18.60	0.072	1.000	Pass
			50	Low	17.63	0	17.63	0.058	1.000	Pass
			50	Mid	17.63	0	17.63	0.058	1.000	Pass
			50	High	17.58	0	17.58	0.057	1.000	Pass
			100	Low	17.6	0	17.60	0.058	1.000	Pass
		Q16	1	Low	18.03	0	18.03	0.064	1.000	Pass
			1	Mid	18.05	0	18.05	0.064	1.000	Pass
			1	High	17.98	0	17.98	0.063	1.000	Pass
			50	Low	16.66	0	16.66	0.046	1.000	Pass
			50	Mid	16.63	0	16.63	0.046	1.000	Pass
			50	High	16.6	0	16.60	0.046	1.000	Pass
			100	Low	16.62	0	16.62	0.046	1.000	Pass
		Q64	1	Low	16.99	0	16.99	0.050	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 43(3700-3800)										
			1	Mid	17.02	0	17.02	0.050	1.000	Pass
			1	High	16.92	0	16.92	0.049	1.000	Pass
			50	Low	15.65	0	15.65	0.037	1.000	Pass
			50	Mid	15.62	0	15.62	0.036	1.000	Pass
			50	High	15.57	0	15.57	0.036	1.000	Pass
			100	Low	15.61	0	15.61	0.036	1.000	Pass
		Q256	1	Low	13.9	0	13.90	0.025	1.000	Pass
			1	Mid	13.91	0	13.91	0.025	1.000	Pass
			1	High	13.84	0	13.84	0.024	1.000	Pass
			50	Low	13.58	0	13.58	0.023	1.000	Pass
			50	Mid	13.56	0	13.56	0.023	1.000	Pass
			50	High	13.52	0	13.52	0.022	1.000	Pass
			100	Low	13.57	0	13.57	0.023	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
1.4	LCH	QPSK	1	Low	15.53	-4	11.53	0.014	1.000	Pass
			1	Mid	15.48	-4	11.48	0.014	1.000	Pass
			1	High	15.56	-4	11.56	0.014	1.000	Pass
			3	Low	15.36	-4	11.36	0.014	1.000	Pass
			3	Mid	15.35	-4	11.35	0.014	1.000	Pass
			3	High	15.3	-4	11.30	0.013	1.000	Pass
			6	Low	14.32	-4	10.32	0.011	1.000	Pass
		Q16	1	Low	14.44	-4	10.44	0.011	1.000	Pass
			1	Mid	14.45	-4	10.45	0.011	1.000	Pass
			1	High	14.52	-4	10.52	0.011	1.000	Pass
			3	Low	14.33	-4	10.33	0.011	1.000	Pass
			3	Mid	14.36	-4	10.36	0.011	1.000	Pass
			3	High	14.38	-4	10.38	0.011	1.000	Pass
			6	Low	13.44	-4	9.44	0.009	1.000	Pass
		Q64	1	Low	13.49	-4	9.49	0.009	1.000	Pass
			1	Mid	13.52	-4	9.52	0.009	1.000	Pass
			1	High	13.53	-4	9.53	0.009	1.000	Pass
			3	Low	13.52	-4	9.52	0.009	1.000	Pass
			3	Mid	13.46	-4	9.46	0.009	1.000	Pass
			3	High	13.49	-4	9.49	0.009	1.000	Pass
			6	Low	12.63	-4	8.63	0.007	1.000	Pass
		Q256	1	Low	10.32	-4	6.32	0.004	1.000	Pass
			1	Mid	10.28	-4	6.28	0.004	1.000	Pass
			1	High	10.36	-4	6.36	0.004	1.000	Pass
			3	Low	10.52	-4	6.52	0.004	1.000	Pass
			3	Mid	10.51	-4	6.51	0.004	1.000	Pass
			3	High	10.53	-4	6.53	0.004	1.000	Pass
			6	Low	10.44	-4	6.44	0.004	1.000	Pass
	MCH	QPSK	1	Low	15.18	-4	11.18	0.013	1.000	Pass
			1	Mid	15.18	-4	11.18	0.013	1.000	Pass
			1	High	15.18	-4	11.18	0.013	1.000	Pass
			3	Low	15.24	-4	11.24	0.013	1.000	Pass
			3	Mid	15.18	-4	11.18	0.013	1.000	Pass
			3	High	15.24	-4	11.24	0.013	1.000	Pass
			6	Low	14.21	-4	10.21	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	14.36	-4	10.36	0.011	1.000	Pass
			1	Mid	14.29	-4	10.29	0.011	1.000	Pass
			1	High	14.37	-4	10.37	0.011	1.000	Pass
			3	Low	14.38	-4	10.38	0.011	1.000	Pass
			3	Mid	14.35	-4	10.35	0.011	1.000	Pass
			3	High	14.34	-4	10.34	0.011	1.000	Pass
		Q64	6	Low	13.42	-4	9.42	0.009	1.000	Pass
			1	Low	13.38	-4	9.38	0.009	1.000	Pass
			1	Mid	13.31	-4	9.31	0.009	1.000	Pass
			1	High	13.43	-4	9.43	0.009	1.000	Pass
			3	Low	13.16	-4	9.16	0.008	1.000	Pass
			3	Mid	13.11	-4	9.11	0.008	1.000	Pass
			3	High	13.11	-4	9.11	0.008	1.000	Pass
			6	Low	12.31	-4	8.31	0.007	1.000	Pass
		Q256	1	Low	10.1	-4	6.10	0.004	1.000	Pass
			1	Mid	10.13	-4	6.13	0.004	1.000	Pass
			1	High	10.15	-4	6.15	0.004	1.000	Pass
			3	Low	10.28	-4	6.28	0.004	1.000	Pass
			3	Mid	10.29	-4	6.29	0.004	1.000	Pass
			3	High	10.27	-4	6.27	0.004	1.000	Pass
			6	Low	10.26	-4	6.26	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.19	-4	11.19	0.013	1.000	Pass
			1	Mid	15.14	-4	11.14	0.013	1.000	Pass
			1	High	15.17	-4	11.17	0.013	1.000	Pass
			3	Low	14.98	-4	10.98	0.013	1.000	Pass
			3	Mid	14.99	-4	10.99	0.013	1.000	Pass
			3	High	15.02	-4	11.02	0.013	1.000	Pass
			6	Low	14.07	-4	10.07	0.010	1.000	Pass
		Q16	1	Low	14.17	-4	10.17	0.010	1.000	Pass
			1	Mid	14.19	-4	10.19	0.010	1.000	Pass
			1	High	14.25	-4	10.25	0.011	1.000	Pass
			3	Low	14.04	-4	10.04	0.010	1.000	Pass
			3	Mid	14.05	-4	10.05	0.010	1.000	Pass
			3	High	14.12	-4	10.12	0.010	1.000	Pass
			6	Low	13.2	-4	9.20	0.008	1.000	Pass
		Q64	1	Low	13.43	-4	9.43	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	13.5	-4	9.50	0.009	1.000	Pass
			1	High	13.48	-4	9.48	0.009	1.000	Pass
			3	Low	13.34	-4	9.34	0.009	1.000	Pass
			3	Mid	13.39	-4	9.39	0.009	1.000	Pass
			3	High	13.39	-4	9.39	0.009	1.000	Pass
			6	Low	12.05	-4	8.05	0.006	1.000	Pass
		Q256	1	Low	10.16	-4	6.16	0.004	1.000	Pass
			1	Mid	10.17	-4	6.17	0.004	1.000	Pass
			1	High	10.2	-4	6.20	0.004	1.000	Pass
			3	Low	10.16	-4	6.16	0.004	1.000	Pass
			3	Mid	10.12	-4	6.12	0.004	1.000	Pass
			3	High	10.15	-4	6.15	0.004	1.000	Pass
			6	Low	10.13	-4	6.13	0.004	1.000	Pass
3	LCH	QPSK	1	Low	15.32	-4	11.32	0.014	1.000	Pass
			1	Mid	15.47	-4	11.47	0.014	1.000	Pass
			1	High	15.47	-4	11.47	0.014	1.000	Pass
			8	Low	14.36	-4	10.36	0.011	1.000	Pass
			8	Mid	14.4	-4	10.40	0.011	1.000	Pass
			8	High	14.43	-4	10.43	0.011	1.000	Pass
			15	Low	14.37	-4	10.37	0.011	1.000	Pass
		Q16	1	Low	14.2	-4	10.20	0.010	1.000	Pass
			1	Mid	14.28	-4	10.28	0.011	1.000	Pass
			1	High	14.33	-4	10.33	0.011	1.000	Pass
			8	Low	13.51	-4	9.51	0.009	1.000	Pass
			8	Mid	13.49	-4	9.49	0.009	1.000	Pass
			8	High	13.55	-4	9.55	0.009	1.000	Pass
			15	Low	13.45	-4	9.45	0.009	1.000	Pass
		Q64	1	Low	13.62	-4	9.62	0.009	1.000	Pass
			1	Mid	13.71	-4	9.71	0.009	1.000	Pass
			1	High	13.73	-4	9.73	0.009	1.000	Pass
			8	Low	12.45	-4	8.45	0.007	1.000	Pass
			8	Mid	12.46	-4	8.46	0.007	1.000	Pass
			8	High	12.49	-4	8.49	0.007	1.000	Pass
			15	Low	12.36	-4	8.36	0.007	1.000	Pass
		Q2556	1	Low	10.97	-4	6.97	0.005	1.000	Pass
			1	Mid	11.05	-4	7.05	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH		1	High	11.07	-4	7.07	0.005	1.000	Pass
			8	Low	10.54	-4	6.54	0.005	1.000	Pass
			8	Mid	10.56	-4	6.56	0.005	1.000	Pass
			8	High	10.61	-4	6.61	0.005	1.000	Pass
			15	Low	10.49	-4	6.49	0.004	1.000	Pass
		QPSK	1	Low	15.24	-4	11.24	0.013	1.000	Pass
			1	Mid	15.18	-4	11.18	0.013	1.000	Pass
			1	High	15.17	-4	11.17	0.013	1.000	Pass
			8	Low	14.24	-4	10.24	0.011	1.000	Pass
			8	Mid	14.23	-4	10.23	0.011	1.000	Pass
			8	High	14.2	-4	10.20	0.010	1.000	Pass
			15	Low	14.21	-4	10.21	0.010	1.000	Pass
		Q16	1	Low	14.66	-4	10.66	0.012	1.000	Pass
			1	Mid	14.58	-4	10.58	0.011	1.000	Pass
			1	High	14.58	-4	10.58	0.011	1.000	Pass
			8	Low	13.33	-4	9.33	0.009	1.000	Pass
			8	Mid	13.28	-4	9.28	0.008	1.000	Pass
			8	High	13.3	-4	9.30	0.009	1.000	Pass
			15	Low	13.23	-4	9.23	0.008	1.000	Pass
		Q64	1	Low	13.36	-4	9.36	0.009	1.000	Pass
			1	Mid	13.37	-4	9.37	0.009	1.000	Pass
			1	High	13.37	-4	9.37	0.009	1.000	Pass
			8	Low	12.29	-4	8.29	0.007	1.000	Pass
			8	Mid	12.29	-4	8.29	0.007	1.000	Pass
			8	High	12.25	-4	8.25	0.007	1.000	Pass
			15	Low	12.22	-4	8.22	0.007	1.000	Pass
		Q256	1	Low	10.11	-4	6.11	0.004	1.000	Pass
			1	Mid	10.09	-4	6.09	0.004	1.000	Pass
			1	High	10.08	-4	6.08	0.004	1.000	Pass
			8	Low	10.24	-4	6.24	0.004	1.000	Pass
			8	Mid	10.22	-4	6.22	0.004	1.000	Pass
			8	High	10.21	-4	6.21	0.004	1.000	Pass
			15	Low	10.29	-4	6.29	0.004	1.000	Pass
	HCH	QPSK	1	Low	14.96	-4	10.96	0.012	1.000	Pass
			1	Mid	15.02	-4	11.02	0.013	1.000	Pass
			1	High	15.04	-4	11.04	0.013	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			8	Low	14.04	-4	10.04	0.010	1.000	Pass
			8	Mid	14.04	-4	10.04	0.010	1.000	Pass
			8	High	14.04	-4	10.04	0.010	1.000	Pass
			15	Low	14.06	-4	10.06	0.010	1.000	Pass
		Q16	1	Low	14.13	-4	10.13	0.010	1.000	Pass
			1	Mid	14.18	-4	10.18	0.010	1.000	Pass
			1	High	14.2	-4	10.20	0.010	1.000	Pass
			8	Low	13.14	-4	9.14	0.008	1.000	Pass
			8	Mid	13.13	-4	9.13	0.008	1.000	Pass
			8	High	13.13	-4	9.13	0.008	1.000	Pass
			15	Low	13.03	-4	9.03	0.008	1.000	Pass
		Q64	1	Low	13.18	-4	9.18	0.008	1.000	Pass
			1	Mid	13.24	-4	9.24	0.008	1.000	Pass
			1	High	13.22	-4	9.22	0.008	1.000	Pass
			8	Low	12	-4	8.00	0.006	1.000	Pass
			8	Mid	11.96	-4	7.96	0.006	1.000	Pass
			8	High	12.03	-4	8.03	0.006	1.000	Pass
			15	Low	12.12	-4	8.12	0.006	1.000	Pass
		Q256	1	Low	9.84	-4	5.84	0.004	1.000	Pass
			1	Mid	9.89	-4	5.89	0.004	1.000	Pass
			1	High	9.98	-4	5.98	0.004	1.000	Pass
			8	Low	10.12	-4	6.12	0.004	1.000	Pass
			8	Mid	10.11	-4	6.11	0.004	1.000	Pass
			8	High	10.15	-4	6.15	0.004	1.000	Pass
			15	Low	10.1	-4	6.10	0.004	1.000	Pass
5	LCH	QPSK	1	Low	15.5	-4	11.50	0.014	1.000	Pass
			1	Mid	15.53	-4	11.53	0.014	1.000	Pass
			1	High	15.61	-4	11.61	0.014	1.000	Pass
			12	Low	14.41	-4	10.41	0.011	1.000	Pass
			12	Mid	14.46	-4	10.46	0.011	1.000	Pass
			12	High	14.54	-4	10.54	0.011	1.000	Pass
			25	Low	14.5	-4	10.50	0.011	1.000	Pass
		Q16	1	Low	14.59	-4	10.59	0.011	1.000	Pass
			1	Mid	14.59	-4	10.59	0.011	1.000	Pass
			1	High	14.71	-4	10.71	0.012	1.000	Pass
			12	Low	13.5	-4	9.50	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	Mid	13.56	-4	9.56	0.009	1.000	Pass
			12	High	13.61	-4	9.61	0.009	1.000	Pass
			25	Low	13.51	-4	9.51	0.009	1.000	Pass
		Q64	1	Low	13.3	-4	9.30	0.009	1.000	Pass
			1	Mid	13.4	-4	9.40	0.009	1.000	Pass
			1	High	13.5	-4	9.50	0.009	1.000	Pass
			12	Low	12.48	-4	8.48	0.007	1.000	Pass
			12	Mid	12.53	-4	8.53	0.007	1.000	Pass
			12	High	12.57	-4	8.57	0.007	1.000	Pass
			25	Low	12.44	-4	8.44	0.007	1.000	Pass
		Q256	1	Low	10.11	-4	6.11	0.004	1.000	Pass
			1	Mid	10.22	-4	6.22	0.004	1.000	Pass
			1	High	10.3	-4	6.30	0.004	1.000	Pass
			12	Low	10.45	-4	6.45	0.004	1.000	Pass
			12	Mid	10.51	-4	6.51	0.004	1.000	Pass
			12	High	10.56	-4	6.56	0.005	1.000	Pass
			25	Low	10.57	-4	6.57	0.005	1.000	Pass
	MCH	QPSK	1	Low	15.32	-4	11.32	0.014	1.000	Pass
			1	Mid	15.27	-4	11.27	0.013	1.000	Pass
			1	High	15.25	-4	11.25	0.013	1.000	Pass
			12	Low	14.33	-4	10.33	0.011	1.000	Pass
			12	Mid	14.28	-4	10.28	0.011	1.000	Pass
			12	High	14.23	-4	10.23	0.011	1.000	Pass
			25	Low	14.32	-4	10.32	0.011	1.000	Pass
		Q16	1	Low	14.93	-4	10.93	0.012	1.000	Pass
			1	Mid	14.88	-4	10.88	0.012	1.000	Pass
			1	High	14.8	-4	10.80	0.012	1.000	Pass
			12	Low	13.5	-4	9.50	0.009	1.000	Pass
			12	Mid	13.44	-4	9.44	0.009	1.000	Pass
			12	High	13.4	-4	9.40	0.009	1.000	Pass
			25	Low	13.35	-4	9.35	0.009	1.000	Pass
		Q64	1	Low	13.62	-4	9.62	0.009	1.000	Pass
			1	Mid	13.6	-4	9.60	0.009	1.000	Pass
			1	High	13.56	-4	9.56	0.009	1.000	Pass
			12	Low	12.31	-4	8.31	0.007	1.000	Pass
			12	Mid	12.25	-4	8.25	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	High	12.21	-4	8.21	0.007	1.000	Pass
			25	Low	12.26	-4	8.26	0.007	1.000	Pass
		Q256	1	Low	10.48	-4	6.48	0.004	1.000	Pass
			1	Mid	10.48	-4	6.48	0.004	1.000	Pass
			1	High	10.42	-4	6.42	0.004	1.000	Pass
			12	Low	10.38	-4	6.38	0.004	1.000	Pass
			12	Mid	10.36	-4	6.36	0.004	1.000	Pass
			12	High	10.33	-4	6.33	0.004	1.000	Pass
			25	Low	10.3	-4	6.30	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.07	-4	11.07	0.013	1.000	Pass
			1	Mid	15.18	-4	11.18	0.013	1.000	Pass
			1	High	15.24	-4	11.24	0.013	1.000	Pass
			12	Low	14.03	-4	10.03	0.010	1.000	Pass
			12	Mid	14.04	-4	10.04	0.010	1.000	Pass
			12	High	14.11	-4	10.11	0.010	1.000	Pass
			25	Low	14.12	-4	10.12	0.010	1.000	Pass
		Q16	1	Low	14.05	-4	10.05	0.010	1.000	Pass
			1	Mid	14.19	-4	10.19	0.010	1.000	Pass
			1	High	14.25	-4	10.25	0.011	1.000	Pass
			12	Low	13.1	-4	9.10	0.008	1.000	Pass
			12	Mid	13.14	-4	9.14	0.008	1.000	Pass
			12	High	13.19	-4	9.19	0.008	1.000	Pass
			25	Low	13.06	-4	9.06	0.008	1.000	Pass
		Q64	1	Low	13.17	-4	9.17	0.008	1.000	Pass
			1	Mid	13.3	-4	9.30	0.009	1.000	Pass
			1	High	13.38	-4	9.38	0.009	1.000	Pass
			12	Low	12.08	-4	8.08	0.006	1.000	Pass
			12	Mid	12.1	-4	8.10	0.006	1.000	Pass
			12	High	12.16	-4	8.16	0.007	1.000	Pass
			25	Low	12.14	-4	8.14	0.007	1.000	Pass
		Q256	1	Low	9.98	-4	5.98	0.004	1.000	Pass
			1	Mid	10.01	-4	6.01	0.004	1.000	Pass
			1	High	10.08	-4	6.08	0.004	1.000	Pass
			12	Low	10.17	-4	6.17	0.004	1.000	Pass
			12	Mid	10.19	-4	6.19	0.004	1.000	Pass
			12	High	10.21	-4	6.21	0.004	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
10	LCH	QPSK	25	Low	10.18	-4	6.18	0.004	1.000	Pass
			1	Low	15.5	-4	11.50	0.014	1.000	Pass
			1	Mid	15.62	-4	11.62	0.015	1.000	Pass
			1	High	15.56	-4	11.56	0.014	1.000	Pass
			25	Low	14.53	-4	10.53	0.011	1.000	Pass
			25	Mid	14.56	-4	10.56	0.011	1.000	Pass
			25	High	14.57	-4	10.57	0.011	1.000	Pass
		Q16	50	Low	14.51	-4	10.51	0.011	1.000	Pass
			1	Low	14.33	-4	10.33	0.011	1.000	Pass
			1	Mid	14.5	-4	10.50	0.011	1.000	Pass
			1	High	14.43	-4	10.43	0.011	1.000	Pass
			25	Low	13.56	-4	9.56	0.009	1.000	Pass
			25	Mid	13.57	-4	9.57	0.009	1.000	Pass
			25	High	13.58	-4	9.58	0.009	1.000	Pass
		Q64	50	Low	13.51	-4	9.51	0.009	1.000	Pass
			1	Low	13.69	-4	9.69	0.009	1.000	Pass
			1	Mid	13.85	-4	9.85	0.010	1.000	Pass
			1	High	13.78	-4	9.78	0.010	1.000	Pass
			25	Low	12.57	-4	8.57	0.007	1.000	Pass
			25	Mid	12.59	-4	8.59	0.007	1.000	Pass
			25	High	12.6	-4	8.60	0.007	1.000	Pass
		Q256	50	Low	12.52	-4	8.52	0.007	1.000	Pass
			1	Low	11.05	-4	7.05	0.005	1.000	Pass
			1	Mid	11.2	-4	7.20	0.005	1.000	Pass
			1	High	11.08	-4	7.08	0.005	1.000	Pass
			25	Low	10.61	-4	6.61	0.005	1.000	Pass
			25	Mid	10.64	-4	6.64	0.005	1.000	Pass
			25	High	10.64	-4	6.64	0.005	1.000	Pass
	MCH	QPSK	50	Low	10.63	-4	6.63	0.005	1.000	Pass
			1	Low	15.44	-4	11.44	0.014	1.000	Pass
			1	Mid	15.24	-4	11.24	0.013	1.000	Pass
			1	High	15.26	-4	11.26	0.013	1.000	Pass
			25	Low	14.39	-4	10.39	0.011	1.000	Pass
			25	Mid	14.31	-4	10.31	0.011	1.000	Pass
			25	High	14.27	-4	10.27	0.011	1.000	Pass
			50	Low	14.31	-4	10.31	0.011	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	14.83	-4	10.83	0.012	1.000	Pass
			1	Mid	14.6	-4	10.60	0.011	1.000	Pass
			1	High	14.62	-4	10.62	0.012	1.000	Pass
			25	Low	13.4	-4	9.40	0.009	1.000	Pass
			25	Mid	13.31	-4	9.31	0.009	1.000	Pass
			25	High	13.28	-4	9.28	0.008	1.000	Pass
			50	Low	13.3	-4	9.30	0.009	1.000	Pass
		Q64	1	Low	13.55	-4	9.55	0.009	1.000	Pass
			1	Mid	13.43	-4	9.43	0.009	1.000	Pass
			1	High	13.45	-4	9.45	0.009	1.000	Pass
			25	Low	12.45	-4	8.45	0.007	1.000	Pass
			25	Mid	12.35	-4	8.35	0.007	1.000	Pass
			25	High	12.33	-4	8.33	0.007	1.000	Pass
			50	Low	12.33	-4	8.33	0.007	1.000	Pass
		Q256	1	Low	10.25	-4	6.25	0.004	1.000	Pass
			1	Mid	10.13	-4	6.13	0.004	1.000	Pass
			1	High	10.13	-4	6.13	0.004	1.000	Pass
			25	Low	10.38	-4	6.38	0.004	1.000	Pass
			25	Mid	10.33	-4	6.33	0.004	1.000	Pass
			25	High	10.29	-4	6.29	0.004	1.000	Pass
			50	Low	10.29	-4	6.29	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.13	-4	11.13	0.013	1.000	Pass
			1	Mid	14.9	-4	10.90	0.012	1.000	Pass
			1	High	15.09	-4	11.09	0.013	1.000	Pass
			25	Low	14.07	-4	10.07	0.010	1.000	Pass
			25	Mid	14	-4	10.00	0.010	1.000	Pass
			25	High	14.05	-4	10.05	0.010	1.000	Pass
			50	Low	14.06	-4	10.06	0.010	1.000	Pass
		Q16	1	Low	14.24	-4	10.24	0.011	1.000	Pass
			1	Mid	14	-4	10.00	0.010	1.000	Pass
			1	High	14.24	-4	10.24	0.011	1.000	Pass
			25	Low	13.16	-4	9.16	0.008	1.000	Pass
			25	Mid	13.06	-4	9.06	0.008	1.000	Pass
			25	High	13.15	-4	9.15	0.008	1.000	Pass
			50	Low	13.08	-4	9.08	0.008	1.000	Pass
		Q64	1	Low	13.34	-4	9.34	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	13.12	-4	9.12	0.008	1.000	Pass
			1	High	13.31	-4	9.31	0.009	1.000	Pass
			25	Low	12.14	-4	8.14	0.007	1.000	Pass
			25	Mid	12.06	-4	8.06	0.006	1.000	Pass
			25	High	12.13	-4	8.13	0.007	1.000	Pass
			50	Low	12.04	-4	8.04	0.006	1.000	Pass
		Q256	1	Low	9.93	-4	5.93	0.004	1.000	Pass
			1	Mid	9.89	-4	5.89	0.004	1.000	Pass
			1	High	10.03	-4	6.03	0.004	1.000	Pass
			25	Low	10.13	-4	6.13	0.004	1.000	Pass
			25	Mid	10.1	-4	6.10	0.004	1.000	Pass
			25	High	10.14	-4	6.14	0.004	1.000	Pass
			50	Low	10.05	-4	6.05	0.004	1.000	Pass
15	LCH	QPSK	1	Low	15.56	-4	11.56	0.014	1.000	Pass
			1	Mid	15.59	-4	11.59	0.014	1.000	Pass
			1	High	15.53	-4	11.53	0.014	1.000	Pass
			36	Low	14.61	-4	10.61	0.012	1.000	Pass
			36	Mid	14.57	-4	10.57	0.011	1.000	Pass
			36	High	14.53	-4	10.53	0.011	1.000	Pass
			75	Low	14.57	-4	10.57	0.011	1.000	Pass
		Q16	1	Low	14.36	-4	10.36	0.011	1.000	Pass
			1	Mid	14.51	-4	10.51	0.011	1.000	Pass
			1	High	14.43	-4	10.43	0.011	1.000	Pass
			36	Low	13.6	-4	9.60	0.009	1.000	Pass
			36	Mid	13.59	-4	9.59	0.009	1.000	Pass
			36	High	13.54	-4	9.54	0.009	1.000	Pass
			75	Low	13.61	-4	9.61	0.009	1.000	Pass
		Q64	1	Low	13.78	-4	9.78	0.010	1.000	Pass
			1	Mid	13.91	-4	9.91	0.010	1.000	Pass
			1	High	13.83	-4	9.83	0.010	1.000	Pass
			36	Low	12.62	-4	8.62	0.007	1.000	Pass
			36	Mid	12.61	-4	8.61	0.007	1.000	Pass
			36	High	12.56	-4	8.56	0.007	1.000	Pass
			75	Low	12.61	-4	8.61	0.007	1.000	Pass
		Q256	1	Low	11.11	-4	7.11	0.005	1.000	Pass
			1	Mid	11.17	-4	7.17	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH		1	High	11.09	-4	7.09	0.005	1.000	Pass
			36	Low	10.67	-4	6.67	0.005	1.000	Pass
			36	Mid	10.62	-4	6.62	0.005	1.000	Pass
			36	High	10.54	-4	6.54	0.005	1.000	Pass
			75	Low	10.63	-4	6.63	0.005	1.000	Pass
		QPSK	1	Low	15.47	-4	11.47	0.014	1.000	Pass
			1	Mid	15.38	-4	11.38	0.014	1.000	Pass
			1	High	15.35	-4	11.35	0.014	1.000	Pass
			36	Low	14.4	-4	10.40	0.011	1.000	Pass
			36	Mid	14.33	-4	10.33	0.011	1.000	Pass
			36	High	14.31	-4	10.31	0.011	1.000	Pass
			75	Low	14.37	-4	10.37	0.011	1.000	Pass
		Q16	1	Low	14.84	-4	10.84	0.012	1.000	Pass
			1	Mid	14.72	-4	10.72	0.012	1.000	Pass
			1	High	14.75	-4	10.75	0.012	1.000	Pass
			36	Low	13.45	-4	9.45	0.009	1.000	Pass
			36	Mid	13.38	-4	9.38	0.009	1.000	Pass
			36	High	13.34	-4	9.34	0.009	1.000	Pass
			75	Low	13.4	-4	9.40	0.009	1.000	Pass
		Q64	1	Low	13.58	-4	9.58	0.009	1.000	Pass
			1	Mid	13.52	-4	9.52	0.009	1.000	Pass
			1	High	13.49	-4	9.49	0.009	1.000	Pass
			36	Low	12.49	-4	8.49	0.007	1.000	Pass
			36	Mid	12.39	-4	8.39	0.007	1.000	Pass
			36	High	12.36	-4	8.36	0.007	1.000	Pass
			75	Low	12.44	-4	8.44	0.007	1.000	Pass
		Q256	1	Low	10.27	-4	6.27	0.004	1.000	Pass
			1	Mid	10.2	-4	6.20	0.004	1.000	Pass
			1	High	10.19	-4	6.19	0.004	1.000	Pass
			36	Low	10.37	-4	6.37	0.004	1.000	Pass
			36	Mid	10.29	-4	6.29	0.004	1.000	Pass
			36	High	10.26	-4	6.26	0.004	1.000	Pass
			75	Low	10.35	-4	6.35	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.15	-4	11.15	0.013	1.000	Pass
			1	Mid	15.14	-4	11.14	0.013	1.000	Pass
			1	High	15.26	-4	11.26	0.013	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			36	Low	14.11	-4	10.11	0.010	1.000	Pass
			36	Mid	14.08	-4	10.08	0.010	1.000	Pass
			36	High	14.05	-4	10.05	0.010	1.000	Pass
			75	Low	14.13	-4	10.13	0.010	1.000	Pass
		Q16	1	Low	14.49	-4	10.49	0.011	1.000	Pass
			1	Mid	14.47	-4	10.47	0.011	1.000	Pass
			1	High	14.56	-4	10.56	0.011	1.000	Pass
			36	Low	13.12	-4	9.12	0.008	1.000	Pass
			36	Mid	13.06	-4	9.06	0.008	1.000	Pass
			36	High	13.07	-4	9.07	0.008	1.000	Pass
			75	Low	13.16	-4	9.16	0.008	1.000	Pass
		Q64	1	Low	13.74	-4	9.74	0.009	1.000	Pass
			1	Mid	13.67	-4	9.67	0.009	1.000	Pass
			1	High	13.78	-4	9.78	0.010	1.000	Pass
			36	Low	12.13	-4	8.13	0.007	1.000	Pass
			36	Mid	12.05	-4	8.05	0.006	1.000	Pass
			36	High	12.08	-4	8.08	0.006	1.000	Pass
			75	Low	12.17	-4	8.17	0.007	1.000	Pass
		Q256	1	Low	10.53	-4	6.53	0.004	1.000	Pass
			1	Mid	10.48	-4	6.48	0.004	1.000	Pass
			1	High	10.59	-4	6.59	0.005	1.000	Pass
			36	Low	10.11	-4	6.11	0.004	1.000	Pass
			36	Mid	10.08	-4	6.08	0.004	1.000	Pass
			36	High	10.12	-4	6.12	0.004	1.000	Pass
			75	Low	10.14	-4	6.14	0.004	1.000	Pass
20	LCH	QPSK	1	Low	15.41	-4	11.41	0.014	1.000	Pass
			1	Mid	15.44	-4	11.44	0.014	1.000	Pass
			1	High	15.38	-4	11.38	0.014	1.000	Pass
			50	Low	14.62	-4	10.62	0.012	1.000	Pass
			50	Mid	14.61	-4	10.61	0.012	1.000	Pass
			50	High	14.56	-4	10.56	0.011	1.000	Pass
			100	Low	14.61	-4	10.61	0.012	1.000	Pass
		Q16	1	Low	15.07	-4	11.07	0.013	1.000	Pass
			1	Mid	15.14	-4	11.14	0.013	1.000	Pass
			1	High	15.08	-4	11.08	0.013	1.000	Pass
			50	Low	13.65	-4	9.65	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			50	Mid	13.62	-4	9.62	0.009	1.000	Pass
			50	High	13.61	-4	9.61	0.009	1.000	Pass
			100	Low	13.6	-4	9.60	0.009	1.000	Pass
		Q64	1	Low	13.81	-4	9.81	0.010	1.000	Pass
			1	Mid	13.85	-4	9.85	0.010	1.000	Pass
			1	High	13.79	-4	9.79	0.010	1.000	Pass
			50	Low	12.66	-4	8.66	0.007	1.000	Pass
			50	Mid	12.62	-4	8.62	0.007	1.000	Pass
			50	High	12.6	-4	8.60	0.007	1.000	Pass
			100	Low	12.59	-4	8.59	0.007	1.000	Pass
		Q256	1	Low	10.73	-4	6.73	0.005	1.000	Pass
			1	Mid	10.7	-4	6.70	0.005	1.000	Pass
			1	High	10.69	-4	6.69	0.005	1.000	Pass
			50	Low	10.6	-4	6.60	0.005	1.000	Pass
			50	Mid	10.53	-4	6.53	0.004	1.000	Pass
			50	High	10.51	-4	6.51	0.004	1.000	Pass
			100	Low	10.52	-4	6.52	0.004	1.000	Pass
	MCH	QPSK	1	Low	15.39	-4	11.39	0.014	1.000	Pass
			1	Mid	15.38	-4	11.38	0.014	1.000	Pass
			1	High	15.43	-4	11.43	0.014	1.000	Pass
			50	Low	14.49	-4	10.49	0.011	1.000	Pass
			50	Mid	14.4	-4	10.40	0.011	1.000	Pass
			50	High	14.35	-4	10.35	0.011	1.000	Pass
			100	Low	14.4	-4	10.40	0.011	1.000	Pass
		Q16	1	Low	14.7	-4	10.70	0.012	1.000	Pass
			1	Mid	14.73	-4	10.73	0.012	1.000	Pass
			1	High	14.75	-4	10.75	0.012	1.000	Pass
			50	Low	13.47	-4	9.47	0.009	1.000	Pass
			50	Mid	13.4	-4	9.40	0.009	1.000	Pass
			50	High	13.36	-4	9.36	0.009	1.000	Pass
			100	Low	13.43	-4	9.43	0.009	1.000	Pass
		Q64	1	Low	13.94	-4	9.94	0.010	1.000	Pass
			1	Mid	13.92	-4	9.92	0.010	1.000	Pass
			1	High	13.97	-4	9.97	0.010	1.000	Pass
			50	Low	12.47	-4	8.47	0.007	1.000	Pass
			50	Mid	12.39	-4	8.39	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			50	High	12.35	-4	8.35	0.007	1.000	Pass
			100	Low	12.36	-4	8.36	0.007	1.000	Pass
		Q256	1	Low	10.44	-4	6.44	0.004	1.000	Pass
			1	Mid	10.5	-4	6.50	0.004	1.000	Pass
			1	High	10.41	-4	6.41	0.004	1.000	Pass
			50	Low	10.42	-4	6.42	0.004	1.000	Pass
			50	Mid	10.36	-4	6.36	0.004	1.000	Pass
			50	High	10.3	-4	6.30	0.004	1.000	Pass
			100	Low	10.37	-4	6.37	0.004	1.000	Pass
	HCH	QPSK	1	Low	15.24	-4	11.24	0.013	1.000	Pass
			1	Mid	15.23	-4	11.23	0.013	1.000	Pass
			1	High	15.24	-4	11.24	0.013	1.000	Pass
			50	Low	14.17	-4	10.17	0.010	1.000	Pass
			50	Mid	14.16	-4	10.16	0.010	1.000	Pass
			50	High	14.1	-4	10.10	0.010	1.000	Pass
			100	Low	14.11	-4	10.11	0.010	1.000	Pass
		Q16	1	Low	14.61	-4	10.61	0.012	1.000	Pass
			1	Mid	14.62	-4	10.62	0.012	1.000	Pass
			1	High	14.56	-4	10.56	0.011	1.000	Pass
			50	Low	13.11	-4	9.11	0.008	1.000	Pass
			50	Mid	13.12	-4	9.12	0.008	1.000	Pass
			50	High	13.06	-4	9.06	0.008	1.000	Pass
			100	Low	13.1	-4	9.10	0.008	1.000	Pass
		Q64	1	Low	13.4	-4	9.40	0.009	1.000	Pass
			1	Mid	13.41	-4	9.41	0.009	1.000	Pass
			1	High	13.36	-4	9.36	0.009	1.000	Pass
			50	Low	12.18	-4	8.18	0.007	1.000	Pass
			50	Mid	12.17	-4	8.17	0.007	1.000	Pass
			50	High	12.13	-4	8.13	0.007	1.000	Pass
			100	Low	12.11	-4	8.11	0.006	1.000	Pass
		Q256	1	Low	10.17	-4	6.17	0.004	1.000	Pass
			1	Mid	10.07	-4	6.07	0.004	1.000	Pass
			1	High	10.15	-4	6.15	0.004	1.000	Pass
			50	Low	10.16	-4	6.16	0.004	1.000	Pass
			50	Mid	10.11	-4	6.11	0.004	1.000	Pass
			50	High	10.08	-4	6.08	0.004	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			100	Low	10.15	-4	6.15	0.004	1.000	Pass

CA Test Data

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	ERP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_5B										
5MHz+3MHz										
QPSK	1 0	23.28	23.32	23.07	-6	0.033	0.033	0.031	7.000	Pass
	Half 0	23.08	23.22	23.04	-6	0.031	0.032	0.031	7.000	Pass
	Full 0	23.04	23.18	23.08	-6	0.031	0.032	0.031	7.000	Pass
	1 1	25.81	26.01	25.86	-6	0.058	0.061	0.059	7.000	Pass
	Full Full	24.91	25	24.92	-6	0.047	0.048	0.048	7.000	Pass
16QAM	1 0	22.99	23.43	23.18	-6	0.030	0.034	0.032	7.000	Pass
	Half 0	23.14	23.28	23.02	-6	0.032	0.033	0.031	7.000	Pass
	Full 0	23.16	23.14	23.13	-6	0.032	0.032	0.031	7.000	Pass
	1 1	25.58	26.14	25.95	-6	0.055	0.063	0.060	7.000	Pass
	Full Full	24.98	24.86	24.87	-6	0.048	0.047	0.047	7.000	Pass
10MHz+10MHz										
QPSK	1 0	23.02	23	23.09	-6	0.031	0.031	0.031	7.000	Pass
	Half 0	22.07	22.08	22.17	-6	0.025	0.025	0.025	7.000	Pass
	Full 0	22.1	22.15	22.17	-6	0.025	0.025	0.025	7.000	Pass
	1 1	25.96	26.04	25.9	-6	0.060	0.062	0.060	7.000	Pass
	Full Full	22.74	22.78	22.76	-6	0.029	0.029	0.029	7.000	Pass
16QAM	1 0	22.07	21.96	21.81	-6	0.025	0.024	0.023	7.000	Pass
	Half 0	21.07	21.1	21.2	-6	0.020	0.020	0.020	7.000	Pass
	Full 0	21.13	21.17	21.19	-6	0.020	0.020	0.020	7.000	Pass
	1 1	25.01	24.9	24.51	-6	0.049	0.047	0.043	7.000	Pass
	Full Full	21.79	21.79	21.84	-6	0.023	0.023	0.023	7.000	Pass
3MHz+5MHz										
QPSK	1 1	25.73	25.96	25.9	-6	0.057	0.060	0.060	7.000	Pass
	Full Full	24.86	24.96	24.9	-6	0.047	0.048	0.047	7.000	Pass
16QAM	1 1	25.74	25.8	25.51	-6	0.057	0.058	0.054	7.000	Pass
	Full Full	24.91	24.96	24.83	-6	0.047	0.048	0.047	7.000	Pass
5MHz+10MHz										
QPSK	1 1	25.82	26.01	25.91	-6	0.058	0.061	0.060	7.000	Pass
	Full Full	23.13	23.11	23.07	-6	0.031	0.031	0.031	7.000	Pass
16QAM	1 1	24.96	24.76	25.05	-6	0.048	0.046	0.049	7.000	Pass
	Full Full	22.15	22.15	22	-6	0.025	0.025	0.024	7.000	Pass

10MHz+5MHz										
QPSK	1 1	26.03	25.97	25.91	-6	0.061	0.061	0.060	7.000	Pass
	Full Full	23.11	23.09	23.07	-6	0.031	0.031	0.031	7.000	Pass
16QAM	1 1	25.04	24.81	24.52	-6	0.049	0.046	0.043	7.000	Pass
	Full Full	22.14	22.14	22.04	-6	0.025	0.025	0.024	7.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_7C										
20MHz+10MHz										
QPSK	1 0	22.87	22.71	22.81	-5	0.061	0.059	0.060	2.000	Pass
	Half 0	21.81	21.85	21.91	-5	0.048	0.048	0.049	2.000	Pass
	Full 0	20.78	20.87	20.94	-5	0.038	0.039	0.039	2.000	Pass
	1 1	25.77	25.83	25.81	-5	0.119	0.121	0.121	2.000	Pass
	Full Full	22.92	22.92	22.89	-5	0.062	0.062	0.062	2.000	Pass
16QAM	1 0	21.62	21.75	21.96	-5	0.046	0.047	0.050	2.000	Pass
	Half 0	20.8	20.93	20.92	-5	0.038	0.039	0.039	2.000	Pass
	Full 0	19.78	19.94	19.98	-5	0.030	0.031	0.031	2.000	Pass
	1 1	24.51	24.96	24.83	-5	0.089	0.099	0.096	2.000	Pass
	Full Full	21.96	21.96	21.94	-5	0.050	0.050	0.049	2.000	Pass
20MHz+20MHz										
QPSK	1 0	22.78	22.58	22.74	-5	0.060	0.057	0.059	2.000	Pass
	Half 0	21.76	21.75	21.85	-5	0.047	0.047	0.048	2.000	Pass
	Full 0	21.72	21.85	21.89	-5	0.047	0.048	0.049	2.000	Pass
	1 1	25.76	25.88	25.84	-5	0.119	0.122	0.121	2.000	Pass
	Full Full	22.54	22.65	22.61	-5	0.057	0.058	0.058	2.000	Pass
16QAM	1 0	21.57	21.65	21.92	-5	0.045	0.046	0.049	2.000	Pass
	Half 0	20.77	20.86	20.89	-5	0.038	0.039	0.039	2.000	Pass
	Full 0	20.75	20.91	20.96	-5	0.038	0.039	0.039	2.000	Pass
	1 1	24.53	24.98	24.88	-5	0.090	0.100	0.097	2.000	Pass
	Full Full	21.53	21.66	21.64	-5	0.045	0.046	0.046	2.000	Pass
10MHz+20MHz										
QPSK	1 1	25.58	25.88	25.83	-5	0.114	0.122	0.121	2.000	Pass
	Full Full	22.8	22.9	22.9	-5	0.060	0.062	0.062	2.000	Pass
16QAM	1 1	24.59	24.69	24.46	-5	0.091	0.093	0.088	2.000	Pass
	Full Full	21.8	21.9	21.93	-5	0.048	0.049	0.049	2.000	Pass
15MHz+15MHz										
QPSK	1 1	25.71	25.96	25.81	-5	0.118	0.125	0.121	2.000	Pass
	Full Full	22.51	22.6	22.54	-5	0.056	0.058	0.057	2.000	Pass
16QAM	1 1	24.7	24.8	24.92	-5	0.093	0.095	0.098	2.000	Pass
	Full Full	21.5	21.62	21.55	-5	0.045	0.046	0.045	2.000	Pass
15MHz+20MHz										

QPSK	1 1	25.67	25.93	25.81	-5	0.117	0.124	0.121	2.000	Pass
	Full Full	22.64	22.74	22.72	-5	0.058	0.059	0.059	2.000	Pass
16QAM	1 1	24.7	24.75	24.94	-5	0.093	0.094	0.099	2.000	Pass
	Full Full	21.61	21.74	21.74	-5	0.046	0.047	0.047	2.000	Pass
20MHz+15MHz										
QPSK	1 1	25.8	25.88	25.87	-5	0.120	0.122	0.122	2.000	Pass
	Full Full	22.7	22.77	22.7	-5	0.059	0.060	0.059	2.000	Pass
16QAM	1 1	24.54	25.06	24.91	-5	0.090	0.101	0.098	2.000	Pass
	Full Full	21.68	21.79	21.78	-5	0.047	0.048	0.048	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_38C										
15MHz+15MHz										
QPSK	1 0	22.93	22.78	22.71	-5	0.062	0.060	0.059	2.000	Pass
	Half 0	21.92	21.86	21.73	-5	0.049	0.049	0.047	2.000	Pass
	Full 0	21.92	21.9	21.78	-5	0.049	0.049	0.048	2.000	Pass
	1 1	25.88	25.73	25.7	-5	0.122	0.118	0.117	2.000	Pass
	Full Full	22.59	22.49	22.38	-5	0.057	0.056	0.055	2.000	Pass
16QAM	1 0	21.98	21.79	21.95	-5	0.050	0.048	0.050	2.000	Pass
	Half 0	20.94	20.8	20.8	-5	0.039	0.038	0.038	2.000	Pass
	Full 0	20.9	20.93	20.76	-5	0.039	0.039	0.038	2.000	Pass
	1 1	24.8	24.54	24.75	-5	0.095	0.090	0.094	2.000	Pass
	Full Full	21.57	21.5	21.41	-5	0.045	0.045	0.044	2.000	Pass
20MHz+20MHz										
QPSK	1 0	22.94	22.76	22.82	-5	0.062	0.060	0.061	2.000	Pass
	Half 0	21.91	21.82	21.92	-5	0.049	0.048	0.049	2.000	Pass
	Full 0	21.96	21.93	21.89	-5	0.050	0.049	0.049	2.000	Pass
	1 1	25.82	25.69	25.64	-5	0.121	0.117	0.116	2.000	Pass
	Full Full	22.55	22.55	22.5	-5	0.057	0.057	0.056	2.000	Pass
16QAM	1 0	21.76	21.75	21.98	-5	0.047	0.047	0.050	2.000	Pass
	Half 0	20.95	20.94	20.93	-5	0.039	0.039	0.039	2.000	Pass
	Full 0	20.99	20.97	20.92	-5	0.040	0.040	0.039	2.000	Pass
	1 1	24.57	24.71	24.74	-5	0.091	0.094	0.094	2.000	Pass
	Full Full	21.56	21.57	21.5	-5	0.045	0.045	0.045	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_41C										
20MHz+5MHz										
QPSK	1 0	22.84	22.8	22.28	-5	0.061	0.060	0.053	2.000	Pass
	Half 0	20.83	20.84	20.31	-5	0.038	0.038	0.034	2.000	Pass
	Full 0	20.89	20.85	20.32	-5	0.039	0.038	0.034	2.000	Pass
	1 1	25.77	25.57	25.09	-5	0.119	0.114	0.102	2.000	Pass
	Full Full	22.88	22.72	22.32	-5	0.061	0.059	0.054	2.000	Pass
16QAM	1 0	21.67	21.82	21.45	-5	0.046	0.048	0.044	2.000	Pass
	Half 0	19.86	19.92	19.31	-5	0.031	0.031	0.027	2.000	Pass
	Full 0	19.92	19.89	19.35	-5	0.031	0.031	0.027	2.000	Pass
	1 1	24.56	24.65	24.19	-5	0.090	0.092	0.083	2.000	Pass
	Full Full	21.92	21.71	21.38	-5	0.049	0.047	0.043	2.000	Pass
20MHz+20MHz										
QPSK	1 0	22.82	22.79	22.21	-5	0.061	0.060	0.053	2.000	Pass
	Half 0	21.84	21.86	21.27	-5	0.048	0.049	0.042	2.000	Pass
	Full 0	21.87	21.85	21.32	-5	0.049	0.048	0.043	2.000	Pass
	1 1	25.84	25.77	25.21	-5	0.121	0.119	0.105	2.000	Pass
	Full Full	22.69	22.53	22.01	-5	0.059	0.057	0.050	2.000	Pass
16QAM	1 0	21.63	21.77	21.37	-5	0.046	0.048	0.043	2.000	Pass
	Half 0	20.85	20.95	20.27	-5	0.038	0.039	0.034	2.000	Pass
	Full 0	20.92	20.91	20.38	-5	0.039	0.039	0.035	2.000	Pass
	1 1	24.61	24.8	24.3	-5	0.091	0.095	0.085	2.000	Pass
	Full Full	21.72	21.55	21.03	-5	0.047	0.045	0.040	2.000	Pass
5MHz+20MHz										
QPSK	1 1	25.76	25.68	25.18	-5	0.119	0.117	0.104	2.000	Pass
	Full Full	22.63	22.58	22.03	-5	0.058	0.057	0.050	2.000	Pass
16QAM	1 1	24.81	24.47	24.26	-5	0.096	0.089	0.084	2.000	Pass
	Full Full	21.67	21.61	20.96	-5	0.046	0.046	0.039	2.000	Pass
10MHz+15MHz										
QPSK	1 1	25.85	25.75	25.21	-5	0.122	0.119	0.105	2.000	Pass
	Full Full	22.81	22.64	22.11	-5	0.060	0.058	0.051	2.000	Pass
16QAM	1 1	24.79	24.6	23.84	-5	0.095	0.091	0.077	2.000	Pass
	Full Full	21.82	21.68	21.12	-5	0.048	0.047	0.041	2.000	Pass
15MHz+10MHz										

QPSK	1 1	25.86	25.74	25.16	-5	0.122	0.119	0.104	2.000	Pass
	Full Full	22.89	22.75	22.29	-5	0.062	0.060	0.054	2.000	Pass
16QAM	1 1	24.78	24.59	24.25	-5	0.095	0.091	0.084	2.000	Pass
	Full Full	21.92	21.8	21.31	-5	0.049	0.048	0.043	2.000	Pass
10MHz+20MHz										
QPSK	1 1	25.91	25.82	25.26	-5	0.123	0.121	0.106	2.000	Pass
	Full Full	22.88	22.75	22.23	-5	0.061	0.060	0.053	2.000	Pass
16QAM	1 1	24.84	24.65	23.9	-5	0.096	0.092	0.078	2.000	Pass
	Full Full	21.9	21.78	21.25	-5	0.049	0.048	0.042	2.000	Pass
20MHz+10MHz										
QPSK	1 1	25.84	25.67	25.14	-5	0.121	0.117	0.103	2.000	Pass
	Full Full	23.06	22.85	22.45	-5	0.064	0.061	0.056	2.000	Pass
16QAM	1 1	24.59	24.74	24.23	-5	0.091	0.094	0.084	2.000	Pass
	Full Full	22.1	21.88	21.48	-5	0.051	0.049	0.044	2.000	Pass
15MHz+15MHz										
QPSK	1 1	25.89	25.81	25.25	-5	0.123	0.121	0.106	2.000	Pass
	Full Full	22.63	22.43	21.97	-5	0.058	0.055	0.050	2.000	Pass
16QAM	1 1	24.82	24.6	24.33	-5	0.096	0.091	0.086	2.000	Pass
	Full Full	21.62	21.44	20.96	-5	0.046	0.044	0.039	2.000	Pass
15MHz+20MHz										
QPSK	1 1	25.93	25.81	25.28	-5	0.124	0.121	0.107	2.000	Pass
	Full Full	22.7	22.55	22.03	-5	0.059	0.057	0.050	2.000	Pass
16QAM	1 1	24.83	24.62	24.35	-5	0.096	0.092	0.086	2.000	Pass
	Full Full	21.71	21.56	21.06	-5	0.047	0.045	0.040	2.000	Pass
20MHz+15MHz										
QPSK	1 1	25.85	25.75	25.19	-5	0.122	0.119	0.104	2.000	Pass
	Full Full	22.8	22.65	22.14	-5	0.060	0.058	0.052	2.000	Pass
16QAM	1 1	24.63	24.78	24.27	-5	0.092	0.095	0.085	2.000	Pass
	Full Full	21.8	21.66	21.23	-5	0.048	0.046	0.042	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_66C										
20MHz+5MHz										
QPSK	1 0	23.17	22.54	22.57	-4	0.083	0.071	0.072	1.000	Pass
	Half 0	21.03	20.71	20.55	-4	0.050	0.047	0.045	1.000	Pass
	Full 0	21.02	20.74	20.59	-4	0.050	0.047	0.046	1.000	Pass
	1 1	25.84	25.41	25.44	-4	0.153	0.138	0.139	1.000	Pass
	Full Full	23.06	22.6	22.43	-4	0.081	0.072	0.070	1.000	Pass
16QAM	1 0	21.91	21.62	21.75	-4	0.062	0.058	0.060	1.000	Pass
	Half 0	20.01	19.78	19.57	-4	0.040	0.038	0.036	1.000	Pass
	Full 0	20.02	19.79	19.63	-4	0.040	0.038	0.037	1.000	Pass
	1 1	24.59	24.56	24.53	-4	0.115	0.114	0.113	1.000	Pass
	Full Full	22.09	21.61	21.49	-4	0.064	0.058	0.056	1.000	Pass
20MHz+20MHz										
QPSK	1 0	23.07	22.61	22.63	-4	0.081	0.073	0.073	1.000	Pass
	Half 0	21.95	21.69	21.63	-4	0.062	0.059	0.058	1.000	Pass
	Full 0	21.93	21.73	21.68	-4	0.062	0.059	0.059	1.000	Pass
	1 1	25.81	25.55	25.39	-4	0.152	0.143	0.138	1.000	Pass
	Full Full	22.6	22.32	22.3	-4	0.072	0.068	0.068	1.000	Pass
16QAM	1 0	21.85	21.7	21.71	-4	0.061	0.059	0.059	1.000	Pass
	Half 0	20.97	20.77	20.63	-4	0.050	0.048	0.046	1.000	Pass
	Full 0	20.97	20.81	20.73	-4	0.050	0.048	0.047	1.000	Pass
	1 1	24.58	24.68	24.51	-4	0.114	0.117	0.112	1.000	Pass
	Full Full	21.62	21.34	21.34	-4	0.058	0.054	0.054	1.000	Pass
5MHz+20MHz										
QPSK	1 1	25.86	25.56	25.44	-4	0.153	0.143	0.139	1.000	Pass
	Full Full	22.63	22.53	22.39	-4	0.073	0.071	0.069	1.000	Pass
16QAM	1 1	25	24.32	24.58	-4	0.126	0.108	0.114	1.000	Pass
	Full Full	21.66	21.56	21.34	-4	0.058	0.057	0.054	1.000	Pass
10MHz+15MHz										
QPSK	1 1	25.85	25.7	25.6	-4	0.153	0.148	0.145	1.000	Pass
	Full Full	22.85	22.55	22.5	-4	0.077	0.072	0.071	1.000	Pass
16QAM	1 1	24.88	24.55	24.15	-4	0.122	0.114	0.104	1.000	Pass
	Full Full	21.89	21.59	21.52	-4	0.062	0.057	0.056	1.000	Pass
15MHz+10MHz										

QPSK	1 1	25.95	25.63	25.56	-4	0.157	0.146	0.143	1.000	Pass
	Full Full	23.02	22.59	22.56	-4	0.080	0.072	0.072	1.000	Pass
16QAM	1 1	25.03	24.48	24.7	-4	0.127	0.112	0.117	1.000	Pass
	Full Full	22.04	21.64	21.59	-4	0.064	0.058	0.057	1.000	Pass
10MHz+20MHz										
QPSK	1 1	25.83	25.67	25.48	-4	0.152	0.147	0.141	1.000	Pass
	Full Full	22.8	22.65	22.56	-4	0.076	0.073	0.072	1.000	Pass
16QAM	1 1	24.83	24.51	24.08	-4	0.121	0.112	0.102	1.000	Pass
	Full Full	21.81	21.67	21.59	-4	0.060	0.058	0.057	1.000	Pass
20MHz+10MHz										
QPSK	1 1	25.87	25.47	25.62	-4	0.154	0.140	0.145	1.000	Pass
	Full Full	23.05	22.71	22.65	-4	0.080	0.074	0.073	1.000	Pass
16QAM	1 1	24.59	24.6	24.66	-4	0.115	0.115	0.116	1.000	Pass
	Full Full	22.11	21.74	21.68	-4	0.065	0.059	0.059	1.000	Pass
15MHz+15MHz										
QPSK	1 1	25.89	25.65	25.45	-4	0.155	0.146	0.140	1.000	Pass
	Full Full	22.64	22.25	22.29	-4	0.073	0.067	0.067	1.000	Pass
16QAM	1 1	24.96	24.48	24.56	-4	0.125	0.112	0.114	1.000	Pass
	Full Full	21.65	21.28	21.3	-4	0.058	0.053	0.054	1.000	Pass

NR Mode Test Data

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
5	LCH	PI/2 BPSK	12	6	22.93	-6	-8.15	14.78	0.030	7.000	Pass
			1	1	22.95	-6	-8.15	14.80	0.030	7.000	Pass
			1	23	23.02	-6	-8.15	14.87	0.031	7.000	Pass
		QPSK	12	6	23.03	-6	-8.15	14.88	0.031	7.000	Pass
			1	1	23.09	-6	-8.15	14.94	0.031	7.000	Pass
			1	23	23.08	-6	-8.15	14.93	0.031	7.000	Pass
		16QAM	12	6	22.02	-6	-8.15	13.87	0.024	7.000	Pass
			1	1	21.88	-6	-8.15	13.73	0.024	7.000	Pass
			1	23	21.88	-6	-8.15	13.73	0.024	7.000	Pass
		64QAM	12	6	20.54	-6	-8.15	12.39	0.017	7.000	Pass
			1	1	20.47	-6	-8.15	12.32	0.017	7.000	Pass
			1	23	20.51	-6	-8.15	12.36	0.017	7.000	Pass
		256QAM	12	6	18.47	-6	-8.15	10.32	0.011	7.000	Pass
			1	1	18.45	-6	-8.15	10.30	0.011	7.000	Pass
			1	23	18.52	-6	-8.15	10.37	0.011	7.000	Pass
	MCH	PI/2 BPSK	12	6	23.01	-6	-8.15	14.86	0.031	7.000	Pass
			1	1	23.18	-6	-8.15	15.03	0.032	7.000	Pass
			1	23	23.1	-6	-8.15	14.95	0.031	7.000	Pass
		QPSK	12	6	23.16	-6	-8.15	15.01	0.032	7.000	Pass
			1	1	23.25	-6	-8.15	15.10	0.032	7.000	Pass
			1	23	23.19	-6	-8.15	15.04	0.032	7.000	Pass
		16QAM	12	6	22.13	-6	-8.15	13.98	0.025	7.000	Pass
			1	1	21.98	-6	-8.15	13.83	0.024	7.000	Pass
			1	23	21.93	-6	-8.15	13.78	0.024	7.000	Pass
		64QAM	12	6	20.63	-6	-8.15	12.48	0.018	7.000	Pass
			1	1	20.61	-6	-8.15	12.46	0.018	7.000	Pass
			1	23	20.55	-6	-8.15	12.40	0.017	7.000	Pass
		256QAM	12	6	18.54	-6	-8.15	10.39	0.011	7.000	Pass
			1	1	18.55	-6	-8.15	10.40	0.011	7.000	Pass
			1	23	18.56	-6	-8.15	10.41	0.011	7.000	Pass
	HCH	PI/2 BPSK	12	6	23.01	-6	-8.15	14.86	0.031	7.000	Pass
			1	1	23.06	-6	-8.15	14.91	0.031	7.000	Pass
			1	23	23.1	-6	-8.15	14.95	0.031	7.000	Pass
		QPSK	12	6	23.1	-6	-8.15	14.95	0.031	7.000	Pass
			1	1	23.16	-6	-8.15	15.01	0.032	7.000	Pass
			1	23	23.2	-6	-8.15	15.05	0.032	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	12	6	22.09	-6	-8.15	13.94	0.025	7.000	Pass
			1	1	21.92	-6	-8.15	13.77	0.024	7.000	Pass
			1	23	21.94	-6	-8.15	13.79	0.024	7.000	Pass
		64QAM	12	6	20.59	-6	-8.15	12.44	0.018	7.000	Pass
			1	1	20.52	-6	-8.15	12.37	0.017	7.000	Pass
			1	23	20.53	-6	-8.15	12.38	0.017	7.000	Pass
		256QAM	12	6	18.51	-6	-8.15	10.36	0.011	7.000	Pass
			1	1	18.57	-6	-8.15	10.42	0.011	7.000	Pass
			1	23	18.58	-6	-8.15	10.43	0.011	7.000	Pass
15	LCH	PI/2 BPSK	36	18	23.16	-6	-8.15	15.01	0.032	7.000	Pass
			1	1	23.09	-6	-8.15	14.94	0.031	7.000	Pass
			1	77	23.21	-6	-8.15	15.06	0.032	7.000	Pass
		QPSK	36	18	23.25	-6	-8.15	15.10	0.032	7.000	Pass
			1	1	23.3	-6	-8.15	15.15	0.033	7.000	Pass
			1	77	23.29	-6	-8.15	15.14	0.033	7.000	Pass
		16QAM	36	18	22.25	-6	-8.15	14.10	0.026	7.000	Pass
			1	1	21.97	-6	-8.15	13.82	0.024	7.000	Pass
			1	77	22.08	-6	-8.15	13.93	0.025	7.000	Pass
		64QAM	36	18	20.82	-6	-8.15	12.67	0.018	7.000	Pass
			1	1	20.57	-6	-8.15	12.42	0.017	7.000	Pass
			1	77	20.74	-6	-8.15	12.59	0.018	7.000	Pass
		256QAM	36	18	18.7	-6	-8.15	10.55	0.011	7.000	Pass
			1	1	18.44	-6	-8.15	10.29	0.011	7.000	Pass
			1	77	18.59	-6	-8.15	10.44	0.011	7.000	Pass
	MCH	PI/2 BPSK	36	18	23.11	-6	-8.15	14.96	0.031	7.000	Pass
			1	1	22.97	-6	-8.15	14.82	0.030	7.000	Pass
			1	77	22.98	-6	-8.15	14.83	0.030	7.000	Pass
		QPSK	36	18	23.21	-6	-8.15	15.06	0.032	7.000	Pass
			1	1	23.1	-6	-8.15	14.95	0.031	7.000	Pass
			1	77	23.11	-6	-8.15	14.96	0.031	7.000	Pass
		16QAM	36	18	22.19	-6	-8.15	14.04	0.025	7.000	Pass
			1	1	21.88	-6	-8.15	13.73	0.024	7.000	Pass
			1	77	21.84	-6	-8.15	13.69	0.023	7.000	Pass
		64QAM	36	18	20.76	-6	-8.15	12.61	0.018	7.000	Pass
			1	1	20.48	-6	-8.15	12.33	0.017	7.000	Pass
			1	77	20.44	-6	-8.15	12.29	0.017	7.000	Pass
		256QAM	36	18	18.67	-6	-8.15	10.52	0.011	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
	HCH	PI/2 BPSK	1	1	18.52	-6	-8.15	10.37	0.011	7.000	Pass
			1	77	18.51	-6	-8.15	10.36	0.011	7.000	Pass
			36	18	23.07	-6	-8.15	14.92	0.031	7.000	Pass
		QPSK	1	1	23.14	-6	-8.15	14.99	0.032	7.000	Pass
			1	77	23.05	-6	-8.15	14.90	0.031	7.000	Pass
			36	18	23.15	-6	-8.15	15.00	0.032	7.000	Pass
		16QAM	1	1	23.27	-6	-8.15	15.12	0.033	7.000	Pass
			1	77	23.23	-6	-8.15	15.08	0.032	7.000	Pass
			36	18	22.17	-6	-8.15	14.02	0.025	7.000	Pass
		64QAM	1	1	22.02	-6	-8.15	13.87	0.024	7.000	Pass
			1	77	21.98	-6	-8.15	13.83	0.024	7.000	Pass
			36	18	20.72	-6	-8.15	12.57	0.018	7.000	Pass
		256QAM	1	1	20.67	-6	-8.15	12.52	0.018	7.000	Pass
			1	77	20.51	-6	-8.15	12.36	0.017	7.000	Pass
			36	18	18.66	-6	-8.15	10.51	0.011	7.000	Pass
			1	1	18.52	-6	-8.15	10.37	0.011	7.000	Pass
			1	77	18.49	-6	-8.15	10.34	0.011	7.000	Pass
			36	18	18.49	-6	-8.15	10.34	0.011	7.000	Pass
20	LCH	PI/2 BPSK	50	25	23.15	-6	-8.15	15.00	0.032	7.000	Pass
			1	1	23.01	-6	-8.15	14.86	0.031	7.000	Pass
			1	104	22.93	-6	-8.15	14.78	0.030	7.000	Pass
		QPSK	50	25	23.22	-6	-8.15	15.07	0.032	7.000	Pass
			1	1	23.19	-6	-8.15	15.04	0.032	7.000	Pass
			1	104	23.07	-6	-8.15	14.92	0.031	7.000	Pass
		16QAM	50	25	22.25	-6	-8.15	14.10	0.026	7.000	Pass
			1	1	21.94	-6	-8.15	13.79	0.024	7.000	Pass
			1	104	21.82	-6	-8.15	13.67	0.023	7.000	Pass
		64QAM	50	25	20.8	-6	-8.15	12.65	0.018	7.000	Pass
			1	1	20.61	-6	-8.15	12.46	0.018	7.000	Pass
			1	104	20.43	-6	-8.15	12.28	0.017	7.000	Pass
		256QAM	50	25	18.73	-6	-8.15	10.58	0.011	7.000	Pass
			1	1	18.47	-6	-8.15	10.32	0.011	7.000	Pass
			1	104	18.5	-6	-8.15	10.35	0.011	7.000	Pass
	MCH	PI/2 BPSK	50	25	23.14	-6	-8.15	14.99	0.032	7.000	Pass
			1	1	23.05	-6	-8.15	14.90	0.031	7.000	Pass
			1	104	23.08	-6	-8.15	14.93	0.031	7.000	Pass
		QPSK	50	25	23.22	-6	-8.15	15.07	0.032	7.000	Pass
			1	1	23.19	-6	-8.15	15.04	0.032	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	1	104	23.26	-6	-8.15	15.11	0.032	7.000	Pass
			50	25	22.27	-6	-8.15	14.12	0.026	7.000	Pass
			1	1	21.95	-6	-8.15	13.80	0.024	7.000	Pass
			1	104	21.99	-6	-8.15	13.84	0.024	7.000	Pass
		64QAM	50	25	20.81	-6	-8.15	12.66	0.018	7.000	Pass
			1	1	20.54	-6	-8.15	12.39	0.017	7.000	Pass
			1	104	20.59	-6	-8.15	12.44	0.018	7.000	Pass
		256QAM	50	25	18.74	-6	-8.15	10.59	0.011	7.000	Pass
			1	1	18.53	-6	-8.15	10.38	0.011	7.000	Pass
			1	104	18.55	-6	-8.15	10.40	0.011	7.000	Pass
	HCH	PI/2 BPSK	50	25	23.14	-6	-8.15	14.99	0.032	7.000	Pass
			1	1	22.99	-6	-8.15	14.84	0.030	7.000	Pass
			1	104	23.05	-6	-8.15	14.90	0.031	7.000	Pass
		QPSK	50	25	23.24	-6	-8.15	15.09	0.032	7.000	Pass
			1	1	23.11	-6	-8.15	14.96	0.031	7.000	Pass
			1	104	23.22	-6	-8.15	15.07	0.032	7.000	Pass
		16QAM	50	25	22.25	-6	-8.15	14.10	0.026	7.000	Pass
			1	1	21.93	-6	-8.15	13.78	0.024	7.000	Pass
			1	104	21.92	-6	-8.15	13.77	0.024	7.000	Pass
		64QAM	50	25	20.82	-6	-8.15	12.67	0.018	7.000	Pass
			1	1	20.49	-6	-8.15	12.34	0.017	7.000	Pass
			1	104	20.52	-6	-8.15	12.37	0.017	7.000	Pass
		256QAM	50	25	18.75	-6	-8.15	10.60	0.011	7.000	Pass
			1	1	18.56	-6	-8.15	10.41	0.011	7.000	Pass
			1	104	18.45	-6	-8.15	10.30	0.011	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
5	LCH	PI/2 BPSK	12	6	15.21	-5	10.21	0.010	2.000	Pass
			1	1	15.3	-5	10.30	0.011	2.000	Pass
			1	23	15.14	-5	10.14	0.010	2.000	Pass
		QPSK	12	6	15.24	-5	10.24	0.011	2.000	Pass
			1	1	15.39	-5	10.39	0.011	2.000	Pass
			1	23	15.3	-5	10.30	0.011	2.000	Pass
		16QAM	12	6	14.22	-5	9.22	0.008	2.000	Pass
			1	1	14.14	-5	9.14	0.008	2.000	Pass
			1	23	13.99	-5	8.99	0.008	2.000	Pass
		64QAM	12	6	12.74	-5	7.74	0.006	2.000	Pass
			1	1	12.69	-5	7.69	0.006	2.000	Pass
			1	23	12.61	-5	7.61	0.006	2.000	Pass
		256QAM	12	6	10.69	-5	5.69	0.004	2.000	Pass
			1	1	10.8	-5	5.80	0.004	2.000	Pass
			1	23	10.64	-5	5.64	0.004	2.000	Pass
	MCH	PI/2 BPSK	12	6	15.36	-5	10.36	0.011	2.000	Pass
			1	1	15.41	-5	10.41	0.011	2.000	Pass
			1	23	15.44	-5	10.44	0.011	2.000	Pass
		QPSK	12	6	15.39	-5	10.39	0.011	2.000	Pass
			1	1	15.61	-5	10.61	0.012	2.000	Pass
			1	23	15.57	-5	10.57	0.011	2.000	Pass
		16QAM	12	6	14.4	-5	9.40	0.009	2.000	Pass
			1	1	14.18	-5	9.18	0.008	2.000	Pass
			1	23	14.29	-5	9.29	0.008	2.000	Pass
		64QAM	12	6	12.9	-5	7.90	0.006	2.000	Pass
			1	1	12.73	-5	7.73	0.006	2.000	Pass
			1	23	12.79	-5	7.79	0.006	2.000	Pass
		256QAM	12	6	10.82	-5	5.82	0.004	2.000	Pass
			1	1	10.85	-5	5.85	0.004	2.000	Pass
			1	23	10.9	-5	5.90	0.004	2.000	Pass
	HCH	PI/2 BPSK	12	6	15.24	-5	10.24	0.011	2.000	Pass
			1	1	15.32	-5	10.32	0.011	2.000	Pass
			1	23	15.27	-5	10.27	0.011	2.000	Pass
		QPSK	12	6	15.28	-5	10.28	0.011	2.000	Pass
			1	1	15.49	-5	10.49	0.011	2.000	Pass
			1	23	15.46	-5	10.46	0.011	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	12	6	14.25	-5	9.25	0.008	2.000	Pass
			1	1	14.12	-5	9.12	0.008	2.000	Pass
			1	23	14.05	-5	9.05	0.008	2.000	Pass
		64QAM	12	6	12.78	-5	7.78	0.006	2.000	Pass
			1	1	12.67	-5	7.67	0.006	2.000	Pass
			1	23	12.63	-5	7.63	0.006	2.000	Pass
		256QAM	12	6	10.72	-5	5.72	0.004	2.000	Pass
			1	1	10.78	-5	5.78	0.004	2.000	Pass
			1	23	10.7	-5	5.70	0.004	2.000	Pass
25	LCH	PI/2 BPSK	64	32	15.29	-5	10.29	0.011	2.000	Pass
			1	1	15.23	-5	10.23	0.011	2.000	Pass
			1	131	15.08	-5	10.08	0.010	2.000	Pass
		QPSK	64	32	15.34	-5	10.34	0.011	2.000	Pass
			1	1	15.39	-5	10.39	0.011	2.000	Pass
			1	131	15.24	-5	10.24	0.011	2.000	Pass
		16QAM	64	32	14.32	-5	9.32	0.009	2.000	Pass
			1	1	14.04	-5	9.04	0.008	2.000	Pass
			1	131	13.93	-5	8.93	0.008	2.000	Pass
		64QAM	64	32	12.87	-5	7.87	0.006	2.000	Pass
			1	1	12.66	-5	7.66	0.006	2.000	Pass
			1	131	12.52	-5	7.52	0.006	2.000	Pass
		256QAM	64	32	10.82	-5	5.82	0.004	2.000	Pass
			1	1	10.72	-5	5.72	0.004	2.000	Pass
			1	131	10.6	-5	5.60	0.004	2.000	Pass
	MCH	PI/2 BPSK	64	32	15.45	-5	10.45	0.011	2.000	Pass
			1	1	15.33	-5	10.33	0.011	2.000	Pass
			1	131	15.34	-5	10.34	0.011	2.000	Pass
		QPSK	64	32	15.48	-5	10.48	0.011	2.000	Pass
			1	1	15.55	-5	10.55	0.011	2.000	Pass
			1	131	15.59	-5	10.59	0.011	2.000	Pass
		16QAM	64	32	14.5	-5	9.50	0.009	2.000	Pass
			1	1	14.16	-5	9.16	0.008	2.000	Pass
			1	131	14.19	-5	9.19	0.008	2.000	Pass
		64QAM	64	32	13.01	-5	8.01	0.006	2.000	Pass
			1	1	12.75	-5	7.75	0.006	2.000	Pass
			1	131	12.77	-5	7.77	0.006	2.000	Pass
		256QAM	64	32	11.02	-5	6.02	0.004	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
	HCH	PI/2 BPSK	1	1	10.85	-5	5.85	0.004	2.000	Pass
			1	131	10.87	-5	5.87	0.004	2.000	Pass
			64	32	15.43	-5	10.43	0.011	2.000	Pass
		QPSK	1	1	15.3	-5	10.30	0.011	2.000	Pass
			1	131	15.22	-5	10.22	0.011	2.000	Pass
			64	32	15.46	-5	10.46	0.011	2.000	Pass
		16QAM	1	1	15.48	-5	10.48	0.011	2.000	Pass
			1	131	15.45	-5	10.45	0.011	2.000	Pass
			64	32	14.44	-5	9.44	0.009	2.000	Pass
		64QAM	1	1	14.18	-5	9.18	0.008	2.000	Pass
			1	131	14.06	-5	9.06	0.008	2.000	Pass
			64	32	12.99	-5	7.99	0.006	2.000	Pass
		256QAM	1	1	12.8	-5	7.80	0.006	2.000	Pass
			1	131	12.66	-5	7.66	0.006	2.000	Pass
			64	32	10.94	-5	5.94	0.004	2.000	Pass
			1	1	10.83	-5	5.83	0.004	2.000	Pass
			1	131	10.69	-5	5.69	0.004	2.000	Pass
			135	37	15.42	-5	10.42	0.011	2.000	Pass
50	LCH	PI/2 BPSK	1	1	15.37	-5	10.37	0.011	2.000	Pass
			1	268	15.25	-5	10.25	0.011	2.000	Pass
			135	37	15.47	-5	10.47	0.011	2.000	Pass
		QPSK	1	1	15.55	-5	10.55	0.011	2.000	Pass
			1	268	15.42	-5	10.42	0.011	2.000	Pass
			135	37	14.46	-5	9.46	0.009	2.000	Pass
		16QAM	1	1	14.19	-5	9.19	0.008	2.000	Pass
			1	268	14.05	-5	9.05	0.008	2.000	Pass
			135	37	13.01	-5	8.01	0.006	2.000	Pass
		64QAM	1	1	12.79	-5	7.79	0.006	2.000	Pass
			1	268	12.74	-5	7.74	0.006	2.000	Pass
			135	37	10.98	-5	5.98	0.004	2.000	Pass
		256QAM	1	1	10.91	-5	5.91	0.004	2.000	Pass
			1	268	10.75	-5	5.75	0.004	2.000	Pass
			135	37	15.52	-5	10.52	0.011	2.000	Pass
	MCH	PI/2 BPSK	1	1	15.39	-5	10.39	0.011	2.000	Pass
			1	268	15.4	-5	10.40	0.011	2.000	Pass
			135	37	15.57	-5	10.57	0.011	2.000	Pass
		QPSK	1	1	15.59	-5	10.59	0.011	2.000	Pass
			1	1	15.59	-5	10.59	0.011	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	1	268	15.61	-5	10.61	0.012	2.000	Pass
			135	37	14.55	-5	9.55	0.009	2.000	Pass
			1	1	14.22	-5	9.22	0.008	2.000	Pass
			1	268	14.24	-5	9.24	0.008	2.000	Pass
		64QAM	135	37	13.1	-5	8.10	0.006	2.000	Pass
			1	1	12.81	-5	7.81	0.006	2.000	Pass
			1	268	12.83	-5	7.83	0.006	2.000	Pass
		256QAM	135	37	11.08	-5	6.08	0.004	2.000	Pass
			1	1	10.88	-5	5.88	0.004	2.000	Pass
			1	268	10.89	-5	5.89	0.004	2.000	Pass
	HCH	PI/2 BPSK	135	37	15.46	-5	10.46	0.011	2.000	Pass
			1	1	15.45	-5	10.45	0.011	2.000	Pass
			1	268	15.22	-5	10.22	0.011	2.000	Pass
		QPSK	135	37	15.5	-5	10.50	0.011	2.000	Pass
			1	1	15.64	-5	10.64	0.012	2.000	Pass
			1	268	15.46	-5	10.46	0.011	2.000	Pass
		16QAM	135	37	14.5	-5	9.50	0.009	2.000	Pass
			1	1	14.29	-5	9.29	0.008	2.000	Pass
			1	268	14.09	-5	9.09	0.008	2.000	Pass
		64QAM	135	37	13.04	-5	8.04	0.006	2.000	Pass
			1	1	12.87	-5	7.87	0.006	2.000	Pass
			1	268	12.68	-5	7.68	0.006	2.000	Pass
		256QAM	135	37	11.05	-5	6.05	0.004	2.000	Pass
			1	1	10.99	-5	5.99	0.004	2.000	Pass
			1	268	10.74	-5	5.74	0.004	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
5	LCH	PI/2 BPSK	12	6	22.95	-2	-4.15	18.80	0.076	3.000	Pass
			1	1	23.07	-2	-4.15	18.92	0.078	3.000	Pass
			1	23	23	-2	-4.15	18.85	0.077	3.000	Pass
		QPSK	12	6	22.99	-2	-4.15	18.84	0.077	3.000	Pass
			1	1	23.16	-2	-4.15	19.01	0.080	3.000	Pass
			1	23	23.07	-2	-4.15	18.92	0.078	3.000	Pass
		16QAM	12	6	22	-2	-4.15	17.85	0.061	3.000	Pass
			1	1	21.89	-2	-4.15	17.74	0.059	3.000	Pass
			1	23	21.79	-2	-4.15	17.64	0.058	3.000	Pass
		64QAM	12	6	20.67	-2	-4.15	16.52	0.045	3.000	Pass
			1	1	20.67	-2	-4.15	16.52	0.045	3.000	Pass
			1	23	20.55	-2	-4.15	16.40	0.044	3.000	Pass
		256QAM	12	6	18.44	-2	-4.15	14.29	0.027	3.000	Pass
			1	1	18.52	-2	-4.15	14.37	0.027	3.000	Pass
			1	23	18.45	-2	-4.15	14.30	0.027	3.000	Pass
	MCH	PI/2 BPSK	12	6	22.95	-2	-4.15	18.80	0.076	3.000	Pass
			1	1	22.92	-2	-4.15	18.77	0.075	3.000	Pass
			1	23	23.13	-2	-4.15	18.98	0.079	3.000	Pass
		QPSK	12	6	22.95	-2	-4.15	18.80	0.076	3.000	Pass
			1	1	22.97	-2	-4.15	18.82	0.076	3.000	Pass
			1	23	23.21	-2	-4.15	19.06	0.081	3.000	Pass
		16QAM	12	6	21.95	-2	-4.15	17.80	0.060	3.000	Pass
			1	1	21.74	-2	-4.15	17.59	0.057	3.000	Pass
			1	23	21.96	-2	-4.15	17.81	0.060	3.000	Pass
		64QAM	12	6	20.7	-2	-4.15	16.55	0.045	3.000	Pass
			1	1	20.59	-2	-4.15	16.44	0.044	3.000	Pass
			1	23	20.61	-2	-4.15	16.46	0.044	3.000	Pass
		256QAM	12	6	18.5	-2	-4.15	14.35	0.027	3.000	Pass
			1	1	18.43	-2	-4.15	14.28	0.027	3.000	Pass
			1	23	18.49	-2	-4.15	14.34	0.027	3.000	Pass
	HCH	PI/2 BPSK	12	6	22.95	-2	-4.15	18.80	0.076	3.000	Pass
			1	1	22.97	-2	-4.15	18.82	0.076	3.000	Pass
			1	23	23.07	-2	-4.15	18.92	0.078	3.000	Pass
		QPSK	12	6	23.04	-2	-4.15	18.89	0.077	3.000	Pass
			1	1	23.08	-2	-4.15	18.93	0.078	3.000	Pass
			1	23	23.14	-2	-4.15	18.99	0.079	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	12	6	21.99	-2	-4.15	17.84	0.061	3.000	Pass
			1	1	21.77	-2	-4.15	17.62	0.058	3.000	Pass
			1	23	21.87	-2	-4.15	17.72	0.059	3.000	Pass
		64QAM	12	6	20.57	-2	-4.15	16.42	0.044	3.000	Pass
			1	1	20.68	-2	-4.15	16.53	0.045	3.000	Pass
			1	23	20.5	-2	-4.15	16.35	0.043	3.000	Pass
		256QAM	12	6	18.41	-2	-4.15	14.26	0.027	3.000	Pass
			1	1	18.51	-2	-4.15	14.36	0.027	3.000	Pass
			1	23	18.4	-2	-4.15	14.25	0.027	3.000	Pass
10	LCH	PI/2 BPSK	25	12	22.93	-2	-4.15	18.78	0.076	3.000	Pass
			1	1	23.17	-2	-4.15	19.02	0.080	3.000	Pass
			1	50	23.16	-2	-4.15	19.01	0.080	3.000	Pass
		QPSK	25	12	22.98	-2	-4.15	18.83	0.076	3.000	Pass
			1	1	23.27	-2	-4.15	19.12	0.082	3.000	Pass
			1	50	23.23	-2	-4.15	19.08	0.081	3.000	Pass
		16QAM	25	12	21.97	-2	-4.15	17.82	0.061	3.000	Pass
			1	1	22.01	-2	-4.15	17.86	0.061	3.000	Pass
			1	50	21.96	-2	-4.15	17.81	0.060	3.000	Pass
		64QAM	25	12	20.65	-2	-4.15	16.50	0.045	3.000	Pass
			1	1	20.7	-2	-4.15	16.55	0.045	3.000	Pass
			1	50	20.68	-2	-4.15	16.53	0.045	3.000	Pass
		256QAM	25	12	18.47	-2	-4.15	14.32	0.027	3.000	Pass
			1	1	18.63	-2	-4.15	14.48	0.028	3.000	Pass
			1	50	18.57	-2	-4.15	14.42	0.028	3.000	Pass
	MCH	PI/2 BPSK	25	12	22.96	-2	-4.15	18.81	0.076	3.000	Pass
			1	1	23.08	-2	-4.15	18.93	0.078	3.000	Pass
			1	50	23.13	-2	-4.15	18.98	0.079	3.000	Pass
		QPSK	25	12	23.02	-2	-4.15	18.87	0.077	3.000	Pass
			1	1	23.18	-2	-4.15	19.03	0.080	3.000	Pass
			1	50	23.24	-2	-4.15	19.09	0.081	3.000	Pass
		16QAM	25	12	22	-2	-4.15	17.85	0.061	3.000	Pass
			1	1	21.93	-2	-4.15	17.78	0.060	3.000	Pass
			1	50	21.93	-2	-4.15	17.78	0.060	3.000	Pass
		64QAM	25	12	20.69	-2	-4.15	16.54	0.045	3.000	Pass
			1	1	20.63	-2	-4.15	16.48	0.044	3.000	Pass
			1	50	20.73	-2	-4.15	16.58	0.045	3.000	Pass
		256QAM	25	12	18.46	-2	-4.15	14.31	0.027	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
	HCH	PI/2 BPSK	1	1	18.53	-2	-4.15	14.38	0.027	3.000	Pass
			1	50	18.57	-2	-4.15	14.42	0.028	3.000	Pass
			25	12	23	-2	-4.15	18.85	0.077	3.000	Pass
		QPSK	1	1	23	-2	-4.15	18.85	0.077	3.000	Pass
			1	50	23.18	-2	-4.15	19.03	0.080	3.000	Pass
			25	12	23.04	-2	-4.15	18.89	0.077	3.000	Pass
		16QAM	1	1	23.09	-2	-4.15	18.94	0.078	3.000	Pass
			1	50	23.27	-2	-4.15	19.12	0.082	3.000	Pass
			25	12	22.04	-2	-4.15	17.89	0.062	3.000	Pass
		64QAM	1	1	21.85	-2	-4.15	17.70	0.059	3.000	Pass
			1	50	21.96	-2	-4.15	17.81	0.060	3.000	Pass
			25	12	20.65	-2	-4.15	16.50	0.045	3.000	Pass
		256QAM	1	1	20.71	-2	-4.15	16.56	0.045	3.000	Pass
			1	50	20.56	-2	-4.15	16.41	0.044	3.000	Pass
			25	12	18.43	-2	-4.15	14.28	0.027	3.000	Pass
			1	1	18.57	-2	-4.15	14.42	0.028	3.000	Pass
			1	50	18.48	-2	-4.15	14.33	0.027	3.000	Pass
			36	18	23.01	-2	-4.15	18.86	0.077	3.000	Pass
15	LCH	PI/2 BPSK	1	1	23.1	-2	-4.15	18.95	0.079	3.000	Pass
			1	77	22.97	-2	-4.15	18.82	0.076	3.000	Pass
			36	18	23.05	-2	-4.15	18.90	0.078	3.000	Pass
		QPSK	1	1	23.19	-2	-4.15	19.04	0.080	3.000	Pass
			1	77	23.1	-2	-4.15	18.95	0.079	3.000	Pass
			36	18	22.05	-2	-4.15	17.90	0.062	3.000	Pass
		16QAM	1	1	21.91	-2	-4.15	17.76	0.060	3.000	Pass
			1	77	21.82	-2	-4.15	17.67	0.058	3.000	Pass
			36	18	20.77	-2	-4.15	16.62	0.046	3.000	Pass
		64QAM	1	1	20.61	-2	-4.15	16.46	0.044	3.000	Pass
			1	77	20.45	-2	-4.15	16.30	0.043	3.000	Pass
			36	18	18.54	-2	-4.15	14.39	0.027	3.000	Pass
		256QAM	1	1	18.52	-2	-4.15	14.37	0.027	3.000	Pass
			1	77	18.38	-2	-4.15	14.23	0.026	3.000	Pass
			36	18	23.03	-2	-4.15	18.88	0.077	3.000	Pass
	MCH	PI/2 BPSK	1	1	23.01	-2	-4.15	18.86	0.077	3.000	Pass
			1	77	23.12	-2	-4.15	18.97	0.079	3.000	Pass
			36	18	23.04	-2	-4.15	18.89	0.077	3.000	Pass
		QPSK	1	1	23.1	-2	-4.15	18.95	0.079	3.000	Pass
			1	1	23.1	-2	-4.15	18.95	0.079	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	1	77	23.23	-2	-4.15	19.08	0.081	3.000	Pass
			36	18	22.06	-2	-4.15	17.91	0.062	3.000	Pass
			1	1	21.82	-2	-4.15	17.67	0.058	3.000	Pass
			1	77	21.91	-2	-4.15	17.76	0.060	3.000	Pass
		64QAM	36	18	20.77	-2	-4.15	16.62	0.046	3.000	Pass
			1	1	20.54	-2	-4.15	16.39	0.044	3.000	Pass
			1	77	20.56	-2	-4.15	16.41	0.044	3.000	Pass
		256QAM	36	18	18.57	-2	-4.15	14.42	0.028	3.000	Pass
			1	1	18.47	-2	-4.15	14.32	0.027	3.000	Pass
			1	77	18.43	-2	-4.15	14.28	0.027	3.000	Pass
	HCH	PI/2 BPSK	36	18	23.05	-2	-4.15	18.90	0.078	3.000	Pass
			1	1	22.96	-2	-4.15	18.81	0.076	3.000	Pass
			1	77	23.12	-2	-4.15	18.97	0.079	3.000	Pass
		QPSK	36	18	23.08	-2	-4.15	18.93	0.078	3.000	Pass
			1	1	23.04	-2	-4.15	18.89	0.077	3.000	Pass
			1	77	23.25	-2	-4.15	19.10	0.081	3.000	Pass
		16QAM	36	18	22.06	-2	-4.15	17.91	0.062	3.000	Pass
			1	1	21.76	-2	-4.15	17.61	0.058	3.000	Pass
			1	77	21.93	-2	-4.15	17.78	0.060	3.000	Pass
		64QAM	36	18	20.76	-2	-4.15	16.61	0.046	3.000	Pass
			1	1	20.5	-2	-4.15	16.35	0.043	3.000	Pass
			1	77	20.5	-2	-4.15	16.35	0.043	3.000	Pass
		256QAM	36	18	18.59	-2	-4.15	14.44	0.028	3.000	Pass
			1	1	18.41	-2	-4.15	14.26	0.027	3.000	Pass
			1	77	18.4	-2	-4.15	14.25	0.027	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
10	LCH	PI/2 BPSK	12	6	14.71	-5	9.71	0.009	2.000	Pass
			1	1	14.62	-5	9.62	0.009	2.000	Pass
			1	22	14.7	-5	9.70	0.009	2.000	Pass
		QPSK	12	6	14.69	-5	9.69	0.009	2.000	Pass
			1	1	14.63	-5	9.63	0.009	2.000	Pass
			1	22	14.74	-5	9.74	0.009	2.000	Pass
		16QAM	12	6	13.7	-5	8.70	0.007	2.000	Pass
			1	1	13.79	-5	8.79	0.008	2.000	Pass
			1	22	13.84	-5	8.84	0.008	2.000	Pass
		64QAM	12	6	12.12	-5	7.12	0.005	2.000	Pass
			1	1	12.1	-5	7.10	0.005	2.000	Pass
			1	22	11.94	-5	6.94	0.005	2.000	Pass
		256QAM	12	6	10.22	-5	5.22	0.003	2.000	Pass
			1	1	9.82	-5	4.82	0.003	2.000	Pass
			1	22	10.29	-5	5.29	0.003	2.000	Pass
	MCH	PI/2 BPSK	12	6	14.77	-5	9.77	0.009	2.000	Pass
			1	1	14.62	-5	9.62	0.009	2.000	Pass
			1	22	14.87	-5	9.87	0.010	2.000	Pass
		QPSK	12	6	14.72	-5	9.72	0.009	2.000	Pass
			1	1	14.78	-5	9.78	0.010	2.000	Pass
			1	22	15.01	-5	10.01	0.010	2.000	Pass
		16QAM	12	6	13.74	-5	8.74	0.007	2.000	Pass
			1	1	13.92	-5	8.92	0.008	2.000	Pass
			1	22	14.13	-5	9.13	0.008	2.000	Pass
		64QAM	12	6	12.16	-5	7.16	0.005	2.000	Pass
			1	1	11.67	-5	6.67	0.005	2.000	Pass
			1	22	12.06	-5	7.06	0.005	2.000	Pass
		256QAM	12	6	10.07	-5	5.07	0.003	2.000	Pass
			1	1	9.92	-5	4.92	0.003	2.000	Pass
			1	22	10.29	-5	5.29	0.003	2.000	Pass
	HCH	PI/2 BPSK	12	6	14.86	-5	9.86	0.010	2.000	Pass
			1	1	14.66	-5	9.66	0.009	2.000	Pass
			1	22	14.76	-5	9.76	0.009	2.000	Pass
		QPSK	12	6	14.77	-5	9.77	0.009	2.000	Pass
			1	1	14.92	-5	9.92	0.010	2.000	Pass
			1	22	15.04	-5	10.04	0.010	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	12	6	14.04	-5	9.04	0.008	2.000	Pass
			1	1	14.23	-5	9.23	0.008	2.000	Pass
			1	22	14.29	-5	9.29	0.008	2.000	Pass
		64QAM	12	6	12.57	-5	7.57	0.006	2.000	Pass
			1	1	11.97	-5	6.97	0.005	2.000	Pass
			1	22	12.07	-5	7.07	0.005	2.000	Pass
		256QAM	12	6	10.32	-5	5.32	0.003	2.000	Pass
			1	1	10.22	-5	5.22	0.003	2.000	Pass
			1	22	10.51	-5	5.51	0.004	2.000	Pass
20	LCH	PI/2 BPSK	25	12	14.67	-5	9.67	0.009	2.000	Pass
			1	1	14.86	-5	9.86	0.010	2.000	Pass
			1	49	14.66	-5	9.66	0.009	2.000	Pass
		QPSK	25	12	14.86	-5	9.86	0.010	2.000	Pass
			1	1	14.66	-5	9.66	0.009	2.000	Pass
			1	49	15.05	-5	10.05	0.010	2.000	Pass
		16QAM	25	12	13.6	-5	8.60	0.007	2.000	Pass
			1	1	13.82	-5	8.82	0.008	2.000	Pass
			1	49	14.27	-5	9.27	0.008	2.000	Pass
		64QAM	25	12	12.36	-5	7.36	0.005	2.000	Pass
			1	1	11.96	-5	6.96	0.005	2.000	Pass
			1	49	12.29	-5	7.29	0.005	2.000	Pass
		256QAM	25	12	10.21	-5	5.21	0.003	2.000	Pass
			1	1	9.99	-5	4.99	0.003	2.000	Pass
			1	49	10.43	-5	5.43	0.003	2.000	Pass
	MCH	PI/2 BPSK	25	12	14.68	-5	9.68	0.009	2.000	Pass
			1	1	14.68	-5	9.68	0.009	2.000	Pass
			1	49	14.92	-5	9.92	0.010	2.000	Pass
		QPSK	25	12	14.69	-5	9.69	0.009	2.000	Pass
			1	1	14.76	-5	9.76	0.009	2.000	Pass
			1	49	15.04	-5	10.04	0.010	2.000	Pass
		16QAM	25	12	13.7	-5	8.70	0.007	2.000	Pass
			1	1	13.87	-5	8.87	0.008	2.000	Pass
			1	49	14.22	-5	9.22	0.008	2.000	Pass
		64QAM	25	12	12.36	-5	7.36	0.005	2.000	Pass
			1	1	12.03	-5	7.03	0.005	2.000	Pass
			1	49	12.22	-5	7.22	0.005	2.000	Pass
		256QAM	25	12	10.17	-5	5.17	0.003	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
	HCH	PI/2 BPSK	1	1	10.04	-5	5.04	0.003	2.000	Pass
			1	49	10.35	-5	5.35	0.003	2.000	Pass
			25	12	14.72	-5	9.72	0.009	2.000	Pass
		QPSK	1	1	14.62	-5	9.62	0.009	2.000	Pass
			1	49	14.95	-5	9.95	0.010	2.000	Pass
			25	12	14.59	-5	9.59	0.009	2.000	Pass
		16QAM	1	1	14.72	-5	9.72	0.009	2.000	Pass
			1	49	15.03	-5	10.03	0.010	2.000	Pass
			25	12	13.75	-5	8.75	0.007	2.000	Pass
		64QAM	1	1	13.87	-5	8.87	0.008	2.000	Pass
			1	49	14.2	-5	9.20	0.008	2.000	Pass
			25	12	12.28	-5	7.28	0.005	2.000	Pass
		256QAM	1	1	12.23	-5	7.23	0.005	2.000	Pass
			1	49	12.31	-5	7.31	0.005	2.000	Pass
			25	12	10.23	-5	5.23	0.003	2.000	Pass
			1	1	10.06	-5	5.06	0.003	2.000	Pass
			1	49	10.21	-5	5.21	0.003	2.000	Pass
40	LCH	PI/2 BPSK	50	25	14.78	-5	9.78	0.010	2.000	Pass
			1	1	14.67	-5	9.67	0.009	2.000	Pass
			1	104	14.43	-5	9.43	0.009	2.000	Pass
		QPSK	50	25	14.78	-5	9.78	0.010	2.000	Pass
			1	1	14.92	-5	9.92	0.010	2.000	Pass
			1	104	14.75	-5	9.75	0.009	2.000	Pass
		16QAM	50	25	13.78	-5	8.78	0.008	2.000	Pass
			1	1	13.61	-5	8.61	0.007	2.000	Pass
			1	104	13.37	-5	8.37	0.007	2.000	Pass
		64QAM	50	25	12.31	-5	7.31	0.005	2.000	Pass
			1	1	12.24	-5	7.24	0.005	2.000	Pass
			1	104	12	-5	7.00	0.005	2.000	Pass
		256QAM	50	25	10.39	-5	5.39	0.003	2.000	Pass
			1	1	10.28	-5	5.28	0.003	2.000	Pass
			1	104	10.07	-5	5.07	0.003	2.000	Pass
	MCH	PI/2 BPSK	50	25	14.71	-5	9.71	0.009	2.000	Pass
			1	1	14.71	-5	9.71	0.009	2.000	Pass
			1	104	14.35	-5	9.35	0.009	2.000	Pass
		QPSK	50	25	14.68	-5	9.68	0.009	2.000	Pass
			1	1	14.98	-5	9.98	0.010	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	1	104	14.64	-5	9.64	0.009	2.000	Pass
			50	25	13.71	-5	8.71	0.007	2.000	Pass
			1	1	13.59	-5	8.59	0.007	2.000	Pass
			1	104	13.27	-5	8.27	0.007	2.000	Pass
		64QAM	50	25	12.26	-5	7.26	0.005	2.000	Pass
			1	1	12.2	-5	7.20	0.005	2.000	Pass
			1	104	11.87	-5	6.87	0.005	2.000	Pass
		256QAM	50	25	10.3	-5	5.30	0.003	2.000	Pass
			1	1	10.29	-5	5.29	0.003	2.000	Pass
			1	104	9.96	-5	4.96	0.003	2.000	Pass
	HCH	PI/2 BPSK	50	25	14.68	-5	9.68	0.009	2.000	Pass
			1	1	14.73	-5	9.73	0.009	2.000	Pass
			1	104	14.34	-5	9.34	0.009	2.000	Pass
		QPSK	50	25	14.64	-5	9.64	0.009	2.000	Pass
			1	1	15.04	-5	10.04	0.010	2.000	Pass
			1	104	14.61	-5	9.61	0.009	2.000	Pass
		16QAM	50	25	13.66	-5	8.66	0.007	2.000	Pass
			1	1	13.66	-5	8.66	0.007	2.000	Pass
			1	104	13.25	-5	8.25	0.007	2.000	Pass
		64QAM	50	25	12.18	-5	7.18	0.005	2.000	Pass
			1	1	12.33	-5	7.33	0.005	2.000	Pass
			1	104	11.85	-5	6.85	0.005	2.000	Pass
		256QAM	50	25	10.26	-5	5.26	0.003	2.000	Pass
			1	1	10.34	-5	5.34	0.003	2.000	Pass
			1	104	9.92	-5	4.92	0.003	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
10	LCH	PI/2 BPSK	12	6	13.47	0.2	13.67	0.023	2.000	Pass
			1	1	13.45	0.2	13.65	0.023	2.000	Pass
			1	22	13.53	0.2	13.73	0.024	2.000	Pass
		QPSK	12	6	13.46	0.2	13.66	0.023	2.000	Pass
			1	1	13.47	-5	8.47	0.007	2.000	Pass
			1	22	13.59	-5	8.59	0.007	2.000	Pass
		16QAM	12	6	12.45	-5	7.45	0.006	2.000	Pass
			1	1	12.3	-5	7.30	0.005	2.000	Pass
			1	22	12.44	-5	7.44	0.006	2.000	Pass
		64QAM	12	6	11	-5	6.00	0.004	2.000	Pass
			1	1	10.83	-5	5.83	0.004	2.000	Pass
			1	22	10.94	-5	5.94	0.004	2.000	Pass
		256QAM	12	6	8.8	-5	3.80	0.002	2.000	Pass
			1	1	9.03	-5	4.03	0.003	2.000	Pass
			1	22	9.16	-5	4.16	0.003	2.000	Pass
	MCH	PI/2 BPSK	12	6	13.42	-5	8.42	0.007	2.000	Pass
			1	1	13.52	-5	8.52	0.007	2.000	Pass
			1	22	13.41	-5	8.41	0.007	2.000	Pass
		QPSK	12	6	13.42	-5	8.42	0.007	2.000	Pass
			1	1	13.52	-5	8.52	0.007	2.000	Pass
			1	22	13.42	-5	8.42	0.007	2.000	Pass
		16QAM	12	6	12.43	-5	7.43	0.006	2.000	Pass
			1	1	12.36	-5	7.36	0.005	2.000	Pass
			1	22	12.27	-5	7.27	0.005	2.000	Pass
		64QAM	12	6	10.97	-5	5.97	0.004	2.000	Pass
			1	1	10.91	-5	5.91	0.004	2.000	Pass
			1	22	10.8	-5	5.80	0.004	2.000	Pass
		256QAM	12	6	8.69	-5	3.69	0.002	2.000	Pass
			1	1	9.04	-5	4.04	0.003	2.000	Pass
			1	22	8.95	-5	3.95	0.002	2.000	Pass
	HCH	PI/2 BPSK	12	6	13.16	-5	8.16	0.007	2.000	Pass
			1	1	13.06	-5	8.06	0.006	2.000	Pass
			1	22	13.2	-5	8.20	0.007	2.000	Pass
		QPSK	12	6	13.1	-5	8.10	0.006	2.000	Pass
			1	1	13.06	-5	8.06	0.006	2.000	Pass
			1	22	13.15	-5	8.15	0.007	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	12	6	12.05	-5	7.05	0.005	2.000	Pass
			1	1	11.91	-5	6.91	0.005	2.000	Pass
			1	22	12.07	-5	7.07	0.005	2.000	Pass
		64QAM	12	6	10.64	-5	5.64	0.004	2.000	Pass
			1	1	10.43	-5	5.43	0.003	2.000	Pass
			1	22	10.54	-5	5.54	0.004	2.000	Pass
		256QAM	12	6	8.4	-5	3.40	0.002	2.000	Pass
			1	1	8.62	-5	3.62	0.002	2.000	Pass
			1	22	8.74	-5	3.74	0.002	2.000	Pass
50	LCH	PI/2 BPSK	64	32	13.85	-5	8.85	0.008	2.000	Pass
			1	1	13.48	-5	8.48	0.007	2.000	Pass
			1	131	13.48	-5	8.48	0.007	2.000	Pass
		QPSK	64	32	13.83	-5	8.83	0.008	2.000	Pass
			1	1	13.85	-5	8.85	0.008	2.000	Pass
			1	131	13.77	-5	8.77	0.008	2.000	Pass
		16QAM	64	32	12.88	-5	7.88	0.006	2.000	Pass
			1	1	12.41	-5	7.41	0.006	2.000	Pass
			1	131	12.41	-5	7.41	0.006	2.000	Pass
		64QAM	64	32	11.44	-5	6.44	0.004	2.000	Pass
			1	1	11.03	-5	6.03	0.004	2.000	Pass
			1	131	11.04	-5	6.04	0.004	2.000	Pass
		256QAM	64	32	9.44	-5	4.44	0.003	2.000	Pass
			1	1	9.04	-5	4.04	0.003	2.000	Pass
			1	131	9.13	-5	4.13	0.003	2.000	Pass
	MCH	PI/2 BPSK	64	32	13.59	-5	8.59	0.007	2.000	Pass
			1	1	13.47	-5	8.47	0.007	2.000	Pass
			1	131	13.08	-5	8.08	0.006	2.000	Pass
		QPSK	64	32	13.59	-5	8.59	0.007	2.000	Pass
			1	1	13.7	-5	8.70	0.007	2.000	Pass
			1	131	13.33	-5	8.33	0.007	2.000	Pass
		16QAM	64	32	12.6	-5	7.60	0.006	2.000	Pass
			1	1	12.33	-5	7.33	0.005	2.000	Pass
			1	131	11.98	-5	6.98	0.005	2.000	Pass
		64QAM	64	32	11.11	-5	6.11	0.004	2.000	Pass
			1	1	11.02	-5	6.02	0.004	2.000	Pass
			1	131	10.57	-5	5.57	0.004	2.000	Pass
		256QAM	64	32	9.14	-5	4.14	0.003	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
	HCH	PI/2 BPSK	1	1	8.98	-5	3.98	0.003	2.000	Pass
			1	131	8.59	-5	3.59	0.002	2.000	Pass
			64	32	13.05	-5	8.05	0.006	2.000	Pass
		QPSK	1	1	12.82	-5	7.82	0.006	2.000	Pass
			1	131	12.9	-5	7.90	0.006	2.000	Pass
			64	32	13.07	-5	8.07	0.006	2.000	Pass
		16QAM	1	1	13.08	-5	8.08	0.006	2.000	Pass
			1	131	13.22	-5	8.22	0.007	2.000	Pass
			64	32	12.1	-5	7.10	0.005	2.000	Pass
		64QAM	1	1	11.75	-5	6.75	0.005	2.000	Pass
			1	131	11.85	-5	6.85	0.005	2.000	Pass
			64	32	10.62	-5	5.62	0.004	2.000	Pass
		256QAM	1	1	10.36	-5	5.36	0.003	2.000	Pass
			1	131	10.41	-5	5.41	0.003	2.000	Pass
			64	32	8.63	-5	3.63	0.002	2.000	Pass
			1	1	8.4	-5	3.40	0.002	2.000	Pass
			1	131	8.47	-5	3.47	0.002	2.000	Pass
			135	67	13.88	-5	8.88	0.008	2.000	Pass
100	LCH	PI/2 BPSK	1	1	13.69	-5	8.69	0.007	2.000	Pass
			1	271	13.38	-5	8.38	0.007	2.000	Pass
			135	67	13.89	-5	8.89	0.008	2.000	Pass
		QPSK	1	1	14.11	-5	9.11	0.008	2.000	Pass
			1	271	13.7	-5	8.70	0.007	2.000	Pass
			135	67	12.91	-5	7.91	0.006	2.000	Pass
		16QAM	1	1	12.6	-5	7.60	0.006	2.000	Pass
			1	271	12.31	-5	7.31	0.005	2.000	Pass
			135	67	11.42	-5	6.42	0.004	2.000	Pass
		64QAM	1	1	11.17	-5	6.17	0.004	2.000	Pass
			1	271	10.94	-5	5.94	0.004	2.000	Pass
			135	67	9.45	-5	4.45	0.003	2.000	Pass
		256QAM	1	1	9.28	-5	4.28	0.003	2.000	Pass
			1	271	9.01	-5	4.01	0.003	2.000	Pass
			135	67	13.68	-5	8.68	0.007	2.000	Pass
	MCH	PI/2 BPSK	1	1	13.91	-5	8.91	0.008	2.000	Pass
			1	271	13	-5	8.00	0.006	2.000	Pass
			135	67	13.71	-5	8.71	0.007	2.000	Pass
		QPSK	1	1	14.2	-5	9.20	0.008	2.000	Pass
			135	67	13.71	-5	8.71	0.007	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	1	271	13.27	-5	8.27	0.007	2.000	Pass
			135	67	12.73	-5	7.73	0.006	2.000	Pass
			1	1	12.78	-5	7.78	0.006	2.000	Pass
			1	271	11.9	-5	6.90	0.005	2.000	Pass
		64QAM	135	67	11.2	-5	6.20	0.004	2.000	Pass
			1	1	11.49	-5	6.49	0.004	2.000	Pass
			1	271	10.55	-5	5.55	0.004	2.000	Pass
		256QAM	135	67	9.2	-5	4.20	0.003	2.000	Pass
			1	1	9.46	-5	4.46	0.003	2.000	Pass
			1	271	8.54	-5	3.54	0.002	2.000	Pass
	HCH	PI/2 BPSK	135	67	13.51	-5	8.51	0.007	2.000	Pass
			1	1	13.86	-5	8.86	0.008	2.000	Pass
			1	271	13.34	-5	8.34	0.007	2.000	Pass
		QPSK	135	67	13.54	-5	8.54	0.007	2.000	Pass
			1	1	14.17	-5	9.17	0.008	2.000	Pass
			1	271	13.67	-5	8.67	0.007	2.000	Pass
		16QAM	135	67	12.58	-5	7.58	0.006	2.000	Pass
			1	1	12.77	-5	7.77	0.006	2.000	Pass
			1	271	12.24	-5	7.24	0.005	2.000	Pass
		64QAM	135	67	11.06	-5	6.06	0.004	2.000	Pass
			1	1	11.46	-5	6.46	0.004	2.000	Pass
			1	271	10.88	-5	5.88	0.004	2.000	Pass
		256QAM	135	67	9.13	-5	4.13	0.003	2.000	Pass
			1	1	9.42	-5	4.42	0.003	2.000	Pass
			1	271	8.95	-5	3.95	0.002	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
5	LCH	PI/2 BPSK	12	6	17.13	-4	13.13	0.021	1.000	Pass
			1	1	17.15	-4	13.15	0.021	1.000	Pass
			1	23	17.17	-4	13.17	0.021	1.000	Pass
		QPSK	12	6	17.09	-4	13.09	0.020	1.000	Pass
			1	1	17.31	-4	13.31	0.021	1.000	Pass
			1	23	17.3	-4	13.30	0.021	1.000	Pass
		16QAM	12	6	16.06	-4	12.06	0.016	1.000	Pass
			1	1	15.89	-4	11.89	0.015	1.000	Pass
			1	23	15.9	-4	11.90	0.015	1.000	Pass
		64QAM	12	6	14.6	-4	10.60	0.011	1.000	Pass
			1	1	14.46	-4	10.46	0.011	1.000	Pass
			1	23	14.57	-4	10.57	0.011	1.000	Pass
		256QAM	12	6	12.72	-4	8.72	0.007	1.000	Pass
			1	1	12.7	-4	8.70	0.007	1.000	Pass
			1	23	12.74	-4	8.74	0.007	1.000	Pass
	MCH	PI/2 BPSK	12	6	16.89	-4	12.89	0.019	1.000	Pass
			1	1	17.02	-4	13.02	0.020	1.000	Pass
			1	23	16.97	-4	12.97	0.020	1.000	Pass
		QPSK	12	6	16.91	-4	12.91	0.020	1.000	Pass
			1	1	17.17	-4	13.17	0.021	1.000	Pass
			1	23	17.14	-4	13.14	0.021	1.000	Pass
		16QAM	12	6	15.9	-4	11.90	0.015	1.000	Pass
			1	1	15.78	-4	11.78	0.015	1.000	Pass
			1	23	15.69	-4	11.69	0.015	1.000	Pass
		64QAM	12	6	14.38	-4	10.38	0.011	1.000	Pass
			1	1	14.34	-4	10.34	0.011	1.000	Pass
			1	23	14.27	-4	10.27	0.011	1.000	Pass
		256QAM	12	6	12.46	-4	8.46	0.007	1.000	Pass
			1	1	12.52	-4	8.52	0.007	1.000	Pass
			1	23	12.48	-4	8.48	0.007	1.000	Pass
	HCH	PI/2 BPSK	12	6	16.95	-4	12.95	0.020	1.000	Pass
			1	1	16.98	-4	12.98	0.020	1.000	Pass
			1	23	17	-4	13.00	0.020	1.000	Pass
		QPSK	12	6	16.95	-4	12.95	0.020	1.000	Pass
			1	1	17.14	-4	13.14	0.021	1.000	Pass
			1	23	17.09	-4	13.09	0.020	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	12	6	15.89	-4	11.89	0.015	1.000	Pass
			1	1	15.72	-4	11.72	0.015	1.000	Pass
			1	23	15.71	-4	11.71	0.015	1.000	Pass
		64QAM	12	6	14.41	-4	10.41	0.011	1.000	Pass
			1	1	14.26	-4	10.26	0.011	1.000	Pass
			1	23	14.27	-4	10.27	0.011	1.000	Pass
		256QAM	12	6	12.32	-4	8.32	0.007	1.000	Pass
			1	1	12.37	-4	8.37	0.007	1.000	Pass
			1	23	12.34	-4	8.34	0.007	1.000	Pass
20	LCH	PI/2 BPSK	50	25	17.3	-4	13.30	0.021	1.000	Pass
			1	1	17.21	-4	13.21	0.021	1.000	Pass
			1	104	17.02	-4	13.02	0.020	1.000	Pass
		QPSK	50	25	17.26	-4	13.26	0.021	1.000	Pass
			1	1	17.44	-4	13.44	0.022	1.000	Pass
			1	104	17.27	-4	13.27	0.021	1.000	Pass
		16QAM	50	25	16.28	-4	12.28	0.017	1.000	Pass
			1	1	16.02	-4	12.02	0.016	1.000	Pass
			1	104	15.81	-4	11.81	0.015	1.000	Pass
		64QAM	50	25	14.8	-4	10.80	0.012	1.000	Pass
			1	1	14.58	-4	10.58	0.011	1.000	Pass
			1	104	14.4	-4	10.40	0.011	1.000	Pass
		256QAM	50	25	12.81	-4	8.81	0.008	1.000	Pass
			1	1	12.75	-4	8.75	0.007	1.000	Pass
			1	104	12.62	-4	8.62	0.007	1.000	Pass
	MCH	PI/2 BPSK	50	25	17.12	-4	13.12	0.021	1.000	Pass
			1	1	17.09	-4	13.09	0.020	1.000	Pass
			1	104	16.74	-4	12.74	0.019	1.000	Pass
		QPSK	50	25	17.1	-4	13.10	0.020	1.000	Pass
			1	1	17.36	-4	13.36	0.022	1.000	Pass
			1	104	16.9	-4	12.90	0.019	1.000	Pass
		16QAM	50	25	16.09	-4	12.09	0.016	1.000	Pass
			1	1	15.9	-4	11.90	0.015	1.000	Pass
			1	104	15.52	-4	11.52	0.014	1.000	Pass
		64QAM	50	25	14.61	-4	10.61	0.012	1.000	Pass
			1	1	14.46	-4	10.46	0.011	1.000	Pass
			1	104	14.1	-4	10.10	0.010	1.000	Pass
		256QAM	50	25	12.66	-4	8.66	0.007	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
	HCH	PI/2 BPSK	1	1	12.65	-4	8.65	0.007	1.000	Pass
			1	104	12.35	-4	8.35	0.007	1.000	Pass
			50	25	17.04	-4	13.04	0.020	1.000	Pass
		QPSK	1	1	16.86	-4	12.86	0.019	1.000	Pass
			1	104	16.9	-4	12.90	0.019	1.000	Pass
			50	25	17	-4	13.00	0.020	1.000	Pass
		16QAM	1	1	17.04	-4	13.04	0.020	1.000	Pass
			1	104	17.14	-4	13.14	0.021	1.000	Pass
			50	25	15.99	-4	11.99	0.016	1.000	Pass
		64QAM	1	1	15.62	-4	11.62	0.015	1.000	Pass
			1	104	15.7	-4	11.70	0.015	1.000	Pass
			50	25	14.52	-4	10.52	0.011	1.000	Pass
		256QAM	1	1	14.2	-4	10.20	0.010	1.000	Pass
			1	104	14.24	-4	10.24	0.011	1.000	Pass
			50	25	12.49	-4	8.49	0.007	1.000	Pass
40	LCH	PI/2 BPSK	1	1	12.41	-4	8.41	0.007	1.000	Pass
			1	104	12.34	-4	8.34	0.007	1.000	Pass
			108	54	17.09	-4	13.09	0.020	1.000	Pass
		QPSK	1	1	17.08	-4	13.08	0.020	1.000	Pass
			1	214	16.75	-4	12.75	0.019	1.000	Pass
			108	54	17.12	-4	13.12	0.021	1.000	Pass
		16QAM	1	1	17.3	-4	13.30	0.021	1.000	Pass
			1	214	16.94	-4	12.94	0.020	1.000	Pass
			108	54	16.1	-4	12.10	0.016	1.000	Pass
		64QAM	1	1	15.88	-4	11.88	0.015	1.000	Pass
			1	214	15.56	-4	11.56	0.014	1.000	Pass
			108	54	14.6	-4	10.60	0.011	1.000	Pass
		256QAM	1	1	14.44	-4	10.44	0.011	1.000	Pass
			1	214	14.13	-4	10.13	0.010	1.000	Pass
			108	54	12.64	-4	8.64	0.007	1.000	Pass
	MCH	PI/2 BPSK	1	1	12.58	-4	8.58	0.007	1.000	Pass
			1	214	12.32	-4	8.32	0.007	1.000	Pass
			108	54	16.97	-4	12.97	0.020	1.000	Pass
		QPSK	1	1	17.15	-4	13.15	0.021	1.000	Pass
			1	214	16.85	-4	12.85	0.019	1.000	Pass
			108	54	16.98	-4	12.98	0.020	1.000	Pass
			1	1	17.36	-4	13.36	0.022	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	1	214	17.04	-4	13.04	0.020	1.000	Pass
			108	54	15.99	-4	11.99	0.016	1.000	Pass
			1	1	15.96	-4	11.96	0.016	1.000	Pass
			1	214	15.67	-4	11.67	0.015	1.000	Pass
		64QAM	108	54	14.49	-4	10.49	0.011	1.000	Pass
			1	1	14.56	-4	10.56	0.011	1.000	Pass
			1	214	14.25	-4	10.25	0.011	1.000	Pass
		256QAM	108	54	12.57	-4	8.57	0.007	1.000	Pass
			1	1	12.65	-4	8.65	0.007	1.000	Pass
			1	214	12.33	-4	8.33	0.007	1.000	Pass
	HCH	PI/2 BPSK	108	54	16.89	-4	12.89	0.019	1.000	Pass
			1	1	16.89	-4	12.89	0.019	1.000	Pass
			1	214	16.84	-4	12.84	0.019	1.000	Pass
		QPSK	108	54	16.9	-4	12.90	0.019	1.000	Pass
			1	1	17.12	-4	13.12	0.021	1.000	Pass
			1	214	17.05	-4	13.05	0.020	1.000	Pass
		16QAM	108	54	15.9	-4	11.90	0.015	1.000	Pass
			1	1	15.73	-4	11.73	0.015	1.000	Pass
			1	214	15.67	-4	11.67	0.015	1.000	Pass
		64QAM	108	54	14.41	-4	10.41	0.011	1.000	Pass
			1	1	14.26	-4	10.26	0.011	1.000	Pass
			1	214	14.23	-4	10.23	0.011	1.000	Pass
		256QAM	108	54	12.45	-4	8.45	0.007	1.000	Pass
			1	1	12.39	-4	8.39	0.007	1.000	Pass
			1	214	12.36	-4	8.36	0.007	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	7.11	-1	6.11	0.004	1.000	Pass
			1	1	7.15	-1	6.15	0.004	1.000	Pass
			1	22	7.15	-1	6.15	0.004	1.000	Pass
		QPSK	12	6	5.78	-1	4.78	0.003	1.000	Pass
			1	1	5.9	-1	4.90	0.003	1.000	Pass
			1	22	5.86	-1	4.86	0.003	1.000	Pass
		16QAM	12	6	6.26	-1	5.26	0.003	1.000	Pass
			1	1	6.28	-1	5.28	0.003	1.000	Pass
			1	22	6.23	-1	5.23	0.003	1.000	Pass
		64QAM	12	6	4.87	-1	3.87	0.002	1.000	Pass
			1	1	4.91	-1	3.91	0.002	1.000	Pass
			1	22	4.81	-1	3.81	0.002	1.000	Pass
		256QAM	12	6	2.68	-1	1.68	0.001	1.000	Pass
			1	1	2.97	-1	1.97	0.002	1.000	Pass
			1	22	2.96	-1	1.96	0.002	1.000	Pass
	MCH	PI/2 BPSK	12	6	7.3	-1	6.30	0.004	1.000	Pass
			1	1	7.38	-1	6.38	0.004	1.000	Pass
			1	22	7.24	-1	6.24	0.004	1.000	Pass
		QPSK	12	6	5.83	-1	4.83	0.003	1.000	Pass
			1	1	6	-1	5.00	0.003	1.000	Pass
			1	22	5.81	-1	4.81	0.003	1.000	Pass
		16QAM	12	6	6.3	-1	5.30	0.003	1.000	Pass
			1	1	6.36	-1	5.36	0.003	1.000	Pass
			1	22	6.23	-1	5.23	0.003	1.000	Pass
		64QAM	12	6	4.86	-1	3.86	0.002	1.000	Pass
			1	1	4.89	-1	3.89	0.002	1.000	Pass
			1	22	4.77	-1	3.77	0.002	1.000	Pass
		256QAM	12	6	2.68	-1	1.68	0.001	1.000	Pass
			1	1	2.98	-1	1.98	0.002	1.000	Pass
			1	22	2.8	-1	1.80	0.002	1.000	Pass
	HCH	PI/2 BPSK	12	6	7.23	-1	6.23	0.004	1.000	Pass
			1	1	7.25	-1	6.25	0.004	1.000	Pass
			1	22	7.32	-1	6.32	0.004	1.000	Pass
		QPSK	12	6	5.71	-1	4.71	0.003	1.000	Pass
			1	1	5.75	-1	4.75	0.003	1.000	Pass
			1	22	5.83	-1	4.83	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	12	6	6.2	-1	5.20	0.003	1.000	Pass
			1	1	6.08	-1	5.08	0.003	1.000	Pass
			1	22	6.13	-1	5.13	0.003	1.000	Pass
		64QAM	12	6	4.72	-1	3.72	0.002	1.000	Pass
			1	1	4.57	-1	3.57	0.002	1.000	Pass
			1	22	4.65	-1	3.65	0.002	1.000	Pass
		256QAM	12	6	2.54	-1	1.54	0.001	1.000	Pass
			1	1	2.68	-1	1.68	0.001	1.000	Pass
			1	22	2.78	-1	1.78	0.002	1.000	Pass
50	LCH	PI/2 BPSK	64	32	7.7	-1	6.70	0.005	1.000	Pass
			1	1	7.36	-1	6.36	0.004	1.000	Pass
			1	131	7.26	-1	6.26	0.004	1.000	Pass
		QPSK	64	32	6.17	-1	5.17	0.003	1.000	Pass
			1	1	5.94	-1	4.94	0.003	1.000	Pass
			1	131	5.88	-1	4.88	0.003	1.000	Pass
		16QAM	64	32	6.63	-1	5.63	0.004	1.000	Pass
			1	1	6.2	-1	5.20	0.003	1.000	Pass
			1	131	6.17	-1	5.17	0.003	1.000	Pass
		64QAM	64	32	5.21	-1	4.21	0.003	1.000	Pass
			1	1	4.96	-1	3.96	0.002	1.000	Pass
			1	131	4.83	-1	3.83	0.002	1.000	Pass
		256QAM	64	32	3.25	-1	2.25	0.002	1.000	Pass
			1	1	2.91	-1	1.91	0.002	1.000	Pass
			1	131	2.86	-1	1.86	0.002	1.000	Pass
	MCH	PI/2 BPSK	64	32	7.57	-1	6.57	0.005	1.000	Pass
			1	1	7.45	-1	6.45	0.004	1.000	Pass
			1	131	7.22	-1	6.22	0.004	1.000	Pass
		QPSK	64	32	6.08	-1	5.08	0.003	1.000	Pass
			1	1	6.07	-1	5.07	0.003	1.000	Pass
			1	131	5.83	-1	4.83	0.003	1.000	Pass
		16QAM	64	32	6.54	-1	5.54	0.004	1.000	Pass
			1	1	6.33	-1	5.33	0.003	1.000	Pass
			1	131	6.17	-1	5.17	0.003	1.000	Pass
		64QAM	64	32	5.14	-1	4.14	0.003	1.000	Pass
			1	1	5.13	-1	4.13	0.003	1.000	Pass
			1	131	4.8	-1	3.80	0.002	1.000	Pass
		256QAM	64	32	3.16	-1	2.16	0.002	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	3.05	-1	2.05	0.002	1.000	Pass
			1	131	2.8	-1	1.80	0.002	1.000	Pass
			64	32	7.52	-1	6.52	0.004	1.000	Pass
		QPSK	1	1	7.39	-1	6.39	0.004	1.000	Pass
			1	131	7.23	-1	6.23	0.004	1.000	Pass
			64	32	6.09	-1	5.09	0.003	1.000	Pass
		16QAM	1	1	5.94	-1	4.94	0.003	1.000	Pass
			1	131	5.95	-1	4.95	0.003	1.000	Pass
			64	32	6.57	-1	5.57	0.004	1.000	Pass
		64QAM	1	1	6.27	-1	5.27	0.003	1.000	Pass
			1	131	6.25	-1	5.25	0.003	1.000	Pass
			64	32	5.15	-1	4.15	0.003	1.000	Pass
		256QAM	1	1	4.99	-1	3.99	0.003	1.000	Pass
			1	131	4.82	-1	3.82	0.002	1.000	Pass
			64	32	3.16	-1	2.16	0.002	1.000	Pass
		PI/2 BPSK	1	1	2.91	-1	1.91	0.002	1.000	Pass
			1	131	2.89	-1	1.89	0.002	1.000	Pass
			135	67	7.54	-1	6.54	0.005	1.000	Pass
100	MCH	QPSK	1	1	7.62	-1	6.62	0.005	1.000	Pass
			1	271	7.35	-1	6.35	0.004	1.000	Pass
			135	67	6.09	-1	5.09	0.003	1.000	Pass
		16QAM	1	1	6.21	-1	5.21	0.003	1.000	Pass
			1	271	5.94	-1	4.94	0.003	1.000	Pass
			135	67	6.61	-1	5.61	0.004	1.000	Pass
		64QAM	1	1	6.49	-1	5.49	0.004	1.000	Pass
			1	271	6.27	-1	5.27	0.003	1.000	Pass
			135	67	5.16	-1	4.16	0.003	1.000	Pass
		256QAM	1	1	5.3	-1	4.30	0.003	1.000	Pass
			1	271	4.77	-1	3.77	0.002	1.000	Pass
			135	67	3.25	-1	2.25	0.002	1.000	Pass
		PI/2 BPSK	1	1	3.18	-1	2.18	0.002	1.000	Pass
			1	271	2.88	-1	1.88	0.002	1.000	Pass
			135	67	7.54	-1	6.54	0.005	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
10	LCH	PI/2 BPSK	12	6	7.45	-1	6.45	0.004	1.000	Pass
			1	1	7.43	-1	6.43	0.004	1.000	Pass
			1	22	7.51	-1	6.51	0.004	1.000	Pass
		QPSK	12	6	5.79	-1	4.79	0.003	1.000	Pass
			1	1	5.81	-1	4.81	0.003	1.000	Pass
			1	22	5.91	-1	4.91	0.003	1.000	Pass
		16QAM	12	6	6.31	-1	5.31	0.003	1.000	Pass
			1	1	6.17	-1	5.17	0.003	1.000	Pass
			1	22	6.26	-1	5.26	0.003	1.000	Pass
		64QAM	12	6	4.78	-1	3.78	0.002	1.000	Pass
			1	1	4.6	-1	3.60	0.002	1.000	Pass
			1	22	4.71	-1	3.71	0.002	1.000	Pass
		256QAM	12	6	2.57	-1	1.57	0.001	1.000	Pass
			1	1	2.7	-1	1.70	0.001	1.000	Pass
			1	22	2.82	-1	1.82	0.002	1.000	Pass
	MCH	PI/2 BPSK	12	6	7.65	-1	6.65	0.005	1.000	Pass
			1	1	7.66	-1	6.66	0.005	1.000	Pass
			1	22	7.7	-1	6.70	0.005	1.000	Pass
		QPSK	12	6	6.19	-1	5.19	0.003	1.000	Pass
			1	1	6.22	-1	5.22	0.003	1.000	Pass
			1	22	6.28	-1	5.28	0.003	1.000	Pass
		16QAM	12	6	6.68	-1	5.68	0.004	1.000	Pass
			1	1	6.53	-1	5.53	0.004	1.000	Pass
			1	22	6.6	-1	5.60	0.004	1.000	Pass
		64QAM	12	6	5.19	-1	4.19	0.003	1.000	Pass
			1	1	5.11	-1	4.11	0.003	1.000	Pass
			1	22	5.13	-1	4.13	0.003	1.000	Pass
		256QAM	12	6	2.99	-1	1.99	0.002	1.000	Pass
			1	1	3.18	-1	2.18	0.002	1.000	Pass
			1	22	3.23	-1	2.23	0.002	1.000	Pass
	HCH	PI/2 BPSK	12	6	7.52	-1	6.52	0.004	1.000	Pass
			1	1	7.61	-1	6.61	0.005	1.000	Pass
			1	22	7.49	-1	6.49	0.004	1.000	Pass
		QPSK	12	6	6.17	-1	5.17	0.003	1.000	Pass
			1	1	6.32	-1	5.32	0.003	1.000	Pass
			1	22	6.2	-1	5.20	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	12	6	6.62	-1	5.62	0.004	1.000	Pass
			1	1	6.67	-1	5.67	0.004	1.000	Pass
			1	22	6.52	-1	5.52	0.004	1.000	Pass
		64QAM	12	6	5.2	-1	4.20	0.003	1.000	Pass
			1	1	5.23	-1	4.23	0.003	1.000	Pass
			1	22	5.11	-1	4.11	0.003	1.000	Pass
		256QAM	12	6	2.95	-1	1.95	0.002	1.000	Pass
			1	1	3.31	-1	2.31	0.002	1.000	Pass
			1	22	3.16	-1	2.16	0.002	1.000	Pass
50	LCH	PI/2 BPSK	64	32	7.54	-1	6.54	0.005	1.000	Pass
			1	1	7.28	-1	6.28	0.004	1.000	Pass
			1	131	7.31	-1	6.31	0.004	1.000	Pass
		QPSK	64	32	6.1	-1	5.10	0.003	1.000	Pass
			1	1	5.96	-1	4.96	0.003	1.000	Pass
			1	131	5.98	-1	4.98	0.003	1.000	Pass
		16QAM	64	32	6.56	-1	5.56	0.004	1.000	Pass
			1	1	6.29	-1	5.29	0.003	1.000	Pass
			1	131	6.26	-1	5.26	0.003	1.000	Pass
		64QAM	64	32	5.12	-1	4.12	0.003	1.000	Pass
			1	1	4.77	-1	3.77	0.002	1.000	Pass
			1	131	4.79	-1	3.79	0.002	1.000	Pass
		256QAM	64	32	3.09	-1	2.09	0.002	1.000	Pass
			1	1	2.81	-1	1.81	0.002	1.000	Pass
			1	131	2.85	-1	1.85	0.002	1.000	Pass
	MCH	PI/2 BPSK	64	32	7.78	-1	6.78	0.005	1.000	Pass
			1	1	7.45	-1	6.45	0.004	1.000	Pass
			1	131	7.6	-1	6.60	0.005	1.000	Pass
		QPSK	64	32	6.4	-1	5.40	0.003	1.000	Pass
			1	1	6.1	-1	5.10	0.003	1.000	Pass
			1	131	6.28	-1	5.28	0.003	1.000	Pass
		16QAM	64	32	6.84	-1	5.84	0.004	1.000	Pass
			1	1	6.37	-1	5.37	0.003	1.000	Pass
			1	131	6.56	-1	5.56	0.004	1.000	Pass
		64QAM	64	32	5.43	-1	4.43	0.003	1.000	Pass
			1	1	5.03	-1	4.03	0.003	1.000	Pass
			1	131	5.25	-1	4.25	0.003	1.000	Pass
		256QAM	64	32	3.43	-1	2.43	0.002	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH	PI/2 BPSK	1	1	3.05	-1	2.05	0.002	1.000	Pass
			1	131	3.19	-1	2.19	0.002	1.000	Pass
			64	32	7.83	-1	6.83	0.005	1.000	Pass
		QPSK	1	1	7.62	-1	6.62	0.005	1.000	Pass
			1	131	7.51	-1	6.51	0.004	1.000	Pass
			64	32	6.44	-1	5.44	0.003	1.000	Pass
		16QAM	1	1	6.2	-1	5.20	0.003	1.000	Pass
			1	131	6.17	-1	5.17	0.003	1.000	Pass
			64	32	6.89	-1	5.89	0.004	1.000	Pass
		64QAM	1	1	6.44	-1	5.44	0.003	1.000	Pass
			1	131	6.34	-1	5.34	0.003	1.000	Pass
			64	32	5.47	-1	4.47	0.003	1.000	Pass
		256QAM	1	1	5.22	-1	4.22	0.003	1.000	Pass
			1	131	5.21	-1	4.21	0.003	1.000	Pass
			64	32	3.51	-1	2.51	0.002	1.000	Pass
100	LCH	PI/2 BPSK	1	1	3.17	-1	2.17	0.002	1.000	Pass
			1	131	3.07	-1	2.07	0.002	1.000	Pass
			135	67	7.32	-1	6.32	0.004	1.000	Pass
		QPSK	1	1	7.38	-1	6.38	0.004	1.000	Pass
			1	271	7.18	-1	6.18	0.004	1.000	Pass
			135	67	5.86	-1	4.86	0.003	1.000	Pass
		16QAM	1	1	6	-1	5.00	0.003	1.000	Pass
			1	271	5.76	-1	4.76	0.003	1.000	Pass
			135	67	6.36	-1	5.36	0.003	1.000	Pass
		64QAM	1	1	6.35	-1	5.35	0.003	1.000	Pass
			1	271	6.06	-1	5.06	0.003	1.000	Pass
			135	67	4.87	-1	3.87	0.002	1.000	Pass
		256QAM	1	1	4.75	-1	3.75	0.002	1.000	Pass
			1	271	4.6	-1	3.60	0.002	1.000	Pass
			135	67	2.9	-1	1.90	0.002	1.000	Pass
	MCH	PI/2 BPSK	1	1	2.84	-1	1.84	0.002	1.000	Pass
			1	271	2.66	-1	1.66	0.001	1.000	Pass
			135	67	7.82	-1	6.82	0.005	1.000	Pass
		QPSK	1	1	7.66	-1	6.66	0.005	1.000	Pass
			1	271	7.91	-1	6.91	0.005	1.000	Pass
			135	67	6.34	-1	5.34	0.003	1.000	Pass
			1	1	6.24	-1	5.24	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	1	271	6.49	-1	5.49	0.004	1.000	Pass
			135	67	6.85	-1	5.85	0.004	1.000	Pass
			1	1	6.52	-1	5.52	0.004	1.000	Pass
			1	271	6.76	-1	5.76	0.004	1.000	Pass
		64QAM	135	67	5.39	-1	4.39	0.003	1.000	Pass
			1	1	5.12	-1	4.12	0.003	1.000	Pass
			1	271	5.47	-1	4.47	0.003	1.000	Pass
		256QAM	135	67	3.45	-1	2.45	0.002	1.000	Pass
			1	1	3.2	-1	2.20	0.002	1.000	Pass
			1	271	3.47	-1	2.47	0.002	1.000	Pass
	HCH	PI/2 BPSK	135	67	7.91	-1	6.91	0.005	1.000	Pass
			1	1	8	-1	7.00	0.005	1.000	Pass
			1	271	7.63	-1	6.63	0.005	1.000	Pass
		QPSK	135	67	6.43	-1	5.43	0.003	1.000	Pass
			1	1	6.53	-1	5.53	0.004	1.000	Pass
			1	271	6.25	-1	5.25	0.003	1.000	Pass
		16QAM	135	67	6.94	-1	5.94	0.004	1.000	Pass
			1	1	6.76	-1	5.76	0.004	1.000	Pass
			1	271	6.53	-1	5.53	0.004	1.000	Pass
		64QAM	135	67	5.48	-1	4.48	0.003	1.000	Pass
			1	1	5.68	-1	4.68	0.003	1.000	Pass
			1	271	5.21	-1	4.21	0.003	1.000	Pass
		256QAM	135	67	3.52	-1	2.52	0.002	1.000	Pass
			1	1	3.56	-1	2.56	0.002	1.000	Pass
			1	271	3.18	-1	2.18	0.002	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
10	LCH	PI/2 BPSK	12	6	6.39	0	6.39	0.004	1.000	Pass
			1	1	6.47	0	6.47	0.004	1.000	Pass
			1	22	6.41	0	6.41	0.004	1.000	Pass
		QPSK	12	6	4.88	0	4.88	0.003	1.000	Pass
			1	1	5.05	0	5.05	0.003	1.000	Pass
			1	22	4.97	0	4.97	0.003	1.000	Pass
		16QAM	12	6	5.34	0	5.34	0.003	1.000	Pass
			1	1	5.37	0	5.37	0.003	1.000	Pass
			1	22	5.29	0	5.29	0.003	1.000	Pass
		64QAM	12	6	3.91	0	3.91	0.002	1.000	Pass
			1	1	3.95	0	3.95	0.002	1.000	Pass
			1	22	3.9	0	3.90	0.002	1.000	Pass
		256QAM	12	6	1.75	0	1.75	0.001	1.000	Pass
			1	1	2.05	0	2.05	0.002	1.000	Pass
			1	22	1.98	0	1.98	0.002	1.000	Pass
	MCH	PI/2 BPSK	12	6	6.43	0	6.43	0.004	1.000	Pass
			1	1	6.5	0	6.50	0.004	1.000	Pass
			1	22	6.37	0	6.37	0.004	1.000	Pass
		QPSK	12	6	4.89	0	4.89	0.003	1.000	Pass
			1	1	5.04	0	5.04	0.003	1.000	Pass
			1	22	4.88	0	4.88	0.003	1.000	Pass
		16QAM	12	6	5.38	0	5.38	0.003	1.000	Pass
			1	1	5.39	0	5.39	0.003	1.000	Pass
			1	22	5.23	0	5.23	0.003	1.000	Pass
		64QAM	12	6	3.88	0	3.88	0.002	1.000	Pass
			1	1	3.95	0	3.95	0.002	1.000	Pass
			1	22	3.78	0	3.78	0.002	1.000	Pass
		256QAM	12	6	1.73	0	1.73	0.001	1.000	Pass
			1	1	2	0	2.00	0.002	1.000	Pass
			1	22	1.86	0	1.86	0.002	1.000	Pass
	HCH	PI/2 BPSK	12	6	6.19	0	6.19	0.004	1.000	Pass
			1	1	6.26	0	6.26	0.004	1.000	Pass
			1	22	6.32	0	6.32	0.004	1.000	Pass
		QPSK	12	6	4.73	0	4.73	0.003	1.000	Pass
			1	1	4.75	0	4.75	0.003	1.000	Pass
			1	22	4.84	0	4.84	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	12	6	5.2	0	5.20	0.003	1.000	Pass
			1	1	5.15	0	5.15	0.003	1.000	Pass
			1	22	5.19	0	5.19	0.003	1.000	Pass
		64QAM	12	6	3.73	0	3.73	0.002	1.000	Pass
			1	1	3.6	0	3.60	0.002	1.000	Pass
			1	22	3.64	0	3.64	0.002	1.000	Pass
		256QAM	12	6	1.52	0	1.52	0.001	1.000	Pass
			1	1	1.7	0	1.70	0.001	1.000	Pass
			1	22	1.8	0	1.80	0.002	1.000	Pass
50	LCH	PI/2 BPSK	64	32	6.57	0	6.57	0.005	1.000	Pass
			1	1	6.29	0	6.29	0.004	1.000	Pass
			1	131	6.26	0	6.26	0.004	1.000	Pass
		QPSK	64	32	5.11	0	5.11	0.003	1.000	Pass
			1	1	4.89	0	4.89	0.003	1.000	Pass
			1	131	4.9	0	4.90	0.003	1.000	Pass
		16QAM	64	32	5.57	0	5.57	0.004	1.000	Pass
			1	1	5.22	0	5.22	0.003	1.000	Pass
			1	131	5.17	0	5.17	0.003	1.000	Pass
		64QAM	64	32	4.16	0	4.16	0.003	1.000	Pass
			1	1	3.96	0	3.96	0.002	1.000	Pass
			1	131	3.71	0	3.71	0.002	1.000	Pass
		256QAM	64	32	2.2	0	2.20	0.002	1.000	Pass
			1	1	1.88	0	1.88	0.002	1.000	Pass
			1	131	1.83	0	1.83	0.002	1.000	Pass
	MCH	PI/2 BPSK	64	32	6.51	0	6.51	0.004	1.000	Pass
			1	1	6.42	0	6.42	0.004	1.000	Pass
			1	131	6.25	0	6.25	0.004	1.000	Pass
		QPSK	64	32	5.03	0	5.03	0.003	1.000	Pass
			1	1	5.01	0	5.01	0.003	1.000	Pass
			1	131	4.86	0	4.86	0.003	1.000	Pass
		16QAM	64	32	5.5	0	5.50	0.004	1.000	Pass
			1	1	5.33	0	5.33	0.003	1.000	Pass
			1	131	5.22	0	5.22	0.003	1.000	Pass
		64QAM	64	32	4.1	0	4.10	0.003	1.000	Pass
			1	1	4.16	0	4.16	0.003	1.000	Pass
			1	131	3.74	0	3.74	0.002	1.000	Pass
		256QAM	64	32	2.12	0	2.12	0.002	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	2.01	0	2.01	0.002	1.000	Pass
			1	131	1.81	0	1.81	0.002	1.000	Pass
			64	32	6.45	0	6.45	0.004	1.000	Pass
		QPSK	1	1	6.27	0	6.27	0.004	1.000	Pass
			1	131	6.25	0	6.25	0.004	1.000	Pass
			64	32	4.98	0	4.98	0.003	1.000	Pass
		16QAM	1	1	4.92	0	4.92	0.003	1.000	Pass
			1	131	4.95	0	4.95	0.003	1.000	Pass
			64	32	5.47	0	5.47	0.004	1.000	Pass
		64QAM	1	1	5.21	0	5.21	0.003	1.000	Pass
			1	131	5.23	0	5.23	0.003	1.000	Pass
			64	32	4.02	0	4.02	0.003	1.000	Pass
		256QAM	1	1	3.84	0	3.84	0.002	1.000	Pass
			1	131	3.65	0	3.65	0.002	1.000	Pass
			64	32	2.04	0	2.04	0.002	1.000	Pass
100	MCH	PI/2 BPSK	1	1	1.83	0	1.83	0.002	1.000	Pass
			135	67	6.48	0	6.48	0.004	1.000	Pass
			1	1	6.72	0	6.72	0.005	1.000	Pass
		QPSK	1	271	6.41	0	6.41	0.004	1.000	Pass
			135	67	5.05	0	5.05	0.003	1.000	Pass
			1	1	5.35	0	5.35	0.003	1.000	Pass
		16QAM	1	271	4.98	0	4.98	0.003	1.000	Pass
			135	67	5.53	0	5.53	0.004	1.000	Pass
			1	1	5.62	0	5.62	0.004	1.000	Pass
		64QAM	1	271	5.27	0	5.27	0.003	1.000	Pass
			135	67	4.09	0	4.09	0.003	1.000	Pass
			1	1	4.4	0	4.40	0.003	1.000	Pass
		256QAM	1	271	3.96	0	3.96	0.002	1.000	Pass
			135	67	2.2	0	2.20	0.002	1.000	Pass
			1	1	2.32	0	2.32	0.002	1.000	Pass
			1	271	1.95	0	1.95	0.002	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
10	LCH	PI/2 BPSK	12	6	6.27	0	6.27	0.004	1.000	Pass
			1	1	6.31	0	6.31	0.004	1.000	Pass
			1	22	6.44	0	6.44	0.004	1.000	Pass
		QPSK	12	6	4.74	0	4.74	0.003	1.000	Pass
			1	1	4.79	0	4.79	0.003	1.000	Pass
			1	22	4.96	0	4.96	0.003	1.000	Pass
		16QAM	12	6	5.24	0	5.24	0.003	1.000	Pass
			1	1	5.13	0	5.13	0.003	1.000	Pass
			1	22	5.27	0	5.27	0.003	1.000	Pass
		64QAM	12	6	3.78	0	3.78	0.002	1.000	Pass
			1	1	3.61	0	3.61	0.002	1.000	Pass
			1	22	3.71	0	3.71	0.002	1.000	Pass
		256QAM	12	6	1.51	0	1.51	0.001	1.000	Pass
			1	1	1.68	0	1.68	0.001	1.000	Pass
			1	22	1.83	0	1.83	0.002	1.000	Pass
	MCH	PI/2 BPSK	12	6	6.25	0	6.25	0.004	1.000	Pass
			1	1	6.26	0	6.26	0.004	1.000	Pass
			1	22	6.23	0	6.23	0.004	1.000	Pass
		QPSK	12	6	4.71	0	4.71	0.003	1.000	Pass
			1	1	4.76	0	4.76	0.003	1.000	Pass
			1	22	4.76	0	4.76	0.003	1.000	Pass
		16QAM	12	6	5.23	0	5.23	0.003	1.000	Pass
			1	1	5.15	0	5.15	0.003	1.000	Pass
			1	22	5.15	0	5.15	0.003	1.000	Pass
		64QAM	12	6	3.7	0	3.70	0.002	1.000	Pass
			1	1	3.57	0	3.57	0.002	1.000	Pass
			1	22	3.64	0	3.64	0.002	1.000	Pass
		256QAM	12	6	1.47	0	1.47	0.001	1.000	Pass
			1	1	1.68	0	1.68	0.001	1.000	Pass
			1	22	1.65	0	1.65	0.001	1.000	Pass
	HCH	PI/2 BPSK	12	6	6.23	0	6.23	0.004	1.000	Pass
			1	1	6.16	0	6.16	0.004	1.000	Pass
			1	22	6.29	0	6.29	0.004	1.000	Pass
		QPSK	12	6	4.7	0	4.70	0.003	1.000	Pass
			1	1	4.67	0	4.67	0.003	1.000	Pass
			1	22	4.79	0	4.79	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	12	6	5.2	0	5.20	0.003	1.000	Pass
			1	1	5.02	0	5.02	0.003	1.000	Pass
			1	22	5.17	0	5.17	0.003	1.000	Pass
		64QAM	12	6	3.7	0	3.70	0.002	1.000	Pass
			1	1	3.44	0	3.44	0.002	1.000	Pass
			1	22	3.64	0	3.64	0.002	1.000	Pass
		256QAM	12	6	1.48	0	1.48	0.001	1.000	Pass
			1	1	1.56	0	1.56	0.001	1.000	Pass
			1	22	1.75	0	1.75	0.001	1.000	Pass
50	LCH	PI/2 BPSK	64	32	6.42	0	6.42	0.004	1.000	Pass
			1	1	6.14	0	6.14	0.004	1.000	Pass
			1	131	6.12	0	6.12	0.004	1.000	Pass
		QPSK	64	32	4.89	0	4.89	0.003	1.000	Pass
			1	1	4.76	0	4.76	0.003	1.000	Pass
			1	131	4.74	0	4.74	0.003	1.000	Pass
		16QAM	64	32	5.39	0	5.39	0.003	1.000	Pass
			1	1	5.03	0	5.03	0.003	1.000	Pass
			1	131	4.97	0	4.97	0.003	1.000	Pass
		64QAM	64	32	3.95	0	3.95	0.002	1.000	Pass
			1	1	3.52	0	3.52	0.002	1.000	Pass
			1	131	3.62	0	3.62	0.002	1.000	Pass
		256QAM	64	32	1.89	0	1.89	0.002	1.000	Pass
			1	1	1.61	0	1.61	0.001	1.000	Pass
			1	131	1.61	0	1.61	0.001	1.000	Pass
	MCH	PI/2 BPSK	64	32	6.18	0	6.18	0.004	1.000	Pass
			1	1	5.93	0	5.93	0.004	1.000	Pass
			1	131	5.75	0	5.75	0.004	1.000	Pass
		QPSK	64	32	4.69	0	4.69	0.003	1.000	Pass
			1	1	4.56	0	4.56	0.003	1.000	Pass
			1	131	4.36	0	4.36	0.003	1.000	Pass
		16QAM	64	32	5.17	0	5.17	0.003	1.000	Pass
			1	1	4.86	0	4.86	0.003	1.000	Pass
			1	131	4.71	0	4.71	0.003	1.000	Pass
		64QAM	64	32	3.72	0	3.72	0.002	1.000	Pass
			1	1	3.42	0	3.42	0.002	1.000	Pass
			1	131	3.21	0	3.21	0.002	1.000	Pass
		256QAM	64	32	1.71	0	1.71	0.001	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH	PI/2 BPSK	1	1	1.44	0	1.44	0.001	1.000	Pass
			1	131	1.29	0	1.29	0.001	1.000	Pass
			64	32	6.05	0	6.05	0.004	1.000	Pass
		QPSK	1	1	5.99	0	5.99	0.004	1.000	Pass
			1	131	5.93	0	5.93	0.004	1.000	Pass
			64	32	4.57	0	4.57	0.003	1.000	Pass
		16QAM	1	1	4.61	0	4.61	0.003	1.000	Pass
			1	131	4.54	0	4.54	0.003	1.000	Pass
			64	32	5.03	0	5.03	0.003	1.000	Pass
		64QAM	1	1	4.9	0	4.90	0.003	1.000	Pass
			1	131	4.87	0	4.87	0.003	1.000	Pass
			64	32	3.59	0	3.59	0.002	1.000	Pass
		256QAM	1	1	3.44	0	3.44	0.002	1.000	Pass
			1	131	3.42	0	3.42	0.002	1.000	Pass
			64	32	1.57	0	1.57	0.001	1.000	Pass
			1	1	1.49	0	1.49	0.001	1.000	Pass
			1	131	1.46	0	1.46	0.001	1.000	Pass
			135	67	6.34	0	6.34	0.004	1.000	Pass
100	MCH	PI/2 BPSK	1	1	6.37	0	6.37	0.004	1.000	Pass
			1	271	6.33	0	6.33	0.004	1.000	Pass
			135	67	4.87	0	4.87	0.003	1.000	Pass
		QPSK	1	1	5.01	0	5.01	0.003	1.000	Pass
			1	271	4.92	0	4.92	0.003	1.000	Pass
			135	67	5.37	0	5.37	0.003	1.000	Pass
		16QAM	1	1	5.33	0	5.33	0.003	1.000	Pass
			1	271	5.21	0	5.21	0.003	1.000	Pass
			135	67	3.9	0	3.90	0.002	1.000	Pass
		64QAM	1	1	3.74	0	3.74	0.002	1.000	Pass
			1	271	3.85	0	3.85	0.002	1.000	Pass
			135	67	1.93	0	1.93	0.002	1.000	Pass
		256QAM	1	1	1.79	0	1.79	0.002	1.000	Pass
			1	271	1.81	0	1.81	0.002	1.000	Pass
			135	67	1.93	0	1.93	0.002	1.000	Pass
			1	1	1.79	0	1.79	0.002	1.000	Pass
			1	271	1.81	0	1.81	0.002	1.000	Pass
			135	67	1.93	0	1.93	0.002	1.000	Pass

ENDC Mode Test Data

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.195	19.768	22.997	18.50	0.071	2.00	Pass
			12	6	8	0	20.198	19.861	23.0431	18.55	0.072	2.00	Pass
	MCH		12	6	8	0	20.177	19.820	23.0125	18.52	0.071	2.00	Pass
	HCH		1	23	1	24	20.234	19.778	23.0223	18.52	0.071	2.00	Pass
		QP SK	12	6	8	0	20.134	19.799	22.98	18.49	0.071	2.00	Pass
	LCH		1	1	1	0	20.296	19.785	23.0583	18.56	0.072	2.00	Pass
			12	6	8	0	20.205	19.866	23.0491	18.56	0.072	2.00	Pass
	MCH		12	6	8	0	20.190	19.831	23.0245	18.53	0.071	2.00	Pass
	HCH		1	23	1	24	20.359	19.739	23.0704	18.56	0.072	2.00	Pass
		16 QA M	12	6	8	0	20.187	19.821	23.0182	18.53	0.071	2.00	Pass
	LCH		1	1	1	0	19.918	19.745	22.8427	18.36	0.069	2.00	Pass
			12	6	8	0	20.166	19.823	23.0082	18.52	0.071	2.00	Pass
	MCH		12	6	8	0	20.133	19.833	22.9959	18.51	0.071	2.00	Pass
	HCH		1	23	1	24	19.918	19.772	22.8559	18.38	0.069	2.00	Pass
		64 QA M	12	6	8	0	20.115	19.851	22.9953	18.51	0.071	2.00	Pass
	LCH		1	1	1	0	20.105	19.793	22.9621	18.47	0.070	2.00	Pass
			12	6	8	0	20.138	19.781	22.9735	18.48	0.070	2.00	Pass
	MCH		12	6	8	0	20.148	19.832	23.0032	18.51	0.071	2.00	Pass
	HCH		1	23	1	24	20.178	19.764	22.9862	18.49	0.071	2.00	Pass
		256 QA M	12	6	8	0	20.148	19.806	22.9907	18.50	0.071	2.00	Pass
	LCH		1	1	1	0	18.715	19.784	22.2926	17.88	0.061	2.00	Pass
			12	6	8	0	18.665	19.802	22.2809	17.87	0.061	2.00	Pass
	MCH		12	6	8	0	18.641	19.835	22.2892	17.89	0.061	2.00	Pass
	HCH		1	23	1	24	18.659	19.794	22.2738	17.87	0.061	2.00	Pass
			12	6	8	0	18.601	19.808	22.2566	17.85	0.061	2.00	Pass
20MHz(LTE) + 50MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.034	19.702	22.8815	18.39	0.069	2.00	Pass
			135	67	18	0	20.296	19.878	23.1023	18.61	0.073	2.00	Pass
	MCH		135	67	18	0	20.299	19.867	23.0987	18.60	0.072	2.00	Pass
	HCH		1	268	1	99	20.255	20.040	23.1591	18.68	0.074	2.00	Pass
		QP SK	135	67	18	0	20.307	19.855	23.0972	18.60	0.072	2.00	Pass
	LCH		1	1	1	0	20.190	19.699	22.9617	18.46	0.070	2.00	Pass
			135	67	18	0	20.311	19.887	23.1145	18.62	0.073	2.00	Pass
	MCH		135	67	18	0	20.290	19.889	23.1044	18.61	0.073	2.00	Pass
	HCH		1	268	1	99	20.379	20.038	23.2221	18.73	0.075	2.00	Pass
			135	67	18	0	20.294	19.864	23.0946	18.60	0.072	2.00	Pass

	LCH	16	1	1	1	0	19.822	19.738	22.7905	18.31	0.068	2.00	Pass
			135	67	18	0	20.341	19.845	23.1104	18.61	0.073	2.00	Pass
	MCH	QA	135	67	18	0	20.308	19.852	23.0963	18.60	0.072	2.00	Pass
	HCH	M	1	268	1	99	19.975	20.034	23.0149	18.55	0.072	2.00	Pass
			135	67	18	0	20.322	19.859	23.107	18.61	0.073	2.00	Pass
	LCH	64	1	1	1	0	20.023	19.697	22.8734	18.38	0.069	2.00	Pass
			135	67	18	0	20.284	19.863	23.0889	18.59	0.072	2.00	Pass
	MCH	QA	135	67	18	0	20.291	19.845	23.084	18.59	0.072	2.00	Pass
	HCH	M	1	268	1	99	20.244	20.037	23.152	18.67	0.074	2.00	Pass
			135	67	18	0	20.305	19.822	23.0805	18.58	0.072	2.00	Pass
	LCH	256	1	1	1	0	18.421	19.694	22.1143	17.71	0.059	2.00	Pass
			135	67	18	0	18.884	19.845	22.4013	17.98	0.063	2.00	Pass
	MCH	QA	135	67	18	0	18.875	19.856	22.4034	17.99	0.063	2.00	Pass
	HCH	M	1	268	1	99	18.706	20.027	22.4268	18.03	0.064	2.00	Pass
			135	67	18	0	18.851	19.826	22.3761	17.96	0.063	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.125	19.884	23.0165	19.02	0.080	1.00	Pass
			12	6	8	0	20.089	19.948	23.0294	19.03	0.080	1.00	Pass
	MCH		12	6	8	0	20.034	19.917	22.9862	18.99	0.079	1.00	Pass
	HCH		1	23	1	24	20.124	19.820	22.985	18.98	0.079	1.00	Pass
		QP SK	12	6	8	0	20.036	19.915	22.9862	18.99	0.079	1.00	Pass
	LCH		1	1	1	0	20.249	19.822	23.051	19.05	0.080	1.00	Pass
			12	6	8	0	20.125	19.961	23.0541	19.05	0.080	1.00	Pass
	MCH		12	6	8	0	20.078	19.934	23.0169	19.02	0.080	1.00	Pass
	HCH		1	23	1	24	20.166	19.889	23.04	19.04	0.080	1.00	Pass
		16 QA M	12	6	8	0	20.045	19.907	22.9868	18.99	0.079	1.00	Pass
	LCH		1	1	1	0	19.879	19.825	22.8624	18.86	0.077	1.00	Pass
			12	6	8	0	19.970	19.916	22.9534	18.95	0.079	1.00	Pass
	MCH		12	6	8	0	19.997	19.924	22.971	18.97	0.079	1.00	Pass
	HCH		1	23	1	24	19.818	19.869	22.8539	18.85	0.077	1.00	Pass
		64 QA M	12	6	8	0	19.980	19.905	22.953	18.95	0.079	1.00	Pass
	LCH		1	1	1	0	20.065	19.875	22.9813	18.98	0.079	1.00	Pass
			12	6	8	0	20.007	19.896	22.9622	18.96	0.079	1.00	Pass
	MCH		12	6	8	0	19.990	19.919	22.9649	18.96	0.079	1.00	Pass
	HCH		1	23	1	24	20.045	19.800	22.9345	18.93	0.078	1.00	Pass
		256 QA M	12	6	8	0	20.029	19.926	22.9881	18.99	0.079	1.00	Pass
	LCH		1	1	1	0	18.717	19.874	22.3442	18.34	0.068	1.00	Pass
			12	6	8	0	18.692	19.913	22.3556	18.36	0.068	1.00	Pass
	MCH		12	6	8	0	18.720	19.911	22.3665	18.37	0.069	1.00	Pass
	HCH		1	23	1	24	18.672	19.848	22.31	18.31	0.068	1.00	Pass
		PI/2 BP SK	12	6	8	0	18.622	19.985	22.3671	18.37	0.069	1.00	Pass
	LCH		1	1	1	0	20.274	19.801	23.0542	19.05	0.080	1.00	Pass
			108	54	18	0	20.228	19.914	23.0841	19.08	0.081	1.00	Pass
	MCH		108	54	18	0	20.183	19.908	23.058	19.06	0.081	1.00	Pass
20MHz(LTE) + 40MHz(NR)	HCH	QP SK	1	214	1	99	20.017	20.171	23.105	19.10	0.081	1.00	Pass
			108	54	18	0	20.189	19.945	23.079	19.08	0.081	1.00	Pass
	LCH		1	1	1	0	20.390	19.735	23.0851	19.09	0.081	1.00	Pass
			108	54	18	0	20.242	19.946	23.1068	19.11	0.081	1.00	Pass
	MCH	PI/2 BP SK	108	54	18	0	20.207	19.918	23.0752	19.08	0.081	1.00	Pass
	HCH		1	214	1	99	20.102	20.189	23.156	19.16	0.082	1.00	Pass
			108	54	18	0	20.178	19.909	23.0559	19.06	0.080	1.00	Pass
	LCH		108	54	18	0	20.178	19.909	23.0559	19.06	0.080	1.00	Pass

	LCH	16	1	1	1	0	19.994	19.757	22.8874	18.89	0.077	1.00	Pass
			108	54	18	0	20.197	19.920	23.071	19.07	0.081	1.00	Pass
	MCH	QA	108	54	18	0	20.209	19.952	23.0927	19.09	0.081	1.00	Pass
			1	214	1	99	19.727	20.185	22.9723	18.97	0.079	1.00	Pass
	HCH	M	108	54	18	0	20.313	19.926	23.1341	19.13	0.082	1.00	Pass
			1	1	1	0	20.252	19.791	23.0379	19.04	0.080	1.00	Pass
	LCH	64	108	54	18	0	20.132	19.927	23.041	19.04	0.080	1.00	Pass
			108	54	18	0	20.155	19.942	23.0601	19.06	0.081	1.00	Pass
	MCH	QA	108	54	18	0	20.155	19.942	23.0601	19.06	0.081	1.00	Pass
			1	214	1	99	19.973	20.190	23.0932	19.09	0.081	1.00	Pass
	HCH	M	108	54	18	0	20.105	19.947	23.037	19.04	0.080	1.00	Pass
			1	1	1	0	18.786	19.792	22.3284	18.33	0.068	1.00	Pass
	LCH	256	108	54	18	0	18.848	19.914	22.4239	18.42	0.070	1.00	Pass
			108	54	18	0	18.810	19.917	22.409	18.41	0.069	1.00	Pass
	MCH	QA	108	54	18	0	18.810	19.917	22.409	18.41	0.069	1.00	Pass
			1	214	1	99	18.520	20.187	22.4433	18.44	0.070	1.00	Pass
	HCH	M	108	54	18	0	18.808	19.929	22.4149	18.41	0.069	1.00	Pass
			108	54	18	0	18.808	19.929	22.4149	18.41	0.069	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.188	19.789	23.0034	21.53	0.142	1.00	Pass
			12	6	8	0	20.306	19.874	23.1057	21.64	0.146	1.00	Pass
	MCH	BP	12	6	8	0	20.276	19.848	23.0776	21.61	0.145	1.00	Pass
			1	22	1	24	20.257	19.801	23.0453	21.59	0.144	1.00	Pass
	HCH	SK	12	6	8	0	20.205	19.835	23.0342	21.56	0.143	1.00	Pass
			1	1	1	0	20.272	19.815	23.0598	21.60	0.145	1.00	Pass
	LCH	QP	12	6	8	0	20.185	19.824	23.0185	21.54	0.143	1.00	Pass
			12	6	8	0	20.131	19.856	23.006	21.51	0.142	1.00	Pass
	MCH	SK	1	22	1	24	20.262	19.808	23.0512	21.59	0.144	1.00	Pass
			12	6	8	0	20.204	19.818	23.0256	21.55	0.143	1.00	Pass
	HCH		1	1	1	0	20.040	19.765	22.915	21.42	0.139	1.00	Pass
			12	6	8	0	20.064	19.779	22.9341	21.44	0.139	1.00	Pass
	LCH	16	12	6	8	0	20.090	19.839	22.9766	21.48	0.140	1.00	Pass
			1	22	1	24	20.045	19.790	22.9297	21.43	0.139	1.00	Pass
	MCH	QA	12	6	8	0	20.212	19.800	23.0212	21.55	0.143	1.00	Pass
			1	22	1	24	20.213	19.791	23.0174	21.55	0.143	1.00	Pass
	HCH	M	12	6	8	0	20.267	19.865	23.0809	21.61	0.145	1.00	Pass
			1	22	1	24	20.311	19.818	23.0818	21.63	0.146	1.00	Pass
	LCH	64	12	6	8	0	20.220	19.793	23.022	21.56	0.143	1.00	Pass
			1	22	1	24	20.311	19.818	23.0818	21.63	0.146	1.00	Pass
	MCH	QA	12	6	8	0	20.190	19.819	23.0188	21.54	0.143	1.00	Pass
			1	1	1	0	18.650	19.774	22.2586	20.46	0.111	1.00	Pass
	HCH	256	12	6	8	0	18.436	19.873	22.224	20.35	0.108	1.00	Pass
			12	6	8	0	18.433	19.838	22.2024	20.34	0.108	1.00	Pass
	LCH	QA	1	22	1	24	18.685	19.779	22.2767	20.48	0.112	1.00	Pass
			12	6	8	0	18.450	19.800	22.1875	20.33	0.108	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	20.921	19.720	23.3722	22.07	0.161	1.00	Pass
			135	67	18	0	20.400	19.839	23.1389	21.70	0.148	1.00	Pass
	MCH	BP	135	67	18	0	20.421	19.851	23.1556	21.72	0.149	1.00	Pass
			1	271	1	99	20.568	20.065	23.3341	21.89	0.154	1.00	Pass
	HCH	SK	135	67	18	0	20.448	19.843	23.1663	21.74	0.149	1.00	Pass
			1	1	1	0	20.832	19.718	23.3209	22.00	0.158	1.00	Pass
	LCH	QP	135	67	18	0	20.378	19.869	23.1413	21.69	0.148	1.00	Pass
			135	67	18	0	20.383	19.858	23.1387	21.70	0.148	1.00	Pass
	MCH	SK	1	271	1	99	20.494	20.127	23.3247	21.85	0.153	1.00	Pass
			1	271	1	99	20.494	20.127	23.3247	21.85	0.153	1.00	Pass

			135	67	18	0	20.362	19.865	23.1309	21.68	0.147	1.00	Pass
	LCH	16	1	1	1	0	20.681	19.715	23.2351	21.88	0.154	1.00	Pass
			135	67	18	0	20.409	19.838	23.1432	21.71	0.148	1.00	Pass
	MCH	QA	135	67	18	0	20.352	19.833	23.1105	21.67	0.147	1.00	Pass
			1	271	1	99	20.311	20.048	23.1918	21.69	0.148	1.00	Pass
	HCH	M	135	67	18	0	20.404	19.849	23.1457	21.71	0.148	1.00	Pass
			1	1	1	0	20.880	19.695	23.3381	22.03	0.160	1.00	Pass
	LCH	64	135	67	18	0	20.371	19.840	23.1239	21.68	0.147	1.00	Pass
			135	67	18	0	20.362	19.832	23.1154	21.67	0.147	1.00	Pass
	MCH	QA	135	67	18	0	20.362	19.832	23.1154	21.67	0.147	1.00	Pass
			1	271	1	99	20.526	20.066	23.3124	21.86	0.153	1.00	Pass
	HCH	M	135	67	18	0	20.439	19.830	23.1555	21.73	0.149	1.00	Pass
			1	1	1	0	19.240	19.689	22.4806	20.83	0.121	1.00	Pass
	LCH	256	135	67	18	0	18.942	19.860	22.4355	20.68	0.117	1.00	Pass
			135	67	18	0	18.932	19.882	22.4432	20.68	0.117	1.00	Pass
	MCH	QA	135	67	18	0	18.932	19.882	22.4432	20.68	0.117	1.00	Pass
			1	271	1	99	18.891	20.106	22.5512	20.73	0.118	1.00	Pass
	HCH	M	135	67	18	0	18.845	19.817	22.3684	20.60	0.115	1.00	Pass
			135	67	18	0	18.845	19.817	22.3684	20.60	0.115	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.982	19.783	22.8939	21.38	0.137	1.00	Pass
			12	6	8	0	20.001	19.862	22.9424	21.42	0.139	1.00	Pass
	MCH		12	6	8	0	19.997	19.844	22.9315	21.41	0.138	1.00	Pass
	HCH		1	22	1	24	19.995	19.806	22.9118	21.40	0.138	1.00	Pass
		QP SK	12	6	8	0	19.915	19.814	22.8751	21.34	0.136	1.00	Pass
	LCH		1	1	1	0	20.003	19.793	22.9096	21.40	0.138	1.00	Pass
			12	6	8	0	19.987	19.859	22.9338	21.41	0.138	1.00	Pass
	MCH		12	6	8	0	20.030	19.820	22.9366	21.43	0.139	1.00	Pass
	HCH		1	22	1	24	19.994	19.783	22.9001	21.39	0.138	1.00	Pass
		16 QA M	12	6	8	0	20.010	19.880	22.9558	21.43	0.139	1.00	Pass
	LCH		1	1	1	0	19.790	19.857	22.8339	21.26	0.134	1.00	Pass
			12	6	8	0	19.836	19.829	22.8428	21.29	0.135	1.00	Pass
	MCH		12	6	8	0	19.994	19.850	22.9329	21.41	0.138	1.00	Pass
	HCH		1	22	1	24	19.842	19.806	22.8343	21.29	0.134	1.00	Pass
		64 QA M	12	6	8	0	19.929	19.846	22.898	21.36	0.137	1.00	Pass
	LCH		1	1	1	0	20.046	19.801	22.9355	21.43	0.139	1.00	Pass
			12	6	8	0	20.091	19.825	22.9703	21.47	0.140	1.00	Pass
	MCH		12	6	8	0	20.048	19.821	22.9463	21.44	0.139	1.00	Pass
	HCH		1	22	1	24	20.267	19.764	23.0331	21.59	0.144	1.00	Pass
		256 QA M	12	6	8	0	19.981	19.849	22.9258	21.40	0.138	1.00	Pass
	LCH		1	1	1	0	18.418	19.798	22.1729	20.31	0.107	1.00	Pass
			12	6	8	0	18.187	19.898	22.1365	20.20	0.105	1.00	Pass
	MCH		12	6	8	0	18.175	19.841	22.0977	20.17	0.104	1.00	Pass
	HCH		1	22	1	24	18.410	19.818	22.1811	20.31	0.108	1.00	Pass
			12	6	8	0	18.258	19.863	22.1445	20.23	0.106	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.839	19.713	22.7868	21.26	0.134	1.00	Pass
			135	67	18	0	20.204	19.890	23.0601	21.57	0.144	1.00	Pass
	MCH		135	67	18	0	20.236	19.876	23.07	21.59	0.144	1.00	Pass
	HCH		1	271	1	99	20.362	20.081	23.2341	21.74	0.149	1.00	Pass
		QP SK	135	67	18	0	20.225	19.885	23.0686	21.59	0.144	1.00	Pass
	LCH		1	1	1	0	19.860	19.703	22.7925	21.27	0.134	1.00	Pass
			135	67	18	0	20.227	19.878	23.0663	21.59	0.144	1.00	Pass
	MCH		135	67	18	0	20.210	19.869	23.0531	21.57	0.144	1.00	Pass
	HCH		1	271	1	99	20.368	20.168	23.2795	21.77	0.150	1.00	Pass
			135	67	18	0	20.215	19.889	23.0654	21.58	0.144	1.00	Pass

	LCH	16	1	1	1	0	19.717	19.718	22.7278	21.17	0.131	1.00	Pass
			135	67	18	0	20.231	19.887	23.0727	21.59	0.144	1.00	Pass
	MCH	QA	135	67	18	0	20.188	19.839	23.0273	21.55	0.143	1.00	Pass
			1	271	1	99	20.139	20.054	23.107	21.57	0.144	1.00	Pass
	HCH	M	135	67	18	0	20.212	19.813	23.0274	21.56	0.143	1.00	Pass
			1	1	1	0	19.996	19.658	22.8406	21.36	0.137	1.00	Pass
	LCH	64	135	67	18	0	20.206	19.846	23.04	21.56	0.143	1.00	Pass
			135	67	18	0	20.243	19.865	23.0684	21.59	0.144	1.00	Pass
	MCH	QA	135	67	18	0	20.243	19.865	23.0684	21.59	0.144	1.00	Pass
			1	271	1	99	20.672	20.089	23.4006	21.97	0.157	1.00	Pass
	HCH	M	135	67	18	0	20.250	19.848	23.0639	21.59	0.144	1.00	Pass
			1	1	1	0	18.388	19.711	22.11	20.26	0.106	1.00	Pass
	LCH	256	135	67	18	0	18.756	19.877	22.3629	20.56	0.114	1.00	Pass
			135	67	18	0	18.716	19.849	22.3296	20.53	0.113	1.00	Pass
	MCH	QA	135	67	18	0	18.716	19.849	22.3296	20.53	0.113	1.00	Pass
			1	271	1	99	18.806	20.224	22.5829	20.71	0.118	1.00	Pass
	HCH	M	135	67	18	0	18.598	19.872	22.2918	20.46	0.111	1.00	Pass
			135	67	18	0	18.598	19.872	22.2918	20.46	0.111	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.174	20.057	23.1262	19.12	0.082	2.00	Pass
			12	6	8	0	20.123	20.074	23.1089	19.20	0.083	2.00	Pass
	MCH		12	6	8	0	20.162	20.092	23.1374	19.07	0.081	2.00	Pass
	HCH		1	23	1	24	20.190	20.059	23.1353	19.22	0.084	2.00	Pass
		QP SK	12	6	8	0	20.097	20.094	23.1058	19.23	0.084	2.00	Pass
	LCH		1	1	1	0	20.268	20.038	23.1648	19.16	0.082	2.00	Pass
			12	6	8	0	20.144	20.093	23.1289	19.23	0.084	2.00	Pass
	MCH		12	6	8	0	20.172	20.066	23.1296	18.65	0.073	2.00	Pass
	HCH		1	23	1	24	20.324	20.133	23.2398	18.69	0.074	2.00	Pass
		16 QA M	12	6	8	0	20.169	20.076	23.133	18.67	0.074	2.00	Pass
	LCH		1	1	1	0	19.898	19.987	22.953	18.70	0.074	2.00	Pass
			12	6	8	0	20.130	20.077	23.1139	18.68	0.074	2.00	Pass
	MCH		12	6	8	0	20.110	20.063	23.0969	19.05	0.080	2.00	Pass
	HCH		1	23	1	24	19.909	20.044	22.9873	19.29	0.085	2.00	Pass
		64 QA M	12	6	8	0	20.093	20.059	23.0863	19.30	0.085	2.00	Pass
	LCH		1	1	1	0	20.057	19.882	22.9807	19.33	0.086	2.00	Pass
			12	6	8	0	20.102	20.097	23.1098	19.29	0.085	2.00	Pass
	MCH		12	6	8	0	20.141	20.085	23.1234	19.11	0.081	2.00	Pass
	HCH		1	23	1	24	20.161	19.953	23.0685	19.30	0.085	2.00	Pass
		256 QA M	12	6	8	0	20.117	20.093	23.1153	19.31	0.085	2.00	Pass
	LCH		1	1	1	0	18.618	20.008	22.3787	19.37	0.086	2.00	Pass
			12	6	8	0	18.642	20.056	22.4166	19.28	0.085	2.00	Pass
	MCH		12	6	8	0	18.606	20.053	22.3998	18.97	0.079	2.00	Pass
	HCH		1	23	1	24	18.529	20.123	22.409	19.30	0.085	2.00	Pass
		PI/2 BP SK	12	6	8	0	18.574	20.073	22.3982	19.30	0.085	2.00	Pass
	LCH		1	1	1	0	19.936	19.926	22.9413	19.21	0.083	2.00	Pass
			135	67	18	0	20.277	20.088	23.1938	19.29	0.085	2.00	Pass
	MCH		135	67	18	0	20.288	20.104	23.2073	19.01	0.080	2.00	Pass
20MHz(LTE) + 50MHz(NR)	HCH	QP SK	1	268	1	99	20.353	20.110	23.2435	19.23	0.084	2.00	Pass
			135	67	18	0	20.279	20.093	23.1973	19.29	0.085	2.00	Pass
	LCH		1	1	1	0	20.049	19.938	23.0042	19.34	0.086	2.00	Pass
			135	67	18	0	20.287	20.101	23.2053	19.30	0.085	2.00	Pass
	MCH	PI/2 BP SK	135	67	18	0	20.288	20.125	23.2176	18.44	0.070	2.00	Pass
	HCH		1	268	1	99	20.504	20.066	23.3008	18.78	0.076	2.00	Pass
			135	67	18	0	20.297	20.059	23.1899	18.78	0.075	2.00	Pass

	LCH	16	1	1	1	0	19.733	19.913	22.8342	18.72	0.074	2.00	Pass
			135	67	18	0	20.288	20.109	23.2097	18.78	0.075	2.00	Pass
	MCH	QA	135	67	18	0	20.292	20.099	23.2069	19.12	0.082	2.00	Pass
			1	268	1	99	20.117	20.063	23.1004	19.20	0.083	2.00	Pass
	HCH	M	135	67	18	0	20.297	20.079	23.1997	19.07	0.081	2.00	Pass
			1	1	1	0	19.970	19.824	22.9079	19.22	0.084	2.00	Pass
	LCH	64	135	67	18	0	20.273	20.001	23.1494	19.23	0.084	2.00	Pass
			135	67	18	0	20.260	20.112	23.1969	19.16	0.082	2.00	Pass
	MCH	QA	135	67	18	0	20.260	20.112	23.1969	19.16	0.082	2.00	Pass
			1	268	1	99	20.375	20.113	23.2563	19.23	0.084	2.00	Pass
	HCH	M	135	67	18	0	20.289	20.100	23.2058	18.65	0.073	2.00	Pass
			1	1	1	0	18.252	19.869	22.1456	18.69	0.074	2.00	Pass
	LCH	256	135	67	18	0	18.835	20.104	22.526	18.67	0.074	2.00	Pass
			135	67	18	0	18.848	20.096	22.527	18.70	0.074	2.00	Pass
	MCH	QA	135	67	18	0	18.848	20.096	22.527	18.70	0.074	2.00	Pass
			1	268	1	99	18.763	20.046	22.462	18.68	0.074	2.00	Pass
	HCH	M	135	67	18	0	18.897	20.072	22.5344	19.05	0.080	2.00	Pass
			135	67	18	0	18.897	20.072	22.5344	19.05	0.080	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n38A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.934	19.940	23.4757	17.05	19.49	2.00	Pass
			12	6	8	0	20.887	20.013	23.4822	16.98	19.45	2.00	Pass
	MCH		12	6	8	0	20.872	20.035	23.4839	16.96	19.50	2.00	Pass
			1	22	1	24	20.993	20.032	23.5493	17.03	19.52	2.00	Pass
	HCH	QPSK	12	6	8	0	20.881	19.985	23.4664	17.01	19.50	2.00	Pass
			1	1	1	0	21.051	19.907	23.5269	17.05	19.56	2.00	Pass
	LCH		12	6	8	0	21.005	20.001	23.5422	17.00	19.50	2.00	Pass
			12	6	8	0	20.844	19.979	23.4433	16.96	18.93	2.00	Pass
	MCH	16 QAM	1	22	1	24	20.932	20.022	23.5111	16.96	18.79	2.00	Pass
			12	6	8	0	20.853	19.984	23.4505	17.00	18.83	2.00	Pass
	LCH		1	1	1	0	20.758	19.869	23.3465	17.03	18.97	2.00	Pass
			12	6	8	0	20.848	19.972	23.4423	16.99	18.81	2.00	Pass
	MCH	64 QAM	12	6	8	0	20.841	20.032	23.4656	16.75	19.34	2.00	Pass
			1	22	1	24	20.820	20.048	23.4614	17.02	19.52	2.00	Pass
	HCH		12	6	8	0	20.835	19.977	23.4375	17.01	19.51	2.00	Pass
			1	1	1	0	20.963	19.957	23.4994	17.02	19.49	2.00	Pass
	LCH	256 QAM	12	6	8	0	20.922	20.029	23.5087	17.00	19.49	2.00	Pass
			12	6	8	0	20.904	20.010	23.4903	16.72	19.42	2.00	Pass
	MCH		1	22	1	24	20.982	20.046	23.5495	17.00	19.52	2.00	Pass
			12	6	8	0	20.918	20.000	23.4935	17.06	19.55	2.00	Pass
	LCH	512 QAM	1	1	1	0	19.548	19.959	22.7687	17.09	19.58	2.00	Pass
			12	6	8	0	19.156	19.960	22.5869	17.01	19.51	2.00	Pass
	MCH		12	6	8	0	19.179	20.004	22.6214	16.80	19.30	2.00	Pass
			1	22	1	24	19.517	20.033	22.793	17.02	19.47	2.00	Pass
	HCH	1024 QAM	12	6	8	0	19.164	19.989	22.6064	17.02	19.50	2.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.868	19.748	23.3543	17.06	19.42	2.00	Pass
			50	25	18	0	20.945	20.016	23.5156	16.99	19.53	2.00	Pass
	MCH		50	25	18	0	20.933	20.006	23.5045	16.75	19.45	2.00	Pass
			1	104	1	99	20.849	20.024	23.4664	16.98	19.49	2.00	Pass
	HCH	QPSK	50	25	18	0	20.894	20.002	23.4812	16.98	19.49	2.00	Pass
	LCH		1	1	1	0	21.080	19.718	23.4625	17.01	19.52	2.00	Pass
			50	25	18	0	20.947	19.999	23.5091	17.03	19.52	2.00	Pass
	MCH		50	25	18	0	20.940	20.061	23.533	16.78	18.75	2.00	Pass
			1	104	1	99	20.977	20.089	23.566	17.04	18.99	2.00	Pass
	HCH		50	25	18	0	20.929	20.010	23.5041	17.03	19.00	2.00	Pass

	LCH	16	1	1	1	0	20.724	19.797	23.2955	17.06	18.92	2.00	Pass
			50	25	18	0	20.825	20.016	23.4496	17.00	18.95	2.00	Pass
	MCH	QA	50	25	18	0	20.892	20.015	23.4859	17.05	19.49	2.00	Pass
			1	104	1	99	20.639	20.061	23.3699	16.98	19.45	2.00	Pass
	HCH	M	50	25	18	0	20.996	19.994	23.5341	16.96	19.50	2.00	Pass
			1	1	1	0	21.114	19.751	23.4961	17.03	19.52	2.00	Pass
	LCH	64	50	25	18	0	20.919	19.979	23.4847	17.01	19.50	2.00	Pass
			50	25	18	0	20.910	19.978	23.4793	17.05	19.56	2.00	Pass
	MCH	QA	50	25	18	0	20.910	19.978	23.4793	17.05	19.56	2.00	Pass
			1	104	1	99	20.932	20.013	23.5071	17.00	19.50	2.00	Pass
	HCH	M	50	25	18	0	20.916	20.031	23.5063	16.96	18.93	2.00	Pass
			1	1	1	0	19.371	19.778	22.5896	16.96	18.79	2.00	Pass
	LCH	256	50	25	18	0	19.583	20.038	22.8268	17.00	18.83	2.00	Pass
			50	25	18	0	19.602	20.033	22.8331	17.03	18.97	2.00	Pass
	MCH	QA	50	25	18	0	19.602	20.033	22.8331	17.03	18.97	2.00	Pass
			1	104	1	99	19.357	20.056	22.7308	16.99	18.81	2.00	Pass
	HCH	M	50	25	18	0	19.538	19.999	22.7849	16.75	19.34	2.00	Pass
			50	25	18	0	19.538	19.999	22.7849	16.75	19.34	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.867	19.990	23.4609	16.99	19.47	2.00	Pass
			12	6	8	0	20.788	20.021	23.4317	17.02	19.46	2.00	Pass
	MCH		12	6	8	0	20.797	20.079	23.4631	17.08	19.50	2.00	Pass
	HCH		1	22	1	24	20.913	20.089	23.5308	17.09	19.55	2.00	Pass
		QP SK	12	6	8	0	20.844	20.056	23.4781	17.06	19.50	2.00	Pass
	LCH		1	1	1	0	20.929	19.949	23.4769	16.95	19.48	2.00	Pass
			12	6	8	0	20.798	20.010	23.4321	17.01	19.46	2.00	Pass
	MCH		12	6	8	0	20.746	20.018	23.4075	17.02	19.44	2.00	Pass
	HCH		1	22	1	24	20.861	20.097	23.5061	17.10	19.53	2.00	Pass
		16 QA M	12	6	8	0	20.800	20.012	23.4341	17.01	19.46	2.00	Pass
	LCH		1	1	1	0	20.717	19.922	23.348	16.92	19.37	2.00	Pass
			12	6	8	0	20.855	20.010	23.4633	17.01	19.48	2.00	Pass
	MCH		12	6	8	0	20.911	20.019	23.4982	17.02	19.51	2.00	Pass
	HCH		1	22	1	24	20.678	19.986	23.3561	16.99	19.39	2.00	Pass
		64 QA M	12	6	8	0	20.847	20.031	23.4684	17.03	19.49	2.00	Pass
	LCH		1	1	1	0	20.959	19.900	23.472	16.90	19.47	2.00	Pass
			12	6	8	0	20.836	19.982	23.4403	16.98	19.46	2.00	Pass
	MCH		12	6	8	0	20.805	20.007	23.4346	17.01	19.46	2.00	Pass
	HCH		1	22	1	24	21.146	20.027	23.6327	17.03	19.62	2.00	Pass
		256 QA M	12	6	8	0	20.841	20.034	23.4665	17.03	19.49	2.00	Pass
	LCH		1	1	1	0	19.540	19.964	22.7675	16.96	18.93	2.00	Pass
			12	6	8	0	19.146	20.010	22.6098	17.01	18.82	2.00	Pass
	MCH		12	6	8	0	19.104	20.014	22.5931	17.01	18.81	2.00	Pass
	HCH		1	22	1	24	19.391	20.060	22.7487	17.06	18.94	2.00	Pass
		PI/2 BP SK	12	6	8	0	19.104	20.000	22.5854	17.00	18.80	2.00	Pass
	LCH		1	1	1	0	20.880	19.807	23.3869	16.81	19.38	2.00	Pass
			135	67	18	0	20.936	20.025	23.5146	17.03	19.52	2.00	Pass
	MCH		135	67	18	0	20.934	20.054	23.5266	17.05	19.54	2.00	Pass
20MHz(LTE) + 100MHz(NR)	HCH	QP SK	1	271	1	99	20.470	20.069	23.2844	17.07	19.35	2.00	Pass
			135	67	18	0	20.891	20.006	23.4813	17.01	19.49	2.00	Pass
	LCH		1	1	1	0	21.026	19.899	23.5093	16.90	19.49	2.00	Pass
			135	67	18	0	20.962	20.041	23.5362	17.04	19.55	2.00	Pass
	MCH	PI/2 BP SK	135	67	18	0	20.990	20.017	23.541	17.02	19.54	2.00	Pass
	HCH		1	271	1	99	20.590	20.097	23.3608	17.10	19.42	2.00	Pass
			135	67	18	0	20.965	20.007	23.5227	17.01	19.53	2.00	Pass
	LCH		135	67	18	0	20.965	20.007	23.5227	17.01	19.53	2.00	Pass

	LCH	16	1	1	1	0	20.662	19.775	23.2514	16.78	19.26	2.00	Pass
			135	67	18	0	20.979	20.021	23.5367	17.02	19.54	2.00	Pass
	MCH	QA	135	67	18	0	21.004	20.052	23.5643	17.05	19.57	2.00	Pass
			1	271	1	99	20.246	20.090	23.179	17.09	19.28	2.00	Pass
	HCH	M	135	67	18	0	20.975	19.996	23.5233	17.00	19.53	2.00	Pass
			1	1	1	0	21.081	19.805	23.5	16.81	19.47	2.00	Pass
	LCH	64	135	67	18	0	20.972	20.007	23.5265	17.01	19.53	2.00	Pass
			135	67	18	0	20.916	20.024	23.5032	17.02	19.52	2.00	Pass
	MCH	QA	135	67	18	0	20.916	20.024	23.5032	17.02	19.52	2.00	Pass
			1	271	1	99	20.680	20.095	23.4076	17.10	19.46	2.00	Pass
	HCH	M	135	67	18	0	20.950	20.054	23.5354	17.05	19.55	2.00	Pass
			1	1	1	0	19.232	19.851	22.5628	16.85	18.75	2.00	Pass
	LCH	256	135	67	18	0	19.615	20.022	22.8336	17.02	18.99	2.00	Pass
			135	67	18	0	19.591	20.048	22.8358	17.05	19.00	2.00	Pass
	MCH	QA	135	67	18	0	19.591	20.048	22.8358	17.05	19.00	2.00	Pass
			1	271	1	99	18.995	20.058	22.5692	17.06	18.80	2.00	Pass
	HCH	M	135	67	18	0	19.489	20.024	22.775	17.02	18.95	2.00	Pass
			135	67	18	0	19.489	20.024	22.775	17.02	18.95	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.186	19.993	23.1009	21.46	0.140	1.00	Pass
			12	6	8	0	20.250	20.040	23.1566	21.64	0.146	1.00	Pass
	MCH		12	6	8	0	20.272	20.075	23.1849	21.66	0.147	1.00	Pass
			1	22	1	24	20.249	20.081	23.1761	21.62	0.145	1.00	Pass
	HCH	QPSK	12	6	8	0	20.285	20.072	23.1901	21.56	0.143	1.00	Pass
			1	1	1	0	20.323	20.039	23.1936	21.83	0.152	1.00	Pass
	LCH		12	6	8	0	20.190	20.114	23.1625	21.66	0.147	1.00	Pass
			12	6	8	0	20.190	20.110	23.1605	20.46	0.111	1.00	Pass
	MCH	16 QAM	1	22	1	24	20.344	20.090	23.2292	20.44	0.111	1.00	Pass
			12	6	8	0	20.240	20.042	23.1524	20.43	0.111	1.00	Pass
	LCH		1	1	1	0	20.155	19.940	23.0591	20.43	0.110	1.00	Pass
			12	6	8	0	20.190	20.051	23.1314	20.42	0.110	1.00	Pass
	MCH	64 QAM	12	6	8	0	20.054	20.110	23.0924	22.11	0.162	1.00	Pass
			1	22	1	24	19.977	20.076	23.0371	21.79	0.151	1.00	Pass
	HCH		12	6	8	0	20.238	20.035	23.148	21.79	0.151	1.00	Pass
			1	1	1	0	20.299	19.975	23.1503	21.85	0.153	1.00	Pass
	LCH	256 QAM	12	6	8	0	20.210	20.066	23.1489	21.77	0.150	1.00	Pass
			12	6	8	0	20.155	19.982	23.0797	21.99	0.158	1.00	Pass
	MCH		1	22	1	24	20.491	20.077	23.2992	21.78	0.151	1.00	Pass
			12	6	8	0	20.275	20.024	23.1616	21.80	0.151	1.00	Pass
	LCH	100MHz(NR)	1	1	1	0	18.518	20.029	22.3492	21.85	0.153	1.00	Pass
			12	6	8	0	18.441	20.096	22.3572	21.79	0.151	1.00	Pass
	MCH		12	6	8	0	18.451	20.077	22.35	21.88	0.154	1.00	Pass
			1	22	1	24	18.460	20.058	22.3424	21.77	0.150	1.00	Pass
	HCH	100MHz(NR)	12	6	8	0	18.450	20.045	22.3306	21.74	0.149	1.00	Pass
			1	1	1	0	20.912	19.912	23.451	21.71	0.148	1.00	Pass
	LCH	PI/2 BP SK	135	67	18	0	20.440	20.075	23.2716	21.74	0.149	1.00	Pass
			135	67	18	0	20.421	20.109	23.2781	22.14	0.164	1.00	Pass
	MCH		1	271	1	99	20.487	20.139	23.3268	21.76	0.150	1.00	Pass
			135	67	18	0	20.403	20.071	23.2505	21.76	0.150	1.00	Pass
	LCH	QPSK	1	1	1	0	20.760	19.902	23.3625	21.91	0.155	1.00	Pass
			135	67	18	0	20.426	20.067	23.2605	21.81	0.152	1.00	Pass
	MCH		135	67	18	0	20.440	20.088	23.2779	20.90	0.123	1.00	Pass
			1	271	1	99	20.488	20.136	23.3259	20.76	0.119	1.00	Pass
	HCH	100MHz(NR)	135	67	18	0	20.438	20.071	23.2687	20.75	0.119	1.00	Pass

	LCH	16	1	1	1	0	20.621	19.885	23.2789	20.80	0.120	1.00	Pass
			135	67	18	0	20.410	20.063	23.2503	20.73	0.118	1.00	Pass
	MCH	QA	135	67	18	0	20.381	20.042	23.2251	21.46	0.140	1.00	Pass
			1	271	1	99	20.307	20.114	23.2219	21.64	0.146	1.00	Pass
	HCH	M	135	67	18	0	20.372	20.040	23.2195	21.66	0.147	1.00	Pass
			1	1	1	0	20.978	19.857	23.4639	21.62	0.145	1.00	Pass
	LCH	64	135	67	18	0	20.396	20.056	23.2396	21.56	0.143	1.00	Pass
			135	67	18	0	20.392	20.065	23.2419	21.83	0.152	1.00	Pass
	MCH	QA	135	67	18	0	20.392	20.065	23.2419	21.83	0.152	1.00	Pass
			1	271	1	99	20.572	20.130	23.3669	21.66	0.147	1.00	Pass
	HCH	M	135	67	18	0	20.471	20.030	23.2664	20.46	0.111	1.00	Pass
			1	1	1	0	19.243	19.919	22.6044	20.44	0.111	1.00	Pass
	LCH	256	135	67	18	0	18.951	20.069	22.5562	20.43	0.111	1.00	Pass
			135	67	18	0	18.956	20.050	22.5477	20.43	0.110	1.00	Pass
	MCH	QA	135	67	18	0	18.956	20.050	22.5477	20.43	0.110	1.00	Pass
			1	271	1	99	18.973	20.170	22.6229	20.42	0.110	1.00	Pass
	HCH	M	135	67	18	0	18.927	20.049	22.5344	22.11	0.162	1.00	Pass
			135	67	18	0	18.927	20.049	22.5344	22.11	0.162	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.958	20.000	22.9894	21.43	0.139	1.00	Pass
			12	6	8	0	20.049	20.082	23.0758	21.51	0.142	1.00	Pass
	MCH		12	6	8	0	20.013	20.082	23.0579	21.49	0.141	1.00	Pass
	HCH		1	22	1	24	19.990	20.082	23.0465	21.47	0.140	1.00	Pass
		QP SK	12	6	8	0	20.053	20.070	23.0718	21.51	0.142	1.00	Pass
	LCH		1	1	1	0	20.016	19.999	23.0178	21.47	0.140	1.00	Pass
			12	6	8	0	19.941	20.084	23.0234	21.44	0.139	1.00	Pass
	MCH		12	6	8	0	19.974	20.048	23.0215	21.45	0.140	1.00	Pass
	HCH		1	22	1	24	20.075	20.079	23.0873	21.53	0.142	1.00	Pass
		16 QA M	12	6	8	0	20.001	20.027	23.0243	21.46	0.140	1.00	Pass
	LCH		1	1	1	0	19.838	19.952	22.9057	21.33	0.136	1.00	Pass
			12	6	8	0	19.995	20.077	23.0465	21.47	0.140	1.00	Pass
	MCH		12	6	8	0	19.964	20.017	23.0009	21.43	0.139	1.00	Pass
	HCH		1	22	1	24	19.834	20.083	22.9706	21.36	0.137	1.00	Pass
		64 QA M	12	6	8	0	19.950	20.066	23.0187	21.44	0.139	1.00	Pass
	LCH		1	1	1	0	19.990	19.927	22.9689	21.43	0.139	1.00	Pass
			12	6	8	0	20.011	20.077	23.0544	21.49	0.141	1.00	Pass
	MCH		12	6	8	0	19.926	20.123	23.0359	21.44	0.139	1.00	Pass
	HCH		1	22	1	24	20.037	20.050	23.0538	21.50	0.141	1.00	Pass
		256 QA M	12	6	8	0	19.903	20.014	22.9692	21.39	0.138	1.00	Pass
	LCH		1	1	1	0	18.285	19.976	22.2226	20.29	0.107	1.00	Pass
			12	6	8	0	18.174	20.057	22.2271	20.25	0.106	1.00	Pass
	MCH		12	6	8	0	18.179	20.043	22.2205	20.25	0.106	1.00	Pass
	HCH		1	22	1	24	18.323	20.095	22.3091	20.36	0.109	1.00	Pass
		PI/2 BP SK	12	6	8	0	18.036	20.067	22.1795	20.17	0.104	1.00	Pass
	LCH		1	1	1	0	19.951	19.929	22.9503	21.40	0.138	1.00	Pass
			135	67	18	0	20.200	20.096	23.1586	21.63	0.145	1.00	Pass
	MCH		135	67	18	0	20.182	20.089	23.146	21.61	0.145	1.00	Pass
20MHz(LTE) + 100MHz(NR)	HCH	QP SK	1	271	1	99	20.438	20.195	23.3285	21.83	0.152	1.00	Pass
			135	67	18	0	20.199	20.089	23.1546	21.62	0.145	1.00	Pass
	LCH		1	1	1	0	19.944	19.911	22.9378	21.39	0.138	1.00	Pass
			135	67	18	0	20.208	20.094	23.1617	21.63	0.146	1.00	Pass
	MCH	PI/2 BP SK	135	67	18	0	20.183	20.084	23.1441	21.61	0.145	1.00	Pass
	HCH		1	271	1	99	20.379	20.155	23.2787	21.77	0.150	1.00	Pass
			135	67	18	0	20.230	20.069	23.1605	21.64	0.146	1.00	Pass
	LCH		135	67	18	0	20.208	20.094	23.1617	21.63	0.146	1.00	Pass

	LCH	16	1	1	1	0	19.707	19.903	22.8164	21.22	0.132	1.00	Pass
			135	67	18	0	20.171	20.019	23.106	21.58	0.144	1.00	Pass
	MCH	QA	135	67	18	0	20.205	20.011	23.1194	21.61	0.145	1.00	Pass
			1	271	1	99	20.062	20.150	23.1165	21.54	0.143	1.00	Pass
	HCH	M	135	67	18	0	20.210	20.007	23.12	21.61	0.145	1.00	Pass
			1	1	1	0	19.908	19.915	22.9218	21.37	0.137	1.00	Pass
	LCH	64	135	67	18	0	20.198	20.046	23.133	21.61	0.145	1.00	Pass
			135	67	18	0	20.261	20.040	23.1622	21.65	0.146	1.00	Pass
	MCH	QA	135	67	18	0	20.261	20.040	23.1622	21.65	0.146	1.00	Pass
			1	271	1	99	20.465	20.090	23.2918	21.82	0.152	1.00	Pass
	HCH	M	135	67	18	0	20.231	20.035	23.1444	21.63	0.146	1.00	Pass
			1	1	1	0	18.381	19.904	22.2192	20.33	0.108	1.00	Pass
	LCH	256	135	67	18	0	18.638	20.082	22.43	20.56	0.114	1.00	Pass
			135	67	18	0	18.736	20.070	22.4643	20.61	0.115	1.00	Pass
	MCH	QA	135	67	18	0	18.736	20.070	22.4643	20.61	0.115	1.00	Pass
			1	271	1	99	18.789	20.100	22.5041	20.66	0.116	1.00	Pass
	HCH	M	135	67	18	0	18.743	20.050	22.4558	20.61	0.115	1.00	Pass
			135	67	18	0	18.743	20.050	22.4558	20.61	0.115	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.798	19.539	23.2243	16.69	0.047	2.00	Pass
			12	6	8	0	20.741	19.624	23.2286	16.66	0.046	2.00	Pass
	MCH		12	6	8	0	20.730	19.634	23.2268	16.65	0.046	2.00	Pass
	HCH		1	23	1	24	20.801	19.661	23.2786	16.72	0.047	2.00	Pass
			12	6	8	0	20.719	19.678	23.2399	16.65	0.046	2.00	Pass
	LCH	QP SK	1	1	1	0	20.892	19.489	23.2572	16.76	0.047	2.00	Pass
			12	6	8	0	20.780	19.632	23.2541	16.70	0.047	2.00	Pass
	MCH		12	6	8	0	20.745	19.615	23.2269	16.66	0.046	2.00	Pass
	HCH		1	23	1	24	20.928	19.650	23.3461	16.82	0.048	2.00	Pass
			12	6	8	0	20.766	19.649	23.2536	16.69	0.047	2.00	Pass
	LCH	16 QA M	1	1	1	0	20.663	19.635	23.1896	16.60	0.046	2.00	Pass
			12	6	8	0	20.732	19.645	23.2327	16.66	0.046	2.00	Pass
	MCH		12	6	8	0	20.734	19.638	23.2308	16.66	0.046	2.00	Pass
	HCH		1	23	1	24	20.542	19.660	23.1337	16.51	0.045	2.00	Pass
			12	6	8	0	20.760	19.715	23.2792	16.69	0.047	2.00	Pass
	LCH	64 QA M	1	1	1	0	20.848	19.627	23.2906	16.75	0.047	2.00	Pass
			12	6	8	0	20.813	19.701	23.3028	16.73	0.047	2.00	Pass
	MCH		12	6	8	0	20.816	19.685	23.2975	16.73	0.047	2.00	Pass
	HCH		1	23	1	24	20.805	19.733	23.3123	16.73	0.047	2.00	Pass
			12	6	8	0	20.764	19.737	23.2911	16.70	0.047	2.00	Pass
	LCH	256 QA M	1	1	1	0	19.247	19.598	22.4363	15.49	0.035	2.00	Pass
			12	6	8	0	19.186	19.631	22.4245	15.45	0.035	2.00	Pass
	MCH		12	6	8	0	19.225	19.666	22.4614	15.49	0.035	2.00	Pass
	HCH		1	23	1	24	19.285	19.622	22.4671	15.52	0.036	2.00	Pass
			12	6	8	0	19.170	19.675	22.4401	15.45	0.035	2.00	Pass
10MHz(LTE) + 50MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.433	19.538	23.0188	16.40	0.044	2.00	Pass
			135	67	12	0	20.855	19.763	23.3535	16.78	0.048	2.00	Pass
	MCH		135	67	12	0	20.885	19.774	23.3752	16.81	0.048	2.00	Pass
	HCH		1	268	1	49	20.643	19.737	23.2239	16.61	0.046	2.00	Pass
			135	67	12	0	20.811	19.795	23.3429	16.75	0.047	2.00	Pass
	LCH	QP SK	1	1	1	0	20.546	19.497	23.0634	16.48	0.044	2.00	Pass
			135	67	12	0	20.850	19.774	23.3555	16.78	0.048	2.00	Pass
	MCH		135	67	12	0	20.850	19.750	23.345	16.77	0.048	2.00	Pass
	HCH		1	268	1	49	20.801	19.734	23.3105	16.73	0.047	2.00	Pass
			135	67	12	0	20.842	19.817	23.37	16.78	0.048	2.00	Pass

	LCH	16	1	1	1	0	20.166	19.579	22.8927	16.19	0.042	2.00	Pass
			135	67	12	0	20.858	19.807	23.3745	16.79	0.048	2.00	Pass
	MCH	QA	135	67	12	0	20.831	19.804	23.3581	16.77	0.048	2.00	Pass
			1	268	1	49	20.387	19.809	23.1179	16.42	0.044	2.00	Pass
	HCH	M	135	67	12	0	20.842	19.846	23.3828	16.79	0.048	2.00	Pass
			1	1	1	0	20.779	19.587	23.2341	16.69	0.047	2.00	Pass
	LCH	64	135	67	12	0	20.788	19.700	23.2883	16.71	0.047	2.00	Pass
			135	67	12	0	20.797	19.795	23.3351	16.74	0.047	2.00	Pass
	MCH	QA	135	67	12	0	20.797	19.795	23.3351	16.74	0.047	2.00	Pass
			1	268	1	49	20.599	19.776	23.2173	16.58	0.045	2.00	Pass
	HCH	M	135	67	12	0	20.803	19.809	23.3447	16.75	0.047	2.00	Pass
			1	1	1	0	18.926	19.516	22.2413	15.23	0.033	2.00	Pass
	LCH	256	135	67	12	0	19.438	19.725	22.5942	15.66	0.037	2.00	Pass
			135	67	12	0	19.442	19.743	22.6054	15.67	0.037	2.00	Pass
	MCH	QA	135	67	12	0	19.442	19.743	22.6054	15.67	0.037	2.00	Pass
			1	268	1	49	19.120	19.785	22.4755	15.44	0.035	2.00	Pass
	HCH	M	135	67	12	0	19.395	19.799	22.612	15.65	0.037	2.00	Pass
			135	67	12	0	19.395	19.799	22.612	15.65	0.037	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n38A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.149	19.521	23.4211	16.98	0.050	2.00	Pass
			12	6	8	0	21.130	19.603	23.4436	16.98	0.050	2.00	Pass
	MCH		12	6	8	0	21.112	19.550	23.4111	16.95	0.050	2.00	Pass
			1	22	1	24	21.176	19.608	23.4727	17.01	0.050	2.00	Pass
	HCH	QPSK	12	6	8	0	21.135	19.641	23.4622	16.99	0.050	2.00	Pass
			1	1	1	0	21.271	19.512	23.4903	17.08	0.051	2.00	Pass
	LCH		12	6	8	0	21.098	19.607	23.4265	16.95	0.050	2.00	Pass
			12	6	8	0	21.162	19.585	23.455	17.00	0.050	2.00	Pass
	MCH	16 QAM	1	22	1	24	21.123	19.608	23.4415	16.97	0.050	2.00	Pass
			12	6	8	0	21.056	19.633	23.4128	16.92	0.049	2.00	Pass
	LCH		1	1	1	0	21.040	19.596	23.388	16.90	0.049	2.00	Pass
			12	6	8	0	21.038	19.606	23.3911	16.90	0.049	2.00	Pass
	MCH	64 QAM	12	6	8	0	21.108	19.639	23.4456	16.96	0.050	2.00	Pass
			1	22	1	24	20.938	19.665	23.3583	16.83	0.048	2.00	Pass
	HCH		12	6	8	0	21.083	19.627	23.426	16.94	0.049	2.00	Pass
			1	1	1	0	21.263	19.612	23.5258	17.09	0.051	2.00	Pass
	LCH	256 QAM	12	6	8	0	21.231	19.672	23.5314	17.07	0.051	2.00	Pass
			12	6	8	0	21.197	19.679	23.5143	17.04	0.051	2.00	Pass
	MCH		1	22	1	24	21.137	19.689	23.4834	17.00	0.050	2.00	Pass
			12	6	8	0	21.099	19.671	23.4537	16.96	0.050	2.00	Pass
	LCH	HCH	1	1	1	0	19.834	19.486	22.6738	15.91	0.039	2.00	Pass
			12	6	8	0	19.404	19.581	22.5037	15.60	0.036	2.00	Pass
	MCH		12	6	8	0	19.431	19.589	22.521	15.63	0.037	2.00	Pass
			1	22	1	24	19.664	19.669	22.6768	15.82	0.038	2.00	Pass
	HCH		12	6	8	0	19.337	19.629	22.4958	15.56	0.036	2.00	Pass
10MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.377	19.577	23.5799	17.18	0.052	2.00	Pass
			50	25	12	0	21.266	19.747	23.5829	17.11	0.051	2.00	Pass
	MCH		50	25	12	0	21.242	19.722	23.5585	17.09	0.051	2.00	Pass
			1	104	1	49	20.755	19.702	23.2706	16.69	0.047	2.00	Pass
	HCH	QPSK	50	25	12	0	21.218	19.806	23.5794	17.08	0.051	2.00	Pass
	LCH		1	1	1	0	21.581	19.519	23.6815	17.34	0.054	2.00	Pass
			50	25	12	0	21.259	19.730	23.5717	17.10	0.051	2.00	Pass
	MCH		50	25	12	0	21.284	19.722	23.5831	17.12	0.052	2.00	Pass
			1	104	1	49	21.033	19.745	23.4469	16.92	0.049	2.00	Pass
	HCH		50	25	12	0	21.244	19.715	23.5567	17.09	0.051	2.00	Pass

	LCH	16	1	1	1	0	21.300	19.583	23.5361	17.11	0.051	2.00	Pass
			50	25	12	0	21.283	19.779	23.6061	17.13	0.052	2.00	Pass
	MCH	QA	50	25	12	0	21.078	19.768	23.4825	16.96	0.050	2.00	Pass
	HCH		1	104	1	49	20.624	19.765	23.226	16.60	0.046	2.00	Pass
		M	50	25	12	0	21.176	19.832	23.5661	17.05	0.051	2.00	Pass
	LCH	64	1	1	1	0	21.433	19.603	23.624	17.23	0.053	2.00	Pass
			50	25	12	0	21.189	19.791	23.0171	17.06	0.051	2.00	Pass
	MCH	QA	50	25	12	0	21.248	19.788	23.002	17.11	0.051	2.00	Pass
	HCH		1	104	1	49	20.903	19.828	23.0067	16.83	0.048	2.00	Pass
		M	50	25	12	0	21.223	19.845	23.1805	17.10	0.051	2.00	Pass
	LCH	256	1	1	1	0	19.968	19.481	22.8479	16.02	0.040	2.00	Pass
			50	25	12	0	19.878	19.728	22.8522	16.00	0.040	2.00	Pass
	MCH	QA	50	25	12	0	19.916	19.704	22.8605	16.03	0.040	2.00	Pass
	HCH		1	104	1	49	19.288	19.702	22.6997	15.55	0.036	2.00	Pass
		M	50	25	12	0	19.876	19.770	22.7877	16.01	0.040	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.281	19.452	23.4724	17.07	0.051	2.00	Pass
			12	6	8	0	21.001	19.563	23.3515	16.86	0.049	2.00	Pass
	MCH		12	6	8	0	21.091	19.563	23.4042	16.94	0.049	2.00	Pass
	HCH		1	22	1	24	21.031	19.613	23.3899	16.90	0.049	2.00	Pass
			12	6	8	0	21.009	19.614	23.3776	16.88	0.049	2.00	Pass
	LCH	QP SK	1	1	1	0	21.180	19.517	23.4379	17.00	0.050	2.00	Pass
			12	6	8	0	21.089	19.586	23.4125	16.94	0.049	2.00	Pass
	MCH		12	6	8	0	21.078	19.566	23.3978	16.93	0.049	2.00	Pass
	HCH		1	22	1	24	21.012	19.650	23.3945	16.89	0.049	2.00	Pass
			12	6	8	0	21.014	19.608	23.378	16.88	0.049	2.00	Pass
	LCH	16 QA M	1	1	1	0	21.155	19.561	23.441	16.99	0.050	2.00	Pass
			12	6	8	0	21.067	19.655	23.4284	16.93	0.049	2.00	Pass
	MCH		12	6	8	0	21.065	19.579	23.3955	16.92	0.049	2.00	Pass
	HCH		1	22	1	24	20.896	19.558	23.2886	16.78	0.048	2.00	Pass
			12	6	8	0	21.018	19.685	23.4127	16.90	0.049	2.00	Pass
	LCH	64 QA M	1	1	1	0	21.281	19.560	23.5155	17.09	0.051	2.00	Pass
			12	6	8	0	21.073	19.657	23.4328	16.94	0.049	2.00	Pass
	MCH		12	6	8	0	21.118	19.684	23.4702	16.98	0.050	2.00	Pass
	HCH		1	22	1	24	21.127	19.653	23.4625	16.98	0.050	2.00	Pass
			12	6	8	0	21.074	19.663	23.4359	16.94	0.049	2.00	Pass
	LCH	256 QA M	1	1	1	0	19.760	19.468	22.6268	15.85	0.038	2.00	Pass
			12	6	8	0	19.433	19.621	22.5383	15.64	0.037	2.00	Pass
	MCH		12	6	8	0	19.423	19.605	22.5253	15.62	0.037	2.00	Pass
	HCH		1	22	1	24	19.529	19.616	22.583	15.71	0.037	2.00	Pass
			12	6	8	0	19.374	19.612	22.5049	15.59	0.036	2.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	21.064	19.475	23.3521	16.90	0.049	2.00	Pass
			135	67	12	0	21.301	19.770	23.6129	17.15	0.052	2.00	Pass
	MCH		135	67	12	0	21.280	19.689	23.5673	17.11	0.051	2.00	Pass
	HCH		1	271	1	49	21.068	19.757	23.4721	16.95	0.050	2.00	Pass
			135	67	12	0	21.275	19.769	23.5973	17.12	0.052	2.00	Pass
	LCH	QP SK	1	1	1	0	21.312	19.508	23.5133	17.11	0.051	2.00	Pass
			135	67	12	0	21.340	19.726	23.6179	17.17	0.052	2.00	Pass
	MCH		135	67	12	0	21.333	19.721	23.6117	17.16	0.052	2.00	Pass
	HCH		1	271	1	49	21.260	19.751	23.581	17.11	0.051	2.00	Pass
			135	67	12	0	21.311	19.771	23.6192	17.15	0.052	2.00	Pass

	LCH	16	1	1	1	0	20.903	19.551	23.2897	16.78	0.048	2.00	Pass
			135	67	12	0	21.258	19.748	23.5786	17.11	0.051	2.00	Pass
	MCH	QA	135	67	12	0	21.341	19.791	23.6451	17.18	0.052	2.00	Pass
			1	271	1	49	20.874	19.773	23.3686	16.80	0.048	2.00	Pass
	HCH	M	135	67	12	0	21.307	19.785	23.6226	17.15	0.052	2.00	Pass
			1	1	1	0	21.353	19.622	23.5835	17.16	0.052	2.00	Pass
	LCH	64	135	67	12	0	21.294	19.761	23.6051	17.14	0.052	2.00	Pass
			135	67	12	0	21.324	19.806	23.6413	17.17	0.052	2.00	Pass
	MCH	QA	135	67	12	0	21.324	19.806	23.6413	17.17	0.052	2.00	Pass
			1	271	1	49	21.118	19.788	23.514	17.00	0.050	2.00	Pass
	HCH	M	135	67	12	0	21.371	19.810	23.6706	17.21	0.053	2.00	Pass
			1	1	1	0	19.611	19.505	22.5686	15.74	0.038	2.00	Pass
	LCH	256	135	67	12	0	19.837	19.856	22.8568	16.00	0.040	2.00	Pass
			135	67	12	0	19.880	19.758	22.8297	16.01	0.040	2.00	Pass
	MCH	QA	135	67	12	0	19.880	19.758	22.8297	16.01	0.040	2.00	Pass
			1	271	1	49	19.590	19.687	22.6491	15.77	0.038	2.00	Pass
	HCH	M	135	67	12	0	19.879	19.749	22.8248	16.01	0.040	2.00	Pass
			135	67	12	0	19.879	19.749	22.8248	16.01	0.040	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.979	19.511	22.7616	23.64	0.231	1.00	Pass
			12	6	8	0	19.961	19.646	22.8167	23.70	0.234	1.00	Pass
	MCH		12	6	8	0	19.896	19.672	22.7957	23.67	0.233	1.00	Pass
	HCH		1	23	1	24	19.948	19.647	22.8104	23.71	0.235	1.00	Pass
		QP SK	12	6	8	0	19.884	19.645	22.7764	23.78	0.239	1.00	Pass
	LCH		1	1	1	0	20.087	19.525	22.8254	23.74	0.236	1.00	Pass
			12	6	8	0	19.941	19.633	22.8	23.67	0.233	1.00	Pass
	MCH		12	6	8	0	19.951	19.651	22.8139	23.64	0.231	1.00	Pass
	HCH		1	23	1	24	20.020	19.650	22.8492	23.73	0.236	1.00	Pass
		16 QA M	12	6	8	0	19.904	19.695	22.8111	23.66	0.232	1.00	Pass
	LCH		1	1	1	0	19.724	19.551	22.6487	23.97	0.249	1.00	Pass
			12	6	8	0	19.822	19.677	22.7604	23.66	0.232	1.00	Pass
	MCH		12	6	8	0	19.801	19.718	22.77	23.64	0.231	1.00	Pass
	HCH		1	23	1	24	19.668	19.649	22.6688	24.04	0.253	1.00	Pass
		64 QA M	12	6	8	0	19.771	19.705	22.7484	23.58	0.228	1.00	Pass
	LCH		1	1	1	0	19.833	19.670	22.7626	23.72	0.235	1.00	Pass
			12	6	8	0	19.780	19.714	22.7574	23.67	0.233	1.00	Pass
	MCH		12	6	8	0	19.760	19.700	22.7404	23.65	0.232	1.00	Pass
	HCH		1	23	1	24	19.799	19.667	22.7438	23.67	0.233	1.00	Pass
		256 QA M	12	6	8	0	19.787	19.693	22.7506	23.71	0.235	1.00	Pass
	LCH		1	1	1	0	18.283	19.537	21.9654	22.65	0.184	1.00	Pass
			12	6	8	0	18.357	19.638	22.0549	22.78	0.190	1.00	Pass
	MCH		12	6	8	0	18.327	19.627	22.0358	22.76	0.189	1.00	Pass
	HCH		1	23	1	24	18.293	19.659	22.0398	22.71	0.187	1.00	Pass
			12	6	8	0	18.315	19.666	22.0531	22.76	0.189	1.00	Pass
10MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.116	19.516	22.8367	23.43	0.220	1.00	Pass
			108	54	12	0	19.932	19.798	22.8758	23.89	0.245	1.00	Pass
	MCH		108	54	12	0	19.874	19.699	22.7977	23.91	0.246	1.00	Pass
	HCH		1	214	1	49	19.756	19.733	22.7548	23.48	0.223	1.00	Pass
		QP SK	108	54	12	0	19.907	19.808	22.8681	23.95	0.248	1.00	Pass
	LCH		1	1	1	0	20.167	19.529	22.87	23.39	0.218	1.00	Pass
			108	54	12	0	19.898	19.716	22.8183	23.86	0.243	1.00	Pass
	MCH		108	54	12	0	19.925	19.779	22.8629	23.92	0.246	1.00	Pass
	HCH		1	214	1	49	19.835	19.712	22.7842	23.51	0.224	1.00	Pass
			108	54	12	0	19.880	19.815	22.8579	23.84	0.242	1.00	Pass

	LCH	16	1	1	1	0	19.852	19.561	22.7192	23.72	0.235	1.00	Pass
			108	54	12	0	19.921	19.801	22.8717	23.86	0.243	1.00	Pass
	MCH	QA	108	54	12	0	19.932	19.785	22.8694	23.91	0.246	1.00	Pass
			1	214	1	49	19.524	19.812	22.6807	23.77	0.238	1.00	Pass
	HCH	M	108	54	12	0	19.893	19.833	22.8734	23.86	0.243	1.00	Pass
			1	1	1	0	20.060	19.589	22.8412	23.43	0.220	1.00	Pass
	LCH	64	108	54	12	0	19.853	19.816	22.8448	23.86	0.243	1.00	Pass
			108	54	12	0	19.816	19.794	22.8153	23.93	0.247	1.00	Pass
	MCH	QA	108	54	12	0	19.816	19.794	22.8153	23.93	0.247	1.00	Pass
			1	214	1	49	19.701	19.716	22.7188	23.43	0.220	1.00	Pass
	HCH	M	108	54	12	0	19.849	19.821	22.8453	23.96	0.249	1.00	Pass
			1	1	1	0	18.529	19.522	22.0641	22.50	0.178	1.00	Pass
	LCH	256	108	54	12	0	18.531	19.727	22.1803	22.91	0.196	1.00	Pass
			108	54	12	0	18.497	19.759	22.184	22.92	0.196	1.00	Pass
	MCH	QA	108	54	12	0	18.497	19.759	22.184	22.92	0.196	1.00	Pass
			1	214	1	49	18.250	19.738	22.0677	22.45	0.176	1.00	Pass
	HCH	M	108	54	12	0	18.483	19.776	22.1877	22.94	0.197	1.00	Pass
			108	54	12	0	18.483	19.776	22.1877	22.94	0.197	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.336	19.899	23.1333	19.86	0.097	1.00	Pass
			12	6	8	0	20.331	19.962	23.1607	19.95	0.099	1.00	Pass
	MCH	BP	12	6	8	0	20.386	19.977	23.1966	20.11	0.103	1.00	Pass
			1	22	1	24	20.248	19.964	23.1186	20.01	0.100	1.00	Pass
	HCH	SK	12	6	8	0	20.174	19.992	23.0943	19.94	0.099	1.00	Pass
			1	1	1	0	20.429	19.801	23.1366	20.03	0.101	1.00	Pass
	LCH	QP	12	6	8	0	20.309	19.919	23.1287	20.01	0.100	1.00	Pass
			12	6	8	0	20.228	19.957	23.1049	18.66	0.073	1.00	Pass
	MCH	SK	1	22	1	24	20.396	19.902	23.1663	18.54	0.071	1.00	Pass
			12	6	8	0	20.293	20.023	23.1704	18.54	0.071	1.00	Pass
	HCH		1	1	1	0	20.102	19.845	22.9857	18.72	0.075	1.00	Pass
			12	6	8	0	20.230	19.944	23.0997	18.55	0.072	1.00	Pass
	LCH	16	12	6	8	0	20.285	19.937	23.1248	20.45	0.111	1.00	Pass
			1	22	1	24	20.128	19.904	23.0277	20.26	0.106	1.00	Pass
	MCH	QA	12	6	8	0	20.221	20.000	23.1222	20.26	0.106	1.00	Pass
			1	22	1	24	20.431	19.857	23.1638	20.10	0.102	1.00	Pass
	HCH	M	12	6	8	0	20.284	20.010	23.1595	20.25	0.106	1.00	Pass
			12	6	8	0	20.201	20.011	23.1173	20.45	0.111	1.00	Pass
	LCH	64	1	22	1	24	20.323	19.936	23.1441	20.27	0.106	1.00	Pass
			12	6	8	0	20.289	20.004	23.1591	20.27	0.106	1.00	Pass
	MCH	QA	1	1	1	0	18.667	19.892	22.3328	20.06	0.101	1.00	Pass
			12	6	8	0	18.500	19.951	22.2961	20.27	0.107	1.00	Pass
	HCH	M	12	6	8	0	18.507	19.949	22.2979	20.21	0.105	1.00	Pass
			1	22	1	24	18.744	19.927	22.386	20.23	0.105	1.00	Pass
	LCH	256	12	6	8	0	18.507	19.978	22.3148	20.25	0.106	1.00	Pass
			1	1	1	0	20.823	19.862	23.3793	19.90	0.098	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	12	0	20.560	20.126	23.3587	20.25	0.106	1.00	Pass
			135	67	12	0	20.567	20.102	23.351	20.69	0.117	1.00	Pass
	MCH	BP	1	271	1	49	20.417	19.892	23.1727	20.15	0.103	1.00	Pass
			135	67	12	0	20.552	20.130	23.3564	20.25	0.106	1.00	Pass
	HCH	SK	1	1	1	0	20.827	19.858	23.3798	20.11	0.103	1.00	Pass
			135	67	12	0	20.569	20.154	23.3768	20.24	0.106	1.00	Pass
	LCH	QP	135	67	12	0	20.567	20.143	23.3705	19.22	0.084	1.00	Pass
			1	271	1	49	20.353	19.949	23.166	19.04	0.080	1.00	Pass
	MCH	SK	1	1	1	0	20.827	19.858	23.3798	20.11	0.103	1.00	Pass
			135	67	12	0	20.569	20.154	23.3768	20.24	0.106	1.00	Pass

			135	67	12	0	20.572	20.169	23.3855	19.06	0.081	1.00	Pass
	LCH	16	1	1	1	0	20.533	19.935	23.2546	18.79	0.076	1.00	Pass
			135	67	12	0	20.528	20.126	23.3419	19.02	0.080	1.00	Pass
	MCH	QA	135	67	12	0	20.544	20.129	23.3518	19.86	0.097	1.00	Pass
			1	271	1	49	20.175	19.896	23.048	19.95	0.099	1.00	Pass
	HCH	M	135	67	12	0	20.545	20.181	23.3771	20.11	0.103	1.00	Pass
			1	1	1	0	21.098	19.929	23.563	20.01	0.100	1.00	Pass
	LCH	64	135	67	12	0	20.425	20.159	23.3043	19.94	0.099	1.00	Pass
			135	67	12	0	20.540	20.160	23.3645	20.03	0.101	1.00	Pass
	MCH	QA	135	67	12	0	20.540	20.160	23.3645	20.03	0.101	1.00	Pass
			1	271	1	49	20.420	19.940	23.1969	20.01	0.100	1.00	Pass
	HCH	M	135	67	12	0	20.541	20.133	23.3521	18.66	0.073	1.00	Pass
			1	1	1	0	19.364	19.879	22.6394	18.54	0.071	1.00	Pass
	LCH	256	135	67	12	0	19.095	20.113	22.6441	18.54	0.071	1.00	Pass
			135	67	12	0	19.120	20.111	22.654	18.72	0.075	1.00	Pass
	MCH	QA	135	67	12	0	19.120	20.111	22.654	18.72	0.075	1.00	Pass
			1	271	1	49	18.832	19.925	22.4231	18.55	0.072	1.00	Pass
	HCH	M	135	67	12	0	19.062	20.146	22.648	20.45	0.111	1.00	Pass
			135	67	12	0	19.062	20.146	22.648	20.45	0.111	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.399	19.855	23.1458	20.08	0.102	1.00	Pass
			12	6	8	0	20.440	19.934	23.2047	20.13	0.103	1.00	Pass
	MCH	BP SK	12	6	8	0	20.420	19.910	23.1828	20.11	0.102	1.00	Pass
	HCH		1	22	1	24	20.400	19.870	23.1534	20.08	0.102	1.00	Pass
			12	6	8	0	20.336	19.982	23.1729	20.05	0.101	1.00	Pass
	LCH	QP SK	1	1	1	0	20.471	19.829	23.1722	20.14	0.103	1.00	Pass
			12	6	8	0	20.370	19.933	23.1673	20.07	0.102	1.00	Pass
	MCH		12	6	8	0	20.433	19.907	23.1883	20.12	0.103	1.00	Pass
	HCH		1	22	1	24	20.517	19.872	23.2168	20.18	0.104	1.00	Pass
			12	6	8	0	20.518	19.967	23.2615	20.20	0.105	1.00	Pass
	LCH	16 QA M	1	1	1	0	20.308	19.831	23.0863	20.00	0.100	1.00	Pass
			12	6	8	0	20.352	19.985	23.1827	20.06	0.101	1.00	Pass
	MCH		12	6	8	0	20.414	20.009	23.2265	20.12	0.103	1.00	Pass
	HCH		1	22	1	24	20.375	19.877	23.1434	20.06	0.101	1.00	Pass
			12	6	8	0	20.336	20.006	23.1844	20.05	0.101	1.00	Pass
	LCH	64 QA M	1	1	1	0	20.475	19.906	23.2101	20.15	0.104	1.00	Pass
			12	6	8	0	20.412	19.978	23.2107	20.11	0.103	1.00	Pass
	MCH		12	6	8	0	20.470	20.028	23.2649	20.17	0.104	1.00	Pass
	HCH		1	22	1	24	20.479	19.914	23.216	20.16	0.104	1.00	Pass
			12	6	8	0	20.420	20.007	23.2287	20.12	0.103	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.777	19.832	22.3468	18.73	0.075	1.00	Pass
			12	6	8	0	18.629	19.950	22.3498	18.64	0.073	1.00	Pass
	MCH		12	6	8	0	18.646	19.963	22.3645	18.65	0.073	1.00	Pass
	HCH		1	22	1	24	18.872	19.851	22.3993	18.81	0.076	1.00	Pass
			12	6	8	0	18.693	19.963	22.3846	18.69	0.074	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	20.335	19.862	22.7949	20.03	0.101	1.00	Pass
			135	67	12	0	20.569	20.114	22.9596	20.26	0.106	1.00	Pass
	MCH	BP SK	135	67	12	0	20.524	20.161	22.9728	20.23	0.106	1.00	Pass
	HCH		1	271	1	49	20.563	19.921	22.9616	20.23	0.105	1.00	Pass
			135	67	12	0	20.549	20.149	23.017	20.25	0.106	1.00	Pass
	LCH	QP SK	1	1	1	0	20.298	19.864	22.8056	20.00	0.100	1.00	Pass
			135	67	12	0	20.534	20.123	22.9935	20.24	0.106	1.00	Pass
	MCH		135	67	12	0	20.552	20.163	22.9732	20.26	0.106	1.00	Pass
	HCH		1	271	1	49	20.533	19.880	22.9607	20.20	0.105	1.00	Pass
			135	67	12	0	20.582	20.143	22.9819	20.28	0.107	1.00	Pass

	LCH	16	1	1	1	0	20.087	19.883	22.7203	19.82	0.096	1.00	Pass
			135	67	12	0	20.535	20.113	22.9948	20.24	0.106	1.00	Pass
	MCH	QA	135	67	12	0	20.581	20.103	22.9766	20.27	0.106	1.00	Pass
			1	271	1	49	20.353	19.970	22.8732	20.06	0.101	1.00	Pass
	HCH	M	135	67	12	0	20.563	20.140	22.992	20.26	0.106	1.00	Pass
			1	1	1	0	20.362	19.879	22.8755	20.05	0.101	1.00	Pass
	LCH	64	135	67	12	0	20.581	20.140	23.0314	20.28	0.107	1.00	Pass
			135	67	12	0	20.569	20.133	23.036	20.27	0.106	1.00	Pass
	MCH	QA	135	67	12	0	20.569	20.133	23.036	20.27	0.106	1.00	Pass
			1	271	1	49	20.847	19.919	22.9685	20.48	0.112	1.00	Pass
	HCH	M	135	67	12	0	20.570	20.132	23.0119	20.27	0.106	1.00	Pass
			1	1	1	0	18.717	19.803	22.1173	18.68	0.074	1.00	Pass
	LCH	256	135	67	12	0	19.092	20.097	22.3159	19.04	0.080	1.00	Pass
			135	67	12	0	19.092	20.135	22.3266	19.04	0.080	1.00	Pass
	MCH	QA	135	67	12	0	19.092	20.135	22.3266	19.04	0.080	1.00	Pass
			1	271	1	49	18.993	19.865	22.1942	18.91	0.078	1.00	Pass
	HCH	M	135	67	12	0	19.111	20.119	22.3013	19.06	0.080	1.00	Pass
			135	67	12	0	19.111	20.119	22.3013	19.06	0.080	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.335	19.823	23.0968	20.89	0.123	1.00	Pass
			12	6	8	0	20.325	19.916	23.1356	20.89	0.123	1.00	Pass
	MCH		12	6	8	0	20.328	19.998	23.1764	20.90	0.123	1.00	Pass
	HCH		1	22	1	24	20.308	19.888	23.1134	20.87	0.122	1.00	Pass
		QP SK	12	6	8	0	20.353	19.991	23.1861	20.93	0.124	1.00	Pass
	LCH		1	1	1	0	20.411	19.866	23.1573	20.96	0.125	1.00	Pass
			12	6	8	0	20.267	19.941	23.1174	20.84	0.121	1.00	Pass
	MCH		12	6	8	0	20.294	19.936	23.129	20.87	0.122	1.00	Pass
	HCH		1	22	1	24	20.388	19.945	23.1824	20.95	0.124	1.00	Pass
		16 QA M	12	6	8	0	20.342	20.014	23.1914	20.92	0.124	1.00	Pass
	LCH		1	1	1	0	20.005	19.898	22.9621	20.61	0.115	1.00	Pass
			12	6	8	0	20.178	20.006	23.1032	20.77	0.120	1.00	Pass
	MCH		12	6	8	0	20.331	19.993	23.1756	20.91	0.123	1.00	Pass
	HCH		1	22	1	24	20.109	19.892	23.0122	20.70	0.117	1.00	Pass
		64 QA M	12	6	8	0	20.302	20.002	23.1649	20.88	0.123	1.00	Pass
	LCH		1	1	1	0	20.259	19.896	23.0916	20.83	0.121	1.00	Pass
			12	6	8	0	20.302	19.960	23.1447	20.88	0.122	1.00	Pass
	MCH		12	6	8	0	20.294	19.995	23.1574	20.87	0.122	1.00	Pass
	HCH		1	22	1	24	20.193	19.952	23.0845	20.78	0.120	1.00	Pass
		256 QA M	12	6	8	0	20.285	20.026	23.1677	20.87	0.122	1.00	Pass
	LCH		1	1	1	0	18.697	19.807	22.2977	19.48	0.089	1.00	Pass
			12	6	8	0	18.482	19.923	22.2723	19.32	0.086	1.00	Pass
	MCH		12	6	8	0	18.477	19.986	22.307	19.33	0.086	1.00	Pass
	HCH		1	22	1	24	18.645	19.876	22.3143	19.45	0.088	1.00	Pass
			12	6	8	0	18.549	19.967	22.3259	19.38	0.087	1.00	Pass
	LCH		1	1	1	0	20.936	19.815	23.4219	21.42	0.139	1.00	Pass
			135	67	12	0	20.465	20.137	23.3144	21.04	0.127	1.00	Pass
	MCH		135	67	12	0	20.486	20.123	23.3186	21.06	0.128	1.00	Pass
	HCH		1	271	1	49	20.385	19.914	23.1662	20.94	0.124	1.00	Pass
10MHz(LTE) + 100MHz(NR)		PI/2 BP SK	135	67	12	0	20.486	20.156	23.3344	21.06	0.128	1.00	Pass
	LCH		1	1	1	0	20.758	19.892	23.3568	21.27	0.134	1.00	Pass
			135	67	12	0	20.409	20.123	23.2787	20.99	0.126	1.00	Pass
	MCH		135	67	12	0	20.413	20.135	23.2865	21.00	0.126	1.00	Pass
	HCH	QP SK	1	271	1	49	20.433	19.940	23.2038	20.99	0.126	1.00	Pass
			135	67	12	0	20.461	20.147	23.3171	21.04	0.127	1.00	Pass
	LCH		1	1	1	0	20.758	19.892	23.3568	21.27	0.134	1.00	Pass
	MCH		135	67	12	0	20.409	20.123	23.2787	20.99	0.126	1.00	Pass

	LCH	16	1	1	1	0	20.657	19.895	23.303	21.18	0.131	1.00	Pass
			135	67	12	0	20.414	20.132	23.2856	21.00	0.126	1.00	Pass
	MCH	QA	135	67	12	0	20.462	20.116	23.3027	21.04	0.127	1.00	Pass
			1	271	1	49	20.165	19.963	23.0755	20.76	0.119	1.00	Pass
	HCH	M	135	67	12	0	20.441	20.155	23.3107	21.02	0.127	1.00	Pass
			1	1	1	0	20.822	19.845	23.3712	21.32	0.136	1.00	Pass
	LCH	64	135	67	12	0	20.440	20.171	23.3179	21.02	0.127	1.00	Pass
			135	67	12	0	20.446	20.169	23.32	21.03	0.127	1.00	Pass
	MCH	QA	135	67	12	0	20.446	20.169	23.32	21.03	0.127	1.00	Pass
			1	271	1	49	20.410	19.905	23.1751	20.96	0.125	1.00	Pass
	HCH	M	135	67	12	0	20.464	20.183	23.3361	21.05	0.127	1.00	Pass
			1	1	1	0	19.374	19.863	22.6357	20.06	0.101	1.00	Pass
	LCH	256	135	67	12	0	19.003	20.135	22.6161	19.79	0.095	1.00	Pass
			135	67	12	0	18.958	20.167	22.6147	19.76	0.095	1.00	Pass
	MCH	QA	135	67	12	0	18.958	20.167	22.6147	19.76	0.095	1.00	Pass
			1	271	1	49	18.874	19.926	22.4421	19.65	0.092	1.00	Pass
	HCH	M	135	67	12	0	18.981	20.135	22.6065	19.77	0.095	1.00	Pass
			135	67	12	0	18.981	20.135	22.6065	19.77	0.095	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	19.957	19.814	22.8964	20.56	0.114	1.00	Pass
			12	6	8	0	19.975	19.929	22.9624	20.59	0.114	1.00	Pass
	MCH	BP SK	12	6	8	0	20.005	19.950	22.9879	20.62	0.115	1.00	Pass
	HCH		1	22	1	24	19.957	19.880	22.929	20.57	0.114	1.00	Pass
			12	6	8	0	20.078	19.974	23.0366	20.68	0.117	1.00	Pass
	LCH	QP SK	1	1	1	0	20.025	19.818	22.933	20.62	0.115	1.00	Pass
			12	6	8	0	19.976	19.947	22.9718	20.59	0.115	1.00	Pass
	MCH		12	6	8	0	19.960	19.932	22.9563	20.57	0.114	1.00	Pass
	HCH		1	22	1	24	20.012	19.890	22.9617	20.61	0.115	1.00	Pass
			12	6	8	0	19.902	19.988	22.9555	20.53	0.113	1.00	Pass
	LCH	16 QA M	1	1	1	0	19.796	19.836	22.8263	20.42	0.110	1.00	Pass
			12	6	8	0	19.973	19.973	22.9833	20.59	0.115	1.00	Pass
	MCH		12	6	8	0	20.006	19.993	23.0098	20.62	0.115	1.00	Pass
	HCH		1	22	1	24	19.861	19.873	22.8773	20.48	0.112	1.00	Pass
			12	6	8	0	19.951	19.975	22.9733	20.57	0.114	1.00	Pass
	LCH	64 QA M	1	1	1	0	19.982	19.875	22.9391	20.59	0.114	1.00	Pass
			12	6	8	0	19.907	20.038	22.9833	20.54	0.113	1.00	Pass
	MCH		12	6	8	0	19.951	20.032	23.002	20.58	0.114	1.00	Pass
	HCH		1	22	1	24	20.045	19.924	22.9952	20.65	0.116	1.00	Pass
			12	6	8	0	19.965	20.018	23.0019	20.59	0.115	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.364	19.872	22.1934	19.22	0.083	1.00	Pass
			12	6	8	0	18.154	19.959	22.1599	19.06	0.081	1.00	Pass
	MCH		12	6	8	0	18.148	19.962	22.1593	19.06	0.080	1.00	Pass
	HCH		1	22	1	24	18.454	19.933	22.2665	19.30	0.085	1.00	Pass
			12	6	8	0	18.215	19.975	22.1939	19.11	0.082	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	19.744	19.865	22.8152	20.38	0.109	1.00	Pass
			135	67	12	0	20.198	20.122	23.1705	20.81	0.120	1.00	Pass
	MCH		135	67	12	0	20.088	20.127	23.1178	20.71	0.118	1.00	Pass
	HCH		1	271	1	49	20.464	19.912	23.2071	21.01	0.126	1.00	Pass
			135	67	12	0	20.238	20.156	23.2075	20.85	0.122	1.00	Pass
	LCH	QP SK	1	1	1	0	19.742	19.807	22.7849	20.37	0.109	1.00	Pass
			135	67	12	0	20.206	20.103	23.1651	20.81	0.121	1.00	Pass
	MCH		135	67	12	0	20.184	20.108	23.1565	20.79	0.120	1.00	Pass
	HCH		1	271	1	49	20.471	19.885	23.1982	21.02	0.126	1.00	Pass
			135	67	12	0	20.221	20.129	23.1855	20.83	0.121	1.00	Pass

	LCH	16	1	1	1	0	19.611	19.896	22.7661	20.27	0.106	1.00	Pass
			135	67	12	0	20.223	20.113	23.1786	20.83	0.121	1.00	Pass
	MCH	QA	135	67	12	0	20.204	20.120	23.1725	20.81	0.121	1.00	Pass
			1	271	1	49	20.213	19.884	23.0619	20.79	0.120	1.00	Pass
	HCH	M	135	67	12	0	20.197	20.144	23.1809	20.81	0.120	1.00	Pass
			1	1	1	0	19.852	19.882	22.8773	20.47	0.112	1.00	Pass
	LCH	64	135	67	12	0	20.218	20.139	23.189	20.83	0.121	1.00	Pass
			135	67	12	0	20.220	20.135	23.188	20.83	0.121	1.00	Pass
	MCH	QA	135	67	12	0	20.220	20.135	23.188	20.83	0.121	1.00	Pass
			1	271	1	49	20.500	19.924	23.2318	21.05	0.127	1.00	Pass
	HCH	M	135	67	12	0	20.218	20.130	23.1845	20.83	0.121	1.00	Pass
			1	1	1	0	18.188	19.800	22.0787	19.06	0.081	1.00	Pass
	LCH	256	135	67	12	0	18.753	20.121	22.5009	19.58	0.091	1.00	Pass
			135	67	12	0	18.736	20.108	22.4863	19.56	0.090	1.00	Pass
	MCH	QA	135	67	12	0	18.736	20.108	22.4863	19.56	0.090	1.00	Pass
			1	271	1	49	18.871	19.882	22.4162	19.64	0.092	1.00	Pass
	HCH	M	135	67	12	0	18.735	20.136	22.5021	19.57	0.091	1.00	Pass
			135	67	12	0	18.735	20.136	22.5021	19.57	0.091	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.180	19.919	23.0618	21.54	0.143	1.00	Pass
			12	6	8	0	20.000	19.971	22.9958	21.52	0.142	1.00	Pass
	MCH		12	6	8	0	20.042	19.952	23.0075	21.52	0.142	1.00	Pass
	HCH		1	23	1	24	20.104	20.001	23.0631	21.57	0.144	1.00	Pass
			12	6	8	0	20.018	19.996	23.0173	21.55	0.143	1.00	Pass
	LCH	QP SK	1	1	1	0	20.233	19.910	23.0848	21.55	0.143	1.00	Pass
			12	6	8	0	20.058	19.934	23.0067	21.51	0.142	1.00	Pass
	MCH		12	6	8	0	20.017	19.966	23.0019	21.53	0.142	1.00	Pass
	HCH		1	23	1	24	20.172	19.993	23.0937	21.59	0.144	1.00	Pass
			12	6	8	0	20.054	20.022	23.0483	21.58	0.144	1.00	Pass
	LCH	16 QA M	1	1	1	0	19.807	19.952	22.8904	21.46	0.140	1.00	Pass
			12	6	8	0	19.965	20.010	22.9979	21.54	0.143	1.00	Pass
	MCH		12	6	8	0	19.971	20.006	22.9988	21.54	0.143	1.00	Pass
	HCH		1	23	1	24	19.811	19.990	22.9117	21.49	0.141	1.00	Pass
			12	6	8	0	19.936	19.997	22.9769	21.52	0.142	1.00	Pass
	LCH	64 QA M	1	1	1	0	20.040	19.966	23.0135	21.53	0.142	1.00	Pass
			12	6	8	0	19.980	20.005	23.0028	21.54	0.143	1.00	Pass
	MCH		12	6	8	0	20.029	19.978	23.0139	21.54	0.142	1.00	Pass
	HCH		1	23	1	24	20.050	19.988	23.0294	21.55	0.143	1.00	Pass
			12	6	8	0	20.065	20.104	23.0948	21.64	0.146	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.747	19.878	22.3595	21.14	0.130	1.00	Pass
			12	6	8	0	18.687	19.965	22.3831	21.19	0.132	1.00	Pass
	MCH		12	6	8	0	18.639	20.014	22.391	21.22	0.132	1.00	Pass
	HCH		1	23	1	24	18.657	20.006	22.394	21.21	0.132	1.00	Pass
			12	6	8	0	18.656	20.003	22.3918	21.21	0.132	1.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.228	19.800	23.0296	21.47	0.140	1.00	Pass
			108	54	18	0	20.198	19.914	23.0686	21.54	0.143	1.00	Pass
	MCH		108	54	18	0	20.217	19.964	23.1026	21.58	0.144	1.00	Pass
	HCH		1	214	1	99	20.100	19.868	22.9958	21.48	0.141	1.00	Pass
			108	54	18	0	20.176	19.954	23.0767	21.56	0.143	1.00	Pass
	LCH	QP SK	1	1	1	0	20.285	19.784	23.052	21.47	0.140	1.00	Pass
			108	54	18	0	20.173	19.898	23.048	21.52	0.142	1.00	Pass
	MCH		108	54	18	0	20.199	19.936	23.0798	21.56	0.143	1.00	Pass
	HCH		1	214	1	99	20.158	19.868	23.0257	21.50	0.141	1.00	Pass
			108	54	18	0	20.176	19.934	23.067	21.55	0.143	1.00	Pass

	LCH	16	1	1	1	0	19.908	19.794	22.8617	21.37	0.137	1.00	Pass
			108	54	18	0	20.188	19.930	23.0712	21.55	0.143	1.00	Pass
	MCH	QA	108	54	18	0	20.170	19.959	23.0761	21.56	0.143	1.00	Pass
			1	214	1	99	19.727	19.919	22.8344	21.41	0.138	1.00	Pass
	HCH	M	108	54	18	0	20.144	19.967	23.0667	21.56	0.143	1.00	Pass
			1	1	1	0	20.109	19.834	22.984	21.46	0.140	1.00	Pass
	LCH	64	108	54	18	0	20.126	19.917	23.0331	21.52	0.142	1.00	Pass
			108	54	18	0	20.150	19.957	23.0649	21.56	0.143	1.00	Pass
	MCH	QA	108	54	18	0	20.150	19.957	23.0649	21.56	0.143	1.00	Pass
			1	214	1	99	20.391	19.867	23.1472	21.56	0.143	1.00	Pass
	HCH	M	108	54	18	0	20.092	19.945	23.0294	21.53	0.142	1.00	Pass
			1	1	1	0	18.617	19.771	22.2425	21.02	0.127	1.00	Pass
	LCH	256	108	54	18	0	18.845	19.961	22.449	21.22	0.132	1.00	Pass
			108	54	18	0	18.814	19.927	22.4164	21.19	0.131	1.00	Pass
	MCH	QA	108	54	18	0	18.814	19.927	22.4164	21.19	0.131	1.00	Pass
			1	214	1	99	18.737	19.911	22.3738	21.16	0.131	1.00	Pass
	HCH	M	108	54	18	0	18.807	19.955	22.4291	21.21	0.132	1.00	Pass
			108	54	18	0	18.807	19.955	22.4291	21.21	0.132	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.361	19.912	23.1526	20.69	0.117	1.00	Pass
			12	6	8	0	20.345	20.053	23.2118	20.72	0.118	1.00	Pass
	MCH	BP SK	12	6	8	0	20.384	20.022	23.2171	20.74	0.119	1.00	Pass
			1	22	1	24	20.376	19.927	23.1676	20.71	0.118	1.00	Pass
	HCH		12	6	8	0	20.413	20.025	23.2336	20.76	0.119	1.00	Pass
			1	1	1	0	20.393	19.988	23.2055	20.74	0.118	1.00	Pass
	LCH	QP SK	12	6	8	0	20.371	20.026	23.2122	20.73	0.118	1.00	Pass
			12	6	8	0	20.353	20.020	23.2	20.72	0.118	1.00	Pass
	MCH		1	22	1	24	20.464	19.934	23.2174	20.77	0.120	1.00	Pass
			12	6	8	0	20.361	20.026	23.207	20.72	0.118	1.00	Pass
	HCH		1	1	1	0	20.093	20.017	23.0655	20.53	0.113	1.00	Pass
			12	6	8	0	20.252	20.062	23.1683	20.65	0.116	1.00	Pass
	LCH	16 QA M	12	6	8	0	20.260	20.011	23.1476	20.65	0.116	1.00	Pass
			1	22	1	24	20.190	20.007	23.1098	20.59	0.115	1.00	Pass
	MCH		12	6	8	0	20.238	20.035	23.148	20.64	0.116	1.00	Pass
			1	1	1	0	20.427	19.955	23.2077	20.75	0.119	1.00	Pass
	LCH	64 QA M	12	6	8	0	20.257	20.023	23.1519	20.65	0.116	1.00	Pass
			12	6	8	0	20.408	20.012	23.2248	20.75	0.119	1.00	Pass
	MCH		1	22	1	24	20.404	19.966	23.2008	20.74	0.119	1.00	Pass
			12	6	8	0	20.347	20.006	23.1901	20.71	0.118	1.00	Pass
	HCH		1	1	1	0	18.684	19.890	22.339	19.52	0.089	1.00	Pass
			12	6	8	0	18.494	20.019	22.3334	19.44	0.088	1.00	Pass
	LCH	256 QA M	12	6	8	0	18.511	20.034	22.3492	19.46	0.088	1.00	Pass
			1	22	1	24	18.821	19.979	22.4488	19.64	0.092	1.00	Pass
	MCH		12	6	8	0	18.538	20.031	22.3586	19.47	0.089	1.00	Pass
			1	1	1	0	20.743	19.749	23.2847	20.94	0.124	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	20.575	19.935	23.2771	20.86	0.122	1.00	Pass
			135	67	18	0	20.580	19.958	23.2904	20.87	0.122	1.00	Pass
	MCH	BP SK	1	271	1	99	20.461	19.842	23.1728	20.75	0.119	1.00	Pass
			135	67	18	0	20.521	19.969	23.2641	20.83	0.121	1.00	Pass
	HCH		1	1	1	0	20.669	19.779	23.2571	20.89	0.123	1.00	Pass
			135	67	18	0	20.586	19.964	23.2964	20.87	0.122	1.00	Pass
	LCH	QP SK	135	67	18	0	20.552	19.975	23.2834	20.85	0.122	1.00	Pass
			1	271	1	99	20.416	19.845	23.1502	20.72	0.118	1.00	Pass
	MCH		135	67	18	0	20.579	19.973	23.2969	20.87	0.122	1.00	Pass
			135	67	18	0	20.579	19.973	23.2969	20.87	0.122	1.00	Pass

	LCH	16	1	1	1	0	20.576	19.783	23.2079	20.82	0.121	1.00	Pass
			135	67	18	0	20.557	20.000	23.2977	20.86	0.122	1.00	Pass
	MCH	QA	135	67	18	0	20.565	19.971	23.2884	20.86	0.122	1.00	Pass
			1	271	1	99	20.219	19.898	23.0718	20.59	0.114	1.00	Pass
	HCH	M	135	67	18	0	20.586	19.951	23.2904	20.87	0.122	1.00	Pass
			1	1	1	0	20.744	19.756	23.2883	20.94	0.124	1.00	Pass
	LCH	64	135	67	18	0	20.561	19.971	23.2863	20.86	0.122	1.00	Pass
			135	67	18	0	20.550	19.994	23.2912	20.85	0.122	1.00	Pass
	MCH	QA	135	67	18	0	20.550	19.994	23.2912	20.85	0.122	1.00	Pass
			1	271	1	99	20.548	19.900	23.2464	20.83	0.121	1.00	Pass
	HCH	M	135	67	18	0	20.534	20.022	23.2958	20.85	0.122	1.00	Pass
			1	1	1	0	18.898	19.758	22.3596	19.62	0.092	1.00	Pass
	LCH	256	135	67	18	0	19.103	19.976	22.5717	19.83	0.096	1.00	Pass
			135	67	18	0	19.111	19.976	22.5753	19.83	0.096	1.00	Pass
	MCH	QA	135	67	18	0	19.111	19.976	22.5753	19.83	0.096	1.00	Pass
			1	271	1	99	18.886	19.821	22.3889	19.63	0.092	1.00	Pass
	HCH	M	135	67	18	0	19.126	20.003	22.5969	19.85	0.097	1.00	Pass
			135	67	18	0	19.126	20.003	22.5969	19.85	0.097	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.682	19.693	23.2259	20.88	0.122	1.00	Pass
			12	6	8	0	20.679	19.831	23.286	20.91	0.123	1.00	Pass
	MCH	BP	12	6	8	0	20.609	19.818	23.2418	20.85	0.122	1.00	Pass
			1	22	1	24	20.558	19.875	23.2402	20.83	0.121	1.00	Pass
	HCH	SK	12	6	8	0	20.615	19.803	23.2382	20.85	0.122	1.00	Pass
			1	1	1	0	20.815	19.693	23.3004	20.98	0.125	1.00	Pass
	LCH	QP	12	6	8	0	20.463	19.831	23.1688	20.75	0.119	1.00	Pass
			12	6	8	0	20.600	19.799	23.2282	20.84	0.121	1.00	Pass
	MCH	SK	12	6	8	0	20.600	19.799	23.2282	20.84	0.121	1.00	Pass
			1	22	1	24	20.685	19.885	23.3137	20.93	0.124	1.00	Pass
	HCH		12	6	8	0	20.693	19.812	23.2851	20.92	0.123	1.00	Pass
			1	1	1	0	20.424	19.702	23.0883	20.69	0.117	1.00	Pass
	LCH	16	12	6	8	0	20.512	19.833	23.1961	20.78	0.120	1.00	Pass
			12	6	8	0	20.531	19.841	23.21	20.80	0.120	1.00	Pass
	MCH	QA	12	6	8	0	20.531	19.841	23.21	20.80	0.120	1.00	Pass
			1	22	1	24	20.435	19.919	23.195	20.75	0.119	1.00	Pass
	HCH	M	12	6	8	0	20.524	19.820	23.1965	20.79	0.120	1.00	Pass
			1	1	1	0	20.628	19.700	23.199	20.84	0.121	1.00	Pass
	LCH	64	12	6	8	0	20.584	19.841	23.2387	20.84	0.121	1.00	Pass
			12	6	8	0	20.641	19.837	23.2679	20.88	0.123	1.00	Pass
	MCH	QA	12	6	8	0	20.641	19.837	23.2679	20.88	0.123	1.00	Pass
			1	22	1	24	20.579	19.874	23.2511	20.85	0.121	1.00	Pass
	HCH	M	12	6	8	0	20.457	19.858	23.1781	20.75	0.119	1.00	Pass
			1	1	1	0	19.125	19.672	22.4174	19.74	0.094	1.00	Pass
	LCH	256	12	6	8	0	18.798	19.805	22.3409	19.56	0.090	1.00	Pass
			12	6	8	0	18.775	19.791	22.3229	19.54	0.090	1.00	Pass
	MCH	QA	12	6	8	0	18.775	19.791	22.3229	19.54	0.090	1.00	Pass
			1	22	1	24	19.003	19.894	22.4816	19.73	0.094	1.00	Pass
	HCH	M	12	6	8	0	18.841	19.849	22.3845	19.61	0.091	1.00	Pass
			1	1	1	0	20.402	19.854	23.1469	20.71	0.118	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	20.380	19.985	23.1973	20.73	0.118	1.00	Pass
			135	67	18	0	20.293	19.948	23.1342	20.65	0.116	1.00	Pass
	MCH	BP	135	67	18	0	20.293	19.948	23.1342	20.65	0.116	1.00	Pass
			1	271	1	99	20.432	19.907	23.1877	20.74	0.119	1.00	Pass
	HCH	SK	135	67	18	0	20.347	19.942	23.1595	20.69	0.117	1.00	Pass
			1	1	1	0	20.416	19.836	23.146	20.71	0.118	1.00	Pass
	LCH	QP	135	67	18	0	20.363	19.956	23.1746	20.71	0.118	1.00	Pass
			135	67	18	0	20.332	19.951	23.156	20.68	0.117	1.00	Pass
	MCH	SK	135	67	18	0	20.332	19.951	23.156	20.68	0.117	1.00	Pass
			1	271	1	99	20.533	19.948	23.2606	20.83	0.121	1.00	Pass
	HCH		135	67	18	0	20.372	19.968	23.185	20.72	0.118	1.00	Pass

	LCH	16	1	1	1	0	20.146	19.836	23.0041	20.52	0.113	1.00	Pass
			135	67	18	0	20.335	19.908	23.137	20.67	0.117	1.00	Pass
	MCH	QA	135	67	18	0	20.313	19.948	23.1446	20.67	0.117	1.00	Pass
			1	271	1	99	20.201	19.930	23.0779	20.58	0.114	1.00	Pass
	HCH	M	135	67	18	0	20.316	19.924	23.1347	20.66	0.117	1.00	Pass
			1	1	1	0	20.657	19.821	23.2694	20.89	0.123	1.00	Pass
	LCH	64	135	67	18	0	20.451	19.913	23.2006	20.76	0.119	1.00	Pass
			135	67	18	0	20.431	19.978	23.2207	20.76	0.119	1.00	Pass
	MCH	QA	135	67	18	0	20.431	19.978	23.2207	20.76	0.119	1.00	Pass
			1	271	1	99	20.337	20.016	23.1898	20.70	0.118	1.00	Pass
	HCH	M	135	67	18	0	20.427	19.961	23.2105	20.75	0.119	1.00	Pass
			1	1	1	0	18.777	19.818	22.3389	19.56	0.090	1.00	Pass
	LCH	256	135	67	18	0	18.603	19.963	22.3463	19.49	0.089	1.00	Pass
			135	67	18	0	18.674	19.951	22.3696	19.53	0.090	1.00	Pass
	MCH	QA	135	67	18	0	18.674	19.951	22.3696	19.53	0.090	1.00	Pass
			1	271	1	99	18.773	19.906	22.3866	19.58	0.091	1.00	Pass
	HCH	M	135	67	18	0	18.592	19.913	22.3128	19.47	0.088	1.00	Pass
			135	67	18	0	18.592	19.913	22.3128	19.47	0.088	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.331	19.896	23.1292	21.42	0.139	1.00	Pass
			12	6	8	0	20.331	20.025	23.191	21.45	0.140	1.00	Pass
	MCH	BP SK	12	6	8	0	20.363	20.003	23.197	21.47	0.140	1.00	Pass
			1	22	1	24	20.353	19.933	23.1584	21.45	0.140	1.00	Pass
	HCH		12	6	8	0	20.307	20.016	23.1742	21.43	0.139	1.00	Pass
			1	1	1	0	20.541	19.909	23.2468	21.59	0.144	1.00	Pass
	LCH	QP SK	12	6	8	0	20.233	20.031	23.1435	21.38	0.137	1.00	Pass
			12	6	8	0	20.303	19.997	23.163	21.42	0.139	1.00	Pass
	MCH		1	22	1	24	20.439	19.929	23.2018	21.52	0.142	1.00	Pass
			12	6	8	0	20.351	20.004	23.1913	21.46	0.140	1.00	Pass
	HCH		1	1	1	0	20.230	19.964	23.1093	21.36	0.137	1.00	Pass
			12	6	8	0	20.200	20.053	23.1374	21.36	0.137	1.00	Pass
	LCH	16 QA M	12	6	8	0	20.206	20.055	23.1415	21.36	0.137	1.00	Pass
			1	22	1	24	20.149	19.954	23.0629	21.30	0.135	1.00	Pass
	MCH		12	6	8	0	20.209	20.050	23.1405	21.36	0.137	1.00	Pass
			1	1	1	0	20.278	20.003	23.153	21.41	0.138	1.00	Pass
	HCH	64 QA M	12	6	8	0	20.328	20.023	23.1885	21.45	0.140	1.00	Pass
			12	6	8	0	20.270	20.009	23.1518	21.40	0.138	1.00	Pass
	LCH		1	22	1	24	20.273	19.949	23.1243	21.39	0.138	1.00	Pass
			12	6	8	0	20.261	20.084	23.1837	21.41	0.138	1.00	Pass
	MCH		1	1	1	0	18.693	20.025	22.4202	20.25	0.106	1.00	Pass
			12	6	8	0	18.530	20.052	22.3676	20.14	0.103	1.00	Pass
	HCH	256 QA M	12	6	8	0	18.535	20.026	22.3545	20.14	0.103	1.00	Pass
			1	22	1	24	18.706	19.913	22.3616	20.22	0.105	1.00	Pass
	LCH		12	6	8	0	18.505	20.038	22.3491	20.12	0.103	1.00	Pass
			1	1	1	0	20.748	19.720	23.2746	21.72	0.148	1.00	Pass
20MHz(LTE) + 100MHz(NR)	MCH	PI/2	135	67	18	0	20.497	19.941	23.2382	21.56	0.143	1.00	Pass
			135	67	18	0	20.458	19.980	23.2359	21.54	0.143	1.00	Pass
	HCH	BP SK	1	271	1	99	20.470	19.715	23.1192	21.49	0.141	1.00	Pass
			135	67	18	0	20.477	19.949	23.2313	21.55	0.143	1.00	Pass
	LCH		1	1	1	0	20.661	19.750	23.2396	21.65	0.146	1.00	Pass
			135	67	18	0	20.492	19.962	23.2454	21.56	0.143	1.00	Pass
	MCH	QP SK	135	67	18	0	20.518	19.985	23.27	21.59	0.144	1.00	Pass
			1	271	1	99	20.470	19.832	23.173	21.52	0.142	1.00	Pass
	HCH		135	67	18	0	20.491	19.975	23.251	21.57	0.143	1.00	Pass

	LCH	16	1	1	1	0	20.503	19.734	23.1458	21.52	0.142	1.00	Pass
			135	67	18	0	20.445	19.988	23.2328	21.53	0.142	1.00	Pass
	MCH	QA	135	67	18	0	20.413	19.972	23.2084	21.50	0.141	1.00	Pass
			1	271	1	99	20.184	19.829	23.0204	21.29	0.135	1.00	Pass
	HCH	M	135	67	18	0	20.478	19.950	23.2323	21.55	0.143	1.00	Pass
			1	1	1	0	20.951	19.780	23.4151	21.89	0.155	1.00	Pass
	LCH	64	135	67	18	0	20.379	20.002	23.2049	21.48	0.141	1.00	Pass
			135	67	18	0	20.486	19.978	23.2497	21.56	0.143	1.00	Pass
	MCH	QA	135	67	18	0	20.500	19.876	23.2095	21.55	0.143	1.00	Pass
			1	271	1	99	20.494	19.988	23.2587	21.57	0.144	1.00	Pass
	HCH	M	1	1	1	0	19.142	19.766	22.4755	20.49	0.112	1.00	Pass
			135	67	18	0	18.966	19.971	22.5078	20.42	0.110	1.00	Pass
	LCH	256	135	67	18	0	18.998	19.977	22.5253	20.45	0.111	1.00	Pass
			1	271	1	99	18.945	19.852	22.4324	20.37	0.109	1.00	Pass
	MCH	QA	135	67	18	0	18.955	19.991	22.5141	20.42	0.110	1.00	Pass
			1	271	1	99							
	HCH	M	135	67	18	0							
			1	271	1	99							

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.002	19.960	22.9914	21.19	0.131	1.00	Pass
			12	6	8	0	19.972	20.100	23.0468	21.20	0.132	1.00	Pass
	MCH		12	6	8	0	20.047	20.068	23.0678	21.25	0.133	1.00	Pass
			1	22	1	24	20.058	19.963	23.0211	21.23	0.133	1.00	Pass
	HCH	QPSK	12	6	8	0	20.020	20.029	23.0348	21.22	0.132	1.00	Pass
			1	1	1	0	20.041	19.924	22.9932	21.21	0.132	1.00	Pass
	LCH		12	6	8	0	20.006	20.034	23.0303	21.21	0.132	1.00	Pass
			12	6	8	0	20.014	20.030	23.0323	21.21	0.132	1.00	Pass
	MCH	16 QAM	1	22	1	24	20.122	20.014	23.0786	21.29	0.135	1.00	Pass
			12	6	8	0	19.961	20.060	23.0211	21.18	0.131	1.00	Pass
	LCH		1	1	1	0	19.798	19.969	22.8946	21.03	0.127	1.00	Pass
			12	6	8	0	19.962	20.061	23.0221	21.18	0.131	1.00	Pass
	MCH	64 QAM	12	6	8	0	19.930	20.047	22.9992	21.15	0.130	1.00	Pass
			1	22	1	24	19.866	19.961	22.9241	21.08	0.128	1.00	Pass
	HCH		12	6	8	0	19.943	20.032	22.998	21.16	0.131	1.00	Pass
			1	1	1	0	20.081	19.966	23.0342	21.25	0.133	1.00	Pass
	LCH	256 QAM	12	6	8	0	19.962	20.009	22.9959	21.17	0.131	1.00	Pass
			12	6	8	0	19.957	20.020	22.9989	21.17	0.131	1.00	Pass
	MCH		1	22	1	24	20.040	19.895	22.9784	21.20	0.132	1.00	Pass
			12	6	8	0	20.079	20.075	23.0873	21.27	0.134	1.00	Pass
	HCH	QPSK	1	1	1	0	18.418	19.948	22.2603	20.03	0.101	1.00	Pass
			12	6	8	0	18.075	20.034	22.1743	19.83	0.096	1.00	Pass
	LCH		12	6	8	0	18.166	20.077	22.2361	19.90	0.098	1.00	Pass
			1	22	1	24	18.407	19.935	22.2482	20.02	0.100	1.00	Pass
	MCH	100M Hz(NR)	12	6	8	0	18.320	20.013	22.2588	19.98	0.100	1.00	Pass
			1	1	1	0	19.729	19.808	22.779	20.94	0.124	1.00	Pass
	LCH		135	67	18	0	20.194	19.939	23.0787	21.33	0.136	1.00	Pass
			135	67	18	0	20.273	19.988	23.1431	21.40	0.138	1.00	Pass
	MCH	QPSK	1	271	1	99	20.391	19.838	23.1336	21.46	0.140	1.00	Pass
			135	67	18	0	20.261	19.973	23.1297	21.39	0.138	1.00	Pass
	HCH		1	1	1	0	19.797	19.799	22.8083	20.99	0.126	1.00	Pass
			135	67	18	0	20.241	19.958	23.1121	21.37	0.137	1.00	Pass
	LCH	QPSK	135	67	18	0	20.227	19.995	23.1228	21.37	0.137	1.00	Pass
			1	271	1	99	20.444	19.852	23.1684	21.50	0.141	1.00	Pass
	MCH		135	67	18	0	20.242	19.992	23.1291	21.38	0.137	1.00	Pass
			135	67	18	0	20.242	19.992	23.1291	21.38	0.137	1.00	Pass

	LCH	16	1	1	1	0	19.689	19.800	22.7552	20.91	0.123	1.00	Pass
			135	67	18	0	20.230	19.956	23.1055	21.36	0.137	1.00	Pass
	MCH	QA	135	67	18	0	20.247	19.988	23.1297	21.38	0.137	1.00	Pass
			1	271	1	99	20.232	19.855	23.0579	21.34	0.136	1.00	Pass
	HCH	M	135	67	18	0	20.213	19.970	23.1035	21.35	0.136	1.00	Pass
			1	1	1	0	19.813	19.761	22.7974	20.99	0.126	1.00	Pass
	LCH	64	135	67	18	0	20.225	20.014	23.1311	21.37	0.137	1.00	Pass
			135	67	18	0	20.101	20.041	23.0814	21.28	0.134	1.00	Pass
	MCH	QA	135	67	18	0	20.101	20.041	23.0814	21.28	0.134	1.00	Pass
			1	271	1	99	20.495	19.822	23.1818	21.54	0.142	1.00	Pass
	HCH	M	135	67	18	0	20.209	20.015	23.1234	21.36	0.137	1.00	Pass
			1	1	1	0	18.280	19.773	22.1006	19.88	0.097	1.00	Pass
	LCH	256	135	67	18	0	18.702	19.955	22.3838	20.23	0.105	1.00	Pass
			135	67	18	0	18.727	20.004	22.4226	20.26	0.106	1.00	Pass
	MCH	QA	135	67	18	0	18.727	20.004	22.4226	20.26	0.106	1.00	Pass
			1	271	1	99	18.891	19.845	22.4044	20.33	0.108	1.00	Pass
	HCH	M	135	67	18	0	18.749	19.967	22.4109	20.27	0.106	1.00	Pass
			135	67	18	0	18.749	19.967	22.4109	20.27	0.106	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.359	19.865	23.1293	20.68	0.117	1.00	Pass
			12	6	8	0	20.248	19.966	23.1196	20.62	0.115	1.00	Pass
	MCH		12	6	8	0	20.305	19.958	23.1453	20.66	0.117	1.00	Pass
	HCH		1	22	1	24	20.323	19.843	23.0999	20.65	0.116	1.00	Pass
			12	6	8	0	20.434	19.936	23.2024	20.75	0.119	1.00	Pass
	LCH	QP SK	1	1	1	0	20.399	19.807	23.1234	20.69	0.117	1.00	Pass
			12	6	8	0	20.379	19.944	23.1772	20.71	0.118	1.00	Pass
	MCH		12	6	8	0	20.355	19.966	23.1752	20.70	0.118	1.00	Pass
	HCH		1	22	1	24	20.395	19.963	23.1947	20.73	0.118	1.00	Pass
			12	6	8	0	20.314	19.937	23.1399	20.67	0.117	1.00	Pass
	LCH	16 QA M	1	1	1	0	20.087	19.902	23.0058	20.49	0.112	1.00	Pass
			12	6	8	0	20.285	19.935	23.1238	20.64	0.116	1.00	Pass
	MCH		12	6	8	0	20.247	19.929	23.1012	20.61	0.115	1.00	Pass
	HCH		1	22	1	24	20.149	19.898	23.0356	20.53	0.113	1.00	Pass
			12	6	8	0	20.272	19.930	23.1147	20.63	0.116	1.00	Pass
	LCH	64 QA M	1	1	1	0	20.469	19.894	23.2013	20.77	0.119	1.00	Pass
			12	6	8	0	20.154	19.957	23.0669	20.55	0.114	1.00	Pass
	MCH		12	6	8	0	20.415	19.904	23.1773	20.73	0.118	1.00	Pass
	HCH		1	22	1	24	20.314	19.894	23.1194	20.65	0.116	1.00	Pass
			12	6	8	0	20.420	19.950	23.2017	20.75	0.119	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.704	19.869	22.3357	19.52	0.090	1.00	Pass
			12	6	8	0	18.547	19.964	22.3233	19.46	0.088	1.00	Pass
	MCH		12	6	8	0	18.593	19.930	22.323	19.47	0.089	1.00	Pass
	HCH		1	22	1	24	18.669	19.945	22.364	19.53	0.090	1.00	Pass
			12	6	8	0	18.575	19.929	22.3149	19.46	0.088	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.751	19.384	23.1314	20.86	0.122	1.00	Pass
			135	67	12	0	20.530	19.525	23.0668	20.72	0.118	1.00	Pass
	MCH		135	67	12	0	20.547	19.560	23.0918	20.74	0.119	1.00	Pass
	HCH		1	271	1	49	20.423	19.775	23.1214	20.70	0.118	1.00	Pass
			135	67	12	0	20.560	19.581	23.1083	20.76	0.119	1.00	Pass
	LCH	QP SK	1	1	1	0	20.625	19.364	23.0504	20.76	0.119	1.00	Pass
			135	67	12	0	20.483	19.503	23.0309	20.68	0.117	1.00	Pass
	MCH		135	67	12	0	20.505	19.549	23.0636	20.71	0.118	1.00	Pass
	HCH		1	271	1	49	20.418	19.749	23.1067	20.69	0.117	1.00	Pass
			135	67	12	0	20.370	19.537	22.9837	20.60	0.115	1.00	Pass

	LCH	16	1	1	1	0	20.508	19.378	22.9899	20.67	0.117	1.00	Pass
			135	67	12	0	20.461	19.579	23.0527	20.68	0.117	1.00	Pass
	MCH	QA	135	67	12	0	20.476	19.567	23.0555	20.69	0.117	1.00	Pass
			1	271	1	49	20.161	19.748	22.9697	20.50	0.112	1.00	Pass
	HCH	M	135	67	12	0	20.524	19.552	23.0754	20.72	0.118	1.00	Pass
			1	1	1	0	20.747	19.337	23.1093	20.85	0.121	1.00	Pass
	LCH	64	135	67	12	0	20.485	19.555	23.0551	20.70	0.117	1.00	Pass
			135	67	12	0	20.492	19.544	23.0541	20.70	0.117	1.00	Pass
	MCH	QA	135	67	12	0	20.492	19.544	23.0541	20.70	0.117	1.00	Pass
			1	271	1	49	20.650	19.726	23.2228	20.86	0.122	1.00	Pass
	HCH	M	135	67	12	0	20.438	19.553	23.0283	20.66	0.116	1.00	Pass
			1	1	1	0	19.169	19.346	22.2687	19.68	0.093	1.00	Pass
	LCH	256	135	67	12	0	19.021	19.545	22.3012	19.63	0.092	1.00	Pass
			135	67	12	0	19.060	19.578	22.337	19.67	0.093	1.00	Pass
	MCH	QA	135	67	12	0	19.060	19.578	22.337	19.67	0.093	1.00	Pass
			1	271	1	49	18.825	19.739	22.3163	19.56	0.090	1.00	Pass
	HCH	M	135	67	12	0	19.070	19.570	22.3375	19.67	0.093	1.00	Pass
			135	67	12	0	19.070	19.570	22.3375	19.67	0.093	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.334	19.612	22.9983	20.60	0.115	1.00	Pass
			12	6	8	0	20.310	19.706	23.0288	20.60	0.115	1.00	Pass
	MCH		12	6	8	0	20.282	19.718	23.0194	20.58	0.114	1.00	Pass
	HCH		1	22	1	24	20.324	19.787	23.0741	20.63	0.116	1.00	Pass
		QP SK	12	6	8	0	20.303	19.689	23.0171	20.59	0.115	1.00	Pass
	LCH		1	1	1	0	20.407	19.627	23.0448	20.65	0.116	1.00	Pass
			12	6	8	0	20.316	19.704	23.0311	20.61	0.115	1.00	Pass
	MCH		12	6	8	0	20.287	19.809	23.0649	20.61	0.115	1.00	Pass
	HCH		1	22	1	24	20.307	19.789	23.066	20.62	0.115	1.00	Pass
		16 QA M	12	6	8	0	20.260	19.692	22.9956	20.56	0.114	1.00	Pass
	LCH		1	1	1	0	20.135	19.629	22.8997	20.45	0.111	1.00	Pass
			12	6	8	0	20.187	19.772	22.9948	20.53	0.113	1.00	Pass
	MCH		12	6	8	0	20.160	19.702	22.9473	20.49	0.112	1.00	Pass
	HCH		1	22	1	24	20.104	19.775	22.9529	20.47	0.111	1.00	Pass
		64 QA M	12	6	8	0	20.261	19.709	23.0041	20.57	0.114	1.00	Pass
	LCH		1	1	1	0	20.340	19.599	22.9956	20.60	0.115	1.00	Pass
			12	6	8	0	20.309	19.704	23.0273	20.60	0.115	1.00	Pass
	MCH		12	6	8	0	20.279	19.709	23.0136	20.58	0.114	1.00	Pass
	HCH		1	22	1	24	20.335	19.767	23.0706	20.64	0.116	1.00	Pass
		256 QA M	12	6	8	0	20.230	19.690	22.9787	20.54	0.113	1.00	Pass
	LCH		1	1	1	0	18.775	19.653	22.2465	19.50	0.089	1.00	Pass
			12	6	8	0	18.487	19.695	22.1432	19.32	0.086	1.00	Pass
	MCH		12	6	8	0	18.568	19.714	22.189	19.38	0.087	1.00	Pass
	HCH		1	22	1	24	18.544	19.800	22.2275	19.40	0.087	1.00	Pass
		PI/2 BP SK	12	6	8	0	18.575	19.697	22.1824	19.38	0.087	1.00	Pass
	LCH		1	1	1	0	20.356	19.406	22.9172	20.56	0.114	1.00	Pass
			135	67	18	0	20.445	19.577	23.0429	20.67	0.117	1.00	Pass
	MCH		135	67	18	0	20.410	19.556	23.0143	20.64	0.116	1.00	Pass
	HCH		1	271	1	99	20.568	19.794	23.2085	20.82	0.121	1.00	Pass
		QP SK	135	67	18	0	20.439	19.568	23.0356	20.66	0.117	1.00	Pass
	LCH		1	1	1	0	20.348	19.374	22.8985	20.55	0.113	1.00	Pass
			135	67	18	0	20.458	19.608	23.0641	20.69	0.117	1.00	Pass
	MCH		135	67	18	0	20.423	19.560	23.0232	20.65	0.116	1.00	Pass
	HCH		1	271	1	99	20.622	19.725	23.2069	20.84	0.121	1.00	Pass
		100M Hz(NR)	135	67	18	0	20.471	19.573	23.0555	20.69	0.117	1.00	Pass
	LCH		1	1	1	0	20.356	19.406	22.9172	20.56	0.114	1.00	Pass
			135	67	18	0	20.445	19.577	23.0429	20.67	0.117	1.00	Pass
	MCH		135	67	18	0	20.410	19.556	23.0143	20.64	0.116	1.00	Pass
	HCH		1	271	1	99	20.568	19.794	23.2085	20.82	0.121	1.00	Pass
		20MHz(LTE) + 100MHz(NR)	135	67	18	0	20.439	19.568	23.0356	20.66	0.117	1.00	Pass
	LCH		1	1	1	0	20.348	19.374	22.8985	20.55	0.113	1.00	Pass
			135	67	18	0	20.458	19.608	23.0641	20.69	0.117	1.00	Pass
	MCH		135	67	18	0	20.423	19.560	23.0232	20.65	0.116	1.00	Pass
	HCH		1	271	1	99	20.622	19.725	23.2069	20.84	0.121	1.00	Pass
		20MHz(LTE) + 100MHz(NR)	135	67	18	0	20.471	19.573	23.0555	20.69	0.117	1.00	Pass
	LCH		1	1	1	0	20.356	19.406	22.9172	20.56	0.114	1.00	Pass
			135	67	18	0	20.445	19.577	23.0429	20.67	0.117	1.00	Pass
	MCH		135	67	18	0	20.410	19.556	23.0143	20.64	0.116	1.00	Pass
	HCH		1	271	1	99	20.568	19.794	23.2085	20.82	0.121	1.00	Pass
		20MHz(LTE) + 100MHz(NR)	135	67	18	0	20.439	19.568	23.0356	20.66	0.117	1.00	Pass
	LCH		1	1	1	0	20.348	19.374	22.8985	20.55	0.113	1.00	Pass
			135	67	18	0	20.458	19.608	23.0641	20.69	0.117	1.00	Pass
	MCH		135	67	18	0	20.423	19.560	23.0232	20.65	0.116	1.00	Pass
	HCH		1	271	1	99	20.622	19.725	23.2069	20.84	0.121	1.00	Pass

	LCH	16	1	1	1	0	20.157	19.368	22.7907	20.40	0.110	1.00	Pass
			135	67	18	0	20.427	19.563	23.0268	20.65	0.116	1.00	Pass
	MCH	QA	135	67	18	0	20.457	19.591	23.0558	20.68	0.117	1.00	Pass
			1	271	1	99	20.408	19.763	23.1078	20.69	0.117	1.00	Pass
	HCH	M	135	67	18	0	20.450	19.581	23.0475	20.68	0.117	1.00	Pass
			1	1	1	0	20.415	19.405	22.9496	20.61	0.115	1.00	Pass
	LCH	64	135	67	18	0	20.448	19.583	23.0473	20.67	0.117	1.00	Pass
			135	67	18	0	20.428	19.594	23.0413	20.66	0.116	1.00	Pass
	MCH	QA	135	67	18	0	20.626	19.761	23.2253	20.85	0.122	1.00	Pass
			1	271	1	99	20.417	19.570	23.0244	20.65	0.116	1.00	Pass
	HCH	M	1	1	1	0	18.826	19.369	22.1163	19.44	0.088	1.00	Pass
			135	67	18	0	19.029	19.562	22.314	19.64	0.092	1.00	Pass
	LCH	256	135	67	18	0	18.991	19.481	22.2532	19.59	0.091	1.00	Pass
			1	271	1	99	19.089	19.783	22.4601	19.75	0.094	1.00	Pass
	MCH	QA	135	67	18	0	19.012	19.574	22.3124	19.63	0.092	1.00	Pass
			1	271	1	99							

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.271	19.606	22.9615	21.31	0.135	1.00	Pass
			12	6	8	0	20.293	19.703	23.0183	21.35	0.137	1.00	Pass
	MCH		12	6	8	0	20.286	19.747	23.0352	21.36	0.137	1.00	Pass
	HCH		1	22	1	24	20.253	19.776	23.0313	21.34	0.136	1.00	Pass
			12	6	8	0	20.294	19.695	23.0151	21.35	0.136	1.00	Pass
	LCH	QP SK	1	1	1	0	20.394	19.686	23.0647	21.43	0.139	1.00	Pass
			12	6	8	0	20.217	19.677	22.9657	21.29	0.134	1.00	Pass
	MCH		12	6	8	0	20.256	19.673	22.9846	21.32	0.135	1.00	Pass
	HCH		1	22	1	24	20.389	19.764	23.098	21.44	0.139	1.00	Pass
			12	6	8	0	20.267	19.542	22.9299	21.30	0.135	1.00	Pass
	LCH	16 QA M	1	1	1	0	20.044	19.589	22.8328	21.13	0.130	1.00	Pass
			12	6	8	0	20.184	19.691	22.9548	21.26	0.134	1.00	Pass
	MCH		12	6	8	0	20.162	19.687	22.9413	21.25	0.133	1.00	Pass
	HCH		1	22	1	24	20.153	19.814	22.9971	21.27	0.134	1.00	Pass
			12	6	8	0	20.170	19.662	22.9337	21.25	0.133	1.00	Pass
	LCH	64 QA M	1	1	1	0	20.312	19.593	22.9777	21.34	0.136	1.00	Pass
			12	6	8	0	20.204	19.709	22.9738	21.28	0.134	1.00	Pass
	MCH		12	6	8	0	20.255	19.692	22.9929	21.32	0.136	1.00	Pass
	HCH		1	22	1	24	20.535	19.791	23.1892	21.56	0.143	1.00	Pass
			12	6	8	0	20.187	19.701	22.9611	21.27	0.134	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.672	19.537	22.1363	20.09	0.102	1.00	Pass
			12	6	8	0	18.470	19.715	22.1473	20.00	0.100	1.00	Pass
	MCH		12	6	8	0	18.482	19.694	22.1404	20.00	0.100	1.00	Pass
	HCH		1	22	1	24	18.659	19.771	22.2608	20.15	0.103	1.00	Pass
			12	6	8	0	18.400	19.657	22.0841	19.93	0.098	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.811	19.374	23.162	21.70	0.148	1.00	Pass
			135	67	18	0	20.402	19.559	23.0112	21.41	0.138	1.00	Pass
	MCH		135	67	18	0	20.452	19.550	23.0347	21.45	0.139	1.00	Pass
	HCH		1	271	1	99	20.479	19.718	23.1254	21.50	0.141	1.00	Pass
			135	67	18	0	20.307	19.560	22.9598	21.33	0.136	1.00	Pass
	LCH	QP SK	1	1	1	0	20.737	19.407	23.133	21.65	0.146	1.00	Pass
			135	67	18	0	20.394	19.561	23.0077	21.40	0.138	1.00	Pass
	MCH		135	67	18	0	20.455	19.550	23.0363	21.45	0.140	1.00	Pass
	HCH		1	271	1	99	20.446	19.725	23.1107	21.48	0.140	1.00	Pass
			135	67	18	0	20.406	19.583	23.0243	21.42	0.139	1.00	Pass

	LCH	16	1	1	1	0	20.536	19.380	23.0066	21.48	0.141	1.00	Pass
			135	67	18	0	20.374	19.564	22.9982	21.39	0.138	1.00	Pass
	MCH	QA	135	67	18	0	20.384	19.579	23.0104	21.40	0.138	1.00	Pass
			1	271	1	99	20.140	19.720	22.9454	21.24	0.133	1.00	Pass
	HCH	M	135	67	18	0	20.364	19.567	22.9941	21.38	0.137	1.00	Pass
			1	1	1	0	20.770	19.435	23.1639	21.68	0.147	1.00	Pass
	LCH	64	135	67	18	0	20.383	19.552	22.9976	21.39	0.138	1.00	Pass
			135	67	18	0	20.380	19.553	22.9965	21.39	0.138	1.00	Pass
	MCH	QA	135	67	18	0	20.380	19.553	22.9965	21.39	0.138	1.00	Pass
			1	271	1	99	20.597	19.720	23.1909	21.60	0.144	1.00	Pass
	HCH	M	135	67	18	0	20.390	19.573	23.011	21.40	0.138	1.00	Pass
			1	1	1	0	19.331	19.409	22.3805	20.54	0.113	1.00	Pass
	LCH	256	135	67	18	0	18.911	19.533	22.2434	20.26	0.106	1.00	Pass
			135	67	18	0	18.935	19.559	22.2685	20.29	0.107	1.00	Pass
	MCH	QA	135	67	18	0	18.935	19.559	22.2685	20.29	0.107	1.00	Pass
			1	271	1	99	18.869	19.722	22.3267	20.28	0.107	1.00	Pass
	HCH	M	135	67	18	0	18.942	19.534	22.2584	20.29	0.107	1.00	Pass
			135	67	18	0	18.942	19.534	22.2584	20.29	0.107	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.001	19.628	22.8288	21.11	0.129	1.00	Pass
			12	6	8	0	20.055	19.744	22.9126	21.18	0.131	1.00	Pass
	MCH		12	6	8	0	20.046	19.740	22.906	21.17	0.131	1.00	Pass
	HCH		1	22	1	24	20.034	19.810	22.9337	21.17	0.131	1.00	Pass
		QP SK	12	6	8	0	20.074	19.715	22.9085	21.18	0.131	1.00	Pass
	LCH		1	1	1	0	19.988	19.606	22.8115	21.09	0.129	1.00	Pass
			12	6	8	0	20.001	19.715	22.8707	21.13	0.130	1.00	Pass
	MCH		12	6	8	0	20.031	19.740	22.8982	21.16	0.131	1.00	Pass
	HCH		1	22	1	24	20.080	19.764	22.9352	21.20	0.132	1.00	Pass
		16 QA M	12	6	8	0	20.033	19.729	22.894	21.16	0.130	1.00	Pass
	LCH		1	1	1	0	19.745	19.612	22.6893	20.91	0.123	1.00	Pass
			12	6	8	0	20.030	19.707	22.8818	21.15	0.130	1.00	Pass
	MCH		12	6	8	0	19.998	19.727	22.8749	21.13	0.130	1.00	Pass
	HCH		1	22	1	24	19.808	19.815	22.8218	21.00	0.126	1.00	Pass
		64 QA M	12	6	8	0	19.967	19.750	22.8702	21.11	0.129	1.00	Pass
	LCH		1	1	1	0	20.006	19.566	22.8019	21.10	0.129	1.00	Pass
			12	6	8	0	20.010	19.715	22.8753	21.13	0.130	1.00	Pass
	MCH		12	6	8	0	19.991	19.717	22.8665	21.12	0.129	1.00	Pass
	HCH		1	22	1	24	20.023	19.798	22.9223	21.16	0.131	1.00	Pass
		256 QA M	12	6	8	0	19.943	19.726	22.8462	21.09	0.128	1.00	Pass
	LCH		1	1	1	0	18.324	19.611	22.0253	19.86	0.097	1.00	Pass
			12	6	8	0	18.193	19.738	22.0441	19.81	0.096	1.00	Pass
	MCH		12	6	8	0	18.209	19.727	22.0443	19.82	0.096	1.00	Pass
	HCH		1	22	1	24	18.354	19.859	22.1817	19.96	0.099	1.00	Pass
		PI/2 BP SK	12	6	8	0	18.148	19.719	22.0145	19.77	0.095	1.00	Pass
	LCH		1	1	1	0	19.691	19.411	22.5636	20.82	0.121	1.00	Pass
			135	67	18	0	20.235	19.577	22.9287	21.28	0.134	1.00	Pass
	MCH		135	67	18	0	20.221	19.562	22.9143	21.26	0.134	1.00	Pass
	HCH	QP SK	1	271	1	99	20.433	19.720	23.1014	21.47	0.140	1.00	Pass
			135	67	18	0	20.107	19.567	22.8557	21.18	0.131	1.00	Pass
	LCH		1	1	1	0	19.715	19.416	22.5784	20.84	0.121	1.00	Pass
			135	67	18	0	20.242	19.606	22.9459	21.29	0.135	1.00	Pass
	MCH	HCH	135	67	18	0	20.261	19.572	22.9404	21.30	0.135	1.00	Pass
			1	271	1	99	20.454	19.762	23.1321	21.49	0.141	1.00	Pass
	HCH		135	67	18	0	20.226	19.585	22.9276	21.27	0.134	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.691	19.411	22.5636	20.82	0.121	1.00	Pass
			135	67	18	0	20.235	19.577	22.9287	21.28	0.134	1.00	Pass
	MCH		135	67	18	0	20.221	19.562	22.9143	21.26	0.134	1.00	Pass
	HCH		1	271	1	99	20.433	19.720	23.1014	21.47	0.140	1.00	Pass
		QP SK	135	67	18	0	20.107	19.567	22.8557	21.18	0.131	1.00	Pass
	LCH		1	1	1	0	19.715	19.416	22.5784	20.84	0.121	1.00	Pass
			135	67	18	0	20.242	19.606	22.9459	21.29	0.135	1.00	Pass
	MCH		135	67	18	0	20.261	19.572	22.9404	21.30	0.135	1.00	Pass
	HCH		1	271	1	99	20.454	19.762	23.1321	21.49	0.141	1.00	Pass
			135	67	18	0	20.226	19.585	22.9276	21.27	0.134	1.00	Pass

	LCH	16	1	1	1	0	19.566	19.446	22.5167	20.73	0.118	1.00	Pass
			135	67	18	0	20.232	19.571	22.9244	21.28	0.134	1.00	Pass
	MCH	QA	135	67	18	0	20.237	19.565	22.9243	21.28	0.134	1.00	Pass
			1	271	1	99	20.072	19.689	22.895	21.18	0.131	1.00	Pass
	HCH	M	135	67	18	0	20.203	19.678	22.9587	21.28	0.134	1.00	Pass
			1	1	1	0	19.797	19.432	22.6286	20.91	0.123	1.00	Pass
	LCH	64	135	67	18	0	20.224	19.605	22.9358	21.28	0.134	1.00	Pass
			135	67	18	0	20.126	19.610	22.886	21.20	0.132	1.00	Pass
	MCH	QA	135	67	18	0	20.126	19.610	22.886	21.20	0.132	1.00	Pass
			1	271	1	99	20.701	19.787	23.2783	21.69	0.148	1.00	Pass
	HCH	M	135	67	18	0	20.223	19.587	22.9269	21.27	0.134	1.00	Pass
			1	1	1	0	18.155	19.405	21.8351	19.68	0.093	1.00	Pass
	LCH	256	135	67	18	0	18.722	19.583	22.1841	20.14	0.103	1.00	Pass
			135	67	18	0	18.760	19.589	22.2046	20.17	0.104	1.00	Pass
	MCH	QA	135	67	18	0	18.760	19.589	22.2046	20.17	0.104	1.00	Pass
			1	271	1	99	18.850	19.804	22.3634	20.29	0.107	1.00	Pass
	HCH	M	135	67	18	0	18.750	19.557	22.1825	20.15	0.104	1.00	Pass
			135	67	18	0	18.750	19.557	22.1825	20.15	0.104	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.208	19.838	23.0372	19.11	0.081	2.00	Pass
			12	6	8	0	20.207	19.880	23.0569	19.13	0.082	2.00	Pass
	MCH		12	6	8	0	20.175	19.829	23.0157	19.09	0.081	2.00	Pass
			1	23	1	24	20.250	19.884	23.0812	19.15	0.082	2.00	Pass
	HCH	QP SK	12	6	8	0	20.164	19.876	23.0327	19.11	0.082	2.00	Pass
			1	1	1	0	20.308	19.843	23.092	19.15	0.082	2.00	Pass
	LCH		12	6	8	0	20.233	19.872	23.0665	19.14	0.082	2.00	Pass
			12	6	8	0	20.209	19.903	23.069	19.15	0.082	2.00	Pass
	MCH	16 QA M	1	23	1	24	20.338	19.852	23.1121	19.17	0.083	2.00	Pass
			12	6	8	0	20.167	19.891	23.0415	19.12	0.082	2.00	Pass
	LCH		1	1	1	0	19.910	19.773	22.8523	18.95	0.079	2.00	Pass
			12	6	8	0	20.127	19.883	23.017	19.10	0.081	2.00	Pass
	MCH	64 QA M	12	6	8	0	20.168	19.850	23.0222	19.10	0.081	2.00	Pass
			1	23	1	24	19.930	19.855	22.903	19.01	0.080	2.00	Pass
	HCH		12	6	8	0	20.104	19.932	23.0292	19.12	0.082	2.00	Pass
			1	1	1	0	20.113	19.777	22.9585	19.03	0.080	2.00	Pass
	LCH	256 QA M	12	6	8	0	20.188	19.849	23.0321	19.11	0.081	2.00	Pass
			12	6	8	0	20.145	19.885	23.0272	19.11	0.082	2.00	Pass
	MCH		1	23	1	24	20.189	19.888	23.0514	19.13	0.082	2.00	Pass
			12	6	8	0	20.202	19.911	23.0692	19.15	0.082	2.00	Pass
	LCH	256 QA M	1	1	1	0	18.696	19.785	22.2848	18.52	0.071	2.00	Pass
			12	6	8	0	18.644	19.890	22.3218	18.57	0.072	2.00	Pass
	MCH		12	6	8	0	18.633	19.866	22.3034	18.55	0.072	2.00	Pass
			1	23	1	24	18.741	19.880	22.358	18.60	0.072	2.00	Pass
	HCH	256 QA M	12	6	8	0	18.672	19.862	22.3179	18.56	0.072	2.00	Pass
			1	1	1	0	20.151	19.803	22.9908	19.07	0.081	2.00	Pass
	LCH	PI/2 BP SK	135	67	18	0	20.330	19.865	23.114	19.18	0.083	2.00	Pass
			135	67	18	0	20.300	19.908	23.1187	19.19	0.083	2.00	Pass
	MCH		1	268	1	99	20.240	19.975	23.1198	19.20	0.083	2.00	Pass
			135	67	18	0	20.325	19.875	23.1161	19.18	0.083	2.00	Pass
	LCH	QP SK	1	1	1	0	20.250	19.832	23.0563	19.12	0.082	2.00	Pass
			135	67	18	0	20.351	19.892	23.1379	19.20	0.083	2.00	Pass
	MCH		135	67	18	0	20.342	19.914	23.1436	19.21	0.083	2.00	Pass
			1	268	1	99	20.353	20.011	23.1957	19.27	0.085	2.00	Pass
	HCH	QP SK	135	67	18	0	20.338	19.898	23.1339	19.20	0.083	2.00	Pass
20MHz(LTE) + 50MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.151	19.803	22.9908	19.07	0.081	2.00	Pass
			135	67	18	0	20.330	19.865	23.114	19.18	0.083	2.00	Pass
	MCH		135	67	18	0	20.300	19.908	23.1187	19.19	0.083	2.00	Pass
			1	268	1	99	20.240	19.975	23.1198	19.20	0.083	2.00	Pass
	HCH	QP SK	135	67	18	0	20.325	19.875	23.1161	19.18	0.083	2.00	Pass
			1	1	1	0	20.250	19.832	23.0563	19.12	0.082	2.00	Pass
	LCH		135	67	18	0	20.351	19.892	23.1379	19.20	0.083	2.00	Pass
			135	67	18	0	20.342	19.914	23.1436	19.21	0.083	2.00	Pass
	MCH	QP SK	1	268	1	99	20.353	20.011	23.1957	19.27	0.085	2.00	Pass
			135	67	18	0	20.338	19.898	23.1339	19.20	0.083	2.00	Pass
	HCH		135	67	18	0	20.338	19.898	23.1339	19.20	0.083	2.00	Pass
			1	268	1	99	20.353	20.011	23.1957	19.27	0.085	2.00	Pass

	LCH	16	1	1	1	0	19.942	19.804	22.8838	18.98	0.079	2.00	Pass
			135	67	18	0	20.312	19.901	23.1217	19.19	0.083	2.00	Pass
	MCH	QA	135	67	18	0	20.321	19.874	23.1135	19.18	0.083	2.00	Pass
			1	268	1	99	19.996	19.904	22.9605	19.06	0.081	2.00	Pass
	HCH	M	135	67	18	0	20.365	19.885	23.1419	19.20	0.083	2.00	Pass
			1	1	1	0	20.154	19.780	22.9813	19.05	0.080	2.00	Pass
	LCH	64	135	67	18	0	20.292	19.883	23.1026	19.17	0.083	2.00	Pass
			135	67	18	0	20.325	19.908	23.1318	19.20	0.083	2.00	Pass
	MCH	QA	135	67	18	0	20.325	19.908	23.1318	19.20	0.083	2.00	Pass
			1	268	1	99	20.246	19.980	23.1253	19.21	0.083	2.00	Pass
	HCH	M	135	67	18	0	20.360	19.925	23.1582	19.22	0.084	2.00	Pass
			1	1	1	0	18.637	19.800	22.2676	18.51	0.071	2.00	Pass
	LCH	256	135	67	18	0	18.926	19.900	22.4505	18.67	0.074	2.00	Pass
			135	67	18	0	18.878	19.899	22.4287	18.66	0.073	2.00	Pass
	MCH	QA	135	67	18	0	18.878	19.899	22.4287	18.66	0.073	2.00	Pass
			1	268	1	99	18.738	19.964	22.4044	18.65	0.073	2.00	Pass
	HCH	M	135	67	18	0	18.871	19.903	22.4279	18.66	0.073	2.00	Pass
			135	67	18	0	18.871	19.903	22.4279	18.66	0.073	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n38A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.960	19.887	23.4669	19.46	0.088	2.00	Pass
			12	6	8	0	20.905	19.998	23.4854	19.50	0.089	2.00	Pass
	MCH		12	6	8	0	20.912	19.962	23.4732	19.48	0.089	2.00	Pass
	HCH		1	22	1	24	20.947	19.954	23.4891	19.49	0.089	2.00	Pass
		QP SK	12	6	8	0	20.899	19.963	23.4665	19.47	0.089	2.00	Pass
	LCH		1	1	1	0	20.870	19.887	23.4166	19.42	0.087	2.00	Pass
			12	6	8	0	20.823	20.008	23.4449	19.47	0.088	2.00	Pass
	MCH		12	6	8	0	20.810	19.981	23.4256	19.45	0.088	2.00	Pass
	HCH		1	22	1	24	20.985	20.001	23.5311	19.53	0.090	2.00	Pass
		16 QA M	12	6	8	0	20.725	19.973	23.3756	19.40	0.087	2.00	Pass
	LCH		1	1	1	0	20.789	19.879	23.3681	19.38	0.087	2.00	Pass
			12	6	8	0	20.891	19.984	23.4714	19.48	0.089	2.00	Pass
	MCH		12	6	8	0	20.921	19.967	23.4804	19.49	0.089	2.00	Pass
	HCH		1	22	1	24	20.821	19.961	23.4226	19.44	0.088	2.00	Pass
		64 QA M	12	6	8	0	20.893	19.975	23.4685	19.48	0.089	2.00	Pass
	LCH		1	1	1	0	20.906	19.855	23.4225	19.42	0.087	2.00	Pass
			12	6	8	0	21.012	19.972	23.5334	19.53	0.090	2.00	Pass
	MCH		12	6	8	0	20.976	19.957	23.5066	19.50	0.089	2.00	Pass
	HCH		1	22	1	24	21.032	20.038	23.5737	19.57	0.091	2.00	Pass
		256 QA M	12	6	8	0	20.839	19.987	23.4442	19.46	0.088	2.00	Pass
	LCH		1	1	1	0	19.374	19.937	22.6749	18.85	0.077	2.00	Pass
			12	6	8	0	19.165	19.969	22.5959	18.80	0.076	2.00	Pass
	MCH		12	6	8	0	19.189	19.968	22.6062	18.81	0.076	2.00	Pass
	HCH		1	22	1	24	19.494	20.016	22.7731	18.95	0.078	2.00	Pass
		PI/2 BP SK	12	6	8	0	19.135	19.944	22.5686	18.77	0.075	2.00	Pass
	LCH		1	1	1	0	20.907	19.831	23.4125	19.40	0.087	2.00	Pass
			50	25	18	0	20.918	19.962	23.4766	19.48	0.089	2.00	Pass
	MCH		50	25	18	0	20.917	19.993	23.4898	19.50	0.089	2.00	Pass
20MHz(LTE) + 40MHz(NR)	HCH	QP SK	1	104	1	99	20.846	20.121	23.5089	19.54	0.090	2.00	Pass
			50	25	18	0	20.924	19.982	23.4888	19.50	0.089	2.00	Pass
	LCH		1	1	1	0	21.110	19.903	23.5586	19.53	0.090	2.00	Pass
			50	25	18	0	20.950	19.992	23.5077	19.51	0.089	2.00	Pass
	MCH	PI/2 BP SK	50	25	18	0	20.942	19.964	23.4908	19.49	0.089	2.00	Pass
	HCH		1	104	1	99	21.012	20.117	23.5978	19.61	0.091	2.00	Pass
			50	25	18	0	20.937	19.983	23.4964	19.50	0.089	2.00	Pass

	LCH	16	1	1	1	0	20.862	19.848	23.3948	19.39	0.087	2.00	Pass
			50	25	18	0	20.910	19.951	23.4672	19.47	0.089	2.00	Pass
	MCH	QA	50	25	18	0	20.968	19.999	23.5208	19.52	0.090	2.00	Pass
			1	104	1	99	20.814	20.052	23.46	19.49	0.089	2.00	Pass
	HCH	M	50	25	18	0	20.933	19.987	23.496	19.50	0.089	2.00	Pass
			1	1	1	0	20.954	19.844	23.4447	19.43	0.088	2.00	Pass
	LCH	64	50	25	18	0	20.960	19.989	23.5119	19.52	0.089	2.00	Pass
			50	25	18	0	20.960	19.992	23.5132	19.52	0.089	2.00	Pass
	MCH	QA	50	25	18	0	20.960	19.992	23.5132	19.52	0.089	2.00	Pass
			1	104	1	99	20.848	20.077	23.4899	19.52	0.089	2.00	Pass
	HCH	M	50	25	18	0	20.939	19.984	23.498	19.50	0.089	2.00	Pass
			1	1	1	0	19.464	19.848	22.6705	18.83	0.076	2.00	Pass
	LCH	256	50	25	18	0	19.573	19.964	22.7832	18.94	0.078	2.00	Pass
			50	25	18	0	19.555	19.990	22.7882	18.95	0.079	2.00	Pass
	MCH	QA	50	25	18	0	19.555	19.990	22.7882	18.95	0.079	2.00	Pass
			1	104	1	99	19.337	20.137	22.7657	18.97	0.079	2.00	Pass
	HCH	M	50	25	18	0	19.568	19.956	22.7766	18.93	0.078	2.00	Pass
			50	25	18	0	19.568	19.956	22.7766	18.93	0.078	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n41A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.982	19.955	23.5091	19.51	0.089	1.00	Pass
			12	6	8	0	20.855	20.044	23.4787	19.50	0.089	1.00	Pass
	MCH		12	6	8	0	20.774	20.014	23.4209	19.45	0.088	1.00	Pass
	HCH		1	22	1	24	20.945	19.961	23.4911	19.49	0.089	1.00	Pass
			12	6	8	0	20.826	20.027	23.4551	19.48	0.089	1.00	Pass
	LCH	QP SK	1	1	1	0	20.964	19.858	23.4564	19.44	0.088	1.00	Pass
			12	6	8	0	20.825	19.995	23.4401	19.46	0.088	1.00	Pass
	MCH		12	6	8	0	20.813	19.991	23.4317	19.45	0.088	1.00	Pass
	HCH		1	22	1	24	20.907	19.955	23.4673	19.47	0.089	1.00	Pass
			12	6	8	0	20.756	19.929	23.3725	19.39	0.087	1.00	Pass
	LCH	16 QA M	1	1	1	0	20.752	19.923	23.3676	19.39	0.087	1.00	Pass
			12	6	8	0	20.742	19.952	23.3752	19.40	0.087	1.00	Pass
	MCH		12	6	8	0	20.796	19.989	23.4215	19.44	0.088	1.00	Pass
	HCH		1	22	1	24	20.713	20.013	23.3874	19.42	0.088	1.00	Pass
			12	6	8	0	20.785	19.957	23.401	19.42	0.088	1.00	Pass
	LCH	64 QA M	1	1	1	0	21.067	19.946	23.5529	19.54	0.090	1.00	Pass
			12	6	8	0	20.904	19.996	23.484	19.49	0.089	1.00	Pass
	MCH		12	6	8	0	20.841	19.986	23.4448	19.46	0.088	1.00	Pass
	HCH		1	22	1	24	20.883	19.981	23.4657	19.48	0.089	1.00	Pass
			12	6	8	0	20.853	19.967	23.4429	19.46	0.088	1.00	Pass
	LCH	256 QA M	1	1	1	0	19.449	19.945	22.7144	18.88	0.077	1.00	Pass
			12	6	8	0	19.125	20.031	22.6119	18.83	0.076	1.00	Pass
	MCH		12	6	8	0	19.178	19.996	22.6165	18.82	0.076	1.00	Pass
	HCH		1	22	1	24	19.396	19.961	22.698	18.88	0.077	1.00	Pass
			12	6	8	0	19.090	19.985	22.5708	18.78	0.076	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.900	19.928	23.4514	19.45	0.088	1.00	Pass
			135	67	18	0	20.974	20.027	23.5366	19.54	0.090	1.00	Pass
	MCH		135	67	18	0	20.901	19.998	23.4832	19.49	0.089	1.00	Pass
	HCH		1	271	1	99	20.483	20.119	23.3151	19.39	0.087	1.00	Pass
			135	67	18	0	20.906	19.963	23.4703	19.48	0.089	1.00	Pass
	LCH	QP SK	1	1	1	0	21.040	19.882	23.5098	19.49	0.089	1.00	Pass
			135	67	18	0	20.970	20.024	23.533	19.54	0.090	1.00	Pass
	MCH		135	67	18	0	20.954	20.001	23.5139	19.52	0.090	1.00	Pass
	HCH		1	271	1	99	20.596	20.135	23.3819	19.44	0.088	1.00	Pass
			135	67	18	0	20.937	20.028	23.5165	19.53	0.090	1.00	Pass

	LCH	16	1	1	1	0	20.657	19.814	23.2662	19.28	0.085	1.00	Pass
			135	67	18	0	20.994	19.975	23.5246	19.52	0.090	1.00	Pass
	MCH	QA	135	67	18	0	21.000	19.980	23.5302	19.53	0.090	1.00	Pass
			1	271	1	99	20.304	20.161	23.2434	19.34	0.086	1.00	Pass
	HCH	M	135	67	18	0	20.981	19.990	23.524	19.53	0.090	1.00	Pass
			1	1	1	0	20.837	19.892	23.4005	19.41	0.087	1.00	Pass
	LCH	64	135	67	18	0	20.984	19.957	23.5111	19.51	0.089	1.00	Pass
			135	67	18	0	20.949	19.971	23.4978	19.50	0.089	1.00	Pass
	MCH	QA	135	67	18	0	20.949	19.971	23.4978	19.50	0.089	1.00	Pass
			1	271	1	99	20.563	20.174	23.3832	19.45	0.088	1.00	Pass
	HCH	M	135	67	18	0	20.971	19.965	23.5074	19.51	0.089	1.00	Pass
			1	1	1	0	19.508	19.905	22.7213	18.88	0.077	1.00	Pass
	LCH	256	135	67	18	0	19.560	19.993	22.7922	18.95	0.079	1.00	Pass
			135	67	18	0	19.614	19.997	22.82	18.98	0.079	1.00	Pass
	MCH	QA	135	67	18	0	19.614	19.997	22.82	18.98	0.079	1.00	Pass
			1	271	1	99	18.969	20.044	22.55	18.78	0.076	1.00	Pass
	HCH	M	135	67	18	0	19.584	19.987	22.8005	18.96	0.079	1.00	Pass
			135	67	18	0	19.584	19.987	22.8005	18.96	0.079	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.288	19.940	23.1278	20.94	0.124	1.00	Pass
			12	6	8	0	20.251	20.053	23.1634	20.95	0.124	1.00	Pass
	MCH	BP	12	6	8	0	20.318	20.113	23.227	21.01	0.126	1.00	Pass
			1	22	1	24	20.255	20.124	23.2003	20.98	0.125	1.00	Pass
	HCH	SK	12	6	8	0	20.278	20.043	23.1724	20.97	0.125	1.00	Pass
			1	1	1	0	20.382	19.970	23.1912	21.01	0.126	1.00	Pass
	LCH	QP	12	6	8	0	20.251	20.084	23.1786	20.96	0.125	1.00	Pass
			12	6	8	0	20.278	20.106	23.2032	20.99	0.125	1.00	Pass
	MCH	SK	1	22	1	24	20.365	20.137	23.2628	21.05	0.127	1.00	Pass
			12	6	8	0	20.308	20.068	23.2	20.99	0.126	1.00	Pass
	LCH	16	1	1	1	0	20.066	20.014	23.0504	20.81	0.121	1.00	Pass
			12	6	8	0	20.158	20.076	23.1275	20.90	0.123	1.00	Pass
	MCH	QA	12	6	8	0	20.137	20.065	23.1114	20.88	0.122	1.00	Pass
			1	22	1	24	20.030	20.109	23.08	20.82	0.121	1.00	Pass
	HCH	M	12	6	8	0	20.204	20.053	23.1395	20.92	0.124	1.00	Pass
			1	1	1	0	20.315	20.001	23.1711	20.98	0.125	1.00	Pass
	LCH	64	12	6	8	0	20.230	20.079	23.1655	20.94	0.124	1.00	Pass
			12	6	8	0	20.276	20.063	23.1811	20.97	0.125	1.00	Pass
	MCH	QA	1	22	1	24	20.200	20.093	23.1571	20.93	0.124	1.00	Pass
			12	6	8	0	20.303	20.029	23.1785	20.98	0.125	1.00	Pass
	HCH	M	1	1	1	0	18.636	19.957	22.3568	19.89	0.097	1.00	Pass
			12	6	8	0	18.318	20.111	22.3167	19.77	0.095	1.00	Pass
	LCH	256	12	6	8	0	18.484	20.070	22.3593	19.84	0.096	1.00	Pass
			1	22	1	24	18.731	20.081	22.4685	19.99	0.100	1.00	Pass
	MCH	QA	12	6	8	0	18.520	20.047	22.3606	19.86	0.097	1.00	Pass
			1	1	1	0	20.833	19.819	23.3658	21.28	0.134	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	20.570	19.979	23.2948	21.15	0.130	1.00	Pass
			135	67	18	0	20.521	19.965	23.2622	21.11	0.129	1.00	Pass
	MCH	BP	1	271	1	99	20.516	20.026	23.2882	21.12	0.130	1.00	Pass
			135	67	18	0	20.529	19.982	23.2744	21.12	0.129	1.00	Pass
	HCH	SK	1	1	1	0	20.634	19.854	23.2718	21.15	0.130	1.00	Pass
			135	67	18	0	20.475	19.979	23.2444	21.08	0.128	1.00	Pass
	LCH	QP	135	67	18	0	20.491	19.972	23.2495	21.09	0.128	1.00	Pass
			135	67	18	0	20.491	19.972	23.2495	21.09	0.128	1.00	Pass
	MCH	SK	1	271	1	99	20.461	20.021	23.2569	21.08	0.128	1.00	Pass
			1	271	1	99	20.461	20.021	23.2569	21.08	0.128	1.00	Pass

			135	67	18	0	20.381	19.969	23.1902	21.01	0.126	1.00	Pass
	LCH	16	1	1	1	0	20.577	19.856	23.2417	21.11	0.129	1.00	Pass
			135	67	18	0	20.466	19.980	23.2401	21.07	0.128	1.00	Pass
	MCH	QA	135	67	18	0	20.531	19.981	23.275	21.12	0.129	1.00	Pass
			1	271	1	99	20.283	20.012	23.1599	20.96	0.125	1.00	Pass
	HCH	M	135	67	18	0	20.515	19.878	23.2185	21.08	0.128	1.00	Pass
			1	1	1	0	20.906	19.851	23.4208	21.35	0.136	1.00	Pass
	LCH	64	135	67	18	0	20.510	19.988	23.2671	21.11	0.129	1.00	Pass
			135	67	18	0	20.540	19.987	23.2826	21.13	0.130	1.00	Pass
	MCH	QA	135	67	18	0	20.540	19.987	23.2826	21.13	0.130	1.00	Pass
			1	271	1	99	20.520	19.997	23.2767	21.12	0.129	1.00	Pass
	HCH	M	135	67	18	0	20.530	20.080	23.3211	21.15	0.130	1.00	Pass
			1	1	1	0	19.234	19.827	22.5509	20.21	0.105	1.00	Pass
	LCH	256	135	67	18	0	19.053	20.002	22.5637	20.16	0.104	1.00	Pass
			135	67	18	0	19.071	19.990	22.5651	20.16	0.104	1.00	Pass
	MCH	QA	135	67	18	0	19.071	19.990	22.5651	20.16	0.104	1.00	Pass
			1	271	1	99	18.920	19.994	22.5004	20.07	0.102	1.00	Pass
	HCH	M	135	67	18	0	19.078	19.968	22.5561	20.16	0.104	1.00	Pass
			135	67	18	0	19.078	19.968	22.5561	20.16	0.104	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.402	20.009	23.2202	21.04	0.127	1.00	Pass
			12	6	8	0	20.451	20.119	23.2985	21.11	0.129	1.00	Pass
	MCH		12	6	8	0	20.468	20.118	23.3068	21.12	0.129	1.00	Pass
	HCH		1	22	1	24	20.412	20.144	23.2904	21.09	0.128	1.00	Pass
			12	6	8	0	20.483	20.107	23.3094	21.13	0.130	1.00	Pass
	LCH	QP SK	1	1	1	0	20.513	19.961	23.2561	21.10	0.129	1.00	Pass
			12	6	8	0	20.473	20.116	23.3085	21.12	0.129	1.00	Pass
	MCH		12	6	8	0	20.342	20.107	23.2364	21.03	0.127	1.00	Pass
	HCH		1	22	1	24	20.453	20.105	23.2928	21.10	0.129	1.00	Pass
			12	6	8	0	20.350	20.103	23.2386	21.03	0.127	1.00	Pass
	LCH	16 QA M	1	1	1	0	20.271	19.993	23.1445	20.94	0.124	1.00	Pass
			12	6	8	0	20.410	20.137	23.2859	21.09	0.128	1.00	Pass
	MCH		12	6	8	0	20.428	20.126	23.2899	21.09	0.129	1.00	Pass
	HCH		1	22	1	24	20.342	20.149	23.2569	21.04	0.127	1.00	Pass
			12	6	8	0	20.384	20.099	23.2541	21.06	0.128	1.00	Pass
	LCH	64 QA M	1	1	1	0	20.477	20.010	23.2601	21.09	0.129	1.00	Pass
			12	6	8	0	20.433	20.110	23.2848	21.09	0.129	1.00	Pass
	MCH		12	6	8	0	20.451	20.108	23.2932	21.10	0.129	1.00	Pass
	HCH		1	22	1	24	20.685	20.136	23.4295	21.27	0.134	1.00	Pass
			12	6	8	0	20.441	20.114	23.2909	21.10	0.129	1.00	Pass
	LCH	256 QA M	1	1	1	0	18.877	19.990	22.4794	20.05	0.101	1.00	Pass
			12	6	8	0	18.688	20.090	22.4556	19.97	0.099	1.00	Pass
	MCH		12	6	8	0	18.699	20.102	22.4672	19.98	0.100	1.00	Pass
	HCH		1	22	1	24	18.772	20.144	22.5223	20.04	0.101	1.00	Pass
			12	6	8	0	18.687	20.106	22.4645	19.98	0.100	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	20.287	19.841	23.08	20.91	0.123	1.00	Pass
			135	67	18	0	20.532	19.962	23.2666	21.11	0.129	1.00	Pass
	MCH		135	67	18	0	20.513	20.020	23.2838	21.12	0.129	1.00	Pass
	HCH		1	271	1	99	20.621	20.107	23.3819	21.22	0.132	1.00	Pass
			135	67	18	0	20.553	20.000	23.2956	21.14	0.130	1.00	Pass
	LCH	QP SK	1	1	1	0	20.264	19.874	23.0837	20.90	0.123	1.00	Pass
			135	67	18	0	20.558	19.973	23.2856	21.14	0.130	1.00	Pass
	MCH		135	67	18	0	20.539	20.003	23.2896	21.13	0.130	1.00	Pass
	HCH		1	271	1	99	20.623	20.058	23.36	21.21	0.132	1.00	Pass
			135	67	18	0	20.536	20.022	23.2969	21.14	0.130	1.00	Pass

	LCH	16	1	1	1	0	20.062	19.885	22.9847	20.77	0.119	1.00	Pass
			135	67	18	0	20.535	19.997	23.2846	21.13	0.130	1.00	Pass
	MCH	QA	135	67	18	0	20.550	19.986	23.2874	21.13	0.130	1.00	Pass
			1	271	1	99	20.413	20.038	23.2398	21.06	0.128	1.00	Pass
	HCH	M	135	67	18	0	20.567	19.992	23.2993	21.15	0.130	1.00	Pass
			1	1	1	0	20.330	19.851	23.1074	20.94	0.124	1.00	Pass
	LCH	64	135	67	18	0	20.561	19.980	23.2905	21.14	0.130	1.00	Pass
			135	67	18	0	20.539	19.974	23.276	21.12	0.130	1.00	Pass
	MCH	QA	135	67	18	0	20.539	19.974	23.276	21.12	0.130	1.00	Pass
			1	271	1	99	20.689	19.997	23.3671	21.23	0.133	1.00	Pass
	HCH	M	135	67	18	0	20.527	20.104	23.3309	21.15	0.130	1.00	Pass
			1	1	1	0	18.681	19.825	22.3009	19.86	0.097	1.00	Pass
	LCH	256	135	67	18	0	19.078	20.000	22.5737	20.17	0.104	1.00	Pass
			135	67	18	0	19.087	19.993	22.5739	20.18	0.104	1.00	Pass
	MCH	QA	135	67	18	0	19.087	19.993	22.5739	20.18	0.104	1.00	Pass
			1	271	1	99	19.032	20.063	22.5883	20.17	0.104	1.00	Pass
	HCH	M	135	67	18	0	19.030	20.022	22.5646	20.15	0.104	1.00	Pass
			135	67	18	0	19.030	20.022	22.5646	20.15	0.104	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	20.257	19.970	23.1262	21.63	0.146	1.00	Pass
			12	6	8	0	20.295	20.043	23.1811	21.68	0.147	1.00	Pass
	MCH	BP	12	6	8	0	20.256	20.093	23.1856	21.67	0.147	1.00	Pass
			1	22	1	24	20.231	20.103	23.1778	21.65	0.146	1.00	Pass
	HCH	SK	12	6	8	0	20.343	20.081	23.2243	21.73	0.149	1.00	Pass
			1	1	1	0	20.303	20.122	23.2237	21.71	0.148	1.00	Pass
	LCH	QP	12	6	8	0	20.189	20.110	23.16	21.62	0.145	1.00	Pass
			12	6	8	0	20.219	20.081	23.1608	21.64	0.146	1.00	Pass
	MCH	SK	1	22	1	24	20.343	20.116	23.2413	21.73	0.149	1.00	Pass
			12	6	8	0	20.228	20.088	23.1689	21.64	0.146	1.00	Pass
	HCH	16	1	1	1	0	19.977	19.930	22.9639	21.42	0.139	1.00	Pass
			12	6	8	0	20.223	20.121	23.1826	21.65	0.146	1.00	Pass
	LCH	QA	12	6	8	0	20.183	20.123	23.1634	21.62	0.145	1.00	Pass
			1	22	1	24	20.084	20.114	23.1093	21.55	0.143	1.00	Pass
	MCH	M	12	6	8	0	20.164	20.082	23.1335	21.60	0.144	1.00	Pass
			1	1	1	0	20.497	19.978	23.2555	21.81	0.152	1.00	Pass
	LCH	64	12	6	8	0	20.294	20.090	23.2035	21.69	0.148	1.00	Pass
			12	6	8	0	20.272	20.056	23.1756	21.67	0.147	1.00	Pass
	MCH	QA	1	22	1	24	20.245	20.085	23.176	21.66	0.146	1.00	Pass
			12	6	8	0	20.242	20.091	23.1775	21.65	0.146	1.00	Pass
	HCH	M	1	1	1	0	18.681	19.981	22.3898	20.55	0.113	1.00	Pass
			12	6	8	0	18.444	20.086	22.3524	20.43	0.110	1.00	Pass
	LCH	256	12	6	8	0	18.447	20.057	22.3365	20.42	0.110	1.00	Pass
			1	22	1	24	18.623	20.100	22.4343	20.55	0.114	1.00	Pass
	MCH	QA	12	6	8	0	18.434	20.072	22.3401	20.42	0.110	1.00	Pass
			1	1	1	0	20.878	19.804	23.3844	22.05	0.160	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	20.475	19.942	23.227	21.79	0.151	1.00	Pass
			1	271	1	99	20.482	20.047	23.2802	21.82	0.152	1.00	Pass
	MCH	BP	135	67	18	0	20.434	19.993	23.2294	21.77	0.150	1.00	Pass
			1	271	1	99	20.425	19.981	23.219	21.76	0.150	1.00	Pass
	HCH	SK	1	1	1	0	20.640	19.829	23.2637	21.88	0.154	1.00	Pass
			135	67	18	0	20.396	19.953	23.1904	21.73	0.149	1.00	Pass
	LCH	QP	135	67	18	0	20.419	19.982	23.2163	21.75	0.150	1.00	Pass
			1	271	1	99	20.495	20.004	23.2667	21.82	0.152	1.00	Pass
	MCH	SK	135	67	18	0	20.390	19.981	23.2006	21.73	0.149	1.00	Pass
			1	271	1	99	20.495	20.004	23.2667	21.82	0.152	1.00	Pass
	HCH	16	1	1	1	0	19.977	19.930	22.9639	21.42	0.139	1.00	Pass
			12	6	8	0	20.223	20.121	23.1826	21.65	0.146	1.00	Pass

	LCH	16	1	1	1	0	20.639	19.856	23.2754	21.89	0.154	1.00	Pass
			135	67	18	0	20.125	19.962	23.0546	21.53	0.142	1.00	Pass
	MCH	QA	135	67	18	0	20.407	19.961	23.2	21.74	0.149	1.00	Pass
	HCH		1	271	1	99	20.287	20.046	23.1785	21.68	0.147	1.00	Pass
		M	135	67	18	0	20.447	19.966	23.2235	21.77	0.150	1.00	Pass
			1	1	1	0	21.078	19.814	23.5021	22.21	0.166	1.00	Pass
	LCH	64	135	67	18	0	20.410	19.981	23.2111	21.75	0.150	1.00	Pass
			135	67	18	0	20.401	19.946	23.1898	21.73	0.149	1.00	Pass
	MCH	QA	135	67	18	0	20.401	19.946	23.1898	21.73	0.149	1.00	Pass
	HCH		1	271	1	99	20.526	19.995	23.2789	21.84	0.153	1.00	Pass
		M	135	67	18	0	20.470	19.988	23.246	21.79	0.151	1.00	Pass
			1	1	1	0	19.243	19.808	22.545	20.87	0.122	1.00	Pass
	LCH	256	135	67	18	0	18.942	19.977	22.5006	20.72	0.118	1.00	Pass
			135	67	18	0	18.978	19.988	22.5226	20.75	0.119	1.00	Pass
	MCH	QA	135	67	18	0	18.978	19.988	22.5226	20.75	0.119	1.00	Pass
	HCH		1	271	1	99	19.037	20.036	22.5755	20.80	0.120	1.00	Pass
		M	135	67	18	0	18.962	19.985	22.5139	20.73	0.118	1.00	Pass
			135	67	18	0	18.962	19.985	22.5139	20.73	0.118	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	19.943	20.000	22.9819	21.41	0.139	1.00	Pass
			12	6	8	0	20.030	20.110	23.0805	21.51	0.142	1.00	Pass
	MCH		12	6	8	0	20.030	20.111	23.081	21.51	0.142	1.00	Pass
	HCH		1	22	1	24	19.967	20.128	23.0585	21.47	0.140	1.00	Pass
		QP SK	12	6	8	0	20.014	20.100	23.0675	21.49	0.141	1.00	Pass
	LCH		1	1	1	0	20.067	20.009	23.0484	21.51	0.141	1.00	Pass
			12	6	8	0	19.930	20.129	23.0409	21.44	0.139	1.00	Pass
	MCH		12	6	8	0	19.844	20.158	23.0141	21.39	0.138	1.00	Pass
	HCH		1	22	1	24	19.999	20.083	23.0515	21.48	0.141	1.00	Pass
		16 QA M	12	6	8	0	19.946	20.138	23.0534	21.46	0.140	1.00	Pass
	LCH		1	1	1	0	19.750	20.015	22.8948	21.28	0.134	1.00	Pass
			12	6	8	0	19.967	20.061	23.0246	21.45	0.140	1.00	Pass
	MCH		12	6	8	0	19.935	20.128	23.0429	21.45	0.140	1.00	Pass
	HCH		1	22	1	24	19.839	20.140	23.0024	21.38	0.137	1.00	Pass
		64 QA M	12	6	8	0	19.990	20.110	23.0607	21.48	0.141	1.00	Pass
	LCH		1	1	1	0	20.232	19.961	23.1089	21.61	0.145	1.00	Pass
			12	6	8	0	19.994	20.149	23.0825	21.49	0.141	1.00	Pass
	MCH		12	6	8	0	20.063	20.105	23.0944	21.53	0.142	1.00	Pass
	HCH		1	22	1	24	20.224	20.134	23.1895	21.65	0.146	1.00	Pass
		256 QA M	12	6	8	0	19.955	20.126	23.0516	21.46	0.140	1.00	Pass
	LCH		1	1	1	0	18.414	19.973	22.2734	20.37	0.109	1.00	Pass
			12	6	8	0	18.241	20.100	22.2795	20.31	0.107	1.00	Pass
	MCH		12	6	8	0	18.114	20.084	22.2201	20.23	0.105	1.00	Pass
	HCH		1	22	1	24	18.316	20.176	22.3551	20.39	0.109	1.00	Pass
			12	6	8	0	18.152	20.134	22.2654	20.27	0.106	1.00	Pass
	LCH		1	1	1	0	19.873	19.875	22.8843	21.33	0.136	1.00	Pass
			135	67	18	0	20.218	19.988	23.1148	21.61	0.145	1.00	Pass
	MCH		135	67	18	0	20.187	20.006	23.1077	21.59	0.144	1.00	Pass
	HCH		1	271	1	99	20.326	20.040	23.1957	21.70	0.148	1.00	Pass
20MHz(LTE) + 100MHz(NR)		PI/2 BP SK	135	67	18	0	20.182	20.009	23.1067	21.59	0.144	1.00	Pass
	LCH		1	1	1	0	19.884	19.842	22.8734	21.33	0.136	1.00	Pass
			135	67	18	0	20.212	19.963	23.0996	21.60	0.144	1.00	Pass
	MCH		135	67	18	0	20.195	19.998	23.1079	21.60	0.144	1.00	Pass
	HCH	QP SK	1	271	1	99	20.417	20.029	23.2376	21.77	0.150	1.00	Pass
			135	67	18	0	20.226	20.018	23.1335	21.62	0.145	1.00	Pass
	LCH		1	1	1	0	19.884	19.842	22.8734	21.33	0.136	1.00	Pass
	MCH		135	67	18	0	20.212	19.963	23.0996	21.60	0.144	1.00	Pass

	LCH	16	1	1	1	0	19.655	19.832	22.7547	21.16	0.131	1.00	Pass
			135	67	18	0	20.249	20.001	23.1371	21.64	0.146	1.00	Pass
	MCH	QA	135	67	18	0	20.221	19.978	23.1115	21.61	0.145	1.00	Pass
			1	271	1	99	20.211	20.062	23.1474	21.62	0.145	1.00	Pass
	HCH	M	135	67	18	0	20.208	20.006	23.1185	21.61	0.145	1.00	Pass
			1	1	1	0	19.946	19.887	22.9269	21.38	0.138	1.00	Pass
	LCH	64	135	67	18	0	20.233	19.985	23.1211	21.62	0.145	1.00	Pass
			135	67	18	0	20.080	19.979	23.0401	21.51	0.141	1.00	Pass
	MCH	QA	135	67	18	0	20.477	20.048	23.2781	21.81	0.152	1.00	Pass
			1	271	1	99	20.225	20.066	23.1565	21.64	0.146	1.00	Pass
	HCH	M	1	1	1	0	18.373	19.872	22.1972	20.31	0.107	1.00	Pass
			135	67	18	0	18.816	20.020	22.4699	20.65	0.116	1.00	Pass
	LCH	256	135	67	18	0	18.736	20.021	22.4362	20.60	0.115	1.00	Pass
			1	271	1	99	18.882	20.050	22.5154	20.70	0.118	1.00	Pass
	MCH	QA	135	67	18	0	18.601	20.020	22.3785	20.51	0.112	1.00	Pass
			1	271	1	99							