


Occupied Bandwidth


1.19. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




1.20. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




1.21. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)




1.22. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




1.23. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




1.24. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:79, RB Position:0)




1.25. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




1.26. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




1.27. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:79, RB Position:0)




1.28. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




1.29. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




1.30. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:79, RB Position:0)




1.31. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.32. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.33. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:100, RB Position:0)




1.34. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




1.35. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




1.36. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)




1.37. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




1.38. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




1.39. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:106, RB Position:0)




1.40. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




1.41. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




1.42. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:106, RB Position:0)




1.43. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




1.44. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




1.45. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:106, RB Position:0)




2. n7


2.1. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:500500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




2.2. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:507000, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)




2.3. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:513500, Bandwidth:5, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:25, RB Position:0)



2.4. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.5. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.6. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)




2.7. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)



2.8. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




2.9. Occupied Bandwidth for SA support PI2 BPSK_Part22_24_27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:25, RB Position:0)




2.10. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




2.11. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




2.12. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:25, RB Position:0)




2.13. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




2.14. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




2.15. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:25, RB Position:0)




2.46. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)




2.47. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)




2.48. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:511500, Bandwidth:25, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:128, RB Position:0)




2.49. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.50. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.51. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)




2.52. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.53. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.54. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:133, RB Position:0)




2.55. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.56. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.57. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:133, RB Position:0)




2.58. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.59. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.60. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:256QAM, RB Number:133, RB Position:0)




2.61. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:505000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




2.62. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




2.63. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:509000, Bandwidth:50, SCS:15, OFDM:DFT-s-OFDM, Modulation:Pi/2-BPSK, RB Number:270, RB Position:0)




2.64. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




2.65. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




2.66. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)




2.67. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




2.68. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




2.69. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:16QAM, RB Number:270, RB Position:0)




2.70. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)



2.71. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)



2.72. Occupied Bandwidth for SA support PI2

BPSK_Part22_24_27(Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:64QAM, RB Number:270, RB Position:0)

