

Spurious Emission at Antenna Terminals


5.23. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:23, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:1|1, RB Position:Low|High)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-67.4	-25	42.4	Pass	401
0.15	30	0.01	RMS	0.15	-68.47	-25	43.47	Pass	2986
30	1000	0.1	RMS	914.643	-61.3	-25	36.3	Pass	9701
1000	2475	1	RMS	2474	-48.62	-25	23.62	Pass	1476
2475	2735	1	RMS	2688.85	10.54	60	49.46	Pass	401
2735	3000	1	RMS	2899.963	-46.19	-25	21.19	Pass	401
3000	12000	1	RMS	11960	-53.87	-25	28.87	Pass	9002
12000	26500	1	RMS	25499	-43.87	-25	18.87	Pass	14502



5.24. LTE-A Spurious Emission at Antenna Terminals_Part22-24-27(Subtest:24, Channel:41292|41490, Bandwidth:20|20, Modulation:16QAM, RB Number:Full|Full, RB Position:Low|Low)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-67.62	-25	42.62	Pass	401
0.15	30	0.01	RMS	0.15	-68.12	-25	43.12	Pass	2986
30	1000	0.1	RMS	992.195	-61.4	-25	36.4	Pass	9701
1000	2475	1	RMS	2459	-48.04	-25	23.04	Pass	1476
2475	2735	1	RMS	2686.9	5.28	60	54.72	Pass	401
2735	3000	1	RMS	2735.663	-45.86	-25	20.86	Pass	401
3000	12000	1	RMS	11951	-53.86	-25	28.86	Pass	9002
12000	26500	1	RMS	25501	-43.72	-25	18.72	Pass	14502



1. n5


1.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.09	-13	60.09	Pass	401
0.15	30	0.01	RMS	0.23	-72.06	-13	59.06	Pass	2986
30	814	0.1	RMS	413.6	-63.28	-13	50.28	Pass	7841
814	859	0.1	RMS	824.9	3.9	60	56.1	Pass	451
859	1000	0.1	RMS	885.8	-65.4	-13	52.4	Pass	1411
1000	3000	1	RMS	2939	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8745	-66.06	-13	53.06	Pass	7001




1.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.5	-13	59.5	Pass	401
0.15	30	0.01	RMS	0.17	-72.43	-13	59.43	Pass	2986
30	814	0.1	RMS	412.2	-44.98	-13	31.98	Pass	7841
814	859	0.1	RMS	824.3	17.02	60	42.98	Pass	451
859	1000	0.1	RMS	926.5	-65.62	-13	52.62	Pass	1411
1000	3000	1	RMS	2931	-50	-13	37	Pass	2001
3000	10000	1	RMS	8743	-65.99	-13	52.99	Pass	7001




1.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:165300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.77	-13	59.77	Pass	401
0.15	30	0.01	RMS	0.19	-72.95	-13	59.95	Pass	2986
30	814	0.1	RMS	414.3	-41.41	-13	28.41	Pass	7841
814	859	0.1	RMS	828.6	16.44	60	43.56	Pass	451
859	1000	0.1	RMS	969.6	-65.62	-13	52.62	Pass	1411
1000	3000	1	RMS	2940	-50.01	-13	37.01	Pass	2001
3000	10000	1	RMS	8746	-66.02	-13	53.02	Pass	7001




1.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.18	-72.83	-13	59.83	Pass	2986
30	814	0.1	RMS	417.7	-61.94	-13	48.94	Pass	7841
814	859	0.1	RMS	835.1	4.09	60	55.91	Pass	451
859	1000	0.1	RMS	982.3	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2935	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8736	-66.08	-13	53.08	Pass	7001




1.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.16	-71.45	-13	58.45	Pass	2986
30	814	0.1	RMS	417.2	-40.71	-13	27.71	Pass	7841
814	859	0.1	RMS	834.3	17.02	60	42.98	Pass	451
859	1000	0.1	RMS	972.9	-65.55	-13	52.55	Pass	1411
1000	3000	1	RMS	2940	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	8747	-66.06	-13	53.06	Pass	7001




1.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.11	-13	60.11	Pass	401
0.15	30	0.01	RMS	0.15	-72.38	-13	59.38	Pass	2986
30	814	0.1	RMS	419.3	-42.82	-13	29.82	Pass	7841
814	859	0.1	RMS	838.6	16.67	60	43.33	Pass	451
859	1000	0.1	RMS	886.7	-65.54	-13	52.54	Pass	1411
1000	3000	1	RMS	2935	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8740	-66.06	-13	53.06	Pass	7001




1.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.6	-13	59.6	Pass	401
0.15	30	0.01	RMS	0.15	-71.71	-13	58.71	Pass	2986
30	814	0.1	RMS	423.3	-65.09	-13	52.09	Pass	7841
814	859	0.1	RMS	844.8	4.23	60	55.77	Pass	451
859	1000	0.1	RMS	859	-62.39	-13	49.39	Pass	1411
1000	3000	1	RMS	2930	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8749	-65.99	-13	52.99	Pass	7001




1.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.13	-13	59.13	Pass	401
0.15	30	0.01	RMS	0.15	-72.23	-13	59.23	Pass	2986
30	814	0.1	RMS	422.2	-44.26	-13	31.26	Pass	7841
814	859	0.1	RMS	844.3	17.08	60	42.92	Pass	451
859	1000	0.1	RMS	915.9	-65.54	-13	52.54	Pass	1411
1000	3000	1	RMS	2933	-49.98	-13	36.98	Pass	2001
3000	10000	1	RMS	8745	-66.04	-13	53.04	Pass	7001




1.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:169300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.41	-13	59.41	Pass	401
0.15	30	0.01	RMS	0.15	-72.46	-13	59.46	Pass	2986
30	814	0.1	RMS	424.3	-42.33	-13	29.33	Pass	7841
814	859	0.1	RMS	848.6	16.6	60	43.4	Pass	451
859	1000	0.1	RMS	974	-65.5	-13	52.5	Pass	1411
1000	3000	1	RMS	2938	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8742	-66	-13	53	Pass	7001




1.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-73.14	-13	60.14	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-13	58.43	Pass	2986
30	814	0.1	RMS	814	-61.23	-13	48.23	Pass	7841
814	859	0.1	RMS	826.7	-0.86	60	60.86	Pass	451
859	1000	0.1	RMS	859	-59.5	-13	46.5	Pass	1411
1000	3000	1	RMS	2935	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8743	-66	-13	53	Pass	7001




1.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-13	59.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.57	-13	58.57	Pass	2986
30	814	0.1	RMS	412.2	-45.53	-13	32.53	Pass	7841
814	859	0.1	RMS	824.5	17.16	60	42.84	Pass	451
859	1000	0.1	RMS	892.1	-65.6	-13	52.6	Pass	1411
1000	3000	1	RMS	2937	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8744	-66.03	-13	53.03	Pass	7001




1.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.16	-72.12	-13	59.12	Pass	2986
30	814	0.1	RMS	419.2	-42.62	-13	29.62	Pass	7841
814	859	0.1	RMS	838.5	17.48	60	42.52	Pass	451
859	1000	0.1	RMS	877.9	-65.53	-13	52.53	Pass	1411
1000	3000	1	RMS	2939	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8746	-65.99	-13	52.99	Pass	7001




1.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-73.06	-13	60.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.44	-13	59.44	Pass	2986
30	814	0.1	RMS	814	-64.44	-13	51.44	Pass	7841
814	859	0.1	RMS	830	-0.89	60	60.89	Pass	451
859	1000	0.1	RMS	859.1	-55.16	-13	42.16	Pass	1411
1000	3000	1	RMS	2930	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8742	-66.04	-13	53.04	Pass	7001




1.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.12	-13	59.12	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	414.7	-41.04	-13	28.04	Pass	7841
814	859	0.1	RMS	829.5	17.12	60	42.88	Pass	451
859	1000	0.1	RMS	974.5	-65.57	-13	52.57	Pass	1411
1000	3000	1	RMS	2939	-49.91	-13	36.91	Pass	2001
3000	10000	1	RMS	8746	-66	-13	53	Pass	7001




1.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.76	-13	59.76	Pass	401
0.15	30	0.01	RMS	0.16	-71.65	-13	58.65	Pass	2986
30	814	0.1	RMS	421.8	-45.21	-13	32.21	Pass	7841
814	859	0.1	RMS	843.5	17.32	60	42.68	Pass	451
859	1000	0.1	RMS	859	-65.42	-13	52.42	Pass	1411
1000	3000	1	RMS	2939	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8739	-66.03	-13	53.03	Pass	7001




1.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:79, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.46	-13	59.46	Pass	401
0.15	30	0.01	RMS	0.2	-72.66	-13	59.66	Pass	2986
30	814	0.1	RMS	814	-65.17	-13	52.17	Pass	7841
814	859	0.1	RMS	841.1	-0.86	60	60.86	Pass	451
859	1000	0.1	RMS	859	-50.08	-13	37.08	Pass	1411
1000	3000	1	RMS	2936	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8741	-65.98	-13	52.98	Pass	7001




1.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-71.78	-13	58.78	Pass	401
0.15	30	0.01	RMS	0.15	-71.03	-13	58.03	Pass	2986
30	814	0.1	RMS	417.2	-40.87	-13	27.87	Pass	7841
814	859	0.1	RMS	834.5	17.17	60	42.83	Pass	451
859	1000	0.1	RMS	859.2	-65.22	-13	52.22	Pass	1411
1000	3000	1	RMS	2939	-49.95	-13	36.95	Pass	2001
3000	10000	1	RMS	8749	-66.02	-13	53.02	Pass	7001




1.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:168300, Bandwidth:15, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:78)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-72.43	-13	59.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.45	-13	59.45	Pass	2986
30	814	0.1	RMS	424.2	-42.42	-13	29.42	Pass	7841
814	859	0.1	RMS	848.5	17.35	60	42.65	Pass	451
859	1000	0.1	RMS	859.2	-65.02	-13	52.02	Pass	1411
1000	3000	1	RMS	2932	-49.94	-13	36.94	Pass	2001
3000	10000	1	RMS	8746	-65.99	-13	52.99	Pass	7001




1.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.28	-13	59.28	Pass	401
0.15	30	0.01	RMS	0.22	-72.68	-13	59.68	Pass	2986
30	814	0.1	RMS	814	-59.93	-13	46.93	Pass	7841
814	859	0.1	RMS	835.9	-2.24	60	62.24	Pass	451
859	1000	0.1	RMS	859	-52.41	-13	39.41	Pass	1411
1000	3000	1	RMS	2937	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	8746	-66.02	-13	53.02	Pass	7001




1.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.16	-13	59.16	Pass	401
0.15	30	0.01	RMS	0.18	-71.72	-13	58.72	Pass	2986
30	814	0.1	RMS	412.3	-45.67	-13	32.67	Pass	7841
814	859	0.1	RMS	824.5	17.01	60	42.99	Pass	451
859	1000	0.1	RMS	859	-65.21	-13	52.21	Pass	1411
1000	3000	1	RMS	2940	-49.97	-13	36.97	Pass	2001
3000	10000	1	RMS	8745	-66	-13	53	Pass	7001




1.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:166800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.11	-13	59.11	Pass	401
0.15	30	0.01	RMS	0.15	-71.81	-13	58.81	Pass	2986
30	814	0.1	RMS	421.7	-44.54	-13	31.54	Pass	7841
814	859	0.1	RMS	843.4	16.84	60	43.16	Pass	451
859	1000	0.1	RMS	859.3	-65.24	-13	52.24	Pass	1411
1000	3000	1	RMS	2933	-49.96	-13	36.96	Pass	2001
3000	10000	1	RMS	8752	-66.01	-13	53.01	Pass	7001




1.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-71.63	-13	58.63	Pass	401
0.15	30	0.01	RMS	0.17	-71.92	-13	58.92	Pass	2986
30	814	0.1	RMS	814	-61.81	-13	48.81	Pass	7841
814	859	0.1	RMS	835.7	-2.1	60	62.1	Pass	451
859	1000	0.1	RMS	859	-50.95	-13	37.95	Pass	1411
1000	3000	1	RMS	2936	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8744	-65.93	-13	52.93	Pass	7001




1.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.2	-13	60.2	Pass	401
0.15	30	0.01	RMS	0.15	-71.88	-13	58.88	Pass	2986
30	814	0.1	RMS	413.5	-42.71	-13	29.71	Pass	7841
814	859	0.1	RMS	827	16.87	60	43.13	Pass	451
859	1000	0.1	RMS	859.1	-65.02	-13	52.02	Pass	1411
1000	3000	1	RMS	2938	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	8742	-65.93	-13	52.93	Pass	7001




1.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167300, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.65	-13	59.65	Pass	401
0.15	30	0.01	RMS	0.15	-71.69	-13	58.69	Pass	2986
30	814	0.1	RMS	423	-43.58	-13	30.58	Pass	7841
814	859	0.1	RMS	845.9	17.02	60	42.98	Pass	451
859	1000	0.1	RMS	859	-65.08	-13	52.08	Pass	1411
1000	3000	1	RMS	2932	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	8746	-65.99	-13	52.99	Pass	7001




1.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.62	-13	59.62	Pass	401
0.15	30	0.01	RMS	0.15	-71.54	-13	58.54	Pass	2986
30	814	0.1	RMS	814	-63.36	-13	50.36	Pass	7841
814	859	0.1	RMS	842	-2.11	60	62.11	Pass	451
859	1000	0.1	RMS	859	-49.01	-13	36.01	Pass	1411
1000	3000	1	RMS	2942	-49.93	-13	36.93	Pass	2001
3000	10000	1	RMS	8736	-66.02	-13	53.02	Pass	7001




1.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.82	-13	59.82	Pass	401
0.15	30	0.01	RMS	0.18	-72.27	-13	59.27	Pass	2986
30	814	0.1	RMS	414.8	-41.1	-13	28.1	Pass	7841
814	859	0.1	RMS	849.7	-65.75	60	125.75	Pass	451




1.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:167800, Bandwidth:20, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)



2. n7


2.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-71.66	-25	46.66	Pass	401
0.15	30	0.01	RMS	0.17	-72.13	-25	47.13	Pass	2986
30	1000	0.1	RMS	924.85	-65.49	-25	40.49	Pass	9701
1000	2495	1	RMS	2495	-38.79	-25	13.79	Pass	1496
2495	2575	1	RMS	2501.2	13.53	60	46.47	Pass	401
2575	3000	1	RMS	2942	-49.94	-25	24.94	Pass	426
3000	7000	1	RMS	6974	-66.53	-25	41.53	Pass	4001
7000	26000	1	RMS	25501	-50.76	-25	25.76	Pass	19003




2.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.28	-25	47.28	Pass	401
0.15	30	0.01	RMS	0.15	-72.29	-25	47.29	Pass	2986
30	1000	0.1	RMS	873.916	-65.43	-25	40.43	Pass	9701
1000	2495	1	RMS	2495	-47.7	-25	22.7	Pass	1496
2495	2575	1	RMS	2500.2	19.61	60	40.39	Pass	401
2575	3000	1	RMS	2931	-49.94	-25	24.94	Pass	426
3000	7000	1	RMS	6979	-66.51	-25	41.51	Pass	4001
7000	26000	1	RMS	25513	-50.86	-25	25.86	Pass	19003




2.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:500500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.93	-25	47.93	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	47.4	Pass	2986
30	1000	0.1	RMS	860.307	-65.39	-25	40.39	Pass	9701
1000	2495	1	RMS	2495	-46.52	-25	21.52	Pass	1496
2495	2575	1	RMS	2504.6	19.53	60	40.47	Pass	401
2575	3000	1	RMS	2941	-49.93	-25	24.93	Pass	426
3000	7000	1	RMS	6974	-66.57	-25	41.57	Pass	4001
7000	26000	1	RMS	25484	-50.87	-25	25.87	Pass	19003




2.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-25	47.59	Pass	401
0.15	30	0.01	RMS	0.18	-72.5	-25	47.5	Pass	2986
30	1000	0.1	RMS	845.8	-65.42	-25	40.42	Pass	9701
1000	2495	1	RMS	2494	-52.34	-25	27.34	Pass	1496
2495	2575	1	RMS	2533.6	13.56	60	46.44	Pass	401
2575	3000	1	RMS	2931	-49.93	-25	24.93	Pass	426
3000	7000	1	RMS	6975	-66.51	-25	41.51	Pass	4001
7000	26000	1	RMS	25505	-50.82	-25	25.82	Pass	19003




2.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.29	-25	47.29	Pass	401
0.15	30	0.01	RMS	0.17	-71.61	-25	46.61	Pass	2986
30	1000	0.1	RMS	861.408	-65.48	-25	40.48	Pass	9701
1000	2495	1	RMS	2493	-52.3	-25	27.3	Pass	1496
2495	2575	1	RMS	2532.8	19.59	60	40.41	Pass	401
2575	3000	1	RMS	2941	-49.93	-25	24.93	Pass	426
3000	7000	1	RMS	6976	-66.53	-25	41.53	Pass	4001
7000	26000	1	RMS	25498	-50.86	-25	25.86	Pass	19003




2.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-71.68	-25	46.68	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-25	47.2	Pass	2986
30	1000	0.1	RMS	900.234	-65.49	-25	40.49	Pass	9701
1000	2495	1	RMS	2490	-52.35	-25	27.35	Pass	1496
2495	2575	1	RMS	2537	19.63	60	40.37	Pass	401
2575	3000	1	RMS	2942	-49.96	-25	24.96	Pass	426
3000	7000	1	RMS	6978	-66.56	-25	41.56	Pass	4001
7000	26000	1	RMS	25501	-50.85	-25	25.85	Pass	19003




2.7. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.84	-25	47.84	Pass	401
0.15	30	0.01	RMS	0.18	-72.57	-25	47.57	Pass	2986
30	1000	0.1	RMS	841.6	-65.43	-25	40.43	Pass	9701
1000	2495	1	RMS	2495	-52.28	-25	27.28	Pass	1496
2495	2575	1	RMS	2566.2	13.38	60	46.62	Pass	401
2575	3000	1	RMS	2575	-39.86	-25	14.86	Pass	426
3000	7000	1	RMS	6972	-66.57	-25	41.57	Pass	4001
7000	26000	1	RMS	25501	-50.83	-25	25.83	Pass	19003




2.8. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.48	-25	47.48	Pass	401
0.15	30	0.01	RMS	0.15	-71.43	-25	46.43	Pass	2986
30	1000	0.1	RMS	846.5	-65.31	-25	40.31	Pass	9701
1000	2495	1	RMS	2494	-52.37	-25	27.37	Pass	1496
2495	2575	1	RMS	2565.2	19.41	60	40.59	Pass	401
2575	3000	1	RMS	2575	-47.96	-25	22.96	Pass	426
3000	7000	1	RMS	6975	-66.53	-25	41.53	Pass	4001
7000	26000	1	RMS	25498	-50.65	-25	25.65	Pass	19003




2.9. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:513500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.87	-25	47.87	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	46.73	Pass	2986
30	1000	0.1	RMS	928.152	-65.42	-25	40.42	Pass	9701
1000	2495	1	RMS	2495	-52.19	-25	27.19	Pass	1496
2495	2575	1	RMS	2569.6	19.44	60	40.56	Pass	401
2575	3000	1	RMS	2575	-49.01	-25	24.01	Pass	426
3000	7000	1	RMS	6973	-66.56	-25	41.56	Pass	4001
7000	26000	1	RMS	25512	-50.86	-25	25.86	Pass	19003




2.10. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.58	-25	47.58	Pass	401
0.15	30	0.01	RMS	0.17	-72.95	-25	47.95	Pass	2986
30	1000	0.1	RMS	858.806	-65.68	-25	40.68	Pass	9701
1000	2475	1	RMS	2475	-50.98	-25	25.98	Pass	1476
2475	2595	1	RMS	2522.4	6.37	60	53.63	Pass	401
2595	3000	1	RMS	2931	-50.1	-25	25.1	Pass	406
3000	7000	1	RMS	6973	-66.65	-25	41.65	Pass	4001
7000	26000	1	RMS	25515	-50.96	-25	25.96	Pass	19003




2.11. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.027	-67.97	-25	42.97	Pass	401
0.15	30	0.01	RMS	0.15	-72.3	-25	47.3	Pass	2986
30	1000	0.1	RMS	539.9	-65.11	-25	40.11	Pass	9701
1000	2475	1	RMS	2475	-52.66	-25	27.66	Pass	1476
2475	2595	1	RMS	2500.5	19.33	60	40.67	Pass	401
2595	3000	1	RMS	2933	-50.12	-25	25.12	Pass	406
3000	7000	1	RMS	6973	-66.66	-25	41.66	Pass	4001
7000	26000	1	RMS	25492	-50.98	-25	25.98	Pass	19003




2.12. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:502500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.56	-25	43.56	Pass	401
0.15	30	0.01	RMS	0.15	-72.68	-25	47.68	Pass	2986
30	1000	0.1	RMS	855.504	-65.5	-25	40.5	Pass	9701
1000	2475	1	RMS	2475	-52.73	-25	27.73	Pass	1476
2475	2595	1	RMS	2524.2	19.46	60	40.54	Pass	401
2595	3000	1	RMS	2943	-50.09	-25	25.09	Pass	406
3000	7000	1	RMS	6968	-66.69	-25	41.69	Pass	4001
7000	26000	1	RMS	25512	-51	-25	26	Pass	19003




2.13. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.07	-25	47.07	Pass	401
0.15	30	0.01	RMS	0.18	-71.55	-25	46.55	Pass	2986
30	1000	0.1	RMS	839.1	-65.56	-25	40.56	Pass	9701
1000	2475	1	RMS	2475	-52.66	-25	27.66	Pass	1476
2475	2595	1	RMS	2540.1	6.09	60	53.91	Pass	401
2595	3000	1	RMS	2937	-50.06	-25	25.06	Pass	406
3000	7000	1	RMS	6977	-66.66	-25	41.66	Pass	4001
7000	26000	1	RMS	25495	-51.01	-25	26.01	Pass	19003




2.14. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.27	-25	43.27	Pass	401
0.15	30	0.01	RMS	0.19	-72.03	-25	47.03	Pass	2986
30	1000	0.1	RMS	842	-65.56	-25	40.56	Pass	9701
1000	2475	1	RMS	2474	-52.68	-25	27.68	Pass	1476
2475	2595	1	RMS	2523	19.42	60	40.58	Pass	401
2595	3000	1	RMS	2939	-50.06	-25	25.06	Pass	406
3000	7000	1	RMS	6971	-66.62	-25	41.62	Pass	4001
7000	26000	1	RMS	25496	-51.01	-25	26.01	Pass	19003




2.15. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.9	-25	42.9	Pass	401
0.15	30	0.01	RMS	0.16	-72.84	-25	47.84	Pass	2986
30	1000	0.1	RMS	828.6	-65.51	-25	40.51	Pass	9701
1000	2475	1	RMS	2475	-52.62	-25	27.62	Pass	1476
2475	2595	1	RMS	2546.7	19.37	60	40.63	Pass	401
2595	3000	1	RMS	2951	-50.08	-25	25.08	Pass	406
3000	7000	1	RMS	6968	-66.6	-25	41.6	Pass	4001
7000	26000	1	RMS	25507	-50.92	-25	25.92	Pass	19003




2.16. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:133, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.43	-25	47.43	Pass	401
0.15	30	0.01	RMS	0.15	-72.18	-25	47.18	Pass	2986
30	1000	0.1	RMS	842	-65.49	-25	40.49	Pass	9701
1000	2475	1	RMS	2474	-52.67	-25	27.67	Pass	1476
2475	2595	1	RMS	2547.6	6.11	60	53.89	Pass	401
2595	3000	1	RMS	2595	-48.74	-25	23.74	Pass	406
3000	7000	1	RMS	6979	-66.6	-25	41.6	Pass	4001
7000	26000	1	RMS	25501	-50.96	-25	25.96	Pass	19003




2.17. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.04	-25	43.04	Pass	401
0.15	30	0.01	RMS	0.18	-72.46	-25	47.46	Pass	2986
30	1000	0.1	RMS	932.956	-65.52	-25	40.52	Pass	9701
1000	2475	1	RMS	2465	-52.4	-25	27.4	Pass	1476
2475	2595	1	RMS	2545.5	19.32	60	40.68	Pass	401
2595	3000	1	RMS	2936	-50.01	-25	25.01	Pass	406
3000	7000	1	RMS	6979	-66.62	-25	41.62	Pass	4001
7000	26000	1	RMS	25499	-50.94	-25	25.94	Pass	19003




2.18. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:511500, Bandwidth:25, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:132)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.4	-25	43.4	Pass	401
0.15	30	0.01	RMS	0.15	-71.73	-25	46.73	Pass	2986
30	1000	0.1	RMS	855.104	-65.51	-25	40.51	Pass	9701
1000	2475	1	RMS	2472	-52.71	-25	27.71	Pass	1476
2475	2595	1	RMS	2569.2	19.35	60	40.65	Pass	401
2595	3000	1	RMS	2940	-50.03	-25	25.03	Pass	406
3000	7000	1	RMS	6973	-66.53	-25	41.53	Pass	4001
7000	26000	1	RMS	25494	-51.03	-25	26.03	Pass	19003




2.19. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.52	-25	47.52	Pass	401
0.15	30	0.01	RMS	0.18	-71.93	-25	46.93	Pass	2986
30	1000	0.1	RMS	817	-65.52	-25	40.52	Pass	9701
1000	2450	1	RMS	2435	-52.87	-25	27.87	Pass	1451
2450	2620	1	RMS	2531.6	3.29	60	56.71	Pass	401
2620	3000	1	RMS	2931.6	-50	-25	25	Pass	401
3000	7000	1	RMS	6976	-66.59	-25	41.59	Pass	4001
7000	26000	1	RMS	25507	-50.93	-25	25.93	Pass	19003




2.20. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.27	-25	42.27	Pass	401
0.15	30	0.01	RMS	0.16	-71.92	-25	46.92	Pass	2986
30	1000	0.1	RMS	540.1	-65.31	-25	40.31	Pass	9701
1000	2450	1	RMS	2429	-52.9	-25	27.9	Pass	1451
2450	2620	1	RMS	2500.575	19.17	60	40.83	Pass	401
2620	3000	1	RMS	2941.1	-50.02	-25	25.02	Pass	401
3000	7000	1	RMS	6974	-66.62	-25	41.62	Pass	4001
7000	26000	1	RMS	25496	-50.86	-25	25.86	Pass	19003




2.21. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:505000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.91	-25	42.91	Pass	401
0.15	30	0.01	RMS	0.15	-72.17	-25	47.17	Pass	2986
30	1000	0.1	RMS	836.2	-65.51	-25	40.51	Pass	9701
1000	2450	1	RMS	2450	-52.92	-25	27.92	Pass	1451
2450	2620	1	RMS	2549.025	19.24	60	40.76	Pass	401
2620	3000	1	RMS	2937.3	-50	-25	25	Pass	401
3000	7000	1	RMS	6978	-66.59	-25	41.59	Pass	4001
7000	26000	1	RMS	25498	-50.92	-25	25.92	Pass	19003




2.22. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-70.95	-25	45.95	Pass	401
0.15	30	0.01	RMS	0.19	-72.41	-25	47.41	Pass	2986
30	1000	0.1	RMS	851.201	-65.58	-25	40.58	Pass	9701
1000	2450	1	RMS	2428	-52.89	-25	27.89	Pass	1451
2450	2620	1	RMS	2535.425	3.16	60	56.84	Pass	401
2620	3000	1	RMS	2934.45	-49.98	-25	24.98	Pass	401
3000	7000	1	RMS	6971	-66.55	-25	41.55	Pass	4001
7000	26000	1	RMS	25501	-50.92	-25	25.92	Pass	19003




2.23. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.65	-25	42.65	Pass	401
0.15	30	0.01	RMS	0.18	-72.84	-25	47.84	Pass	2986
30	1000	0.1	RMS	980.587	-65.48	-25	40.48	Pass	9701
1000	2450	1	RMS	2436	-52.83	-25	27.83	Pass	1451
2450	2620	1	RMS	2510.775	18.59	60	41.41	Pass	401
2620	3000	1	RMS	2945.85	-49.99	-25	24.99	Pass	401
3000	7000	1	RMS	6978	-66.56	-25	41.56	Pass	4001
7000	26000	1	RMS	25500	-50.78	-25	25.78	Pass	19003




2.24. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:507000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-67.34	-25	42.34	Pass	401
0.15	30	0.01	RMS	0.15	-72.4	-25	47.4	Pass	2986
30	1000	0.1	RMS	966.978	-65.37	-25	40.37	Pass	9701
1000	2450	1	RMS	2425	-52.9	-25	27.9	Pass	1451
2450	2620	1	RMS	2558.8	18.94	60	41.06	Pass	401
2620	3000	1	RMS	2940.15	-49.97	-25	24.97	Pass	401
3000	7000	1	RMS	6977	-66.54	-25	41.54	Pass	4001
7000	26000	1	RMS	25513	-50.9	-25	25.9	Pass	19003




2.25. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:270, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.42	-25	47.42	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-25	46.97	Pass	2986
30	1000	0.1	RMS	851.602	-65.39	-25	40.39	Pass	9701
1000	2450	1	RMS	2440	-52.82	-25	27.82	Pass	1451
2450	2620	1	RMS	2532.025	3.19	60	56.81	Pass	401
2620	3000	1	RMS	2933.5	-49.95	-25	24.95	Pass	401
3000	7000	1	RMS	6979	-66.52	-25	41.52	Pass	4001
7000	26000	1	RMS	25500	-50.89	-25	25.89	Pass	19003




2.26. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.35	-25	43.35	Pass	401
0.15	30	0.01	RMS	0.22	-71.98	-25	46.98	Pass	2986
30	1000	0.1	RMS	835.9	-65.41	-25	40.41	Pass	9701
1000	2450	1	RMS	2438	-52.86	-25	27.86	Pass	1451
2450	2620	1	RMS	2520.55	19.21	60	40.79	Pass	401
2620	3000	1	RMS	2937.3	-49.91	-25	24.91	Pass	401
3000	7000	1	RMS	6972	-66.57	-25	41.57	Pass	4001
7000	26000	1	RMS	25498	-50.87	-25	25.87	Pass	19003



2.27. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:509000, Bandwidth:50, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:269)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.017	-68.06	-25	43.06	Pass	401
0.15	30	0.01	RMS	0.15	-72.51	-25	47.51	Pass	2986
30	1000	0.1	RMS	861.508	-65.49	-25	40.49	Pass	9701
1000	2450	1	RMS	2425	-52.82	-25	27.82	Pass	1451
2450	2620	1	RMS	2569	19.23	60	40.77	Pass	401
2620	3000	1	RMS	2928.75	-49.96	-25	24.96	Pass	401
3000	7000	1	RMS	6973	-66.53	-25	41.53	Pass	4001
7000	26000	1	RMS	25504	-50.83	-25	25.83	Pass	19003



3. n12 15kHz


3.1. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.04	-13	60.04	Pass	401
0.15	30	0.01	RMS	0.15	-72	-13	59	Pass	2986
30	689	0.1	RMS	688.3	-66.18	-13	53.18	Pass	6591
689	726	0.1	RMS	699.915	4.09	60	55.91	Pass	401
726	1000	0.1	RMS	948.3	-65.14	-13	52.14	Pass	2741
1000	3000	1	RMS	2934	-49.92	-13	36.92	Pass	2001
3000	10000	1	RMS	8739	-65.95	-13	52.95	Pass	7001




3.2. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.69	-13	59.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.75	-13	58.75	Pass	2986
30	689	0.1	RMS	688.6	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	699.36	17.23	60	42.77	Pass	401
726	1000	0.1	RMS	982.1	-65.15	-13	52.15	Pass	2741
1000	3000	1	RMS	2934	-49.9	-13	36.9	Pass	2001
3000	10000	1	RMS	8741	-65.94	-13	52.94	Pass	7001




3.3. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:140300, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.49	-13	59.49	Pass	401
0.15	30	0.01	RMS	0.16	-72.28	-13	59.28	Pass	2986
30	689	0.1	RMS	529.5	-66.15	-13	53.15	Pass	6591
689	726	0.1	RMS	703.615	17.03	60	42.97	Pass	401
726	1000	0.1	RMS	926	-65.07	-13	52.07	Pass	2741
1000	3000	1	RMS	2941	-49.88	-13	36.88	Pass	2001
3000	10000	1	RMS	8753	-65.96	-13	52.96	Pass	7001




3.4. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:1, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:25, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.05	-13	60.05	Pass	401
0.15	30	0.01	RMS	0.15	-72.41	-13	59.41	Pass	2986
30	689	0.1	RMS	506.9	-66.06	-13	53.06	Pass	6591
689	726	0.1	RMS	709.535	4.1	60	55.9	Pass	401
726	1000	0.1	RMS	913.5	-65.27	-13	52.27	Pass	2741
1000	3000	1	RMS	2937	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	8745	-65.87	-13	52.87	Pass	7001



3.5. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:2, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.2	-13	59.2	Pass	401
0.15	30	0.01	RMS	0.21	-72.62	-13	59.62	Pass	2986
30	689	0.1	RMS	507	-66.14	-13	53.14	Pass	6591
689	726	0.1	RMS	705.373	16.91	60	43.09	Pass	401
726	1000	0.1	RMS	890.7	-65.29	-13	52.29	Pass	2741
1000	3000	1	RMS	2940	-49.89	-13	36.89	Pass	2001
3000	10000	1	RMS	8734	-65.93	-13	52.93	Pass	7001



3.6. Spurious Emission at Antenna Terminals for SA_Part22-24-27(Subtest:3, Channel:141500, Bandwidth:5, SCS:15, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:24)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.55	-13	59.55	Pass	401
0.15	30	0.01	RMS	0.16	-72.25	-13	59.25	Pass	2986
30	689	0.1	RMS	497	-66.15	-13	53.15	Pass	6591
689	726	0.1	RMS	709.628	17.3	60	42.7	Pass	401
726	1000	0.1	RMS	887.7	-65.23	-13	52.23	Pass	2741
1000	3000	1	RMS	2945	-49.88	-13	36.88	Pass	2001
3000	10000	1	RMS	8750	-65.99	-13	52.99	Pass	7001

