

Spurious Emission at Antenna Terminals

LTE Mode Test Verdict

Test Band	Test Bandwidth	Test Channel	Test Mode	Test RB (Size#Offset)	Verdict
Band 48	5 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	10 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	15 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
	20 MHz	LCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		MCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass
		HCH	QPSK	RB1#Low	Pass
			16-QAM	RB1#Low	Pass


NR Mode Test Verdict

Test Band	NR Test Bandwidth (MHz)	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	Verdict
n48	10	LCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		MCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
		HCH	QPSK	24	0	Pass
			QPSK	1	0	Pass
			QPSK	1	23	Pass
	20	LCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		MCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
		HCH	QPSK	51	0	Pass
			QPSK	1	0	Pass
			QPSK	1	50	Pass
	40	LCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		MCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass
		HCH	QPSK	106	0	Pass
			QPSK	1	0	Pass
			QPSK	1	105	Pass

1. LTE_Band48


1.1. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:1, Channel:55265, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.16	-40	32.16	Pass	401
0.15	30	0.01	RMS	0.15	-72.01	-40	32.01	Pass	2986
30	1000	0.1	RMS	984.49	-64.99	-40	24.99	Pass	9701
1000	3000	1	RMS	2909	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3300	-46.96	-40	6.96	Pass	501
3500	3750	1	RMS	3550	24.51	60	35.49	Pass	401
3750	6500	1	RMS	3791	-51.01	-40	11.01	Pass	2751
6500	26500	1	RMS	7101	-59.63	-40	19.63	Pass	20003




1.2. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:2, Channel:55265, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.32	-40	32.32	Pass	401
0.15	30	0.01	RMS	0.16	-72.48	-40	32.48	Pass	2986
30	1000	0.1	RMS	970.08	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2905	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3289	-46.93	-40	6.93	Pass	501
3500	3750	1	RMS	3550	23.75	60	36.25	Pass	401
3750	6500	1	RMS	3788	-51.04	-40	11.04	Pass	2751
6500	26500	1	RMS	7101	-53.33	-40	13.33	Pass	20003




1.3. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:3, Channel:55990, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.61	-40	32.61	Pass	401
0.15	30	0.01	RMS	0.17	-71.83	-40	31.83	Pass	2986
30	1000	0.1	RMS	981.288	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2910	-50.09	-40	10.09	Pass	2001
3000	3500	1	RMS	3283	-46.95	-40	6.95	Pass	501
3500	3750	1	RMS	3622.5	23.19	60	36.81	Pass	401
3750	6500	1	RMS	3793	-50.97	-40	10.97	Pass	2751
6500	26500	1	RMS	7246	-57.34	-40	17.34	Pass	20003




1.4. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:4, Channel:55990, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.45	-40	32.45	Pass	401
0.15	30	0.01	RMS	0.15	-72.2	-40	32.2	Pass	2986
30	1000	0.1	RMS	987.792	-65.13	-40	25.13	Pass	9701
1000	3000	1	RMS	2902	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3287	-46.94	-40	6.94	Pass	501
3500	3750	1	RMS	3622.5	22.34	60	37.66	Pass	401
3750	6500	1	RMS	3774	-51	-40	11	Pass	2751
6500	26500	1	RMS	7246	-58.27	-40	18.27	Pass	20003




1.5. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:5, Channel:56715, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73	-40	33	Pass	401
0.15	30	0.01	RMS	0.15	-72.61	-40	32.61	Pass	2986
30	1000	0.1	RMS	873.216	-65.21	-40	25.21	Pass	9701
1000	3000	1	RMS	2895	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3283	-46.94	-40	6.94	Pass	501
3500	3750	1	RMS	3695	22.46	60	37.54	Pass	401
3750	6500	1	RMS	3799	-50.89	-40	10.89	Pass	2751
6500	26500	1	RMS	7391	-57.05	-40	17.05	Pass	20003




1.6. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:6, Channel:56715, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.69	-40	32.69	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-40	31.96	Pass	2986
30	1000	0.1	RMS	836	-65.28	-40	25.28	Pass	9701
1000	3000	1	RMS	2906	-50.1	-40	10.1	Pass	2001
3000	3500	1	RMS	3299	-46.99	-40	6.99	Pass	501
3500	3750	1	RMS	3695	21.5	60	38.5	Pass	401
3750	6500	1	RMS	3799	-50.93	-40	10.93	Pass	2751
6500	26500	1	RMS	25507	-60.74	-40	20.74	Pass	20003




1.7. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:7, Channel:55290, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.98	-40	32.98	Pass	401
0.15	30	0.01	RMS	0.15	-72.08	-40	32.08	Pass	2986
30	1000	0.1	RMS	834.7	-65.14	-40	25.14	Pass	9701
1000	3000	1	RMS	2899	-50.14	-40	10.14	Pass	2001
3000	3500	1	RMS	3291	-46.96	-40	6.96	Pass	501
3500	3750	1	RMS	3550	24.93	60	35.07	Pass	401
3750	6500	1	RMS	3778	-51.06	-40	11.06	Pass	2751
6500	26500	1	RMS	25501	-60.98	-40	20.98	Pass	20003




1.8. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:8, Channel:55290, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.4	-40	32.4	Pass	401
0.15	30	0.01	RMS	0.17	-72.31	-40	32.31	Pass	2986
30	1000	0.1	RMS	971.781	-65.23	-40	25.23	Pass	9701
1000	3000	1	RMS	2900	-50.12	-40	10.12	Pass	2001
3000	3500	1	RMS	3288	-46.99	-40	6.99	Pass	501
3500	3750	1	RMS	3550	24.07	60	35.93	Pass	401
3750	6500	1	RMS	3797	-51.04	-40	11.04	Pass	2751
6500	26500	1	RMS	7101	-57.61	-40	17.61	Pass	20003




1.9. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:9, Channel:55990, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.65	-40	32.65	Pass	401
0.15	30	0.01	RMS	0.18	-72.36	-40	32.36	Pass	2986
30	1000	0.1	RMS	872.315	-65.31	-40	25.31	Pass	9701
1000	3000	1	RMS	2900	-50.2	-40	10.2	Pass	2001
3000	3500	1	RMS	3292	-47	-40	7	Pass	501
3500	3750	1	RMS	3620	23.55	60	36.45	Pass	401
3750	6500	1	RMS	3798	-50.99	-40	10.99	Pass	2751
6500	26500	1	RMS	25503	-60.92	-40	20.92	Pass	20003




1.10. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:10, Channel:55990, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-72.88	-40	32.88	Pass	401
0.15	30	0.01	RMS	0.21	-72.12	-40	32.12	Pass	2986
30	1000	0.1	RMS	854.103	-65.25	-40	25.25	Pass	9701
1000	3000	1	RMS	2905	-50.16	-40	10.16	Pass	2001
3000	3500	1	RMS	3295	-47.01	-40	7.01	Pass	501
3500	3750	1	RMS	3620	22.55	60	37.45	Pass	401
3750	6500	1	RMS	3798	-51.04	-40	11.04	Pass	2751
6500	26500	1	RMS	25504	-60.83	-40	20.83	Pass	20003




1.11. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:11, Channel:56690, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.03	-40	33.03	Pass	401
0.15	30	0.01	RMS	0.15	-71.72	-40	31.72	Pass	2986
30	1000	0.1	RMS	889.026	-65.28	-40	25.28	Pass	9701
1000	3000	1	RMS	2896	-50.23	-40	10.23	Pass	2001
3000	3500	1	RMS	3283	-47.02	-40	7.02	Pass	501
3500	3750	1	RMS	3690	22.53	60	37.47	Pass	401
3750	6500	1	RMS	3798	-51.03	-40	11.03	Pass	2751
6500	26500	1	RMS	25510	-60.95	-40	20.95	Pass	20003




1.12. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:12, Channel:56690, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-73.37	-40	33.37	Pass	401
0.15	30	0.01	RMS	0.15	-71.97	-40	31.97	Pass	2986
30	1000	0.1	RMS	838.1	-65.22	-40	25.22	Pass	9701
1000	3000	1	RMS	2900	-50.18	-40	10.18	Pass	2001
3000	3500	1	RMS	3289	-47.01	-40	7.01	Pass	501
3500	3750	1	RMS	3690	21.64	60	38.36	Pass	401
3750	6500	1	RMS	3800	-50.98	-40	10.98	Pass	2751
6500	26500	1	RMS	7381	-59.34	-40	19.34	Pass	20003




1.13. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:13, Channel:55315, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.88	-40	32.88	Pass	401
0.15	30	0.01	RMS	0.15	-72.33	-40	32.33	Pass	2986
30	1000	0.1	RMS	983.489	-65.2	-40	25.2	Pass	9701
1000	3000	1	RMS	2899	-50.2	-40	10.2	Pass	2001
3000	3500	1	RMS	3293	-47.02	-40	7.02	Pass	501
3500	3750	1	RMS	3550.625	24.26	60	35.74	Pass	401
3750	6500	1	RMS	3798	-51.07	-40	11.07	Pass	2751
6500	26500	1	RMS	7101	-55.76	-40	15.76	Pass	20003




1.14. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:14, Channel:55315, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.04	-40	32.04	Pass	401
0.15	30	0.01	RMS	0.37	-72.83	-40	32.83	Pass	2986
30	1000	0.1	RMS	929.553	-65.18	-40	25.18	Pass	9701
1000	3000	1	RMS	2900	-50.13	-40	10.13	Pass	2001
3000	3500	1	RMS	3290	-47	-40	7	Pass	501
3500	3750	1	RMS	3550.625	23.29	60	36.71	Pass	401
3750	6500	1	RMS	3773	-51.06	-40	11.06	Pass	2751
6500	26500	1	RMS	7102	-56.78	-40	16.78	Pass	20003




1.15. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:15, Channel:55990, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.59	-40	32.59	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-40	31.86	Pass	2986
30	1000	0.1	RMS	983.889	-65.15	-40	25.15	Pass	9701
1000	3000	1	RMS	2901	-50.18	-40	10.18	Pass	2001
3000	3500	1	RMS	3283	-46.97	-40	6.97	Pass	501
3500	3750	1	RMS	3618.125	22.99	60	37.01	Pass	401
3750	6500	1	RMS	3800	-50.97	-40	10.97	Pass	2751
6500	26500	1	RMS	7237	-56.94	-40	16.94	Pass	20003




1.16. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:16, Channel:55990, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-73.35	-40	33.35	Pass	401
0.15	30	0.01	RMS	0.19	-71.74	-40	31.74	Pass	2986
30	1000	0.1	RMS	898.333	-65.24	-40	25.24	Pass	9701
1000	3000	1	RMS	2903	-50.17	-40	10.17	Pass	2001
3000	3500	1	RMS	3291	-46.99	-40	6.99	Pass	501
3500	3750	1	RMS	3617.5	21.71	60	38.29	Pass	401
3750	6500	1	RMS	3778	-51.04	-40	11.04	Pass	2751
6500	26500	1	RMS	7236	-60.46	-40	20.46	Pass	20003




1.17. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:17, Channel:56665, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-72.49	-40	32.49	Pass	401
0.15	30	0.01	RMS	0.19	-72.18	-40	32.18	Pass	2986
30	1000	0.1	RMS	966.278	-65.12	-40	25.12	Pass	9701
1000	3000	1	RMS	2904	-50.14	-40	10.14	Pass	2001
3000	3500	1	RMS	3288	-46.99	-40	6.99	Pass	501
3500	3750	1	RMS	3685.625	21.81	60	38.19	Pass	401
3750	6500	1	RMS	3790	-51.01	-40	11.01	Pass	2751
6500	26500	1	RMS	7372	-56.81	-40	16.81	Pass	20003




1.18. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:18, Channel:56665, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.57	-40	32.57	Pass	401
0.15	30	0.01	RMS	0.15	-72.28	-40	32.28	Pass	2986
30	1000	0.1	RMS	852.702	-65.16	-40	25.16	Pass	9701
1000	3000	1	RMS	2907	-50.17	-40	10.17	Pass	2001
3000	3500	1	RMS	3285	-46.97	-40	6.97	Pass	501
3500	3750	1	RMS	3685.625	21.08	60	38.92	Pass	401
3750	6500	1	RMS	3790	-50.99	-40	10.99	Pass	2751
6500	26500	1	RMS	25498	-60.86	-40	20.86	Pass	20003




1.19. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:19, Channel:55340, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.08	-40	32.08	Pass	401
0.15	30	0.01	RMS	0.17	-71.93	-40	31.93	Pass	2986
30	1000	0.1	RMS	996.097	-65.22	-40	25.22	Pass	9701
1000	3000	1	RMS	2900	-50.19	-40	10.19	Pass	2001
3000	3500	1	RMS	3278	-46.97	-40	6.97	Pass	501
3500	3750	1	RMS	3550.625	24.92	60	35.08	Pass	401
3750	6500	1	RMS	3790	-51.04	-40	11.04	Pass	2751
6500	26500	1	RMS	25513	-60.94	-40	20.94	Pass	20003




1.20. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:20, Channel:55340, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.81	-40	31.81	Pass	401
0.15	30	0.01	RMS	0.15	-71.62	-40	31.62	Pass	2986
30	1000	0.1	RMS	879.92	-65.23	-40	25.23	Pass	9701
1000	3000	1	RMS	2907	-50.18	-40	10.18	Pass	2001
3000	3500	1	RMS	3289	-46.99	-40	6.99	Pass	501
3500	3750	1	RMS	3550.625	24.1	60	35.9	Pass	401
3750	6500	1	RMS	3787	-51.07	-40	11.07	Pass	2751
6500	26500	1	RMS	7102	-57.75	-40	17.75	Pass	20003




1.21. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:21, Channel:55990, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.54	-40	32.54	Pass	401
0.15	30	0.01	RMS	0.15	-71.86	-40	31.86	Pass	2986
30	1000	0.1	RMS	963.976	-65.28	-40	25.28	Pass	9701
1000	3000	1	RMS	2901	-50.15	-40	10.15	Pass	2001
3000	3500	1	RMS	3287	-46.98	-40	6.98	Pass	501
3500	3750	1	RMS	3615.625	23.74	60	36.26	Pass	401
3750	6500	1	RMS	3794	-50.97	-40	10.97	Pass	2751
6500	26500	1	RMS	25503	-61.02	-40	21.02	Pass	20003




1.22. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:22, Channel:55990, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-72.64	-40	32.64	Pass	401
0.15	30	0.01	RMS	0.16	-72.79	-40	32.79	Pass	2986
30	1000	0.1	RMS	902.035	-65.15	-40	25.15	Pass	9701
1000	3000	1	RMS	2899	-50.18	-40	10.18	Pass	2001
3000	3500	1	RMS	3287	-46.99	-40	6.99	Pass	501
3500	3750	1	RMS	3615.625	22.78	60	37.22	Pass	401
3750	6500	1	RMS	3763	-51.04	-40	11.04	Pass	2751
6500	26500	1	RMS	7232	-57.28	-40	17.28	Pass	20003




1.23. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:23, Channel:56640, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-72.41	-40	32.41	Pass	401
0.15	30	0.01	RMS	0.25	-71.96	-40	31.96	Pass	2986
30	1000	0.1	RMS	986.691	-65.18	-40	25.18	Pass	9701
1000	3000	1	RMS	2902	-50.2	-40	10.2	Pass	2001
3000	3500	1	RMS	3294	-47	-40	7	Pass	501
3500	3750	1	RMS	3680.625	22.42	60	37.58	Pass	401
3750	6500	1	RMS	3764	-51	-40	11	Pass	2751
6500	26500	1	RMS	7362	-59.14	-40	19.14	Pass	20003



1.24. LTE Spurious Emission at Antenna Terminals_Part96(Subtest:24, Channel:56640, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-71.74	-40	31.74	Pass	401
0.15	30	0.01	RMS	0.15	-71.96	-40	31.96	Pass	2986
30	1000	0.1	RMS	875.417	-65.27	-40	25.27	Pass	9701
1000	3000	1	RMS	2897	-50.24	-40	10.24	Pass	2001
3000	3500	1	RMS	3289	-47.03	-40	7.03	Pass	501
3500	3750	1	RMS	3680.625	21.42	60	38.58	Pass	401
3750	6500	1	RMS	3784	-51.05	-40	11.05	Pass	2751
6500	26500	1	RMS	7362	-55.92	-40	15.92	Pass	20003



1. n48 30kHz


1.1. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-73.64	-40	33.64	Pass	401
0.15	30	0.01	RMS	0.36	-74.82	-40	34.82	Pass	2986
30	1000	0.1	RMS	927.152	-66.67	-40	26.67	Pass	9701
1000	3000	1	RMS	2942	-53.51	-40	13.51	Pass	2001
3000	3500	1	RMS	3162	-54.03	-40	14.03	Pass	501
3500	3750	1	RMS	3554.375	9.22	60	50.78	Pass	401
3750	7000	1	RMS	3755	-72.89	-40	32.89	Pass	3251
7000	26500	1	RMS	25510	-60.19	-40	20.19	Pass	19503




1.2. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-75.14	-40	35.14	Pass	401
0.15	30	0.01	RMS	1.41	-74.58	-40	34.58	Pass	2986
30	1000	0.1	RMS	946.865	-66.9	-40	26.9	Pass	9701
1000	3000	1	RMS	2938	-53.49	-40	13.49	Pass	2001
3000	3500	1	RMS	3161	-54.06	-40	14.06	Pass	501
3500	3750	1	RMS	3550.625	17.5	60	42.5	Pass	401
3750	7000	1	RMS	3759	-72.54	-40	32.54	Pass	3251
7000	26500	1	RMS	7102	-55.8	-40	15.8	Pass	19503




1.3. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637000, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-74.63	-40	34.63	Pass	401
0.15	30	0.01	RMS	0.15	-73.98	-40	33.98	Pass	2986
30	1000	0.1	RMS	818	-67.04	-40	27.04	Pass	9701
1000	3000	1	RMS	2958	-53.49	-40	13.49	Pass	2001
3000	3500	1	RMS	3159	-54.09	-40	14.09	Pass	501
3500	3750	1	RMS	3559.375	17.38	60	42.62	Pass	401
3750	7000	1	RMS	3767	-72.72	-40	32.72	Pass	3251
7000	26500	1	RMS	7118	-55.89	-40	15.89	Pass	19503




1.4. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.31	-40	33.31	Pass	401
0.15	30	0.01	RMS	0.15	-73.26	-40	33.26	Pass	2986
30	1000	0.1	RMS	484.8	-67.18	-40	27.18	Pass	9701
1000	3000	1	RMS	2940	-53.45	-40	13.45	Pass	2001
3000	3500	1	RMS	3160	-54.06	-40	14.06	Pass	501
3500	3750	1	RMS	3624.375	9.98	60	50.02	Pass	401
3750	7000	1	RMS	3757	-72.02	-40	32.02	Pass	3251
7000	26500	1	RMS	25493	-60.12	-40	20.12	Pass	19503




1.5. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-73.97	-40	33.97	Pass	401
0.15	30	0.01	RMS	0.77	-74.9	-40	34.9	Pass	2986
30	1000	0.1	RMS	791	-66.36	-40	26.36	Pass	9701
1000	3000	1	RMS	2957	-53.63	-40	13.63	Pass	2001
3000	3500	1	RMS	3165	-54.04	-40	14.04	Pass	501
3500	3750	1	RMS	3620.625	18.26	60	41.74	Pass	401
3750	7000	1	RMS	3762	-71.92	-40	31.92	Pass	3251
7000	26500	1	RMS	25457	-60.32	-40	20.32	Pass	19503




1.6. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-76.49	-40	36.49	Pass	401
0.15	30	0.01	RMS	0.27	-74.23	-40	34.23	Pass	2986
30	1000	0.1	RMS	829.9	-66.6	-40	26.6	Pass	9701
1000	3000	1	RMS	2933	-53.55	-40	13.55	Pass	2001
3000	3500	1	RMS	3162	-53.87	-40	13.87	Pass	501
3500	3750	1	RMS	3629.375	17.98	60	42.02	Pass	401
3750	7000	1	RMS	3785	-71.6	-40	31.6	Pass	3251
7000	26500	1	RMS	25507	-60.26	-40	20.26	Pass	19503




1.7. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:24, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-75.04	-40	35.04	Pass	401
0.15	30	0.01	RMS	0.21	-73.75	-40	33.75	Pass	2986
30	1000	0.1	RMS	820.1	-66.69	-40	26.69	Pass	9701
1000	3000	1	RMS	2960	-53.65	-40	13.65	Pass	2001
3000	3500	1	RMS	3158	-54.09	-40	14.09	Pass	501
3500	3750	1	RMS	3693.75	9.72	60	50.28	Pass	401
3750	7000	1	RMS	3750	-69.42	-40	29.42	Pass	3251
7000	26500	1	RMS	25905	-60.19	-40	20.19	Pass	19503




1.8. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.77	-40	35.77	Pass	401
0.15	30	0.01	RMS	0.19	-73.78	-40	33.78	Pass	2986
30	1000	0.1	RMS	862.209	-66.26	-40	26.26	Pass	9701
1000	3000	1	RMS	2949	-53.63	-40	13.63	Pass	2001
3000	3500	1	RMS	3163	-54.12	-40	14.12	Pass	501
3500	3750	1	RMS	3690.625	17.99	60	42.01	Pass	401
3750	7000	1	RMS	3795	-70.47	-40	30.47	Pass	3251
7000	26500	1	RMS	25554	-59.8	-40	19.8	Pass	19503




1.9. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646332, Bandwidth:10, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:23)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.6	-40	35.6	Pass	401
0.15	30	0.01	RMS	0.15	-73.07	-40	33.07	Pass	2986
30	1000	0.1	RMS	459.9	-66.47	-40	26.47	Pass	9701
1000	3000	1	RMS	2956	-53.61	-40	13.61	Pass	2001
3000	3500	1	RMS	3163	-54.05	-40	14.05	Pass	501
3500	3750	1	RMS	3699.375	17.68	60	42.32	Pass	401
3750	7000	1	RMS	3803	-69.92	-40	29.92	Pass	3251
7000	26500	1	RMS	25505	-60.09	-40	20.09	Pass	19503




1.10. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-74.71	-40	34.71	Pass	401
0.15	30	0.01	RMS	0.67	-74.21	-40	34.21	Pass	2986
30	1000	0.1	RMS	981.488	-66.91	-40	26.91	Pass	9701
1000	3000	1	RMS	2937	-53.5	-40	13.5	Pass	2001
3000	3500	1	RMS	3500	-52.79	-40	12.79	Pass	501
3500	3750	1	RMS	3557.5	6.11	60	53.89	Pass	401
3750	7000	1	RMS	3755	-72.79	-40	32.79	Pass	3251
7000	26500	1	RMS	25487	-60.12	-40	20.12	Pass	19503




1.11. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-74.81	-40	34.81	Pass	401
0.15	30	0.01	RMS	0.32	-72.77	-40	32.77	Pass	2986
30	1000	0.1	RMS	862.309	-66.68	-40	26.68	Pass	9701
1000	3000	1	RMS	2962	-53.59	-40	13.59	Pass	2001
3000	3500	1	RMS	3161	-54.06	-40	14.06	Pass	501
3500	3750	1	RMS	3551.25	17.21	60	42.79	Pass	401
3750	7000	1	RMS	3758	-73.05	-40	33.05	Pass	3251
7000	26500	1	RMS	7102	-54.64	-40	14.64	Pass	19503




1.12. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:637334, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-76.02	-40	36.02	Pass	401
0.15	30	0.01	RMS	0.18	-72.83	-40	32.83	Pass	2986
30	1000	0.1	RMS	570.9	-67.43	-40	27.43	Pass	9701
1000	3000	1	RMS	2930	-53.56	-40	13.56	Pass	2001
3000	3500	1	RMS	3159	-54.05	-40	14.05	Pass	501
3500	3750	1	RMS	3568.75	17.2	60	42.8	Pass	401
3750	7000	1	RMS	3793	-72.82	-40	32.82	Pass	3251
7000	26500	1	RMS	7138	-55.54	-40	15.54	Pass	19503




1.13. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-75.37	-40	35.37	Pass	401
0.15	30	0.01	RMS	0.29	-74.67	-40	34.67	Pass	2986
30	1000	0.1	RMS	852.502	-66.84	-40	26.84	Pass	9701
1000	3000	1	RMS	2968	-53.56	-40	13.56	Pass	2001
3000	3500	1	RMS	3160	-54.03	-40	14.03	Pass	501
3500	3750	1	RMS	3622.5	6.79	60	53.21	Pass	401
3750	7000	1	RMS	3755	-70.51	-40	30.51	Pass	3251
7000	26500	1	RMS	25542	-60.15	-40	20.15	Pass	19503




1.14. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.05	-40	35.05	Pass	401
0.15	30	0.01	RMS	0.82	-74.4	-40	34.4	Pass	2986
30	1000	0.1	RMS	896.732	-66.8	-40	26.8	Pass	9701
1000	3000	1	RMS	2953	-53.31	-40	13.31	Pass	2001
3000	3500	1	RMS	3158	-54.12	-40	14.12	Pass	501
3500	3750	1	RMS	3616.25	17.77	60	42.23	Pass	401
3750	7000	1	RMS	3772	-71.39	-40	31.39	Pass	3251
7000	26500	1	RMS	25513	-60.01	-40	20.01	Pass	19503




1.15. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.57	-40	35.57	Pass	401
0.15	30	0.01	RMS	2.05	-74.35	-40	34.35	Pass	2986
30	1000	0.1	RMS	965.377	-66.44	-40	26.44	Pass	9701
1000	3000	1	RMS	2978	-53.69	-40	13.69	Pass	2001
3000	3500	1	RMS	3161	-54.04	-40	14.04	Pass	501
3500	3750	1	RMS	3633.75	18.03	60	41.97	Pass	401
3750	7000	1	RMS	3790	-71.13	-40	31.13	Pass	3251
7000	26500	1	RMS	25911	-60.2	-40	20.2	Pass	19503




1.16. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:51, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-74.01	-40	34.01	Pass	401
0.15	30	0.01	RMS	0.21	-74.45	-40	34.45	Pass	2986
30	1000	0.1	RMS	817.1	-66.74	-40	26.74	Pass	9701
1000	3000	1	RMS	2953	-53.58	-40	13.58	Pass	2001
3000	3500	1	RMS	3156	-54	-40	14	Pass	501
3500	3750	1	RMS	3687.5	6.59	60	53.41	Pass	401
3750	7000	1	RMS	3750	-63.19	-40	23.19	Pass	3251
7000	26500	1	RMS	25872	-60.09	-40	20.09	Pass	19503




1.17. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.96	-40	35.96	Pass	401
0.15	30	0.01	RMS	0.22	-73.75	-40	33.75	Pass	2986
30	1000	0.1	RMS	879.12	-66.66	-40	26.66	Pass	9701
1000	3000	1	RMS	2942	-53.47	-40	13.47	Pass	2001
3000	3500	1	RMS	3161	-53.94	-40	13.94	Pass	501
3500	3750	1	RMS	3681.25	17.5	60	42.5	Pass	401
3750	7000	1	RMS	3753	-67.73	-40	27.73	Pass	3251
7000	26500	1	RMS	25478	-60.24	-40	20.24	Pass	19503




1.18. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:646000, Bandwidth:20, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:50)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.016	-75.85	-40	35.85	Pass	401
0.15	30	0.01	RMS	0.21	-74.17	-40	34.17	Pass	2986
30	1000	0.1	RMS	888.626	-66.87	-40	26.87	Pass	9701
1000	3000	1	RMS	2932	-53.57	-40	13.57	Pass	2001
3000	3500	1	RMS	3162	-53.93	-40	13.93	Pass	501
3500	3750	1	RMS	3698.75	17.76	60	42.24	Pass	401
3750	7000	1	RMS	3751	-69.76	-40	29.76	Pass	3251
7000	26500	1	RMS	25487	-60.23	-40	20.23	Pass	19503




1.19. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-72.58	-40	32.58	Pass	401
0.15	30	0.01	RMS	0.22	-75.63	-40	35.63	Pass	2986
30	1000	0.1	RMS	948.866	-66.97	-40	26.97	Pass	9701
1000	3000	1	RMS	2944	-53.55	-40	13.55	Pass	2001
3000	3500	1	RMS	3500	-46.89	-40	6.89	Pass	501
3500	3750	1	RMS	3552.5	3.06	60	56.94	Pass	401
3750	7000	1	RMS	3751	-69.56	-40	29.56	Pass	3251
7000	26500	1	RMS	25530	-60.02	-40	20.02	Pass	19503




1.20. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.73	-40	35.73	Pass	401
0.15	30	0.01	RMS	0.42	-74.08	-40	34.08	Pass	2986
30	1000	0.1	RMS	817.7	-66.7	-40	26.7	Pass	9701
1000	3000	1	RMS	2964	-53.6	-40	13.6	Pass	2001
3000	3500	1	RMS	3160	-54.04	-40	14.04	Pass	501
3500	3750	1	RMS	3551.25	17.67	60	42.33	Pass	401
3750	7000	1	RMS	3759	-72.46	-40	32.46	Pass	3251
7000	26500	1	RMS	7102	-55.02	-40	15.02	Pass	19503




1.21. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:638000, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.57	-40	35.57	Pass	401
0.15	30	0.01	RMS	0.19	-74.43	-40	34.43	Pass	2986
30	1000	0.1	RMS	742.2	-67.04	-40	27.04	Pass	9701
1000	3000	1	RMS	2967	-53.53	-40	13.53	Pass	2001
3000	3500	1	RMS	3163	-53.98	-40	13.98	Pass	501
3500	3750	1	RMS	3588.75	17.82	60	42.18	Pass	401
3750	7000	1	RMS	3901	-71.64	-40	31.64	Pass	3251
7000	26500	1	RMS	7178	-57.68	-40	17.68	Pass	19503




1.22. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-74.76	-40	34.76	Pass	401
0.15	30	0.01	RMS	0.24	-74.59	-40	34.59	Pass	2986
30	1000	0.1	RMS	879.62	-66.71	-40	26.71	Pass	9701
1000	3000	1	RMS	2931	-53.6	-40	13.6	Pass	2001
3000	3500	1	RMS	3499	-53.68	-40	13.68	Pass	501
3500	3750	1	RMS	3618.75	3.75	60	56.25	Pass	401
3750	7000	1	RMS	3750	-64.59	-40	24.59	Pass	3251
7000	26500	1	RMS	25503	-60.22	-40	20.22	Pass	19503




1.23. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-75.21	-40	35.21	Pass	401
0.15	30	0.01	RMS	0.28	-74.92	-40	34.92	Pass	2986
30	1000	0.1	RMS	870.614	-66.79	-40	26.79	Pass	9701
1000	3000	1	RMS	2968	-53.59	-40	13.59	Pass	2001
3000	3500	1	RMS	3161	-54.06	-40	14.06	Pass	501
3500	3750	1	RMS	3606.25	17.81	60	42.19	Pass	401
3750	7000	1	RMS	3762	-71.39	-40	31.39	Pass	3251
7000	26500	1	RMS	7212	-59.81	-40	19.81	Pass	19503




1.24. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:641666, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-76.03	-40	36.03	Pass	401
0.15	30	0.01	RMS	0.39	-74.04	-40	34.04	Pass	2986
30	1000	0.1	RMS	877.219	-67	-40	27	Pass	9701
1000	3000	1	RMS	2951	-53.65	-40	13.65	Pass	2001
3000	3500	1	RMS	3162	-54.03	-40	14.03	Pass	501
3500	3750	1	RMS	3643.75	18.56	60	41.44	Pass	401
3750	7000	1	RMS	3800	-71.31	-40	31.31	Pass	3251
7000	26500	1	RMS	25885	-60.08	-40	20.08	Pass	19503




1.25. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:1, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:106, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-75.59	-40	35.59	Pass	401
0.15	30	0.01	RMS	0.19	-73.5	-40	33.5	Pass	2986
30	1000	0.1	RMS	524.4	-66.43	-40	26.43	Pass	9701
1000	3000	1	RMS	2931	-53.55	-40	13.55	Pass	2001
3000	3500	1	RMS	3162	-53.96	-40	13.96	Pass	501
3500	3750	1	RMS	3661.875	3.96	60	56.04	Pass	401
3750	7000	1	RMS	3750	-53.38	-40	13.38	Pass	3251
7000	26500	1	RMS	25494	-59.95	-40	19.95	Pass	19503




1.26. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:2, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-76.13	-40	36.13	Pass	401
0.15	30	0.01	RMS	0.19	-73.96	-40	33.96	Pass	2986
30	1000	0.1	RMS	656.3	-66.93	-40	26.93	Pass	9701
1000	3000	1	RMS	2927	-53.44	-40	13.44	Pass	2001
3000	3500	1	RMS	3161	-54.04	-40	14.04	Pass	501
3500	3750	1	RMS	3661.25	18.51	60	41.49	Pass	401
3750	7000	1	RMS	3765	-70.29	-40	30.29	Pass	3251
7000	26500	1	RMS	25498	-59.95	-40	19.95	Pass	19503



1.27. Spurious Emission at Antenna Terminals for SA_Part96(Subtest:3, Channel:645332, Bandwidth:40, SCS:30, OFDM:CP-OFDM, Modulation:QPSK, RB Number:1, RB Position:105)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-75.73	-40	35.73	Pass	401
0.15	30	0.01	RMS	0.3	-74.57	-40	34.57	Pass	2986
30	1000	0.1	RMS	838.6	-66.27	-40	26.27	Pass	9701
1000	3000	1	RMS	2930	-53.49	-40	13.49	Pass	2001
3000	3500	1	RMS	3164	-54	-40	14	Pass	501
3500	3750	1	RMS	3698.75	18.19	60	41.81	Pass	401
3750	7000	1	RMS	3751	-69.82	-40	29.82	Pass	3251
7000	26500	1	RMS	25452	-60.05	-40	20.05	Pass	19503



--BLANK BELOW--