


Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_14.19.47

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	58.33	3.82	74.0	15.67	Peak	166.00	150	Vertical	Pass
1**	5150.000	45.61	3.82	54.0	8.39	AV	166.00	150	Vertical	Pass
2	5148.050	59.96	3.87	74.0	14.04	Peak	241.00	150	Vertical	Pass
2**	5148.050	45.05	3.87	54.0	8.95	AV	241.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_14.18.20

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.62	3.82	74.0	10.38	Peak	28.01	150	Horizontal	Pass
1**	5150.000	49.62	3.82	54.0	4.38	AV	28.01	150	Horizontal	Pass
2	5136.350	61.29	4.00	74.0	12.71	Peak	56.00	150	Horizontal	Pass
2**	5136.350	45.89	4.00	54.0	8.11	AV	56.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_14.22.26

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.80	4.04	74.0	20.20	Peak	111.00	150	Vertical	Pass
1**	5350.000	43.87	4.04	54.0	10.13	AV	111.00	150	Vertical	Pass
2	5351.320	55.84	4.07	74.0	18.16	Peak	87.00	150	Vertical	Pass
2**	5351.320	44.07	4.07	54.0	9.93	AV	87.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_14.23.52

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11a CH48 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.03	4.04	74.0	19.97	Peak	254.00	150	Horizontal	Pass
1**	5350.000	44.44	4.04	54.0	9.56	AV	254.00	150	Horizontal	Pass
2	5350.220	56.23	4.04	74.0	17.77	Peak	52.00	150	Horizontal	Pass
2**	5350.220	44.20	4.04	54.0	9.80	AV	52.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_14.59.32

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	59.93	3.82	74.0	14.07	Peak	261.99	150	Vertical	Pass
1**	5150.000	46.16	3.82	54.0	7.84	AV	261.99	150	Vertical	Pass
2	5147.400	60.69	3.89	74.0	13.31	Peak	200.00	150	Vertical	Pass
2**	5147.400	46.05	3.89	54.0	7.95	AV	200.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_14.50.11

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH36 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	66.40	3.82	74.0	7.60	Peak	30.04	150	Horizontal	Pass
1**	5150.000	50.11	3.82	54.0	3.89	AV	30.04	150	Horizontal	Pass
2	5143.500	64.85	4.01	74.0	9.15	Peak	51.00	150	Horizontal	Pass
2**	5143.500	47.87	4.01	54.0	6.13	AV	51.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_14.28.42

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	53.49	4.04	74.0	20.51	Peak	303.00	150	Vertical	Pass
1**	5350.000	43.95	4.04	54.0	10.05	AV	303.00	150	Vertical	Pass
2	5428.320	55.73	3.70	74.0	18.27	Peak	339.00	150	Vertical	Pass
2**	5428.320	43.82	3.70	54.0	10.18	AV	339.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_14.27.11

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH48 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.87	4.04	74.0	19.13	Peak	121.00	150	Horizontal	Pass
1**	5350.000	44.21	4.04	54.0	9.79	AV	121.00	150	Horizontal	Pass
2	5357.150	55.93	4.19	74.0	18.07	Peak	33.00	150	Horizontal	Pass
2**	5357.150	44.29	4.19	54.0	9.71	AV	33.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_15.31.28

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	63.43	3.82	74.0	10.57	Peak	166.02	150	Vertical	Pass
1**	5150.000	45.85	3.82	54.0	8.15	AV	166.02	150	Vertical	Pass
2	5136.350	57.50	4.00	74.0	16.50	Peak	116.00	150	Vertical	Pass
2**	5136.350	44.52	4.00	54.0	9.48	AV	116.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_15.29.49

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	71.22	3.82	74.0	2.78	Peak	249.96	150	Horizontal	Pass
1**	5150.000	50.36	3.82	54.0	3.64	AV	249.96	150	Horizontal	Pass
2	5127.250	62.57	3.83	74.0	11.43	Peak	255.00	150	Horizontal	Pass
2**	5127.250	46.05	3.83	54.0	7.95	AV	255.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_15.35.28

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.57	4.04	74.0	19.43	Peak	219.00	150	Vertical	Pass
1**	5350.000	43.98	4.04	54.0	10.02	AV	219.00	150	Vertical	Pass
2	5357.040	56.02	4.19	74.0	17.98	Peak	94.00	150	Vertical	Pass
2**	5357.040	43.93	4.19	54.0	10.07	AV	94.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_15.37.05

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH46 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	54.80	4.04	74.0	19.20	Peak	129.00	150	Horizontal	Pass
1**	5350.000	44.51	4.04	54.0	9.49	AV	129.00	150	Horizontal	Pass
2	5359.570	56.34	4.24	74.0	17.66	Peak	47.00	150	Horizontal	Pass
2**	5359.570	44.30	4.24	54.0	9.70	AV	47.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_16.07.12

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	60.68	3.82	74.0	13.32	Peak	178.01	150	Vertical	Pass
1**	5150.000	46.12	3.82	54.0	7.88	AV	178.01	150	Vertical	Pass
2	5140.250	61.31	4.08	74.0	12.69	Peak	258.00	150	Vertical	Pass
2**	5140.250	45.35	4.08	54.0	8.65	AV	258.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_16.05.48

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	67.09	3.82	74.0	6.91	Peak	251.00	150	Horizontal	Pass
1**	5150.000	50.62	3.82	54.0	3.38	AV	251.00	150	Horizontal	Pass
2	5142.200	69.53	4.04	74.0	4.47	Peak	253.00	150	Horizontal	Pass
2**	5142.200	49.66	4.04	54.0	4.34	AV	253.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_17.05.05

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.34	3.82	74.0	19.66	Peak	119.98	150	Vertical	Pass
1**	5150.000	44.02	3.82	54.0	9.98	AV	119.98	150	Vertical	Pass
2	5135.050	56.18	3.97	74.0	17.82	Peak	250.00	150	Vertical	Pass
2**	5135.050	43.92	3.97	54.0	10.08	AV	250.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_17.03.38

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH52 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	55.00	3.82	74.0	19.00	Peak	282.96	150	Horizontal	Pass
1**	5150.000	44.12	3.82	54.0	9.88	AV	282.96	150	Horizontal	Pass
2	5134.400	55.97	3.96	74.0	18.03	Peak	86.00	150	Horizontal	Pass
2**	5134.400	44.05	3.96	54.0	9.95	AV	86.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_17.17.17

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	57.16	4.04	74.0	16.84	Peak	150.00	150	Vertical	Pass
1**	5350.000	45.20	4.04	54.0	8.80	AV	150.00	150	Vertical	Pass
2	5350.220	60.41	4.04	74.0	13.59	Peak	161.00	150	Vertical	Pass
2**	5350.220	44.97	4.04	54.0	9.03	AV	161.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_17.15.42

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH64 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	67.52	4.04	74.0	6.48	Peak	238.00	150	Horizontal	Pass
1**	5350.000	50.25	4.04	54.0	3.75	AV	238.00	150	Horizontal	Pass
2	5350.440	69.82	4.05	74.0	4.18	Peak	260.00	150	Horizontal	Pass
2**	5350.440	49.83	4.05	54.0	4.17	AV	260.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_17.50.46

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac20 CH52 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.21	3.82	74.0	19.79	Peak	345.96	150	Vertical	Pass
1**	5150.000	43.78	3.82	54.0	10.22	AV	345.96	150	Vertical	Pass
2	5144.150	55.36	3.99	74.0	18.64	Peak	147.00	150	Vertical	Pass
2**	5144.150	44.01	3.99	54.0	9.99	AV	147.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_17.49.25

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac20 CH52 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.11	3.82	74.0	19.89	Peak	255.95	150	Horizontal	Pass
1**	5150.000	44.49	3.82	54.0	9.51	AV	255.95	150	Horizontal	Pass
2	5111.650	56.22	3.60	74.0	17.78	Peak	36.00	150	Horizontal	Pass
2**	5111.650	43.87	3.60	54.0	10.13	AV	36.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_17.34.22

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac20 CH64 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	60.49	4.04	74.0	13.51	Peak	148.00	150	Vertical	Pass
1**	5350.000	45.06	4.04	54.0	8.94	AV	148.00	150	Vertical	Pass
2	5355.720	60.68	4.16	74.0	13.32	Peak	41.00	150	Vertical	Pass
2**	5355.720	44.55	4.16	54.0	9.45	AV	41.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_17.32.14

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac20 CH64 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	69.06	4.04	74.0	4.94	Peak	259.00	150	Horizontal	Pass
1**	5350.000	50.45	4.04	54.0	3.55	AV	259.00	150	Horizontal	Pass
2	5353.740	68.03	4.11	74.0	5.97	Peak	281.00	150	Horizontal	Pass
2**	5353.740	48.97	4.11	54.0	5.03	AV	281.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_17.54.47

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac40 CH54 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.31	3.82	74.0	19.69	Peak	154.01	150	Vertical	Pass
1**	5150.000	44.02	3.82	54.0	9.98	AV	154.01	150	Vertical	Pass
2	5057.050	55.43	3.74	74.0	18.57	Peak	235.00	150	Vertical	Pass
2**	5057.050	43.74	3.74	54.0	10.26	AV	235.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_17.56.26

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac40 CH54 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5150.000	54.08	3.82	74.0	19.92	Peak	350.99	150	Horizontal	Pass
1**	5150.000	44.49	3.82	54.0	9.51	AV	350.99	150	Horizontal	Pass
2	5101.900	56.38	3.84	74.0	17.62	Peak	360.00	150	Horizontal	Pass
2**	5101.900	44.08	3.84	54.0	9.92	AV	360.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_18.29.51

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac40 CH62 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	59.82	4.04	74.0	14.18	Peak	60.00	150	Vertical	Pass
1**	5350.000	45.31	4.04	54.0	8.69	AV	60.00	150	Vertical	Pass
2	5352.310	59.99	4.09	74.0	14.01	Peak	57.00	150	Vertical	Pass
2**	5352.310	45.16	4.09	54.0	8.84	AV	57.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_18.28.15

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac40 CH62 P=16.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	66.94	4.04	74.0	7.06	Peak	87.00	150	Horizontal	Pass
1**	5350.000	50.47	4.04	54.0	3.53	AV	87.00	150	Horizontal	Pass
2	5352.970	68.79	4.10	74.0	5.21	Peak	254.00	150	Horizontal	Pass
2**	5352.970	49.45	4.10	54.0	4.55	AV	254.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_19.03.16

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	56.45	4.04	74.0	17.55	Peak	65.00	150	Vertical	Pass
1**	5350.000	44.86	4.04	54.0	9.14	AV	65.00	150	Vertical	Pass
2	5356.820	57.90	4.19	74.0	16.10	Peak	59.00	150	Vertical	Pass
2**	5356.820	44.90	4.19	54.0	9.10	AV	59.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_19.00.46

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5350.000	61.98	4.04	74.0	12.02	Peak	289.00	150	Horizontal	Pass
1**	5350.000	50.17	4.04	54.0	3.83	AV	289.00	150	Horizontal	Pass
2	5355.060	67.96	4.14	74.0	6.04	Peak	249.00	150	Horizontal	Pass
2**	5355.060	49.59	4.14	54.0	4.41	AV	249.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_20.14.13

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	54.49	3.78	68.2	13.71	Peak	284.72	150	Vertical	Pass
1**	5460.000	43.77	3.78	54.0	10.23	AV	284.72	150	Vertical	Pass
2	5469.760	58.24	4.09	68.2	9.96	Peak	51.00	150	Vertical	Pass
2**	5469.760	44.65	4.09	--	-44.65	AV	51.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_20.12.18

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH100 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.36	3.78	68.2	11.84	Peak	247.67	150	Horizontal	Pass
1**	5460.000	45.68	3.78	54.0	8.32	AV	247.67	150	Horizontal	Pass
2	5469.160	65.09	4.07	68.2	3.11	Peak	267.00	150	Horizontal	Pass
2**	5469.160	47.62	4.07	--	-47.62	AV	267.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_20.34.06

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	56.53	4.31	68.2	11.67	Peak	187.00	150	Vertical	Pass
2	5725.750	60.26	4.28	68.2	7.94	Peak	243.00	150	Vertical	Pass


Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_20.32.35

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11a CH140 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06

Bandedge_FCC-WIFI_5G_Band3_Right



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.34	4.31	68.2	6.86	Peak	45.00	150	Horizontal	Pass
2	5726.375	64.52	4.26	68.2	3.68	Peak	52.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_21.19.28

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.80	3.78	68.2	14.40	Peak	231.67	150	Vertical	Pass
1**	5460.000	43.60	3.78	54.0	10.40	AV	231.67	150	Vertical	Pass
2	5467.360	57.07	4.02	68.2	11.13	Peak	255.00	150	Vertical	Pass
2**	5467.360	44.03	4.02	--	-44.03	AV	255.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_21.17.44

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH100 P=15.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	56.64	3.78	68.2	11.56	Peak	267.98	150	Horizontal	Pass
1**	5460.000	44.95	3.78	54.0	9.05	AV	267.98	150	Horizontal	Pass
2	5468.200	64.28	4.05	68.2	3.92	Peak	248.00	150	Horizontal	Pass
2**	5468.200	46.00	4.05	--	-46.00	AV	248.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_20.51.48

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.39	4.31	68.2	9.81	Peak	230.00	150	Vertical	Pass
2	5726.125	60.32	4.27	68.2	7.88	Peak	204.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_20.49.44

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n20 CH140 P=16
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.00	4.31	68.2	6.20	Peak	0.00	150	Horizontal	Pass
2	5725.625	65.03	4.29	68.2	3.17	Peak	248.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_21.29.51

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.78	3.78	68.2	14.42	Peak	64.47	150	Vertical	Pass
1**	5460.000	43.69	3.78	54.0	10.31	AV	64.47	150	Vertical	Pass
2	5468.680	57.37	4.06	68.2	10.83	Peak	245.00	150	Vertical	Pass
2**	5468.680	44.19	4.06	--	-44.19	AV	245.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_21.28.26

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH102 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.14	3.78	68.2	9.06	Peak	271.01	150	Horizontal	Pass
1**	5460.000	45.23	3.78	54.0	8.77	AV	271.01	150	Horizontal	Pass
2	5469.760	65.15	4.09	68.2	3.05	Peak	276.00	150	Horizontal	Pass
2**	5469.760	46.90	4.09	--	-46.90	AV	276.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_21.55.18

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	61.37	4.31	68.2	6.83	Peak	212.00	150	Vertical	Pass
2	5725.875	61.17	4.28	68.2	7.03	Peak	212.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_21.51.13

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11n40 CH134 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	63.12	4.31	68.2	5.08	Peak	282.00	150	Horizontal	Pass
2	5725.500	64.24	4.29	68.2	3.96	Peak	282.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_22.23.02

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	53.26	3.78	68.2	14.94	Peak	62.47	150	Vertical	Pass
1**	5460.000	43.76	3.78	54.0	10.24	AV	62.47	150	Vertical	Pass
2	5469.280	56.39	4.08	68.2	11.81	Peak	276.00	150	Vertical	Pass
2**	5469.280	44.31	4.08	--	-44.31	AV	276.00	150	Vertical	N/A

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_22.21.36

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH106
		P=14.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5460.000	59.59	3.78	68.2	8.61	Peak	191.89	150	Horizontal	Pass
1**	5460.000	45.53	3.78	54.0	8.47	AV	191.89	150	Horizontal	Pass
2	5460.160	65.01	3.79	68.2	3.19	Peak	251.00	150	Horizontal	Pass
2**	5460.160	45.58	3.79	--	-45.58	AV	251.00	150	Horizontal	N/A

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_22.30.44

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122
		P=17.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	58.10	4.31	68.2	10.10	Peak	290.00	150	Vertical	Pass
2	5729.000	57.85	4.19	68.2	10.35	Peak	205.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_22.29.04

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6G WIFI 11ac80 CH122
		P=17.5	
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5725.000	62.70	4.31	68.2	5.50	Peak	292.00	150	Horizontal	Pass
2	5743.875	64.27	4.21	68.2	3.93	Peak	292.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_15.48.24

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.46	3.81	68.2	12.74	Peak	279.08	150	Vertical	Pass
2	5639.750	56.86	3.74	68.2	11.34	Peak	106.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-24_15.49.53

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH149 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.75	3.81	68.2	12.45	Peak	278.71	150	Horizontal	Pass
2	5645.250	56.90	3.77	68.2	11.30	Peak	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_15.55.15

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.93	6.44	68.2	11.27	Peak	85.32	150	Vertical	Pass
2	5930.550	58.17	6.30	68.2	10.03	Peak	342.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_15.53.01

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11a CH165 P=18
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.50	6.44	68.2	11.70	Peak	359.85	150	Horizontal	Pass
2	5953.500	57.91	6.17	68.2	10.29	Peak	164.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_16.11.36

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.51	3.81	68.2	12.69	Peak	0.31	150	Vertical	Pass
2	5638.375	56.85	3.73	68.2	11.35	Peak	112.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-24_16.10.06

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH149 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.30	3.81	68.2	11.90	Peak	226.83	150	Horizontal	Pass
2	5641.625	57.24	3.74	68.2	10.96	Peak	31.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_16.15.11

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.26	6.44	68.2	11.94	Peak	359.67	150	Vertical	Pass
2	5930.700	58.00	6.30	68.2	10.20	Peak	257.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-24_16.17.13

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac20 CH165 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.12	6.44	68.2	11.08	Peak	0.25	150	Horizontal	Pass
2	5941.500	57.95	6.07	68.2	10.25	Peak	168.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-24_16.25.03

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.56	3.81	68.2	12.64	Peak	6.34	150	Vertical	Pass
2	5639.625	56.57	3.74	68.2	11.63	Peak	328.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_16.23.31

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH151 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	55.71	3.81	68.2	12.49	Peak	269.09	150	Horizontal	Pass
2	5637.625	57.28	3.73	68.2	10.92	Peak	286.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-24_16.39.06

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	57.22	6.44	68.2	10.98	Peak	282.90	150	Vertical	Pass
2	5928.300	58.09	6.36	68.2	10.11	Peak	323.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_16.37.41

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac40 CH159 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5925.000	56.53	6.44	68.2	11.67	Peak	358.75	150	Horizontal	Pass
2	5932.050	58.24	6.28	68.2	9.96	Peak	116.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-24_16.49.42

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8G WIFI 11ac80 CH155 P=19
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	56.29	3.81	68.2	11.91	Peak	194.06	150	Vertical	Pass
2	5644.875	58.04	3.77	68.2	10.16	Peak	203.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-24_16.54.46

EUT Name: Mobile Phone

Temp.(°C): 23.9

Model Number: KO2

Humidity (%RH): 49

Sample Number: CC26080161-001-S13

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8G WIFI 11ac80 CH155 P=19


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A03+数据线: A06

Bandedge FCC-WIFI_5G_Band4_Left



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	5650.000	61.01	3.81	68.2	7.19	Peak	284.00	150	Horizontal	Pass
2	5632.500	63.12	3.69	68.2	5.08	Peak	273.00	150	Horizontal	Pass