

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_12.23.33

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.85	-4.87	74.0	23.15	Peak	135.18	150	Vertical	Pass
1**	2390.000	40.70	-4.87	54.0	13.30	AV	135.18	150	Vertical	Pass
2	2368.600	52.59	-4.16	74.0	21.41	Peak	360.00	150	Vertical	Pass
2**	2368.600	41.11	-4.16	54.0	12.89	AV	360.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_12.25.44

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.14	-4.87	74.0	22.86	Peak	0.00	150	Horizontal	Pass
1**	2390.000	41.02	-4.87	54.0	12.98	AV	0.00	150	Horizontal	Pass
2	2369.600	52.97	-4.05	74.0	21.03	Peak	320.00	150	Horizontal	Pass
2**	2369.600	40.95	-4.05	54.0	13.05	AV	320.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_12.54.04

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.27	-3.78	74.0	21.73	Peak	322.00	150	Vertical	Pass
1**	2483.500	41.44	-3.78	54.0	12.56	AV	322.00	150	Vertical	Pass
2	2490.190	53.59	-3.83	74.0	20.41	Peak	224.00	150	Vertical	Pass
2**	2490.190	41.21	-3.83	54.0	12.79	AV	224.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210
Test Time: 2026-08-23_12.49.44

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11b CH11 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	52.59	-3.78	74.0	21.41	Peak	204.00	150	Horizontal	Pass
1**	2483.500	43.13	-3.78	54.0	10.87	AV	204.00	150	Horizontal	Pass
2	2483.770	53.51	-3.78	74.0	20.49	Peak	240.00	150	Horizontal	Pass
2**	2483.770	43.14	-3.78	54.0	10.86	AV	240.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_13.10.01

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH1 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	51.07	-4.87	74.0	22.93	Peak	277.08	150	Vertical	Pass
1**	2390.000	40.52	-4.87	54.0	13.48	AV	277.08	150	Vertical	Pass
2	2384.000	52.68	-4.54	74.0	21.32	Peak	0.00	150	Vertical	Pass
2**	2384.000	40.78	-4.54	54.0	13.22	AV	0.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_13.11.30

EUT Name: Mobile Phone

Temp.(°C): 23.9

Model Number: KO2

Humidity (%RH): 49

Sample Number: CC26080161-001-S13

Pressure(kPa): 101

Test Standard: 47 CFR Part 15C


Work Mode: 2.4G WIFI 11g CH1 P=17.5

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	55.94	-4.87	74.0	18.06	Peak	264.12	150	Horizontal	Pass
1**	2390.000	42.94	-4.87	54.0	11.06	AV	264.12	150	Horizontal	Pass
2	2389.000	54.40	-4.82	74.0	19.60	Peak	230.00	150	Horizontal	Pass
2**	2389.000	41.20	-4.82	54.0	12.80	AV	230.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_12.57.40

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.44	-3.78	74.0	22.56	Peak	261.00	150	Vertical	Pass
1**	2483.500	41.55	-3.78	54.0	12.45	AV	261.00	150	Vertical	Pass
2	2485.360	53.06	-3.78	74.0	20.94	Peak	288.00	150	Vertical	Pass
2**	2485.360	41.39	-3.78	54.0	12.61	AV	288.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_12.59.24

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11g CH11 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	63.82	-3.78	74.0	10.18	Peak	316.00	150	Horizontal	Pass
1**	2483.500	49.12	-3.78	54.0	4.88	AV	316.00	150	Horizontal	Pass
2	2483.680	66.20	-3.78	74.0	7.80	Peak	228.00	150	Horizontal	Pass
2**	2483.680	49.27	-3.78	54.0	4.73	AV	228.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_13.16.08

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.73	-4.87	74.0	23.27	Peak	107.27	150	Vertical	Pass
1**	2390.000	40.71	-4.87	54.0	13.29	AV	107.27	150	Vertical	Pass
2	2376.700	52.50	-4.21	74.0	21.50	Peak	87.00	150	Vertical	Pass
2**	2376.700	40.76	-4.21	54.0	13.24	AV	87.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_13.14.25

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH1 P=18.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	61.21	-4.87	74.0	12.79	Peak	229.00	150	Horizontal	Pass
1**	2390.000	45.41	-4.87	54.0	8.59	AV	229.00	150	Horizontal	Pass
2	2389.300	60.55	-4.84	74.0	13.45	Peak	229.00	150	Horizontal	Pass
2**	2389.300	43.40	-4.84	54.0	10.60	AV	229.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_13.43.34

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.13	-3.78	74.0	22.87	Peak	249.00	150	Vertical	Pass
1**	2483.500	41.49	-3.78	54.0	12.51	AV	249.00	150	Vertical	Pass
2	2483.680	52.89	-3.78	74.0	21.11	Peak	130.00	150	Vertical	Pass
2**	2483.680	41.39	-3.78	54.0	12.61	AV	130.00	150	Vertical	Pass

Test Result

Project Number: P-CC26080210

Test Time: 2026-08-23_13.42.02

EUT Name:	Mobile Phone	Temp.(°C):	23.9
Model Number:	KO2	Humidity (%RH):	49
Sample Number:	CC26080161-001-S13	Pressure(kPa):	101
Test Standard:	47 CFR Part 15C	Work Mode:	2.4G WIFI 11n20 CH11 P=17
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A03+数据线: A06



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	62.40	-3.78	74.0	11.60	Peak	241.00	150	Horizontal	Pass
1**	2483.500	49.91	-3.78	54.0	4.09	AV	241.00	150	Horizontal	Pass
2	2483.620	66.79	-3.78	74.0	7.21	Peak	247.00	150	Horizontal	Pass
2**	2483.620	49.72	-3.78	54.0	4.28	AV	247.00	150	Horizontal	Pass