

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
38-n78 (BW: 20MHz)	1RB	Left Cheek	37775	2572.5	-0.210	0.182	100	1.00	21.59	22.00	1.099	0.200
		Left Tilt	37775	2572.5	3.730	0.127	100	1.00	21.59	22.00	1.099	0.140
		Right Cheek	37775	2572.5	3.570	0.301	100	1.00	21.59	22.00	1.099	0.331
		Right Tilt	37775	2572.5	4.400	0.249	100	1.00	21.59	22.00	1.099	0.274
	50%RB	Left Cheek	37775	2572.5	-2.600	0.114	100	1.00	21.59	22.00	1.099	0.125
		Left Tilt	37775	2572.5	-1.610	0.068	100	1.00	21.59	22.00	1.099	0.075
		Right Cheek	37775	2572.5	3.610	0.197	100	1.00	21.59	22.00	1.099	0.217
		Right Tilt	37775	2572.5	0.230	0.139	100	1.00	21.59	22.00	1.099	0.153
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
38-n78 (BW: 20MHz)	1RB	Front	37775	2572.5	-3.960	0.059	100	1.00	21.59	22.00	1.099	0.065
		Back	37775	2572.5	-4.790	0.094	100	1.00	21.59	22.00	1.099	0.103
		Left	37775	2572.5	-1.700	0.034	100	1.00	21.59	22.00	1.099	0.037
		Right	37775	2572.5	4.640	0.016	100	1.00	21.59	22.00	1.099	0.018
		Top	37775	2572.5	-0.690	0.027	100	1.00	21.59	22.00	1.099	0.030
		Bottom	37775	2572.5	3.890	0.019	100	1.00	21.59	22.00	1.099	0.021
	50%RB	Front	37775	2572.5	1.660	0.037	100	1.00	21.59	22.00	1.099	0.041
		Back	37775	2572.5	-3.540	0.058	100	1.00	21.59	22.00	1.099	0.064
		Left	37775	2572.5	-0.280	0.022	100	1.00	21.59	22.00	1.099	0.024
		Right	37775	2572.5	1.750	0.010	100	1.00	21.59	22.00	1.099	0.011
		Top	37775	2572.5	-3.960	0.019	100	1.00	21.59	22.00	1.099	0.021
		Bottom	37775	2572.5	4.510	0.012	100	1.00	21.59	22.00	1.099	0.013

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
41-n41 (BW: 20MHz)	1RB	Left Cheek	40620	2593.0	3.900	0.193	100	1.00	23.71	24.00	1.069	0.206
		Left Tilt	40620	2593.0	-4.920	0.090	100	1.00	23.71	24.00	1.069	0.096
		Right Cheek	40620	2593.0	-4.570	0.237	100	1.00	23.71	24.00	1.069	0.253
		Right Tilt	40620	2593.0	2.290	0.119	100	1.00	23.71	24.00	1.069	0.127
	50%RB	Left Cheek	40620	2593.0	0.970	0.116	100	1.00	23.71	24.00	1.069	0.124
		Left Tilt	40620	2593.0	-0.370	0.052	100	1.00	23.71	24.00	1.069	0.056
		Right Cheek	40620	2593.0	-0.900	0.149	100	1.00	23.71	24.00	1.069	0.159
		Right Tilt	40620	2593.0	0.860	0.068	100	1.00	23.71	24.00	1.069	0.073
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
41-n41 (BW: 20MHz)	1RB	Front	40620	2593.0	2.080	0.076	100	1.00	23.71	24.00	1.069	0.081
		Back	40620	2593.0	-1.250	0.098	100	1.00	23.71	24.00	1.069	0.105
		Left	40620	2593.0	-1.870	0.031	100	1.00	23.71	24.00	1.069	0.033
		Right	40620	2593.0	0.120	0.016	100	1.00	23.71	24.00	1.069	0.017
		Top	40620	2593.0	2.910	0.020	100	1.00	23.71	24.00	1.069	0.021
		Bottom	40620	2593.0	0.210	0.013	100	1.00	23.71	24.00	1.069	0.014
	50%RB	Front	40620	2593.0	1.190	0.042	100	1.00	23.71	24.00	1.069	0.045
		Back	40620	2593.0	-2.230	0.059	100	1.00	23.71	24.00	1.069	0.063
		Left	40620	2593.0	4.670	0.025	100	1.00	23.71	24.00	1.069	0.027
		Right	40620	2593.0	-4.150	0.011	100	1.00	23.71	24.00	1.069	0.012
		Top	40620	2593.0	0.880	0.016	100	1.00	23.71	24.00	1.069	0.017
		Bottom	40620	2593.0	1.910	0.009	100	1.00	23.71	24.00	1.069	0.010

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
41-n77 (BW: 20MHz)	1RB	Left Cheek	39675	2498.5	-3.140	0.182	100	1.00	21.55	22.00	1.109	0.202
		Left Tilt	39675	2498.5	1.070	0.099	100	1.00	21.55	22.00	1.109	0.110
		Right Cheek	39675	2498.5	0.730	0.255	100	1.00	21.55	22.00	1.109	0.283
		Right Tilt	39675	2498.5	-4.580	0.169	100	1.00	21.55	22.00	1.109	0.187
	50%RB	Left Cheek	39675	2498.5	2.470	0.109	100	1.00	21.55	22.00	1.109	0.121
		Left Tilt	39675	2498.5	0.400	0.067	100	1.00	21.55	22.00	1.109	0.074
		Right Cheek	39675	2498.5	-3.700	0.159	100	1.00	21.55	22.00	1.109	0.176
		Right Tilt	39675	2498.5	1.930	0.095	100	1.00	21.55	22.00	1.109	0.105
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
41-n77 (BW: 20MHz)	1RB	Front	39675	2498.5	-3.070	0.050	100	1.00	21.55	22.00	1.109	0.055
		Back	39675	2498.5	3.040	0.061	100	1.00	21.55	22.00	1.109	0.068
		Left	39675	2498.5	4.320	0.043	100	1.00	21.55	22.00	1.109	0.048
		Right	39675	2498.5	-2.350	0.021	100	1.00	21.55	22.00	1.109	0.023
		Top	39675	2498.5	2.490	0.038	100	1.00	21.55	22.00	1.109	0.042
		Bottom	39675	2498.5	-3.190	0.015	100	1.00	21.55	22.00	1.109	0.017
	50%RB	Front	39675	2498.5	3.090	0.025	100	1.00	21.55	22.00	1.109	0.028
		Back	39675	2498.5	3.510	0.037	100	1.00	21.55	22.00	1.109	0.041
		Left	39675	2498.5	-4.600	0.019	100	1.00	21.55	22.00	1.109	0.021
		Right	39675	2498.5	3.700	0.010	100	1.00	21.55	22.00	1.109	0.011
		Top	39675	2498.5	-4.940	0.015	100	1.00	21.55	22.00	1.109	0.017
		Bottom	39675	2498.5	-3.060	0.007	100	1.00	21.55	22.00	1.109	0.008

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
41-n78 (BW: 20MHz)	1RB	Left Cheek	39675	2498.5	1.280	0.228	100	1.00	21.53	22.00	1.114	0.254
		Left Tilt	39675	2498.5	-1.840	0.105	100	1.00	21.53	22.00	1.114	0.117
		Right Cheek	39675	2498.5	-0.510	0.273	100	1.00	21.53	22.00	1.114	0.304
		Right Tilt	39675	2498.5	4.440	0.139	100	1.00	21.53	22.00	1.114	0.155
	50%RB	Left Cheek	39675	2498.5	-1.590	0.118	100	1.00	21.53	22.00	1.114	0.131
		Left Tilt	39675	2498.5	-3.100	0.061	100	1.00	21.53	22.00	1.114	0.068
		Right Cheek	39675	2498.5	4.680	0.152	100	1.00	21.53	22.00	1.114	0.169
		Right Tilt	39675	2498.5	-0.380	0.069	100	1.00	21.53	22.00	1.114	0.077
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
41-n78 (BW: 20MHz)	1RB	Front	39675	2498.5	0.060	0.086	100	1.00	21.53	22.00	1.114	0.096
		Back	39675	2498.5	3.900	0.104	100	1.00	21.53	22.00	1.114	0.116
		Left	39675	2498.5	1.240	0.063	100	1.00	21.53	22.00	1.114	0.070
		Right	39675	2498.5	-1.750	0.035	100	1.00	21.53	22.00	1.114	0.039
		Top	39675	2498.5	-2.430	0.049	100	1.00	21.53	22.00	1.114	0.055
		Bottom	39675	2498.5	3.150	0.019	100	1.00	21.53	22.00	1.114	0.021
	50%RB	Front	39675	2498.5	3.660	0.049	100	1.00	21.53	22.00	1.114	0.055
		Back	39675	2498.5	-3.170	0.073	100	1.00	21.53	22.00	1.114	0.081
		Left	39675	2498.5	1.330	0.038	100	1.00	21.53	22.00	1.114	0.042
		Right	39675	2498.5	-1.350	0.017	100	1.00	21.53	22.00	1.114	0.019
		Top	39675	2498.5	1.990	0.023	100	1.00	21.53	22.00	1.114	0.026
		Bottom	39675	2498.5	-2.320	0.010	100	1.00	21.53	22.00	1.114	0.011

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n7 (BW: 20MHz)	1RB	Left Cheek	132647	1777.5	0.840	0.102	100	1.00	21.88	22.00	1.028	0.105
		Left Tilt	132647	1777.5	-0.990	0.183	100	1.00	21.88	22.00	1.028	0.188
		Right Cheek	132647	1777.5	2.400	0.209	100	1.00	21.88	22.00	1.028	0.215
		Right Tilt	132647	1777.5	1.780	0.356	100	1.00	21.88	22.00	1.028	0.366
	50%RB	Left Cheek	132647	1777.5	-0.340	0.072	100	1.00	21.88	22.00	1.028	0.074
		Left Tilt	132647	1777.5	-1.730	0.097	100	1.00	21.88	22.00	1.028	0.100
		Right Cheek	132647	1777.5	1.560	0.125	100	1.00	21.88	22.00	1.028	0.129
		Right Tilt	132647	1777.5	3.160	0.207	100	1.00	21.88	22.00	1.028	0.213
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n7 (BW: 20MHz)	1RB	Front	132647	1777.5	0.090	0.241	100	1.00	21.88	22.00	1.028	0.248
		Back	132647	1777.5	-0.110	0.340	100	1.00	21.88	22.00	1.028	0.350
		Left	132647	1777.5	-0.140	0.169	100	1.00	21.88	22.00	1.028	0.174
		Right	132647	1777.5	0.070	0.050	100	1.00	21.88	22.00	1.028	0.051
		Top	132647	1777.5	-0.110	0.093	100	1.00	21.88	22.00	1.028	0.096
		Bottom	132647	1777.5	0.150	0.074	100	1.00	21.88	22.00	1.028	0.076
	50%RB	Front	132647	1777.5	4.820	0.141	100	1.00	21.88	22.00	1.028	0.145
		Back	132647	1777.5	-0.160	0.196	100	1.00	21.88	22.00	1.028	0.201
		Left	132647	1777.5	4.060	0.105	100	1.00	21.88	22.00	1.028	0.108
		Right	132647	1777.5	-2.540	0.030	100	1.00	21.88	22.00	1.028	0.031
		Top	132647	1777.5	1.770	0.062	100	1.00	21.88	22.00	1.028	0.064
		Bottom	132647	1777.5	0.220	0.037	100	1.00	21.88	22.00	1.028	0.038

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n38 (BW: 20MHz)	1RB	Left Cheek	132332	1745.0	-0.240	0.477	100	1.00	21.70	22.00	1.072	0.511
		Left Tilt	132332	1745.0	-0.610	0.341	100	1.00	21.70	22.00	1.072	0.365
		Right Cheek	132332	1745.0	0.830	0.852	100	1.00	21.70	22.00	1.072	0.913
		Right Tilt	132332	1745.0	1.290	0.383	100	1.00	21.70	22.00	1.072	0.410
	50%RB	Left Cheek	132332	1745.0	0.210	0.307	100	1.00	21.70	22.00	1.072	0.329
		Left Tilt	132332	1745.0	2.140	0.196	100	1.00	21.70	22.00	1.072	0.210
		Right Cheek	132332	1745.0	-1.990	0.492	100	1.00	21.70	22.00	1.072	0.527
		Right Tilt	132332	1745.0	-0.560	0.235	100	1.00	21.70	22.00	1.072	0.252
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n38 (BW: 20MHz)	1RB	Front	132332	1745.0	0.120	0.208	100	1.00	21.70	22.00	1.072	0.223
		Back	132332	1745.0	-0.080	0.266	100	1.00	21.70	22.00	1.072	0.285
		Left	132332	1745.0	-0.150	0.153	100	1.00	21.70	22.00	1.072	0.164
		Right	132332	1745.0	0.040	0.026	100	1.00	21.70	22.00	1.072	0.028
		Top	132332	1745.0	0.030	0.141	100	1.00	21.70	22.00	1.072	0.151
		Bottom	132332	1745.0	0.090	0.016	100	1.00	21.70	22.00	1.072	0.017
	50%RB	Front	132332	1745.0	-1.590	0.118	100	1.00	21.70	22.00	1.072	0.126
		Back	132332	1745.0	-3.280	0.152	100	1.00	21.70	22.00	1.072	0.163
		Left	132332	1745.0	1.600	0.089	100	1.00	21.70	22.00	1.072	0.095
		Right	132332	1745.0	-2.650	0.017	100	1.00	21.70	22.00	1.072	0.018
		Top	132332	1745.0	2.040	0.060	100	1.00	21.70	22.00	1.072	0.064
		Bottom	132332	1745.0	2.900	0.009	100	1.00	21.70	22.00	1.072	0.010

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n41 (BW: 20MHz)	1RB	Left Cheek	132647	1777.5	-2.860	0.576	100	1.00	21.80	22.00	1.047	0.603
		Left Tilt	132647	1777.5	1.860	0.443	100	1.00	21.80	22.00	1.047	0.464
		Right Cheek	132647	1777.5	1.530	0.839	100	1.00	21.80	22.00	1.047	0.879
		Right Tilt	132647	1777.5	-0.090	0.495	100	1.00	21.80	22.00	1.047	0.518
	50%RB	Left Cheek	132647	1777.5	2.830	0.376	100	1.00	21.80	22.00	1.047	0.394
		Left Tilt	132647	1777.5	-4.480	0.248	100	1.00	21.80	22.00	1.047	0.260
		Right Cheek	132647	1777.5	-2.660	0.452	100	1.00	21.80	22.00	1.047	0.473
		Right Tilt	132647	1777.5	3.590	0.292	100	1.00	21.80	22.00	1.047	0.306
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n41 (BW: 20MHz)	1RB	Front	132647	1777.5	0.110	0.205	100	1.00	21.80	22.00	1.047	0.215
		Back	132647	1777.5	-0.150	0.269	100	1.00	21.80	22.00	1.047	0.282
		Left	132647	1777.5	0.050	0.153	100	1.00	21.80	22.00	1.047	0.160
		Right	132647	1777.5	0.140	0.026	100	1.00	21.80	22.00	1.047	0.027
		Top	132647	1777.5	0.080	0.124	100	1.00	21.80	22.00	1.047	0.130
		Bottom	132647	1777.5	0.120	0.016	100	1.00	21.80	22.00	1.047	0.017
	50%RB	Front	132647	1777.5	3.890	0.129	100	1.00	21.80	22.00	1.047	0.135
		Back	132647	1777.5	-1.730	0.167	100	1.00	21.80	22.00	1.047	0.175
		Left	132647	1777.5	3.600	0.082	100	1.00	21.80	22.00	1.047	0.086
		Right	132647	1777.5	3.690	0.016	100	1.00	21.80	22.00	1.047	0.017
		Top	132647	1777.5	-3.050	0.072	100	1.00	21.80	22.00	1.047	0.075
		Bottom	132647	1777.5	2.020	0.010	100	1.00	21.80	22.00	1.047	0.010

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n66 (BW: 20MHz)	1RB	Left Cheek	132322	1720.0	1.700	0.598	100	1.00	22.51	23.00	1.119	0.669
		Left Tilt	132322	1720.0	-3.550	0.193	100	1.00	22.51	23.00	1.119	0.216
		Right Cheek	132322	1720.0	4.240	0.813	100	1.00	22.51	23.00	1.119	0.910
		Right Tilt	132322	1720.0	-3.460	0.249	100	1.00	22.51	23.00	1.119	0.279
	50%RB	Left Cheek	132322	1720.0	-0.130	0.339	100	1.00	22.51	23.00	1.119	0.379
		Left Tilt	132322	1720.0	3.060	0.106	100	1.00	22.51	23.00	1.119	0.119
		Right Cheek	132322	1720.0	1.870	0.421	100	1.00	22.51	23.00	1.119	0.471
		Right Tilt	132322	1720.0	-2.900	0.185	100	1.00	22.51	23.00	1.119	0.207
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n66 (BW: 20MHz)	1RB	Front	132322	1720.0	-4.340	0.141	100	1.00	22.51	23.00	1.119	0.158
		Back	132322	1720.0	3.820	0.193	100	1.00	22.51	23.00	1.119	0.216
		Left	132322	1720.0	-1.670	0.115	100	1.00	22.51	23.00	1.119	0.129
		Right	132322	1720.0	4.340	0.027	100	1.00	22.51	23.00	1.119	0.030
		Top	132322	1720.0	-2.540	0.089	100	1.00	22.51	23.00	1.119	0.100
		Bottom	132322	1720.0	1.370	0.034	100	1.00	22.51	23.00	1.119	0.038
	50%RB	Front	132322	1720.0	2.550	0.083	100	1.00	22.51	23.00	1.119	0.093
		Back	132322	1720.0	-4.890	0.105	100	1.00	22.51	23.00	1.119	0.118
		Left	132322	1720.0	-0.680	0.068	100	1.00	22.51	23.00	1.119	0.076
		Right	132322	1720.0	4.530	0.017	100	1.00	22.51	23.00	1.119	0.019
		Top	132322	1720.0	4.660	0.059	100	1.00	22.51	23.00	1.119	0.066
		Bottom	132322	1720.0	-1.480	0.027	100	1.00	22.51	23.00	1.119	0.030

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n77 (BW: 20MHz)	1RB	Left Cheek	132322	1745.0	1.340	0.415	100	1.00	21.24	21.50	1.062	0.441
		Left Tilt	132322	1745.0	4.240	0.268	100	1.00	21.24	21.50	1.062	0.285
		Right Cheek	132322	1745.0	0.320	0.845	100	1.00	21.24	21.50	1.062	0.897
		Right Tilt	132322	1745.0	-2.110	0.594	100	1.00	21.24	21.50	1.062	0.631
	50%RB	Left Cheek	132322	1745.0	-3.190	0.237	100	1.00	21.24	21.50	1.062	0.252
		Left Tilt	132322	1745.0	-4.970	0.198	100	1.00	21.24	21.50	1.062	0.210
		Right Cheek	132322	1745.0	2.630	0.521	100	1.00	21.24	21.50	1.062	0.553
		Right Tilt	132322	1745.0	-1.270	0.349	100	1.00	21.24	21.50	1.062	0.371
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n77 (BW: 20MHz)	1RB	Front	132322	1745.0	0.050	0.216	100	1.00	21.24	21.50	1.062	0.229
		Back	132322	1745.0	-0.130	0.256	100	1.00	21.24	21.50	1.062	0.272
		Left	132322	1745.0	0.140	0.173	100	1.00	21.24	21.50	1.062	0.184
		Right	132322	1745.0	0.080	0.029	100	1.00	21.24	21.50	1.062	0.031
		Top	132322	1745.0	0.160	0.136	100	1.00	21.24	21.50	1.062	0.144
		Bottom	132322	1745.0	0.030	0.015	100	1.00	21.24	21.50	1.062	0.016
	50%RB	Front	132322	1745.0	3.510	0.107	100	1.00	21.24	21.50	1.062	0.114
		Back	132322	1745.0	2.360	0.139	100	1.00	21.24	21.50	1.062	0.148
		Left	132322	1745.0	-1.720	0.079	100	1.00	21.24	21.50	1.062	0.084
		Right	132322	1745.0	4.810	0.020	100	1.00	21.24	21.50	1.062	0.021
		Top	132322	1745.0	-0.280	0.053	100	1.00	21.24	21.50	1.062	0.056
		Bottom	132322	1745.0	0.950	0.009	100	1.00	21.24	21.50	1.062	0.010

Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n78 (BW: 20MHz)	1RB	Left Cheek	132322	1745.0	4.040	0.395	100	1.00	21.33	21.50	1.040	0.411
		Left Tilt	132322	1745.0	-0.950	0.178	100	1.00	21.33	21.50	1.040	0.185
		Right Cheek	132322	1745.0	1.330	0.849	100	1.00	21.33	21.50	1.040	0.883
		Right Tilt	132322	1745.0	-0.120	0.196	100	1.00	21.33	21.50	1.040	0.204
	50%RB	Left Cheek	132322	1745.0	4.200	0.239	100	1.00	21.33	21.50	1.040	0.249
		Left Tilt	132322	1745.0	2.990	0.124	100	1.00	21.33	21.50	1.040	0.129
		Right Cheek	132322	1745.0	-0.360	0.513	100	1.00	21.33	21.50	1.040	0.533
		Right Tilt	132322	1745.0	2.720	0.157	100	1.00	21.33	21.50	1.040	0.163
Mode	Channel Type	Position	Ch.	Freq. (MHz)	Power Drift (dB)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
66-n78 (BW: 20MHz)	1RB	Front	132322	1745.0	0.060	0.253	100	1.00	21.33	21.50	1.040	0.263
		Back	132322	1745.0	-0.150	0.272	100	1.00	21.33	21.50	1.040	0.283
		Left	132322	1745.0	-0.110	0.235	100	1.00	21.33	21.50	1.040	0.244
		Right	132322	1745.0	0.120	0.028	100	1.00	21.33	21.50	1.040	0.029
		Top	132322	1745.0	0.050	0.214	100	1.00	21.33	21.50	1.040	0.223
		Bottom	132322	1745.0	0.040	0.019	100	1.00	21.33	21.50	1.040	0.020
	50%RB	Front	132322	1745.0	-0.550	0.135	100	1.00	21.33	21.50	1.040	0.140
		Back	132322	1745.0	4.710	0.163	100	1.00	21.33	21.50	1.040	0.170
		Left	132322	1745.0	-2.380	0.110	100	1.00	21.33	21.50	1.040	0.114
		Right	132322	1745.0	0.060	0.016	100	1.00	21.33	21.50	1.040	0.017
		Top	132322	1745.0	-4.830	0.089	100	1.00	21.33	21.50	1.040	0.093
		Bottom	132322	1745.0	0.310	0.011	100	1.00	21.33	21.50	1.040	0.011

11.3.4 Results overview of WiFi

Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
2.4g (2.4~2.4835) 802.11n(HT20)	Left Cheek	1	2412	0.00	0.346	100	1.00	23.49	23.50	1.002	0.347
	Left Tilt	1	2412	0.14	0.134	100	1.00	23.49	23.50	1.002	0.134
	Right Cheek	1	2412	-0.02	0.392	100	1.00	23.49	23.50	1.002	0.393
	Right Tilt	1	2412	0.03	0.188	100	1.00	23.49	23.50	1.002	0.188
Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
2.4g (2.4~2.4835) 802.11n(HT20)	Front	1	2412	0.09	0.135	100	1.00	23.49	23.50	1.002	0.135
	Back	1	2412	0.14	0.178	100	1.00	23.49	23.50	1.002	0.178
	Left	1	2412	-0.02	0.122	100	1.00	23.49	23.50	1.002	0.122
	Right	1	2412	0.13	0.040	100	1.00	23.49	23.50	1.002	0.040
	Top	1	2412	0.01	0.086	100	1.00	23.49	23.50	1.002	0.086
	Bottom	1	2412	0.00	0.005	100	1.00	23.49	23.50	1.002	0.005

Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band1 5180-5240 802.11ax-80	Left Cheek	42	5210	0.080	0.008	100	1.00	20.34	20.50	1.038	0.008
	Left Tilt	42	5210	-0.040	0.027	100	1.00	20.34	20.50	1.038	0.028
	Right Cheek	42	5210	0.110	0.009	100	1.00	20.34	20.50	1.038	0.009
	Right Tilt	42	5210	-0.050	0.018	100	1.00	20.34	20.50	1.038	0.019
Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band1 5180-5240 802.ax80	Front	42	5210	0.140	0.030	100	1.00	20.34	20.50	1.038	0.031
	Back	42	5210	0.180	0.041	100	1.00	20.34	20.50	1.038	0.043
	Left	42	5210	-0.040	0.008	100	1.00	20.34	20.50	1.038	0.008
	Right	42	5210	-0.160	0.017	100	1.00	20.34	20.50	1.038	0.018
	Top	42	5210	0.050	0.015	100	1.00	20.34	20.50	1.038	0.016
	Bottom	42	5210	-0.030	0.003	100	1.00	20.34	20.50	1.038	0.003

Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band2 5260-5320 802.ax20	Left Cheek	58	5290	0.040	0.017	100	1.00	19.87	20.00	1.030	0.018
	Left Tilt	58	5290	-0.014	0.041	100	1.00	19.87	20.00	1.030	0.042
	Right Cheek	58	5290	-0.050	0.011	100	1.00	19.87	20.00	1.030	0.011
	Right Tilt	58	5290	0.100	0.033	100	1.00	19.87	20.00	1.030	0.034
Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band2 5260-5320 802.11ax20	Front	58	5290	-0.050	0.041	100	1.00	19.87	20.00	1.030	0.042
	Back	58	5290	0.030	0.062	100	1.00	19.87	20.00	1.030	0.064
	Left	58	5290	0.130	0.003	100	1.00	19.87	20.00	1.030	0.003
	Right	58	5290	0.080	0.007	100	1.00	19.87	20.00	1.030	0.007
	Top	58	5290	-0.050	0.005	100	1.00	19.87	20.00	1.030	0.005
	Bottom	58	5290	0.030	0.002	100	1.00	19.87	20.00	1.030	0.002

Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band3 5500-5700 802.11ac20	Left Cheek	100	5500	0.030	0.034	100	1.00	20.34	20.50	1.038	0.035
	Left Tilt	100	5500	-0.170	0.082	100	1.00	20.34	20.50	1.038	0.085
	Right Cheek	100	5500	-0.010	0.022	100	1.00	20.34	20.50	1.038	0.023
	Right Tilt	100	5500	0.050	0.046	100	1.00	20.34	20.50	1.038	0.048
Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band3 5500-5700 802.11ac 20	Front	100	5500	0.010	0.028	100	1.00	20.34	20.50	1.038	0.029
	Back	100	5500	-0.170	0.039	100	1.00	20.34	20.50	1.038	0.040
	Left	100	5500	0.080	0.017	100	1.00	20.34	20.50	1.038	0.018
	Right	100	5500	0.040	0.009	100	1.00	20.34	20.50	1.038	0.009
	Top	100	5500	-0.050	0.016	100	1.00	20.34	20.50	1.038	0.017
	Bottom	100	5500	-0.100	0.004	100	1.00	20.34	20.50	1.038	0.004

Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band4 5745-5825 802.11ax40	Left Cheek	159	5795	0.110	0.051	100	1.00	21.24	21.50	1.062	0.054
	Left Tilt	159	5795	0.060	0.097	100	1.00	21.24	21.50	1.062	0.103
	Right Cheek	159	5795	0.040	0.019	100	1.00	21.24	21.50	1.062	0.020
	Right Tilt	159	5795	-0.080	0.055	100	1.00	21.24	21.50	1.062	0.058
Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
5g Band4 5745-5825 802.11ax40	Front	159	5795	-0.160	0.046	100	1.00	21.24	21.50	1.062	0.049
	Back	159	5795	-0.030	0.074	100	1.00	21.24	21.50	1.062	0.079
	Left	159	5795	0.130	0.012	100	1.00	21.24	21.50	1.062	0.013
	Right	159	5795	0.140	0.023	100	1.00	21.24	21.50	1.062	0.024
	Top	159	5795	-0.080	0.020	100	1.00	21.24	21.50	1.062	0.021
	Bottom	159	5795	-0.130	0.002	100	1.00	21.24	21.50	1.062	0.002


Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
Bluetooth	Left Cheek	39	2441	0.500	0.063	100	1.00	10.58	11.00	1.102	0.069
	Left Tilt	39	2441	1.500	0.076	100	1.00	10.58	11.00	1.102	0.084
	Right Cheek	39	2441	0.000	0.045	100	1.00	10.58	11.00	1.102	0.050
	Right Tilt	39	2441	2.500	0.056	100	1.00	10.58	11.00	1.102	0.062
Mode	Position	Ch.	Freq. (MHz)	Power Drift (db)	1g Meas. SAR (W/kg)	Duty cycle (%)	Duty cycle Factor	Meas. Power (dBm)	Max. tune-up power (dBm)	Scaling Factor	1g Scaled SAR (W/kg)
Bluetooth	Front	39	2441	2.500	0.060	100	1.00	10.58	11.00	1.102	0.066
	Back	39	2441	-1.500	0.069	100	1.00	10.58	11.00	1.102	0.076
	Left	39	2441	-0.150	0.051	100	1.00	10.58	11.00	1.102	0.056
	Right	39	2441	4.500	0.038	100	1.00	10.58	11.00	1.102	0.042
	Top	39	2441	-2.000	0.040	100	1.00	10.58	11.00	1.102	0.044
	Bottom	39	2441	1.000	0.013	100	1.00	10.58	11.00	1.102	0.014

Note:

- 1.The maximum SAR Value of each test band is marked bold.
- 2.SAR plot is provided only for the highest measured SAR in each exposure configuration, wireless mode and frequency band combination.
- 3.Per KDB 447498 D01 v06, for each exposure position, if the highest output power channel Reported SAR $\leq 0.8\text{W/kg}$, other channels SAR testing is not necessary.
- 4.Per KDB 447498 D01 v06, head/body-worn use is evaluated with the device positioned at 0mm/10 mm from a head/flat phantom respectively filled with head tissue-equivalent medium.
- 5.Per KDB Publication 941225 D06 where SAR test considerations for handsets ($L \times W \geq 9 \text{ cm} \times 5 \text{ cm}$) are based on a composite test separation distance of 10 mm from the front, back and edges of the device with antennas 2.5 cm or closer to the edge of the device, determined from general mixed use conditions for this type of devices. Since the hotspot SAR results may overlap with the body-worn accessory SAR requirements, the more conservative configurations can be considered, thus excluding some body-worn accessory SAR tests.
- 6.Per KDB 447498 D01 v06, the report SAR is measured SAR value adjusted for maximum tune-up tolerance. Scaling Factor= $10^{[(\text{tune-up limit power(dBm)} - \text{Ave.power power (dBm)})/10]}$, where tune-up limit is the maximum rated power among all production units.
- 7.Reported SAR(W/kg)=Measured SAR (W/kg)*Scaling Factor.

12 Multiple Transmitter Information

The SAR measurement positions of each side are as below:



< Rear Side >

Mode	Front side	Rear side	Left side	Right side	Top side	Bottom side
2G/3G/4G /5G Antenna	Yes	Yes	Yes	Yes	Yes	Yes
Wi-Fi/BT Antenna	Yes	Yes	Yes	Yes	Yes	Yes

- 1) Per KDB941225 D06v01r01, the DUT Dimension is bigger than 9 cm x 5 cm, so 10mm is chosen as the test separation distance for Hotspot mode. When the antenna-to-edge distance is greater than 2.5cm, such position does not need to be tested.

12.1 Simultaneous Transmission Possibilities

The Simultaneous Transmission Possibilities are as below:

Simultaneous Transmission Possibilities				
Simultaneous Tx Combination	Configuration	Head	Body	Hotspot
1	GSM/GPRS/UMTS/LTE/NR +Wi-Fi	YES	YES	YES
2	GSM/GPRS/UMTS/LTE/NR +BT	YES	YES	YES

Note: The device does not support simultaneous BT and Wi-Fi ,because the BT and Wi-Fi share the same antenna and can't transmit simultaneously.

12.1.1 SAR Summation Scenario

Head

Band	Test Position	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
		WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) SAR 1g(W/kg)			
GSM850 (voice)	Left Cheek	0.328	0.347	0.054	0.069	0.675	1.6
	Left Tilt	0.173	0.134	0.103	0.084	0.307	
	Right Cheek	0.146	0.393	0.020	0.050	0.539	
	Right Tilt	0.057	0.188	0.058	0.062	0.245	
GSM1900 (voice)	Left Cheek	0.191	0.347	0.054	0.069	0.538	
	Left Tilt	0.313	0.134	0.103	0.084	0.447	
	Right Cheek	0.447	0.393	0.020	0.050	0.840	
	Right Tilt	0.565	0.188	0.058	0.062	0.753	
WCDMA Band 2	Left Cheek	0.121	0.347	0.054	0.069	0.468	
	Left Tilt	0.184	0.134	0.103	0.084	0.318	
	Right Cheek	0.334	0.393	0.020	0.050	0.727	
	Right Tilt	0.442	0.188	0.058	0.062	0.630	
WCDMA Band 4	Left Cheek	0.085	0.347	0.054	0.069	0.432	
	Left Tilt	0.125	0.134	0.103	0.084	0.259	
	Right Cheek	0.199	0.393	0.020	0.050	0.592	
	Right Tilt	0.300	0.188	0.058	0.062	0.488	
WCDMA Band 5	Left Cheek	1.019	0.347	0.054	0.069	1.366	
	Left Tilt	0.487	0.134	0.103	0.084	0.621	
	Right Cheek	0.623	0.393	0.020	0.050	1.016	
	Right Tilt	0.169	0.188	0.058	0.062	0.357	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
LTE Band 2 QPSK (20MHz)	Left Cheek	1RB	0.097	0.347	0.054	0.069	0.444	1.6
	Left Tilt		0.174	0.134	0.103	0.084	0.308	
	Right Cheek		0.218	0.393	0.020	0.050	0.611	
	Right Tilt		0.363	0.188	0.058	0.062	0.551	
	Left Cheek	50%RB	0.064	0.347	0.054	0.069	0.411	
	Left Tilt		0.133	0.134	0.103	0.084	0.267	
	Right Cheek		0.201	0.393	0.020	0.050	0.594	
	Right Tilt		0.316	0.188	0.058	0.062	0.504	
LTE Band 4 QPSK (20MHz)	Left Cheek	1RB	0.047	0.347	0.054	0.069	0.394	
	Left Tilt		0.126	0.134	0.103	0.084	0.260	
	Right Cheek		0.118	0.393	0.020	0.050	0.511	
	Right Tilt		0.277	0.188	0.058	0.062	0.465	
	Left Cheek	50%RB	0.027	0.347	0.054	0.069	0.374	
	Left Tilt		0.096	0.134	0.103	0.084	0.230	
	Right Cheek		0.089	0.393	0.020	0.050	0.482	
	Right Tilt		0.228	0.188	0.058	0.062	0.416	
LTE Band 5 QPSK (10MHz)	Left Cheek	1RB	0.959	0.347	0.054	0.069	1.306	
	Left Tilt		0.396	0.134	0.103	0.084	0.530	
	Right Cheek		0.478	0.393	0.020	0.050	0.871	
	Right Tilt		0.157	0.188	0.058	0.062	0.345	
	Left Cheek	50%RB	0.944	0.347	0.054	0.069	1.291	
	Left Tilt		0.389	0.134	0.103	0.084	0.523	
	Right Cheek		0.463	0.393	0.020	0.050	0.856	
	Right Tilt		0.149	0.188	0.058	0.062	0.337	
LTE Band 7 QPSK (10MHz)	Left Cheek	1RB	0.151	0.347	0.054	0.069	0.498	
	Left Tilt		0.243	0.134	0.103	0.084	0.377	
	Right Cheek		0.217	0.393	0.020	0.050	0.610	
	Right Tilt		0.353	0.188	0.058	0.062	0.541	
	Left Cheek	50%RB	0.144	0.347	0.054	0.069	0.491	
	Left Tilt		0.248	0.134	0.103	0.084	0.382	
	Right Cheek		0.208	0.393	0.020	0.050	0.601	
	Right Tilt		0.345	0.188	0.058	0.062	0.533	
LTE Band 12 QPSK (10MHz)	Left Cheek	1RB	0.182	0.347	0.054	0.069	0.529	
	Left Tilt		0.047	0.134	0.103	0.084	0.181	
	Right Cheek		0.136	0.393	0.020	0.050	0.529	
	Right Tilt		0.029	0.188	0.058	0.062	0.217	
	Left Cheek	50%RB	0.146	0.347	0.054	0.069	0.493	
	Left Tilt		0.035	0.134	0.103	0.084	0.169	
	Right Cheek		0.109	0.393	0.020	0.050	0.502	
	Right Tilt		0.019	0.188	0.058	0.062	0.207	
LTE Band 17 QPSK (10MHz)	Left Cheek	1RB	0.231	0.347	0.054	0.069	0.578	
	Left Tilt		0.119	0.134	0.103	0.084	0.253	
	Right Cheek		0.151	0.393	0.020	0.050	0.544	
	Right Tilt		0.046	0.188	0.058	0.062	0.234	
	Left Cheek	50%RB	0.197	0.347	0.054	0.069	0.544	
	Left Tilt		0.088	0.134	0.103	0.084	0.222	
	Right Cheek		0.129	0.393	0.020	0.050	0.522	
	Right Tilt		0.033	0.188	0.058	0.062	0.221	
LTE Band 38 QPSK (20MHz)	Left Cheek	1RB	0.095	0.347	0.054	0.069	0.442	
	Left Tilt		0.188	0.134	0.103	0.084	0.322	
	Right Cheek		0.221	0.393	0.020	0.050	0.614	
	Right Tilt		0.313	0.188	0.058	0.062	0.501	
	Left Cheek	50%RB	0.087	0.347	0.054	0.069	0.434	
	Left Tilt		0.182	0.134	0.103	0.084	0.316	
	Right Cheek		0.227	0.393	0.020	0.050	0.620	
	Right Tilt		0.309	0.188	0.058	0.062	0.497	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
LTE Band 41 QPSK (20MHz)	Left Cheek	1RB	0.101	0.347	0.054	0.069	0.448	1.6
	Left Tilt		0.157	0.134	0.103	0.084	0.291	
	Right Cheek		0.195	0.393	0.020	0.050	0.588	
	Right Tilt		0.282	0.188	0.058	0.062	0.470	
	Left Cheek	50%RB	0.098	0.347	0.054	0.069	0.445	
	Left Tilt		0.155	0.134	0.103	0.084	0.289	
	Right Cheek		0.186	0.393	0.020	0.050	0.579	
	Right Tilt		0.280	0.188	0.058	0.062	0.468	
LTE Band 42 QPSK (20MHz)	Left Cheek	1RB	0.111	0.347	0.054	0.069	0.458	
	Left Tilt		0.190	0.134	0.103	0.084	0.324	
	Right Cheek		0.342	0.393	0.020	0.050	0.735	
	Right Tilt		0.512	0.188	0.058	0.062	0.700	
	Left Cheek	50%RB	0.109	0.347	0.054	0.069	0.456	
	Left Tilt		0.181	0.134	0.103	0.084	0.315	
	Right Cheek		0.326	0.393	0.020	0.050	0.719	
	Right Tilt		0.486	0.188	0.058	0.062	0.674	
LTE Band 66 QPSK (20MHz)	Left Cheek	1RB	0.093	0.347	0.054	0.069	0.440	
	Left Tilt		0.191	0.134	0.103	0.084	0.325	
	Right Cheek		0.145	0.393	0.020	0.050	0.538	
	Right Tilt		0.339	0.188	0.058	0.062	0.527	
	Left Cheek	50%RB	0.089	0.347	0.054	0.069	0.436	
	Left Tilt		0.188	0.134	0.103	0.084	0.322	
	Right Cheek		0.142	0.393	0.020	0.050	0.535	
	Right Tilt		0.329	0.188	0.058	0.062	0.517	
NR Band 5	Left Cheek	1RB	0.748	0.347	0.054	0.069	1.095	
	Left Tilt		0.147	0.134	0.103	0.084	0.281	
	Right Cheek		0.378	0.393	0.020	0.050	0.771	
	Right Tilt		0.094	0.188	0.058	0.062	0.282	
	Left Cheek	50%RB	0.517	0.347	0.054	0.069	0.864	
	Left Tilt		0.080	0.134	0.103	0.084	0.214	
	Right Cheek		0.209	0.393	0.020	0.050	0.602	
	Right Tilt		0.051	0.188	0.058	0.062	0.239	
NR Band 7	Left Cheek	1RB	0.286	0.347	0.054	0.069	0.633	
	Left Tilt		0.521	0.134	0.103	0.084	0.655	
	Right Cheek		0.459	0.393	0.020	0.050	0.852	
	Right Tilt		1.032	0.188	0.058	0.062	1.220	
	Left Cheek	50%RB	0.213	0.347	0.054	0.069	0.560	
	Left Tilt		0.321	0.134	0.103	0.084	0.455	
	Right Cheek		0.270	0.393	0.020	0.050	0.663	
	Right Tilt		0.547	0.188	0.058	0.062	0.735	
NR Band 12	Left Cheek	1RB	0.331	0.347	0.054	0.069	0.678	
	Left Tilt		0.224	0.134	0.103	0.084	0.358	
	Right Cheek		0.165	0.393	0.020	0.050	0.558	
	Right Tilt		0.057	0.188	0.058	0.062	0.245	
	Left Cheek	50%RB	0.240	0.347	0.054	0.069	0.587	
	Left Tilt		0.166	0.134	0.103	0.084	0.300	
	Right Cheek		0.096	0.393	0.020	0.050	0.489	
	Right Tilt		0.049	0.188	0.058	0.062	0.237	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Limit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
NR Band38	Left Cheek	1RB	0.419	0.347	0.054	0.069	0.766	1.6
	Left Tilt		0.771	0.134	0.103	0.084	0.905	
	Right Cheek		0.437	0.393	0.020	0.050	0.830	
	Right Tilt		0.817	0.188	0.058	0.062	1.005	
	Left Cheek	50%RB	0.227	0.347	0.054	0.069	0.574	
	Left Tilt		0.388	0.134	0.103	0.084	0.522	
	Right Cheek		0.264	0.393	0.020	0.050	0.657	
	Right Tilt		0.432	0.188	0.058	0.062	0.620	
NR Band41	Left Cheek	1RB	0.167	0.347	0.054	0.069	0.514	
	Left Tilt		0.261	0.134	0.103	0.084	0.395	
	Right Cheek		0.344	0.393	0.020	0.050	0.737	
	Right Tilt		0.654	0.188	0.058	0.062	0.842	
	Left Cheek	50%RB	0.092	0.347	0.054	0.069	0.439	
	Left Tilt		0.125	0.134	0.103	0.084	0.259	
	Right Cheek		0.203	0.393	0.020	0.050	0.596	
	Right Tilt		0.306	0.188	0.058	0.062	0.494	
NR Band66	Left Cheek	1RB	0.155	0.347	0.054	0.069	0.502	
	Left Tilt		0.244	0.134	0.103	0.084	0.378	
	Right Cheek		0.318	0.393	0.020	0.050	0.711	
	Right Tilt		0.527	0.188	0.058	0.062	0.715	
	Left Cheek	50%RB	0.096	0.347	0.054	0.069	0.443	
	Left Tilt		0.139	0.134	0.103	0.084	0.273	
	Right Cheek		0.198	0.393	0.020	0.050	0.591	
	Right Tilt		0.308	0.188	0.058	0.062	0.496	
NR Band71	Left Cheek	1RB	0.130	0.347	0.054	0.069	0.477	
	Left Tilt		0.029	0.134	0.103	0.084	0.163	
	Right Cheek		0.086	0.393	0.020	0.050	0.479	
	Right Tilt		0.017	0.188	0.058	0.062	0.205	
	Left Cheek	50%RB	0.085	0.347	0.054	0.069	0.432	
	Left Tilt		0.021	0.134	0.103	0.084	0.155	
	Right Cheek		0.063	0.393	0.020	0.050	0.456	
	Right Tilt		0.015	0.188	0.058	0.062	0.203	
NR Band77	Left Cheek	1RB	0.076	0.347	0.054	0.069	0.423	
	Left Tilt		0.115	0.134	0.103	0.084	0.249	
	Right Cheek		0.312	0.393	0.020	0.050	0.705	
	Right Tilt		0.534	0.188	0.058	0.062	0.722	
	Left Cheek	50%RB	0.045	0.347	0.054	0.069	0.392	
	Left Tilt		0.074	0.134	0.103	0.084	0.208	
	Right Cheek		0.198	0.393	0.020	0.050	0.591	
	Right Tilt		0.313	0.188	0.058	0.062	0.501	
NR Band77	Left Cheek	1RB	0.137	0.347	0.054	0.069	0.484	
	Left Tilt		0.200	0.134	0.103	0.084	0.334	
	Right Cheek		0.404	0.393	0.020	0.050	0.797	
	Right Tilt		0.616	0.188	0.058	0.062	0.804	
	Left Cheek	50%RB	0.081	0.347	0.054	0.069	0.428	
	Left Tilt		0.137	0.134	0.103	0.084	0.271	
	Right Cheek		0.247	0.393	0.020	0.050	0.640	
	Right Tilt		0.354	0.188	0.058	0.062	0.542	
NR Band77	Left Cheek	1RB	0.141	0.347	0.054	0.069	0.488	
	Left Tilt		0.234	0.134	0.103	0.084	0.368	
	Right Cheek		0.324	0.393	0.020	0.050	0.717	
	Right Tilt		0.481	0.188	0.058	0.062	0.669	
	Left Cheek	50%RB	0.091	0.347	0.054	0.069	0.438	
	Left Tilt		0.129	0.134	0.103	0.084	0.263	
	Right Cheek		0.164	0.393	0.020	0.050	0.557	
	Right Tilt		0.255	0.188	0.058	0.062	0.443	
NR Band78	Left Cheek	1RB	0.120	0.347	0.054	0.069	0.467	
	Left Tilt		0.150	0.134	0.103	0.084	0.284	
	Right Cheek		0.435	0.393	0.020	0.050	0.828	
	Right Tilt		0.598	0.188	0.058	0.062	0.786	
	Left Cheek	50%RB	0.088	0.347	0.054	0.069	0.435	
	Left Tilt		0.096	0.134	0.103	0.084	0.230	
	Right Cheek		0.278	0.393	0.020	0.050	0.671	
	Right Tilt		0.368	0.188	0.058	0.062	0.556	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Limit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
NR Band78	Left Cheek	1RB	0.061	0.347	0.054	0.069	0.408	1.6
	Left Tilt		0.113	0.134	0.103	0.084	0.247	
	Right Cheek		0.436	0.393	0.020	0.050	0.829	
	Right Tilt		0.606	0.188	0.058	0.062	0.794	
	Left Cheek	50%RB	0.035	0.347	0.054	0.069	0.382	
	Left Tilt		0.063	0.134	0.103	0.084	0.197	
	Right Cheek		0.305	0.393	0.020	0.050	0.698	
	Right Tilt		0.389	0.188	0.058	0.062	0.577	
NR Band78	Left Cheek	1RB	0.068	0.347	0.054	0.069	0.415	
	Left Tilt		0.092	0.134	0.103	0.084	0.226	
	Right Cheek		0.301	0.393	0.020	0.050	0.694	
	Right Tilt		0.459	0.188	0.058	0.062	0.647	
	Left Cheek	50%RB	0.041	0.347	0.054	0.069	0.388	
	Left Tilt		0.059	0.134	0.103	0.084	0.193	
	Right Cheek		0.195	0.393	0.020	0.050	0.588	
	Right Tilt		0.262	0.188	0.058	0.062	0.450	
2-n7	Left Cheek	1RB	0.188	0.347	0.054	0.069	0.535	
	Left Tilt		0.217	0.134	0.103	0.084	0.351	
	Right Cheek		0.278	0.393	0.020	0.050	0.671	
	Right Tilt		0.308	0.188	0.058	0.062	0.496	
	Left Cheek	50%RB	0.082	0.347	0.054	0.069	0.429	
	Left Tilt		0.099	0.134	0.103	0.084	0.233	
	Right Cheek		0.125	0.393	0.020	0.050	0.518	
	Right Tilt		0.188	0.188	0.058	0.062	0.376	
2-n66	Left Cheek	1RB	0.277	0.347	0.054	0.069	0.624	
	Left Tilt		0.359	0.134	0.103	0.084	0.493	
	Right Cheek		0.337	0.393	0.020	0.050	0.730	
	Right Tilt		0.372	0.188	0.058	0.062	0.560	
	Left Cheek	50%RB	0.158	0.347	0.054	0.069	0.505	
	Left Tilt		0.210	0.134	0.103	0.084	0.344	
	Right Cheek		0.193	0.393	0.020	0.050	0.586	
	Right Tilt		0.225	0.188	0.058	0.062	0.413	
2-n78	Left Cheek	1RB	0.652	0.347	0.054	0.069	0.999	
	Left Tilt		0.476	0.134	0.103	0.084	0.610	
	Right Cheek		0.935	0.393	0.020	0.050	1.328	
	Right Tilt		0.703	0.188	0.058	0.062	0.891	
	Left Cheek	50%RB	0.290	0.347	0.054	0.069	0.637	
	Left Tilt		0.242	0.134	0.103	0.084	0.376	
	Right Cheek		0.633	0.393	0.020	0.050	1.026	
	Right Tilt		0.350	0.188	0.058	0.062	0.538	
4-n7	Left Cheek	1RB	0.125	0.347	0.054	0.069	0.472	
	Left Tilt		0.177	0.134	0.103	0.084	0.311	
	Right Cheek		0.286	0.393	0.020	0.050	0.679	
	Right Tilt		0.367	0.188	0.058	0.062	0.555	
	Left Cheek	50%RB	0.079	0.347	0.054	0.069	0.426	
	Left Tilt		0.114	0.134	0.103	0.084	0.248	
	Right Cheek		0.160	0.393	0.020	0.050	0.553	
	Right Tilt		0.197	0.188	0.058	0.062	0.385	
4-n41	Left Cheek	1RB	0.422	0.347	0.054	0.069	0.769	
	Left Tilt		0.251	0.134	0.103	0.084	0.385	
	Right Cheek		0.901	0.393	0.020	0.050	1.294	
	Right Tilt		0.379	0.188	0.058	0.062	0.567	
	Left Cheek	50%RB	0.259	0.347	0.054	0.069	0.606	
	Left Tilt		0.154	0.134	0.103	0.084	0.288	
	Right Cheek		0.617	0.393	0.020	0.050	1.010	
	Right Tilt		0.215	0.188	0.058	0.062	0.403	
4-n78	Left Cheek	1RB	0.784	0.347	0.054	0.069	1.131	
	Left Tilt		0.582	0.134	0.103	0.084	0.716	
	Right Cheek		0.823	0.393	0.020	0.050	1.216	
	Right Tilt		0.726	0.188	0.058	0.062	0.914	
	Left Cheek	50%RB	0.310	0.347	0.054	0.069	0.657	
	Left Tilt		0.227	0.134	0.103	0.084	0.361	
	Right Cheek		0.496	0.393	0.020	0.050	0.889	
	Right Tilt		0.288	0.188	0.058	0.062	0.476	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Limit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
5-n7	Left Cheek	1RB	0.573	0.347	0.054	0.069	0.920	1.6
	Left Tilt		0.638	0.134	0.103	0.084	0.772	
	Right Cheek		0.400	0.393	0.020	0.050	0.793	
	Right Tilt		0.529	0.188	0.058	0.062	0.717	
	Left Cheek	50%RB	0.424	0.347	0.054	0.069	0.771	
	Left Tilt		0.495	0.134	0.103	0.084	0.629	
	Right Cheek		0.361	0.393	0.020	0.050	0.754	
	Right Tilt		0.305	0.188	0.058	0.062	0.493	
5-n38	Left Cheek	1RB	0.571	0.347	0.054	0.069	0.918	
	Left Tilt		0.126	0.134	0.103	0.084	0.260	
	Right Cheek		0.515	0.393	0.020	0.050	0.908	
	Right Tilt		0.106	0.188	0.058	0.062	0.294	
	Left Cheek	50%RB	0.443	0.347	0.054	0.069	0.790	
	Left Tilt		0.100	0.134	0.103	0.084	0.234	
	Right Cheek		0.398	0.393	0.020	0.050	0.791	
	Right Tilt		0.073	0.188	0.058	0.062	0.261	
5-n41	Left Cheek	1RB	0.491	0.347	0.054	0.069	0.838	
	Left Tilt		0.170	0.134	0.103	0.084	0.304	
	Right Cheek		0.420	0.393	0.020	0.050	0.813	
	Right Tilt		0.135	0.188	0.058	0.062	0.323	
	Left Cheek	50%RB	0.398	0.347	0.054	0.069	0.745	
	Left Tilt		0.125	0.134	0.103	0.084	0.259	
	Right Cheek		0.312	0.393	0.020	0.050	0.705	
	Right Tilt		0.102	0.188	0.058	0.062	0.290	
5-n66	Left Cheek	1RB	0.769	0.347	0.054	0.069	1.116	
	Left Tilt		0.721	0.134	0.103	0.084	0.855	
	Right Cheek		0.553	0.393	0.020	0.050	0.946	
	Right Tilt		0.531	0.188	0.058	0.062	0.719	
	Left Cheek	50%RB	0.629	0.347	0.054	0.069	0.976	
	Left Tilt		0.538	0.134	0.103	0.084	0.672	
	Right Cheek		0.495	0.393	0.020	0.050	0.888	
	Right Tilt		0.421	0.188	0.058	0.062	0.609	
5-n77	Left Cheek	1RB	0.686	0.347	0.054	0.069	1.033	
	Left Tilt		0.489	0.134	0.103	0.084	0.623	
	Right Cheek		0.428	0.393	0.020	0.050	0.821	
	Right Tilt		0.154	0.188	0.058	0.062	0.342	
	Left Cheek	50%RB	0.435	0.347	0.054	0.069	0.782	
	Left Tilt		0.309	0.134	0.103	0.084	0.443	
	Right Cheek		0.214	0.393	0.020	0.050	0.607	
	Right Tilt		0.106	0.188	0.058	0.062	0.294	
5-n78	Left Cheek	1RB	0.686	0.347	0.054	0.069	1.033	
	Left Tilt		0.454	0.134	0.103	0.084	0.588	
	Right Cheek		0.414	0.393	0.020	0.050	0.807	
	Right Tilt		0.180	0.188	0.058	0.062	0.368	
	Left Cheek	50%RB	0.502	0.347	0.054	0.069	0.849	
	Left Tilt		0.414	0.134	0.103	0.084	0.548	
	Right Cheek		0.325	0.393	0.020	0.050	0.718	
	Right Tilt		0.130	0.188	0.058	0.062	0.318	
7-n7	Left Cheek	1RB	0.755	0.347	0.054	0.069	1.102	
	Left Tilt		0.309	0.134	0.103	0.084	0.443	
	Right Cheek		0.935	0.393	0.020	0.050	1.328	
	Right Tilt		0.454	0.188	0.058	0.062	0.642	
	Left Cheek	50%RB	0.431	0.347	0.054	0.069	0.778	
	Left Tilt		0.202	0.134	0.103	0.084	0.336	
	Right Cheek		0.530	0.393	0.020	0.050	0.923	
	Right Tilt		0.263	0.188	0.058	0.062	0.451	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
7-n66	Left Cheek	1RB	0.653	0.347	0.054	0.069	1.000	1.6
	Left Tilt		0.612	0.134	0.103	0.084	0.746	
	Right Cheek		0.916	0.393	0.020	0.050	1.309	
	Right Tilt		0.708	0.188	0.058	0.062	0.896	
	Left Cheek	50%RB	0.323	0.347	0.054	0.069	0.670	
	Left Tilt		0.284	0.134	0.103	0.084	0.418	
	Right Cheek		0.493	0.393	0.020	0.050	0.886	
	Right Tilt		0.370	0.188	0.058	0.062	0.558	
7-n77	Left Cheek	1RB	0.596	0.347	0.054	0.069	0.943	
	Left Tilt		0.171	0.134	0.103	0.084	0.305	
	Right Cheek		0.379	0.393	0.020	0.050	0.772	
	Right Tilt		0.100	0.188	0.058	0.062	0.288	
	Left Cheek	50%RB	0.294	0.347	0.054	0.069	0.641	
	Left Tilt		0.099	0.134	0.103	0.084	0.233	
	Right Cheek		0.228	0.393	0.020	0.050	0.621	
	Right Tilt		0.074	0.188	0.058	0.062	0.262	
7-n78	Left Cheek	1RB	0.813	0.347	0.054	0.069	1.160	
	Left Tilt		0.526	0.134	0.103	0.084	0.660	
	Right Cheek		0.957	0.393	0.020	0.050	1.350	
	Right Tilt		0.739	0.188	0.058	0.062	0.927	
	Left Cheek	50%RB	0.400	0.347	0.054	0.069	0.747	
	Left Tilt		0.196	0.134	0.103	0.084	0.330	
	Right Cheek		0.464	0.393	0.020	0.050	0.857	
	Right Tilt		0.310	0.188	0.058	0.062	0.498	
38-n78	Left Cheek	1RB	0.200	0.347	0.054	0.069	0.547	
	Left Tilt		0.140	0.134	0.103	0.084	0.274	
	Right Cheek		0.331	0.393	0.020	0.050	0.724	
	Right Tilt		0.274	0.188	0.058	0.062	0.462	
	Left Cheek	50%RB	0.125	0.347	0.054	0.069	0.472	
	Left Tilt		0.075	0.134	0.103	0.084	0.209	
	Right Cheek		0.217	0.393	0.020	0.050	0.610	
	Right Tilt		0.153	0.188	0.058	0.062	0.341	
41-n41	Left Cheek	1RB	0.206	0.347	0.054	0.069	0.553	
	Left Tilt		0.096	0.134	0.103	0.084	0.230	
	Right Cheek		0.253	0.393	0.020	0.050	0.646	
	Right Tilt		0.127	0.188	0.058	0.062	0.315	
	Left Cheek	50%RB	0.124	0.347	0.054	0.069	0.471	
	Left Tilt		0.056	0.134	0.103	0.084	0.190	
	Right Cheek		0.159	0.393	0.020	0.050	0.552	
	Right Tilt		0.073	0.188	0.058	0.062	0.261	
41-n77	Left Cheek	1RB	0.202	0.347	0.054	0.069	0.549	
	Left Tilt		0.110	0.134	0.103	0.084	0.244	
	Right Cheek		0.283	0.393	0.020	0.050	0.676	
	Right Tilt		0.187	0.188	0.058	0.062	0.375	
	Left Cheek	50%RB	0.121	0.347	0.054	0.069	0.468	
	Left Tilt		0.074	0.134	0.103	0.084	0.208	
	Right Cheek		0.176	0.393	0.020	0.050	0.569	
	Right Tilt		0.105	0.188	0.058	0.062	0.293	
41-n78	Left Cheek	1RB	0.254	0.347	0.054	0.069	0.601	
	Left Tilt		0.117	0.134	0.103	0.084	0.251	
	Right Cheek		0.304	0.393	0.020	0.050	0.697	
	Right Tilt		0.155	0.188	0.058	0.062	0.343	
	Left Cheek	50%RB	0.131	0.347	0.054	0.069	0.478	
	Left Tilt		0.068	0.134	0.103	0.084	0.202	
	Right Cheek		0.169	0.393	0.020	0.050	0.562	
	Right Tilt		0.077	0.188	0.058	0.062	0.265	

Band	Test Position	Scaled SAR				BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
		RB allocation	WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
66-n7	Left Cheek	1RB	0.105	0.347	0.054	0.069	0.452	1.6
	Left Tilt		0.188	0.134	0.103	0.084	0.322	
	Right Cheek		0.215	0.393	0.020	0.050	0.608	
	Right Tilt		0.366	0.188	0.058	0.062	0.554	
	Left Cheek	50%RB	0.074	0.347	0.054	0.069	0.421	
	Left Tilt		0.100	0.134	0.103	0.084	0.234	
	Right Cheek		0.129	0.393	0.020	0.050	0.522	
	Right Tilt		0.213	0.188	0.058	0.062	0.401	
66-n38	Left Cheek	1RB	0.511	0.347	0.054	0.069	0.858	
	Left Tilt		0.365	0.134	0.103	0.084	0.499	
	Right Cheek		0.913	0.393	0.020	0.050	1.306	
	Right Tilt		0.410	0.188	0.058	0.062	0.598	
	Left Cheek	50%RB	0.329	0.347	0.054	0.069	0.676	
	Left Tilt		0.210	0.134	0.103	0.084	0.344	
	Right Cheek		0.527	0.393	0.020	0.050	0.920	
	Right Tilt		0.252	0.188	0.058	0.062	0.440	
66-n41	Left Cheek	1RB	0.603	0.347	0.054	0.069	0.950	
	Left Tilt		0.464	0.134	0.103	0.084	0.598	
	Right Cheek		0.879	0.393	0.020	0.050	1.272	
	Right Tilt		0.518	0.188	0.058	0.062	0.706	
	Left Cheek	50%RB	0.394	0.347	0.054	0.069	0.741	
	Left Tilt		0.260	0.134	0.103	0.084	0.394	
	Right Cheek		0.473	0.393	0.020	0.050	0.866	
	Right Tilt		0.306	0.188	0.058	0.062	0.494	
66-n66	Left Cheek	1RB	0.669	0.347	0.054	0.069	1.016	
	Left Tilt		0.216	0.134	0.103	0.084	0.350	
	Right Cheek		0.910	0.393	0.020	0.050	1.303	
	Right Tilt		0.279	0.188	0.058	0.062	0.467	
	Left Cheek	50%RB	0.379	0.347	0.054	0.069	0.726	
	Left Tilt		0.119	0.134	0.103	0.084	0.253	
	Right Cheek		0.471	0.393	0.020	0.050	0.864	
	Right Tilt		0.207	0.188	0.058	0.062	0.395	
66-n77	Left Cheek	1RB	0.441	0.347	0.054	0.069	0.788	
	Left Tilt		0.285	0.134	0.103	0.084	0.419	
	Right Cheek		0.897	0.393	0.020	0.050	1.290	
	Right Tilt		0.631	0.188	0.058	0.062	0.819	
	Left Cheek	50%RB	0.252	0.347	0.054	0.069	0.599	
	Left Tilt		0.210	0.134	0.103	0.084	0.344	
	Right Cheek		0.553	0.393	0.020	0.050	0.946	
	Right Tilt		0.371	0.188	0.058	0.062	0.559	
66-n78	Left Cheek	1RB	0.411	0.347	0.054	0.069	0.758	
	Left Tilt		0.185	0.134	0.103	0.084	0.319	
	Right Cheek		0.883	0.393	0.020	0.050	1.276	
	Right Tilt		0.204	0.188	0.058	0.062	0.392	
	Left Cheek	50%RB	0.249	0.347	0.054	0.069	0.596	
	Left Tilt		0.129	0.134	0.103	0.084	0.263	
	Right Cheek		0.533	0.393	0.020	0.050	0.926	
	Right Tilt		0.163	0.188	0.058	0.062	0.351	

Hotspot(body-worn10mm)

Band	Test Position	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Limit (W/kg)
		WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
GSM850 (GPRS 4slots)	Front	1.036	0.135	0.049	0.066	1.171	1.6
	Back	1.077	0.178	0.079	0.076	1.255	
	Left	0.784	0.122	0.013	0.056	0.906	
	right	0.249	0.040	0.024	0.042	0.289	
	Top	0.198	0.086	0.021	0.044	0.284	
	Bottom	0.145	0.005	0.002	0.014	0.150	
GSM1900 (GPRS 4slots)	Front	0.633	0.135	0.049	0.066	0.768	
	Back	0.901	0.178	0.079	0.076	1.079	
	Left	0.474	0.122	0.013	0.056	0.596	
	right	0.138	0.040	0.024	0.042	0.178	
	Top	0.592	0.086	0.021	0.044	0.678	
	Bottom	0.026	0.005	0.002	0.014	0.031	
WCDMA Band 2	Front	0.044	0.135	0.049	0.066	0.179	
	Back	0.061	0.178	0.079	0.076	0.239	
	Left	0.034	0.122	0.013	0.056	0.156	
	right	0.010	0.040	0.024	0.042	0.050	
	Top	0.042	0.086	0.021	0.044	0.128	
	Bottom	0.002	0.005	0.002	0.014	0.007	
WCDMA Band 4	Front	0.036	0.135	0.049	0.066	0.171	
	Back	0.048	0.178	0.079	0.076	0.226	
	Left	0.022	0.122	0.013	0.056	0.144	
	right	0.008	0.040	0.024	0.042	0.048	
	Top	0.029	0.086	0.021	0.044	0.115	
	Bottom	0.002	0.005	0.002	0.014	0.007	
WCDMA Band 5	Front	0.568	0.135	0.049	0.066	0.703	
	Back	0.553	0.178	0.079	0.076	0.731	
	Left	0.398	0.122	0.013	0.056	0.520	
	right	0.165	0.040	0.024	0.042	0.205	
	Top	0.138	0.086	0.021	0.044	0.224	
	Bottom	0.106	0.005	0.002	0.014	0.111	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
LTE Band 2	Front	1RB	0.034	0.135	0.049	0.066	0.169	1.6
	Back		0.046	0.178	0.079	0.076	0.224	
	Left		0.020	0.122	0.013	0.056	0.142	
	right		0.005	0.040	0.024	0.042	0.045	
	Top		0.037	0.086	0.021	0.044	0.123	
	Bottom		0.002	0.005	0.002	0.014	0.007	
	Front	50%RB	0.027	0.135	0.049	0.066	0.162	
	Back		0.040	0.178	0.079	0.076	0.218	
	Left		0.014	0.122	0.013	0.056	0.136	
	right		0.003	0.040	0.024	0.042	0.043	
	Top		0.030	0.086	0.021	0.044	0.116	
LTE Band 4	Bottom	1RB	0.002	0.005	0.002	0.014	0.007	
	Front		0.027	0.135	0.049	0.066	0.162	
	Back		0.041	0.178	0.079	0.076	0.219	
	Left		0.022	0.122	0.013	0.056	0.144	
	right		0.004	0.040	0.024	0.042	0.044	
	Top		0.030	0.086	0.021	0.044	0.116	
	Bottom		0.002	0.005	0.002	0.014	0.007	
	Front	50%RB	0.018	0.135	0.049	0.066	0.153	
	Back		0.031	0.178	0.079	0.076	0.209	
	Left		0.014	0.122	0.013	0.056	0.136	
	right		0.002	0.040	0.024	0.042	0.042	
LTE Band 5	Top	1RB	0.023	0.086	0.021	0.044	0.109	
	Bottom		0.002	0.005	0.002	0.014	0.007	
	Front		0.328	0.135	0.049	0.066	0.463	
	Back		0.595	0.178	0.079	0.076	0.773	
	Left		0.104	0.122	0.013	0.056	0.226	
	right	50%RB	0.394	0.040	0.024	0.042	0.434	
	Top		0.212	0.086	0.021	0.044	0.298	
	Bottom		0.023	0.005	0.002	0.014	0.028	
	Front		0.343	0.135	0.049	0.066	0.478	
	Back		0.582	0.178	0.079	0.076	0.760	
LTE Band 7	Left	1RB	0.108	0.122	0.013	0.056	0.230	
	right		0.388	0.040	0.024	0.042	0.428	
	Top		0.210	0.086	0.021	0.044	0.296	
	Bottom		0.019	0.005	0.002	0.014	0.024	
	Front	50%RB	0.041	0.135	0.049	0.066	0.176	
	Back		0.048	0.178	0.079	0.076	0.226	
	Left		0.036	0.122	0.013	0.056	0.158	
	right		0.014	0.040	0.024	0.042	0.054	
	Top		0.029	0.086	0.021	0.044	0.115	
	Bottom		0.003	0.005	0.002	0.014	0.008	
LTE Band 12	Front	1RB	0.039	0.135	0.049	0.066	0.174	
	Back		0.046	0.178	0.079	0.076	0.224	
	Left		0.031	0.122	0.013	0.056	0.153	
	right		0.010	0.040	0.024	0.042	0.050	
	Top		0.025	0.086	0.021	0.044	0.111	
	Bottom	50%RB	0.004	0.005	0.002	0.014	0.009	
	Front		0.080	0.135	0.049	0.066	0.215	
	Back		0.127	0.178	0.079	0.076	0.305	
	Left		0.086	0.122	0.013	0.056	0.208	
	right		0.020	0.040	0.024	0.042	0.060	
	Top	1RB	0.037	0.086	0.021	0.044	0.123	
	Bottom		0.021	0.005	0.002	0.014	0.026	
	Front		0.070	0.135	0.049	0.066	0.205	
	Back		0.108	0.178	0.079	0.076	0.286	
	Left		0.073	0.122	0.013	0.056	0.195	
	right	50%RB	0.016	0.040	0.024	0.042	0.056	
	Top		0.026	0.086	0.021	0.044	0.112	
	Bottom		0.019	0.005	0.002	0.014	0.024	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
LTE Band 17	Front	1RB	0.104	0.135	0.049	0.066	0.239	1.6
	Back		0.144	0.178	0.079	0.076	0.322	
	Left		0.109	0.122	0.013	0.056	0.231	
	right		0.034	0.040	0.024	0.042	0.074	
	Top		0.050	0.086	0.021	0.044	0.136	
	Bottom		0.037	0.005	0.002	0.014	0.042	
	Front	50%RB	0.091	0.135	0.049	0.066	0.226	
	Back		0.129	0.178	0.079	0.076	0.307	
	Left		0.097	0.122	0.013	0.056	0.219	
	right		0.026	0.040	0.024	0.042	0.066	
	Top		0.041	0.086	0.021	0.044	0.127	
	Bottom		0.026	0.005	0.002	0.014	0.031	
LTE Band 38	Front	1RB	0.050	0.135	0.049	0.066	0.185	
	Back		0.053	0.178	0.079	0.076	0.231	
	Left		0.028	0.122	0.013	0.056	0.150	
	right		0.016	0.040	0.024	0.042	0.056	
	Top		0.019	0.086	0.021	0.044	0.105	
	Bottom		0.005	0.005	0.002	0.014	0.010	
	Front	50%RB	0.045	0.135	0.049	0.066	0.180	
	Back		0.051	0.178	0.079	0.076	0.229	
	Left		0.026	0.122	0.013	0.056	0.148	
	right		0.014	0.040	0.024	0.042	0.054	
	Top		0.017	0.086	0.021	0.044	0.103	
	Bottom		0.004	0.005	0.002	0.014	0.009	
LTE Band 41	Front	1RB	0.028	0.135	0.049	0.066	0.163	
	Back		0.034	0.178	0.079	0.076	0.212	
	Left		0.022	0.122	0.013	0.056	0.144	
	right		0.006	0.040	0.024	0.042	0.046	
	Top		0.021	0.086	0.021	0.044	0.107	
	Bottom		0.002	0.005	0.002	0.014	0.007	
	Front	50%RB	0.024	0.135	0.049	0.066	0.159	
	Back		0.033	0.178	0.079	0.076	0.211	
	Left		0.020	0.122	0.013	0.056	0.142	
	right		0.006	0.040	0.024	0.042	0.046	
	Top		0.019	0.086	0.021	0.044	0.105	
	Bottom		0.002	0.005	0.002	0.014	0.007	
LTE Band 42	Front	1RB	0.140	0.135	0.049	0.066	0.275	
	Back		0.156	0.178	0.079	0.076	0.334	
	Left		0.076	0.122	0.013	0.056	0.198	
	right		0.031	0.040	0.024	0.042	0.071	
	Top		0.067	0.086	0.021	0.044	0.153	
	Bottom		0.004	0.005	0.002	0.014	0.009	
	Front	50%RB	0.137	0.135	0.049	0.066	0.272	
	Back		0.150	0.178	0.079	0.076	0.328	
	Left		0.069	0.122	0.013	0.056	0.191	
	right		0.032	0.040	0.024	0.042	0.072	
	Top		0.063	0.086	0.021	0.044	0.149	
	Bottom		0.003	0.005	0.002	0.014	0.008	
LTE Band 66	Front	1RB	0.048	0.135	0.049	0.066	0.183	
	Back		0.056	0.178	0.079	0.076	0.234	
	Left		0.038	0.122	0.013	0.056	0.160	
	right		0.015	0.040	0.024	0.042	0.055	
	Top		0.035	0.086	0.021	0.044	0.121	
	Bottom		0.003	0.005	0.002	0.014	0.008	
	Front	50%RB	0.045	0.135	0.049	0.066	0.180	
	Back		0.053	0.178	0.079	0.076	0.231	
	Left		0.035	0.122	0.013	0.056	0.157	
	right		0.012	0.040	0.024	0.042	0.052	
	Top		0.034	0.086	0.021	0.044	0.120	
	Bottom		0.005	0.005	0.002	0.014	0.010	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WiFi2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
N5	Front	1RB	0.302	0.135	0.049	0.066	0.437	1.6
	Back		0.433	0.178	0.079	0.076	0.611	
	Left		0.177	0.122	0.013	0.056	0.299	
	right		0.044	0.040	0.024	0.042	0.084	
	Top		0.149	0.086	0.021	0.044	0.235	
	Bottom		0.088	0.005	0.002	0.014	0.093	
	Front	50%RB	0.173	0.135	0.049	0.066	0.308	
	Back		0.283	0.178	0.079	0.076	0.461	
	Left		0.081	0.122	0.013	0.056	0.203	
	right		0.016	0.040	0.024	0.042	0.056	
	Top		0.067	0.086	0.021	0.044	0.153	
	Bottom		0.052	0.005	0.002	0.014	0.057	
N7	Front	1RB	0.070	0.135	0.049	0.066	0.205	
	Back		0.113	0.178	0.079	0.076	0.291	
	Left		0.053	0.122	0.013	0.056	0.175	
	right		0.022	0.040	0.024	0.042	0.062	
	Top		0.039	0.086	0.021	0.044	0.125	
	Bottom		0.030	0.005	0.002	0.014	0.035	
	Front	50%RB	0.048	0.135	0.049	0.066	0.183	
	Back		0.067	0.178	0.079	0.076	0.245	
	Left		0.032	0.122	0.013	0.056	0.154	
	right		0.013	0.040	0.024	0.042	0.053	
	Top		0.027	0.086	0.021	0.044	0.113	
	Bottom		0.020	0.005	0.002	0.014	0.025	
N12	Front	1RB	0.148	0.135	0.049	0.066	0.283	
	Back		0.197	0.178	0.079	0.076	0.375	
	Left		0.089	0.122	0.013	0.056	0.211	
	right		0.024	0.040	0.024	0.042	0.064	
	Top		0.074	0.086	0.021	0.044	0.160	
	Bottom		0.047	0.005	0.002	0.014	0.052	
	Front	50%RB	0.086	0.135	0.049	0.066	0.221	
	Back		0.114	0.178	0.079	0.076	0.292	
	Left		0.051	0.122	0.013	0.056	0.173	
	right		0.012	0.040	0.024	0.042	0.052	
	Top		0.038	0.086	0.021	0.044	0.124	
	Bottom		0.022	0.005	0.002	0.014	0.027	
N38	Front	1RB	0.116	0.135	0.049	0.066	0.251	
	Back		0.179	0.178	0.079	0.076	0.357	
	Left		0.081	0.122	0.013	0.056	0.203	
	right		0.022	0.040	0.024	0.042	0.062	
	Top		0.058	0.086	0.021	0.044	0.144	
	Bottom		0.034	0.005	0.002	0.014	0.039	
	Front	50%RB	0.093	0.135	0.049	0.066	0.228	
	Back		0.128	0.178	0.079	0.076	0.306	
	Left		0.053	0.122	0.013	0.056	0.175	
	right		0.021	0.040	0.024	0.042	0.061	
	Top		0.040	0.086	0.021	0.044	0.126	
	Bottom		0.027	0.005	0.002	0.014	0.032	
N41	Front	1RB	0.052	0.135	0.049	0.066	0.187	
	Back		0.078	0.178	0.079	0.076	0.256	
	Left		0.040	0.122	0.013	0.056	0.162	
	right		0.015	0.040	0.024	0.042	0.055	
	Top		0.031	0.086	0.021	0.044	0.117	
	Bottom		0.020	0.005	0.002	0.014	0.025	
	Front	50%RB	0.029	0.135	0.049	0.066	0.164	
	Back		0.045	0.178	0.079	0.076	0.223	
	Left		0.023	0.122	0.013	0.056	0.145	
	right		0.009	0.040	0.024	0.042	0.049	
	Top		0.021	0.086	0.021	0.044	0.107	
	Bottom		0.012	0.005	0.002	0.014	0.017	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
N66	Front	1RB	0.053	0.135	0.049	0.066	0.188	1.6
	Back		0.083	0.178	0.079	0.076	0.261	
	Left		0.037	0.122	0.013	0.056	0.159	
	right		0.013	0.040	0.024	0.042	0.053	
	Top		0.030	0.086	0.021	0.044	0.116	
	Bottom		0.020	0.005	0.002	0.014	0.025	
	Front	50%RB	0.029	0.135	0.049	0.066	0.164	
	Back		0.050	0.178	0.079	0.076	0.228	
	Left		0.021	0.122	0.013	0.056	0.143	
	right		0.006	0.040	0.024	0.042	0.046	
	Top		0.017	0.086	0.021	0.044	0.103	
	Bottom		0.010	0.005	0.002	0.014	0.015	
N71	Front	1RB	0.081	0.135	0.049	0.066	0.216	
	Back		0.108	0.178	0.079	0.076	0.286	
	Left		0.060	0.122	0.013	0.056	0.182	
	right		0.014	0.040	0.024	0.042	0.054	
	Top		0.050	0.086	0.021	0.044	0.136	
	Bottom		0.023	0.005	0.002	0.014	0.028	
	Front	50%RB	0.057	0.135	0.049	0.066	0.192	
	Back		0.078	0.178	0.079	0.076	0.256	
	Left		0.040	0.122	0.013	0.056	0.162	
	right		0.009	0.040	0.024	0.042	0.049	
	Top		0.031	0.086	0.021	0.044	0.117	
	Bottom		0.012	0.005	0.002	0.014	0.017	
N77	Front	1RB	0.087	0.135	0.049	0.066	0.222	
	Back		0.126	0.178	0.079	0.076	0.304	
	Left		0.054	0.122	0.013	0.056	0.176	
	right		0.024	0.040	0.024	0.042	0.064	
	Top		0.049	0.086	0.021	0.044	0.135	
	Bottom		0.030	0.005	0.002	0.014	0.035	
	Front	50%RB	0.051	0.135	0.049	0.066	0.186	
	Back		0.080	0.178	0.079	0.076	0.258	
	Left		0.043	0.122	0.013	0.056	0.165	
	right		0.015	0.040	0.024	0.042	0.055	
	Top		0.033	0.086	0.021	0.044	0.119	
	Bottom		0.022	0.005	0.002	0.014	0.027	
N77	Front	1RB	0.102	0.135	0.049	0.066	0.237	
	Back		0.155	0.178	0.079	0.076	0.333	
	Left		0.078	0.122	0.013	0.056	0.200	
	right		0.020	0.040	0.024	0.042	0.060	
	Top		0.060	0.086	0.021	0.044	0.146	
	Bottom		0.041	0.005	0.002	0.014	0.046	
	Front	50%RB	0.076	0.135	0.049	0.066	0.211	
	Back		0.103	0.178	0.079	0.076	0.281	
	Left		0.050	0.122	0.013	0.056	0.172	
	right		0.013	0.040	0.024	0.042	0.053	
	Top		0.033	0.086	0.021	0.044	0.119	
	Bottom		0.022	0.005	0.002	0.014	0.027	
N77	Front	1RB	0.073	0.135	0.049	0.066	0.208	
	Back		0.103	0.178	0.079	0.076	0.281	
	Left		0.052	0.122	0.013	0.056	0.174	
	right		0.019	0.040	0.024	0.042	0.059	
	Top		0.045	0.086	0.021	0.044	0.131	
	Bottom		0.031	0.005	0.002	0.014	0.036	
	Front	50%RB	0.052	0.135	0.049	0.066	0.187	
	Back		0.067	0.178	0.079	0.076	0.245	
	Left		0.036	0.122	0.013	0.056	0.158	
	right		0.011	0.040	0.024	0.042	0.051	
	Top		0.031	0.086	0.021	0.044	0.117	
	Bottom		0.019	0.005	0.002	0.014	0.024	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
N78	Front	1RB	0.133	0.135	0.049	0.066	0.268	1.6
	Back		0.154	0.178	0.079	0.076	0.332	
	Left		0.095	0.122	0.013	0.056	0.217	
	right		0.032	0.040	0.024	0.042	0.072	
	Top		0.083	0.086	0.021	0.044	0.169	
	Bottom		0.055	0.005	0.002	0.014	0.060	
	Front	50%RB	0.083	0.135	0.049	0.066	0.218	
	Back		0.093	0.178	0.079	0.076	0.271	
	Left		0.055	0.122	0.013	0.056	0.177	
	right		0.021	0.040	0.024	0.042	0.061	
	Top		0.041	0.086	0.021	0.044	0.127	
	Bottom		0.028	0.005	0.002	0.014	0.033	
N78	Front	1RB	0.095	0.135	0.049	0.066	0.230	
	Back		0.150	0.178	0.079	0.076	0.328	
	Left		0.071	0.122	0.013	0.056	0.193	
	right		0.026	0.040	0.024	0.042	0.066	
	Top		0.052	0.086	0.021	0.044	0.138	
	Bottom		0.037	0.005	0.002	0.014	0.042	
	Front	50%RB	0.076	0.135	0.049	0.066	0.211	
	Back		0.095	0.178	0.079	0.076	0.273	
	Left		0.052	0.122	0.013	0.056	0.174	
	right		0.019	0.040	0.024	0.042	0.059	
	Top		0.043	0.086	0.021	0.044	0.129	
	Bottom		0.029	0.005	0.002	0.014	0.034	
N78	Front	1RB	0.054	0.135	0.049	0.066	0.189	
	Back		0.081	0.178	0.079	0.076	0.259	
	Left		0.040	0.122	0.013	0.056	0.162	
	right		0.010	0.040	0.024	0.042	0.050	
	Top		0.029	0.086	0.021	0.044	0.115	
	Bottom		0.023	0.005	0.002	0.014	0.028	
	Front	50%RB	0.029	0.135	0.049	0.066	0.164	
	Back		0.053	0.178	0.079	0.076	0.231	
	Left		0.022	0.122	0.013	0.056	0.144	
	right		0.005	0.040	0.024	0.042	0.045	
	Top		0.019	0.086	0.021	0.044	0.105	
	Bottom		0.011	0.005	0.002	0.014	0.016	
2-n7	Front	1RB	0.277	0.135	0.049	0.066	0.412	
	Back		0.399	0.178	0.079	0.076	0.577	
	Left		0.206	0.122	0.013	0.056	0.328	
	right		0.037	0.040	0.024	0.042	0.077	
	Top		0.133	0.086	0.021	0.044	0.219	
	Bottom		0.062	0.005	0.002	0.014	0.067	
	Front	50%RB	0.135	0.135	0.049	0.066	0.270	
	Back		0.215	0.178	0.079	0.076	0.393	
	Left		0.103	0.122	0.013	0.056	0.225	
	right		0.017	0.040	0.024	0.042	0.057	
	Top		0.087	0.086	0.021	0.044	0.173	
	Bottom		0.031	0.005	0.002	0.014	0.036	
2-n66	Front	1RB	0.353	0.135	0.049	0.066	0.488	
	Back		0.431	0.178	0.079	0.076	0.609	
	Left		0.207	0.122	0.013	0.056	0.329	
	right		0.058	0.040	0.024	0.042	0.098	
	Top		0.166	0.086	0.021	0.044	0.252	
	Bottom		0.092	0.005	0.002	0.014	0.097	
	Front	50%RB	0.186	0.135	0.049	0.066	0.321	
	Back		0.276	0.178	0.079	0.076	0.454	
	Left		0.143	0.122	0.013	0.056	0.265	
	right		0.032	0.040	0.024	0.042	0.072	
	Top		0.101	0.086	0.021	0.044	0.187	
	Bottom		0.037	0.005	0.002	0.014	0.042	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
2-n78	Front	1RB	0.249	0.135	0.049	0.066	0.384	1.6
	Back		0.308	0.178	0.079	0.076	0.486	
	Left		0.109	0.122	0.013	0.056	0.231	
	right		0.022	0.040	0.024	0.042	0.062	
	Top		0.076	0.086	0.021	0.044	0.162	
	Bottom		0.040	0.005	0.002	0.014	0.045	
	Front	50%RB	0.142	0.135	0.049	0.066	0.277	
	Back		0.179	0.178	0.079	0.076	0.357	
	Left		0.059	0.122	0.013	0.056	0.181	
	right		0.015	0.040	0.024	0.042	0.055	
	Top		0.060	0.086	0.021	0.044	0.146	
4-n7	Bottom		0.027	0.005	0.002	0.014	0.032	
	Front	1RB	0.260	0.135	0.049	0.066	0.395	
	Back		0.340	0.178	0.079	0.076	0.518	
	Left		0.205	0.122	0.013	0.056	0.327	
	right		0.049	0.040	0.024	0.042	0.089	
	Top		0.184	0.086	0.021	0.044	0.270	
	Bottom		0.072	0.005	0.002	0.014	0.077	
	Front	50%RB	0.142	0.135	0.049	0.066	0.277	
	Back		0.195	0.178	0.079	0.076	0.373	
	Left		0.085	0.122	0.013	0.056	0.207	
	right		0.029	0.040	0.024	0.042	0.069	
4-n41	Top		0.070	0.086	0.021	0.044	0.156	
	Bottom		0.038	0.005	0.002	0.014	0.043	
	Front	1RB	0.140	0.135	0.049	0.066	0.275	
	Back		0.204	0.178	0.079	0.076	0.382	
	Left		0.102	0.122	0.013	0.056	0.224	
	right		0.033	0.040	0.024	0.042	0.073	
	Top		0.079	0.086	0.021	0.044	0.165	
	Bottom		0.035	0.005	0.002	0.014	0.040	
	Front	50%RB	0.076	0.135	0.049	0.066	0.211	
	Back		0.114	0.178	0.079	0.076	0.292	
4-n78	Left		0.047	0.122	0.013	0.056	0.169	
	right		0.020	0.040	0.024	0.042	0.060	
	Top		0.037	0.086	0.021	0.044	0.123	
	Bottom		0.022	0.005	0.002	0.014	0.027	
	Front	1RB	0.151	0.135	0.049	0.066	0.286	
	Back		0.186	0.178	0.079	0.076	0.364	
	Left		0.089	0.122	0.013	0.056	0.211	
	right		0.027	0.040	0.024	0.042	0.067	
	Top		0.076	0.086	0.021	0.044	0.162	
	Bottom		0.048	0.005	0.002	0.014	0.053	
5-n7	Front	50%RB	0.093	0.135	0.049	0.066	0.228	
	Back		0.129	0.178	0.079	0.076	0.307	
	Left		0.067	0.122	0.013	0.056	0.189	
	right		0.019	0.040	0.024	0.042	0.059	
	Top		0.048	0.086	0.021	0.044	0.134	
	Bottom		0.029	0.005	0.002	0.014	0.034	
	Front	1RB	0.174	0.135	0.049	0.066	0.309	
	Back		0.238	0.178	0.079	0.076	0.416	
	Left		0.128	0.122	0.013	0.056	0.250	
	right		0.034	0.040	0.024	0.042	0.074	
	Top		0.110	0.086	0.021	0.044	0.196	
	Bottom		0.067	0.005	0.002	0.014	0.072	
	Front	50%RB	0.136	0.135	0.049	0.066	0.271	
	Back		0.212	0.178	0.079	0.076	0.390	
	Left		0.108	0.122	0.013	0.056	0.230	
	right		0.028	0.040	0.024	0.042	0.068	
	Top		0.080	0.086	0.021	0.044	0.166	
	Bottom		0.051	0.005	0.002	0.014	0.056	

Band	Test Position	RB allocation	Scaled SAR			BT SAR 1g(W/kg)	Σ SAR (W/kg)	Llimit (W/kg)
			WWAN SAR 1g(W/kg)	WIFI2.4G SAR 1g(W/kg)	Wi-Fi 5G(Band 4) 1g(W/kg)			
5-n38	Front	1RB	0.191	0.135	0.049	0.066	0.326	1.6
	Back		0.246	0.178	0.079	0.076	0.424	
	Left		0.138	0.122	0.013	0.056	0.260	
	right		0.040	0.040	0.024	0.042	0.080	
	Top		0.091	0.086	0.021	0.044	0.177	
	Bottom		0.059	0.005	0.002	0.014	0.064	
	Front	50%RB	0.155	0.135	0.049	0.066	0.290	
	Back		0.219	0.178	0.079	0.076	0.397	
	Left		0.116	0.122	0.013	0.056	0.238	
	right		0.026	0.040	0.024	0.042	0.066	
	Top		0.068	0.086	0.021	0.044	0.154	
	Bottom		0.040	0.005	0.002	0.014	0.045	
5-n41	Front	1RB	0.153	0.135	0.049	0.066	0.288	
	Back		0.221	0.178	0.079	0.076	0.399	
	Left		0.098	0.122	0.013	0.056	0.220	
	right		0.021	0.040	0.024	0.042	0.061	
	Top		0.073	0.086	0.021	0.044	0.159	
	Bottom		0.059	0.005	0.002	0.014	0.064	
	Front	50%RB	0.130	0.135	0.049	0.066	0.265	
	Back		0.207	0.178	0.079	0.076	0.385	
	Left		0.072	0.122	0.013	0.056	0.194	
	right		0.014	0.040	0.024	0.042	0.054	
	Top		0.058	0.086	0.021	0.044	0.144	
	Bottom		0.039	0.005	0.002	0.014	0.044	
5-n66	Front	1RB	0.213	0.135	0.049	0.066	0.348	
	Back		0.303	0.178	0.079	0.076	0.481	
	Left		0.154	0.122	0.013	0.056	0.276	
	right		0.045	0.040	0.024	0.042	0.085	
	Top		0.113	0.086	0.021	0.044	0.199	
	Bottom		0.091	0.005	0.002	0.014	0.096	
	Front	50%RB	0.170	0.135	0.049	0.066	0.305	
	Back		0.214	0.178	0.079	0.076	0.392	
	Left		0.118	0.122	0.013	0.056	0.240	
	right		0.031	0.040	0.024	0.042	0.071	
	Top		0.088	0.086	0.021	0.044	0.174	
	Bottom		0.054	0.005	0.002	0.014	0.059	
5-n77	Front	1RB	0.183	0.135	0.049	0.066	0.318	
	Back		0.264	0.178	0.079	0.076	0.442	
	Left		0.123	0.122	0.013	0.056	0.245	
	right		0.038	0.040	0.024	0.042	0.078	
	Top		0.106	0.086	0.021	0.044	0.192	
	Bottom		0.074	0.005	0.002	0.014	0.079	
	Front	50%RB	0.120	0.135	0.049	0.066	0.255	
	Back		0.215	0.178	0.079	0.076	0.393	
	Left		0.087	0.122	0.013	0.056	0.209	
	right		0.025	0.040	0.024	0.042	0.065	
	Top		0.067	0.086	0.021	0.044	0.153	
	Bottom		0.038	0.005	0.002	0.014	0.043	