

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	38
5 Band edge for NR FR1	52
6 Out-of-band emissions for NR FR1	62

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted output power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limit (dBm)	Verdict
n66	15	5	342500	1@1	DFT_BPSK	23.33	1.7	25.03	30.00	PASS
n66	15	5	342500	25@0	DFT_QPSK	22.47	1.7	24.17	30.00	PASS
n66	15	5	342500	12@6	DFT_QPSK	23.50	1.7	25.2	30.00	PASS
n66	15	5	342500	1@1	DFT_QPSK	23.35	1.7	25.05	30.00	PASS
n66	15	5	342500	1@23	DFT_QPSK	23.33	1.7	25.03	30.00	PASS
n66	15	5	342500	1@1	DFT_QAM16	22.47	1.7	24.17	30.00	PASS
n66	15	5	342500	1@1	DFT_QAM64	20.87	1.7	22.57	30.00	PASS
n66	15	5	342500	1@1	DFT_QAM256	18.86	1.7	20.56	30.00	PASS
n66	15	5	342500	1@1	CP_QPSK	22.19	1.7	23.89	30.00	PASS
n66	15	5	349000	1@1	DFT_BPSK	23.53	1.7	25.23	30.00	PASS
n66	15	5	349000	25@0	DFT_QPSK	22.57	1.7	24.27	30.00	PASS
n66	15	5	349000	12@6	DFT_QPSK	23.65	1.7	25.35	30.00	PASS
n66	15	5	349000	1@1	DFT_QPSK	23.95	1.7	25.65	30.00	PASS
n66	15	5	349000	1@23	DFT_QPSK	23.86	1.7	25.56	30.00	PASS
n66	15	5	349000	1@1	DFT_QAM16	22.38	1.7	24.08	30.00	PASS
n66	15	5	349000	1@1	DFT_QAM64	20.93	1.7	22.63	30.00	PASS
n66	15	5	349000	1@1	DFT_QAM256	19.13	1.7	20.83	30.00	PASS
n66	15	5	349000	1@1	CP_QPSK	22.35	1.7	24.05	30.00	PASS
n66	15	5	355500	1@1	DFT_BPSK	23.33	1.7	25.03	30.00	PASS
n66	15	5	355500	25@0	DFT_QPSK	22.30	1.7	24	30.00	PASS
n66	15	5	355500	12@6	DFT_QPSK	23.25	1.7	24.95	30.00	PASS
n66	15	5	355500	1@1	DFT_QPSK	23.50	1.7	25.2	30.00	PASS
n66	15	5	355500	1@23	DFT_QPSK	23.47	1.7	25.17	30.00	PASS
n66	15	5	355500	1@1	DFT_QAM16	22.56	1.7	24.26	30.00	PASS
n66	15	5	355500	1@1	DFT_QAM64	20.90	1.7	22.6	30.00	PASS
n66	15	5	355500	1@1	DFT_QAM256	18.85	1.7	20.55	30.00	PASS
n66	15	5	355500	1@1	CP_QPSK	21.86	1.7	23.56	30.00	PASS
n66	15	20	344000	1@1	DFT_BPSK	23.53	1.7	25.23	30.00	PASS
n66	15	20	344000	100@0	DFT_QPSK	22.50	1.7	24.2	30.00	PASS
n66	15	20	344000	50@25	DFT_QPSK	23.51	1.7	25.21	30.00	PASS
n66	15	20	344000	1@1	DFT_QPSK	23.53	1.7	25.23	30.00	PASS
n66	15	20	344000	1@104	DFT_QPSK	23.53	1.7	25.23	30.00	PASS
n66	15	20	344000	1@1	DFT_QAM16	22.90	1.7	24.6	30.00	PASS
n66	15	20	344000	1@1	DFT_QAM64	20.98	1.7	22.68	30.00	PASS
n66	15	20	344000	1@1	DFT_QAM256	19.05	1.7	20.75	30.00	PASS
n66	15	20	344000	1@1	CP_QPSK	21.83	1.7	23.53	30.00	PASS
n66	15	20	349000	1@1	DFT_BPSK	23.44	1.7	25.14	30.00	PASS

n66	15	20	349000	100@0	DFT_QPSK	22.59	1.7	24.29	30.00	PASS
n66	15	20	349000	50@25	DFT_QPSK	23.62	1.7	25.32	30.00	PASS
n66	15	20	349000	1@1	DFT_QPSK	23.65	1.7	25.35	30.00	PASS
n66	15	20	349000	1@104	DFT_QPSK	23.58	1.7	25.28	30.00	PASS
n66	15	20	349000	1@1	DFT_QAM16	22.56	1.7	24.26	30.00	PASS
n66	15	20	349000	1@1	DFT_QAM64	21.13	1.7	22.83	30.00	PASS
n66	15	20	349000	1@1	DFT_QAM256	18.87	1.7	20.57	30.00	PASS
n66	15	20	349000	1@1	CP_QPSK	21.88	1.7	23.58	30.00	PASS
n66	15	20	354000	1@1	DFT_BPSK	23.18	1.7	24.88	30.00	PASS
n66	15	20	354000	100@0	DFT_QPSK	22.40	1.7	24.1	30.00	PASS
n66	15	20	354000	50@25	DFT_QPSK	23.40	1.7	25.1	30.00	PASS
n66	15	20	354000	1@1	DFT_QPSK	23.40	1.7	25.1	30.00	PASS
n66	15	20	354000	1@104	DFT_QPSK	23.29	1.7	24.99	30.00	PASS
n66	15	20	354000	1@1	DFT_QAM16	22.66	1.7	24.36	30.00	PASS
n66	15	20	354000	1@1	DFT_QAM64	21.25	1.7	22.95	30.00	PASS
n66	15	20	354000	1@1	DFT_QAM256	19.19	1.7	20.89	30.00	PASS
n66	15	20	354000	1@1	CP_QPSK	22.20	1.7	23.9	30.00	PASS
n66	15	40	346000	1@1	DFT_BPSK	23.50	1.7	25.2	30.00	PASS
n66	15	40	346000	216@0	DFT_QPSK	22.57	1.7	24.27	30.00	PASS
n66	15	40	346000	108@54	DFT_QPSK	23.62	1.7	25.32	30.00	PASS
n66	15	40	346000	1@1	DFT_QPSK	23.42	1.7	25.12	30.00	PASS
n66	15	40	346000	1@214	DFT_QPSK	23.41	1.7	25.11	30.00	PASS
n66	15	40	346000	1@1	DFT_QAM16	22.61	1.7	24.31	30.00	PASS
n66	15	40	346000	1@1	DFT_QAM64	21.19	1.7	22.89	30.00	PASS
n66	15	40	346000	1@1	DFT_QAM256	19.02	1.7	20.72	30.00	PASS
n66	15	40	346000	1@1	CP_QPSK	22.04	1.7	23.74	30.00	PASS
n66	15	40	349000	1@1	DFT_BPSK	23.55	1.7	25.25	30.00	PASS
n66	15	40	349000	216@0	DFT_QPSK	22.57	1.7	24.27	30.00	PASS
n66	15	40	349000	108@54	DFT_QPSK	23.65	1.7	25.35	30.00	PASS
n66	15	40	349000	1@1	DFT_QPSK	23.49	1.7	25.19	30.00	PASS
n66	15	40	349000	1@214	DFT_QPSK	23.32	1.7	25.02	30.00	PASS
n66	15	40	349000	1@1	DFT_QAM16	22.80	1.7	24.5	30.00	PASS
n66	15	40	349000	1@1	DFT_QAM64	21.11	1.7	22.81	30.00	PASS
n66	15	40	349000	1@1	DFT_QAM256	19.21	1.7	20.91	30.00	PASS
n66	15	40	349000	1@1	CP_QPSK	22.09	1.7	23.79	30.00	PASS
n66	15	40	352000	1@1	DFT_BPSK	23.51	1.7	25.21	30.00	PASS
n66	15	40	352000	216@0	DFT_QPSK	22.49	1.7	24.19	30.00	PASS
n66	15	40	352000	108@54	DFT_QPSK	23.51	1.7	25.21	30.00	PASS
n66	15	40	352000	1@1	DFT_QPSK	23.57	1.7	25.27	30.00	PASS
n66	15	40	352000	1@214	DFT_QPSK	23.28	1.7	24.98	30.00	PASS
n66	15	40	352000	1@1	DFT_QAM16	22.38	1.7	24.08	30.00	PASS
n66	15	40	352000	1@1	DFT_QAM64	20.94	1.7	22.64	30.00	PASS
n66	15	40	352000	1@1	DFT_QAM256	19.03	1.7	20.73	30.00	PASS
n66	15	40	352000	1@1	CP_QPSK	22.31	1.7	24.01	30.00	PASS

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n66	15	5	342500	12@6	DFT_BPSK	0.71	0.00041	-2.5	2.5	PASS
n66	15	5	342500	1@1	DFT_BPSK	0.94	0.00055	-2.5	2.5	PASS
n66	15	5	342500	1@23	DFT_BPSK	2.16	0.00126	-2.5	2.5	PASS
n66	15	5	342500	12@6	DFT_QPSK	0.25	0.00015	-2.5	2.5	PASS
n66	15	5	342500	1@1	DFT_QPSK	-1.12	-0.00065	-2.5	2.5	PASS
n66	15	5	342500	1@23	DFT_QPSK	-1.81	-0.00106	-2.5	2.5	PASS
n66	15	5	349000	12@6	DFT_BPSK	1.35	0.00077	-2.5	2.5	PASS
n66	15	5	349000	1@1	DFT_BPSK	-1.14	-0.00065	-2.5	2.5	PASS
n66	15	5	349000	1@23	DFT_BPSK	-0.23	-0.00013	-2.5	2.5	PASS
n66	15	5	349000	12@6	DFT_QPSK	-3.28	-0.00188	-2.5	2.5	PASS
n66	15	5	349000	1@1	DFT_QPSK	-4.35	-0.00249	-2.5	2.5	PASS
n66	15	5	349000	1@23	DFT_QPSK	-2.96	-0.00170	-2.5	2.5	PASS
n66	15	5	355500	12@6	DFT_BPSK	1.39	0.00078	-2.5	2.5	PASS
n66	15	5	355500	1@1	DFT_BPSK	3.20	0.00180	-2.5	2.5	PASS
n66	15	5	355500	1@23	DFT_BPSK	2.52	0.00142	-2.5	2.5	PASS
n66	15	5	355500	12@6	DFT_QPSK	-0.56	-0.00032	-2.5	2.5	PASS
n66	15	5	355500	1@1	DFT_QPSK	0.28	0.00016	-2.5	2.5	PASS
n66	15	5	355500	1@23	DFT_QPSK	0.31	0.00017	-2.5	2.5	PASS
n66	15	20	344000	50@25	DFT_BPSK	-2.12	-0.00123	-2.5	2.5	PASS
n66	15	20	344000	1@1	DFT_BPSK	-1.44	-0.00084	-2.5	2.5	PASS
n66	15	20	344000	1@104	DFT_BPSK	-2.45	-0.00142	-2.5	2.5	PASS
n66	15	20	344000	50@25	DFT_QPSK	-2.53	-0.00147	-2.5	2.5	PASS
n66	15	20	344000	1@1	DFT_QPSK	-2.39	-0.00139	-2.5	2.5	PASS
n66	15	20	344000	1@104	DFT_QPSK	-2.74	-0.00159	-2.5	2.5	PASS
n66	15	20	349000	50@25	DFT_BPSK	-0.22	-0.00013	-2.5	2.5	PASS
n66	15	20	349000	1@1	DFT_BPSK	0.35	0.00020	-2.5	2.5	PASS
n66	15	20	349000	1@104	DFT_BPSK	-0.56	-0.00032	-2.5	2.5	PASS
n66	15	20	349000	50@25	DFT_QPSK	1.90	0.00109	-2.5	2.5	PASS
n66	15	20	349000	1@1	DFT_QPSK	0.45	0.00026	-2.5	2.5	PASS
n66	15	20	349000	1@104	DFT_QPSK	1.12	0.00064	-2.5	2.5	PASS
n66	15	20	354000	50@25	DFT_BPSK	-2.93	-0.00166	-2.5	2.5	PASS
n66	15	20	354000	1@1	DFT_BPSK	-3.43	-0.00194	-2.5	2.5	PASS
n66	15	20	354000	1@104	DFT_BPSK	-2.87	-0.00162	-2.5	2.5	PASS
n66	15	20	354000	50@25	DFT_QPSK	-2.84	-0.00160	-2.5	2.5	PASS
n66	15	20	354000	1@1	DFT_QPSK	-4.07	-0.00230	-2.5	2.5	PASS
n66	15	20	354000	1@104	DFT_QPSK	-3.24	-0.00183	-2.5	2.5	PASS
n66	15	40	346000	108@54	DFT_BPSK	-4.35	-0.00251	-2.5	2.5	PASS
n66	15	40	346000	1@1	DFT_BPSK	-4.37	-0.00253	-2.5	2.5	PASS


n66	15	40	346000	1@214	DFT_BPSK	-5.10	-0.00295	-2.5	2.5	PASS
n66	15	40	346000	108@54	DFT_QPSK	-4.17	-0.00241	-2.5	2.5	PASS
n66	15	40	346000	1@1	DFT_QPSK	-5.32	-0.00308	-2.5	2.5	PASS
n66	15	40	346000	1@214	DFT_QPSK	-5.24	-0.00303	-2.5	2.5	PASS
n66	15	40	349000	108@54	DFT_BPSK	-0.28	-0.00016	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_BPSK	0.63	0.00036	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_BPSK	-0.05	-0.00003	-2.5	2.5	PASS
n66	15	40	349000	108@54	DFT_QPSK	3.00	0.00172	-2.5	2.5	PASS
n66	15	40	349000	1@1	DFT_QPSK	3.23	0.00185	-2.5	2.5	PASS
n66	15	40	349000	1@214	DFT_QPSK	1.68	0.00096	-2.5	2.5	PASS
n66	15	40	352000	108@54	DFT_BPSK	-2.72	-0.00155	-2.5	2.5	PASS
n66	15	40	352000	1@1	DFT_BPSK	-3.06	-0.00174	-2.5	2.5	PASS
n66	15	40	352000	1@214	DFT_BPSK	-3.76	-0.00214	-2.5	2.5	PASS
n66	15	40	352000	108@54	DFT_QPSK	-1.47	-0.00084	-2.5	2.5	PASS
n66	15	40	352000	1@1	DFT_QPSK	-0.34	-0.00019	-2.5	2.5	PASS
n66	15	40	352000	1@214	DFT_QPSK	-0.76	-0.00043	-2.5	2.5	PASS

3 Peak-to-Average Ratio for NR FR1


<i>Band</i>	<i>SCS (kHz)</i>	<i>Bandwidth (MHz)</i>	<i>UL Channel</i>	<i>RB Allocation</i>	<i>Modulation</i>	<i>Result (dB)</i>	<i>high Limit (dB)</i>	<i>Verdict</i>
n66	30	10	343000	24@0	DFT_BPSK	4.16	13	PASS
n66	30	10	343000	24@0	DFT_QPSK	5.36	13	PASS
n66	30	10	343000	24@0	DFT_QAM16	6.24	13	PASS
n66	30	10	343000	24@0	DFT_QAM64	6.38	13	PASS
n66	30	10	343000	24@0	DFT_QAM256	6.37	13	PASS
n66	30	10	349000	24@0	DFT_BPSK	4.10	13	PASS
n66	30	10	349000	24@0	DFT_QPSK	5.17	13	PASS
n66	30	10	349000	24@0	DFT_QAM16	5.86	13	PASS
n66	30	10	349000	24@0	DFT_QAM64	6.01	13	PASS
n66	30	10	349000	24@0	DFT_QAM256	6.39	13	PASS
n66	30	10	355000	24@0	DFT_BPSK	4.24	13	PASS
n66	30	10	355000	24@0	DFT_QPSK	5.10	13	PASS
n66	30	10	355000	24@0	DFT_QAM16	5.99	13	PASS
n66	30	10	355000	24@0	DFT_QAM64	6.24	13	PASS
n66	30	10	355000	24@0	DFT_QAM256	6.44	13	PASS
n66	30	15	343500	36@0	DFT_BPSK	4.44	13	PASS
n66	30	15	343500	36@0	DFT_QPSK	5.59	13	PASS
n66	30	15	343500	36@0	DFT_QAM16	6.07	13	PASS
n66	30	15	343500	36@0	DFT_QAM64	6.56	13	PASS
n66	30	15	343500	36@0	DFT_QAM256	6.64	13	PASS
n66	30	15	349000	36@0	DFT_BPSK	4.52	13	PASS
n66	30	15	349000	36@0	DFT_QPSK	5.22	13	PASS
n66	30	15	349000	36@0	DFT_QAM16	6.03	13	PASS
n66	30	15	349000	36@0	DFT_QAM64	6.13	13	PASS
n66	30	15	349000	36@0	DFT_QAM256	6.68	13	PASS
n66	30	15	354500	36@0	DFT_BPSK	4.88	13	PASS
n66	30	15	354500	36@0	DFT_QPSK	5.31	13	PASS
n66	30	15	354500	36@0	DFT_QAM16	6.02	13	PASS
n66	30	15	354500	36@0	DFT_QAM64	6.02	13	PASS
n66	30	15	354500	36@0	DFT_QAM256	6.08	13	PASS
n66	30	20	344000	50@0	DFT_BPSK	4.70	13	PASS
n66	30	20	344000	50@0	DFT_QPSK	5.47	13	PASS
n66	30	20	344000	50@0	DFT_QAM16	6.31	13	PASS
n66	30	20	344000	50@0	DFT_QAM64	6.52	13	PASS
n66	30	20	344000	50@0	DFT_QAM256	6.51	13	PASS
n66	30	20	349000	50@0	DFT_BPSK	4.24	13	PASS
n66	30	20	349000	50@0	DFT_QPSK	5.34	13	PASS
n66	30	20	349000	50@0	DFT_QAM16	6.01	13	PASS
n66	30	20	349000	50@0	DFT_QAM64	6.22	13	PASS

n66	30	20	349000	50@0	DFT_QAM256	6.26	13	PASS
n66	30	20	354000	50@0	DFT_BPSK	4.76	13	PASS
n66	30	20	354000	50@0	DFT_QPSK	5.37	13	PASS
n66	30	20	354000	50@0	DFT_QAM16	6.12	13	PASS
n66	30	20	354000	50@0	DFT_QAM64	6.40	13	PASS
n66	30	20	354000	50@0	DFT_QAM256	6.10	13	PASS
n66	30	40	346000	100@0	DFT_BPSK	5.34	13	PASS
n66	30	40	346000	100@0	DFT_QPSK	5.62	13	PASS
n66	30	40	346000	100@0	DFT_QAM16	6.27	13	PASS
n66	30	40	346000	100@0	DFT_QAM64	6.26	13	PASS
n66	30	40	346000	100@0	DFT_QAM256	6.54	13	PASS
n66	30	40	349000	100@0	DFT_BPSK	4.26	13	PASS
n66	30	40	349000	100@0	DFT_QPSK	5.43	13	PASS
n66	30	40	349000	100@0	DFT_QAM16	6.16	13	PASS
n66	30	40	349000	100@0	DFT_QAM64	6.39	13	PASS
n66	30	40	349000	100@0	DFT_QAM256	6.41	13	PASS
n66	30	40	352000	100@0	DFT_BPSK	4.77	13	PASS
n66	30	40	352000	100@0	DFT_QPSK	5.31	13	PASS
n66	30	40	352000	100@0	DFT_QAM16	6.12	13	PASS
n66	30	40	352000	100@0	DFT_QAM64	6.13	13	PASS
n66	30	40	352000	100@0	DFT_QAM256	6.62	13	PASS


n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=343000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QPSK BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=355000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=343500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=349000 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QPSK BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM64 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=354500 RB=36@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=344000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QPSK BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM64 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=354000 RB=50@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=346000 RB=100@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QPSK BW=40MHz Channel=352000 RB=100@0




n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QAM64 BW=40MHz Channel=352000 RB=100@0



n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=352000 RB=100@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	15	5	349000	25@0	DFT_BPSK	4.450	4.610	PASS
n66	15	5	349000	25@0	DFT_QPSK	4.470	4.600	PASS
n66	15	5	349000	25@0	DFT_QAM16	4.450	4.600	PASS
n66	15	5	349000	25@0	DFT_QAM64	4.460	4.660	PASS
n66	15	5	349000	25@0	DFT_QAM256	4.460	4.600	PASS
n66	15	10	349000	50@0	DFT_BPSK	9.210	9.120	PASS
n66	15	10	349000	50@0	DFT_QPSK	9.200	9.130	PASS
n66	15	10	349000	50@0	DFT_QAM16	9.190	9.130	PASS
n66	15	10	349000	50@0	DFT_QAM64	9.190	9.150	PASS
n66	15	10	349000	50@0	DFT_QAM256	9.190	9.130	PASS
n66	15	15	349000	75@0	DFT_BPSK	14.040	13.650	PASS
n66	15	15	349000	75@0	DFT_QPSK	13.950	13.610	PASS
n66	15	15	349000	75@0	DFT_QAM16	14.000	13.620	PASS
n66	15	15	349000	75@0	DFT_QAM64	13.980	13.640	PASS
n66	15	15	349000	75@0	DFT_QAM256	13.890	13.590	PASS
n66	15	20	349000	100@0	DFT_BPSK	18.730	18.200	PASS
n66	15	20	349000	100@0	DFT_QPSK	18.730	18.200	PASS
n66	15	20	349000	100@0	DFT_QAM16	18.680	18.160	PASS
n66	15	20	349000	100@0	DFT_QAM64	18.720	18.170	PASS
n66	15	20	349000	100@0	DFT_QAM256	18.680	18.210	PASS
n66	15	40	349000	216@0	DFT_BPSK	38.510	39.070	PASS
n66	15	40	349000	216@0	DFT_QPSK	38.470	39.040	PASS
n66	15	40	349000	216@0	DFT_QAM16	38.460	39.020	PASS
n66	15	40	349000	216@0	DFT_QAM64	38.460	39.060	PASS
n66	15	40	349000	216@0	DFT_QAM256	38.460	39.000	PASS

n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0



n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0



n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0



n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0



n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0