

TABLE OF CONTENTS

1 Conducted output power for NR FR1	2
2 Frequency stability for NR FR1	4
3 Peak-to-Average Ratio for NR FR1	6
4 Occupied bandwidth for NR FR1	46
5 Band edge for NR FR1	57
6 Out-of-band emissions for NR FR1	67

1 Conducted output power for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Conducted Output AV Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	Limt (dBm)	Verdict
n66	30	10	343000	1@1	DFT_BPSK	23.29	-3.3	19.99	30.00	Pass
n66	30	10	343000	24@0	DFT_QPSK	22.3	-3.3	19.00	30.00	Pass
n66	30	10	343000	12@6	DFT_QPSK	23.25	-3.3	19.95	30.00	Pass
n66	30	10	343000	1@1	DFT_QPSK	23.33	-3.3	20.03	30.00	Pass
n66	30	10	343000	1@22	DFT_QPSK	23.27	-3.3	19.97	30.00	Pass
n66	30	10	343000	1@1	DFT_QAM16	22.75	-3.3	19.45	30.00	Pass
n66	30	10	343000	1@1	DFT_QAM64	20.46	-3.3	17.16	30.00	Pass
n66	30	10	343000	1@1	DFT_QAM256	19.11	-3.3	15.81	30.00	Pass
n66	30	10	343000	1@1	CP_QPSK	21.91	-3.3	18.61	30.00	Pass
n66	30	10	349000	1@1	DFT_BPSK	23.53	-3.3	20.23	30.00	Pass
n66	30	10	349000	24@0	DFT_QPSK	22.5	-3.3	19.20	30.00	Pass
n66	30	10	349000	12@6	DFT_QPSK	23.5	-3.3	20.20	30.00	Pass
n66	30	10	349000	1@1	DFT_QPSK	23.49	-3.3	20.19	30.00	Pass
n66	30	10	349000	1@22	DFT_QPSK	23.39	-3.3	20.09	30.00	Pass
n66	30	10	349000	1@1	DFT_QAM16	22.7	-3.3	19.40	30.00	Pass
n66	30	10	349000	1@1	DFT_QAM64	20.96	-3.3	17.66	30.00	Pass
n66	30	10	349000	1@1	DFT_QAM256	18.93	-3.3	15.63	30.00	Pass
n66	30	10	349000	1@1	CP_QPSK	22.08	-3.3	18.78	30.00	Pass
n66	30	10	355000	1@1	DFT_BPSK	23.37	-3.3	20.07	30.00	Pass
n66	30	10	355000	24@0	DFT_QPSK	22.34	-3.3	19.04	30.00	Pass
n66	30	10	355000	12@6	DFT_QPSK	23.35	-3.3	20.05	30.00	Pass
n66	30	10	355000	1@1	DFT_QPSK	23.28	-3.3	19.98	30.00	Pass
n66	30	10	355000	1@22	DFT_QPSK	23.11	-3.3	19.81	30.00	Pass
n66	30	10	355000	1@1	DFT_QAM16	22.31	-3.3	19.01	30.00	Pass
n66	30	10	355000	1@1	DFT_QAM64	21.04	-3.3	17.74	30.00	Pass
n66	30	10	355000	1@1	DFT_QAM256	19.1	-3.3	15.80	30.00	Pass
n66	30	10	355000	1@1	CP_QPSK	21.9	-3.3	18.60	30.00	Pass
n66	30	20	344000	1@1	DFT_BPSK	23.16	-3.3	19.86	30.00	Pass
n66	30	20	344000	50@0	DFT_QPSK	22.33	-3.3	19.03	30.00	Pass
n66	30	20	344000	25@12	DFT_QPSK	23.27	-3.3	19.97	30.00	Pass
n66	30	20	344000	1@1	DFT_QPSK	23.3	-3.3	20.00	30.00	Pass
n66	30	20	344000	1@49	DFT_QPSK	23.36	-3.3	20.06	30.00	Pass
n66	30	20	344000	1@1	DFT_QAM16	22.2	-3.3	18.90	30.00	Pass
n66	30	20	344000	1@1	DFT_QAM64	20.85	-3.3	17.55	30.00	Pass
n66	30	20	344000	1@1	DFT_QAM256	18.63	-3.3	15.33	30.00	Pass
n66	30	20	344000	1@1	CP_QPSK	21.74	-3.3	18.44	30.00	Pass
n66	30	20	349000	1@1	DFT_BPSK	23.37	-3.3	20.07	30.00	Pass

n66	30	20	349000	50@0	DFT_QPSK	22.53	-3.3	19.23	30.00	Pass
n66	30	20	349000	25@12	DFT_QPSK	23.44	-3.3	20.14	30.00	Pass
n66	30	20	349000	1@1	DFT_QPSK	23.36	-3.3	20.06	30.00	Pass
n66	30	20	349000	1@49	DFT_QPSK	23.52	-3.3	20.22	30.00	Pass
n66	30	20	349000	1@1	DFT_QAM16	22.46	-3.3	19.16	30.00	Pass
n66	30	20	349000	1@1	DFT_QAM64	20.89	-3.3	17.59	30.00	Pass
n66	30	20	349000	1@1	DFT_QAM256	18.96	-3.3	15.66	30.00	Pass
n66	30	20	349000	1@1	CP_QPSK	21.84	-3.3	18.54	30.00	Pass
n66	30	20	354000	1@1	DFT_BPSK	23.46	-3.3	20.16	30.00	Pass
n66	30	20	354000	50@0	DFT_QPSK	22.38	-3.3	19.08	30.00	Pass
n66	30	20	354000	25@12	DFT_QPSK	23.46	-3.3	20.16	30.00	Pass
n66	30	20	354000	1@1	DFT_QPSK	23.48	-3.3	20.18	30.00	Pass
n66	30	20	354000	1@49	DFT_QPSK	23.25	-3.3	19.95	30.00	Pass
n66	30	20	354000	1@1	DFT_QAM16	22.19	-3.3	18.89	30.00	Pass
n66	30	20	354000	1@1	DFT_QAM64	20.8	-3.3	17.50	30.00	Pass
n66	30	20	354000	1@1	DFT_QAM256	18.8	-3.3	15.50	30.00	Pass
n66	30	20	354000	1@1	CP_QPSK	21.62	-3.3	18.32	30.00	Pass
n66	30	40	346000	1@1	DFT_BPSK	23.24	-3.3	19.94	30.00	Pass
n66	30	40	346000	100@0	DFT_QPSK	22.48	-3.3	19.18	30.00	Pass
n66	30	40	346000	50@25	DFT_QPSK	23.37	-3.3	20.07	30.00	Pass
n66	30	40	346000	1@1	DFT_QPSK	23.22	-3.3	19.92	30.00	Pass
n66	30	40	346000	1@104	DFT_QPSK	23.67	-3.3	20.37	30.00	Pass
n66	30	40	346000	1@1	DFT_QAM16	22.3	-3.3	19.00	30.00	Pass
n66	30	40	346000	1@1	DFT_QAM64	20.75	-3.3	17.45	30.00	Pass
n66	30	40	346000	1@1	DFT_QAM256	19.01	-3.3	15.71	30.00	Pass
n66	30	40	346000	1@1	CP_QPSK	21.61	-3.3	18.31	30.00	Pass
n66	30	40	349000	1@1	DFT_BPSK	23.39	-3.3	20.09	30.00	Pass
n66	30	40	349000	100@0	DFT_QPSK	22.49	-3.3	19.19	30.00	Pass
n66	30	40	349000	50@25	DFT_QPSK	23.55	-3.3	20.25	30.00	Pass
n66	30	40	349000	1@1	DFT_QPSK	23.16	-3.3	19.86	30.00	Pass
n66	30	40	349000	1@104	DFT_QPSK	23.29	-3.3	19.99	30.00	Pass
n66	30	40	349000	1@1	DFT_QAM16	22.16	-3.3	18.86	30.00	Pass
n66	30	40	349000	1@1	DFT_QAM64	20.96	-3.3	17.66	30.00	Pass
n66	30	40	349000	1@1	DFT_QAM256	19.15	-3.3	15.85	30.00	Pass
n66	30	40	349000	1@1	CP_QPSK	21.76	-3.3	18.46	30.00	Pass
n66	30	40	352000	1@1	DFT_BPSK	23.45	-3.3	20.15	30.00	Pass
n66	30	40	352000	100@0	DFT_QPSK	22.48	-3.3	19.18	30.00	Pass
n66	30	40	352000	50@25	DFT_QPSK	23.5	-3.3	20.20	30.00	Pass
n66	30	40	352000	1@1	DFT_QPSK	23.51	-3.3	20.21	30.00	Pass
n66	30	40	352000	1@104	DFT_QPSK	23.2	-3.3	19.90	30.00	Pass
n66	30	40	352000	1@1	DFT_QAM16	22.66	-3.3	19.36	30.00	Pass
n66	30	40	352000	1@1	DFT_QAM64	20.74	-3.3	17.44	30.00	Pass
n66	30	40	352000	1@1	DFT_QAM256	19.15	-3.3	15.85	30.00	Pass
n66	30	40	352000	1@1	CP_QPSK	21.95	-3.3	18.65	30.00	Pass

2 Frequency stability for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result(Hz)	Result (ppm)	Low Limit (ppm)	high Limit (ppm)	Verdict
n66	30	10	343000	12@6	DFT_BPSK	-2.55	-0.00149	-2.5	2.5	PASS
n66	30	10	343000	1@1	DFT_BPSK	-4.41	-0.00257	-2.5	2.5	PASS
n66	30	10	343000	1@22	DFT_BPSK	-4.37	-0.00255	-2.5	2.5	PASS
n66	30	10	343000	12@6	DFT_QPSK	-2.56	-0.00149	-2.5	2.5	PASS
n66	30	10	343000	1@1	DFT_QPSK	-2.75	-0.00160	-2.5	2.5	PASS
n66	30	10	343000	1@22	DFT_QPSK	-1.15	-0.00067	-2.5	2.5	PASS
n66	30	10	349000	12@6	DFT_BPSK	3.87	0.00222	-2.5	2.5	PASS
n66	30	10	349000	1@1	DFT_BPSK	1.33	0.00076	-2.5	2.5	PASS
n66	30	10	349000	1@22	DFT_BPSK	3.04	0.00174	-2.5	2.5	PASS
n66	30	10	349000	12@6	DFT_QPSK	-0.24	-0.00014	-2.5	2.5	PASS
n66	30	10	349000	1@1	DFT_QPSK	2.93	0.00168	-2.5	2.5	PASS
n66	30	10	349000	1@22	DFT_QPSK	0.54	0.00031	-2.5	2.5	PASS
n66	30	10	355000	12@6	DFT_BPSK	-0.97	-0.00055	-2.5	2.5	PASS
n66	30	10	355000	1@1	DFT_BPSK	-2.44	-0.00137	-2.5	2.5	PASS
n66	30	10	355000	1@22	DFT_BPSK	-3.86	-0.00217	-2.5	2.5	PASS
n66	30	10	355000	12@6	DFT_QPSK	-1.76	-0.00099	-2.5	2.5	PASS
n66	30	10	355000	1@1	DFT_QPSK	-3.37	-0.00190	-2.5	2.5	PASS
n66	30	10	355000	1@22	DFT_QPSK	-4.11	-0.00232	-2.5	2.5	PASS
n66	30	20	344000	25@12	DFT_BPSK	-2.16	-0.00126	-2.5	2.5	PASS
n66	30	20	344000	1@1	DFT_BPSK	-1.69	-0.00098	-2.5	2.5	PASS
n66	30	20	344000	1@49	DFT_BPSK	-2.88	-0.00167	-2.5	2.5	PASS
n66	30	20	344000	25@12	DFT_QPSK	-3.14	-0.00183	-2.5	2.5	PASS
n66	30	20	344000	1@1	DFT_QPSK	1.22	0.00071	-2.5	2.5	PASS
n66	30	20	344000	1@49	DFT_QPSK	-5.10	-0.00297	-2.5	2.5	PASS
n66	30	20	349000	25@12	DFT_BPSK	-3.15	-0.00181	-2.5	2.5	PASS
n66	30	20	349000	1@1	DFT_BPSK	-4.21	-0.00241	-2.5	2.5	PASS
n66	30	20	349000	1@49	DFT_BPSK	-3.11	-0.00178	-2.5	2.5	PASS
n66	30	20	349000	25@12	DFT_QPSK	-1.43	-0.00082	-2.5	2.5	PASS
n66	30	20	349000	1@1	DFT_QPSK	0.65	0.00037	-2.5	2.5	PASS
n66	30	20	349000	1@49	DFT_QPSK	-4.85	-0.00278	-2.5	2.5	PASS
n66	30	20	354000	25@12	DFT_BPSK	-6.51	-0.00368	-2.5	2.5	PASS
n66	30	20	354000	1@1	DFT_BPSK	-6.77	-0.00382	-2.5	2.5	PASS
n66	30	20	354000	1@49	DFT_BPSK	-5.98	-0.00338	-2.5	2.5	PASS
n66	30	20	354000	25@12	DFT_QPSK	-4.16	-0.00235	-2.5	2.5	PASS
n66	30	20	354000	1@1	DFT_QPSK	-6.36	-0.00359	-2.5	2.5	PASS
n66	30	20	354000	1@49	DFT_QPSK	-7.05	-0.00398	-2.5	2.5	PASS
n66	30	40	346000	50@25	DFT_BPSK	-3.30	-0.00191	-2.5	2.5	PASS
n66	30	40	346000	1@1	DFT_BPSK	-5.70	-0.00329	-2.5	2.5	PASS

n66	30	40	346000	1@104	DFT_BPSK	-4.85	-0.00280	-2.5	2.5	PASS
n66	30	40	346000	50@25	DFT_QPSK	-5.68	-0.00328	-2.5	2.5	PASS
n66	30	40	346000	1@1	DFT_QPSK	-3.61	-0.00209	-2.5	2.5	PASS
n66	30	40	346000	1@104	DFT_QPSK	-3.17	-0.00183	-2.5	2.5	PASS
n66	30	40	349000	50@25	DFT_BPSK	-4.58	-0.00262	-2.5	2.5	PASS
n66	30	40	349000	1@1	DFT_BPSK	-3.62	-0.00207	-2.5	2.5	PASS
n66	30	40	349000	1@104	DFT_BPSK	-3.11	-0.00178	-2.5	2.5	PASS
n66	30	40	349000	50@25	DFT_QPSK	-3.28	-0.00188	-2.5	2.5	PASS
n66	30	40	349000	1@1	DFT_QPSK	-1.95	-0.00112	-2.5	2.5	PASS
n66	30	40	349000	1@104	DFT_QPSK	-3.81	-0.00218	-2.5	2.5	PASS
n66	30	40	352000	50@25	DFT_BPSK	-3.67	-0.00209	-2.5	2.5	PASS
n66	30	40	352000	1@1	DFT_BPSK	-2.93	-0.00166	-2.5	2.5	PASS
n66	30	40	352000	1@104	DFT_BPSK	-0.81	-0.00046	-2.5	2.5	PASS
n66	30	40	352000	50@25	DFT_QPSK	-2.63	-0.00149	-2.5	2.5	PASS
n66	30	40	352000	1@1	DFT_QPSK	-0.59	-0.00034	-2.5	2.5	PASS
n66	30	40	352000	1@104	DFT_QPSK	-1.45	-0.00082	-2.5	2.5	PASS


Note: (Voltage: 3.92V, Temperature: 25°C) only reflect the worst mode.

3 Peak-to-Average Ratio for NR FR1


Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	Result (dB)	high Limit (dB)	Verdict
n66	15	5	342500	25@0	DFT_BPSK	4.14	13	PASS
n66	15	5	342500	25@0	DFT_QPSK	5.03	13	PASS
n66	15	5	342500	25@0	DFT_QAM16	5.58	13	PASS
n66	15	5	342500	25@0	DFT_QAM64	5.95	13	PASS
n66	15	5	342500	25@0	DFT_QAM256	6.08	13	PASS
n66	15	5	349000	25@0	DFT_BPSK	3.91	13	PASS
n66	15	5	349000	25@0	DFT_QPSK	5.02	13	PASS
n66	15	5	349000	25@0	DFT_QAM16	5.73	13	PASS
n66	15	5	349000	25@0	DFT_QAM64	5.93	13	PASS
n66	15	5	349000	25@0	DFT_QAM256	6.35	13	PASS
n66	15	5	355500	25@0	DFT_BPSK	3.98	13	PASS
n66	15	5	355500	25@0	DFT_QPSK	4.88	13	PASS
n66	15	5	355500	25@0	DFT_QAM16	5.60	13	PASS
n66	15	5	355500	25@0	DFT_QAM64	5.83	13	PASS
n66	15	5	355500	25@0	DFT_QAM256	6.27	13	PASS
n66	15	10	343000	50@0	DFT_BPSK	4.42	13	PASS
n66	15	10	343000	50@0	DFT_QPSK	5.21	13	PASS
n66	15	10	343000	50@0	DFT_QAM16	5.84	13	PASS
n66	15	10	343000	50@0	DFT_QAM64	6.24	13	PASS
n66	15	10	343000	50@0	DFT_QAM256	6.47	13	PASS
n66	15	10	349000	50@0	DFT_BPSK	4.14	13	PASS
n66	15	10	349000	50@0	DFT_QPSK	5.07	13	PASS
n66	15	10	349000	50@0	DFT_QAM16	5.83	13	PASS
n66	15	10	349000	50@0	DFT_QAM64	6.10	13	PASS
n66	15	10	349000	50@0	DFT_QAM256	6.49	13	PASS
n66	15	10	355000	50@0	DFT_BPSK	4.14	13	PASS
n66	15	10	355000	50@0	DFT_QPSK	5.13	13	PASS
n66	15	10	355000	50@0	DFT_QAM16	5.75	13	PASS
n66	15	10	355000	50@0	DFT_QAM64	6.28	13	PASS
n66	15	10	355000	50@0	DFT_QAM256	6.50	13	PASS
n66	15	15	343500	75@0	DFT_BPSK	3.99	13	PASS
n66	15	15	343500	75@0	DFT_QPSK	5.00	13	PASS
n66	15	15	343500	75@0	DFT_QAM16	5.73	13	PASS
n66	15	15	343500	75@0	DFT_QAM64	6.02	13	PASS
n66	15	15	343500	75@0	DFT_QAM256	6.52	13	PASS
n66	15	15	349000	75@0	DFT_BPSK	4.04	13	PASS
n66	15	15	349000	75@0	DFT_QPSK	5.13	13	PASS
n66	15	15	349000	75@0	DFT_QAM16	5.90	13	PASS
n66	15	15	349000	75@0	DFT_QAM64	6.05	13	PASS
n66	15	15	349000	75@0	DFT_QAM256	6.55	13	PASS

n66	15	15	354500	75@0	DFT_BPSK	4.14	13	PASS
n66	15	15	354500	75@0	DFT_QPSK	5.06	13	PASS
n66	15	15	354500	75@0	DFT_QAM16	5.80	13	PASS
n66	15	15	354500	75@0	DFT_QAM64	5.82	13	PASS
n66	15	15	354500	75@0	DFT_QAM256	6.44	13	PASS
n66	15	20	344000	100@0	DFT_BPSK	4.50	13	PASS
n66	15	20	344000	100@0	DFT_QPSK	5.35	13	PASS
n66	15	20	344000	100@0	DFT_QAM16	5.88	13	PASS
n66	15	20	344000	100@0	DFT_QAM64	6.44	13	PASS
n66	15	20	344000	100@0	DFT_QAM256	6.52	13	PASS
n66	15	20	349000	100@0	DFT_BPSK	4.24	13	PASS
n66	15	20	349000	100@0	DFT_QPSK	5.16	13	PASS
n66	15	20	349000	100@0	DFT_QAM16	5.72	13	PASS
n66	15	20	349000	100@0	DFT_QAM64	6.40	13	PASS
n66	15	20	349000	100@0	DFT_QAM256	6.42	13	PASS
n66	15	20	354000	100@0	DFT_BPSK	4.22	13	PASS
n66	15	20	354000	100@0	DFT_QPSK	5.21	13	PASS
n66	15	20	354000	100@0	DFT_QAM16	5.86	13	PASS
n66	15	20	354000	100@0	DFT_QAM64	6.50	13	PASS
n66	15	20	354000	100@0	DFT_QAM256	6.50	13	PASS
n66	15	40	346000	216@0	DFT_BPSK	4.20	13	PASS
n66	15	40	346000	216@0	DFT_QPSK	5.31	13	PASS
n66	15	40	346000	216@0	DFT_QAM16	6.11	13	PASS
n66	15	40	346000	216@0	DFT_QAM64	6.20	13	PASS
n66	15	40	346000	216@0	DFT_QAM256	6.50	13	PASS
n66	15	40	349000	216@0	DFT_BPSK	4.45	13	PASS
n66	15	40	349000	216@0	DFT_QPSK	5.29	13	PASS
n66	15	40	349000	216@0	DFT_QAM16	5.93	13	PASS
n66	15	40	349000	216@0	DFT_QAM64	6.21	13	PASS
n66	15	40	349000	216@0	DFT_QAM256	6.54	13	PASS
n66	15	40	352000	216@0	DFT_BPSK	4.13	13	PASS
n66	15	40	352000	216@0	DFT_QPSK	5.22	13	PASS
n66	15	40	352000	216@0	DFT_QAM16	5.96	13	PASS
n66	15	40	352000	216@0	DFT_QAM64	6.21	13	PASS
n66	15	40	352000	216@0	DFT_QAM256	6.56	13	PASS


n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=354000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=20MHz Channel=344000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=354500 RB=75@0




n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM64 BW=15MHz Channel=343500 RB=75@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=355000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=352000 RB=216@0




n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QAM256 BW=40MHz Channel=346000 RB=216@0




n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=346000 RB=216@0




n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=354000 RB=100@0




n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=352000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=40MHz Channel=346000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=354000 RB=100@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QPSK BW=20MHz Channel=344000 RB=100@0




n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=354500 RB=75@0




n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QPSK BW=15MHz Channel=343500 RB=75@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=355000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QPSK BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM64 BW=40MHz Channel=352000 RB=216@0




n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=354500 RB=75@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=352000 RB=216@0




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_BPSK BW=40MHz Channel=346000 RB=216@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=354000 RB=100@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_BPSK BW=20MHz Channel=344000 RB=100@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=354500 RB=75@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_BPSK BW=15MHz Channel=343500 RB=75@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=355000 RB=50@0




n66 SCS=15kHz DFT_BPSK BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=20MHz Channel=344000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=10MHz Channel=355000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=349000 RB=75@0




n66 SCS=15kHz DFT_QAM256 BW=15MHz Channel=343500 RB=75@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=355000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=349000 RB=50@0




n66 SCS=15kHz DFT_QAM256 BW=10MHz Channel=343000 RB=50@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=355500 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=349000 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=5MHz Channel=342500 RB=25@0




n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=352000 RB=216@0




n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=349000 RB=216@0




n66 SCS=15kHz DFT_QAM16 BW=40MHz Channel=346000 RB=216@0




n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=354000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=349000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=20MHz Channel=344000 RB=100@0




n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=354500 RB=75@0



n66 SCS=15kHz DFT_QAM16 BW=15MHz Channel=343500 RB=75@0



n66 SCS=15kHz DFT_QPSK BW=5MHz Channel=355500 RB=25@0



4 Occupied bandwidth for NR FR1

Band	SCS (kHz)	Bandwidth (MHz)	UL Channel	RB Allocation	Modulation	99% OBW (MHz)	-26dB EBW (MHz)	Verdict
n66	30	10	349000	24@0	DFT_BPSK	8.550	8.980	PASS
n66	30	10	349000	24@0	DFT_QPSK	8.550	8.890	PASS
n66	30	10	349000	24@0	DFT_QAM16	8.560	8.890	PASS
n66	30	10	349000	24@0	DFT_QAM64	8.570	8.900	PASS
n66	30	10	349000	24@0	DFT_QAM256	8.580	8.860	PASS
n66	30	15	349000	36@0	DFT_BPSK	13.510	13.300	PASS
n66	30	15	349000	36@0	DFT_QPSK	13.500	13.300	PASS
n66	30	15	349000	36@0	DFT_QAM16	13.450	13.350	PASS
n66	30	15	349000	36@0	DFT_QAM64	13.500	13.300	PASS
n66	30	15	349000	36@0	DFT_QAM256	13.450	13.310	PASS
n66	30	20	349000	50@0	DFT_BPSK	17.980	18.340	PASS
n66	30	20	349000	50@0	DFT_QPSK	18.080	18.280	PASS
n66	30	20	349000	50@0	DFT_QAM16	18.050	18.220	PASS
n66	30	20	349000	50@0	DFT_QAM64	17.950	18.220	PASS
n66	30	20	349000	50@0	DFT_QAM256	17.960	18.290	PASS
n66	30	40	349000	100@0	DFT_BPSK	37.550	36.270	PASS
n66	30	40	349000	100@0	DFT_QPSK	37.550	36.450	PASS
n66	30	40	349000	100@0	DFT_QAM16	37.410	36.280	PASS
n66	30	40	349000	100@0	DFT_QAM64	37.460	36.360	PASS
n66	30	40	349000	100@0	DFT_QAM256	37.450	36.450	PASS

n66 SCS=30kHz DFT_BPSK BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_BPSK BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_BPSK BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_BPSK BW=40MHz Channel=349000 RB=100@0



n66 SCS=30kHz DFT_QAM16 BW=10MHz Channel=349000 RB=24@0



n66 SCS=30kHz DFT_QAM16 BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_QAM16 BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QAM16 BW=40MHz Channel=349000 RB=100@0




n66 SCS=30kHz DFT_QAM256 BW=10MHz Channel=349000 RB=24@0




n66 SCS=30kHz DFT_QAM256 BW=15MHz Channel=349000 RB=36@0



n66 SCS=30kHz DFT_QAM256 BW=20MHz Channel=349000 RB=50@0



n66 SCS=30kHz DFT_QAM256 BW=40MHz Channel=349000 RB=100@0



n66 SCS=30kHz DFT_QAM64 BW=10MHz Channel=349000 RB=24@0