

Appendix E7

Test Information:

Serial No.:	3J02-1	Test Date:	2026/04/12
Test Site:	RF	Test Mode:	Transmitting
Tester:	Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	26	Relative Humidity: (%)	55	ATM Pressure: (kPa)	100.3
----------------------	----	---------------------------	----	------------------------	-------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Radio Communication Test Station	MT8000A	6272709229	2025/09/21	2026/09/20
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

RF Output Power
FCC Part 96

n77_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.97	14.23	0.026	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.96	14.22	0.026	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.91	14.17	0.026	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.50	13.76	0.024	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	17	14.26	0.027	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	16.90	14.16	0.026	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	17	14.26	0.027	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	15.98	13.24	0.021	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	14.98	12.24	0.017	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	14.41	11.67	0.015	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	12.40	9.66	0.009	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	15.36	12.62	0.018	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	15.31	12.57	0.018	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	15.45	12.71	0.019	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	13.91	11.17	0.013	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	13.81	11.07	0.013	0.200	Pass
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	13.47	10.73	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	10.50	7.76	0.006	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.59	13.85	0.024	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.60	13.86	0.024	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.07	13.33	0.022	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.64	13.90	0.025	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	16.53	13.79	0.024	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	16.68	13.94	0.025	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	15.58	12.84	0.019	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	14.59	11.85	0.015	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	14.15	11.41	0.014	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	12.16	9.42	0.009	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.99	12.25	0.017	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	15.05	12.31	0.017	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	14.99	12.25	0.017	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	13.51	10.77	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	13.54	10.80	0.012	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	13.22	10.48	0.011	0.200	Pass
n77_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	10.13	7.39	0.005	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.61	13.87	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.62	13.88	0.024	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.68	13.94	0.025	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.23	13.49	0.022	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.91	0.025	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	16.65	13.91	0.025	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	16.64	13.90	0.025	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	15.61	12.87	0.019	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	14.72	11.98	0.016	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	14.21	11.47	0.014	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	12.11	9.37	0.009	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	15.11	12.37	0.017	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	15.10	12.36	0.017	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	15.11	12.37	0.017	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	13.53	10.79	0.012	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	13.52	10.78	0.012	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	13.17	10.43	0.011	0.200	Pass
n77_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	10.14	7.40	0.005	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.97	14.23	0.026	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.97	14.23	0.026	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.02	14.28	0.027	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.50	13.76	0.024	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	17.21	14.47	0.028	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	17.16	14.42	0.028	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	17.16	14.42	0.028	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	16.12	13.38	0.022	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.03	12.29	0.017	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.54	11.80	0.015	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.45	9.71	0.009	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	15.56	12.82	0.019	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	15.32	12.58	0.018	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	15.40	12.66	0.018	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	14.01	11.27	0.013	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	13.98	11.24	0.013	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.60	10.86	0.012	0.200	Pass
n77_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	10.57	7.83	0.006	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.89	0.024	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.52	13.78	0.024	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.57	13.83	0.024	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.15	13.41	0.022	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.84	14.10	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	16.72	13.98	0.025	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	16.83	14.09	0.026	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	15.73	12.99	0.020	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	14.76	12.02	0.016	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	14.09	11.35	0.014	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	12.10	9.36	0.009	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.97	12.23	0.017	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	14.90	12.16	0.016	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	15.07	12.33	0.017	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	13.53	10.79	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	13.63	10.89	0.012	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	13.20	10.46	0.011	0.200	Pass
n77_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	10.17	7.43	0.006	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	14.10	0.026	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.76	14.02	0.025	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.74	14.00	0.025	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.24	13.50	0.022	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	16.80	14.06	0.025	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	16.90	14.16	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	15.88	13.14	0.021	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.71	11.97	0.016	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.22	11.48	0.014	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.23	9.49	0.009	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	15.29	12.55	0.018	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	15.25	12.51	0.018	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	15.20	12.46	0.018	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.67	10.93	0.012	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	13.71	10.97	0.013	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	13.32	10.58	0.011	0.200	Pass
n77_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	10.31	7.57	0.006	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17	14.26	0.027	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.89	14.15	0.026	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.97	14.23	0.026	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.55	13.81	0.024	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	17.04	14.30	0.027	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	17	14.26	0.027	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	17.06	14.32	0.027	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	16.02	13.28	0.021	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	14.99	12.25	0.017	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	14.51	11.77	0.015	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	12.55	9.81	0.010	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	15.44	12.70	0.019	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	15.43	12.69	0.019	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	15.58	12.84	0.019	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	13.92	11.18	0.013	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	13.98	11.24	0.013	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	13.59	10.85	0.012	0.200	Pass
n77_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	10.57	7.83	0.006	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.67	13.93	0.025	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.49	13.75	0.024	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.59	13.85	0.024	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.10	13.36	0.022	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	16.56	13.82	0.024	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	16.67	13.93	0.025	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	15.62	12.88	0.019	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	14.61	11.87	0.015	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	14.07	11.33	0.014	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	12.09	9.35	0.009	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	16.71	13.97	0.025	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	14.99	12.25	0.017	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	15.15	12.41	0.017	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	13.55	10.81	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	13.65	10.91	0.012	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	13.06	10.32	0.011	0.200	Pass
n77_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	10.19	7.45	0.006	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.68	13.94	0.025	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.78	14.04	0.025	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.77	14.03	0.025	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.24	13.50	0.022	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	16.72	13.98	0.025	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	16.75	14.01	0.025	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	16.73	13.99	0.025	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	15.74	13.00	0.020	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	14.69	11.95	0.016	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	14.20	11.46	0.014	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	12.23	9.49	0.009	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	15.09	12.35	0.017	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	15.18	12.44	0.018	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	15.29	12.55	0.018	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	13.59	10.85	0.012	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	13.80	11.06	0.013	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	13.26	10.52	0.011	0.200	Pass
n77_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	10.27	7.53	0.006	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	14.17	0.026	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.91	14.17	0.026	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.99	14.25	0.027	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.56	13.82	0.024	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB1@63	16.93	14.19	0.026	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB32@16	17	14.26	0.027	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB64@0	16.01	13.27	0.021	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.95	12.21	0.017	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.49	11.75	0.015	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.46	9.72	0.009	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB1@1	15.33	12.59	0.018	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB1@63	15.37	12.63	0.018	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB33@16	15.46	12.72	0.019	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB65@0	13.94	11.20	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM 16 QAM_RB65@0	13.95	11.21	0.013	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM 64 QAM_RB65@0	13.41	10.67	0.012	0.200	Pass
n77_2_25MHz_30kHz_3562.5MHz_CP-OFDM 256 QAM_RB65@0	10.50	7.76	0.006	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.58	13.84	0.024	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.41	13.67	0.023	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.56	13.82	0.024	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.12	13.38	0.022	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.77	14.03	0.025	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@63	16.48	13.74	0.024	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB32@16	16.57	13.83	0.024	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@0	15.54	12.80	0.019	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB64@0	14.60	11.86	0.015	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB64@0	14.09	11.35	0.014	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB64@0	12.10	9.36	0.009	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.96	12.22	0.017	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@63	14.80	12.06	0.016	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB33@16	15.04	12.30	0.017	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB65@0	13.52	10.78	0.012	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB65@0	13.51	10.77	0.012	0.200	Pass
n77_2_25MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB65@0	13.10	10.36	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_25MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB65@0	10.06	7.32	0.005	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.48	13.74	0.024	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.52	13.78	0.024	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.62	13.88	0.024	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.14	13.40	0.022	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB1@1	16.67	13.93	0.025	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB1@63	16.55	13.81	0.024	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB32@16	16.56	13.82	0.024	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB64@0	15.68	12.94	0.020	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.60	11.86	0.015	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.17	11.43	0.014	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.13	9.39	0.009	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB1@1	15	12.26	0.017	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB1@63	15.12	12.38	0.017	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB33@16	15.12	12.38	0.017	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB65@0	13.59	10.85	0.012	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM 16 QAM_RB65@0	13.60	10.86	0.012	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM 64 QAM_RB65@0	13.09	10.35	0.011	0.200	Pass
n77_2_25MHz_30kHz_3687.5MHz_CP-OFDM 256 QAM_RB65@0	10.12	7.38	0.005	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.31	0.027	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.79	14.05	0.025	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.84	14.10	0.026	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.43	13.69	0.023	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.36	0.027	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	16.87	14.13	0.026	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	16.99	14.25	0.027	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	16.07	13.33	0.022	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	14.92	12.18	0.017	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	14.40	11.66	0.015	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	12.35	9.61	0.009	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	15.45	12.71	0.019	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	15.16	12.42	0.017	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	15.43	12.69	0.019	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	13.91	11.17	0.013	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	13.92	11.18	0.013	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	13.40	10.66	0.012	0.200	Pass
n77_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	10.39	7.65	0.006	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.63	13.89	0.024	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.44	13.70	0.023	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.61	13.87	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.08	13.34	0.022	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.82	14.08	0.026	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	16.47	13.73	0.024	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	16.58	13.84	0.024	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	15.64	12.90	0.019	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	14.62	11.88	0.015	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	14.11	11.37	0.014	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	12.07	9.33	0.009	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.04	12.30	0.017	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	14.95	12.21	0.017	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	15.13	12.39	0.017	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	13.55	10.81	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	13.60	10.86	0.012	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	13.11	10.37	0.011	0.200	Pass
n77_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	10.08	7.34	0.005	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.83	0.024	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.64	13.90	0.025	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.64	13.90	0.025	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.11	13.37	0.022	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	16.71	13.97	0.025	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	16.77	14.03	0.025	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	16.73	13.99	0.025	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	15.74	13.00	0.020	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	14.71	11.97	0.016	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	14.11	11.37	0.014	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	12.05	9.31	0.009	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	15.07	12.33	0.017	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	15.06	12.32	0.017	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	15.11	12.37	0.017	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	13.63	10.89	0.012	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	13.65	10.91	0.012	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	13.14	10.40	0.011	0.200	Pass
n77_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	10.12	7.38	0.005	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	14.12	0.026	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.81	14.07	0.026	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.93	14.19	0.026	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.45	13.71	0.023	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	17.11	14.37	0.027	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	16.83	14.09	0.026	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	17.02	14.28	0.027	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	15.96	13.22	0.021	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	14.92	12.18	0.017	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	14.42	11.68	0.015	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	12.37	9.63	0.009	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	15.34	12.60	0.018	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	15.20	12.46	0.018	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	15.45	12.71	0.019	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	13.88	11.14	0.013	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	13.91	11.17	0.013	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	13.37	10.63	0.012	0.200	Pass
n77_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	10.40	7.66	0.006	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.66	13.92	0.025	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.46	13.72	0.024	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.61	13.87	0.024	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.13	13.39	0.022	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.88	14.14	0.026	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	16.61	13.87	0.024	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	16.75	14.01	0.025	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	15.75	13.01	0.020	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	14.56	11.82	0.015	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	14.10	11.36	0.014	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	12.03	9.29	0.008	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.01	12.27	0.017	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	14.85	12.11	0.016	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	15.09	12.35	0.017	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	13.54	10.80	0.012	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	13.61	10.87	0.012	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	13.02	10.28	0.011	0.200	Pass
n77_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	10.04	7.30	0.005	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.54	13.80	0.024	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.65	13.91	0.025	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.66	13.92	0.025	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.21	13.47	0.022	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	16.68	13.94	0.025	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	16.90	14.16	0.026	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	16.81	14.07	0.026	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	15.81	13.07	0.020	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	14.80	12.06	0.016	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	14.17	11.43	0.014	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	12.10	9.36	0.009	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	14.95	12.21	0.017	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	15.08	12.34	0.017	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	15.18	12.44	0.018	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	13.59	10.85	0.012	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	13.64	10.90	0.012	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	13.13	10.39	0.011	0.200	Pass
n77_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	10.11	7.37	0.005	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.63	13.89	0.024	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.87	14.13	0.026	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.38	13.64	0.023	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	16.89	14.15	0.026	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	17.05	14.31	0.027	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	16.06	13.32	0.021	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	14.88	12.14	0.016	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	14.36	11.62	0.015	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	12.32	9.58	0.009	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	15.45	12.71	0.019	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	15.02	12.28	0.017	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	15.36	12.62	0.018	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	13.78	11.04	0.013	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	13.82	11.08	0.013	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	13.32	10.58	0.011	0.200	Pass
n77_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	10.31	7.57	0.006	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.79	14.05	0.025	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.44	13.70	0.023	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.63	13.89	0.024	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.10	13.36	0.022	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.80	14.06	0.025	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	16.56	13.82	0.024	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	16.76	14.02	0.025	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	15.75	13.01	0.020	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	14.59	11.85	0.015	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	14.12	11.38	0.014	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	12.07	9.33	0.009	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.01	12.27	0.017	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	14.77	12.03	0.016	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	15.06	12.32	0.017	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	13.51	10.77	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	13.54	10.80	0.012	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	13.09	10.35	0.011	0.200	Pass
n77_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	10.09	7.35	0.005	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.66	13.92	0.025	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.58	13.84	0.024	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.62	13.88	0.024	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.05	13.31	0.021	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	16.64	13.90	0.025	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	16.50	13.76	0.024	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	16.57	13.83	0.024	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	15.62	12.88	0.019	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	14.63	11.89	0.015	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	14.10	11.36	0.014	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	12.06	9.32	0.009	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	14.85	12.11	0.016	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	14.92	12.18	0.017	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	15.16	12.42	0.017	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	13.53	10.79	0.012	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	13.52	10.78	0.012	0.200	Pass
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	13.03	10.29	0.011	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	10.06	7.32	0.005	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.58	13.84	0.024	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.88	14.14	0.026	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.29	13.55	0.023	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	16.86	14.12	0.026	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	16.58	13.84	0.024	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	16.81	14.07	0.026	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	15.77	13.03	0.020	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	14.75	12.01	0.016	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	14.29	11.55	0.014	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	12.26	9.52	0.009	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	15.15	12.41	0.017	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	14.96	12.22	0.017	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	15.34	12.60	0.018	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	13.77	11.03	0.013	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	13.76	11.02	0.013	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	13.26	10.52	0.011	0.200	Pass
n77_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	10.29	7.55	0.006	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.60	13.86	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.31	13.57	0.023	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.51	13.77	0.024	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.03	13.29	0.021	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.59	13.85	0.024	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	16.38	13.64	0.023	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	16.61	13.87	0.024	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	15.50	12.76	0.019	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	14.53	11.79	0.015	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	14.03	11.29	0.013	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	12.03	9.29	0.008	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.04	12.30	0.017	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	14.89	12.15	0.016	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	15.02	12.28	0.017	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	13.54	10.80	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	13.52	10.78	0.012	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	12.98	10.24	0.011	0.200	Pass
n77_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	10.03	7.29	0.005	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.65	0.023	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.55	13.81	0.024	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.50	13.76	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.05	13.31	0.021	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	16.40	13.66	0.023	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	16.58	13.84	0.024	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	16.67	13.93	0.025	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	15.53	12.79	0.019	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	14.53	11.79	0.015	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	14.01	11.27	0.013	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	12.06	9.32	0.009	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	14.84	12.10	0.016	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	14.94	12.20	0.017	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	15.02	12.28	0.017	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	13.49	10.75	0.012	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	13.55	10.81	0.012	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	13.05	10.31	0.011	0.200	Pass
n77_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	10.06	7.32	0.005	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.09	14.35	0.027	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.78	14.04	0.025	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17	14.26	0.027	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.49	13.75	0.024	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	17.15	14.41	0.028	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	16.70	13.96	0.025	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	17.03	14.29	0.027	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	15.98	13.24	0.021	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	15.06	12.32	0.017	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	14.53	11.79	0.015	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	12.49	9.75	0.009	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	15.56	12.82	0.019	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	15.26	12.52	0.018	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	15.48	12.74	0.019	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	13.99	11.25	0.013	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	13.97	11.23	0.013	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	13.48	10.74	0.012	0.200	Pass
n77_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	10.49	7.75	0.006	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.32	0.027	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.62	13.88	0.024	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.77	14.03	0.025	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.30	13.56	0.023	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.90	14.16	0.026	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	16.66	13.92	0.025	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	16.85	14.11	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	15.78	13.04	0.020	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	14.81	12.07	0.016	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	14.28	11.54	0.014	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	12.29	9.55	0.009	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.30	12.56	0.018	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	15.17	12.43	0.017	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	15.26	12.52	0.018	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	13.75	11.01	0.013	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	13.76	11.02	0.013	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	13.33	10.59	0.011	0.200	Pass
n77_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	10.28	7.54	0.006	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	14.06	0.025	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.74	14.00	0.025	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.77	14.03	0.025	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.31	13.57	0.023	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	16.78	14.04	0.025	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	16.74	14.00	0.025	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	15.77	13.03	0.020	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	14.80	12.06	0.016	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	14.30	11.56	0.014	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	12.27	9.53	0.009	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	15.39	12.65	0.018	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	15.15	12.41	0.017	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	15.25	12.51	0.018	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	13.75	11.01	0.013	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	13.76	11.02	0.013	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	13.27	10.53	0.011	0.200	Pass
n77_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	10.28	7.54	0.006	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.24	14.50	0.028	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.73	13.99	0.025	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.95	14.21	0.026	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.44	13.70	0.023	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	17	14.26	0.027	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	16.76	14.02	0.025	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	17	14.26	0.027	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	15.93	13.19	0.021	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	14.95	12.21	0.017	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	14.52	11.78	0.015	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	12.49	9.75	0.009	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	15.65	12.91	0.020	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	15.11	12.37	0.017	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	15.47	12.73	0.019	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	13.96	11.22	0.013	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	13.98	11.24	0.013	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	13.42	10.68	0.012	0.200	Pass
n77_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	10.45	7.71	0.006	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.14	14.40	0.028	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.63	13.89	0.024	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.76	14.02	0.025	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.26	13.52	0.022	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.04	14.30	0.027	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	16.67	13.93	0.025	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	16.76	14.02	0.025	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	15.78	13.04	0.020	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	14.79	12.05	0.016	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	14.30	11.56	0.014	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	12.29	9.55	0.009	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.62	12.88	0.019	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	15.05	12.31	0.017	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	15.24	12.50	0.018	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	13.78	11.04	0.013	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	13.78	11.04	0.013	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	13.27	10.53	0.011	0.200	Pass
n77_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	10.28	7.54	0.006	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.82	14.08	0.026	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.79	14.05	0.025	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.34	13.60	0.023	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	16.82	14.08	0.026	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	16.86	14.12	0.026	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	16.78	14.04	0.025	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	15.80	13.06	0.020	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	14.81	12.07	0.016	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	14.37	11.63	0.015	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	12.30	9.56	0.009	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	15.22	12.48	0.018	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	15.25	12.51	0.018	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	15.32	12.58	0.018	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	13.80	11.06	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	13.79	11.05	0.013	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	13.29	10.55	0.011	0.200	Pass
n77_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	10.31	7.57	0.006	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.08	14.34	0.027	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.62	13.88	0.024	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.89	14.15	0.026	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.41	13.67	0.023	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.38	0.027	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	16.62	13.88	0.024	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	16.87	14.13	0.026	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	15.91	13.17	0.021	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	14.92	12.18	0.017	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	14.41	11.67	0.015	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	12.39	9.65	0.009	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	15.66	12.92	0.020	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	15	12.26	0.017	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	15.39	12.65	0.018	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	13.86	11.12	0.013	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	13.85	11.11	0.013	0.200	Pass
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	13.39	10.65	0.012	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	10.37	7.63	0.006	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.16	14.42	0.028	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.58	13.84	0.024	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.74	14.00	0.025	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.27	13.53	0.023	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.97	14.23	0.026	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	16.66	13.92	0.025	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	16.76	14.02	0.025	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	15.80	13.06	0.020	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	14.81	12.07	0.016	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	14.31	11.57	0.014	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	12.32	9.58	0.009	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.55	12.81	0.019	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	15.05	12.31	0.017	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	15.28	12.54	0.018	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	13.80	11.06	0.013	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	13.74	11.00	0.013	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	13.28	10.54	0.011	0.200	Pass
n77_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	10.24	7.50	0.006	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.72	13.98	0.025	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.70	13.96	0.025	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.26	13.52	0.022	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	16.90	14.16	0.026	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	16.79	14.05	0.025	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	16.72	13.98	0.025	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	15.78	13.04	0.020	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	14.82	12.08	0.016	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	14.32	11.58	0.014	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	12.27	9.53	0.009	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	15.53	12.79	0.019	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	15.31	12.57	0.018	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	15.28	12.54	0.018	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	13.79	11.05	0.013	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	13.73	10.99	0.013	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	13.28	10.54	0.011	0.200	Pass
n77_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	10.26	7.52	0.006	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.04	14.30	0.027	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.67	13.93	0.025	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.88	14.14	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.36	13.62	0.023	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	17.03	14.29	0.027	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	16.80	14.06	0.025	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	17.05	14.31	0.027	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	16.05	13.31	0.021	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	15.08	12.34	0.017	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	14.61	11.87	0.015	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	12.38	9.64	0.009	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	15.46	12.72	0.019	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	15.03	12.29	0.017	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	15.41	12.67	0.018	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	13.90	11.16	0.013	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	13.87	11.13	0.013	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	13.41	10.67	0.012	0.200	Pass
n77_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	10.41	7.67	0.006	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.61	13.87	0.024	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.67	13.93	0.025	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.26	13.52	0.022	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	16.77	14.03	0.025	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	16.93	14.19	0.026	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	15.94	13.20	0.021	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	14.95	12.21	0.017	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	14.47	11.73	0.015	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	12.28	9.54	0.009	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.54	12.80	0.019	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	15.02	12.28	0.017	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	15.22	12.48	0.018	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	13.74	11.00	0.013	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	13.77	11.03	0.013	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	13.29	10.55	0.011	0.200	Pass
n77_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.28	7.54	0.006	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	14.13	0.026	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.71	13.97	0.025	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.72	13.98	0.025	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.29	13.55	0.023	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	16.91	14.17	0.026	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	16.95	14.21	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	15.97	13.23	0.021	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	14.99	12.25	0.017	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	14.50	11.76	0.015	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	12.27	9.53	0.009	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	15.30	12.56	0.018	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	15.27	12.53	0.018	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	15.27	12.53	0.018	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	13.79	11.05	0.013	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	13.78	11.04	0.013	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	13.25	10.51	0.011	0.200	Pass
n77_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	10.30	7.56	0.006	0.200	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -2.74dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_2

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.80	14.06	0.025	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.80	14.06	0.025	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.38	13.64	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB1@22	16.82	14.08	0.026	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB12@6	16.91	14.17	0.026	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM QPSK_RB24@0	15.80	13.06	0.020	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 16 QAM_RB24@0	14.87	12.13	0.016	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 64 QAM_RB24@0	14.35	11.61	0.014	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_DFT-s-OFDM 256 QAM_RB24@0	12.26	9.52	0.009	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@1	15.27	12.53	0.018	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB1@22	15.16	12.42	0.017	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB12@6	15.34	12.60	0.018	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM QPSK_RB24@0	13.77	11.03	0.013	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 16 QAM_RB24@0	13.65	10.91	0.012	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 64 QAM_RB24@0	13.37	10.63	0.012	0.200	Pass
n78_2_10MHz_30kHz_3555MHz_CP-OFDM 256 QAM_RB24@0	10.29	7.55	0.006	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.83	0.024	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.59	13.85	0.024	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.58	13.84	0.024	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.14	13.40	0.022	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.53	13.79	0.024	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@22	16.52	13.78	0.024	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB12@6	16.53	13.79	0.024	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB24@0	15.59	12.85	0.019	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB24@0	14.63	11.89	0.015	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB24@0	14.18	11.44	0.014	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB24@0	12.08	9.34	0.009	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15	12.26	0.017	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@22	15	12.26	0.017	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB12@6	15.10	12.36	0.017	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM QPSK_RB24@0	13.60	10.86	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB24@0	13.48	10.74	0.012	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB24@0	13.16	10.42	0.011	0.200	Pass
n78_2_10MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB24@0	10.08	7.34	0.005	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	14.08	0.026	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.91	14.17	0.026	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.98	14.24	0.027	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.47	13.73	0.024	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB1@22	16.94	14.20	0.026	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB12@6	16.90	14.16	0.026	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM QPSK_RB24@0	15.88	13.14	0.021	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 16 QAM_RB24@0	15.06	12.32	0.017	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 64 QAM_RB24@0	14.49	11.75	0.015	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_DFT-s-OFDM 256 QAM_RB24@0	12.48	9.74	0.009	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@1	15.32	12.58	0.018	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB1@22	15.34	12.60	0.018	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB12@6	15.41	12.67	0.018	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM QPSK_RB24@0	14.01	11.27	0.013	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 16 QAM_RB24@0	13.88	11.14	0.013	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 64 QAM_RB24@0	13.42	10.68	0.012	0.200	Pass
n78_2_10MHz_30kHz_3695MHz_CP-OFDM 256 QAM_RB24@0	10.54	7.80	0.006	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	14.14	0.026	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.76	14.02	0.025	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.88	14.14	0.026	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.36	13.62	0.023	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@1	16.82	14.08	0.026	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB1@36	16.93	14.19	0.026	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB18@9	16.89	14.15	0.026	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM QPSK_RB36@0	15.87	13.13	0.021	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.87	12.13	0.016	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.35	11.61	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3557.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.35	9.61	0.009	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@1	15.26	12.52	0.018	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB1@36	15.21	12.47	0.018	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB19@9	15.33	12.59	0.018	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM QPSK_RB38@0	13.91	11.17	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 16 QAM_RB38@0	14.03	11.29	0.013	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 64 QAM_RB38@0	13.55	10.81	0.012	0.200	Pass
n78_2_15MHz_30kHz_3557.5MHz_CP-OFDM 256 QAM_RB38@0	10.43	7.69	0.006	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.83	0.024	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.57	13.83	0.024	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.64	13.90	0.025	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.15	13.41	0.022	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.69	13.95	0.025	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@36	16.64	13.90	0.025	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB18@9	16.78	14.04	0.025	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@0	15.63	12.89	0.019	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB36@0	14.71	11.97	0.016	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB36@0	14.12	11.38	0.014	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB36@0	12.10	9.36	0.009	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.15	12.41	0.017	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@36	15	12.26	0.017	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB19@9	15.11	12.37	0.017	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM QPSK_RB38@0	13.49	10.75	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB38@0	13.65	10.91	0.012	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB38@0	13.20	10.46	0.011	0.200	Pass
n78_2_15MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB38@0	10.23	7.49	0.006	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	14.14	0.026	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.84	14.10	0.026	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.94	14.20	0.026	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.45	13.71	0.023	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB1@36	16.93	14.19	0.026	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB18@9	17.02	14.28	0.027	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM QPSK_RB36@0	15.94	13.20	0.021	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.91	12.17	0.016	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.38	11.64	0.015	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.47	9.73	0.009	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@1	15.30	12.56	0.018	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB1@36	15.35	12.61	0.018	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB19@9	15.48	12.74	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM QPSK_RB38@0	13.87	11.13	0.013	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 16 QAM_RB38@0	13.96	11.22	0.013	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 64 QAM_RB38@0	13.53	10.79	0.012	0.200	Pass
n78_2_15MHz_30kHz_3692.5MHz_CP-OFDM 256 QAM_RB38@0	10.56	7.82	0.006	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.18	0.026	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.95	14.21	0.026	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.99	14.25	0.027	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.52	13.78	0.024	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.24	0.027	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB1@49	17.03	14.29	0.027	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB25@12	17.09	14.35	0.027	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM QPSK_RB50@0	15.98	13.24	0.021	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 16 QAM_RB50@0	14.97	12.23	0.017	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 64 QAM_RB50@0	14.40	11.66	0.015	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_DFT-s-OFDM 256 QAM_RB50@0	12.39	9.65	0.009	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@1	15.34	12.60	0.018	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB1@49	15.40	12.66	0.018	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB25@12	15.59	12.85	0.019	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM QPSK_RB51@0	13.84	11.10	0.013	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 16 QAM_RB51@0	13.96	11.22	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 64 QAM_RB51@0	13.43	10.69	0.012	0.200	Pass
n78_2_20MHz_30kHz_3560MHz_CP-OFDM 256 QAM_RB51@0	10.51	7.77	0.006	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.64	13.90	0.025	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.60	13.86	0.024	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.70	13.96	0.025	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.25	13.51	0.022	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.64	13.90	0.025	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@49	16.69	13.95	0.025	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB25@12	16.73	13.99	0.025	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@0	15.74	13.00	0.020	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB50@0	14.67	11.93	0.016	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB50@0	14.19	11.45	0.014	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB50@0	12.20	9.46	0.009	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@49	14.98	12.24	0.017	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB25@12	15.17	12.43	0.017	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM QPSK_RB51@0	13.60	10.86	0.012	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB51@0	13.73	10.99	0.013	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB51@0	13.17	10.43	0.011	0.200	Pass
n78_2_20MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB51@0	10.24	7.50	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	14.10	0.026	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.87	14.13	0.026	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.94	14.20	0.026	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.47	13.73	0.024	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB1@49	17.05	14.31	0.027	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB25@12	17.02	14.28	0.027	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM QPSK_RB50@0	16.10	13.36	0.022	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 16 QAM_RB50@0	15.04	12.30	0.017	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 64 QAM_RB50@0	14.40	11.66	0.015	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_DFT-s-OFDM 256 QAM_RB50@0	12.45	9.71	0.009	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@1	15.29	12.55	0.018	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB1@49	15.39	12.65	0.018	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB25@12	15.51	12.77	0.019	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM QPSK_RB51@0	13.90	11.16	0.013	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 16 QAM_RB51@0	13.91	11.17	0.013	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 64 QAM_RB51@0	13.45	10.71	0.012	0.200	Pass
n78_2_20MHz_30kHz_3690MHz_CP-OFDM 256 QAM_RB51@0	10.50	7.76	0.006	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.79	14.05	0.025	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.87	14.13	0.026	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.42	13.68	0.023	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.19	0.026	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB1@63	16.81	14.07	0.026	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB32@16	16.87	14.13	0.026	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM QPSK_RB64@0	15.94	13.20	0.021	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.92	12.18	0.017	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.42	11.68	0.015	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.39	9.65	0.009	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB1@63	15.25	12.51	0.018	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB33@16	15.48	12.74	0.019	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM QPSK_RB65@0	13.87	11.13	0.013	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM 16 QAM_RB65@0	13.89	11.15	0.013	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM 64 QAM_RB65@0	13.37	10.63	0.012	0.200	Pass
n78_2_25MHz_30kHz_3562.5MHz_CP-OFDM 256 QAM_RB65@0	10.45	7.71	0.006	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.57	13.83	0.024	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.48	13.74	0.024	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.65	13.91	0.025	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.15	13.41	0.022	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.81	14.07	0.026	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@63	16.64	13.90	0.025	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB32@16	16.70	13.96	0.025	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@0	15.75	13.01	0.020	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB64@0	14.72	11.98	0.016	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB64@0	14.20	11.46	0.014	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB64@0	12.15	9.41	0.009	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.08	12.34	0.017	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@63	14.91	12.17	0.016	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB33@16	15.06	12.32	0.017	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM QPSK_RB65@0	13.63	10.89	0.012	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB65@0	13.63	10.89	0.012	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB65@0	13.13	10.39	0.011	0.200	Pass
n78_2_25MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB65@0	10.15	7.41	0.006	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	14.07	0.026	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.94	14.20	0.026	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.94	14.20	0.026	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.45	13.71	0.023	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB1@1	16.82	14.08	0.026	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB1@63	16.93	14.19	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB32@16	16.93	14.19	0.026	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM QPSK_RB64@0	15.93	13.19	0.021	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.93	12.19	0.017	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.48	11.74	0.015	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.42	9.68	0.009	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB1@1	15.19	12.45	0.018	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB1@63	15.37	12.63	0.018	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB33@16	15.44	12.70	0.019	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM QPSK_RB65@0	13.95	11.21	0.013	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM 16 QAM_RB65@0	13.93	11.19	0.013	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM 64 QAM_RB65@0	13.44	10.70	0.012	0.200	Pass
n78_2_25MHz_30kHz_3687.5MHz_CP-OFDM 256 QAM_RB65@0	10.50	7.76	0.006	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.79	14.05	0.025	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.91	14.17	0.026	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.39	13.65	0.023	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.24	0.027	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB1@76	16.86	14.12	0.026	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB36@18	16.90	14.16	0.026	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM QPSK_RB75@0	15.88	13.14	0.021	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 16 QAM_RB75@0	14.90	12.16	0.016	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 64 QAM_RB75@0	14.42	11.68	0.015	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_DFT-s-OFDM 256 QAM_RB75@0	12.33	9.59	0.009	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@1	15.38	12.64	0.018	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB1@76	15.26	12.52	0.018	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB39@19	15.43	12.69	0.019	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM QPSK_RB78@0	13.86	11.12	0.013	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 16 QAM_RB78@0	13.92	11.18	0.013	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 64 QAM_RB78@0	13.42	10.68	0.012	0.200	Pass
n78_2_30MHz_30kHz_3565MHz_CP-OFDM 256 QAM_RB78@0	10.35	7.61	0.006	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.71	13.97	0.025	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.62	13.88	0.024	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.73	13.99	0.025	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.23	13.49	0.022	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.75	14.01	0.025	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@76	16.69	13.95	0.025	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB36@18	16.75	14.01	0.025	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB75@0	15.73	12.99	0.020	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB75@0	14.78	12.04	0.016	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB75@0	14.27	11.53	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB75@0	12.17	9.43	0.009	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.26	12.52	0.018	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@76	15.02	12.28	0.017	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB39@19	15.27	12.53	0.018	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM QPSK_RB78@0	13.70	10.96	0.012	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB78@0	13.73	10.99	0.013	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB78@0	13.22	10.48	0.011	0.200	Pass
n78_2_30MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB78@0	10.22	7.48	0.006	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.93	14.19	0.026	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.16	14.42	0.028	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.05	14.31	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.54	13.80	0.024	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@1	16.89	14.15	0.026	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB1@76	17.19	14.45	0.028	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB36@18	17.05	14.31	0.027	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM QPSK_RB75@0	16.09	13.35	0.022	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 16 QAM_RB75@0	15.06	12.32	0.017	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 64 QAM_RB75@0	14.56	11.82	0.015	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_DFT-s-OFDM 256 QAM_RB75@0	12.49	9.75	0.009	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@1	14.05	11.31	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB1@76	15.71	12.97	0.020	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB39@19	15.54	12.80	0.019	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM QPSK_RB78@0	14.06	11.32	0.014	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 16 QAM_RB78@0	14.02	11.28	0.013	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 64 QAM_RB78@0	13.54	10.80	0.012	0.200	Pass
n78_2_30MHz_30kHz_3685MHz_CP-OFDM 256 QAM_RB78@0	10.57	7.83	0.006	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	14.13	0.026	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.81	14.07	0.026	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.92	14.18	0.026	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.41	13.67	0.023	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.20	0.026	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB1@104	16.85	14.11	0.026	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB50@25	16.94	14.20	0.026	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM QPSK_RB100@0	15.90	13.16	0.021	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 16 QAM_RB100@0	14.96	12.22	0.017	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 64 QAM_RB100@0	14.41	11.67	0.015	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_DFT-s-OFDM 256 QAM_RB100@0	12.37	9.63	0.009	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@1	15.35	12.61	0.018	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB1@104	15.20	12.46	0.018	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB53@26	15.45	12.71	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3570MHz_CP-OFDM QPSK_RB106@0	13.90	11.16	0.013	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 16 QAM_RB106@0	13.90	11.16	0.013	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 64 QAM_RB106@0	13.39	10.65	0.012	0.200	Pass
n78_2_40MHz_30kHz_3570MHz_CP-OFDM 256 QAM_RB106@0	10.36	7.62	0.006	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.68	13.94	0.025	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.65	13.91	0.025	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.74	14.00	0.025	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.18	13.44	0.022	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.73	13.99	0.025	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@104	16.66	13.92	0.025	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB50@25	16.76	14.02	0.025	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB100@0	15.70	12.96	0.020	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB100@0	14.70	11.96	0.016	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB100@0	14.20	11.46	0.014	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB100@0	12.15	9.41	0.009	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.09	12.35	0.017	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@104	15.02	12.28	0.017	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB53@26	15.22	12.48	0.018	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM QPSK_RB106@0	13.67	10.93	0.012	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB106@0	13.73	10.99	0.013	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB106@0	13.19	10.45	0.011	0.200	Pass
n78_2_40MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB106@0	10.19	7.45	0.006	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.03	14.29	0.027	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.96	14.22	0.026	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.48	13.74	0.024	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@1	16.81	14.07	0.026	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB1@104	17.09	14.35	0.027	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB50@25	16.97	14.23	0.026	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM QPSK_RB100@0	16.02	13.28	0.021	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 16 QAM_RB100@0	14.99	12.25	0.017	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 64 QAM_RB100@0	14.44	11.70	0.015	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_DFT-s-OFDM 256 QAM_RB100@0	12.42	9.68	0.009	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@1	15.21	12.47	0.018	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB1@104	15.46	12.72	0.019	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB53@26	15.53	12.79	0.019	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM QPSK_RB106@0	13.91	11.17	0.013	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 16 QAM_RB106@0	13.98	11.24	0.013	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 64 QAM_RB106@0	13.46	10.72	0.012	0.200	Pass
n78_2_40MHz_30kHz_3680MHz_CP-OFDM 256 QAM_RB106@0	10.44	7.70	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.61	13.87	0.024	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.91	14.17	0.026	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.33	13.59	0.023	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@1	16.95	14.21	0.026	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB1@131	16.63	13.89	0.024	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB64@32	16.89	14.15	0.026	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM QPSK_RB128@0	15.86	13.12	0.021	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 16 QAM_RB128@0	14.86	12.12	0.016	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 64 QAM_RB128@0	14.38	11.64	0.015	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_DFT-s-OFDM 256 QAM_RB128@0	12.31	9.57	0.009	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@1	15.22	12.48	0.018	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB1@131	15.17	12.43	0.017	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB67@33	15.35	12.61	0.018	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM QPSK_RB133@0	13.82	11.08	0.013	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 16 QAM_RB133@0	13.77	11.03	0.013	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 64 QAM_RB133@0	13.29	10.55	0.011	0.200	Pass
n78_2_50MHz_30kHz_3575MHz_CP-OFDM 256 QAM_RB133@0	10.30	7.56	0.006	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.66	13.92	0.025	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.78	14.04	0.025	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.20	13.46	0.022	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.71	13.97	0.025	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@131	16.63	13.89	0.024	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB64@32	16.82	14.08	0.026	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB128@0	15.80	13.06	0.020	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB128@0	14.84	12.10	0.016	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB128@0	14.32	11.58	0.014	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB128@0	12.27	9.53	0.009	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.16	12.42	0.017	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@131	15.09	12.35	0.017	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB67@33	15.30	12.56	0.018	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM QPSK_RB133@0	13.72	10.98	0.013	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB133@0	13.73	10.99	0.013	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB133@0	13.22	10.48	0.011	0.200	Pass
n78_2_50MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB133@0	10.22	7.48	0.006	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.88	14.14	0.026	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.94	14.20	0.026	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.40	13.66	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@1	16.69	13.95	0.025	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB1@131	16.98	14.24	0.027	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB64@32	16.97	14.23	0.026	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM QPSK_RB128@0	15.94	13.20	0.021	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 16 QAM_RB128@0	15.02	12.28	0.017	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 64 QAM_RB128@0	14.40	11.66	0.015	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_DFT-s-OFDM 256 QAM_RB128@0	12.40	9.66	0.009	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@1	15.09	12.35	0.017	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB1@131	15.41	12.67	0.018	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB67@33	15.41	12.67	0.018	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM QPSK_RB133@0	13.86	11.12	0.013	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 16 QAM_RB133@0	13.89	11.15	0.013	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 64 QAM_RB133@0	13.37	10.63	0.012	0.200	Pass
n78_2_50MHz_30kHz_3675MHz_CP-OFDM 256 QAM_RB133@0	10.37	7.63	0.006	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.66	13.92	0.025	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.70	13.96	0.025	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.78	14.04	0.025	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.27	13.53	0.023	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB1@160	16.73	13.99	0.025	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB81@40	16.78	14.04	0.025	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM QPSK_RB162@0	15.78	13.04	0.020	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 16 QAM_RB162@0	14.80	12.06	0.016	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 64 QAM_RB162@0	14.30	11.56	0.014	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_DFT-s-OFDM 256 QAM_RB162@0	12.28	9.54	0.009	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@1	15.27	12.53	0.018	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB1@160	15.13	12.39	0.017	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB81@40	15.28	12.54	0.018	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM QPSK_RB162@0	13.78	11.04	0.013	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 16 QAM_RB162@0	13.79	11.05	0.013	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 64 QAM_RB162@0	13.32	10.58	0.011	0.200	Pass
n78_2_60MHz_30kHz_3580MHz_CP-OFDM 256 QAM_RB162@0	10.34	7.60	0.006	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.64	13.90	0.025	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.57	13.83	0.024	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.72	13.98	0.025	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.18	13.44	0.022	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.62	13.88	0.024	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@160	16.63	13.89	0.024	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB81@40	16.66	13.92	0.025	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB162@0	15.68	12.94	0.020	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB162@0	14.67	11.93	0.016	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB162@0	14.19	11.45	0.014	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB162@0	12.19	9.45	0.009	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	14.99	12.25	0.017	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@160	15.08	12.34	0.017	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB81@40	15.21	12.47	0.018	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM QPSK_RB162@0	13.69	10.95	0.012	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB162@0	13.67	10.93	0.012	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB162@0	13.16	10.42	0.011	0.200	Pass
n78_2_60MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB162@0	10.19	7.45	0.006	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.62	13.88	0.024	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.97	14.23	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.87	14.13	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.36	13.62	0.023	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@1	16.62	13.88	0.024	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB1@160	17.03	14.29	0.027	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB81@40	16.87	14.13	0.026	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM QPSK_RB162@0	15.82	13.08	0.020	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 16 QAM_RB162@0	14.84	12.10	0.016	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 64 QAM_RB162@0	14.34	11.60	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_60MHz_30kHz_3670MHz_DFT-s-OFDM 256 QAM_RB162@0	12.36	9.62	0.009	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@1	14.99	12.25	0.017	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB1@160	15.34	12.60	0.018	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB81@40	15.37	12.63	0.018	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM QPSK_RB162@0	13.83	11.09	0.013	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 16 QAM_RB162@0	13.84	11.10	0.013	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 64 QAM_RB162@0	13.30	10.56	0.011	0.200	Pass
n78_2_60MHz_30kHz_3670MHz_CP-OFDM 256 QAM_RB162@0	10.35	7.61	0.006	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.10	14.36	0.027	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.73	13.99	0.025	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.92	14.18	0.026	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.45	13.71	0.023	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.40	0.028	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB1@187	16.80	14.06	0.025	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB90@45	16.96	14.22	0.026	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM QPSK_RB180@0	15.94	13.20	0.021	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 16 QAM_RB180@0	14.98	12.24	0.017	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 64 QAM_RB180@0	14.45	11.71	0.015	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_DFT-s-OFDM 256 QAM_RB180@0	12.46	9.72	0.009	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@1	15.53	12.79	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB1@187	15.17	12.43	0.017	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB95@47	15.45	12.71	0.019	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM QPSK_RB189@0	13.92	11.18	0.013	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 16 QAM_RB189@0	13.96	11.22	0.013	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 64 QAM_RB189@0	13.43	10.69	0.012	0.200	Pass
n78_2_70MHz_30kHz_3585MHz_CP-OFDM 256 QAM_RB189@0	10.44	7.70	0.006	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.88	14.14	0.026	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.79	14.05	0.025	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.86	14.12	0.026	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.38	13.64	0.023	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.84	14.10	0.026	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@187	16.82	14.08	0.026	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB90@45	16.83	14.09	0.026	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB180@0	15.88	13.14	0.021	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB180@0	14.88	12.14	0.016	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB180@0	14.40	11.66	0.015	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB180@0	12.37	9.63	0.009	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.31	12.57	0.018	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@187	15.25	12.51	0.018	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB95@47	15.36	12.62	0.018	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3625MHz_CP-OFDM QPSK_RB189@0	13.86	11.12	0.013	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB189@0	13.85	11.11	0.013	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB189@0	13.40	10.66	0.012	0.200	Pass
n78_2_70MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB189@0	10.37	7.63	0.006	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	14.06	0.025	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.21	14.47	0.028	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.07	14.33	0.027	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.60	13.86	0.024	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB1@187	17.25	14.51	0.028	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB90@45	17.09	14.35	0.027	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM QPSK_RB180@0	16.09	13.35	0.022	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 16 QAM_RB180@0	15.10	12.36	0.017	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 64 QAM_RB180@0	14.62	11.88	0.015	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_DFT-s-OFDM 256 QAM_RB180@0	12.58	9.84	0.010	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@1	15.34	12.60	0.018	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB1@187	15.64	12.90	0.019	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB95@47	15.64	12.90	0.019	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM QPSK_RB189@0	14.11	11.37	0.014	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 16 QAM_RB189@0	14.14	11.40	0.014	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 64 QAM_RB189@0	13.64	10.90	0.012	0.200	Pass
n78_2_70MHz_30kHz_3665MHz_CP-OFDM 256 QAM_RB189@0	10.68	7.94	0.006	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.13	14.39	0.027	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.79	14.05	0.025	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.97	14.23	0.026	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.50	13.76	0.024	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.38	0.027	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB1@215	16.84	14.10	0.026	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB108@54	16.96	14.22	0.026	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM QPSK_RB216@0	15.96	13.22	0.021	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 16 QAM_RB216@0	15	12.26	0.017	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 64 QAM_RB216@0	14.49	11.75	0.015	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_DFT-s-OFDM 256 QAM_RB216@0	12.48	9.74	0.009	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@1	15.71	12.97	0.020	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB1@215	15.18	12.44	0.018	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB109@54	15.45	12.71	0.019	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM QPSK_RB217@0	14.01	11.27	0.013	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 16 QAM_RB217@0	13.97	11.23	0.013	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 64 QAM_RB217@0	13.47	10.73	0.012	0.200	Pass
n78_2_80MHz_30kHz_3590MHz_CP-OFDM 256 QAM_RB217@0	10.47	7.73	0.006	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.87	14.13	0.026	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.84	14.10	0.026	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.39	13.65	0.023	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.91	14.17	0.026	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@215	16.90	14.16	0.026	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB108@54	16.87	14.13	0.026	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB216@0	15.86	13.12	0.021	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB216@0	14.88	12.14	0.016	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB216@0	14.39	11.65	0.015	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB216@0	12.40	9.66	0.009	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.49	12.75	0.019	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@215	15.39	12.65	0.018	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB109@54	15.37	12.63	0.018	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM QPSK_RB217@0	13.88	11.14	0.013	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB217@0	13.86	11.12	0.013	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB217@0	13.34	10.60	0.011	0.200	Pass
n78_2_80MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB217@0	10.38	7.64	0.006	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	14.12	0.026	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.22	14.48	0.028	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.99	14.25	0.027	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.57	13.83	0.024	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@1	16.91	14.17	0.026	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB1@215	17.26	14.52	0.028	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB108@54	17.01	14.27	0.027	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM QPSK_RB216@0	16.06	13.32	0.021	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 16 QAM_RB216@0	15.07	12.33	0.017	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 64 QAM_RB216@0	14.59	11.85	0.015	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_DFT-s-OFDM 256 QAM_RB216@0	12.60	9.86	0.010	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@1	15.30	12.56	0.018	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB1@215	15.66	12.92	0.020	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB109@54	15.54	12.80	0.019	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM QPSK_RB217@0	14.07	11.33	0.014	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 16 QAM_RB217@0	14.03	11.29	0.013	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 64 QAM_RB217@0	13.56	10.82	0.012	0.200	Pass
n78_2_80MHz_30kHz_3660MHz_CP-OFDM 256 QAM_RB217@0	10.59	7.85	0.006	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.11	14.37	0.027	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.73	13.99	0.025	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.84	14.10	0.026	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.38	13.64	0.023	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@1	17.09	14.35	0.027	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB1@243	16.78	14.04	0.025	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB120@60	16.88	14.14	0.026	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM QPSK_RB243@0	15.91	13.17	0.021	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 16 QAM_RB243@0	14.92	12.18	0.017	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 64 QAM_RB243@0	14.44	11.70	0.015	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_DFT-s-OFDM 256 QAM_RB243@0	12.41	9.67	0.009	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@1	15.65	12.91	0.020	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB1@243	15.16	12.42	0.017	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB123@61	15.35	12.61	0.018	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM QPSK_RB245@0	13.91	11.17	0.013	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 16 QAM_RB245@0	13.92	11.18	0.013	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 64 QAM_RB245@0	13.44	10.70	0.012	0.200	Pass
n78_2_90MHz_30kHz_3595MHz_CP-OFDM 256 QAM_RB245@0	10.41	7.67	0.006	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.18	0.026	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.86	14.12	0.026	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.85	14.11	0.026	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.37	13.63	0.023	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.19	0.026	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@243	16.86	14.12	0.026	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB120@60	16.90	14.16	0.026	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB243@0	15.95	13.21	0.021	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB243@0	14.93	12.19	0.017	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB243@0	14.43	11.69	0.015	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB243@0	12.40	9.66	0.009	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.47	12.73	0.019	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@243	15.32	12.58	0.018	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB123@61	15.34	12.60	0.018	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM QPSK_RB245@0	13.87	11.13	0.013	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB245@0	13.87	11.13	0.013	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB245@0	13.37	10.63	0.012	0.200	Pass
n78_2_90MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB245@0	10.39	7.65	0.006	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	14.10	0.026	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.24	14.50	0.028	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.05	14.31	0.027	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.61	13.87	0.024	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@1	16.89	14.15	0.026	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB1@243	17.23	14.49	0.028	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB120@60	17.07	14.33	0.027	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM QPSK_RB243@0	16.11	13.37	0.022	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 16 QAM_RB243@0	15.11	12.37	0.017	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 64 QAM_RB243@0	14.61	11.87	0.015	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_DFT-s-OFDM 256 QAM_RB243@0	12.63	9.89	0.010	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@1	15.27	12.53	0.018	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB1@243	15.76	13.02	0.020	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB123@61	15.57	12.83	0.019	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM QPSK_RB245@0	14.03	11.29	0.013	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 16 QAM_RB245@0	14.07	11.33	0.014	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 64 QAM_RB245@0	13.57	10.83	0.012	0.200	Pass
n78_2_90MHz_30kHz_3655MHz_CP-OFDM 256 QAM_RB245@0	10.57	7.83	0.006	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.03	14.29	0.027	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.82	14.08	0.026	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.83	14.09	0.026	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.40	13.66	0.023	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@1	17.11	14.37	0.027	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB1@271	16.85	14.11	0.026	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB135@67	16.90	14.16	0.026	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM QPSK_RB270@0	15.94	13.20	0.021	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 16 QAM_RB270@0	14.99	12.25	0.017	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 64 QAM_RB270@0	14.40	11.66	0.015	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3600MHz_DFT-s-OFDM 256 QAM_RB270@0	12.41	9.67	0.009	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@1	15.48	12.74	0.019	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB1@271	15.18	12.44	0.018	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB137@68	15.41	12.67	0.018	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM QPSK_RB273@0	13.88	11.14	0.013	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 16 QAM_RB273@0	13.87	11.13	0.013	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 64 QAM_RB273@0	13.40	10.66	0.012	0.200	Pass
n78_2_100MHz_30kHz_3600MHz_CP-OFDM 256 QAM_RB273@0	10.38	7.64	0.006	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.93	14.19	0.026	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.86	14.12	0.026	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.76	14.02	0.025	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.32	13.58	0.023	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@1	16.89	14.15	0.026	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB1@271	16.93	14.19	0.026	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB135@67	16.83	14.09	0.026	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM QPSK_RB270@0	15.87	13.13	0.021	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 16 QAM_RB270@0	14.84	12.10	0.016	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 64 QAM_RB270@0	14.35	11.61	0.014	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_DFT-s-OFDM 256 QAM_RB270@0	12.36	9.62	0.009	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@1	15.36	12.62	0.018	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB1@271	15.33	12.59	0.018	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB137@68	15.30	12.56	0.018	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM QPSK_RB273@0	13.83	11.09	0.013	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 16 QAM_RB273@0	13.84	11.10	0.013	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 64 QAM_RB273@0	13.33	10.59	0.011	0.200	Pass
n78_2_100MHz_30kHz_3625MHz_CP-OFDM 256 QAM_RB273@0	10.34	7.60	0.006	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	14.17	0.026	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.19	14.45	0.028	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.92	14.18	0.026	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.46	13.72	0.024	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.19	0.026	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB1@271	17.20	14.46	0.028	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB135@67	17.01	14.27	0.027	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM QPSK_RB270@0	16.02	13.28	0.021	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 16 QAM_RB270@0	15	12.26	0.017	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 64 QAM_RB270@0	14.54	11.80	0.015	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_DFT-s-OFDM 256 QAM_RB270@0	12.51	9.77	0.009	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@1	15.42	12.68	0.019	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB1@271	15.69	12.95	0.020	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB137@68	15.49	12.75	0.019	0.200	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_2_100MHz_30kHz_3650MHz_CP-OFDM QPSK_RB273@0	13.99	11.25	0.013	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 16 QAM_RB273@0	14.01	11.27	0.013	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 64 QAM_RB273@0	13.48	10.74	0.012	0.200	Pass
n78_2_100MHz_30kHz_3650MHz_CP-OFDM 256 QAM_RB273@0	10.50	7.76	0.006	0.200	Pass

Note:
EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)
1.Ant Gain = -2.74dBi;
2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB