


802.11ac20, 5745MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5611.14	51.69	2.12	53.81	68.20	14.39	Peak
2	5650.00	48.82	2.16	50.98	68.20	17.22	Peak
3	5700.00	50.23	2.22	52.45	105.20	52.75	Peak
4	5720.00	50.80	2.24	53.04	110.80	57.76	Peak
5	5725.00	51.87	2.25	54.12	122.20	68.08	Peak

802.11ac20, 5745MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5648.61	52.15	2.17	54.32	68.20	13.88	Peak
2	5650.00	50.65	2.16	52.81	68.20	15.39	Peak
3	5700.00	50.03	2.22	52.25	105.20	52.95	Peak
4	5720.00	49.97	2.24	52.21	110.80	58.59	Peak
5	5725.00	51.29	2.25	53.54	122.20	68.66	Peak

802.11ac20, 5825MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	51.12	2.40	53.52	122.20	68.68	Peak
2	5855.00	51.72	2.42	54.14	110.80	56.66	Peak
3	5875.00	50.50	2.44	52.94	105.20	52.26	Peak
4	5925.00	49.83	2.48	52.31	68.20	15.89	Peak
5	5947.00	52.05	2.49	54.54	68.20	13.66	Peak

802.11ac20, 5825MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.67	2.40	53.07	122.20	69.13	Peak
2	5855.00	50.49	2.42	52.91	110.80	57.89	Peak
3	5875.00	50.07	2.44	52.51	105.20	52.69	Peak
4	5925.00	49.15	2.48	51.63	68.20	16.57	Peak
5	5938.00	51.62	2.49	54.11	68.20	14.09	Peak

802.11ac40 5755MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 low channel 5755MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5623.08	51.98	2.13	54.11	68.20	14.09	Peak
2	5650.00	50.44	2.16	52.60	68.20	15.60	Peak
3	5700.00	50.07	2.22	52.29	105.20	52.91	Peak
4	5720.00	50.80	2.24	53.04	110.80	57.76	Peak
5	5725.00	51.18	2.25	53.43	122.20	68.77	Peak

802.11ac40, 5755MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 low channel 5755MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5615.73	52.30	2.13	54.43	68.20	13.77	Peak
2	5650.00	49.75	2.16	51.91	68.20	16.29	Peak
3	5700.00	50.35	2.22	52.57	105.20	52.63	Peak
4	5720.00	51.27	2.24	53.51	110.80	57.29	Peak
5	5725.00	52.03	2.25	54.28	122.20	67.92	Peak

802.11ac40, 5795MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 high channel 5795MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.84	2.40	53.24	122.20	68.96	Peak
2	5855.00	49.79	2.42	52.21	110.80	58.59	Peak
3	5875.00	49.76	2.44	52.20	105.20	53.00	Peak
4	5925.00	49.59	2.48	52.07	68.20	16.13	Peak
5	5925.63	51.65	2.49	54.14	68.20	14.06	Peak

802.11ac40, 5795MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac40_U-NII-3 high channel 5795MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.66	2.40	53.06	122.20	69.14	Peak
2	5855.00	50.25	2.42	52.67	110.80	58.13	Peak
3	5875.00	49.75	2.44	52.19	105.20	53.01	Peak
4	5925.00	49.75	2.48	52.23	68.20	15.97	Peak
5	5942.55	51.74	2.49	54.23	68.20	13.97	Peak

802.11ac80, 5775MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3702-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5613.51	51.74	2.13	53.87	68.20	14.33	Peak
2	5650.00	49.62	2.16	51.78	68.20	16.42	Peak
3	5700.00	51.29	2.22	53.51	105.20	51.69	Peak
4	5720.00	52.88	2.24	55.12	110.80	55.68	Peak
5	5725.00	53.43	2.25	55.68	122.20	66.52	Peak
6	5850.00	50.46	2.40	52.86	122.20	69.34	Peak
7	5855.00	50.75	2.42	53.17	110.80	57.63	Peak
8	5875.00	49.78	2.44	52.22	105.20	52.98	Peak
9	5925.00	49.92	2.48	52.40	68.20	15.80	Peak
10	5928.09	51.73	2.48	54.21	68.20	13.99	Peak

802.11ac80, 5775MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ac80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3702-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5648.65	51.27	2.17	53.44	68.20	14.76	Peak
2	5650.00	50.14	2.16	52.30	68.20	15.90	Peak
3	5700.00	49.56	2.22	51.78	105.20	53.42	Peak
4	5720.00	52.18	2.24	54.42	110.80	56.38	Peak
5	5725.00	52.38	2.25	54.63	122.20	67.57	Peak
6	5850.00	50.25	2.40	52.65	122.20	69.55	Peak
7	5855.00	50.44	2.42	52.86	110.80	57.94	Peak
8	5875.00	50.04	2.44	52.48	105.20	52.72	Peak
9	5925.00	49.30	2.48	51.78	68.20	16.42	Peak
10	5931.24	51.69	2.49	54.18	68.20	14.02	Peak

802.11ax20, 5745MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5626.11	51.99	2.14	54.13	68.20	14.07	Peak
2	5650.00	49.20	2.16	51.36	68.20	16.84	Peak
3	5700.00	49.94	2.22	52.16	105.20	53.04	Peak
4	5720.00	50.65	2.24	52.89	110.80	57.91	Peak
5	5725.00	52.70	2.25	54.95	122.20	67.25	Peak

802.11ax20, 5745MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 low channel 5745MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5621.95	51.83	2.13	53.96	68.20	14.24	Peak
2	5650.00	50.69	2.16	52.85	68.20	15.35	Peak
3	5700.00	50.06	2.22	52.28	105.20	52.92	Peak
4	5720.00	50.02	2.24	52.26	110.80	58.54	Peak
5	5725.00	50.87	2.25	53.12	122.20	69.08	Peak

802.11ax20, 5825MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.53	2.40	52.93	122.20	69.27	Peak
2	5855.00	50.71	2.42	53.13	110.80	57.67	Peak
3	5875.00	50.05	2.44	52.49	105.20	52.71	Peak
4	5925.00	49.56	2.48	52.04	68.20	16.16	Peak
5	5941.96	52.06	2.49	54.55	68.20	13.65	Peak

802.11ax20, 5825MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax20_U-NII-3 high channel 5825MHz
Peak: RBW:1MHz, VBW:3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	51.45	2.40	53.85	122.20	68.35	Peak
2	5855.00	49.59	2.42	52.01	110.80	58.79	Peak
3	5875.00	49.43	2.44	51.87	105.20	53.33	Peak
4	5925.00	49.70	2.48	52.18	68.20	16.02	Peak
5	5935.84	51.41	2.48	53.89	68.20	14.31	Peak

802.11ax40, 5755MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5636.18	51.80	2.15	53.95	68.20	14.25	Peak
2	5650.00	49.56	2.16	51.72	68.20	16.48	Peak
3	5700.00	51.27	2.22	53.49	105.20	51.71	Peak
4	5720.00	52.79	2.24	55.03	110.80	55.77	Peak
5	5725.00	52.39	2.25	54.64	122.20	67.56	Peak

802.11ax40, 5755MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 low channel 5755MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5643.38	51.77	2.16	53.93	68.20	14.27	Peak
2	5650.00	49.89	2.16	52.05	68.20	16.15	Peak
3	5700.00	49.28	2.22	51.50	105.20	53.70	Peak
4	5720.00	52.77	2.24	55.01	110.80	55.79	Peak
5	5725.00	51.91	2.25	54.16	122.20	68.04	Peak

802.11ax40, 5795MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	49.33	2.40	51.73	122.20	70.47	Peak
2	5855.00	49.60	2.42	52.02	110.80	58.78	Peak
3	5875.00	50.58	2.44	53.02	105.20	52.18	Peak
4	5925.00	49.23	2.48	51.71	68.20	16.49	Peak
5	5941.43	51.47	2.48	53.95	68.20	14.25	Peak

802.11ax40, 5795MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax40_U-NII-3 high channel 5795MHz
Peak: RBW: 1MHz, VBW: 3MHz

Serial No.: 3302-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5850.00	50.43	2.40	52.83	122.20	69.37	Peak
2	5855.00	48.45	2.42	50.87	110.80	59.93	Peak
3	5875.00	48.91	2.44	51.35	105.20	53.85	Peak
4	5925.00	49.56	2.48	52.04	68.20	16.16	Peak
5	5932.94	51.62	2.48	54.10	68.20	14.10	Peak

802.11ax80, 5775MHz, Bandedge, Horizontal

Project No.: 2602R09298E-RF
Polarization: Horizontal
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3702-4
Tester: Alan Xie




No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5615.19	51.58	2.13	53.71	68.20	14.49	Peak
2	5650.00	50.02	2.16	52.18	68.20	16.02	Peak
3	5700.00	51.12	2.22	53.34	105.20	51.86	Peak
4	5720.00	52.28	2.24	54.52	110.80	56.28	Peak
5	5725.00	52.50	2.25	54.75	122.20	67.45	Peak
6	5850.00	50.72	2.40	53.12	122.20	69.08	Peak
7	5855.00	51.10	2.42	53.52	110.80	57.28	Peak
8	5875.00	51.36	2.44	53.80	105.20	51.40	Peak
9	5925.00	49.64	2.48	52.12	68.20	16.08	Peak
10	5927.53	51.53	2.48	54.01	68.20	14.19	Peak

802.11ax80, 5775MHz, Bandedge, Vertical

Project No.: 2602R09298E-RF
Polarization: Vertical
Test Mode: Transmitting
Note: 802.11ax80_U-NII-3 middle channel 5775MHz
Peak:RBW:1MHz,VBW:3MHz

Serial No.: 3702-4
Tester: Alan Xie



No.	Frequency (MHz)	Reading (dBuV)	Factor (dB/m)	Result (dBuV/m)	Limit (dBuV/m)	Margin (dB)	Measurement
1	5632.97	51.50	2.15	53.65	68.20	14.55	Peak
2	5650.00	49.84	2.16	52.00	68.20	16.20	Peak
3	5700.00	51.81	2.22	54.03	105.20	51.17	Peak
4	5720.00	56.26	2.24	58.50	110.80	52.30	Peak
5	5725.00	52.24	2.25	54.49	122.20	67.71	Peak
6	5850.00	51.67	2.40	54.07	122.20	68.13	Peak
7	5855.00	49.99	2.42	52.41	110.80	58.39	Peak
8	5875.00	49.56	2.44	52.00	105.20	53.20	Peak
9	5925.00	50.37	2.48	52.85	68.20	15.35	Peak
10	5941.67	50.97	2.49	53.46	68.20	14.74	Peak

5.3 Emission Bandwidth

Serial No.:	3J02-1	Test Date:	2026/04/01~2026/04/30
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9-26.1	Relative Humidity: (%)	51-71	ATM Pressure: (kPa)	100.5-101.0
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

26dB Emission Bandwidth
5150-5250MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5180	22.079
	5200	21.461
	5240	21.714
802.11ac20	5180	22.569
	5200	22.082
	5240	22.088
802.11ac40	5190	41.942
	5230	41.341
802.11ac80	5210	80.480
802.11ax20_RU_Full	5180	22.496
	5200	22.163
	5240	22.070
802.11ax40_RU_Full	5190	39.840
	5230	39.840
802.11ax80_RU_Full	5210	80.881

5250-5350MHz

Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5260	21.510
	5280	21.208
	5320	21.832
802.11ac20	5260	21.874
	5280	21.884
	5320	22.676
802.11ac40	5270	41.141
	5310	41.141
802.11ac80	5290	80.681
802.11ax20_RU_Full	5260	21.968
	5280	22.324
	5320	22.175
802.11ax40_RU_Full	5270	39.840
	5310	39.840
802.11ax80_RU_Full	5290	80.881

5470-5725MHz


Mode	Test Frequency (MHz)	Result (MHz)
802.11a	5500	21.312
	5600	20.951
	5700	21.308
	5720	21.104
802.11ac20	5500	22.305
	5600	22.297
	5700	22.143
	5720	22.198
802.11ac40	5510	47.548
	5590	41.241
	5670	42.342
	5710	41.341
802.11ac80	5530	80.681
	5610	80.480
	5690	80.480
802.11ax20_RU_Full	5500	22.236
	5600	22.133
	5700	22.218
	5720	22.284
802.11ax40_RU_Full	5510	40.040
	5590	39.940
	5670	39.940
	5710	39.840
802.11ax80_RU_Full	5530	80.881
	5610	80.681
	5690	80.881

**6dB Emission Bandwidth
5725-5850MHz**

Mode	Test Frequency (MHz)	Result (MHz)	Limit (MHz)	Verdict
802.11a	5745	15.866	0.5	Pass
	5785	16.016	0.5	Pass
	5825	15.866	0.5	Pass
802.11ac20	5745	15.215	0.5	Pass
	5785	17.017	0.5	Pass
	5825	15.966	0.5	Pass
802.11ac40	5755	35.636	0.5	Pass
	5795	35.536	0.5	Pass
802.11ac80	5775	75.475	0.5	Pass
802.11ax20_RU_Full	5745	18.469	0.5	Pass
	5785	18.368	0.5	Pass
	5825	18.619	0.5	Pass
802.11ax40_RU_Full	5755	36.937	0.5	Pass
	5795	37.337	0.5	Pass
802.11ax80_RU_Full	5775	76.476	0.5	Pass


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:50:09

802.11a_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:53:12

802.11a_5240MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:55:14

802.11ac20_5180MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:56:44

802.11ac20_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:59:00

802.11ac20_5240MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:01:13

802.11ac40_5190MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:03:10

802.11ac40_5230MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:06:04

802.11ac80_5210MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:08:00

802.11ax20_5180MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:38:32

802.11ax20_5200MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:40:10

802.11ax20_5240MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:41:38

802.11ax40_5190MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:45:57


802.11ax40_5230MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:46:52


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:48:17

802.11a_5260MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:15:22

802.11a_5280MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:18:04

802.11a_5320MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:20:16

802.11ac20_5260MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:23:13

802.11ac20_5280MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:25:11

802.11ac20_5320MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:27:27

802.11ac40_5270MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:29:43

802.11ac40_5310MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:31:11

802.11ac80_5290MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:33:09

802.11ax20_5260MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:26:31

802.11ax20_5280MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:28:06

802.11ax20_5320MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:29:35

802.11ax40_5270MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:33:29

802.11ax40_5310MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:35:07


802.11ax80_5290MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:36:29


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:58:52

802.11a_5600MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:01:23

802.11a_5700MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:03:06

802.11a_5720MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:04:39

802.11ac20_5500MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:46:21

802.11ac20_5600MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:51:55

802.11ac20_5700MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:54:12

802.11ac20_5720MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:07:59

802.11ac40_5510MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:11:09

802.11ac40_5590MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:12:22

802.11ac40_5670MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:13:33

802.11ac40_5710MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:14:47

802.11ac80_5530MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 30.APR.2026 09:54:37

802.11ac80_5610MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 30.APR.2026 09:51:41

802.11ac80_5690MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 30.APR.2026 09:52:17

802.11ax20_5500MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:18:04

802.11ax20_5600MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:20:07

802.11ax20_5700MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:22:33

802.11ax20_5720MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:24:33

802.11ax40_5510MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:34:28

802.11ax40_5590MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:36:11

802.11ax40_5670MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:37:30

802.11ax40_5710MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:38:47

802.11ax80_5530MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 30.APR.2026 09:55:45

802.11ax80_5610MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 30.APR.2026 09:56:21


802.11ax80_5690MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 30.APR.2026 09:56:55


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:22:26

802.11a_5785MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:24:03

802.11a_5825MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:25:32

802.11ac20_5745MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:27:24

802.11ac20_5785MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:29:23

802.11ac20_5825MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:30:55

802.11ac40_5755MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:32:07

802.11ac40_5795MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:33:22

802.11ac80_5775MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:34:58

802.11ax20_5745MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:50:16

802.11ax20_5785MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:52:14

802.11ax20_5825MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:53:59

802.11ax40_5755MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:56:11

802.11ax40_5795MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:58:18

802.11ax80_5775MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 20:01:08

5.4 99% Occupied Bandwidth

Serial No.:	3J02-1	Test Date:	2026/04/01~2026/04/08
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	N/A

Environmental Conditions:

Temperature: (°C)	24.9-26.1	Relative Humidity: (%)	61-71	ATM Pressure: (kPa)	100.5-100.7
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:**5150-5250MHz**

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5180	16.500
	5200	16.500
	5240	16.450
802.11ac20	5180	17.650
	5200	17.700
	5240	17.650
802.11ac40	5190	36.400
	5230	36.400
802.11ac80	5210	75.600
802.11ax20_RU_Full	5180	18.950
	5200	18.950
	5240	18.950
802.11ax40_RU_Full	5190	37.600
	5230	37.800
802.11ax80_RU_Full	5210	77

Note:

The 99% Occupied Bandwidth have not fall into the band 5250-5350MHz, please refer to the test plots of 99% Occupied Bandwidth.

5250-5350MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5260	16.500
	5280	16.450
	5320	16.500
802.11ac20	5260	17.650
	5280	17.650
	5320	17.650
802.11ac40	5270	36.400
	5310	36.400
802.11ac80	5290	75.600
802.11ax20_RU_Full	5260	18.950
	5280	18.950
	5320	18.950
802.11ax40_RU_Full	5270	37.700
	5310	37.700
802.11ax80_RU_Full	5290	77.200

5470-5725MHz

Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5500	16.500
	5600	16.500
	5700	16.500
	5720	16.500
802.11ac20	5500	17.700
	5600	17.650
	5700	17.700
	5720	17.650
802.11ac40	5510	36.400
	5590	36.400
	5670	36.400
	5710	36.400
802.11ac80	5530	75.600
	5610	75.400
	5690	75.400
802.11ax20_RU_Full	5500	18.950
	5600	18.950
	5700	18.950
	5720	18.950
802.11ax40_RU_Full	5510	37.700
	5590	37.700
	5670	37.700
	5710	37.700
802.11ax80_RU_Full	5530	77.200
	5610	77
	5690	77.200

5725-5850MHz


Mode	Test Frequency (MHz)	99% OBW (MHz)
802.11a	5745	16.500
	5785	16.500
	5825	16.450
802.11ac20	5745	17.700
	5785	17.700
	5825	17.600
802.11ac40	5755	36.400
	5795	36.400
802.11ac80	5775	75.400
802.11ax20_RU_Full	5745	18.950
	5785	18.950
	5825	18.950
802.11ax40_RU_Full	5755	37.800
	5795	37.800
802.11ax80_RU_Full	5775	77.400

Note:

The 99% Occupied Bandwidth have not fall into the band 5470-5725MHz, please refer to the test plots of 99% Occupied Bandwidth.


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:50:32

802.11a_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:53:33

802.11a_5240MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:58:24

802.11ac20_5180MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:57:11

802.11ac20_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 21:59:22

802.11ac20_5240MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:01:37

802.11ac40_5190MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:03:23

802.11ac40_5230MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:06:19

802.11ac80_5210MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:08:16

802.11ax20_5180MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:39:01

802.11ax20_5200MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:40:38

802.11ax20_5240MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:42:07

802.11ax40_5190MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:46:13


802.11ax40_5230MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:47:11


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 15:48:40

802.11a_5260MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:15:47

802.11a_5280MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:18:29

802.11a_5320MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:20:41

802.11ac20_5260MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:23:35

802.11ac20_5280MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:25:37

802.11ac20_5320MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:27:52

802.11ac40_5270MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:29:56

802.11ac40_5310MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:31:25

802.11ac80_5290MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:33:28

802.11ax20_5260MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:26:58

802.11ax20_5280MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:28:37

802.11ax20_5320MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:30:05

802.11ax40_5270MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:33:47

802.11ax40_5310MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:35:27


802.11ax80_5290MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 16:36:52


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:59:19

802.11a_5600MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:01:48

802.11a_5700MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:03:33

802.11a_5720MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:05:04

802.11ac20_5500MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:46:51

802.11ac20_5600MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:52:18

802.11ac20_5700MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 22:54:41

802.11ac20_5720MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:08:25

802.11ac40_5510MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:11:24

802.11ac40_5590MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:12:38

802.11ac40_5670MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:13:49

802.11ac40_5710MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:15:03

802.11ac80_5530MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:17:56

802.11ac80_5610MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:19:11

802.11ac80_5690MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:20:33

802.11ax20_5500MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:18:31

802.11ax20_5600MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:20:34

802.11ax20_5700MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:23:05

802.11ax20_5720MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:24:59

802.11ax40_5510MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:34:48

802.11ax40_5590MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:36:27

802.11ax40_5670MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:37:44

802.11ax40_5710MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:39:07

802.11ax80_5530MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:45:05

802.11ax80_5610MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:46:31


802.11ax80_5690MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:48:04


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:22:52

802.11a_5785MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:24:32

802.11a_5825MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:25:56

802.11ac20_5745MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:27:53

802.11ac20_5785MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:29:53

802.11ac20_5825MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:31:15

802.11ac40_5755MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:32:22

802.11ac40_5795MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:33:38

802.11ac80_5775MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 1.APR.2026 23:35:15

802.11ax20_5745MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:50:48

802.11ax20_5785MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:52:48

802.11ax20_5825MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:54:24

802.11ax40_5755MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:56:29

802.11ax40_5795MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:58:38

802.11ax80_5775MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 20:01:28

5.5 Maximum Conducted Output Power

Serial No.:	3J02-1	Test Date:	2026/04/24~2026/04/25
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9-26.1	Relative Humidity: (%)	60-71	ATM Pressure: (kPa)	100.5-100.7
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
Anritsu	Microwave Peak Power Sensor	MA24418A	12618	2025/06/11	2026/06/10
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5180	11.98	24	Pass
	5200	11.95	24	Pass
	5240	12.25	24	Pass
802.11ac20	5180	11.52	24	Pass
	5200	10.95	24	Pass
	5240	11.09	24	Pass
802.11ac40	5190	11.52	24	Pass
	5230	11.51	24	Pass
802.11ac80	5210	11.68	24	Pass
802.11ax20_RU_Full	5180	11.54	24	Pass
	5200	11.61	24	Pass
	5240	11.39	24	Pass
802.11ax40_RU_Full	5190	11.17	24	Pass
	5230	11.78	24	Pass
802.11ax80_RU_Full	5210	12.05	24	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5260	12.57	24	Pass
	5280	12.58	24	Pass
	5320	12.41	24	Pass
802.11ac20	5260	12.23	24	Pass
	5280	12.12	24	Pass
	5320	12.07	24	Pass
802.11ac40	5270	12.35	24	Pass
	5310	11.91	24	Pass
802.11ac80	5290	12.12	24	Pass
802.11ax20_RU_Full	5260	11.93	24	Pass
	5280	12.07	24	Pass
	5320	11.87	24	Pass
802.11ax40_RU_Full	5270	12.19	24	Pass
	5310	12.23	24	Pass
802.11ax80_RU_Full	5290	12.22	24	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5500	11.46	24	Pass
	5600	11.58	24	Pass
	5700	11.09	24	Pass
	5720	10.07	24	Pass
802.11ac20	5500	11.36	24	Pass
	5600	11.43	24	Pass
	5700	10.61	24	Pass
	5720	9.65	24	Pass
802.11ac40	5510	10.61	24	Pass
	5590	11.27	24	Pass
	5670	10.56	24	Pass
	5710	10.24	24	Pass
802.11ac80	5530	11.4	24	Pass
	5610	11.13	24	Pass
	5690	10.88	24	Pass
802.11ax20_RU_Full	5500	10.04	24	Pass
	5600	10.05	24	Pass
	5700	11.22	24	Pass
	5720	9.74	24	Pass
802.11ax40_RU_Full	5510	10.59	24	Pass
	5590	10.79	24	Pass
	5670	11.18	24	Pass
	5710	10.2	24	Pass
802.11ax80_RU_Full	5530	11.14	24	Pass
	5610	10.52	24	Pass
	5690	11.02	24	Pass

5725-5850MHz

Mode	Test Frequency (MHz)	Average Output Power (dBm)	Limit (dBm)	Verdict
802.11a	5745	10.93	30	Pass
	5785	11.12	30	Pass
	5825	11.24	30	Pass
802.11ac20	5745	10.67	30	Pass
	5785	10.82	30	Pass
	5825	10.73	30	Pass
802.11ac40	5755	10.23	30	Pass
	5795	10.36	30	Pass
802.11ac80	5775	10.5	30	Pass
802.11ax20_RU_Full	5745	10.3	30	Pass
	5785	10.23	30	Pass
	5825	10.24	30	Pass
802.11ax40_RU_Full	5755	10.11	30	Pass
	5795	10.38	30	Pass
802.11ax80_RU_Full	5775	10.15	30	Pass

5.6 Power Spectral Density

Serial No.:	3J02-1	Test Date:	2026/04/08~2026/04/25
Test Site:	RF	Test Mode:	Transmitting
Tester:	Jeff Wei	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.9-26.1	Relative Humidity: (%)	60-71	ATM Pressure: (kPa)	100.5-100.7
----------------------	-----------	------------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
R&S	Coaxial Attenuator	10dB	F-08-EM512	2025/06/06	2026/06/05
R&S	Spectrum Analyzer	FSV40	101589	2025/07/28	2026/07/27
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

5150-5250MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5180	1.28	0	1.28	11	Pass
	5200	1.16	0	1.16	11	Pass
	5240	1.36	0	1.36	11	Pass
802.11ac20	5180	-1.31	1.65	0.34	11	Pass
	5200	-1.36	1.65	0.29	11	Pass
	5240	-0.79	1.65	0.86	11	Pass
802.11ac40	5190	-4.22	2.84	-1.38	11	Pass
	5230	-5.11	2.84	-2.27	11	Pass
802.11ac80	5210	-8.87	4.57	-4.30	11	Pass
802.11ax20_RU_Full	5180	-1.47	2.31	0.84	11	Pass
	5200	-1.63	2.31	0.68	11	Pass
	5240	-1.87	2.31	0.44	11	Pass
802.11ax40_RU_Full	5190	-5.20	3.69	-1.51	11	Pass
	5230	-4.93	3.69	-1.24	11	Pass
802.11ax80_RU_Full	5210	-9.92	5.30	-4.62	11	Pass

Note: The device is a Client device.

5250-5350MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5260	1.97	0	1.97	11	Pass
	5280	1.95	0	1.95	11	Pass
	5320	1.94	0	1.94	11	Pass
802.11ac20	5260	-0.40	1.65	1.25	11	Pass
	5280	-0.13	1.65	1.52	11	Pass
	5320	-0.43	1.65	1.22	11	Pass
802.11ac40	5270	-4.31	2.84	-1.47	11	Pass
	5310	-3.72	2.84	-0.88	11	Pass
802.11ac80	5290	-8.85	4.57	-4.28	11	Pass
802.11ax20_RU_Full	5260	-1.68	2.31	0.63	11	Pass
	5280	-1.49	2.31	0.82	11	Pass
	5320	-1.76	2.31	0.55	11	Pass
802.11ax40_RU_Full	5270	-5.73	3.69	-2.04	11	Pass
	5310	-4.85	3.69	-1.16	11	Pass
802.11ax80_RU_Full	5290	-9.81	5.30	-4.51	11	Pass

5470-5725MHz

Mode	Test Frequency (MHz)	Reading (dBm/MHz)	Duty Cycle Factor(dB)	Result (dBm/MHz)	Limit (dBm/MHz)	Verdict
802.11a	5500	0.77	0	0.77	11	Pass
	5600	0.98	0	0.98	11	Pass
	5700	0.33	0	0.33	11	Pass
	5720	0.40	0	0.40	11	Pass
802.11ac20	5500	-1.25	1.65	0.40	11	Pass
	5600	-1.26	1.65	0.39	11	Pass
	5700	-1.59	1.65	0.06	11	Pass
	5720	-1.91	1.65	-0.26	11	Pass
802.11ac40	5510	-4.47	2.84	-1.63	11	Pass
	5590	-5.13	2.84	-2.29	11	Pass
	5670	-5.75	2.84	-2.91	11	Pass
	5710	-5.27	2.84	-2.43	11	Pass
802.11ac80	5530	-9.30	4.57	-4.73	11	Pass
	5610	-9.97	4.57	-5.40	11	Pass
	5690	-9.37	4.57	-4.80	11	Pass
802.11ax20_RU_Full	5500	-3.33	2.31	-1.02	11	Pass
	5600	-3.12	2.31	-0.81	11	Pass
	5700	-2.05	2.31	0.26	11	Pass
	5720	-3.05	2.31	-0.74	11	Pass
802.11ax40_RU_Full	5510	-6.54	3.69	-2.85	11	Pass
	5590	-6.72	3.69	-3.03	11	Pass
	5670	-6.61	3.69	-2.92	11	Pass
	5710	-4.52	3.69	-0.83	11	Pass
802.11ax80_RU_Full	5530	-11.27	5.30	-5.97	11	Pass
	5610	-10.66	5.30	-5.36	11	Pass
	5690	-11.90	5.30	-6.60	11	Pass


5725-5850MHz

Mode	Test Frequency (MHz)	Reading (dBm/500kHz)	Duty Cycle Factor(dB)	Result (dBm/500kHz)	Limit (dBm/500kHz)	Verdict
802.11a	5745	-2.85	0	-2.85	30	Pass
	5785	-2.41	0	-2.41	30	Pass
	5825	-2.39	0	-2.39	30	Pass
802.11ac20	5745	-4.62	1.65	-2.97	30	Pass
	5785	-4.52	1.65	-2.87	30	Pass
	5825	-4.48	1.65	-2.83	30	Pass
802.11ac40	5755	-8.67	2.84	-5.83	30	Pass
	5795	-8.88	2.84	-6.04	30	Pass
802.11ac80	5775	-13.21	4.57	-8.64	30	Pass
802.11ax20_RU_Full	5745	-5.80	2.31	-3.49	30	Pass
	5785	-5.87	2.31	-3.56	30	Pass
	5825	-6.09	2.31	-3.78	30	Pass
802.11ax40_RU_Full	5755	-9.39	3.69	-5.70	30	Pass
	5795	-10.16	3.69	-6.47	30	Pass
802.11ax80_RU_Full	5775	-14.25	5.30	-8.95	30	Pass

Result = Reading + Duty Cycle Factor


5150-5250MHz

802.11a_5180MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:49:29

802.11a_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:50:32

802.11a_5240MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:51:10

802.11ac20_5180MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:36:43

802.11ac20_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:38:02

802.11ac20_5240MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:38:39

802.11ac40_5190MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:40:00

802.11ac40_5230MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:40:45

802.11ac80_5210MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:41:26

802.11ax20_5180MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:18:37

802.11ax20_5200MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:19:43

802.11ax20_5240MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:20:40

802.11ax40_5190MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:21:33


802.11ax40_5230MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:22:09


5250-5350MHz

802.11ax80_5210MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:54:05

802.11a_5260MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:52:25

802.11a_5280MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:53:09

802.11a_5320MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:53:51

802.11ac20_5260MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:51:52

802.11ac20_5280MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:53:03

802.11ac20_5320MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:53:54

802.11ac40_5270MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:34:16

802.11ac40_5310MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:34:51

802.11ac80_5290MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:57:52

802.11ax20_5260MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:41:02

802.11ax20_5280MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:42:11

802.11ax20_5320MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:25:31

802.11ax40_5270MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:48:32

802.11ax40_5310MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:49:24


802.11ax80_5290MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:50:10


5470-5725MHz

802.11a_5500MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:54:39

802.11a_5600MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:55:26

802.11a_5700MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:56:41

802.11a_5720MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:31:21

802.11ac20_5500MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:19:25

802.11ac20_5600MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 01:00:18

802.11ac20_5700MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:20:51

802.11ac20_5720MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:22:04

802.11ac40_5510MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:22:53

802.11ac40_5590MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:23:39

802.11ac40_5670MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:24:20

802.11ac40_5710MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:25:35

802.11ac80_5530MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:58:56

802.11ac80_5610MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:26:53

802.11ac80_5690MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:27:58

802.11ax20_5500MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:56:27

802.11ax20_5600MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 23:57:50

802.11ax20_5700MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:07:06

802.11ax20_5720MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:09:02

802.11ax40_5510MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:10:21

802.11ax40_5590MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:11:17

802.11ax40_5670MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:12:04

802.11ax40_5710MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 8.APR.2026 19:41:45

802.11ax80_5530MHz_RU_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:14:41

802.11ax80_5610MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:15:22


802.11ax80_5690MHz_RU_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 01:06:54


5725-5850MHz

802.11a_5745MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:58:33

802.11a_5785MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 21:59:16

802.11a_5825MHz



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 24.APR.2026 22:00:04

802.11ac20_5745MHz



ProjectNo.:2602R09298E-RF Tester:Jeff Wei
Date: 25.APR.2026 00:40:48