

Appendix D7

Test Information:

Serial No.:	3J02-1	Test Date:	2026/04/03~2026/04/13
Test Site:	RF	Test Mode:	Transmitting
Tester:	Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	23.9~26.0	Relative Humidity: (%)	49~72	ATM Pressure: (kPa)	100.1~100.9
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Anritsu	Radio Communication Test Station	MT8000A	6272709229	2025/09/21	2026/09/20
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

** Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).*

RF Output Power

FCC Part 22H

n5

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.51	12.18	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.53	12.20	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.26	11.93	0.016	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.19	11.86	0.015	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@1	17.46	12.13	0.016	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB1@23	17.53	12.20	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB12@6	17.65	12.32	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM QPSK_RB25@0	16.67	11.34	0.014	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.59	10.26	0.011	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.17	9.84	0.010	7	Pass
n5_5MHz_15kHz_826.5MHz_DFT-s-OFDM 256 QAM_RB25@0	17.64	12.31	0.017	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@1	15.87	10.54	0.011	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB1@23	15.87	10.54	0.011	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB13@6	16.09	10.76	0.012	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM QPSK_RB25@0	14.60	9.27	0.008	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 16 QAM_RB25@0	14.58	9.25	0.008	7	Pass
n5_5MHz_15kHz_826.5MHz_CP-OFDM 64 QAM_RB25@0	14.19	8.86	0.008	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_5MHz_15kHz_826.5MHz_CP-OFDM 256 QAM_RB25@0	11.16	5.83	0.004	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.49	12.16	0.016	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.51	12.18	0.017	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.62	12.29	0.017	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.14	11.81	0.015	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.49	12.16	0.016	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@23	17.54	12.21	0.017	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB12@6	17.58	12.25	0.017	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@0	16.60	11.27	0.013	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.55	10.22	0.011	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.11	9.78	0.010	7	Pass
n5_5MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB25@0	13.12	7.79	0.006	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	15.90	10.57	0.011	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@23	15.85	10.52	0.011	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB13@6	16.11	10.78	0.012	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB25@0	14.56	9.23	0.008	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB25@0	14.56	9.23	0.008	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB25@0	14.14	8.81	0.008	7	Pass
n5_5MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB25@0	11.18	5.85	0.004	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.54	12.21	0.017	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.55	12.22	0.017	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.54	12.21	0.017	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	17.06	11.73	0.015	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@1	17.51	12.18	0.017	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB1@23	17.44	12.11	0.016	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB12@6	17.56	12.23	0.017	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM QPSK_RB25@0	16.56	11.23	0.013	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.50	10.17	0.010	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 64 QAM_RB25@0	15.06	9.73	0.009	7	Pass
n5_5MHz_15kHz_846.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.69	7.36	0.005	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@1	15.89	10.56	0.011	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB1@23	15.74	10.41	0.011	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB13@6	16.07	10.74	0.012	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM QPSK_RB25@0	14.52	9.19	0.008	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 16 QAM_RB25@0	14.55	9.22	0.008	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 64 QAM_RB25@0	14.10	8.77	0.008	7	Pass
n5_5MHz_15kHz_846.5MHz_CP-OFDM 256 QAM_RB25@0	11.10	5.77	0.004	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.47	12.14	0.016	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.49	12.16	0.016	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.12	11.79	0.015	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_10MHz_15kHz_829MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.08	11.75	0.015	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@1	17.44	12.11	0.016	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB1@50	17.48	12.15	0.016	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB25@12	17.55	12.22	0.017	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM QPSK_RB50@0	16.60	11.27	0.013	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 16 QAM_RB50@0	15.56	10.23	0.011	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 64 QAM_RB50@0	15.06	9.73	0.009	7	Pass
n5_10MHz_15kHz_829MHz_DFT-s-OFDM 256 QAM_RB50@0	17.50	12.17	0.016	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@1	15.89	10.56	0.011	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB1@50	16.08	10.75	0.012	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB26@13	16	10.67	0.012	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM QPSK_RB52@0	14.52	9.19	0.008	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 16 QAM_RB52@0	14.59	9.26	0.008	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 64 QAM_RB52@0	14.06	8.73	0.007	7	Pass
n5_10MHz_15kHz_829MHz_CP-OFDM 256 QAM_RB52@0	11.10	5.77	0.004	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.46	12.13	0.016	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.52	12.19	0.017	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.56	12.23	0.017	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.05	11.72	0.015	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.54	12.21	0.017	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@50	17.44	12.11	0.016	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB25@12	17.57	12.24	0.017	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@0	16.57	11.24	0.013	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB50@0	15.51	10.18	0.010	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB50@0	15.03	9.70	0.009	7	Pass
n5_10MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB50@0	13.07	7.74	0.006	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	15.97	10.64	0.012	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@50	16.10	10.77	0.012	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB26@13	16.02	10.69	0.012	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB52@0	14.50	9.17	0.008	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB52@0	14.54	9.21	0.008	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB52@0	14.03	8.70	0.007	7	Pass
n5_10MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB52@0	11.09	5.76	0.004	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.45	12.12	0.016	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.35	12.02	0.016	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.02	11.69	0.015	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	17.01	11.68	0.015	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@1	17.42	12.09	0.016	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB1@50	17.30	11.97	0.016	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB25@12	17.52	12.19	0.017	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_10MHz_15kHz_844MHz_DFT-s-OFDM QPSK_RB50@0	16.47	11.14	0.013	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 16 QAM_RB50@0	15.47	10.14	0.010	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 64 QAM_RB50@0	15	9.67	0.009	7	Pass
n5_10MHz_15kHz_844MHz_DFT-s-OFDM 256 QAM_RB50@0	13.02	7.69	0.006	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@1	15.85	10.52	0.011	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB1@50	15.91	10.58	0.011	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB26@13	15.94	10.61	0.012	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM QPSK_RB52@0	14.44	9.11	0.008	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 16 QAM_RB52@0	14.50	9.17	0.008	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 64 QAM_RB52@0	13.95	8.62	0.007	7	Pass
n5_10MHz_15kHz_844MHz_CP-OFDM 256 QAM_RB52@0	11	5.67	0.004	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.49	12.16	0.016	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.50	12.17	0.016	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.55	12.22	0.017	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.05	11.72	0.015	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@1	17.44	12.11	0.016	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB1@77	17.46	12.13	0.016	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB36@18	17.59	12.26	0.017	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM QPSK_RB75@0	16.54	11.21	0.013	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.52	10.19	0.010	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 64 QAM_RB75@0	15.04	9.71	0.009	7	Pass
n5_15MHz_15kHz_831.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.62	7.29	0.005	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@1	15.93	10.60	0.011	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB1@77	15.83	10.50	0.011	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB39@19	16.04	10.71	0.012	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM QPSK_RB79@0	14.55	9.22	0.008	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 16 QAM_RB79@0	14.55	9.22	0.008	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 64 QAM_RB79@0	14.06	8.73	0.007	7	Pass
n5_15MHz_15kHz_831.5MHz_CP-OFDM 256 QAM_RB79@0	11.11	5.78	0.004	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.61	12.28	0.017	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.52	12.19	0.017	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.58	12.25	0.017	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.07	11.74	0.015	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.53	12.20	0.017	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@77	17.50	12.17	0.016	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB36@18	17.53	12.20	0.017	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB75@0	16.55	11.22	0.013	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.09	9.76	0.009	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB75@0	15.10	9.77	0.009	7	Pass
n5_15MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB75@0	15.53	10.20	0.010	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	15.98	10.65	0.012	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@77	15.95	10.62	0.012	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB39@19	16.07	10.74	0.012	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB79@0	14.54	9.21	0.008	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB79@0	14.51	9.18	0.008	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB79@0	14.08	8.75	0.007	7	Pass
n5_15MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB79@0	11.10	5.77	0.004	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.55	12.22	0.017	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.46	12.13	0.016	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.51	12.18	0.017	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	17.03	11.70	0.015	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@1	17.47	12.14	0.016	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB1@77	17.42	12.09	0.016	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB36@18	17.49	12.16	0.016	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM QPSK_RB75@0	16.52	11.19	0.013	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.49	10.16	0.010	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 64 QAM_RB75@0	15.07	9.74	0.009	7	Pass
n5_15MHz_15kHz_841.5MHz_DFT-s-OFDM 256 QAM_RB75@0	13.07	7.74	0.006	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@1	15.92	10.59	0.011	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB1@77	15.81	10.48	0.011	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB39@19	16.03	10.70	0.012	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM QPSK_RB79@0	14.55	9.22	0.008	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 16 QAM_RB79@0	14.50	9.17	0.008	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 64 QAM_RB79@0	14.08	8.75	0.007	7	Pass
n5_15MHz_15kHz_841.5MHz_CP-OFDM 256 QAM_RB79@0	11.06	5.73	0.004	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.47	12.14	0.016	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.47	12.14	0.016	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.54	12.21	0.017	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.01	11.68	0.015	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@1	17.47	12.14	0.016	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB1@104	17.46	12.13	0.016	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB50@25	17.53	12.20	0.017	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM QPSK_RB100@0	16.47	11.14	0.013	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 16 QAM_RB100@0	15.47	10.14	0.010	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 64 QAM_RB100@0	14.98	9.65	0.009	7	Pass
n5_20MHz_15kHz_834MHz_DFT-s-OFDM 256 QAM_RB100@0	13.06	7.73	0.006	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@1	15.93	10.60	0.011	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB1@104	15.98	10.65	0.012	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB53@26	16.03	10.70	0.012	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM QPSK_RB106@0	14.48	9.15	0.008	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_20MHz_15kHz_834MHz_CP-OFDM 16 QAM_RB106@0	14.42	9.09	0.008	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 64 QAM_RB106@0	13.96	8.63	0.007	7	Pass
n5_20MHz_15kHz_834MHz_CP-OFDM 256 QAM_RB106@0	11.03	5.70	0.004	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.54	12.21	0.017	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.51	12.18	0.017	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.57	12.24	0.017	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	17.04	11.71	0.015	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@1	17.50	12.17	0.016	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB1@104	17.46	12.13	0.016	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB50@25	17.57	12.24	0.017	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM QPSK_RB100@0	16.55	11.22	0.013	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 16 QAM_RB100@0	15.51	10.18	0.010	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 64 QAM_RB100@0	15.04	9.71	0.009	7	Pass
n5_20MHz_15kHz_836.5MHz_DFT-s-OFDM 256 QAM_RB100@0	13.13	7.80	0.006	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@1	15.94	10.61	0.012	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB1@104	15.89	10.56	0.011	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB53@26	16.06	10.73	0.012	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM QPSK_RB106@0	14.53	9.20	0.008	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 16 QAM_RB106@0	14.54	9.21	0.008	7	Pass
n5_20MHz_15kHz_836.5MHz_CP-OFDM 64 QAM_RB106@0	14.03	8.70	0.007	7	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n5_20MHz_15kHz_836.5MHz_CP-OFDM 256 QAM_RB106@0	11.09	5.76	0.004	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.56	12.23	0.017	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.53	12.20	0.017	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.58	12.25	0.017	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.97	11.64	0.015	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@1	17.57	12.24	0.017	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB1@104	17.42	12.09	0.016	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB50@25	17.56	12.23	0.017	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM QPSK_RB100@0	16.54	11.21	0.013	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 16 QAM_RB100@0	15.48	10.15	0.010	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 64 QAM_RB100@0	15	9.67	0.009	7	Pass
n5_20MHz_15kHz_839MHz_DFT-s-OFDM 256 QAM_RB100@0	13.08	7.75	0.006	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@1	16.12	10.79	0.012	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB1@104	15.78	10.45	0.011	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB53@26	16.04	10.71	0.012	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM QPSK_RB106@0	14.54	9.21	0.008	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 16 QAM_RB106@0	14.48	9.15	0.008	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 64 QAM_RB106@0	14.01	8.68	0.007	7	Pass
n5_20MHz_15kHz_839MHz_CP-OFDM 256 QAM_RB106@0	11.08	5.75	0.004	7	Pass

Note:

$$\text{ERP} = \text{Conducted Power(dBm)} - L_c(\text{dB}) + G_T(\text{dBd})$$

$$G_T(\text{dBd}) = G_T(\text{dBi}) - 2.15$$

$$1. \text{Ant Gain} = -3.18 \text{dBi};$$

$$2. C_L = \text{signal attenuation in the connecting cable between the transmitter and antenna in 0dB}$$

FCC Part 27

n7

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	13.76	0.024	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.13	14.05	0.025	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.97	13.89	0.024	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.59	13.51	0.022	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@1	16.91	13.83	0.024	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB1@23	17.01	13.93	0.025	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB12@6	17.04	13.96	0.025	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM QPSK_RB25@0	16.13	13.05	0.020	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.08	12.00	0.016	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.70	11.62	0.015	2	Pass
n7_5MHz_15kHz_2502.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.60	9.52	0.009	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@1	15.37	12.29	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB1@23	15.43	12.35	0.017	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB13@6	15.62	12.54	0.018	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM QPSK_RB25@0	14.17	11.09	0.013	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 16 QAM_RB25@0	14.16	11.08	0.013	2	Pass
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 64 QAM_RB25@0	13.68	10.60	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2502.5MHz_CP-OFDM 256 QAM_RB25@0	10.62	7.54	0.006	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.14	14.06	0.025	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.20	14.12	0.026	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.25	14.17	0.026	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.79	13.71	0.023	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.18	14.10	0.026	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@23	17.08	14.00	0.025	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB12@6	17.23	14.15	0.026	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@0	16.26	13.18	0.021	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB25@0	15.22	12.14	0.016	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB25@0	14.78	11.70	0.015	2	Pass
n7_5MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB25@0	12.81	9.73	0.009	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.54	12.46	0.018	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@23	15.45	12.37	0.017	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB13@6	15.73	12.65	0.018	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM QPSK_RB25@0	14.33	11.25	0.013	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB25@0	14.32	11.24	0.013	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB25@0	13.91	10.83	0.012	2	Pass
n7_5MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB25@0	10.80	7.72	0.006	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.87	12.79	0.019	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	16.77	13.69	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.75	13.67	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.34	13.26	0.021	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@1	16.67	13.59	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB1@23	16.77	13.69	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB12@6	16.76	13.68	0.023	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM QPSK_RB25@0	15.80	12.72	0.019	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 16 QAM_RB25@0	14.78	11.70	0.015	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.30	11.22	0.013	2	Pass
n7_5MHz_15kHz_2567.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.35	9.27	0.008	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@1	15.13	12.05	0.016	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB1@23	15.06	11.98	0.016	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB13@6	15.28	12.20	0.017	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM QPSK_RB25@0	13.85	10.77	0.012	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 16 QAM_RB25@0	13.83	10.75	0.012	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 64 QAM_RB25@0	13.38	10.30	0.011	2	Pass
n7_5MHz_15kHz_2567.5MHz_CP-OFDM 256 QAM_RB25@0	10.33	7.25	0.005	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	13.81	0.024	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.03	13.95	0.025	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17	13.92	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.50	13.42	0.022	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@1	16.84	13.76	0.024	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB1@50	17.06	13.98	0.025	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB25@12	17.01	13.93	0.025	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM QPSK_RB50@0	16.04	12.96	0.020	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 16 QAM_RB50@0	15.05	11.97	0.016	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 64 QAM_RB50@0	14.51	11.43	0.014	2	Pass
n7_10MHz_15kHz_2505MHz_DFT-s-OFDM 256 QAM_RB50@0	12.53	9.45	0.009	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@1	15.28	12.20	0.017	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB1@50	15.59	12.51	0.018	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB26@13	15.52	12.44	0.018	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM QPSK_RB52@0	14.07	10.99	0.013	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 16 QAM_RB52@0	14.11	11.03	0.013	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 64 QAM_RB52@0	13.60	10.52	0.011	2	Pass
n7_10MHz_15kHz_2505MHz_CP-OFDM 256 QAM_RB52@0	10.59	7.51	0.006	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.52	11.44	0.014	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.11	14.03	0.025	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.23	14.15	0.026	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.77	13.69	0.023	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.18	14.10	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@50	16.99	13.91	0.025	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB25@12	17.17	14.09	0.026	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@0	16.23	13.15	0.021	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB50@0	15.20	12.12	0.016	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB50@0	14.72	11.64	0.015	2	Pass
n7_10MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB50@0	12.69	9.61	0.009	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.66	12.58	0.018	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@50	15.52	12.44	0.018	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB26@13	15.71	12.63	0.018	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM QPSK_RB52@0	14.32	11.24	0.013	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB52@0	14.30	11.22	0.013	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB52@0	13.78	10.70	0.012	2	Pass
n7_10MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB52@0	10.73	7.65	0.006	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.59	13.51	0.022	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	16.78	13.70	0.023	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.69	13.61	0.023	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.18	13.10	0.020	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@1	16.55	13.47	0.022	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB1@50	16.70	13.62	0.023	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB25@12	16.72	13.64	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM QPSK_RB50@0	15.67	12.59	0.018	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 16 QAM_RB50@0	14.65	11.57	0.014	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 64 QAM_RB50@0	14.20	11.12	0.013	2	Pass
n7_10MHz_15kHz_2565MHz_DFT-s-OFDM 256 QAM_RB50@0	12.27	9.19	0.008	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@1	14.95	11.87	0.015	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB1@50	15.08	12.00	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB26@13	15.12	12.04	0.016	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM QPSK_RB52@0	13.72	10.64	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 16 QAM_RB52@0	13.77	10.69	0.012	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 64 QAM_RB52@0	13.25	10.17	0.010	2	Pass
n7_10MHz_15kHz_2565MHz_CP-OFDM 256 QAM_RB52@0	10.24	7.16	0.005	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	13.84	0.024	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.27	14.19	0.026	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.05	13.97	0.025	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.68	13.60	0.023	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@1	16.94	13.86	0.024	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB1@77	17.22	14.14	0.026	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB36@18	17.15	14.07	0.026	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM QPSK_RB75@0	16.19	13.11	0.020	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.14	12.06	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.70	11.62	0.015	2	Pass
n7_15MHz_15kHz_2507.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.69	9.61	0.009	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@1	15.38	12.30	0.017	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB1@77	15.87	12.79	0.019	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB39@19	15.73	12.65	0.018	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM QPSK_RB79@0	14.28	11.20	0.013	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 16 QAM_RB79@0	14.27	11.19	0.013	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 64 QAM_RB79@0	13.81	10.73	0.012	2	Pass
n7_15MHz_15kHz_2507.5MHz_CP-OFDM 256 QAM_RB79@0	10.72	7.64	0.006	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.29	14.21	0.026	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.20	14.12	0.026	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.24	14.16	0.026	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.77	13.69	0.023	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.29	14.21	0.026	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@77	17.03	13.95	0.025	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB36@18	17.22	14.14	0.026	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB75@0	16.26	13.18	0.021	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB75@0	15.27	12.19	0.017	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB75@0	14.80	11.72	0.015	2	Pass
n7_15MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB75@0	12.77	9.69	0.009	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.75	12.67	0.018	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@77	15.52	12.44	0.018	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB39@19	15.84	12.76	0.019	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM QPSK_RB79@0	14.34	11.26	0.013	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB79@0	14.36	11.28	0.013	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB79@0	13.87	10.79	0.012	2	Pass
n7_15MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB79@0	10.81	7.73	0.006	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	15.83	12.75	0.019	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	16.92	13.84	0.024	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.75	13.67	0.023	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.32	13.24	0.021	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@1	16.83	13.75	0.024	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB1@77	16.91	13.83	0.024	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB36@18	16.76	13.68	0.023	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM QPSK_RB75@0	15.84	12.76	0.019	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 16 QAM_RB75@0	14.79	11.71	0.015	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.33	11.25	0.013	2	Pass
n7_15MHz_15kHz_2562.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.43	9.35	0.009	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@1	15.34	12.26	0.017	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB1@77	15.30	12.22	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB39@19	15.28	12.20	0.017	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM QPSK_RB79@0	13.96	10.88	0.012	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 16 QAM_RB79@0	13.92	10.84	0.012	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 64 QAM_RB79@0	13.46	10.38	0.011	2	Pass
n7_15MHz_15kHz_2562.5MHz_CP-OFDM 256 QAM_RB79@0	10.42	7.34	0.005	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	13.84	0.024	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.26	14.18	0.026	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.14	14.06	0.025	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.65	13.57	0.023	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@1	16.97	13.89	0.024	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB1@104	17.30	14.22	0.026	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB50@25	17.22	14.14	0.026	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM QPSK_RB100@0	16.21	13.13	0.021	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 16 QAM_RB100@0	15.22	12.14	0.016	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 64 QAM_RB100@0	14.74	11.66	0.015	2	Pass
n7_20MHz_15kHz_2510MHz_DFT-s-OFDM 256 QAM_RB100@0	12.78	9.70	0.009	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@1	15.44	12.36	0.017	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB1@104	15.78	12.70	0.019	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB53@26	15.83	12.75	0.019	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM QPSK_RB106@0	14.32	11.24	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2510MHz_CP-OFDM 16 QAM_RB106@0	14.29	11.21	0.013	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 64 QAM_RB106@0	13.81	10.73	0.012	2	Pass
n7_20MHz_15kHz_2510MHz_CP-OFDM 256 QAM_RB106@0	10.83	7.75	0.006	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.30	14.22	0.026	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.13	14.05	0.025	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.23	14.15	0.026	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.82	13.74	0.024	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.24	14.16	0.026	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@104	16.96	13.88	0.024	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB50@25	17.17	14.09	0.026	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB100@0	16.22	13.14	0.021	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB100@0	15.24	12.16	0.016	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB100@0	14.78	11.70	0.015	2	Pass
n7_20MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB100@0	12.79	9.71	0.009	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.73	12.65	0.018	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@104	15.48	12.40	0.017	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB53@26	15.75	12.67	0.018	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM QPSK_RB106@0	14.35	11.27	0.013	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB106@0	14.35	11.27	0.013	2	Pass
n7_20MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB106@0	13.90	10.82	0.012	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_20MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB106@0	10.84	7.76	0.006	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	13.83	0.024	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.85	13.77	0.024	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.76	13.68	0.023	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.30	13.22	0.021	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@1	16.89	13.81	0.024	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB1@104	16.81	13.73	0.024	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB50@25	16.77	13.69	0.023	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM QPSK_RB100@0	15.80	12.72	0.019	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 16 QAM_RB100@0	14.76	11.68	0.015	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 64 QAM_RB100@0	14.29	11.21	0.013	2	Pass
n7_20MHz_15kHz_2560MHz_DFT-s-OFDM 256 QAM_RB100@0	12.40	9.32	0.009	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@1	15.29	12.21	0.017	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB1@104	15.18	12.10	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB53@26	15.23	12.15	0.016	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM QPSK_RB106@0	13.98	10.90	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 16 QAM_RB106@0	13.94	10.86	0.012	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 64 QAM_RB106@0	13.40	10.32	0.011	2	Pass
n7_20MHz_15kHz_2560MHz_CP-OFDM 256 QAM_RB106@0	10.42	7.34	0.005	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.02	13.94	0.025	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.20	14.12	0.026	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.16	14.08	0.026	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.80	13.72	0.024	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM QPSK_RB1@1	16.99	13.91	0.025	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM QPSK_RB1@131	17.22	14.14	0.026	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM QPSK_RB64@32	17.23	14.15	0.026	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM QPSK_RB128@0	16.32	13.24	0.021	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM 16 QAM_RB128@0	15.33	12.25	0.017	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM 64 QAM_RB128@0	14.88	11.80	0.015	2	Pass
n7_25MHz_15kHz_2512.5MHz_DFT-s-OFDM 256 QAM_RB128@0	12.87	9.79	0.010	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM QPSK_RB1@1	15.46	12.38	0.017	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM QPSK_RB1@131	15.86	12.78	0.019	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM QPSK_RB67@33	15.88	12.80	0.019	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM QPSK_RB133@0	14.45	11.37	0.014	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM 16 QAM_RB133@0	14.42	11.34	0.014	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM 64 QAM_RB133@0	13.93	10.85	0.012	2	Pass
n7_25MHz_15kHz_2512.5MHz_CP-OFDM 256 QAM_RB133@0	10.93	7.85	0.006	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.25	14.17	0.026	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.02	13.94	0.025	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.26	14.18	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.74	13.66	0.023	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.22	14.14	0.026	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@131	16.88	13.80	0.024	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB64@32	17.15	14.07	0.026	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB128@0	16.19	13.11	0.020	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB128@0	15.28	12.20	0.017	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB128@0	14.75	11.67	0.015	2	Pass
n7_25MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB128@0	12.82	9.74	0.009	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.87	12.79	0.019	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@131	15.28	12.20	0.017	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM QPSK_RB67@33	15.75	12.67	0.018	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM QPSK_RB133@0	14.33	11.25	0.013	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB133@0	14.29	11.21	0.013	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB133@0	13.84	10.76	0.012	2	Pass
n7_25MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB133@0	10.81	7.73	0.006	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.95	11.87	0.015	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.73	13.65	0.023	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.79	13.71	0.023	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.36	13.28	0.021	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM QPSK_RB1@1	16.92	13.84	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM QPSK_RB1@131	16.72	13.64	0.023	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM QPSK_RB64@32	16.82	13.74	0.024	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM QPSK_RB128@0	15.89	12.81	0.019	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM 16 QAM_RB128@0	14.91	11.83	0.015	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM 64 QAM_RB128@0	14.39	11.31	0.014	2	Pass
n7_25MHz_15kHz_2557.5MHz_DFT-s-OFDM 256 QAM_RB128@0	12.50	9.42	0.009	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM QPSK_RB1@1	15.37	12.29	0.017	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM QPSK_RB1@131	14.66	11.58	0.014	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM QPSK_RB67@33	15.27	12.19	0.017	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM QPSK_RB133@0	13.98	10.90	0.012	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM 16 QAM_RB133@0	13.97	10.89	0.012	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM 64 QAM_RB133@0	13.47	10.39	0.011	2	Pass
n7_25MHz_15kHz_2557.5MHz_CP-OFDM 256 QAM_RB133@0	10.48	7.40	0.005	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	13.84	0.024	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17.19	14.11	0.026	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	16.49	13.41	0.022	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.69	13.61	0.023	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM QPSK_RB1@1	16.96	13.88	0.024	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM QPSK_RB1@158	17.22	14.14	0.026	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM QPSK_RB80@40	16.95	13.87	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM QPSK_RB160@0	16.37	13.29	0.021	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM 16 QAM_RB160@0	15.34	12.26	0.017	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM 64 QAM_RB160@0	14.87	11.79	0.015	2	Pass
n7_30MHz_15kHz_2515MHz_DFT-s-OFDM 256 QAM_RB160@0	12.83	9.75	0.009	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM QPSK_RB1@1	15.48	12.40	0.017	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM QPSK_RB1@158	15.75	12.67	0.018	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM QPSK_RB80@40	15.85	12.77	0.019	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM QPSK_RB160@0	14.32	11.24	0.013	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM 16 QAM_RB160@0	14.33	11.25	0.013	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM 64 QAM_RB160@0	13.82	10.74	0.012	2	Pass
n7_30MHz_15kHz_2515MHz_CP-OFDM 256 QAM_RB160@0	10.84	7.76	0.006	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.33	14.25	0.027	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	16.92	13.84	0.024	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.28	14.20	0.026	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.77	13.69	0.023	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.30	0.027	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@158	16.81	13.73	0.024	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB80@40	17.17	14.09	0.026	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB160@0	16.23	13.15	0.021	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB160@0	15.27	12.19	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB160@0	14.75	11.67	0.015	2	Pass
n7_30MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB160@0	12.86	9.78	0.010	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.84	12.76	0.019	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@158	15.28	12.20	0.017	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM QPSK_RB80@40	15.84	12.76	0.019	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM QPSK_RB160@0	14.33	11.25	0.013	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB160@0	14.33	11.25	0.013	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB160@0	13.83	10.75	0.012	2	Pass
n7_30MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB160@0	10.86	7.78	0.006	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	13.90	0.025	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	16.76	13.68	0.023	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.17	14.09	0.026	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.69	13.61	0.023	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM QPSK_RB1@1	17.01	13.93	0.025	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM QPSK_RB1@158	16.71	13.63	0.023	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM QPSK_RB80@40	16.79	13.71	0.023	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM QPSK_RB160@0	15.82	12.74	0.019	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM 16 QAM_RB160@0	14.78	11.70	0.015	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM 64 QAM_RB160@0	14.28	11.20	0.013	2	Pass
n7_30MHz_15kHz_2555MHz_DFT-s-OFDM 256 QAM_RB160@0	12.47	9.39	0.009	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_30MHz_15kHz_2555MHz_CP-OFDM QPSK_RB1@1	15.46	12.38	0.017	2	Pass
n7_30MHz_15kHz_2555MHz_CP-OFDM QPSK_RB1@158	15.14	12.06	0.016	2	Pass
n7_30MHz_15kHz_2555MHz_CP-OFDM QPSK_RB80@40	15.34	12.26	0.017	2	Pass
n7_30MHz_15kHz_2555MHz_CP-OFDM QPSK_RB160@0	13.95	10.87	0.012	2	Pass
n7_30MHz_15kHz_2555MHz_CP-OFDM 16 QAM_RB160@0	13.93	10.85	0.012	2	Pass
n7_30MHz_15kHz_2555MHz_CP-OFDM 64 QAM_RB160@0	13.47	10.39	0.011	2	Pass
n7_30MHz_15kHz_2555MHz_CP-OFDM 256 QAM_RB160@0	10.46	7.38	0.005	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	13.90	0.025	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	17.12	14.04	0.025	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.21	14.13	0.026	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.72	13.64	0.023	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM QPSK_RB1@1	16.99	13.91	0.025	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM QPSK_RB1@214	17.07	13.99	0.025	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM QPSK_RB108@54	17.32	14.24	0.027	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM QPSK_RB216@0	16.32	13.24	0.021	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM 16 QAM_RB216@0	15.37	12.29	0.017	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM 64 QAM_RB216@0	14.84	11.76	0.015	2	Pass
n7_40MHz_15kHz_2520MHz_DFT-s-OFDM 256 QAM_RB216@0	12.88	9.80	0.010	2	Pass
n7_40MHz_15kHz_2520MHz_CP-OFDM QPSK_RB1@1	15.51	12.43	0.017	2	Pass
n7_40MHz_15kHz_2520MHz_CP-OFDM QPSK_RB1@214	15.59	12.51	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_40MHz_15kHz_2520MHz_CP-OFDM QPSK_RB108@54	15.95	12.87	0.019	2	Pass
n7_40MHz_15kHz_2520MHz_CP-OFDM QPSK_RB216@0	14.40	11.32	0.014	2	Pass
n7_40MHz_15kHz_2520MHz_CP-OFDM 16 QAM_RB216@0	14.41	11.33	0.014	2	Pass
n7_40MHz_15kHz_2520MHz_CP-OFDM 64 QAM_RB216@0	13.91	10.83	0.012	2	Pass
n7_40MHz_15kHz_2520MHz_CP-OFDM 256 QAM_RB216@0	10.88	7.80	0.006	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.39	14.31	0.027	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	16.77	13.69	0.023	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.34	14.26	0.027	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.77	13.69	0.023	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.39	14.31	0.027	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@214	16.78	13.70	0.023	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB108@54	17.27	14.19	0.026	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB216@0	16.28	13.20	0.021	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB216@0	15.30	12.22	0.017	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB216@0	14.81	11.73	0.015	2	Pass
n7_40MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB216@0	12.85	9.77	0.009	2	Pass
n7_40MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.44	12.36	0.017	2	Pass
n7_40MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@214	14.74	11.66	0.015	2	Pass
n7_40MHz_15kHz_2535MHz_CP-OFDM QPSK_RB108@54	15.82	12.74	0.019	2	Pass
n7_40MHz_15kHz_2535MHz_CP-OFDM QPSK_RB216@0	14.38	11.30	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_40MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB216@0	14.36	11.28	0.013	2	Pass
n7_40MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB216@0	13.86	10.78	0.012	2	Pass
n7_40MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB216@0	10.86	7.78	0.006	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.44	14.36	0.027	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	16.77	13.69	0.023	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17	13.92	0.025	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.51	13.43	0.022	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM QPSK_RB1@1	17.27	14.19	0.026	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM QPSK_RB1@214	16.71	13.63	0.023	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM QPSK_RB108@54	16.96	13.88	0.024	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM QPSK_RB216@0	16	12.92	0.020	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM 16 QAM_RB216@0	14.99	11.91	0.016	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM 64 QAM_RB216@0	14.54	11.46	0.014	2	Pass
n7_40MHz_15kHz_2550MHz_DFT-s-OFDM 256 QAM_RB216@0	12.68	9.60	0.009	2	Pass
n7_40MHz_15kHz_2550MHz_CP-OFDM QPSK_RB1@1	15.79	12.71	0.019	2	Pass
n7_40MHz_15kHz_2550MHz_CP-OFDM QPSK_RB1@214	15.21	12.13	0.016	2	Pass
n7_40MHz_15kHz_2550MHz_CP-OFDM QPSK_RB108@54	15.43	12.35	0.017	2	Pass
n7_40MHz_15kHz_2550MHz_CP-OFDM QPSK_RB216@0	14.14	11.06	0.013	2	Pass
n7_40MHz_15kHz_2550MHz_CP-OFDM 16 QAM_RB216@0	14.18	11.10	0.013	2	Pass
n7_40MHz_15kHz_2550MHz_CP-OFDM 64 QAM_RB216@0	13.68	10.60	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_40MHz_15kHz_2550MHz_CP-OFDM 256 QAM_RB216@0	10.70	7.62	0.006	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	13.83	0.024	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@268	16.80	13.72	0.024	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.20	14.12	0.026	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.67	13.59	0.023	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM QPSK_RB1@1	16.98	13.90	0.025	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM QPSK_RB1@268	16.79	13.71	0.023	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM QPSK_RB135@67	17.23	14.15	0.026	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM QPSK_RB270@0	16.27	13.19	0.021	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM 16 QAM_RB270@0	15.29	12.21	0.017	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM 64 QAM_RB270@0	14.77	11.69	0.015	2	Pass
n7_50MHz_15kHz_2525MHz_DFT-s-OFDM 256 QAM_RB270@0	12.75	9.67	0.009	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM QPSK_RB1@1	15.45	12.37	0.017	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM QPSK_RB1@268	15.19	12.11	0.016	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM QPSK_RB135@67	15.95	12.87	0.019	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM QPSK_RB270@0	14.30	11.22	0.013	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM 16 QAM_RB270@0	14.31	11.23	0.013	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM 64 QAM_RB270@0	13.83	10.75	0.012	2	Pass
n7_50MHz_15kHz_2525MHz_CP-OFDM 256 QAM_RB270@0	10.82	7.74	0.006	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.18	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@268	16.66	13.58	0.023	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.38	14.30	0.027	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.75	13.67	0.023	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@1	17.29	14.21	0.026	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB1@268	16.07	12.99	0.020	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB135@67	17.30	14.22	0.026	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM QPSK_RB270@0	16.26	13.18	0.021	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM 16 QAM_RB270@0	15.32	12.24	0.017	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM 64 QAM_RB270@0	14.80	11.72	0.015	2	Pass
n7_50MHz_15kHz_2535MHz_DFT-s-OFDM 256 QAM_RB270@0	12.87	9.79	0.010	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@1	15.24	12.16	0.016	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM QPSK_RB1@268	14.52	11.44	0.014	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM QPSK_RB135@67	15.85	12.77	0.019	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM QPSK_RB270@0	14.38	11.30	0.013	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM 16 QAM_RB270@0	14.36	11.28	0.013	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM 64 QAM_RB270@0	13.89	10.81	0.012	2	Pass
n7_50MHz_15kHz_2535MHz_CP-OFDM 256 QAM_RB270@0	10.87	7.79	0.006	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	13.78	0.024	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@268	16.70	13.62	0.023	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.95	13.87	0.024	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.60	13.52	0.022	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM QPSK_RB1@1	17.21	14.13	0.026	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM QPSK_RB1@268	16.61	13.53	0.023	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM QPSK_RB135@67	16.99	13.91	0.025	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM QPSK_RB270@0	16.10	13.02	0.020	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM 16 QAM_RB270@0	15.14	12.06	0.016	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM 64 QAM_RB270@0	14.60	11.52	0.014	2	Pass
n7_50MHz_15kHz_2545MHz_DFT-s-OFDM 256 QAM_RB270@0	12.71	9.63	0.009	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM QPSK_RB1@1	15.88	12.80	0.019	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM QPSK_RB1@268	15.04	11.96	0.016	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM QPSK_RB135@67	15.51	12.43	0.017	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM QPSK_RB270@0	14.26	11.18	0.013	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM 16 QAM_RB270@0	14.22	11.14	0.013	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM 64 QAM_RB270@0	13.77	10.69	0.012	2	Pass
n7_50MHz_15kHz_2545MHz_CP-OFDM 256 QAM_RB270@0	10.73	7.65	0.006	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -3.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n12

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.70	13.64	0.023	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.83	13.77	0.024	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.84	13.78	0.024	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.34	13.28	0.021	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@1	20.75	13.69	0.023	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB1@23	20.70	13.64	0.023	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB12@6	20.81	13.75	0.024	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM QPSK_RB25@0	19.86	12.80	0.019	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.85	11.79	0.015	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.39	11.33	0.014	3	Pass
n12_5MHz_15kHz_701.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.34	9.28	0.008	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@1	19.09	12.03	0.016	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB1@23	19.05	11.99	0.016	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB13@6	19.34	12.28	0.017	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM QPSK_RB25@0	17.86	10.80	0.012	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 16 QAM_RB25@0	17.85	10.79	0.012	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 64 QAM_RB25@0	17.36	10.30	0.011	3	Pass
n12_5MHz_15kHz_701.5MHz_CP-OFDM 256 QAM_RB25@0	14.35	7.29	0.005	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.79	13.73	0.024	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.77	13.71	0.023	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.82	13.76	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.39	13.33	0.022	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	20.82	13.76	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@23	20.71	13.65	0.023	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB12@6	20.85	13.79	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@0	19.85	12.79	0.019	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.84	11.78	0.015	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.40	11.34	0.014	3	Pass
n12_5MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB25@0	20.83	13.77	0.024	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	19.12	12.06	0.016	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@23	19.28	12.22	0.017	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB13@6	19.37	12.31	0.017	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB25@0	17.88	10.82	0.012	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB25@0	17.89	10.83	0.012	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB25@0	17.42	10.36	0.011	3	Pass
n12_5MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB25@0	14.39	7.33	0.005	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.71	13.65	0.023	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	20.73	13.67	0.023	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	20.79	13.73	0.024	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	20.32	13.26	0.021	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@1	20.68	13.62	0.023	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB1@23	20.71	13.65	0.023	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB12@6	20.81	13.75	0.024	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM QPSK_RB25@0	19.85	12.79	0.019	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 16 QAM_RB25@0	18.86	11.80	0.015	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 64 QAM_RB25@0	18.40	11.34	0.014	3	Pass
n12_5MHz_15kHz_713.5MHz_DFT-s-OFDM 256 QAM_RB25@0	16.34	9.28	0.008	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@1	19.09	12.03	0.016	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB1@23	19.14	12.08	0.016	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB13@6	19.36	12.30	0.017	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM QPSK_RB25@0	17.82	10.76	0.012	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 16 QAM_RB25@0	17.81	10.75	0.012	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 64 QAM_RB25@0	17.40	10.34	0.011	3	Pass
n12_5MHz_15kHz_713.5MHz_CP-OFDM 256 QAM_RB25@0	14.37	7.31	0.005	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.73	13.67	0.023	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.82	13.76	0.024	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.42	13.36	0.022	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	19.89	12.83	0.019	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@1	20.69	13.63	0.023	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB1@50	20.73	13.67	0.023	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB25@12	20.37	13.31	0.021	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM QPSK_RB50@0	19.81	12.75	0.019	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 16 QAM_RB50@0	18.81	11.75	0.015	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 64 QAM_RB50@0	18.33	11.27	0.013	3	Pass
n12_10MHz_15kHz_704MHz_DFT-s-OFDM 256 QAM_RB50@0	16.28	9.22	0.008	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@1	19.09	12.03	0.016	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB1@50	19.20	12.14	0.016	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB26@13	19.29	12.23	0.017	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM QPSK_RB52@0	17.75	10.69	0.012	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 16 QAM_RB52@0	17.79	10.73	0.012	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 64 QAM_RB52@0	17.25	10.19	0.010	3	Pass
n12_10MHz_15kHz_704MHz_CP-OFDM 256 QAM_RB52@0	14.30	7.24	0.005	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.75	13.69	0.023	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.80	13.74	0.024	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.40	13.34	0.022	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.32	13.26	0.021	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	20.78	13.72	0.024	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@50	20.76	13.70	0.023	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB25@12	20.79	13.73	0.024	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB50@0	19.84	12.78	0.019	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB50@0	18.82	11.76	0.015	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB50@0	18.36	11.30	0.013	3	Pass
n12_10MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB50@0	16.32	9.26	0.008	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	19.19	12.13	0.016	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@50	19.47	12.41	0.017	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB26@13	19.34	12.28	0.017	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB52@0	17.82	10.76	0.012	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB52@0	17.87	10.81	0.012	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB52@0	17.33	10.27	0.011	3	Pass
n12_10MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB52@0	14.38	7.32	0.005	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.80	13.74	0.024	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	20.73	13.67	0.023	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	20.80	13.74	0.024	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	20.33	13.27	0.021	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@1	20.78	13.72	0.024	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB1@50	20.76	13.70	0.023	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB25@12	20.81	13.75	0.024	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM QPSK_RB50@0	19.80	12.74	0.019	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 16 QAM_RB50@0	18.80	11.74	0.015	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 64 QAM_RB50@0	18.27	11.21	0.013	3	Pass
n12_10MHz_15kHz_711MHz_DFT-s-OFDM 256 QAM_RB50@0	16.24	9.18	0.008	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@1	19.20	12.14	0.016	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB1@50	19.21	12.15	0.016	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB26@13	19.28	12.22	0.017	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM QPSK_RB52@0	17.78	10.72	0.012	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 16 QAM_RB52@0	17.77	10.71	0.012	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 64 QAM_RB52@0	17.23	10.17	0.010	3	Pass
n12_10MHz_15kHz_711MHz_CP-OFDM 256 QAM_RB52@0	14.31	7.25	0.005	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.77	13.71	0.023	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.77	13.71	0.023	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.43	13.37	0.022	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.38	13.32	0.021	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@1	20.80	13.74	0.024	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB1@77	20.77	13.71	0.023	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB36@18	20.84	13.78	0.024	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM QPSK_RB75@0	19.88	12.82	0.019	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.85	11.79	0.015	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.39	11.33	0.014	3	Pass
n12_15MHz_15kHz_706.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.37	9.31	0.009	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@1	19.19	12.13	0.016	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB1@77	19.32	12.26	0.017	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB39@19	19.34	12.28	0.017	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM QPSK_RB79@0	17.89	10.83	0.012	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 16 QAM_RB79@0	17.84	10.78	0.012	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 64 QAM_RB79@0	17.38	10.32	0.011	3	Pass
n12_15MHz_15kHz_706.5MHz_CP-OFDM 256 QAM_RB79@0	20.85	13.79	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.81	13.75	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.85	13.79	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.83	13.77	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.34	13.28	0.021	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@1	20.80	13.74	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB1@77	20.79	13.73	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB36@18	20.84	13.78	0.024	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM QPSK_RB75@0	19.83	12.77	0.019	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.83	11.77	0.015	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.37	11.31	0.014	3	Pass
n12_15MHz_15kHz_707.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.35	9.29	0.008	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@1	19.45	12.39	0.017	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB1@77	19.23	12.17	0.016	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB39@19	19.34	12.28	0.017	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM QPSK_RB79@0	17.87	10.81	0.012	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 16 QAM_RB79@0	17.84	10.78	0.012	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 64 QAM_RB79@0	17.38	10.32	0.011	3	Pass
n12_15MHz_15kHz_707.5MHz_CP-OFDM 256 QAM_RB79@0	14.37	7.31	0.005	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	20.82	13.76	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	20.75	13.69	0.023	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	20.82	13.76	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	20.30	13.24	0.021	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@1	20.80	13.74	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB1@77	20.79	13.73	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB36@18	20.82	13.76	0.024	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM QPSK_RB75@0	19.89	12.83	0.019	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 16 QAM_RB75@0	18.81	11.75	0.015	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 64 QAM_RB75@0	18.41	11.35	0.014	3	Pass
n12_15MHz_15kHz_708.5MHz_DFT-s-OFDM 256 QAM_RB75@0	16.32	9.26	0.008	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@1	19.20	12.14	0.016	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB1@77	19.22	12.16	0.016	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB39@19	19.37	12.31	0.017	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM QPSK_RB79@0	17.86	10.80	0.012	3	Pass

Mode	Conducted Power (dBm)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
n12_15MHz_15kHz_708.5MHz_CP-OFDM 16 QAM_RB79@0	17.83	10.77	0.012	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 64 QAM_RB79@0	17.38	10.32	0.011	3	Pass
n12_15MHz_15kHz_708.5MHz_CP-OFDM 256 QAM_RB79@0	14.28	7.22	0.005	3	Pass

Note:

ERP = Conducted Power(dBm) - L_C(dB) + G_T(dBd)

G_T(dBd) = G_T(dBi) - 2.15

1.Ant Gain = -4.91dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n38

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.06	15.98	0.040	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	19.14	16.06	0.040	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	14.05	10.97	0.013	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.68	15.60	0.036	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@1	9.74	6.66	0.005	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB1@23	19.09	16.01	0.040	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB12@6	19.16	16.08	0.041	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM QPSK_RB25@0	18.13	15.05	0.032	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 16 QAM_RB25@0	17.14	14.06	0.025	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 64 QAM_RB25@0	16.68	13.60	0.023	2	Pass
n38_5MHz_15kHz_2572.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.62	11.54	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@1	17.39	14.31	0.027	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB1@23	17.58	14.50	0.028	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB13@6	17.61	14.53	0.028	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM QPSK_RB25@0	16.14	13.06	0.020	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 16 QAM_RB25@0	16.07	12.99	0.020	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 64 QAM_RB25@0	15.65	12.57	0.018	2	Pass
n38_5MHz_15kHz_2572.5MHz_CP-OFDM 256 QAM_RB25@0	10.90	7.82	0.006	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.99	15.91	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.99	15.91	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.03	15.95	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.53	15.45	0.035	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	18.99	15.91	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB1@23	18.84	15.76	0.038	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	18.99	15.91	0.039	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM QPSK_RB25@0	17.99	14.91	0.031	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 16 QAM_RB25@0	16.99	13.91	0.025	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 64 QAM_RB25@0	16.52	13.44	0.022	2	Pass
n38_5MHz_15kHz_2595MHz_DFT-s-OFDM 256 QAM_RB25@0	14.46	11.38	0.014	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.30	14.22	0.026	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB1@23	17.31	14.23	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB13@6	17.49	14.41	0.028	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM QPSK_RB25@0	15.96	12.88	0.019	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 16 QAM_RB25@0	15.96	12.88	0.019	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 64 QAM_RB25@0	15.52	12.44	0.018	2	Pass
n38_5MHz_15kHz_2595MHz_CP-OFDM 256 QAM_RB25@0	12.52	9.44	0.009	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.94	15.86	0.039	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	18.89	15.81	0.038	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	18.94	15.86	0.039	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	18.51	15.43	0.035	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@1	18.92	15.84	0.038	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB1@23	18.93	15.85	0.038	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB12@6	19.03	15.95	0.039	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM QPSK_RB25@0	18.01	14.93	0.031	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 16 QAM_RB25@0	16.94	13.86	0.024	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 64 QAM_RB25@0	16.47	13.39	0.022	2	Pass
n38_5MHz_15kHz_2617.5MHz_DFT-s-OFDM 256 QAM_RB25@0	14.42	11.34	0.014	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@1	17.20	14.12	0.026	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB1@23	17.14	14.06	0.025	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB13@6	17.48	14.40	0.028	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM QPSK_RB25@0	15.99	12.91	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 16 QAM_RB25@0	16.02	12.94	0.020	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 64 QAM_RB25@0	15.53	12.45	0.018	2	Pass
n38_5MHz_15kHz_2617.5MHz_CP-OFDM 256 QAM_RB25@0	12.45	9.37	0.009	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.97	15.89	0.039	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	18.96	15.88	0.039	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.17	16.09	0.041	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	18.66	15.58	0.036	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@1	19.03	15.95	0.039	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB1@22	19.14	16.06	0.040	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB12@6	19.16	16.08	0.041	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM QPSK_RB24@0	18.15	15.07	0.032	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 16 QAM_RB24@0	17.20	14.12	0.026	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 64 QAM_RB24@0	16.75	13.67	0.023	2	Pass
n38_10MHz_30kHz_2575MHz_DFT-s-OFDM 256 QAM_RB24@0	14.59	11.51	0.014	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@1	17.65	14.57	0.029	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB1@22	17.46	14.38	0.027	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB12@6	17.59	14.51	0.028	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM QPSK_RB24@0	16.10	13.02	0.020	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 16 QAM_RB24@0	16.02	12.94	0.020	2	Pass
n38_10MHz_30kHz_2575MHz_CP-OFDM 64 QAM_RB24@0	15.58	12.50	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2575MHz_CP-OFDM 256 QAM_RB24@0	12.72	9.64	0.009	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.09	16.01	0.040	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	19.03	15.95	0.039	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.08	16.00	0.040	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	18.58	15.50	0.035	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	19.11	16.03	0.040	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@22	19.06	15.98	0.040	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB12@6	19.12	16.04	0.040	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB24@0	18.05	14.97	0.031	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB24@0	17.07	13.99	0.025	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB24@0	16.71	13.63	0.023	2	Pass
n38_10MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB24@0	14.54	11.46	0.014	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.43	14.35	0.027	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@22	17.55	14.47	0.028	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB12@6	17.41	14.33	0.027	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM QPSK_RB24@0	16.04	12.96	0.020	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB24@0	15.98	12.90	0.019	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB24@0	15.68	12.60	0.018	2	Pass
n38_10MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB24@0	12.53	9.45	0.009	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.98	15.90	0.039	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	18.98	15.90	0.039	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	19.03	15.95	0.039	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	18.52	15.44	0.035	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@1	19.09	16.01	0.040	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB1@22	19.06	15.98	0.040	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB12@6	19.06	15.98	0.040	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM QPSK_RB24@0	17.97	14.89	0.031	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 16 QAM_RB24@0	17.11	14.03	0.025	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 64 QAM_RB24@0	16.62	13.54	0.023	2	Pass
n38_10MHz_30kHz_2615MHz_DFT-s-OFDM 256 QAM_RB24@0	14.45	11.37	0.014	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@1	17.37	14.29	0.027	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB1@22	17.34	14.26	0.027	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB12@6	17.38	14.30	0.027	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM QPSK_RB24@0	15.94	12.86	0.019	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 16 QAM_RB24@0	16.04	12.96	0.020	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 64 QAM_RB24@0	15.48	12.40	0.017	2	Pass
n38_10MHz_30kHz_2615MHz_CP-OFDM 256 QAM_RB24@0	12.48	9.40	0.009	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.13	16.05	0.040	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	19.09	16.01	0.040	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	19.15	16.07	0.040	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	18.63	15.55	0.036	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@1	19.14	16.06	0.040	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB1@36	19.16	16.08	0.041	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB18@9	19.18	16.10	0.041	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM QPSK_RB36@0	18.09	15.01	0.032	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 16 QAM_RB36@0	17.12	14.04	0.025	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 64 QAM_RB36@0	16.68	13.60	0.023	2	Pass
n38_15MHz_30kHz_2577.5MHz_DFT-s-OFDM 256 QAM_RB36@0	14.69	11.61	0.014	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@1	17.52	14.44	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB1@36	17.62	14.54	0.028	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB19@9	17.47	14.39	0.027	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM QPSK_RB38@0	16.15	13.07	0.020	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 16 QAM_RB38@0	16.15	13.07	0.020	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 64 QAM_RB38@0	15.68	12.60	0.018	2	Pass
n38_15MHz_30kHz_2577.5MHz_CP-OFDM 256 QAM_RB38@0	12.78	9.70	0.009	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.13	16.05	0.040	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	19.02	15.94	0.039	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	19.07	15.99	0.040	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	18.55	15.47	0.035	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	19.17	16.09	0.041	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@36	19.09	16.01	0.040	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB18@9	19.09	16.01	0.040	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@0	18.12	15.04	0.032	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB36@0	17.16	14.08	0.026	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB36@0	16.54	13.46	0.022	2	Pass
n38_15MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB36@0	14.58	11.50	0.014	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.66	14.58	0.029	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@36	17.32	14.24	0.027	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB19@9	17.51	14.43	0.028	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM QPSK_RB38@0	15.99	12.91	0.020	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB38@0	16.05	12.97	0.020	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB38@0	15.66	12.58	0.018	2	Pass
n38_15MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB38@0	12.63	9.55	0.009	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.05	15.97	0.040	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	19.04	15.96	0.039	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	19.11	16.03	0.040	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	18.61	15.53	0.036	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@1	19.16	16.08	0.041	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB1@36	19.08	16.00	0.040	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB18@9	19.16	16.08	0.041	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM QPSK_RB36@0	18.12	15.04	0.032	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 16 QAM_RB36@0	17.11	14.03	0.025	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 64 QAM_RB36@0	16.64	13.56	0.023	2	Pass
n38_15MHz_30kHz_2612.5MHz_DFT-s-OFDM 256 QAM_RB36@0	14.57	11.49	0.014	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@1	17.72	14.64	0.029	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB1@36	17.43	14.35	0.027	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB19@9	17.55	14.47	0.028	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM QPSK_RB38@0	16.07	12.99	0.020	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 16 QAM_RB38@0	16.12	13.04	0.020	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 64 QAM_RB38@0	15.67	12.59	0.018	2	Pass
n38_15MHz_30kHz_2612.5MHz_CP-OFDM 256 QAM_RB38@0	12.69	9.61	0.009	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.96	15.88	0.039	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	19.14	16.06	0.040	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	19.21	16.13	0.041	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.57	15.49	0.035	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@1	19.17	16.09	0.041	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB1@49	19.17	16.09	0.041	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB25@12	19.22	16.14	0.041	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM QPSK_RB50@0	18.22	15.14	0.033	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 16 QAM_RB50@0	17.16	14.08	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 64 QAM_RB50@0	16.59	13.51	0.022	2	Pass
n38_20MHz_30kHz_2580MHz_DFT-s-OFDM 256 QAM_RB50@0	14.73	11.65	0.015	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@1	17.55	14.47	0.028	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB1@49	17.69	14.61	0.029	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB25@12	17.70	14.62	0.029	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM QPSK_RB51@0	16.05	12.97	0.020	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 16 QAM_RB51@0	16.14	13.06	0.020	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 64 QAM_RB51@0	15.69	12.61	0.018	2	Pass
n38_20MHz_30kHz_2580MHz_CP-OFDM 256 QAM_RB51@0	12.79	9.71	0.009	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.12	16.04	0.040	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	19.02	15.94	0.039	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	19.10	16.02	0.040	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.61	15.53	0.036	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	19.16	16.08	0.041	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@49	18.93	15.85	0.038	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB25@12	19.12	16.04	0.040	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@0	18.13	15.05	0.032	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB50@0	17.10	14.02	0.025	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB50@0	16.61	13.53	0.023	2	Pass
n38_20MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB50@0	14.60	11.52	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.56	14.48	0.028	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@49	17.26	14.18	0.026	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB25@12	17.65	14.57	0.029	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM QPSK_RB51@0	16.10	13.02	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB51@0	16.05	12.97	0.020	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB51@0	15.60	12.52	0.018	2	Pass
n38_20MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB51@0	12.64	9.56	0.009	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.08	16.00	0.040	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	19.05	15.97	0.040	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	19.06	15.98	0.040	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	18.62	15.54	0.036	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@1	19.14	16.06	0.040	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB1@49	19.10	16.02	0.040	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB25@12	19.10	16.02	0.040	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM QPSK_RB50@0	18.07	14.99	0.032	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 16 QAM_RB50@0	17.08	14.00	0.025	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 64 QAM_RB50@0	16.56	13.48	0.022	2	Pass
n38_20MHz_30kHz_2610MHz_DFT-s-OFDM 256 QAM_RB50@0	14.60	11.52	0.014	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@1	17.43	14.35	0.027	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB1@49	17.53	14.45	0.028	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB25@12	17.62	14.54	0.028	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM QPSK_RB51@0	16.07	12.99	0.020	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 16 QAM_RB51@0	16.05	12.97	0.020	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 64 QAM_RB51@0	15.63	12.55	0.018	2	Pass
n38_20MHz_30kHz_2610MHz_CP-OFDM 256 QAM_RB51@0	12.60	9.52	0.009	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.27	16.19	0.042	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	19.26	16.18	0.041	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	19.28	16.20	0.042	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.84	15.76	0.038	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@1	19.27	16.19	0.042	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB1@63	19.21	16.13	0.041	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB32@16	19.24	16.16	0.041	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM QPSK_RB64@0	18.34	15.26	0.034	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 16 QAM_RB64@0	17.29	14.21	0.026	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 64 QAM_RB64@0	16.86	13.78	0.024	2	Pass
n38_25MHz_30kHz_2582.5MHz_DFT-s-OFDM 256 QAM_RB64@0	14.86	11.78	0.015	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@1	17.60	14.52	0.028	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB1@63	17.54	14.46	0.028	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB33@16	17.75	14.67	0.029	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM QPSK_RB65@0	16.32	13.24	0.021	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 16 QAM_RB65@0	16.28	13.20	0.021	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 64 QAM_RB65@0	15.85	12.77	0.019	2	Pass
n38_25MHz_30kHz_2582.5MHz_CP-OFDM 256 QAM_RB65@0	13.85	10.77	0.012	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.21	16.13	0.041	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	19.08	16.00	0.040	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	19.17	16.09	0.041	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.70	15.62	0.036	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	19.23	16.15	0.041	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@63	19.09	16.01	0.040	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB32@16	19.08	16.00	0.040	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB64@0	18.22	15.14	0.033	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB64@0	17.10	14.02	0.025	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB64@0	16.72	13.64	0.023	2	Pass
n38_25MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB64@0	14.75	11.67	0.015	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.60	14.52	0.028	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@63	17.51	14.43	0.028	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB33@16	17.63	14.55	0.029	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM QPSK_RB65@0	16.13	13.05	0.020	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB65@0	16.13	13.05	0.020	2	Pass
n38_25MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB65@0	15.58	12.50	0.018	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_25MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB65@0	13.69	10.61	0.012	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.12	16.04	0.040	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	19.11	16.03	0.040	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	19.08	16.00	0.040	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	18.66	15.58	0.036	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@1	19.06	15.98	0.040	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB1@63	19.11	16.03	0.040	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB32@16	19.11	16.03	0.040	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM QPSK_RB64@0	18.20	15.12	0.033	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 16 QAM_RB64@0	17.09	14.01	0.025	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 64 QAM_RB64@0	16.72	13.64	0.023	2	Pass
n38_25MHz_30kHz_2607.5MHz_DFT-s-OFDM 256 QAM_RB64@0	14.68	11.60	0.014	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@1	17.66	14.58	0.029	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB1@63	17.44	14.36	0.027	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB33@16	17.61	14.53	0.028	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM QPSK_RB65@0	16.11	13.03	0.020	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 16 QAM_RB65@0	16.10	13.02	0.020	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 64 QAM_RB65@0	15.66	12.58	0.018	2	Pass
n38_25MHz_30kHz_2607.5MHz_CP-OFDM 256 QAM_RB65@0	13.68	10.60	0.011	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.18	16.10	0.041	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	19.13	16.05	0.040	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.18	16.10	0.041	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.59	15.51	0.036	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@1	19.21	16.13	0.041	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB1@76	19.11	16.03	0.040	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB36@18	19.07	15.99	0.040	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM QPSK_RB75@0	18.20	15.12	0.033	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 16 QAM_RB75@0	17.21	14.13	0.026	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 64 QAM_RB75@0	16.69	13.61	0.023	2	Pass
n38_30MHz_30kHz_2585MHz_DFT-s-OFDM 256 QAM_RB75@0	14.73	11.65	0.015	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@1	17.53	14.45	0.028	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB1@76	17.52	14.44	0.028	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB39@19	17.62	14.54	0.028	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM QPSK_RB78@0	16.21	13.13	0.021	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 16 QAM_RB78@0	16.26	13.18	0.021	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 64 QAM_RB78@0	15.73	12.65	0.018	2	Pass
n38_30MHz_30kHz_2585MHz_CP-OFDM 256 QAM_RB78@0	13.77	10.69	0.012	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.23	16.15	0.041	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	19.07	15.99	0.040	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.22	16.14	0.041	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.65	15.57	0.036	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	19.22	16.14	0.041	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@76	19.15	16.07	0.040	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB36@18	19.15	16.07	0.040	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB75@0	18.20	15.12	0.033	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB75@0	17.09	14.01	0.025	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB75@0	16.71	13.63	0.023	2	Pass
n38_30MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB75@0	14.75	11.67	0.015	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.68	14.60	0.029	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@76	17.34	14.26	0.027	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB39@19	17.55	14.47	0.028	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM QPSK_RB78@0	16.21	13.13	0.021	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB78@0	16.22	13.14	0.021	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB78@0	15.70	12.62	0.018	2	Pass
n38_30MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB78@0	13.72	10.64	0.012	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.14	16.06	0.040	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	19.02	15.94	0.039	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	19.13	16.05	0.040	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	18.61	15.53	0.036	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@1	19.23	16.15	0.041	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB1@76	19.06	15.98	0.040	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB36@18	19.03	15.95	0.039	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM QPSK_RB75@0	18.09	15.01	0.032	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 16 QAM_RB75@0	17.08	14.00	0.025	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 64 QAM_RB75@0	16.68	13.60	0.023	2	Pass
n38_30MHz_30kHz_2605MHz_DFT-s-OFDM 256 QAM_RB75@0	14.60	11.52	0.014	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@1	17.66	14.58	0.029	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB1@76	17.55	14.47	0.028	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB39@19	17.61	14.53	0.028	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM QPSK_RB78@0	16.13	13.05	0.020	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 16 QAM_RB78@0	16.22	13.14	0.021	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 64 QAM_RB78@0	15.63	12.55	0.018	2	Pass
n38_30MHz_30kHz_2605MHz_CP-OFDM 256 QAM_RB78@0	13.64	10.56	0.011	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.27	16.19	0.042	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.21	16.13	0.041	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.32	16.24	0.042	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.74	15.66	0.037	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@1	19.30	16.22	0.042	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB1@104	19.17	16.09	0.041	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB50@25	19.23	16.15	0.041	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM QPSK_RB100@0	18.26	15.18	0.033	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 16 QAM_RB100@0	17.28	14.20	0.026	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 64 QAM_RB100@0	16.83	13.75	0.024	2	Pass
n38_40MHz_30kHz_2590MHz_DFT-s-OFDM 256 QAM_RB100@0	14.80	11.72	0.015	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@1	17.77	14.69	0.029	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB1@104	17.75	14.67	0.029	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB53@26	17.77	14.69	0.029	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM QPSK_RB106@0	16.34	13.26	0.021	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 16 QAM_RB106@0	16.29	13.21	0.021	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 64 QAM_RB106@0	15.74	12.66	0.018	2	Pass
n38_40MHz_30kHz_2590MHz_CP-OFDM 256 QAM_RB106@0	13.82	10.74	0.012	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.18	16.10	0.041	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.05	15.97	0.040	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.17	16.09	0.041	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.70	15.62	0.036	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@1	19.28	16.20	0.042	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB1@104	19.10	16.02	0.040	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB50@25	19.20	16.12	0.041	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM QPSK_RB100@0	18.16	15.08	0.032	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 16 QAM_RB100@0	17.20	14.12	0.026	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 64 QAM_RB100@0	16.71	13.63	0.023	2	Pass
n38_40MHz_30kHz_2595MHz_DFT-s-OFDM 256 QAM_RB100@0	14.68	11.60	0.014	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@1	17.64	14.56	0.029	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB1@104	17.34	14.26	0.027	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB53@26	17.69	14.61	0.029	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM QPSK_RB106@0	16.21	13.13	0.021	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 16 QAM_RB106@0	16.20	13.12	0.021	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 64 QAM_RB106@0	15.74	12.66	0.018	2	Pass
n38_40MHz_30kHz_2595MHz_CP-OFDM 256 QAM_RB106@0	13.70	10.62	0.012	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	19.21	16.13	0.041	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	19.17	16.09	0.041	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	19.23	16.15	0.041	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	18.70	15.62	0.036	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@1	19.27	16.19	0.042	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB1@104	19.18	16.10	0.041	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB50@25	19.17	16.09	0.041	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM QPSK_RB100@0	18.24	15.16	0.033	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 16 QAM_RB100@0	17.24	14.16	0.026	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 64 QAM_RB100@0	16.77	13.69	0.023	2	Pass
n38_40MHz_30kHz_2600MHz_DFT-s-OFDM 256 QAM_RB100@0	14.72	11.64	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@1	17.59	14.51	0.028	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB1@104	17.60	14.52	0.028	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB53@26	17.71	14.63	0.029	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM QPSK_RB106@0	16.21	13.13	0.021	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 16 QAM_RB106@0	16.24	13.16	0.021	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 64 QAM_RB106@0	15.65	12.57	0.018	2	Pass
n38_40MHz_30kHz_2600MHz_CP-OFDM 256 QAM_RB106@0	13.70	10.62	0.012	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -3.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n41

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.23	13.15	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.27	13.19	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.30	13.22	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.85	12.77	0.019	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@1	16.32	13.24	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB1@22	16.30	13.22	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB12@6	16.38	13.30	0.021	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM QPSK_RB24@0	15.42	12.34	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 16 QAM_RB24@0	14.38	11.30	0.013	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 64 QAM_RB24@0	14	10.92	0.012	2	Pass
n41_10MHz_30kHz_2501.01MHz_DFT-s-OFDM 256 QAM_RB24@0	11.97	8.89	0.008	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@1	14.76	11.68	0.015	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB1@22	14.85	11.77	0.015	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB12@6	14.86	11.78	0.015	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM QPSK_RB24@0	13.27	10.19	0.010	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 16 QAM_RB24@0	13.31	10.23	0.011	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 64 QAM_RB24@0	12.98	9.90	0.010	2	Pass
n41_10MHz_30kHz_2501.01MHz_CP-OFDM 256 QAM_RB24@0	9.86	6.78	0.005	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.35	13.27	0.021	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.38	13.30	0.021	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.35	13.27	0.021	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.95	12.87	0.019	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.40	13.32	0.021	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@22	16.43	13.35	0.022	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB12@6	16.40	13.32	0.021	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB24@0	15.37	12.29	0.017	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB24@0	14.51	11.43	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB24@0	13.87	10.79	0.012	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB24@0	12	8.92	0.008	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.83	11.75	0.015	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@22	14.65	11.57	0.014	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB12@6	14.74	11.66	0.015	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB24@0	13.37	10.29	0.011	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB24@0	13.26	10.18	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB24@0	12.96	9.88	0.010	2	Pass
n41_10MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB24@0	9.96	6.88	0.005	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.34	13.26	0.021	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.34	13.26	0.021	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.37	13.29	0.021	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	15.93	12.85	0.019	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.23	0.021	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB1@22	16.45	13.37	0.022	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB12@6	16.47	13.39	0.022	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM QPSK_RB24@0	15.30	12.22	0.017	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 16 QAM_RB24@0	14.44	11.36	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 64 QAM_RB24@0	13.94	10.86	0.012	2	Pass
n41_10MHz_30kHz_2685MHz_DFT-s-OFDM 256 QAM_RB24@0	11.98	8.90	0.008	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@1	14.71	11.63	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB1@22	14.67	11.59	0.014	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB12@6	14.80	11.72	0.015	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM QPSK_RB24@0	13.30	10.22	0.011	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 16 QAM_RB24@0	13.36	10.28	0.011	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 64 QAM_RB24@0	13.02	9.94	0.010	2	Pass
n41_10MHz_30kHz_2685MHz_CP-OFDM 256 QAM_RB24@0	10.03	6.95	0.005	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.28	13.20	0.021	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.41	13.33	0.022	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.34	13.26	0.021	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.98	12.90	0.019	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@1	16.33	13.25	0.021	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB1@36	16.30	13.22	0.021	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB18@9	16.45	13.37	0.022	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM QPSK_RB36@0	15.45	12.37	0.017	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.49	11.41	0.014	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 64 QAM_RB36@0	13.97	10.89	0.012	2	Pass
n41_15MHz_30kHz_2503.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12	8.92	0.008	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@1	14.77	11.69	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB1@36	14.98	11.90	0.015	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB19@9	14.83	11.75	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2503.5MHz_CP-OFDM QPSK_RB38@0	13.35	10.27	0.011	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 16 QAM_RB38@0	13.41	10.33	0.011	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 64 QAM_RB38@0	12.91	9.83	0.010	2	Pass
n41_15MHz_30kHz_2503.5MHz_CP-OFDM 256 QAM_RB38@0	10.08	7.00	0.005	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	13.93	10.85	0.012	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.36	13.28	0.021	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.35	13.27	0.021	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.93	12.85	0.019	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.40	13.32	0.021	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@36	16.43	13.35	0.022	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB18@9	16.41	13.33	0.022	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@0	15.42	12.34	0.017	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB36@0	14.50	11.42	0.014	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB36@0	13.88	10.80	0.012	2	Pass
n41_15MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB36@0	11.95	8.87	0.008	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	15.09	12.01	0.016	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@36	14.99	11.91	0.016	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB19@9	14.85	11.77	0.015	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB38@0	13.33	10.25	0.011	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB38@0	13.43	10.35	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB38@0	12.99	9.91	0.010	2	Pass
n41_15MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB38@0	10.09	7.01	0.005	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.40	13.32	0.021	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.37	13.29	0.021	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.45	13.37	0.022	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	15.98	12.90	0.019	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.29	0.021	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB1@36	16.55	13.47	0.022	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB18@9	16.61	13.53	0.023	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM QPSK_RB36@0	15.50	12.42	0.017	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 16 QAM_RB36@0	14.52	11.44	0.014	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 64 QAM_RB36@0	14.01	10.93	0.012	2	Pass
n41_15MHz_30kHz_2682.48MHz_DFT-s-OFDM 256 QAM_RB36@0	12.06	8.98	0.008	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@1	14.80	11.72	0.015	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB1@36	14.89	11.81	0.015	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB19@9	14.95	11.87	0.015	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM QPSK_RB38@0	13.46	10.38	0.011	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 16 QAM_RB38@0	13.51	10.43	0.011	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 64 QAM_RB38@0	13.06	9.98	0.010	2	Pass
n41_15MHz_30kHz_2682.48MHz_CP-OFDM 256 QAM_RB38@0	10.16	7.08	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.27	13.19	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.27	13.19	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.22	13.14	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.87	12.79	0.019	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@1	16.31	13.23	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB1@49	16.35	13.27	0.021	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB25@12	16.42	13.34	0.022	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM QPSK_RB50@0	15.38	12.30	0.017	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 16 QAM_RB50@0	14.28	11.20	0.013	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 64 QAM_RB50@0	13.76	10.68	0.012	2	Pass
n41_20MHz_30kHz_2506.02MHz_DFT-s-OFDM 256 QAM_RB50@0	11.92	8.84	0.008	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@1	14.75	11.67	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB1@49	14.74	11.66	0.015	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB25@12	14.69	11.61	0.014	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM QPSK_RB51@0	13.33	10.25	0.011	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 16 QAM_RB51@0	13.30	10.22	0.011	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 64 QAM_RB51@0	12.83	9.75	0.009	2	Pass
n41_20MHz_30kHz_2506.02MHz_CP-OFDM 256 QAM_RB51@0	9.98	6.90	0.005	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.31	0.021	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.40	13.32	0.021	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.37	13.29	0.021	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.93	12.85	0.019	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.43	13.35	0.022	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@49	16.50	13.42	0.022	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB25@12	16.41	13.33	0.022	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@0	15.33	12.25	0.017	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB50@0	14.43	11.35	0.014	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB50@0	13.89	10.81	0.012	2	Pass
n41_20MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB50@0	11.92	8.84	0.008	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.79	11.71	0.015	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@49	14.77	11.69	0.015	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB25@12	14.90	11.82	0.015	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB51@0	13.33	10.25	0.011	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB51@0	13.44	10.36	0.011	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB51@0	12.92	9.84	0.010	2	Pass
n41_20MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB51@0	10.06	6.98	0.005	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.35	13.27	0.021	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.55	13.47	0.022	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.46	13.38	0.022	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	15.89	12.81	0.019	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.37	0.022	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB1@49	16.61	13.53	0.023	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB25@12	16.50	13.42	0.022	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM QPSK_RB50@0	15.45	12.37	0.017	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 16 QAM_RB50@0	14.41	11.33	0.014	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 64 QAM_RB50@0	13.84	10.76	0.012	2	Pass
n41_20MHz_30kHz_2679.99MHz_DFT-s-OFDM 256 QAM_RB50@0	12.10	9.02	0.008	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@1	14.83	11.75	0.015	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB1@49	14.90	11.82	0.015	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB25@12	15.01	11.93	0.016	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM QPSK_RB51@0	13.47	10.39	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 16 QAM_RB51@0	13.45	10.37	0.011	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 64 QAM_RB51@0	13.03	9.95	0.010	2	Pass
n41_20MHz_30kHz_2679.99MHz_CP-OFDM 256 QAM_RB51@0	10.12	7.04	0.005	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.30	13.22	0.021	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.40	13.32	0.021	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.45	13.37	0.022	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.97	12.89	0.019	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.18	0.021	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB1@76	16.35	13.27	0.021	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB36@18	16.29	13.21	0.021	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM QPSK_RB75@0	15.37	12.29	0.017	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 16 QAM_RB75@0	14.36	11.28	0.013	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 64 QAM_RB75@0	13.94	10.86	0.012	2	Pass
n41_30MHz_30kHz_2511MHz_DFT-s-OFDM 256 QAM_RB75@0	12.05	8.97	0.008	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@1	14.81	11.73	0.015	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB1@76	14.70	11.62	0.015	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB39@19	14.84	11.76	0.015	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM QPSK_RB78@0	13.41	10.33	0.011	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 16 QAM_RB78@0	13.46	10.38	0.011	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 64 QAM_RB78@0	12.96	9.88	0.010	2	Pass
n41_30MHz_30kHz_2511MHz_CP-OFDM 256 QAM_RB78@0	10.09	7.01	0.005	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.31	0.021	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.44	13.36	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.46	13.38	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.97	12.89	0.019	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.49	13.41	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@76	16.52	13.44	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB36@18	16.45	13.37	0.022	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB75@0	15.49	12.41	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB75@0	14.46	11.38	0.014	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB75@0	13.96	10.88	0.012	2	Pass
n41_30MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB75@0	12.01	8.93	0.008	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.80	11.72	0.015	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@76	14.83	11.75	0.015	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB39@19	14.98	11.90	0.015	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB78@0	13.47	10.39	0.011	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB78@0	13.46	10.38	0.011	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB78@0	13.02	9.94	0.010	2	Pass
n41_30MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB78@0	10.06	6.98	0.005	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.21	13.13	0.021	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.71	13.63	0.023	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.57	13.49	0.022	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.11	13.03	0.020	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@1	16.47	13.39	0.022	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB1@76	16.69	13.61	0.023	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB36@18	16.58	13.50	0.022	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM QPSK_RB75@0	15.57	12.49	0.018	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 16 QAM_RB75@0	14.57	11.49	0.014	2	Pass
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 64 QAM_RB75@0	14.10	11.02	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_30MHz_30kHz_2674.98MHz_DFT-s-OFDM 256 QAM_RB75@0	12.17	9.09	0.008	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@1	15.11	12.03	0.016	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB1@76	15.04	11.96	0.016	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB39@19	15.04	11.96	0.016	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM QPSK_RB78@0	13.62	10.54	0.011	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 16 QAM_RB78@0	13.61	10.53	0.011	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 64 QAM_RB78@0	13.12	10.04	0.010	2	Pass
n41_30MHz_30kHz_2674.98MHz_CP-OFDM 256 QAM_RB78@0	10.22	7.14	0.005	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.18	13.10	0.020	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.31	13.23	0.021	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.31	13.23	0.021	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.90	12.82	0.019	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@1	16.21	13.13	0.021	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB1@104	16.32	13.24	0.021	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB50@25	16.31	13.23	0.021	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM QPSK_RB100@0	15.40	12.32	0.017	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 16 QAM_RB100@0	14.39	11.31	0.014	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 64 QAM_RB100@0	13.89	10.81	0.012	2	Pass
n41_40MHz_30kHz_2516.01MHz_DFT-s-OFDM 256 QAM_RB100@0	11.96	8.88	0.008	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@1	14.67	11.59	0.014	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB1@104	14.84	11.76	0.015	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB53@26	14.87	11.79	0.015	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM QPSK_RB106@0	13.40	10.32	0.011	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 16 QAM_RB106@0	13.44	10.36	0.011	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 64 QAM_RB106@0	12.87	9.79	0.010	2	Pass
n41_40MHz_30kHz_2516.01MHz_CP-OFDM 256 QAM_RB106@0	10	6.92	0.005	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.33	13.25	0.021	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.41	13.33	0.022	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.47	13.39	0.022	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.95	12.87	0.019	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.29	13.21	0.021	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@104	16.42	13.34	0.022	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB50@25	16.46	13.38	0.022	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB100@0	15.51	12.43	0.017	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB100@0	14.50	11.42	0.014	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB100@0	13.99	10.91	0.012	2	Pass
n41_40MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB100@0	12.07	8.99	0.008	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.70	11.62	0.015	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@104	14.77	11.69	0.015	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB53@26	15.01	11.93	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB106@0	13.45	10.37	0.011	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB106@0	13.48	10.40	0.011	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB106@0	13.01	9.93	0.010	2	Pass
n41_40MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB106@0	10.07	6.99	0.005	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.37	13.29	0.021	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.50	13.42	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.46	13.38	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.99	12.91	0.020	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@1	16.43	13.35	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB1@104	16.59	13.51	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB50@25	16.51	13.43	0.022	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM QPSK_RB100@0	15.52	12.44	0.018	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 16 QAM_RB100@0	14.54	11.46	0.014	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 64 QAM_RB100@0	14.03	10.95	0.012	2	Pass
n41_40MHz_30kHz_2670MHz_DFT-s-OFDM 256 QAM_RB100@0	12.06	8.98	0.008	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@1	14.69	11.61	0.014	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB1@104	14.87	11.79	0.015	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB53@26	14.99	11.91	0.016	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM QPSK_RB106@0	13.54	10.46	0.011	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 16 QAM_RB106@0	13.51	10.43	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_40MHz_30kHz_2670MHz_CP-OFDM 64 QAM_RB106@0	13.07	9.99	0.010	2	Pass
n41_40MHz_30kHz_2670MHz_CP-OFDM 256 QAM_RB106@0	10.09	7.01	0.005	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.14	13.06	0.020	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.26	13.18	0.021	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.37	13.29	0.021	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.94	12.86	0.019	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@1	16.26	13.18	0.021	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB1@131	16.31	13.23	0.021	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB64@32	16.39	13.31	0.021	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM QPSK_RB128@0	15.46	12.38	0.017	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 16 QAM_RB128@0	14.47	11.39	0.014	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 64 QAM_RB128@0	13.97	10.89	0.012	2	Pass
n41_50MHz_30kHz_2521.02MHz_DFT-s-OFDM 256 QAM_RB128@0	12.08	9.00	0.008	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@1	14.49	11.41	0.014	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB1@131	14.78	11.70	0.015	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB67@33	14.88	11.80	0.015	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM QPSK_RB133@0	13.43	10.35	0.011	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 16 QAM_RB133@0	13.54	10.46	0.011	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 64 QAM_RB133@0	12.95	9.87	0.010	2	Pass
n41_50MHz_30kHz_2521.02MHz_CP-OFDM 256 QAM_RB133@0	10.08	7.00	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.29	13.21	0.021	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.38	13.30	0.021	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.46	13.38	0.022	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.97	12.89	0.019	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.29	0.021	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@131	16.39	13.31	0.021	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB64@32	16.48	13.40	0.022	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB128@0	15.40	12.32	0.017	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB128@0	14.49	11.41	0.014	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB128@0	14	10.92	0.012	2	Pass
n41_50MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB128@0	12.10	9.02	0.008	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.84	11.76	0.015	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@131	14.70	11.62	0.015	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB67@33	14.97	11.89	0.015	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB133@0	13.49	10.41	0.011	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB133@0	13.49	10.41	0.011	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB133@0	12.99	9.91	0.010	2	Pass
n41_50MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB133@0	10.06	6.98	0.005	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.23	0.021	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.58	13.50	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.57	13.49	0.022	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.05	12.97	0.020	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@1	16.40	13.32	0.021	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB1@131	16.56	13.48	0.022	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB64@32	16.57	13.49	0.022	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM QPSK_RB128@0	15.57	12.49	0.018	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 16 QAM_RB128@0	14.59	11.51	0.014	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 64 QAM_RB128@0	14.05	10.97	0.013	2	Pass
n41_50MHz_30kHz_2664.99MHz_DFT-s-OFDM 256 QAM_RB128@0	12.22	9.14	0.008	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@1	14.62	11.54	0.014	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB1@131	14.80	11.72	0.015	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB67@33	15.01	11.93	0.016	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM QPSK_RB133@0	13.50	10.42	0.011	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 16 QAM_RB133@0	13.58	10.50	0.011	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 64 QAM_RB133@0	13.06	9.98	0.010	2	Pass
n41_50MHz_30kHz_2664.99MHz_CP-OFDM 256 QAM_RB133@0	10.19	7.11	0.005	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.11	13.03	0.020	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.22	13.14	0.021	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.25	13.17	0.021	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.84	12.76	0.019	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@1	16.24	13.16	0.021	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB1@160	16.28	13.20	0.021	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB81@40	16.34	13.26	0.021	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM QPSK_RB162@0	15.30	12.22	0.017	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 16 QAM_RB162@0	14.33	11.25	0.013	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 64 QAM_RB162@0	13.91	10.83	0.012	2	Pass
n41_60MHz_30kHz_2526MHz_DFT-s-OFDM 256 QAM_RB162@0	11.94	8.86	0.008	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@1	14.52	11.44	0.014	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB1@160	14.53	11.45	0.014	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB81@40	14.79	11.71	0.015	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM QPSK_RB162@0	13.29	10.21	0.010	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 16 QAM_RB162@0	13.31	10.23	0.011	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 64 QAM_RB162@0	12.79	9.71	0.009	2	Pass
n41_60MHz_30kHz_2526MHz_CP-OFDM 256 QAM_RB162@0	10.02	6.94	0.005	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.25	13.17	0.021	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.42	13.34	0.022	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.41	13.33	0.022	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.80	12.72	0.019	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.29	13.21	0.021	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@160	16.44	13.36	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB81@40	16.27	13.19	0.021	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB162@0	15.38	12.30	0.017	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB162@0	14.40	11.32	0.014	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB162@0	13.88	10.80	0.012	2	Pass
n41_60MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB162@0	12.01	8.93	0.008	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.67	11.59	0.014	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@160	14.82	11.74	0.015	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB81@40	14.94	11.86	0.015	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB162@0	13.38	10.30	0.011	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB162@0	13.41	10.33	0.011	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB162@0	12.91	9.83	0.010	2	Pass
n41_60MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB162@0	9.91	6.83	0.005	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.23	13.15	0.021	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.45	13.37	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.40	13.32	0.021	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.92	12.84	0.019	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@1	16.34	13.26	0.021	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB1@160	16.51	13.43	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB81@40	16.42	13.34	0.022	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM QPSK_RB162@0	15.40	12.32	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 16 QAM_RB162@0	14.45	11.37	0.014	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 64 QAM_RB162@0	13.93	10.85	0.012	2	Pass
n41_60MHz_30kHz_2659.98MHz_DFT-s-OFDM 256 QAM_RB162@0	12	8.92	0.008	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@1	14.66	11.58	0.014	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB1@160	14.79	11.71	0.015	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB81@40	14.91	11.83	0.015	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM QPSK_RB162@0	13.44	10.36	0.011	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 16 QAM_RB162@0	13.37	10.29	0.011	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 64 QAM_RB162@0	12.94	9.86	0.010	2	Pass
n41_60MHz_30kHz_2659.98MHz_CP-OFDM 256 QAM_RB162@0	10.01	6.93	0.005	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.30	13.22	0.021	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.46	13.38	0.022	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.49	13.41	0.022	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.13	13.05	0.020	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB1@1	16.47	13.39	0.022	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB1@187	16.52	13.44	0.022	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB90@45	16.51	13.43	0.022	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM QPSK_RB180@0	15.61	12.53	0.018	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM 16 QAM_RB180@0	14.53	11.45	0.014	2	Pass
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM 64 QAM_RB180@0	14.09	11.01	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_70MHz_30kHz_2531.01MHz_DFT-s-OFDM 256 QAM_RB180@0	12.11	9.03	0.008	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB1@1	14.83	11.75	0.015	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB1@187	14.91	11.83	0.015	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB95@47	15.09	12.01	0.016	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM QPSK_RB189@0	13.61	10.53	0.011	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM 16 QAM_RB189@0	13.61	10.53	0.011	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM 64 QAM_RB189@0	13.02	9.94	0.010	2	Pass
n41_70MHz_30kHz_2531.01MHz_CP-OFDM 256 QAM_RB189@0	10.19	7.11	0.005	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.28	0.021	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.51	13.43	0.022	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.63	13.55	0.023	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.05	12.97	0.020	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.30	0.021	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@187	16.61	13.53	0.023	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB90@45	16.52	13.44	0.022	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB180@0	15.61	12.53	0.018	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB180@0	14.68	11.60	0.014	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB180@0	14.05	10.97	0.013	2	Pass
n41_70MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB180@0	12.17	9.09	0.008	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.91	11.83	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@187	14.96	11.88	0.015	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB95@47	15.18	12.10	0.016	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB189@0	13.68	10.60	0.011	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB189@0	13.65	10.57	0.011	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB189@0	13.11	10.03	0.010	2	Pass
n41_70MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB189@0	10.11	7.03	0.005	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.37	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.56	13.48	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.57	13.49	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.11	13.03	0.020	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB1@1	16.57	13.49	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB1@187	16.52	13.44	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB90@45	16.56	13.48	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM QPSK_RB180@0	15.56	12.48	0.018	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM 16 QAM_RB180@0	14.60	11.52	0.014	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM 64 QAM_RB180@0	14.09	11.01	0.013	2	Pass
n41_70MHz_30kHz_2655MHz_DFT-s-OFDM 256 QAM_RB180@0	12.11	9.03	0.008	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB1@1	16.45	13.37	0.022	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB1@187	14.93	11.85	0.015	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB95@47	15.12	12.04	0.016	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_70MHz_30kHz_2655MHz_CP-OFDM QPSK_RB189@0	13.61	10.53	0.011	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM 16 QAM_RB189@0	13.59	10.51	0.011	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM 64 QAM_RB189@0	13.15	10.07	0.010	2	Pass
n41_70MHz_30kHz_2655MHz_CP-OFDM 256 QAM_RB189@0	10.07	6.99	0.005	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.33	0.022	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.38	13.30	0.021	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.57	13.49	0.022	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.05	12.97	0.020	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@1	16.38	13.30	0.021	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB1@215	16.52	13.44	0.022	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB108@54	16.60	13.52	0.022	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM QPSK_RB216@0	15.54	12.46	0.018	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 16 QAM_RB216@0	14.51	11.43	0.014	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 64 QAM_RB216@0	13.99	10.91	0.012	2	Pass
n41_80MHz_30kHz_2536.02MHz_DFT-s-OFDM 256 QAM_RB216@0	12.04	8.96	0.008	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@1	14.87	11.79	0.015	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB1@215	14.79	11.71	0.015	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB109@54	15.03	11.95	0.016	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM QPSK_RB217@0	13.49	10.41	0.011	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 16 QAM_RB217@0	13.51	10.43	0.011	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 64 QAM_RB217@0	13.08	10.00	0.010	2	Pass
n41_80MHz_30kHz_2536.02MHz_CP-OFDM 256 QAM_RB217@0	10.10	7.02	0.005	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.46	13.38	0.022	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.59	13.51	0.022	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.60	13.52	0.022	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.07	12.99	0.020	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.36	13.28	0.021	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@215	16.64	13.56	0.023	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB108@54	16.65	13.57	0.023	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB216@0	15.61	12.53	0.018	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB216@0	14.66	11.58	0.014	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB216@0	14.15	11.07	0.013	2	Pass
n41_80MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB216@0	12.16	9.08	0.008	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.93	11.85	0.015	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@215	15	11.92	0.016	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB109@54	15.15	12.07	0.016	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB217@0	13.63	10.55	0.011	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB217@0	13.62	10.54	0.011	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB217@0	13.11	10.03	0.010	2	Pass
n41_80MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB217@0	10.16	7.08	0.005	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.50	13.42	0.022	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.68	13.60	0.023	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.57	13.49	0.022	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.10	13.02	0.020	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@1	16.50	13.42	0.022	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB1@215	16.75	13.67	0.023	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB108@54	16.60	13.52	0.022	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM QPSK_RB216@0	15.63	12.55	0.018	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 16 QAM_RB216@0	14.65	11.57	0.014	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 64 QAM_RB216@0	14.27	11.19	0.013	2	Pass
n41_80MHz_30kHz_2649.99MHz_DFT-s-OFDM 256 QAM_RB216@0	12.22	9.14	0.008	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@1	15.12	12.04	0.016	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB1@215	15.13	12.05	0.016	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB109@54	15.13	12.05	0.016	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM QPSK_RB217@0	13.65	10.57	0.011	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 16 QAM_RB217@0	13.65	10.57	0.011	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 64 QAM_RB217@0	13.17	10.09	0.010	2	Pass
n41_80MHz_30kHz_2649.99MHz_CP-OFDM 256 QAM_RB217@0	10.19	7.11	0.005	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.38	13.30	0.021	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.46	13.38	0.022	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.58	13.50	0.022	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.08	13.00	0.020	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@1	16.44	13.36	0.022	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB1@243	16.47	13.39	0.022	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB120@60	16.68	13.60	0.023	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM QPSK_RB243@0	15.53	12.45	0.018	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 16 QAM_RB243@0	14.52	11.44	0.014	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 64 QAM_RB243@0	14.05	10.97	0.013	2	Pass
n41_90MHz_30kHz_2541MHz_DFT-s-OFDM 256 QAM_RB243@0	12.09	9.01	0.008	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@1	15.08	12.00	0.016	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB1@243	14.90	11.82	0.015	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB123@61	15.09	12.01	0.016	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM QPSK_RB245@0	13.46	10.38	0.011	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 16 QAM_RB245@0	13.54	10.46	0.011	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 64 QAM_RB245@0	13.04	9.96	0.010	2	Pass
n41_90MHz_30kHz_2541MHz_CP-OFDM 256 QAM_RB245@0	10.09	7.01	0.005	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.44	13.36	0.022	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.58	13.50	0.022	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.64	13.56	0.023	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.07	12.99	0.020	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.37	0.022	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@243	16.59	13.51	0.022	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB120@60	16.63	13.55	0.023	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB243@0	15.67	12.59	0.018	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB243@0	14.71	11.63	0.015	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB243@0	14.18	11.10	0.013	2	Pass
n41_90MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB243@0	12.17	9.09	0.008	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.77	11.69	0.015	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@243	15.17	12.09	0.016	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB123@61	15.13	12.05	0.016	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB245@0	13.68	10.60	0.011	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB245@0	13.61	10.53	0.011	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB245@0	13.14	10.06	0.010	2	Pass
n41_90MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB245@0	10.15	7.07	0.005	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.44	13.36	0.022	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.71	13.63	0.023	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.65	13.57	0.023	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.21	13.13	0.021	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@1	16.36	13.28	0.021	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB1@243	16.76	13.68	0.023	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB120@60	16.66	13.58	0.023	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM QPSK_RB243@0	15.77	12.69	0.019	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 16 QAM_RB243@0	14.74	11.66	0.015	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 64 QAM_RB243@0	14.28	11.20	0.013	2	Pass
n41_90MHz_30kHz_2644.98MHz_DFT-s-OFDM 256 QAM_RB243@0	12.28	9.20	0.008	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@1	15.11	12.03	0.016	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB1@243	15.12	12.04	0.016	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB123@61	15.16	12.08	0.016	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM QPSK_RB245@0	13.74	10.66	0.012	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 16 QAM_RB245@0	13.75	10.67	0.012	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 64 QAM_RB245@0	13.24	10.16	0.010	2	Pass
n41_90MHz_30kHz_2644.98MHz_CP-OFDM 256 QAM_RB245@0	10.24	7.16	0.005	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.41	13.33	0.022	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.32	13.24	0.021	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.47	13.39	0.022	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	15.85	12.77	0.019	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@1	16.46	13.38	0.022	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB1@271	16.32	13.24	0.021	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB135@67	16.56	13.48	0.022	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM QPSK_RB270@0	15.40	12.32	0.017	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 16 QAM_RB270@0	14.37	11.29	0.013	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 64 QAM_RB270@0	13.90	10.82	0.012	2	Pass
n41_100MHz_30kHz_2546.01MHz_DFT-s-OFDM 256 QAM_RB270@0	11.94	8.86	0.008	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@1	14.75	11.67	0.015	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB1@271	14.60	11.52	0.014	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB137@68	14.97	11.89	0.015	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM QPSK_RB273@0	13.41	10.33	0.011	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 16 QAM_RB273@0	13.38	10.30	0.011	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 64 QAM_RB273@0	12.94	9.86	0.010	2	Pass
n41_100MHz_30kHz_2546.01MHz_CP-OFDM 256 QAM_RB273@0	9.97	6.89	0.005	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.35	13.27	0.021	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.56	13.48	0.022	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.57	13.49	0.022	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.04	12.96	0.020	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@1	16.41	13.33	0.022	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB1@271	16.61	13.53	0.023	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB135@67	16.62	13.54	0.023	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM QPSK_RB270@0	15.60	12.52	0.018	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 16 QAM_RB270@0	14.67	11.59	0.014	2	Pass
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 64 QAM_RB270@0	14.17	11.09	0.013	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2592.99MHz_DFT-s-OFDM 256 QAM_RB270@0	12.15	9.07	0.008	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@1	14.92	11.84	0.015	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB1@271	14.89	11.81	0.015	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB137@68	15.11	12.03	0.016	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM QPSK_RB273@0	13.63	10.55	0.011	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 16 QAM_RB273@0	13.58	10.50	0.011	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 64 QAM_RB273@0	13.11	10.03	0.010	2	Pass
n41_100MHz_30kHz_2592.99MHz_CP-OFDM 256 QAM_RB273@0	10.10	7.02	0.005	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.44	13.36	0.022	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.65	13.57	0.023	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.53	13.45	0.022	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.14	13.06	0.020	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@1	16.53	13.45	0.022	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB1@271	16.68	13.60	0.023	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB135@67	16.57	13.49	0.022	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM QPSK_RB270@0	15.66	12.58	0.018	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 16 QAM_RB270@0	14.68	11.60	0.014	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 64 QAM_RB270@0	14.21	11.13	0.013	2	Pass
n41_100MHz_30kHz_2640MHz_DFT-s-OFDM 256 QAM_RB270@0	12.16	9.08	0.008	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@1	14.81	11.73	0.015	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB1@271	15.09	12.01	0.016	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB137@68	15.09	12.01	0.016	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM QPSK_RB273@0	13.67	10.59	0.011	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 16 QAM_RB273@0	13.60	10.52	0.011	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 64 QAM_RB273@0	13.16	10.08	0.010	2	Pass
n41_100MHz_30kHz_2640MHz_CP-OFDM 256 QAM_RB273@0	10.16	7.08	0.005	2	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -3.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n66

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.14	0.026	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.16	14.25	0.027	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.16	14.25	0.027	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.68	13.77	0.024	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@1	17.06	14.15	0.026	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB1@23	17.08	14.17	0.026	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB12@6	17.17	14.26	0.027	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM QPSK_RB25@0	16.17	13.26	0.021	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.21	12.30	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.81	11.90	0.015	1	Pass
n66_5MHz_15kHz_1712.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.70	9.79	0.010	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@1	15.45	12.54	0.018	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB1@23	15.45	12.54	0.018	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB13@6	15.64	12.73	0.019	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM QPSK_RB25@0	14.25	11.34	0.014	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 16 QAM_RB25@0	14.19	11.28	0.013	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 64 QAM_RB25@0	13.77	10.86	0.012	1	Pass
n66_5MHz_15kHz_1712.5MHz_CP-OFDM 256 QAM_RB25@0	10.66	7.75	0.006	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.20	14.29	0.027	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.29	14.38	0.027	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.31	14.40	0.028	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.81	13.90	0.025	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	17.26	14.35	0.027	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@23	17.17	14.26	0.027	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB12@6	17.30	14.39	0.027	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@0	16.33	13.42	0.022	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB25@0	15.26	12.35	0.017	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB25@0	14.83	11.92	0.016	1	Pass
n66_5MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB25@0	12.74	9.83	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.58	12.67	0.018	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@23	15.60	12.69	0.019	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB13@6	15.77	12.86	0.019	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM QPSK_RB25@0	14.29	11.38	0.014	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB25@0	14.26	11.35	0.014	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB25@0	13.88	10.97	0.013	1	Pass
n66_5MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB25@0	10.77	7.86	0.006	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.27	13.36	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@23	17.19	14.28	0.027	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.23	14.32	0.027	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@0	16.78	13.87	0.024	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@1	16.30	13.39	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB1@23	17.10	14.19	0.026	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB12@6	17.34	14.43	0.028	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM QPSK_RB25@0	16.29	13.38	0.022	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 16 QAM_RB25@0	15.30	12.39	0.017	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 64 QAM_RB25@0	14.84	11.93	0.016	1	Pass
n66_5MHz_15kHz_1777.5MHz_DFT-s-OFDM 256 QAM_RB25@0	12.74	9.83	0.010	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@1	15.57	12.66	0.018	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB1@23	15.55	12.64	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB13@6	15.76	12.85	0.019	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM QPSK_RB25@0	14.33	11.42	0.014	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 16 QAM_RB25@0	14.29	11.38	0.014	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 64 QAM_RB25@0	13.86	10.95	0.012	1	Pass
n66_5MHz_15kHz_1777.5MHz_CP-OFDM 256 QAM_RB25@0	10.77	7.86	0.006	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.14	14.23	0.026	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.26	14.35	0.027	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.22	14.31	0.027	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.70	13.79	0.024	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@1	16.25	13.34	0.022	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB1@50	17.19	14.28	0.027	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB25@12	17.19	14.28	0.027	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM QPSK_RB50@0	16.23	13.32	0.021	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 16 QAM_RB50@0	15.28	12.37	0.017	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 64 QAM_RB50@0	14.82	11.91	0.016	1	Pass
n66_10MHz_15kHz_1715MHz_DFT-s-OFDM 256 QAM_RB50@0	12.75	9.84	0.010	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@1	15.55	12.64	0.018	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB1@50	15.73	12.82	0.019	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB26@13	15.66	12.75	0.019	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM QPSK_RB52@0	14.25	11.34	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1715MHz_CP-OFDM 16 QAM_RB52@0	14.31	11.40	0.014	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 64 QAM_RB52@0	13.78	10.87	0.012	1	Pass
n66_10MHz_15kHz_1715MHz_CP-OFDM 256 QAM_RB52@0	10.77	7.86	0.006	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.35	0.027	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.36	14.45	0.028	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.21	14.30	0.027	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.76	13.85	0.024	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	17.24	14.33	0.027	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@50	17.30	14.39	0.027	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB25@12	17.13	14.22	0.026	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@0	16.29	13.38	0.022	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB50@0	15.27	12.36	0.017	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB50@0	14.78	11.87	0.015	1	Pass
n66_10MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB50@0	12.74	9.83	0.010	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.64	12.73	0.019	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@50	15.77	12.86	0.019	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB26@13	15.77	12.86	0.019	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM QPSK_RB52@0	14.30	11.39	0.014	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB52@0	14.32	11.41	0.014	1	Pass
n66_10MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB52@0	13.77	10.86	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_10MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB52@0	10.77	7.86	0.006	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.31	14.40	0.028	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@50	17.22	14.31	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.23	14.32	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.79	13.88	0.024	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@1	17.30	14.39	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB1@50	17.21	14.30	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB25@12	17.23	14.32	0.027	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM QPSK_RB50@0	16.34	13.43	0.022	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 16 QAM_RB50@0	15.35	12.44	0.018	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 64 QAM_RB50@0	14.87	11.96	0.016	1	Pass
n66_10MHz_15kHz_1775MHz_DFT-s-OFDM 256 QAM_RB50@0	12.85	9.94	0.010	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@1	15.77	12.86	0.019	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB1@50	15.66	12.75	0.019	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB26@13	15.74	12.83	0.019	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM QPSK_RB52@0	14.30	11.39	0.014	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 16 QAM_RB52@0	14.37	11.46	0.014	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 64 QAM_RB52@0	13.81	10.90	0.012	1	Pass
n66_10MHz_15kHz_1775MHz_CP-OFDM 256 QAM_RB52@0	10.82	7.91	0.006	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.16	14.25	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.28	14.37	0.027	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.26	14.35	0.027	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.74	13.83	0.024	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.23	0.026	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB1@77	17.29	14.38	0.027	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB36@18	17.20	14.29	0.027	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM QPSK_RB75@0	16.28	13.37	0.022	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.27	12.36	0.017	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.83	11.92	0.016	1	Pass
n66_15MHz_15kHz_1717.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.79	9.88	0.010	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@1	15.59	12.68	0.019	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB1@77	15.68	12.77	0.019	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB39@19	15.78	12.87	0.019	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM QPSK_RB79@0	14.31	11.40	0.014	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 16 QAM_RB79@0	14.30	11.39	0.014	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 64 QAM_RB79@0	13.85	10.94	0.012	1	Pass
n66_15MHz_15kHz_1717.5MHz_CP-OFDM 256 QAM_RB79@0	10.80	7.89	0.006	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.23	14.32	0.027	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.24	14.33	0.027	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.24	14.33	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.76	13.85	0.024	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	17.13	14.22	0.026	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@77	17.16	14.25	0.027	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB36@18	17.22	14.31	0.027	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB75@0	16.27	13.36	0.022	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB75@0	15.25	12.34	0.017	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB75@0	14.81	11.90	0.015	1	Pass
n66_15MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB75@0	12.74	9.83	0.010	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.65	12.74	0.019	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@77	15.67	12.76	0.019	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB39@19	15.74	12.83	0.019	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM QPSK_RB79@0	14.29	11.38	0.014	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB79@0	14.29	11.38	0.014	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB79@0	13.81	10.90	0.012	1	Pass
n66_15MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB79@0	10.77	7.86	0.006	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.27	14.36	0.027	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@77	17.18	14.27	0.027	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.25	14.34	0.027	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.75	13.84	0.024	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@1	17.20	14.29	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB1@77	17.15	14.24	0.027	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB36@18	17.20	14.29	0.027	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM QPSK_RB75@0	16.25	13.34	0.022	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 16 QAM_RB75@0	15.32	12.41	0.017	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 64 QAM_RB75@0	14.85	11.94	0.016	1	Pass
n66_15MHz_15kHz_1772.5MHz_DFT-s-OFDM 256 QAM_RB75@0	12.81	9.90	0.010	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@1	15.68	12.77	0.019	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB1@77	15.68	12.77	0.019	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB39@19	15.77	12.86	0.019	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM QPSK_RB79@0	14.34	11.43	0.014	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 16 QAM_RB79@0	14.31	11.40	0.014	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 64 QAM_RB79@0	13.87	10.96	0.012	1	Pass
n66_15MHz_15kHz_1772.5MHz_CP-OFDM 256 QAM_RB79@0	10.81	7.90	0.006	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.12	14.21	0.026	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.27	14.36	0.027	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.21	14.30	0.027	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.71	13.80	0.024	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.19	0.026	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB1@104	17.23	14.32	0.027	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB50@25	17.20	14.29	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM QPSK_RB100@0	16.24	13.33	0.022	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 16 QAM_RB100@0	15.30	12.39	0.017	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 64 QAM_RB100@0	14.81	11.90	0.015	1	Pass
n66_20MHz_15kHz_1720MHz_DFT-s-OFDM 256 QAM_RB100@0	12.81	9.90	0.010	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@1	15.59	12.68	0.019	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB1@104	15.66	12.75	0.019	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB53@26	15.75	12.84	0.019	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM QPSK_RB106@0	14.32	11.41	0.014	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 16 QAM_RB106@0	14.32	11.41	0.014	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 64 QAM_RB106@0	13.82	10.91	0.012	1	Pass
n66_20MHz_15kHz_1720MHz_CP-OFDM 256 QAM_RB106@0	10.78	7.87	0.006	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.27	14.36	0.027	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.31	14.40	0.028	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.28	14.37	0.027	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.77	13.86	0.024	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	17.25	14.34	0.027	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@104	17.22	14.31	0.027	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB50@25	17.23	14.32	0.027	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB100@0	16.29	13.38	0.022	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB100@0	15.24	12.33	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB100@0	14.78	11.87	0.015	1	Pass
n66_20MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB100@0	12.76	9.85	0.010	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	15.69	12.78	0.019	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@104	15.72	12.81	0.019	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB53@26	15.79	12.88	0.019	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM QPSK_RB106@0	14.34	11.43	0.014	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB106@0	14.28	11.37	0.014	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB106@0	13.81	10.90	0.012	1	Pass
n66_20MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB106@0	10.83	7.92	0.006	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.26	13.35	0.022	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.29	14.38	0.027	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.30	14.39	0.027	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.76	13.85	0.024	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@1	17.17	14.26	0.027	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB1@104	17.18	14.27	0.027	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB50@25	17.28	14.37	0.027	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM QPSK_RB100@0	16.28	13.37	0.022	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 16 QAM_RB100@0	15.32	12.41	0.017	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 64 QAM_RB100@0	14.87	11.96	0.016	1	Pass
n66_20MHz_15kHz_1770MHz_DFT-s-OFDM 256 QAM_RB100@0	12.86	9.95	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@1	15.65	12.74	0.019	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB1@104	15.66	12.75	0.019	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB53@26	15.79	12.88	0.019	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM QPSK_RB106@0	14.37	11.46	0.014	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 16 QAM_RB106@0	14.39	11.48	0.014	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 64 QAM_RB106@0	13.86	10.95	0.012	1	Pass
n66_20MHz_15kHz_1770MHz_CP-OFDM 256 QAM_RB106@0	10.87	7.96	0.006	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.04	19.13	0.082	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.76	14.85	0.031	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	22.25	19.34	0.086	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	21.36	18.45	0.070	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@1	21.34	18.43	0.070	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB1@131	19.67	16.76	0.047	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB64@32	21.14	18.23	0.067	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM QPSK_RB128@0	20.89	17.98	0.063	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 16 QAM_RB128@0	19.92	17.01	0.050	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 64 QAM_RB128@0	19.35	16.44	0.044	1	Pass
n66_25MHz_15kHz_1722.5MHz_DFT-s-OFDM 256 QAM_RB128@0	17.39	14.48	0.028	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@1	20.48	17.57	0.057	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB1@131	16.26	13.35	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB67@33	20.76	17.85	0.061	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM QPSK_RB133@0	18.73	15.82	0.038	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 16 QAM_RB133@0	18.69	15.78	0.038	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 64 QAM_RB133@0	18.22	15.31	0.034	1	Pass
n66_25MHz_15kHz_1722.5MHz_CP-OFDM 256 QAM_RB133@0	15.23	12.32	0.017	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	18.80	15.89	0.039	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.39	14.48	0.028	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.31	14.40	0.028	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.82	13.91	0.025	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.76	15.85	0.038	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@131	17.31	14.40	0.028	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB64@32	17.26	14.35	0.027	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB128@0	17.14	14.23	0.026	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB128@0	15.38	12.47	0.018	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB128@0	14.89	11.98	0.016	1	Pass
n66_25MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB128@0	12.86	9.95	0.010	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	17.15	14.24	0.027	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@131	15.74	12.83	0.019	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB67@33	15.78	12.87	0.019	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM QPSK_RB133@0	14.40	11.49	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB133@0	14.33	11.42	0.014	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB133@0	13.88	10.97	0.013	1	Pass
n66_25MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB133@0	10.83	7.92	0.006	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.35	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.23	14.32	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.31	14.40	0.028	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.77	13.86	0.024	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@1	17.19	14.28	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB1@131	17.23	14.32	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB64@32	17.26	14.35	0.027	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM QPSK_RB128@0	16.33	13.42	0.022	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 16 QAM_RB128@0	15.36	12.45	0.018	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 64 QAM_RB128@0	14.92	12.01	0.016	1	Pass
n66_25MHz_15kHz_1767.5MHz_DFT-s-OFDM 256 QAM_RB128@0	12.86	9.95	0.010	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@1	15.70	12.79	0.019	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB1@131	15.69	12.78	0.019	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB67@33	15.86	12.95	0.020	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM QPSK_RB133@0	14.41	11.50	0.014	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 16 QAM_RB133@0	14.34	11.43	0.014	1	Pass
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 64 QAM_RB133@0	13.85	10.94	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_25MHz_15kHz_1767.5MHz_CP-OFDM 256 QAM_RB133@0	10.85	7.94	0.006	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.15	19.24	0.084	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17.28	14.37	0.027	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	22.12	19.21	0.083	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	20.63	17.72	0.059	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@1	22.16	19.25	0.084	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB1@158	20.79	17.88	0.061	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB80@40	22.10	19.19	0.083	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM QPSK_RB160@0	21.34	18.43	0.070	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 16 QAM_RB160@0	19.05	16.14	0.041	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 64 QAM_RB160@0	18.54	15.63	0.037	1	Pass
n66_30MHz_15kHz_1725MHz_DFT-s-OFDM 256 QAM_RB160@0	16.58	13.67	0.023	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@1	20.65	17.74	0.059	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB1@158	15.75	12.84	0.019	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB80@40	20.72	17.81	0.060	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM QPSK_RB160@0	18.06	15.15	0.033	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 16 QAM_RB160@0	18.02	15.11	0.032	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 64 QAM_RB160@0	17.57	14.66	0.029	1	Pass
n66_30MHz_15kHz_1725MHz_CP-OFDM 256 QAM_RB160@0	14.58	11.67	0.015	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	21.36	18.45	0.070	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17.34	14.43	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.38	14.47	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	17.18	14.27	0.027	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	17.64	14.73	0.030	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@158	17.34	14.43	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB80@40	17.32	14.41	0.028	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB160@0	16.57	13.66	0.023	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB160@0	15.64	12.73	0.019	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB160@0	15.16	12.25	0.017	1	Pass
n66_30MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB160@0	13.15	10.24	0.011	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	19.73	16.82	0.048	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@158	15.88	12.97	0.020	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB80@40	15.85	12.94	0.020	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM QPSK_RB160@0	14.66	11.75	0.015	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB160@0	14.65	11.74	0.015	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB160@0	14.15	11.24	0.013	1	Pass
n66_30MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB160@0	11.15	8.24	0.007	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.31	14.40	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@158	17.40	14.49	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB80@40	17.46	14.55	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB160@0	16.95	14.04	0.025	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@1	17.32	14.41	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB1@158	17.33	14.42	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB80@40	17.43	14.52	0.028	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM QPSK_RB160@0	16.44	13.53	0.023	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 16 QAM_RB160@0	15.38	12.47	0.018	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 64 QAM_RB160@0	14.92	12.01	0.016	1	Pass
n66_30MHz_15kHz_1765MHz_DFT-s-OFDM 256 QAM_RB160@0	12.91	10.00	0.010	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@1	15.73	12.82	0.019	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB1@158	15.81	12.90	0.019	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB80@40	15.98	13.07	0.020	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM QPSK_RB160@0	14.38	11.47	0.014	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 16 QAM_RB160@0	14.38	11.47	0.014	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 64 QAM_RB160@0	13.95	11.04	0.013	1	Pass
n66_30MHz_15kHz_1765MHz_CP-OFDM 256 QAM_RB160@0	10.92	8.01	0.006	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.08	19.17	0.083	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	17.22	14.31	0.027	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	20.42	17.51	0.056	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	19.59	16.68	0.047	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@1	20.56	17.65	0.058	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB1@214	19.11	16.20	0.042	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB108@54	20.43	17.52	0.056	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM QPSK_RB216@0	19.13	16.22	0.042	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 16 QAM_RB216@0	18.04	15.13	0.033	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 64 QAM_RB216@0	17.56	14.65	0.029	1	Pass
n66_40MHz_15kHz_1730MHz_DFT-s-OFDM 256 QAM_RB216@0	15.54	12.63	0.018	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@1	20.54	17.63	0.058	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB1@214	15.82	12.91	0.020	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB108@54	18.96	16.05	0.040	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM QPSK_RB216@0	17.09	14.18	0.026	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 16 QAM_RB216@0	17.04	14.13	0.026	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 64 QAM_RB216@0	16.59	13.68	0.023	1	Pass
n66_40MHz_15kHz_1730MHz_CP-OFDM 256 QAM_RB216@0	13.60	10.69	0.012	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	22.24	19.33	0.086	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	17.48	14.57	0.029	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.41	14.50	0.028	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	17.75	14.84	0.030	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@1	18.34	15.43	0.035	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB1@214	17.39	14.48	0.028	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB108@54	17.40	14.49	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM QPSK_RB216@0	17.25	14.34	0.027	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 16 QAM_RB216@0	16.23	13.32	0.021	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 64 QAM_RB216@0	15.73	12.82	0.019	1	Pass
n66_40MHz_15kHz_1745MHz_DFT-s-OFDM 256 QAM_RB216@0	13.79	10.88	0.012	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@1	20.15	17.24	0.053	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB1@214	15.53	12.62	0.018	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB108@54	15.89	12.98	0.020	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM QPSK_RB216@0	15.27	12.36	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 16 QAM_RB216@0	15.25	12.34	0.017	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 64 QAM_RB216@0	14.76	11.85	0.015	1	Pass
n66_40MHz_15kHz_1745MHz_CP-OFDM 256 QAM_RB216@0	11.77	8.86	0.008	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.70	13.79	0.024	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@214	16.84	13.93	0.025	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.40	14.49	0.028	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.82	13.91	0.025	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@1	17.16	14.25	0.027	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB1@214	17.27	14.36	0.027	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB108@54	17.39	14.48	0.028	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM QPSK_RB216@0	16.37	13.46	0.022	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 16 QAM_RB216@0	15.37	12.46	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 64 QAM_RB216@0	14.88	11.97	0.016	1	Pass
n66_40MHz_15kHz_1760MHz_DFT-s-OFDM 256 QAM_RB216@0	12.87	9.96	0.010	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@1	15.62	12.71	0.019	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB1@214	15.70	12.79	0.019	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB108@54	15.93	13.02	0.020	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM QPSK_RB216@0	14.35	11.44	0.014	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 16 QAM_RB216@0	14.34	11.43	0.014	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 64 QAM_RB216@0	13.87	10.96	0.012	1	Pass
n66_40MHz_15kHz_1760MHz_CP-OFDM 256 QAM_RB216@0	10.85	7.94	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -2.91dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.32	0.027	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.04	14.30	0.027	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.01	14.27	0.027	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.57	13.83	0.024	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	17.04	14.30	0.027	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	17.06	14.32	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	17.02	14.28	0.027	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	15.96	13.22	0.021	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	15.10	12.36	0.017	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	14.61	11.87	0.015	1	Pass
n77_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	12.55	9.81	0.010	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	15.57	12.83	0.019	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	15.47	12.73	0.019	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	15.50	12.76	0.019	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	13.96	11.22	0.013	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	13.93	11.19	0.013	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	13.53	10.79	0.012	1	Pass
n77_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	10.54	7.80	0.006	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.11	14.37	0.027	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.10	14.36	0.027	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.08	14.34	0.027	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.63	13.89	0.024	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.11	14.37	0.027	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	17.08	14.34	0.027	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	17.04	14.30	0.027	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	16.02	13.28	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	15.20	12.46	0.018	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	14.67	11.93	0.016	1	Pass
n77_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	12.56	9.82	0.010	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.53	12.79	0.019	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	15.60	12.86	0.019	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	15.50	12.76	0.019	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	14.04	11.30	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	13.94	11.20	0.013	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	13.66	10.92	0.012	1	Pass
n77_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	10.57	7.83	0.006	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.02	14.28	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.03	14.29	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.65	13.91	0.025	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.36	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	17.04	14.30	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	17.12	14.38	0.027	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	16.11	13.37	0.022	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	15.15	12.41	0.017	1	Pass
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	14.61	11.87	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	12.55	9.81	0.010	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	15.64	12.90	0.019	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	15.53	12.79	0.019	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	15.52	12.78	0.019	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	14.01	11.27	0.013	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	14.06	11.32	0.014	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	13.56	10.82	0.012	1	Pass
n77_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	10.53	7.79	0.006	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.01	14.27	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.11	14.37	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.63	13.89	0.024	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.40	0.028	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	17.09	14.35	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	17.12	14.38	0.027	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	16.08	13.34	0.022	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.09	12.35	0.017	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.60	11.86	0.015	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.55	9.81	0.010	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	15.42	12.68	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	15.59	12.85	0.019	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	15.57	12.83	0.019	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	14.10	11.36	0.014	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	14.02	11.28	0.013	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	13.57	10.83	0.012	1	Pass
n77_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	10.59	7.85	0.006	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.09	14.35	0.027	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.15	14.41	0.028	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.60	13.86	0.024	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.09	14.35	0.027	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	17.16	14.42	0.028	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	17.14	14.40	0.028	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	16.09	13.35	0.022	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	15.08	12.34	0.017	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	14.61	11.87	0.015	1	Pass
n77_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	12.63	9.89	0.010	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.40	12.66	0.018	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	15.52	12.78	0.019	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	15.57	12.83	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	14.01	11.27	0.013	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	14.13	11.39	0.014	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	13.60	10.86	0.012	1	Pass
n77_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	10.66	7.92	0.006	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.12	14.38	0.027	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.12	14.38	0.027	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.22	14.48	0.028	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.64	13.90	0.025	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.36	0.027	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	17.17	14.43	0.028	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	17.24	14.50	0.028	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	16.21	13.47	0.022	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.26	12.52	0.018	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.71	11.97	0.016	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.65	9.91	0.010	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	15.52	12.78	0.019	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	15.56	12.82	0.019	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	15.63	12.89	0.019	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	14.14	11.40	0.014	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	14.16	11.42	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	13.75	11.01	0.013	1	Pass
n77_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	10.71	7.97	0.006	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.31	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.03	14.29	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.13	14.39	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.61	13.87	0.024	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.36	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	17.06	14.32	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	17.10	14.36	0.027	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	16.13	13.39	0.022	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	15.02	12.28	0.017	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	14.59	11.85	0.015	1	Pass
n77_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	12.53	9.79	0.010	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	15.44	12.70	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	15.46	12.72	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	15.58	12.84	0.019	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	13.97	11.23	0.013	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	14.09	11.35	0.014	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	13.54	10.80	0.012	1	Pass
n77_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	10.63	7.89	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.10	14.36	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.10	14.36	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.09	14.35	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.66	13.92	0.025	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.13	14.39	0.027	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	17.20	14.46	0.028	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	17.14	14.40	0.028	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	16.17	13.43	0.022	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	15.08	12.34	0.017	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	14.59	11.85	0.015	1	Pass
n77_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	12.57	9.83	0.010	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.44	12.70	0.019	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	15.51	12.77	0.019	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	15.62	12.88	0.019	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	13.97	11.23	0.013	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	14.05	11.31	0.014	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	13.61	10.87	0.012	1	Pass
n77_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	10.61	7.87	0.006	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.32	0.027	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.08	14.34	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.10	14.36	0.027	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.69	13.95	0.025	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	17.15	14.41	0.028	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	17.09	14.35	0.027	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	17.19	14.45	0.028	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	16.16	13.42	0.022	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	15.15	12.41	0.017	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	14.61	11.87	0.015	1	Pass
n77_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	12.62	9.88	0.010	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	15.47	12.73	0.019	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	15.52	12.78	0.019	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	15.65	12.91	0.020	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	14	11.26	0.013	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	14.16	11.42	0.014	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	13.59	10.85	0.012	1	Pass
n77_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	10.71	7.97	0.006	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.18	0.026	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.94	14.20	0.026	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	17.03	14.29	0.027	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.52	13.78	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.36	0.027	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@63	17.10	14.36	0.027	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB32@16	17.09	14.35	0.027	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB64@0	16.15	13.41	0.022	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.95	12.21	0.017	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.53	11.79	0.015	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.50	9.76	0.009	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@1	15.49	12.75	0.019	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@63	15.35	12.61	0.018	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB33@16	15.53	12.79	0.019	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB65@0	13.98	11.24	0.013	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM 16 QAM_RB65@0	14	11.26	0.013	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM 64 QAM_RB65@0	13.50	10.76	0.012	1	Pass
n77_1_25MHz_30kHz_3462.5MHz_CP-OFDM 256 QAM_RB65@0	10.51	7.77	0.006	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.98	14.24	0.027	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	17.02	14.28	0.027	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	17	14.26	0.027	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.55	13.81	0.024	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.96	14.22	0.026	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@63	17.08	14.34	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB32@16	17.10	14.36	0.027	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@0	16.17	13.43	0.022	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB64@0	14.91	12.17	0.016	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB64@0	14.50	11.76	0.015	1	Pass
n77_1_25MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB64@0	12.53	9.79	0.010	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.33	12.59	0.018	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@63	15.66	12.92	0.020	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB33@16	15.49	12.75	0.019	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB65@0	14.01	11.27	0.013	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB65@0	13.98	11.24	0.013	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB65@0	13.44	10.70	0.012	1	Pass
n77_1_25MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB65@0	10.50	7.76	0.006	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.93	14.19	0.026	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.97	14.23	0.026	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	17.06	14.32	0.027	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.52	13.78	0.024	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@63	17.05	14.31	0.027	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB32@16	17.07	14.33	0.027	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB64@0	16.15	13.41	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM 16 QAM_RB64@0	15.08	12.34	0.017	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.52	11.78	0.015	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.51	9.77	0.009	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@1	15.31	12.57	0.018	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@63	15.31	12.57	0.018	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB33@16	15.53	12.79	0.019	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB65@0	13.98	11.24	0.013	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM 16 QAM_RB65@0	13.98	11.24	0.013	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM 64 QAM_RB65@0	13.57	10.83	0.012	1	Pass
n77_1_25MHz_30kHz_3537.5MHz_CP-OFDM 256 QAM_RB65@0	10.56	7.82	0.006	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	14.17	0.026	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.92	14.18	0.026	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.99	14.25	0.027	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.48	13.74	0.024	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	17.16	14.42	0.028	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	16.97	14.23	0.026	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	16.93	14.19	0.026	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	15.98	13.24	0.021	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	14.99	12.25	0.017	1	Pass
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	14.46	11.72	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	12.43	9.69	0.009	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	15.35	12.61	0.018	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	15.24	12.50	0.018	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	15.48	12.74	0.019	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	13.98	11.24	0.013	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	13.97	11.23	0.013	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	13.43	10.69	0.012	1	Pass
n77_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	10.44	7.70	0.006	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.95	14.21	0.026	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.10	14.36	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.07	14.33	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.53	13.79	0.024	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.06	14.32	0.027	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	17.23	14.49	0.028	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	17.16	14.42	0.028	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	16.17	13.43	0.022	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	15.13	12.39	0.017	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	14.55	11.81	0.015	1	Pass
n77_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	12.49	9.75	0.009	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.46	12.72	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	15.56	12.82	0.019	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	15.53	12.79	0.019	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	14.04	11.30	0.013	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	14.02	11.28	0.013	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	13.51	10.77	0.012	1	Pass
n77_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	10.50	7.76	0.006	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.10	14.36	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.02	14.28	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.03	14.29	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.55	13.81	0.024	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	17.06	14.32	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	17.15	14.41	0.028	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	17.13	14.39	0.027	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	16.14	13.40	0.022	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	15.11	12.37	0.017	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	14.49	11.75	0.015	1	Pass
n77_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	12.45	9.71	0.009	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	15.47	12.73	0.019	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	15.38	12.64	0.018	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	15.52	12.78	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	14.01	11.27	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	14.04	11.30	0.013	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	13.49	10.75	0.012	1	Pass
n77_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	10.49	7.75	0.006	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.03	14.29	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.01	14.27	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.55	13.81	0.024	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	17.09	14.35	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	17.12	14.38	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	17.09	14.35	0.027	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	16.12	13.38	0.022	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	15.08	12.34	0.017	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	14.52	11.78	0.015	1	Pass
n77_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	12.45	9.71	0.009	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	15.37	12.63	0.018	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	15.39	12.65	0.018	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	15.52	12.78	0.019	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	13.98	11.24	0.013	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	13.97	11.23	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	13.49	10.75	0.012	1	Pass
n77_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	10.52	7.78	0.006	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	14.16	0.026	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.03	14.29	0.027	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.04	14.30	0.027	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.54	13.80	0.024	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.02	14.28	0.027	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	17.22	14.48	0.028	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	17.10	14.36	0.027	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	16	13.26	0.021	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	15.05	12.31	0.017	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	14.57	11.83	0.015	1	Pass
n77_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	12.47	9.73	0.009	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.35	12.61	0.018	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	15.46	12.72	0.019	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	15.52	12.78	0.019	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	13.98	11.24	0.013	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	14.06	11.32	0.014	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	13.50	10.76	0.012	1	Pass
n77_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	10.52	7.78	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.96	14.22	0.026	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17	14.26	0.027	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.05	14.31	0.027	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.56	13.82	0.024	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	17.05	14.31	0.027	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	17.15	14.41	0.028	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	16.09	13.35	0.022	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	15.04	12.30	0.017	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	14.60	11.86	0.015	1	Pass
n77_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	12.53	9.79	0.010	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	15.40	12.66	0.018	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	15.38	12.64	0.018	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	15.62	12.88	0.019	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	13.99	11.25	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	14.03	11.29	0.013	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	13.51	10.77	0.012	1	Pass
n77_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	10.55	7.81	0.006	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	14.16	0.026	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.89	14.15	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17	14.26	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.44	13.70	0.023	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	17.09	14.35	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	17.11	14.37	0.027	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	16.10	13.36	0.022	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	15.10	12.36	0.017	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	14.46	11.72	0.015	1	Pass
n77_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	12.45	9.71	0.009	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	15.29	12.55	0.018	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	15.24	12.50	0.018	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	15.44	12.70	0.019	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	13.88	11.14	0.013	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	13.90	11.16	0.013	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	13.41	10.67	0.012	1	Pass
n77_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	10.43	7.69	0.006	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	14.16	0.026	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.08	14.34	0.027	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.08	14.34	0.027	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.53	13.79	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.98	14.24	0.027	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	17.22	14.48	0.028	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	17.21	14.47	0.028	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	16.14	13.40	0.022	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	15.07	12.33	0.017	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	14.59	11.85	0.015	1	Pass
n77_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	12.49	9.75	0.009	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.36	12.62	0.018	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	15.72	12.98	0.020	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	15.56	12.82	0.019	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	14.01	11.27	0.013	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	14.02	11.28	0.013	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	13.50	10.76	0.012	1	Pass
n77_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	10.48	7.74	0.006	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	14.12	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.84	14.10	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.11	14.37	0.027	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.46	13.72	0.024	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	16.89	14.15	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	17.06	14.32	0.027	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	16.02	13.28	0.021	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	15.06	12.32	0.017	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	14.55	11.81	0.015	1	Pass
n77_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	12.48	9.74	0.009	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	15.24	12.50	0.018	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	15.52	12.78	0.019	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	13.95	11.21	0.013	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	13.98	11.24	0.013	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	13.46	10.72	0.012	1	Pass
n77_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	10.48	7.74	0.006	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	14.13	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.94	14.20	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.96	14.22	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.43	13.69	0.023	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	16.91	14.17	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	16.94	14.20	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	16.93	14.19	0.026	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	15.91	13.17	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	14.92	12.18	0.017	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	14.42	11.68	0.015	1	Pass
n77_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	12.43	9.69	0.009	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	15.28	12.54	0.018	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	15.32	12.58	0.018	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	15.42	12.68	0.019	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	13.90	11.16	0.013	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	13.93	11.19	0.013	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	13.40	10.66	0.012	1	Pass
n77_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	10.43	7.69	0.006	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	14.02	0.025	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.96	14.22	0.026	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.95	14.21	0.026	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.45	13.71	0.023	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	17.04	14.30	0.027	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	17.03	14.29	0.027	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	15.94	13.20	0.021	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	14.99	12.25	0.017	1	Pass
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	14.48	11.74	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	12.43	9.69	0.009	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.11	12.37	0.017	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	15.41	12.67	0.018	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	15.47	12.73	0.019	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	13.94	11.20	0.013	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	13.94	11.20	0.013	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	13.45	10.71	0.012	1	Pass
n77_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	10.47	7.73	0.006	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	14.03	0.025	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.94	14.20	0.026	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.99	14.25	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.46	13.72	0.024	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	16.81	14.07	0.026	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	17.02	14.28	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	17.09	14.35	0.027	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	15.97	13.23	0.021	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	14.97	12.23	0.017	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	14.46	11.72	0.015	1	Pass
n77_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	12.47	9.73	0.009	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	15.18	12.44	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	15.31	12.57	0.018	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	15.51	12.77	0.019	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	13.93	11.19	0.013	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	13.92	11.18	0.013	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	13.49	10.75	0.012	1	Pass
n77_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	10.46	7.72	0.006	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.17	14.43	0.028	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.12	14.38	0.027	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.15	14.41	0.028	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.65	13.91	0.025	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	17.06	14.32	0.027	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	17.21	14.47	0.028	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	17.21	14.47	0.028	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	16.15	13.41	0.022	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	15.12	12.38	0.017	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	14.67	11.93	0.016	1	Pass
n77_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	12.65	9.91	0.010	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	15.65	12.91	0.020	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	15.52	12.78	0.019	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	15.62	12.88	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	14.15	11.41	0.014	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	14.14	11.40	0.014	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	13.67	10.93	0.012	1	Pass
n77_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	10.66	7.92	0.006	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.35	14.61	0.029	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.25	14.51	0.028	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.22	14.48	0.028	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.69	13.95	0.025	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.15	14.41	0.028	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	17.19	14.45	0.028	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	17.16	14.42	0.028	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	16.22	13.48	0.022	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	15.23	12.49	0.018	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	14.73	11.99	0.016	1	Pass
n77_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	12.73	9.99	0.010	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.44	12.70	0.019	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	15.78	13.04	0.020	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	15.71	12.97	0.020	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	14.26	11.52	0.014	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	14.19	11.45	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	13.76	11.02	0.013	1	Pass
n77_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	10.69	7.95	0.006	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.20	14.46	0.028	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.09	14.35	0.027	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.19	14.45	0.028	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.68	13.94	0.025	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	17.17	14.43	0.028	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	17.25	14.51	0.028	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	16.15	13.41	0.022	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	15.25	12.51	0.018	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	14.64	11.90	0.015	1	Pass
n77_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	12.67	9.93	0.010	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	15.47	12.73	0.019	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	15.50	12.76	0.019	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	15.66	12.92	0.020	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	14.22	11.48	0.014	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	14.17	11.43	0.014	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	13.69	10.95	0.012	1	Pass
n77_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	10.67	7.93	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.18	14.44	0.028	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.24	14.50	0.028	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.21	14.47	0.028	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.67	13.93	0.025	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.40	0.028	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	17.30	14.56	0.029	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	17.17	14.43	0.028	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	16.17	13.43	0.022	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	15.20	12.46	0.018	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	14.74	12.00	0.016	1	Pass
n77_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	12.70	9.96	0.010	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	15.64	12.90	0.019	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	15.66	12.92	0.020	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	15.68	12.94	0.020	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	14.15	11.41	0.014	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	14.22	11.48	0.014	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	13.67	10.93	0.012	1	Pass
n77_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	10.71	7.97	0.006	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.13	14.39	0.027	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.26	14.52	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.20	14.46	0.028	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.69	13.95	0.025	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	17.31	14.57	0.029	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	17.19	14.45	0.028	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	16.20	13.46	0.022	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	15.22	12.48	0.018	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	14.76	12.02	0.016	1	Pass
n77_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	12.73	9.99	0.010	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.74	13.00	0.020	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	15.57	12.83	0.019	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	15.70	12.96	0.020	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	14.21	11.47	0.014	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	14.21	11.47	0.014	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	13.70	10.96	0.012	1	Pass
n77_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	10.75	8.01	0.006	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.23	14.49	0.028	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.21	14.47	0.028	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.71	13.97	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	17.33	14.59	0.029	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	17.22	14.48	0.028	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	16.22	13.48	0.022	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	15.25	12.51	0.018	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	14.75	12.01	0.016	1	Pass
n77_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	12.73	9.99	0.010	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	15.58	12.84	0.019	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	15.90	13.16	0.021	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	15.69	12.95	0.020	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	14.19	11.45	0.014	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	14.16	11.42	0.014	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	13.72	10.98	0.013	1	Pass
n77_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	10.70	7.96	0.006	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.16	14.42	0.028	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.14	14.40	0.028	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.10	14.36	0.027	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.64	13.90	0.025	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.40	0.028	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	17.18	14.44	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	17.12	14.38	0.027	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	16.13	13.39	0.022	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	15.18	12.44	0.018	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	14.68	11.94	0.016	1	Pass
n77_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	12.67	9.93	0.010	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	15.50	12.76	0.019	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	15.55	12.81	0.019	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	15.63	12.89	0.019	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	14.07	11.33	0.014	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	14.07	11.33	0.014	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	13.63	10.89	0.012	1	Pass
n77_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	10.63	7.89	0.006	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.31	0.027	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.23	14.49	0.028	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.18	14.44	0.028	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.74	14.00	0.025	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.38	0.027	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	17.26	14.52	0.028	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	17.21	14.47	0.028	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	16.21	13.47	0.022	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	15.26	12.52	0.018	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	14.74	12.00	0.016	1	Pass
n77_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	12.75	10.01	0.010	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.74	13.00	0.020	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	15.68	12.94	0.020	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	15.70	12.96	0.020	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	14.19	11.45	0.014	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	14.20	11.46	0.014	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	13.70	10.96	0.012	1	Pass
n77_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	10.72	7.98	0.006	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.11	14.37	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.11	14.37	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.64	13.90	0.025	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	17.07	14.33	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	17.15	14.41	0.028	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	17.13	14.39	0.027	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	16.17	13.43	0.022	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	15.17	12.43	0.017	1	Pass
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	14.68	11.94	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	12.67	9.93	0.010	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	15.64	12.90	0.019	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	15.68	12.94	0.020	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	15.60	12.86	0.019	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	14.11	11.37	0.014	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	14.14	11.40	0.014	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	13.69	10.95	0.012	1	Pass
n77_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	10.69	7.95	0.006	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.04	14.30	0.027	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.23	14.49	0.028	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.09	14.35	0.027	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.66	13.92	0.025	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	17.36	14.62	0.029	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	17.33	14.59	0.029	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	16.31	13.57	0.023	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	15.33	12.59	0.018	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	14.70	11.96	0.016	1	Pass
n77_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	12.68	9.94	0.010	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.44	12.70	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	15.58	12.84	0.019	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	15.65	12.91	0.020	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	14.17	11.43	0.014	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	14.18	11.44	0.014	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	13.69	10.95	0.012	1	Pass
n77_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	10.68	7.94	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -2.74dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n77_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.58	13.84	0.024	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.67	13.93	0.025	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.68	13.94	0.025	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.21	13.47	0.022	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	16.63	13.89	0.024	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	16.69	13.95	0.025	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	16.69	13.95	0.025	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	15.65	12.91	0.020	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	14.83	12.09	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	14.26	11.52	0.014	1	Pass
n77_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	12.08	9.34	0.009	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	15	12.26	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	15.05	12.31	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	15.10	12.36	0.017	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	13.58	10.84	0.012	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	13.61	10.87	0.012	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	13.28	10.54	0.011	1	Pass
n77_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	10.11	7.37	0.005	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.45	13.71	0.023	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.47	13.73	0.024	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.36	13.62	0.023	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.04	13.30	0.021	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.71	0.023	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@22	16.48	13.74	0.024	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB12@6	16.61	13.87	0.024	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB24@0	15.47	12.73	0.019	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB24@0	14.55	11.81	0.015	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB24@0	14.05	11.31	0.014	1	Pass
n77_3_10MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB24@0	11.91	9.17	0.008	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.90	12.16	0.016	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@22	14.98	12.24	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB12@6	14.94	12.20	0.017	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM QPSK_RB24@0	13.31	10.57	0.011	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB24@0	13.41	10.67	0.012	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB24@0	13.02	10.28	0.011	1	Pass
n77_3_10MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB24@0	9.95	7.21	0.005	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.59	13.85	0.024	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.63	13.89	0.024	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.64	13.90	0.025	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.15	13.41	0.022	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@1	16.64	13.90	0.025	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB1@22	16.63	13.89	0.024	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB12@6	16.70	13.96	0.025	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM QPSK_RB24@0	15.64	12.90	0.019	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 16 QAM_RB24@0	14.63	11.89	0.015	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 64 QAM_RB24@0	14.29	11.55	0.014	1	Pass
n77_3_10MHz_30kHz_3975MHz_DFT-s-OFDM 256 QAM_RB24@0	12.14	9.40	0.009	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@1	15.17	12.43	0.017	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB1@22	15.01	12.27	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB12@6	15.04	12.30	0.017	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM QPSK_RB24@0	13.66	10.92	0.012	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 16 QAM_RB24@0	13.53	10.79	0.012	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 64 QAM_RB24@0	13.31	10.57	0.011	1	Pass
n77_3_10MHz_30kHz_3975MHz_CP-OFDM 256 QAM_RB24@0	10.09	7.35	0.005	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	14.06	0.025	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.72	13.98	0.025	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.71	13.97	0.025	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.22	13.48	0.022	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	16.88	14.14	0.026	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	16.90	14.16	0.026	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	16.91	14.17	0.026	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	15.83	13.09	0.020	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.70	11.96	0.016	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.24	11.50	0.014	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.19	9.45	0.009	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	15.09	12.35	0.017	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	15.15	12.41	0.017	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	13.58	10.84	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	13.74	11.00	0.013	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	13.29	10.55	0.011	1	Pass
n77_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	10.29	7.55	0.006	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.50	13.76	0.024	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.44	13.70	0.023	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.51	13.77	0.024	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16	13.26	0.021	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.44	13.70	0.023	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@36	16.50	13.76	0.024	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB18@9	16.60	13.86	0.024	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@0	15.50	12.76	0.019	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB36@0	14.44	11.70	0.015	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB36@0	14.07	11.33	0.014	1	Pass
n77_3_15MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB36@0	12	9.26	0.008	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.01	12.27	0.017	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@36	14.88	12.14	0.016	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB19@9	14.91	12.17	0.016	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM QPSK_RB38@0	13.42	10.68	0.012	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB38@0	13.49	10.75	0.012	1	Pass
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB38@0	13.01	10.27	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_15MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB38@0	10.07	7.33	0.005	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.75	14.01	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.77	14.03	0.025	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.29	13.55	0.023	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@1	16.88	14.14	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB1@36	16.93	14.19	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB18@9	16.95	14.21	0.026	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM QPSK_RB36@0	15.97	13.23	0.021	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.70	11.96	0.016	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.21	11.47	0.014	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.21	9.47	0.009	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@1	15.28	12.54	0.018	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB1@36	15.13	12.39	0.017	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB19@9	15.25	12.51	0.018	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM QPSK_RB38@0	13.71	10.97	0.013	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 16 QAM_RB38@0	13.79	11.05	0.013	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 64 QAM_RB38@0	13.31	10.57	0.011	1	Pass
n77_3_15MHz_30kHz_3972.5MHz_CP-OFDM 256 QAM_RB38@0	10.35	7.61	0.006	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.77	14.03	0.025	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.72	13.98	0.025	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.29	13.55	0.023	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.91	0.025	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	16.75	14.01	0.025	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	16.82	14.08	0.026	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	15.80	13.06	0.020	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	14.79	12.05	0.016	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	14.31	11.57	0.014	1	Pass
n77_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	12.27	9.53	0.009	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	15.16	12.42	0.017	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	15.23	12.49	0.018	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	15.33	12.59	0.018	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	13.67	10.93	0.012	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	13.79	11.05	0.013	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	13.26	10.52	0.011	1	Pass
n77_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	10.35	7.61	0.006	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.52	13.78	0.024	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.57	13.83	0.024	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.63	13.89	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.05	13.31	0.021	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.68	0.023	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@49	16.61	13.87	0.024	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB25@12	16.56	13.82	0.024	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@0	15.54	12.80	0.019	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB50@0	14.50	11.76	0.015	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB50@0	14.01	11.27	0.013	1	Pass
n77_3_20MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB50@0	12.02	9.28	0.008	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.88	12.14	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@49	14.89	12.15	0.016	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB25@12	15.04	12.30	0.017	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM QPSK_RB51@0	13.40	10.66	0.012	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB51@0	13.55	10.81	0.012	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB51@0	13.07	10.33	0.011	1	Pass
n77_3_20MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB51@0	10.09	7.35	0.005	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.71	13.97	0.025	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.73	13.99	0.025	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.79	14.05	0.025	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.27	13.53	0.023	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@1	16.89	14.15	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB1@49	16.93	14.19	0.026	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB25@12	16.98	14.24	0.027	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM QPSK_RB50@0	15.96	13.22	0.021	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 16 QAM_RB50@0	14.82	12.08	0.016	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 64 QAM_RB50@0	14.14	11.40	0.014	1	Pass
n77_3_20MHz_30kHz_3970MHz_DFT-s-OFDM 256 QAM_RB50@0	12.19	9.45	0.009	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@1	15.10	12.36	0.017	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB1@49	15.13	12.39	0.017	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB25@12	15.26	12.52	0.018	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM QPSK_RB51@0	13.58	10.84	0.012	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 16 QAM_RB51@0	13.68	10.94	0.012	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 64 QAM_RB51@0	13.21	10.47	0.011	1	Pass
n77_3_20MHz_30kHz_3970MHz_CP-OFDM 256 QAM_RB51@0	10.30	7.56	0.006	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.75	14.01	0.025	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.68	13.94	0.025	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.72	13.98	0.025	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.19	13.45	0.022	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@1	16.75	14.01	0.025	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@63	16.84	14.10	0.026	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB32@16	16.85	14.11	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB64@0	15.87	13.13	0.021	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.73	11.99	0.016	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.24	11.50	0.014	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.18	9.44	0.009	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB1@1	15.21	12.47	0.018	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB1@63	15.06	12.32	0.017	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB33@16	15.17	12.43	0.017	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB65@0	13.70	10.96	0.012	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM 16 QAM_RB65@0	13.69	10.95	0.012	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM 64 QAM_RB65@0	13.21	10.47	0.011	1	Pass
n77_3_25MHz_30kHz_3712.5MHz_CP-OFDM 256 QAM_RB65@0	10.22	7.48	0.006	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.41	13.67	0.023	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.40	13.66	0.023	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	15.93	13.19	0.021	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.45	13.71	0.023	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@63	16.61	13.87	0.024	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB32@16	16.55	13.81	0.024	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@0	15.57	12.83	0.019	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB64@0	14.48	11.74	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB64@0	13.92	11.18	0.013	1	Pass
n77_3_25MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB64@0	11.90	9.16	0.008	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.77	12.03	0.016	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@63	14.82	12.08	0.016	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM QPSK_RB33@16	14.99	12.25	0.017	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM QPSK_RB65@0	13.36	10.62	0.012	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB65@0	13.37	10.63	0.012	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB65@0	12.86	10.12	0.010	1	Pass
n77_3_25MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB65@0	9.93	7.19	0.005	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.64	13.90	0.025	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.62	13.88	0.024	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.56	13.82	0.024	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.15	13.41	0.022	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.91	0.025	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM QPSK_RB1@63	16.73	13.99	0.025	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM QPSK_RB32@16	16.74	14.00	0.025	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM QPSK_RB64@0	15.74	13.00	0.020	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.68	11.94	0.016	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.14	11.40	0.014	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.08	9.34	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM QPSK_RB1@1	14.94	12.20	0.017	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM QPSK_RB1@63	14.94	12.20	0.017	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM QPSK_RB33@16	15.07	12.33	0.017	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM QPSK_RB65@0	13.57	10.83	0.012	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM 16 QAM_RB65@0	13.62	10.88	0.012	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM 64 QAM_RB65@0	13.03	10.29	0.011	1	Pass
n77_3_25MHz_30kHz_3967.5MHz_CP-OFDM 256 QAM_RB65@0	10.12	7.38	0.005	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.18	11.44	0.014	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.62	13.88	0.024	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.67	13.93	0.025	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.15	13.41	0.022	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	16.75	14.01	0.025	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	16.77	14.03	0.025	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	16.78	14.04	0.025	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	15.58	12.84	0.019	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	14.65	11.91	0.016	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	14.14	11.40	0.014	1	Pass
n77_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	12.07	9.33	0.009	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	15	12.26	0.017	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	15.07	12.33	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	15.19	12.45	0.018	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	13.69	10.95	0.012	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	13.60	10.86	0.012	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	13.11	10.37	0.011	1	Pass
n77_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	10.13	7.39	0.005	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.39	13.65	0.023	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.39	13.65	0.023	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.52	13.78	0.024	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	15.97	13.23	0.021	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.37	13.63	0.023	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@76	16.47	13.73	0.024	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB36@18	16.47	13.73	0.024	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB75@0	15.47	12.73	0.019	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB75@0	14.53	11.79	0.015	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB75@0	13.99	11.25	0.013	1	Pass
n77_3_30MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB75@0	11.89	9.15	0.008	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.83	12.09	0.016	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@76	14.92	12.18	0.017	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB39@19	15	12.26	0.017	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM QPSK_RB78@0	13.46	10.72	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB78@0	13.47	10.73	0.012	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB78@0	12.93	10.19	0.010	1	Pass
n77_3_30MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB78@0	9.94	7.20	0.005	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.69	13.95	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.70	13.96	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.79	14.05	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.25	13.51	0.022	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@1	16.71	13.97	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB1@76	16.81	14.07	0.026	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB36@18	16.73	13.99	0.025	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM QPSK_RB75@0	15.75	13.01	0.020	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 16 QAM_RB75@0	14.74	12.00	0.016	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 64 QAM_RB75@0	14.31	11.57	0.014	1	Pass
n77_3_30MHz_30kHz_3965MHz_DFT-s-OFDM 256 QAM_RB75@0	12.21	9.47	0.009	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@1	15.33	12.59	0.018	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB1@76	15.16	12.42	0.017	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB39@19	15.26	12.52	0.018	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM QPSK_RB78@0	13.76	11.02	0.013	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 16 QAM_RB78@0	13.77	11.03	0.013	1	Pass
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 64 QAM_RB78@0	13.27	10.53	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_30MHz_30kHz_3965MHz_CP-OFDM 256 QAM_RB78@0	10.22	7.48	0.006	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.99	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.70	13.96	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.73	13.99	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.25	13.51	0.022	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	16.68	13.94	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	16.70	13.96	0.025	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	16.85	14.11	0.026	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	15.69	12.95	0.020	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	14.78	12.04	0.016	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	14.21	11.47	0.014	1	Pass
n77_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	12.16	9.42	0.009	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	15	12.26	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	15.16	12.42	0.017	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	15.22	12.48	0.018	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	13.66	10.92	0.012	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	13.74	11.00	0.013	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	13.21	10.47	0.011	1	Pass
n77_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	10.21	7.47	0.006	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.36	13.62	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.45	13.71	0.023	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.46	13.72	0.024	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	15.98	13.24	0.021	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.55	13.81	0.024	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@104	16.67	13.93	0.025	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB50@25	16.59	13.85	0.024	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB100@0	15.57	12.83	0.019	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB100@0	14.46	11.72	0.015	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB100@0	13.93	11.19	0.013	1	Pass
n77_3_40MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB100@0	11.90	9.16	0.008	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.97	12.23	0.017	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@104	14.84	12.10	0.016	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB53@26	14.97	12.23	0.017	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM QPSK_RB106@0	13.39	10.65	0.012	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB106@0	13.45	10.71	0.012	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB106@0	12.89	10.15	0.010	1	Pass
n77_3_40MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB106@0	9.95	7.21	0.005	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.60	13.86	0.024	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.66	13.92	0.025	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.69	13.95	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.22	13.48	0.022	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@1	16.74	14.00	0.025	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB1@104	16.90	14.16	0.026	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB50@25	16.80	14.06	0.025	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM QPSK_RB100@0	15.83	13.09	0.020	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 16 QAM_RB100@0	14.88	12.14	0.016	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 64 QAM_RB100@0	14.23	11.49	0.014	1	Pass
n77_3_40MHz_30kHz_3960MHz_DFT-s-OFDM 256 QAM_RB100@0	12.08	9.34	0.009	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@1	14.99	12.25	0.017	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB1@104	15.06	12.32	0.017	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB53@26	15.19	12.45	0.018	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM QPSK_RB106@0	13.69	10.95	0.012	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 16 QAM_RB106@0	13.65	10.91	0.012	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 64 QAM_RB106@0	13.15	10.41	0.011	1	Pass
n77_3_40MHz_30kHz_3960MHz_CP-OFDM 256 QAM_RB106@0	10.13	7.39	0.005	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.50	13.76	0.024	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.72	13.98	0.025	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.83	14.09	0.026	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.28	13.54	0.023	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	16.53	13.79	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	16.58	13.84	0.024	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	16.68	13.94	0.025	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	15.69	12.95	0.020	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	14.68	11.94	0.016	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	14.23	11.49	0.014	1	Pass
n77_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	12.14	9.40	0.009	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	15.12	12.38	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	14.97	12.23	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	15.15	12.41	0.017	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	13.62	10.88	0.012	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	13.63	10.89	0.012	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	13.12	10.38	0.011	1	Pass
n77_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	10.16	7.42	0.006	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.31	13.57	0.023	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.47	13.73	0.024	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.55	13.81	0.024	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	15.96	13.22	0.021	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.77	0.024	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@131	16.64	13.90	0.025	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB64@32	16.67	13.93	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB128@0	15.57	12.83	0.019	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB128@0	14.43	11.69	0.015	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB128@0	13.95	11.21	0.013	1	Pass
n77_3_50MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB128@0	11.85	9.11	0.008	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.64	11.90	0.015	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@131	14.84	12.10	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB67@33	14.90	12.16	0.016	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM QPSK_RB133@0	13.36	10.62	0.012	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB133@0	13.38	10.64	0.012	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB133@0	12.90	10.16	0.010	1	Pass
n77_3_50MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB133@0	9.91	7.17	0.005	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.56	13.82	0.024	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.69	13.95	0.025	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.78	14.04	0.025	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.26	13.52	0.022	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@1	16.75	14.01	0.025	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB1@131	16.87	14.13	0.026	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB64@32	16.87	14.13	0.026	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM QPSK_RB128@0	15.90	13.16	0.021	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 16 QAM_RB128@0	14.92	12.18	0.017	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 64 QAM_RB128@0	14.18	11.44	0.014	1	Pass
n77_3_50MHz_30kHz_3955MHz_DFT-s-OFDM 256 QAM_RB128@0	12.17	9.43	0.009	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@1	14.93	12.19	0.017	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB1@131	15.05	12.31	0.017	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB67@33	15.20	12.46	0.018	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM QPSK_RB133@0	13.62	10.88	0.012	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 16 QAM_RB133@0	13.70	10.96	0.012	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 64 QAM_RB133@0	13.15	10.41	0.011	1	Pass
n77_3_50MHz_30kHz_3955MHz_CP-OFDM 256 QAM_RB133@0	10.20	7.46	0.006	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.64	13.90	0.025	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.51	13.77	0.024	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.79	14.05	0.025	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.08	13.34	0.022	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	16.42	13.68	0.023	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	16.53	13.79	0.024	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	16.76	14.02	0.025	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	15.60	12.86	0.019	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	14.65	11.91	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	14.09	11.35	0.014	1	Pass
n77_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	12.13	9.39	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	14.90	12.16	0.016	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	14.98	12.24	0.017	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	15.16	12.42	0.017	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	13.60	10.86	0.012	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	13.59	10.85	0.012	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	13.09	10.35	0.011	1	Pass
n77_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	10.15	7.41	0.006	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.21	13.47	0.022	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.41	13.67	0.023	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.41	13.67	0.023	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	15.88	13.14	0.021	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.22	13.48	0.022	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@160	16.43	13.69	0.023	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB81@40	16.48	13.74	0.024	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB162@0	15.37	12.63	0.018	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB162@0	14.38	11.64	0.015	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB162@0	13.92	11.18	0.013	1	Pass
n77_3_60MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB162@0	11.88	9.14	0.008	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.65	11.91	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@160	14.91	12.17	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB81@40	14.91	12.17	0.016	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM QPSK_RB162@0	13.36	10.62	0.012	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB162@0	13.38	10.64	0.012	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB162@0	12.89	10.15	0.010	1	Pass
n77_3_60MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB162@0	9.88	7.14	0.005	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.47	13.73	0.024	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.63	13.89	0.024	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.64	13.90	0.025	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.10	13.36	0.022	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.77	0.024	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB1@160	16.58	13.84	0.024	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB81@40	16.77	14.03	0.025	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM QPSK_RB162@0	15.58	12.84	0.019	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 16 QAM_RB162@0	14.59	11.85	0.015	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 64 QAM_RB162@0	14.11	11.37	0.014	1	Pass
n77_3_60MHz_30kHz_3950MHz_DFT-s-OFDM 256 QAM_RB162@0	12.10	9.36	0.009	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@1	14.88	12.14	0.016	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB1@160	14.97	12.23	0.017	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB81@40	15.11	12.37	0.017	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM QPSK_RB162@0	13.58	10.84	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 16 QAM_RB162@0	13.59	10.85	0.012	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 64 QAM_RB162@0	13.08	10.34	0.011	1	Pass
n77_3_60MHz_30kHz_3950MHz_CP-OFDM 256 QAM_RB162@0	10.10	7.36	0.005	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.74	14.00	0.025	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.67	13.93	0.025	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.81	14.07	0.026	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.34	13.60	0.023	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	16.75	14.01	0.025	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	16.83	14.09	0.026	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	15.87	13.13	0.021	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	14.84	12.10	0.016	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	14.34	11.60	0.014	1	Pass
n77_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	12.34	9.60	0.009	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	15.31	12.57	0.018	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	15.17	12.43	0.017	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	15.38	12.64	0.018	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	13.85	11.11	0.013	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	13.83	11.09	0.013	1	Pass
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	13.34	10.60	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	10.29	7.55	0.006	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	14.06	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.75	14.01	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.66	13.92	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.15	13.41	0.022	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.57	13.83	0.024	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@187	16.69	13.95	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB90@45	16.65	13.91	0.025	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB180@0	15.68	12.94	0.020	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB180@0	14.68	11.94	0.016	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB180@0	14.17	11.43	0.014	1	Pass
n77_3_70MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB180@0	12.13	9.39	0.009	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.93	12.19	0.017	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@187	15.14	12.40	0.017	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB95@47	15.20	12.46	0.018	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM QPSK_RB189@0	13.66	10.92	0.012	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB189@0	13.67	10.93	0.012	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB189@0	13.14	10.40	0.011	1	Pass
n77_3_70MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB189@0	10.17	7.43	0.006	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.87	14.13	0.026	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.83	14.09	0.026	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.33	13.59	0.023	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@1	16.76	14.02	0.025	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB1@187	16.84	14.10	0.026	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB90@45	16.76	14.02	0.025	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM QPSK_RB180@0	15.82	13.08	0.020	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 16 QAM_RB180@0	14.84	12.10	0.016	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 64 QAM_RB180@0	14.34	11.60	0.014	1	Pass
n77_3_70MHz_30kHz_3945MHz_DFT-s-OFDM 256 QAM_RB180@0	12.34	9.60	0.009	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@1	15.17	12.43	0.017	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB1@187	15.26	12.52	0.018	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB95@47	15.30	12.56	0.018	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM QPSK_RB189@0	13.85	11.11	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 16 QAM_RB189@0	13.83	11.09	0.013	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 64 QAM_RB189@0	13.35	10.61	0.012	1	Pass
n77_3_70MHz_30kHz_3945MHz_CP-OFDM 256 QAM_RB189@0	10.32	7.58	0.006	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	14.06	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.71	13.97	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.92	14.18	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.35	13.61	0.023	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	16.80	14.06	0.025	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	16.89	14.15	0.026	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	15.89	13.15	0.021	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	14.85	12.11	0.016	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	14.41	11.67	0.015	1	Pass
n77_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	12.39	9.65	0.009	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	15.43	12.69	0.019	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	15.12	12.38	0.017	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	15.42	12.68	0.019	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	13.85	11.11	0.013	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	13.88	11.14	0.013	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	13.35	10.61	0.012	1	Pass
n77_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	10.39	7.65	0.006	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.56	13.82	0.024	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.69	13.95	0.025	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.64	13.90	0.025	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.19	13.45	0.022	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.68	13.94	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@215	16.75	14.01	0.025	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB108@54	16.63	13.89	0.024	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB216@0	15.63	12.89	0.019	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB216@0	14.62	11.88	0.015	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB216@0	14.18	11.44	0.014	1	Pass
n77_3_80MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB216@0	12.13	9.39	0.009	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15	12.26	0.017	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@215	15.10	12.36	0.017	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB109@54	15.13	12.39	0.017	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM QPSK_RB217@0	13.63	10.89	0.012	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB217@0	13.65	10.91	0.012	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB217@0	13.19	10.45	0.011	1	Pass
n77_3_80MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB217@0	10.15	7.41	0.006	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	16.86	14.12	0.026	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.89	14.15	0.026	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.34	13.60	0.023	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@1	16.75	14.01	0.025	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB1@215	16.93	14.19	0.026	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB108@54	16.87	14.13	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM QPSK_RB216@0	15.86	13.12	0.021	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 16 QAM_RB216@0	14.86	12.12	0.016	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 64 QAM_RB216@0	14.38	11.64	0.015	1	Pass
n77_3_80MHz_30kHz_3940MHz_DFT-s-OFDM 256 QAM_RB216@0	12.36	9.62	0.009	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@1	15.11	12.37	0.017	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB1@215	15.29	12.55	0.018	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB109@54	15.35	12.61	0.018	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM QPSK_RB217@0	13.84	11.10	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 16 QAM_RB217@0	13.83	11.09	0.013	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 64 QAM_RB217@0	13.36	10.62	0.012	1	Pass
n77_3_80MHz_30kHz_3940MHz_CP-OFDM 256 QAM_RB217@0	10.35	7.61	0.006	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.75	14.01	0.025	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.62	13.88	0.024	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.79	14.05	0.025	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.30	13.56	0.023	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	16.72	13.98	0.025	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	16.70	13.96	0.025	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	16.78	14.04	0.025	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	15.81	13.07	0.020	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	14.81	12.07	0.016	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	14.31	11.57	0.014	1	Pass
n77_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	12.33	9.59	0.009	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	15.37	12.63	0.018	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	15.09	12.35	0.017	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	15.28	12.54	0.018	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	13.76	11.02	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	13.82	11.08	0.013	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	13.29	10.55	0.011	1	Pass
n77_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	10.30	7.56	0.006	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.50	13.76	0.024	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.66	13.92	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.62	13.88	0.024	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.14	13.40	0.022	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.51	13.77	0.024	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@243	16.76	14.02	0.025	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB120@60	16.61	13.87	0.024	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB243@0	15.65	12.91	0.020	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB243@0	14.71	11.97	0.016	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB243@0	14.23	11.49	0.014	1	Pass
n77_3_90MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB243@0	12.17	9.43	0.009	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	14.92	12.18	0.017	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@243	15.28	12.54	0.018	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB123@61	15.15	12.41	0.017	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM QPSK_RB245@0	13.61	10.87	0.012	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB245@0	13.62	10.88	0.012	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB245@0	13.17	10.43	0.011	1	Pass
n77_3_90MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB245@0	10.17	7.43	0.006	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	14.13	0.026	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.90	14.16	0.026	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.91	14.17	0.026	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.37	13.63	0.023	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@1	16.70	13.96	0.025	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB1@243	16.84	14.10	0.026	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB120@60	16.94	14.20	0.026	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM QPSK_RB243@0	15.91	13.17	0.021	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 16 QAM_RB243@0	14.93	12.19	0.017	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 64 QAM_RB243@0	14.42	11.68	0.015	1	Pass
n77_3_90MHz_30kHz_3935MHz_DFT-s-OFDM 256 QAM_RB243@0	12.42	9.68	0.009	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB1@243	15.36	12.62	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB123@61	15.42	12.68	0.019	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM QPSK_RB245@0	13.84	11.10	0.013	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 16 QAM_RB245@0	13.85	11.11	0.013	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 64 QAM_RB245@0	13.37	10.63	0.012	1	Pass
n77_3_90MHz_30kHz_3935MHz_CP-OFDM 256 QAM_RB245@0	10.39	7.65	0.006	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.72	13.98	0.025	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.60	13.86	0.024	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.76	14.02	0.025	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.26	13.52	0.022	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	16.78	14.04	0.025	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	16.66	13.92	0.025	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	16.85	14.11	0.026	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	15.77	13.03	0.020	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	14.87	12.13	0.016	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	14.32	11.58	0.014	1	Pass
n77_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	12.30	9.56	0.009	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.33	12.59	0.018	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	15.04	12.30	0.017	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	15.33	12.59	0.018	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	13.84	11.10	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	13.73	10.99	0.013	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	13.31	10.57	0.011	1	Pass
n77_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	10.30	7.56	0.006	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.49	13.75	0.024	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.75	14.01	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.53	13.79	0.024	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.11	13.37	0.022	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@1	16.56	13.82	0.024	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB1@271	16.78	14.04	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB135@67	16.66	13.92	0.025	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM QPSK_RB270@0	15.68	12.94	0.020	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 16 QAM_RB270@0	14.69	11.95	0.016	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 64 QAM_RB270@0	14.17	11.43	0.014	1	Pass
n77_3_100MHz_30kHz_3840MHz_DFT-s-OFDM 256 QAM_RB270@0	12.12	9.38	0.009	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@1	15.15	12.41	0.017	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB1@271	15.12	12.38	0.017	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB137@68	15.17	12.43	0.017	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM QPSK_RB273@0	13.62	10.88	0.012	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 16 QAM_RB273@0	13.64	10.90	0.012	1	Pass
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 64 QAM_RB273@0	13.16	10.42	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n77_3_100MHz_30kHz_3840MHz_CP-OFDM 256 QAM_RB273@0	10.11	7.37	0.005	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.55	13.81	0.024	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	16.88	14.14	0.026	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.86	14.12	0.026	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.35	13.61	0.023	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@1	16.65	13.91	0.025	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB1@271	16.90	14.16	0.026	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB135@67	16.91	14.17	0.026	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM QPSK_RB270@0	15.87	13.13	0.021	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 16 QAM_RB270@0	14.92	12.18	0.017	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 64 QAM_RB270@0	14.40	11.66	0.015	1	Pass
n77_3_100MHz_30kHz_3930MHz_DFT-s-OFDM 256 QAM_RB270@0	12.35	9.61	0.009	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@1	15.11	12.37	0.017	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB1@271	15.37	12.63	0.018	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB137@68	15.37	12.63	0.018	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM QPSK_RB273@0	13.83	11.09	0.013	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 16 QAM_RB273@0	13.84	11.10	0.013	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 64 QAM_RB273@0	13.37	10.63	0.012	1	Pass
n77_3_100MHz_30kHz_3930MHz_CP-OFDM 256 QAM_RB273@0	10.31	7.57	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -2.74dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_1

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.86	14.12	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.86	14.12	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.85	14.11	0.026	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.41	13.67	0.023	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@1	16.76	14.02	0.025	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB1@22	16.75	14.01	0.025	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB12@6	16.78	14.04	0.025	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM QPSK_RB24@0	15.71	12.97	0.020	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 16 QAM_RB24@0	14.80	12.06	0.016	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 64 QAM_RB24@0	14.29	11.55	0.014	1	Pass
n78_1_10MHz_30kHz_3455MHz_DFT-s-OFDM 256 QAM_RB24@0	12.24	9.50	0.009	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@1	15.16	12.42	0.017	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB1@22	15.03	12.29	0.017	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB12@6	15.19	12.45	0.018	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM QPSK_RB24@0	13.82	11.08	0.013	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 16 QAM_RB24@0	13.69	10.95	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 64 QAM_RB24@0	13.23	10.49	0.011	1	Pass
n78_1_10MHz_30kHz_3455MHz_CP-OFDM 256 QAM_RB24@0	10.28	7.54	0.006	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	16.74	14.00	0.025	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	16.79	14.05	0.025	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.32	13.58	0.023	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.79	14.05	0.025	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@22	16.89	14.15	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB12@6	16.81	14.07	0.026	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB24@0	15.74	13.00	0.020	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB24@0	14.86	12.12	0.016	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB24@0	14.38	11.64	0.015	1	Pass
n78_1_10MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB24@0	12.36	9.62	0.009	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.23	12.49	0.018	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@22	15.17	12.43	0.017	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB12@6	15.32	12.58	0.018	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM QPSK_RB24@0	13.81	11.07	0.013	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB24@0	13.67	10.93	0.012	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB24@0	13.29	10.55	0.011	1	Pass
n78_1_10MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB24@0	10.24	7.50	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.96	14.22	0.026	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.02	14.28	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17	14.26	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.50	13.76	0.024	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.20	0.026	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB1@22	17.04	14.30	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB12@6	16.99	14.25	0.027	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM QPSK_RB24@0	15.99	13.25	0.021	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 16 QAM_RB24@0	15.09	12.35	0.017	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 64 QAM_RB24@0	14.52	11.78	0.015	1	Pass
n78_1_10MHz_30kHz_3545MHz_DFT-s-OFDM 256 QAM_RB24@0	12.45	9.71	0.009	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@1	15.52	12.78	0.019	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB1@22	15.27	12.53	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB12@6	15.38	12.64	0.018	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM QPSK_RB24@0	13.92	11.18	0.013	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 16 QAM_RB24@0	13.90	11.16	0.013	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 64 QAM_RB24@0	13.50	10.76	0.012	1	Pass
n78_1_10MHz_30kHz_3545MHz_CP-OFDM 256 QAM_RB24@0	10.39	7.65	0.006	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.81	14.07	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.82	14.08	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.28	13.54	0.023	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB1@36	16.96	14.22	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB18@9	16.93	14.19	0.026	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM QPSK_RB36@0	15.94	13.20	0.021	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.98	12.24	0.017	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.29	11.55	0.014	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.26	9.52	0.009	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@1	15.26	12.52	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB1@36	15.06	12.32	0.017	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB19@9	15.27	12.53	0.018	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM QPSK_RB38@0	13.70	10.96	0.012	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 16 QAM_RB38@0	13.79	11.05	0.013	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 64 QAM_RB38@0	13.34	10.60	0.011	1	Pass
n78_1_15MHz_30kHz_3457.5MHz_CP-OFDM 256 QAM_RB38@0	10.35	7.61	0.006	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.75	14.01	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.76	14.02	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	16.84	14.10	0.026	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.40	13.66	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.91	14.17	0.026	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@36	16.80	14.06	0.025	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB18@9	16.83	14.09	0.026	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@0	15.81	13.07	0.020	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB36@0	14.95	12.21	0.017	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB36@0	14.38	11.64	0.015	1	Pass
n78_1_15MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB36@0	12.35	9.61	0.009	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.06	12.32	0.017	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@36	15.14	12.40	0.017	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB19@9	15.29	12.55	0.018	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM QPSK_RB38@0	13.78	11.04	0.013	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB38@0	13.84	11.10	0.013	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB38@0	13.40	10.66	0.012	1	Pass
n78_1_15MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB38@0	10.38	7.64	0.006	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	16.95	14.21	0.026	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.04	14.30	0.027	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.40	13.66	0.023	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@1	16.86	14.12	0.026	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB1@36	16.91	14.17	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB18@9	16.96	14.22	0.026	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM QPSK_RB36@0	16	13.26	0.021	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 16 QAM_RB36@0	14.94	12.20	0.017	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.45	11.71	0.015	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.43	9.69	0.009	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB1@36	15.32	12.58	0.018	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB19@9	15.43	12.69	0.019	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM QPSK_RB38@0	13.88	11.14	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 16 QAM_RB38@0	13.99	11.25	0.013	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 64 QAM_RB38@0	13.56	10.82	0.012	1	Pass
n78_1_15MHz_30kHz_3542.5MHz_CP-OFDM 256 QAM_RB38@0	10.52	7.78	0.006	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.78	14.04	0.025	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.82	14.08	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.91	14.17	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.35	13.61	0.023	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@1	16.91	14.17	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB1@49	16.98	14.24	0.027	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB25@12	16.95	14.21	0.026	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM QPSK_RB50@0	16	13.26	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 16 QAM_RB50@0	14.91	12.17	0.016	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 64 QAM_RB50@0	14.35	11.61	0.014	1	Pass
n78_1_20MHz_30kHz_3460MHz_DFT-s-OFDM 256 QAM_RB50@0	12.26	9.52	0.009	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@1	15.18	12.44	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB1@49	15.24	12.50	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB25@12	15.38	12.64	0.018	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM QPSK_RB51@0	13.76	11.02	0.013	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 16 QAM_RB51@0	13.94	11.20	0.013	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 64 QAM_RB51@0	13.38	10.64	0.012	1	Pass
n78_1_20MHz_30kHz_3460MHz_CP-OFDM 256 QAM_RB51@0	10.39	7.65	0.006	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.99	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.77	14.03	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	16.79	14.05	0.025	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.35	13.61	0.023	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.94	14.20	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@49	16.89	14.15	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB25@12	16.97	14.23	0.026	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@0	15.83	13.09	0.020	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB50@0	14.82	12.08	0.016	1	Pass
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB50@0	14.35	11.61	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB50@0	12.29	9.55	0.009	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.11	12.37	0.017	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@49	15.16	12.42	0.017	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB25@12	15.37	12.63	0.018	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM QPSK_RB51@0	13.69	10.95	0.012	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB51@0	13.85	11.11	0.013	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB51@0	13.34	10.60	0.011	1	Pass
n78_1_20MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB51@0	10.36	7.62	0.006	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	14.13	0.026	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	16.90	14.16	0.026	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.01	14.27	0.027	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.45	13.71	0.023	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@1	16.89	14.15	0.026	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB1@49	16.98	14.24	0.027	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB25@12	16.93	14.19	0.026	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM QPSK_RB50@0	15.95	13.21	0.021	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 16 QAM_RB50@0	14.94	12.20	0.017	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 64 QAM_RB50@0	14.43	11.69	0.015	1	Pass
n78_1_20MHz_30kHz_3540MHz_DFT-s-OFDM 256 QAM_RB50@0	12.41	9.67	0.009	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@1	15.28	12.54	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB1@49	15.37	12.63	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB25@12	15.41	12.67	0.018	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM QPSK_RB51@0	13.79	11.05	0.013	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 16 QAM_RB51@0	13.93	11.19	0.013	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 64 QAM_RB51@0	13.36	10.62	0.012	1	Pass
n78_1_20MHz_30kHz_3540MHz_CP-OFDM 256 QAM_RB51@0	10.54	7.80	0.006	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	14.08	0.026	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.78	14.04	0.025	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.81	14.07	0.026	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.34	13.60	0.023	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@1	17	14.26	0.027	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB1@63	16.89	14.15	0.026	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB32@16	16.93	14.19	0.026	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM QPSK_RB64@0	16	13.26	0.021	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.80	12.06	0.016	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.37	11.63	0.015	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.32	9.58	0.009	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@1	15.29	12.55	0.018	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB1@63	15.12	12.38	0.017	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB33@16	15.34	12.60	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM QPSK_RB65@0	13.78	11.04	0.013	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM 16 QAM_RB65@0	13.76	11.02	0.013	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM 64 QAM_RB65@0	13.27	10.53	0.011	1	Pass
n78_1_25MHz_30kHz_3462.5MHz_CP-OFDM 256 QAM_RB65@0	10.34	7.60	0.006	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.80	14.06	0.025	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.82	14.08	0.026	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.78	14.04	0.025	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.33	13.59	0.023	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.62	13.88	0.024	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@63	16.81	14.07	0.026	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB32@16	16.75	14.01	0.025	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@0	15.82	13.08	0.020	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB64@0	14.77	12.03	0.016	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB64@0	14.36	11.62	0.015	1	Pass
n78_1_25MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB64@0	12.30	9.56	0.009	1	Pass
n78_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.99	12.25	0.017	1	Pass
n78_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@63	15.25	12.51	0.018	1	Pass
n78_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB33@16	15.30	12.56	0.018	1	Pass
n78_1_25MHz_30kHz_3500MHz_CP-OFDM QPSK_RB65@0	13.71	10.97	0.013	1	Pass
n78_1_25MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB65@0	13.81	11.07	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_25MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB65@0	13.22	10.48	0.011	1	Pass
n78_1_25MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB65@0	10.30	7.56	0.006	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.78	14.04	0.025	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	16.78	14.04	0.025	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	16.84	14.10	0.026	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.35	13.61	0.023	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@1	16.95	14.21	0.026	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB1@63	17.01	14.27	0.027	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB32@16	16.96	14.22	0.026	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM QPSK_RB64@0	16.04	13.30	0.021	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM 16 QAM_RB64@0	14.82	12.08	0.016	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.35	11.61	0.014	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.38	9.64	0.009	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@1	15.30	12.56	0.018	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB1@63	15.16	12.42	0.017	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB33@16	15.37	12.63	0.018	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM QPSK_RB65@0	13.88	11.14	0.013	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM 16 QAM_RB65@0	13.81	11.07	0.013	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM 64 QAM_RB65@0	13.34	10.60	0.011	1	Pass
n78_1_25MHz_30kHz_3537.5MHz_CP-OFDM 256 QAM_RB65@0	10.39	7.65	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.65	13.91	0.025	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.72	13.98	0.025	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.30	13.56	0.023	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@1	16.99	14.25	0.027	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB1@76	16.69	13.95	0.025	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB36@18	16.72	13.98	0.025	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM QPSK_RB75@0	15.78	13.04	0.020	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 16 QAM_RB75@0	14.76	12.02	0.016	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 64 QAM_RB75@0	14.33	11.59	0.014	1	Pass
n78_1_30MHz_30kHz_3465MHz_DFT-s-OFDM 256 QAM_RB75@0	12.25	9.51	0.009	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@1	15.21	12.47	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB1@76	15.01	12.27	0.017	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB39@19	15.30	12.56	0.018	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM QPSK_RB78@0	13.76	11.02	0.013	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 16 QAM_RB78@0	13.79	11.05	0.013	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 64 QAM_RB78@0	13.26	10.52	0.011	1	Pass
n78_1_30MHz_30kHz_3465MHz_CP-OFDM 256 QAM_RB78@0	10.26	7.52	0.006	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.65	13.91	0.025	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.91	14.17	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	16.87	14.13	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.31	13.57	0.023	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.81	14.07	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@76	17.10	14.36	0.027	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB36@18	16.96	14.22	0.026	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB75@0	15.99	13.25	0.021	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB75@0	15	12.26	0.017	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB75@0	14.38	11.64	0.015	1	Pass
n78_1_30MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB75@0	12.26	9.52	0.009	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.97	12.23	0.017	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@76	15.25	12.51	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB39@19	15.34	12.60	0.018	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM QPSK_RB78@0	13.79	11.05	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB78@0	13.82	11.08	0.013	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB78@0	13.33	10.59	0.011	1	Pass
n78_1_30MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB78@0	10.29	7.55	0.006	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.91	14.17	0.026	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	16.97	14.23	0.026	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.04	14.30	0.027	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.55	13.81	0.024	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.38	0.027	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB1@76	17.15	14.41	0.028	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB36@18	17.12	14.38	0.027	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM QPSK_RB75@0	16.16	13.42	0.022	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 16 QAM_RB75@0	15.16	12.42	0.017	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 64 QAM_RB75@0	14.48	11.74	0.015	1	Pass
n78_1_30MHz_30kHz_3535MHz_DFT-s-OFDM 256 QAM_RB75@0	12.44	9.70	0.009	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@1	15.31	12.57	0.018	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB1@76	15.45	12.71	0.019	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB39@19	15.52	12.78	0.019	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM QPSK_RB78@0	14.01	11.27	0.013	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 16 QAM_RB78@0	13.99	11.25	0.013	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 64 QAM_RB78@0	13.45	10.71	0.012	1	Pass
n78_1_30MHz_30kHz_3535MHz_CP-OFDM 256 QAM_RB78@0	10.50	7.76	0.006	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	14.08	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.80	14.06	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.80	14.06	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.36	13.62	0.023	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@1	16.86	14.12	0.026	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB1@104	16.84	14.10	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB50@25	16.80	14.06	0.025	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM QPSK_RB100@0	15.83	13.09	0.020	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 16 QAM_RB100@0	14.87	12.13	0.016	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 64 QAM_RB100@0	14.37	11.63	0.015	1	Pass
n78_1_40MHz_30kHz_3470MHz_DFT-s-OFDM 256 QAM_RB100@0	12.28	9.54	0.009	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@1	15.37	12.63	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB1@104	15.26	12.52	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB53@26	15.34	12.60	0.018	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM QPSK_RB106@0	13.83	11.09	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 16 QAM_RB106@0	13.86	11.12	0.013	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 64 QAM_RB106@0	13.33	10.59	0.011	1	Pass
n78_1_40MHz_30kHz_3470MHz_CP-OFDM 256 QAM_RB106@0	10.35	7.61	0.006	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.76	14.02	0.025	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.90	14.16	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.81	14.07	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.32	13.58	0.023	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.84	14.10	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@104	16.87	14.13	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB50@25	16.93	14.19	0.026	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB100@0	15.81	13.07	0.020	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB100@0	14.84	12.10	0.016	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB100@0	14.35	11.61	0.014	1	Pass
n78_1_40MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB100@0	12.29	9.55	0.009	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.99	12.25	0.017	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@104	15.25	12.51	0.018	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB53@26	15.35	12.61	0.018	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM QPSK_RB106@0	13.82	11.08	0.013	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB106@0	13.81	11.07	0.013	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB106@0	13.30	10.56	0.011	1	Pass
n78_1_40MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB106@0	10.29	7.55	0.006	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.77	14.03	0.025	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	16.92	14.18	0.026	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	16.92	14.18	0.026	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.39	13.65	0.023	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@1	16.99	14.25	0.027	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB1@104	17.04	14.30	0.027	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB50@25	17.03	14.29	0.027	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM QPSK_RB100@0	15.91	13.17	0.021	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 16 QAM_RB100@0	14.93	12.19	0.017	1	Pass
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 64 QAM_RB100@0	14.42	11.68	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_40MHz_30kHz_3530MHz_DFT-s-OFDM 256 QAM_RB100@0	12.38	9.64	0.009	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@1	15.39	12.65	0.018	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB1@104	15.33	12.59	0.018	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB53@26	15.45	12.71	0.019	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM QPSK_RB106@0	13.87	11.13	0.013	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 16 QAM_RB106@0	13.63	10.89	0.012	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 64 QAM_RB106@0	13.39	10.65	0.012	1	Pass
n78_1_40MHz_30kHz_3530MHz_CP-OFDM 256 QAM_RB106@0	10.33	7.59	0.006	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.73	13.99	0.025	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.63	13.89	0.024	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.78	14.04	0.025	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.30	13.56	0.023	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@1	16.95	14.21	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB1@131	16.88	14.14	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB64@32	16.91	14.17	0.026	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM QPSK_RB128@0	15.95	13.21	0.021	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 16 QAM_RB128@0	14.75	12.01	0.016	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 64 QAM_RB128@0	14.24	11.50	0.014	1	Pass
n78_1_50MHz_30kHz_3475MHz_DFT-s-OFDM 256 QAM_RB128@0	12.24	9.50	0.009	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@1	15.27	12.53	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB1@131	14.99	12.25	0.017	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB67@33	15.27	12.53	0.018	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM QPSK_RB133@0	13.74	11.00	0.013	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 16 QAM_RB133@0	13.73	10.99	0.013	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 64 QAM_RB133@0	13.23	10.49	0.011	1	Pass
n78_1_50MHz_30kHz_3475MHz_CP-OFDM 256 QAM_RB133@0	10.20	7.46	0.006	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.33	11.59	0.014	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.86	14.12	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.87	14.13	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.30	13.56	0.023	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.81	14.07	0.026	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@131	17.09	14.35	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB64@32	16.99	14.25	0.027	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB128@0	15.97	13.23	0.021	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB128@0	14.81	12.07	0.016	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB128@0	14.33	11.59	0.014	1	Pass
n78_1_50MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB128@0	12.28	9.54	0.009	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.89	12.15	0.016	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@131	15.20	12.46	0.018	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB67@33	15.29	12.55	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3500MHz_CP-OFDM QPSK_RB133@0	13.74	11.00	0.013	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB133@0	13.78	11.04	0.013	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB133@0	13.30	10.56	0.011	1	Pass
n78_1_50MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB133@0	10.29	7.55	0.006	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.61	13.87	0.024	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	16.70	13.96	0.025	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	16.91	14.17	0.026	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.32	13.58	0.023	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@1	16.69	13.95	0.025	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB1@131	16.77	14.03	0.025	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB64@32	16.89	14.15	0.026	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM QPSK_RB128@0	15.90	13.16	0.021	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 16 QAM_RB128@0	14.88	12.14	0.016	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 64 QAM_RB128@0	14.38	11.64	0.015	1	Pass
n78_1_50MHz_30kHz_3525MHz_DFT-s-OFDM 256 QAM_RB128@0	12.34	9.60	0.009	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@1	15.14	12.40	0.017	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB1@131	15.13	12.39	0.017	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB67@33	15.35	12.61	0.018	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM QPSK_RB133@0	13.79	11.05	0.013	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 16 QAM_RB133@0	13.78	11.04	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 64 QAM_RB133@0	13.32	10.58	0.011	1	Pass
n78_1_50MHz_30kHz_3525MHz_CP-OFDM 256 QAM_RB133@0	10.32	7.58	0.006	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.68	13.94	0.025	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.75	14.01	0.025	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.88	14.14	0.026	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.29	13.55	0.023	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@1	16.77	14.03	0.025	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB1@160	16.86	14.12	0.026	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB81@40	16.82	14.08	0.026	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM QPSK_RB162@0	15.73	12.99	0.020	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 16 QAM_RB162@0	14.82	12.08	0.016	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 64 QAM_RB162@0	14.28	11.54	0.014	1	Pass
n78_1_60MHz_30kHz_3480MHz_DFT-s-OFDM 256 QAM_RB162@0	12.25	9.51	0.009	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB1@160	15.05	12.31	0.017	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB81@40	15.23	12.49	0.018	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM QPSK_RB162@0	13.77	11.03	0.013	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 16 QAM_RB162@0	13.78	11.04	0.013	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 64 QAM_RB162@0	13.28	10.54	0.011	1	Pass
n78_1_60MHz_30kHz_3480MHz_CP-OFDM 256 QAM_RB162@0	10.26	7.52	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.85	14.11	0.026	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.86	14.12	0.026	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.78	14.04	0.025	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.29	13.55	0.023	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.50	13.76	0.024	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@160	16.89	14.15	0.026	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB81@40	16.91	14.17	0.026	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB162@0	15.71	12.97	0.020	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB162@0	14.77	12.03	0.016	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB162@0	14.29	11.55	0.014	1	Pass
n78_1_60MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB162@0	12.29	9.55	0.009	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	14.82	12.08	0.016	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@160	15.25	12.51	0.018	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB81@40	15.29	12.55	0.018	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM QPSK_RB162@0	13.72	10.98	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB162@0	13.73	10.99	0.013	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB162@0	13.24	10.50	0.011	1	Pass
n78_1_60MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB162@0	10.27	7.53	0.006	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	14.28	11.54	0.014	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	16.78	14.04	0.025	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	16.85	14.11	0.026	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.37	13.63	0.023	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@1	16.54	13.80	0.024	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB1@160	16.83	14.09	0.026	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB81@40	16.93	14.19	0.026	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM QPSK_RB162@0	15.84	13.10	0.020	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 16 QAM_RB162@0	14.82	12.08	0.016	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 64 QAM_RB162@0	14.38	11.64	0.015	1	Pass
n78_1_60MHz_30kHz_3520MHz_DFT-s-OFDM 256 QAM_RB162@0	12.30	9.56	0.009	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@1	14.95	12.21	0.017	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB1@160	15.18	12.44	0.018	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB81@40	15.32	12.58	0.018	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM QPSK_RB162@0	13.84	11.10	0.013	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 16 QAM_RB162@0	13.83	11.09	0.013	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 64 QAM_RB162@0	13.33	10.59	0.011	1	Pass
n78_1_60MHz_30kHz_3520MHz_CP-OFDM 256 QAM_RB162@0	10.30	7.56	0.006	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.92	14.18	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.92	14.18	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.40	13.66	0.023	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB1@187	16.92	14.18	0.026	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB90@45	16.98	14.24	0.027	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM QPSK_RB180@0	15.91	13.17	0.021	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 16 QAM_RB180@0	14.91	12.17	0.016	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 64 QAM_RB180@0	14.48	11.74	0.015	1	Pass
n78_1_70MHz_30kHz_3485MHz_DFT-s-OFDM 256 QAM_RB180@0	12.42	9.68	0.009	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@1	15.39	12.65	0.018	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB1@187	15.28	12.54	0.018	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB95@47	15.41	12.67	0.018	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM QPSK_RB189@0	13.89	11.15	0.013	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 16 QAM_RB189@0	13.92	11.18	0.013	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 64 QAM_RB189@0	13.43	10.69	0.012	1	Pass
n78_1_70MHz_30kHz_3485MHz_CP-OFDM 256 QAM_RB189@0	10.45	7.71	0.006	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	14.16	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	16.96	14.22	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	16.97	14.23	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.40	13.66	0.023	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.82	14.08	0.026	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@187	17.02	14.28	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB90@45	17.02	14.28	0.027	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB180@0	15.93	13.19	0.021	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB180@0	14.96	12.22	0.017	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB180@0	14.44	11.70	0.015	1	Pass
n78_1_70MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB180@0	12.45	9.71	0.009	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.24	12.50	0.018	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@187	15.39	12.65	0.018	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB95@47	15.46	12.72	0.019	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM QPSK_RB189@0	13.93	11.19	0.013	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB189@0	13.97	11.23	0.013	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB189@0	13.47	10.73	0.012	1	Pass
n78_1_70MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB189@0	10.45	7.71	0.006	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.84	14.10	0.026	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.09	14.35	0.027	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.08	14.34	0.027	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.54	13.80	0.024	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@1	16.96	14.22	0.026	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB1@187	17.13	14.39	0.027	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB90@45	17.16	14.42	0.028	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM QPSK_RB180@0	16.01	13.27	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 16 QAM_RB180@0	15.04	12.30	0.017	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 64 QAM_RB180@0	14.58	11.84	0.015	1	Pass
n78_1_70MHz_30kHz_3515MHz_DFT-s-OFDM 256 QAM_RB180@0	12.55	9.81	0.010	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@1	15.22	12.48	0.018	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB1@187	15.47	12.73	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB95@47	15.53	12.79	0.019	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM QPSK_RB189@0	14.06	11.32	0.014	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 16 QAM_RB189@0	14.08	11.34	0.014	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 64 QAM_RB189@0	13.59	10.85	0.012	1	Pass
n78_1_70MHz_30kHz_3515MHz_CP-OFDM 256 QAM_RB189@0	10.60	7.86	0.006	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.97	14.23	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.02	14.28	0.027	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.96	14.22	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.47	13.73	0.024	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.19	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB1@215	17.05	14.31	0.027	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB108@54	16.91	14.17	0.026	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM QPSK_RB216@0	15.97	13.23	0.021	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 16 QAM_RB216@0	14.97	12.23	0.017	1	Pass
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 64 QAM_RB216@0	14.47	11.73	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3490MHz_DFT-s-OFDM 256 QAM_RB216@0	12.49	9.75	0.009	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@1	15.51	12.77	0.019	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB1@215	15.48	12.74	0.019	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB109@54	15.46	12.72	0.019	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM QPSK_RB217@0	13.94	11.20	0.013	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 16 QAM_RB217@0	13.92	11.18	0.013	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 64 QAM_RB217@0	13.44	10.70	0.012	1	Pass
n78_1_80MHz_30kHz_3490MHz_CP-OFDM 256 QAM_RB217@0	10.49	7.75	0.006	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	14.07	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17	14.26	0.027	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.96	14.22	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.46	13.72	0.024	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.86	14.12	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@215	17.06	14.32	0.027	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB108@54	16.96	14.22	0.026	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB216@0	15.95	13.21	0.021	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB216@0	14.97	12.23	0.017	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB216@0	14.45	11.71	0.015	1	Pass
n78_1_80MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB216@0	12.46	9.72	0.009	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.40	12.66	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@215	15.40	12.66	0.018	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB109@54	15.44	12.70	0.019	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM QPSK_RB217@0	14.01	11.27	0.013	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB217@0	13.93	11.19	0.013	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB217@0	13.46	10.72	0.012	1	Pass
n78_1_80MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB217@0	10.46	7.72	0.006	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.82	14.08	0.026	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.08	14.34	0.027	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	16.97	14.23	0.026	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.48	13.74	0.024	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@1	16.80	14.06	0.025	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB1@215	17.12	14.38	0.027	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB108@54	16.98	14.24	0.027	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM QPSK_RB216@0	16	13.26	0.021	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 16 QAM_RB216@0	15.03	12.29	0.017	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 64 QAM_RB216@0	14.52	11.78	0.015	1	Pass
n78_1_80MHz_30kHz_3510MHz_DFT-s-OFDM 256 QAM_RB216@0	12.53	9.79	0.010	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@1	15.37	12.63	0.018	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB1@215	15.42	12.68	0.019	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB109@54	15.50	12.76	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_80MHz_30kHz_3510MHz_CP-OFDM QPSK_RB217@0	14.01	11.27	0.013	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 16 QAM_RB217@0	13.98	11.24	0.013	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 64 QAM_RB217@0	13.46	10.72	0.012	1	Pass
n78_1_80MHz_30kHz_3510MHz_CP-OFDM 256 QAM_RB217@0	10.50	7.76	0.006	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	14.16	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.93	14.19	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.82	14.08	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.38	13.64	0.023	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB1@243	16.95	14.21	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB120@60	16.87	14.13	0.026	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM QPSK_RB243@0	15.92	13.18	0.021	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 16 QAM_RB243@0	14.96	12.22	0.017	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 64 QAM_RB243@0	14.43	11.69	0.015	1	Pass
n78_1_90MHz_30kHz_3495MHz_DFT-s-OFDM 256 QAM_RB243@0	12.42	9.68	0.009	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@1	15.57	12.83	0.019	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB1@243	15.55	12.81	0.019	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB123@61	15.40	12.66	0.018	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM QPSK_RB245@0	13.89	11.15	0.013	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 16 QAM_RB245@0	13.91	11.17	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 64 QAM_RB245@0	13.37	10.63	0.012	1	Pass
n78_1_90MHz_30kHz_3495MHz_CP-OFDM 256 QAM_RB245@0	10.42	7.68	0.006	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.81	14.07	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	16.98	14.24	0.027	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.92	14.18	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.43	13.69	0.023	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.86	14.12	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@243	17.12	14.38	0.027	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB120@60	16.91	14.17	0.026	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB243@0	16	13.26	0.021	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB243@0	14.97	12.23	0.017	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB243@0	14.53	11.79	0.015	1	Pass
n78_1_90MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB243@0	12.49	9.75	0.009	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.30	12.56	0.018	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@243	15.63	12.89	0.019	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB123@61	15.45	12.71	0.019	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM QPSK_RB245@0	13.94	11.20	0.013	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB245@0	13.89	11.15	0.013	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB245@0	13.47	10.73	0.012	1	Pass
n78_1_90MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB245@0	10.48	7.74	0.006	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.90	14.16	0.026	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.02	14.28	0.027	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	16.96	14.22	0.026	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.50	13.76	0.024	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@1	16.80	14.06	0.025	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB1@243	17.14	14.40	0.028	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB120@60	16.96	14.22	0.026	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM QPSK_RB243@0	16.05	13.31	0.021	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 16 QAM_RB243@0	15.03	12.29	0.017	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 64 QAM_RB243@0	14.54	11.80	0.015	1	Pass
n78_1_90MHz_30kHz_3505MHz_DFT-s-OFDM 256 QAM_RB243@0	12.50	9.76	0.009	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@1	15.42	12.68	0.019	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB1@243	15.57	12.83	0.019	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB123@61	15.51	12.77	0.019	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM QPSK_RB245@0	13.99	11.25	0.013	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 16 QAM_RB245@0	14.01	11.27	0.013	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 64 QAM_RB245@0	13.51	10.77	0.012	1	Pass
n78_1_90MHz_30kHz_3505MHz_CP-OFDM 256 QAM_RB245@0	10.53	7.79	0.006	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.87	14.13	0.026	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.03	14.29	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	16.85	14.11	0.026	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.42	13.68	0.023	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@1	16.85	14.11	0.026	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB1@271	17.17	14.43	0.028	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB135@67	17.06	14.32	0.027	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM QPSK_RB270@0	16.08	13.34	0.022	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 16 QAM_RB270@0	15.14	12.40	0.017	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 64 QAM_RB270@0	14.61	11.87	0.015	1	Pass
n78_1_100MHz_30kHz_3500MHz_DFT-s-OFDM 256 QAM_RB270@0	12.46	9.72	0.009	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@1	15.38	12.64	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB1@271	15.40	12.66	0.018	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB137@68	15.42	12.68	0.019	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM QPSK_RB273@0	13.98	11.24	0.013	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 16 QAM_RB273@0	13.97	11.23	0.013	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 64 QAM_RB273@0	13.44	10.70	0.012	1	Pass
n78_1_100MHz_30kHz_3500MHz_CP-OFDM 256 QAM_RB273@0	10.50	7.76	0.006	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C (dB) + G_T (dBi)

1.Ant Gain = -2.74dBi;

2. C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

n78_3

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.04	14.30	0.027	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.04	14.30	0.027	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.65	13.91	0.025	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@1	16.97	14.23	0.026	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB1@22	16.98	14.24	0.027	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB12@6	17.03	14.29	0.027	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM QPSK_RB24@0	15.99	13.25	0.021	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 16 QAM_RB24@0	15.05	12.31	0.017	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 64 QAM_RB24@0	14.59	11.85	0.015	1	Pass
n78_3_10MHz_30kHz_3705MHz_DFT-s-OFDM 256 QAM_RB24@0	12.51	9.77	0.009	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@1	15.41	12.67	0.018	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB1@22	15.46	12.72	0.019	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB12@6	15.55	12.81	0.019	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM QPSK_RB24@0	14.04	11.30	0.013	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 16 QAM_RB24@0	13.99	11.25	0.013	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 64 QAM_RB24@0	13.57	10.83	0.012	1	Pass
n78_3_10MHz_30kHz_3705MHz_CP-OFDM 256 QAM_RB24@0	10.49	7.75	0.006	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.52	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.32	14.58	0.029	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.32	14.58	0.029	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.83	14.09	0.026	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.25	14.51	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@22	17.23	14.49	0.028	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB12@6	17.40	14.66	0.029	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB24@0	16.26	13.52	0.022	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB24@0	15.40	12.66	0.018	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB24@0	14.76	12.02	0.016	1	Pass
n78_3_10MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB24@0	12.78	10.04	0.010	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.65	12.91	0.020	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@22	15.87	13.13	0.021	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB12@6	15.63	12.89	0.019	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM QPSK_RB24@0	14.27	11.53	0.014	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB24@0	14.27	11.53	0.014	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB24@0	13.82	11.08	0.013	1	Pass
n78_3_10MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB24@0	10.76	8.02	0.006	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.27	14.53	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@22	17.14	14.40	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB12@6	17.12	14.38	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM $\pi/2$ BPSK_RB24@0	16.73	13.99	0.025	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@1	17.19	14.45	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB1@22	17.16	14.42	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB12@6	17.18	14.44	0.028	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM QPSK_RB24@0	16.19	13.45	0.022	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 16 QAM_RB24@0	15.30	12.56	0.018	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 64 QAM_RB24@0	14.84	12.10	0.016	1	Pass
n78_3_10MHz_30kHz_3795MHz_DFT-s-OFDM 256 QAM_RB24@0	12.73	9.99	0.010	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@1	15.72	12.98	0.020	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB1@22	15.61	12.87	0.019	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB12@6	15.75	13.01	0.020	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM QPSK_RB24@0	14.14	11.40	0.014	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 16 QAM_RB24@0	14.18	11.44	0.014	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 64 QAM_RB24@0	13.69	10.95	0.012	1	Pass
n78_3_10MHz_30kHz_3795MHz_CP-OFDM 256 QAM_RB24@0	10.66	7.92	0.006	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.31	0.027	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.07	14.33	0.027	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.16	14.42	0.028	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.57	13.83	0.024	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@1	17.05	14.31	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB1@36	17.13	14.39	0.027	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB18@9	17.12	14.38	0.027	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM QPSK_RB36@0	16.10	13.36	0.022	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.12	12.38	0.017	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.55	11.81	0.015	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.59	9.85	0.010	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@1	15.60	12.86	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB1@36	15.50	12.76	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB19@9	15.55	12.81	0.019	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM QPSK_RB38@0	14.03	11.29	0.013	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 16 QAM_RB38@0	14.13	11.39	0.014	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 64 QAM_RB38@0	13.65	10.91	0.012	1	Pass
n78_3_15MHz_30kHz_3707.5MHz_CP-OFDM 256 QAM_RB38@0	10.70	7.96	0.006	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.27	14.53	0.028	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.35	14.61	0.029	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.33	14.59	0.029	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.83	14.09	0.026	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.26	14.52	0.028	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@36	17.44	14.70	0.030	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB18@9	17.42	14.68	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@0	16.30	13.56	0.023	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB36@0	15.33	12.59	0.018	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB36@0	14.87	12.13	0.016	1	Pass
n78_3_15MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB36@0	12.84	10.10	0.010	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.62	12.88	0.019	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@36	15.71	12.97	0.020	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB19@9	15.80	13.06	0.020	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM QPSK_RB38@0	14.24	11.50	0.014	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB38@0	14.34	11.60	0.014	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB38@0	13.87	11.13	0.013	1	Pass
n78_3_15MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB38@0	10.91	8.17	0.007	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.37	14.63	0.029	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@36	17.23	14.49	0.028	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB18@9	17.35	14.61	0.029	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@0	16.85	14.11	0.026	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.64	0.029	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB1@36	17.33	14.59	0.029	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB18@9	17.44	14.70	0.030	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM QPSK_RB36@0	16.35	13.61	0.023	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 16 QAM_RB36@0	15.40	12.66	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 64 QAM_RB36@0	14.83	12.09	0.016	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_DFT-s-OFDM 256 QAM_RB36@0	12.84	10.10	0.010	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@1	15.93	13.19	0.021	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB1@36	15.67	12.93	0.020	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB19@9	15.84	13.10	0.020	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM QPSK_RB38@0	14.31	11.57	0.014	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 16 QAM_RB38@0	14.35	11.61	0.014	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 64 QAM_RB38@0	13.90	11.16	0.013	1	Pass
n78_3_15MHz_30kHz_3792.5MHz_CP-OFDM 256 QAM_RB38@0	10.97	8.23	0.007	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.08	14.34	0.027	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.14	14.40	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.16	14.42	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.64	13.90	0.025	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@1	17.07	14.33	0.027	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB1@49	17.15	14.41	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB25@12	17.18	14.44	0.028	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM QPSK_RB50@0	16.25	13.51	0.022	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 16 QAM_RB50@0	15.15	12.41	0.017	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 64 QAM_RB50@0	14.65	11.91	0.016	1	Pass
n78_3_20MHz_30kHz_3710MHz_DFT-s-OFDM 256 QAM_RB50@0	12.65	9.91	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@1	15.62	12.88	0.019	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB1@49	15.67	12.93	0.020	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB25@12	15.73	12.99	0.020	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM QPSK_RB51@0	14.09	11.35	0.014	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 16 QAM_RB51@0	14.19	11.45	0.014	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 64 QAM_RB51@0	13.67	10.93	0.012	1	Pass
n78_3_20MHz_30kHz_3710MHz_CP-OFDM 256 QAM_RB51@0	10.76	8.02	0.006	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.23	14.49	0.028	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.27	14.53	0.028	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.38	14.64	0.029	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.89	14.15	0.026	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.33	14.59	0.029	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@49	17.34	14.60	0.029	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB25@12	17.43	14.69	0.029	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@0	16.43	13.69	0.023	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB50@0	15.34	12.60	0.018	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB50@0	14.86	12.12	0.016	1	Pass
n78_3_20MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB50@0	12.88	10.14	0.010	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.71	12.97	0.020	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@49	15.89	13.15	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB25@12	15.96	13.22	0.021	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM QPSK_RB51@0	14.25	11.51	0.014	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB51@0	14.23	11.49	0.014	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB51@0	13.89	11.15	0.013	1	Pass
n78_3_20MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB51@0	10.93	8.19	0.007	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.31	14.57	0.029	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@49	17.29	14.55	0.029	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB25@12	17.28	14.54	0.028	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@0	16.87	14.13	0.026	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@1	17.33	14.59	0.029	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB1@49	17.28	14.54	0.028	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB25@12	17.38	14.64	0.029	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM QPSK_RB50@0	16.36	13.62	0.023	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 16 QAM_RB50@0	15.28	12.54	0.018	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 64 QAM_RB50@0	14.82	12.08	0.016	1	Pass
n78_3_20MHz_30kHz_3790MHz_DFT-s-OFDM 256 QAM_RB50@0	12.79	10.05	0.010	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@1	15.90	13.16	0.021	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB1@49	15.67	12.93	0.020	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB25@12	15.93	13.19	0.021	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM QPSK_RB51@0	14.25	11.51	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 16 QAM_RB51@0	14.38	11.64	0.015	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 64 QAM_RB51@0	13.88	11.14	0.013	1	Pass
n78_3_20MHz_30kHz_3790MHz_CP-OFDM 256 QAM_RB51@0	10.95	8.21	0.007	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.05	14.31	0.027	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	17.20	14.46	0.028	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	17.22	14.48	0.028	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.70	13.96	0.025	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@1	17.08	14.34	0.027	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB1@63	17.10	14.36	0.027	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB32@16	17.17	14.43	0.028	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM QPSK_RB64@0	16.24	13.50	0.022	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM 16 QAM_RB64@0	15.14	12.40	0.017	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.70	11.96	0.016	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.68	9.94	0.010	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB1@1	15.61	12.87	0.019	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB1@63	15.56	12.82	0.019	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB33@16	15.69	12.95	0.020	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM QPSK_RB65@0	14.21	11.47	0.014	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM 16 QAM_RB65@0	14.17	11.43	0.014	1	Pass
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM 64 QAM_RB65@0	13.68	10.94	0.012	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_25MHz_30kHz_3712.5MHz_CP-OFDM 256 QAM_RB65@0	10.76	8.02	0.006	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.16	14.42	0.028	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	17.21	14.47	0.028	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	17.30	14.56	0.029	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.81	14.07	0.026	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.05	14.31	0.027	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@63	17.22	14.48	0.028	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB32@16	17.30	14.56	0.029	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@0	16.35	13.61	0.023	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB64@0	15.31	12.57	0.018	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB64@0	14.88	12.14	0.016	1	Pass
n78_3_25MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB64@0	12.81	10.07	0.010	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.55	12.81	0.019	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@63	15.69	12.95	0.020	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB33@16	15.83	13.09	0.020	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM QPSK_RB65@0	14.29	11.55	0.014	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB65@0	14.32	11.58	0.014	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB65@0	13.82	11.08	0.013	1	Pass
n78_3_25MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB65@0	10.85	8.11	0.006	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.18	14.44	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@63	17.10	14.36	0.027	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB32@16	17.25	14.51	0.028	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@0	16.84	14.10	0.026	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.40	0.028	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB1@63	17.16	14.42	0.028	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB32@16	17.22	14.48	0.028	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM QPSK_RB64@0	16.34	13.60	0.023	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM 16 QAM_RB64@0	15.24	12.50	0.018	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM 64 QAM_RB64@0	14.80	12.06	0.016	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_DFT-s-OFDM 256 QAM_RB64@0	12.83	10.09	0.010	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB1@1	15.71	12.97	0.020	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB1@63	15.61	12.87	0.019	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB33@16	15.66	12.92	0.020	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM QPSK_RB65@0	14.27	11.53	0.014	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM 16 QAM_RB65@0	14.27	11.53	0.014	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM 64 QAM_RB65@0	13.74	11.00	0.013	1	Pass
n78_3_25MHz_30kHz_3787.5MHz_CP-OFDM 256 QAM_RB65@0	10.86	8.12	0.006	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.99	14.25	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.18	14.44	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.13	14.39	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.64	13.90	0.025	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@1	16.99	14.25	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB1@76	17.18	14.44	0.028	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB36@18	17.13	14.39	0.027	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM QPSK_RB75@0	16.17	13.43	0.022	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 16 QAM_RB75@0	15.06	12.32	0.017	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 64 QAM_RB75@0	14.60	11.86	0.015	1	Pass
n78_3_30MHz_30kHz_3715MHz_DFT-s-OFDM 256 QAM_RB75@0	12.58	9.84	0.010	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@1	15.58	12.84	0.019	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB1@76	15.52	12.78	0.019	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB39@19	15.68	12.94	0.020	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM QPSK_RB78@0	14.17	11.43	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 16 QAM_RB78@0	14.15	11.41	0.014	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 64 QAM_RB78@0	13.66	10.92	0.012	1	Pass
n78_3_30MHz_30kHz_3715MHz_CP-OFDM 256 QAM_RB78@0	10.66	7.92	0.006	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.22	14.48	0.028	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.33	14.59	0.029	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.41	14.67	0.029	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.88	14.14	0.026	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.18	14.44	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@76	17.43	14.69	0.029	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB36@18	17.35	14.61	0.029	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB75@0	16.39	13.65	0.023	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB75@0	15.34	12.60	0.018	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB75@0	14.86	12.12	0.016	1	Pass
n78_3_30MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB75@0	12.79	10.05	0.010	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.59	12.85	0.019	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@76	15.77	13.03	0.020	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB39@19	15.90	13.16	0.021	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM QPSK_RB78@0	14.37	11.63	0.015	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB78@0	14.33	11.59	0.014	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB78@0	13.83	11.09	0.013	1	Pass
n78_3_30MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB78@0	10.86	8.12	0.006	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.33	14.59	0.029	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@76	17.26	14.52	0.028	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB36@18	17.35	14.61	0.029	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM $\pi/2$ BPSK_RB75@0	16.99	14.25	0.027	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@1	17.38	14.64	0.029	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB1@76	17.31	14.57	0.029	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB36@18	17.38	14.64	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM QPSK_RB75@0	16.38	13.64	0.023	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 16 QAM_RB75@0	15.38	12.64	0.018	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 64 QAM_RB75@0	14.97	12.23	0.017	1	Pass
n78_3_30MHz_30kHz_3785MHz_DFT-s-OFDM 256 QAM_RB75@0	12.88	10.14	0.010	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@1	15.76	13.02	0.020	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB1@76	15.76	13.02	0.020	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB39@19	15.97	13.23	0.021	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM QPSK_RB78@0	14.40	11.66	0.015	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 16 QAM_RB78@0	14.42	11.68	0.015	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 64 QAM_RB78@0	13.90	11.16	0.013	1	Pass
n78_3_30MHz_30kHz_3785MHz_CP-OFDM 256 QAM_RB78@0	10.89	8.15	0.007	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.07	14.33	0.027	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.23	14.49	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.25	14.51	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.69	13.95	0.025	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@1	17.10	14.36	0.027	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB1@104	17.31	14.57	0.029	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB50@25	17.24	14.50	0.028	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM QPSK_RB100@0	16.17	13.43	0.022	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 16 QAM_RB100@0	15.21	12.47	0.018	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 64 QAM_RB100@0	14.66	11.92	0.016	1	Pass
n78_3_40MHz_30kHz_3720MHz_DFT-s-OFDM 256 QAM_RB100@0	12.67	9.93	0.010	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@1	15.42	12.68	0.019	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB1@104	15.93	13.19	0.021	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB53@26	15.74	13.00	0.020	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM QPSK_RB106@0	14.18	11.44	0.014	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 16 QAM_RB106@0	14.25	11.51	0.014	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 64 QAM_RB106@0	13.71	10.97	0.013	1	Pass
n78_3_40MHz_30kHz_3720MHz_CP-OFDM 256 QAM_RB106@0	10.77	8.03	0.006	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.15	14.41	0.028	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.33	14.59	0.029	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.37	14.63	0.029	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.87	14.13	0.026	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.21	14.47	0.028	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@104	17.34	14.60	0.029	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB50@25	17.31	14.57	0.029	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB100@0	16.35	13.61	0.023	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB100@0	15.36	12.62	0.018	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB100@0	14.86	12.12	0.016	1	Pass
n78_3_40MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB100@0	12.83	10.09	0.010	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.56	12.82	0.019	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@104	15.74	13.00	0.020	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB53@26	15.91	13.17	0.021	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM QPSK_RB106@0	14.32	11.58	0.014	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB106@0	14.31	11.57	0.014	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB106@0	13.86	11.12	0.013	1	Pass
n78_3_40MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB106@0	10.85	8.11	0.006	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.52	0.028	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@104	17.19	14.45	0.028	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB50@25	17.36	14.62	0.029	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM $\pi/2$ BPSK_RB100@0	16.88	14.14	0.026	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@1	17.33	14.59	0.029	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB1@104	17.28	14.54	0.028	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB50@25	17.35	14.61	0.029	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM QPSK_RB100@0	16.38	13.64	0.023	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 16 QAM_RB100@0	15.37	12.63	0.018	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 64 QAM_RB100@0	14.87	12.13	0.016	1	Pass
n78_3_40MHz_30kHz_3780MHz_DFT-s-OFDM 256 QAM_RB100@0	12.82	10.08	0.010	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@1	15.86	13.12	0.021	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB1@104	15.62	12.88	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB53@26	15.87	13.13	0.021	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM QPSK_RB106@0	14.31	11.57	0.014	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 16 QAM_RB106@0	14.37	11.63	0.015	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 64 QAM_RB106@0	13.86	11.12	0.013	1	Pass
n78_3_40MHz_30kHz_3780MHz_CP-OFDM 256 QAM_RB106@0	10.86	8.12	0.006	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.93	14.19	0.026	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.28	14.54	0.028	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.24	14.50	0.028	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.69	13.95	0.025	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@1	16.93	14.19	0.026	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB1@131	17.22	14.48	0.028	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB64@32	17.25	14.51	0.028	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM QPSK_RB128@0	16.24	13.50	0.022	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 16 QAM_RB128@0	15.25	12.51	0.018	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 64 QAM_RB128@0	14.74	12.00	0.016	1	Pass
n78_3_50MHz_30kHz_3725MHz_DFT-s-OFDM 256 QAM_RB128@0	12.70	9.96	0.010	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@1	15.45	12.71	0.019	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB1@131	15.64	12.90	0.019	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB67@33	15.76	13.02	0.020	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM QPSK_RB133@0	14.21	11.47	0.014	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 16 QAM_RB133@0	14.21	11.47	0.014	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 64 QAM_RB133@0	13.75	11.01	0.013	1	Pass
n78_3_50MHz_30kHz_3725MHz_CP-OFDM 256 QAM_RB133@0	10.74	8.00	0.006	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.15	14.41	0.028	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.33	14.59	0.029	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.44	14.70	0.030	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.87	14.13	0.026	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.13	14.39	0.027	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@131	17.35	14.61	0.029	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB64@32	17.37	14.63	0.029	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB128@0	16.36	13.62	0.023	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB128@0	15.36	12.62	0.018	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB128@0	14.86	12.12	0.016	1	Pass
n78_3_50MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB128@0	12.85	10.11	0.010	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.59	12.85	0.019	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@131	15.68	12.94	0.020	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB67@33	15.90	13.16	0.021	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM QPSK_RB133@0	14.34	11.60	0.014	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB133@0	14.31	11.57	0.014	1	Pass
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB133@0	13.87	11.13	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_50MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB133@0	10.91	8.17	0.007	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.26	14.52	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@131	17.22	14.48	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB64@32	17.49	14.75	0.030	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM $\pi/2$ BPSK_RB128@0	16.97	14.23	0.026	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@1	17.31	14.57	0.029	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB1@131	17.24	14.50	0.028	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB64@32	17.47	14.73	0.030	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM QPSK_RB128@0	16.49	13.75	0.024	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 16 QAM_RB128@0	15.50	12.76	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 64 QAM_RB128@0	15.03	12.29	0.017	1	Pass
n78_3_50MHz_30kHz_3775MHz_DFT-s-OFDM 256 QAM_RB128@0	12.95	10.21	0.010	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@1	15.66	12.92	0.020	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB1@131	15.62	12.88	0.019	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB67@33	15.94	13.20	0.021	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM QPSK_RB133@0	14.44	11.70	0.015	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 16 QAM_RB133@0	14.49	11.75	0.015	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 64 QAM_RB133@0	13.97	11.23	0.013	1	Pass
n78_3_50MHz_30kHz_3775MHz_CP-OFDM 256 QAM_RB133@0	10.91	8.17	0.007	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	16.89	14.15	0.026	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.25	14.51	0.028	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.25	14.51	0.028	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.71	13.97	0.025	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@1	16.92	14.18	0.026	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB1@160	17.33	14.59	0.029	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB81@40	17.19	14.45	0.028	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM QPSK_RB162@0	16.23	13.49	0.022	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 16 QAM_RB162@0	15.25	12.51	0.018	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 64 QAM_RB162@0	14.75	12.01	0.016	1	Pass
n78_3_60MHz_30kHz_3730MHz_DFT-s-OFDM 256 QAM_RB162@0	12.74	10.00	0.010	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@1	15.49	12.75	0.019	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB1@160	15.70	12.96	0.020	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB81@40	15.75	13.01	0.020	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM QPSK_RB162@0	14.21	11.47	0.014	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 16 QAM_RB162@0	14.25	11.51	0.014	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 64 QAM_RB162@0	13.77	11.03	0.013	1	Pass
n78_3_60MHz_30kHz_3730MHz_CP-OFDM 256 QAM_RB162@0	10.78	8.04	0.006	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17	14.26	0.027	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.21	14.47	0.028	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.31	14.57	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.77	14.03	0.025	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.06	14.32	0.027	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@160	17.27	14.53	0.028	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB81@40	17.28	14.54	0.028	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB162@0	16.24	13.50	0.022	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB162@0	15.23	12.49	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB162@0	14.77	12.03	0.016	1	Pass
n78_3_60MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB162@0	12.77	10.03	0.010	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.37	12.63	0.018	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@160	15.91	13.17	0.021	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB81@40	15.82	13.08	0.020	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM QPSK_RB162@0	14.26	11.52	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB162@0	14.25	11.51	0.014	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB162@0	13.75	11.01	0.013	1	Pass
n78_3_60MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB162@0	10.81	8.07	0.006	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.14	14.40	0.028	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@160	17.13	14.39	0.027	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB81@40	17.34	14.60	0.029	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM $\pi/2$ BPSK_RB162@0	16.74	14.00	0.025	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.38	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB1@160	17.15	14.41	0.028	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB81@40	17.31	14.57	0.029	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM QPSK_RB162@0	16.25	13.51	0.022	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 16 QAM_RB162@0	15.35	12.61	0.018	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 64 QAM_RB162@0	14.78	12.04	0.016	1	Pass
n78_3_60MHz_30kHz_3770MHz_DFT-s-OFDM 256 QAM_RB162@0	12.80	10.06	0.010	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@1	15.51	12.77	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB1@160	15.54	12.80	0.019	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB81@40	15.85	13.11	0.020	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM QPSK_RB162@0	14.30	11.56	0.014	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 16 QAM_RB162@0	14.27	11.53	0.014	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 64 QAM_RB162@0	13.75	11.01	0.013	1	Pass
n78_3_60MHz_30kHz_3770MHz_CP-OFDM 256 QAM_RB162@0	10.84	8.10	0.006	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.15	14.41	0.028	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.39	14.65	0.029	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.39	14.65	0.029	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.91	14.17	0.026	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@1	17.17	14.43	0.028	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB1@187	17.48	14.74	0.030	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB90@45	17.38	14.64	0.029	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM QPSK_RB180@0	16.39	13.65	0.023	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 16 QAM_RB180@0	15.45	12.71	0.019	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 64 QAM_RB180@0	14.92	12.18	0.017	1	Pass
n78_3_70MHz_30kHz_3735MHz_DFT-s-OFDM 256 QAM_RB180@0	12.93	10.19	0.010	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@1	15.71	12.97	0.020	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB1@187	16.11	13.37	0.022	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB95@47	15.91	13.17	0.021	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM QPSK_RB189@0	14.45	11.71	0.015	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 16 QAM_RB189@0	14.46	11.72	0.015	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 64 QAM_RB189@0	13.95	11.21	0.013	1	Pass
n78_3_70MHz_30kHz_3735MHz_CP-OFDM 256 QAM_RB189@0	10.92	8.18	0.007	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.19	14.45	0.028	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.44	14.70	0.030	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.51	14.77	0.030	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.97	14.23	0.026	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.28	14.54	0.028	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@187	17.43	14.69	0.029	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB90@45	17.51	14.77	0.030	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB180@0	16.48	13.74	0.024	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB180@0	15.48	12.74	0.019	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB180@0	15.02	12.28	0.017	1	Pass
n78_3_70MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB180@0	12.98	10.24	0.011	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.65	12.91	0.020	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@187	15.89	13.15	0.021	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB95@47	16.04	13.30	0.021	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM QPSK_RB189@0	14.54	11.80	0.015	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB189@0	14.51	11.77	0.015	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB189@0	14.01	11.27	0.013	1	Pass
n78_3_70MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB189@0	11	8.26	0.007	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.29	14.55	0.029	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@187	17.40	14.66	0.029	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB90@45	17.48	14.74	0.030	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM $\pi/2$ BPSK_RB180@0	16.98	14.24	0.027	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@1	17.25	14.51	0.028	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB1@187	17.43	14.69	0.029	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB90@45	17.44	14.70	0.030	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM QPSK_RB180@0	16.46	13.72	0.024	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 16 QAM_RB180@0	15.46	12.72	0.019	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 64 QAM_RB180@0	14.98	12.24	0.017	1	Pass
n78_3_70MHz_30kHz_3765MHz_DFT-s-OFDM 256 QAM_RB180@0	12.98	10.24	0.011	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@1	15.72	12.98	0.020	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB1@187	15.86	13.12	0.021	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB95@47	16	13.26	0.021	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM QPSK_RB189@0	14.47	11.73	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 16 QAM_RB189@0	14.43	11.69	0.015	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 64 QAM_RB189@0	13.96	11.22	0.013	1	Pass
n78_3_70MHz_30kHz_3765MHz_CP-OFDM 256 QAM_RB189@0	10.95	8.21	0.007	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.11	14.37	0.027	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.44	14.70	0.030	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.43	14.69	0.029	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.85	14.11	0.026	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@1	17.15	14.41	0.028	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB1@215	17.50	14.76	0.030	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB108@54	17.47	14.73	0.030	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM QPSK_RB216@0	16.42	13.68	0.023	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 16 QAM_RB216@0	15.43	12.69	0.019	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 64 QAM_RB216@0	14.98	12.24	0.017	1	Pass
n78_3_80MHz_30kHz_3740MHz_DFT-s-OFDM 256 QAM_RB216@0	12.92	10.18	0.010	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@1	15.58	12.84	0.019	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB1@215	15.90	13.16	0.021	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB109@54	15.94	13.20	0.021	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM QPSK_RB217@0	14.46	11.72	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 16 QAM_RB217@0	14.41	11.67	0.015	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 64 QAM_RB217@0	13.95	11.21	0.013	1	Pass
n78_3_80MHz_30kHz_3740MHz_CP-OFDM 256 QAM_RB217@0	10.95	8.21	0.007	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.22	14.48	0.028	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.39	14.65	0.029	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.49	14.75	0.030	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	16.90	14.16	0.026	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.25	14.51	0.028	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@215	17.38	14.64	0.029	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB108@54	17.52	14.78	0.030	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB216@0	16.42	13.68	0.023	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB216@0	15.47	12.73	0.019	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB216@0	15.02	12.28	0.017	1	Pass
n78_3_80MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB216@0	12.96	10.22	0.011	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.62	12.88	0.019	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@215	15.92	13.18	0.021	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB109@54	16	13.26	0.021	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM QPSK_RB217@0	14.46	11.72	0.015	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB217@0	14.43	11.69	0.015	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB217@0	13.92	11.18	0.013	1	Pass
n78_3_80MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB217@0	10.94	8.20	0.007	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.25	14.51	0.028	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@215	17.44	14.70	0.030	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB108@54	17.49	14.75	0.030	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM $\pi/2$ BPSK_RB216@0	17.01	14.27	0.027	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@1	17.28	14.54	0.028	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB1@215	17.49	14.75	0.030	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB108@54	17.52	14.78	0.030	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM QPSK_RB216@0	16.50	13.76	0.024	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 16 QAM_RB216@0	15.51	12.77	0.019	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 64 QAM_RB216@0	15.05	12.31	0.017	1	Pass
n78_3_80MHz_30kHz_3760MHz_DFT-s-OFDM 256 QAM_RB216@0	12.98	10.24	0.011	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@1	15.76	13.02	0.020	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB1@215	15.89	13.15	0.021	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB109@54	16.02	13.28	0.021	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM QPSK_RB217@0	14.43	11.69	0.015	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 16 QAM_RB217@0	14.46	11.72	0.015	1	Pass
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 64 QAM_RB217@0	13.94	11.20	0.013	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_80MHz_30kHz_3760MHz_CP-OFDM 256 QAM_RB217@0	11.01	8.27	0.007	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.06	14.32	0.027	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.37	14.63	0.029	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.31	14.57	0.029	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.86	14.12	0.026	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@1	17.12	14.38	0.027	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB1@243	17.35	14.61	0.029	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB120@60	17.38	14.64	0.029	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM QPSK_RB243@0	16.39	13.65	0.023	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 16 QAM_RB243@0	15.38	12.64	0.018	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 64 QAM_RB243@0	14.94	12.20	0.017	1	Pass
n78_3_90MHz_30kHz_3745MHz_DFT-s-OFDM 256 QAM_RB243@0	12.91	10.17	0.010	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@1	15.54	12.80	0.019	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB1@243	15.80	13.06	0.020	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB123@61	15.89	13.15	0.021	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM QPSK_RB245@0	14.38	11.64	0.015	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 16 QAM_RB245@0	14.37	11.63	0.015	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 64 QAM_RB245@0	13.90	11.16	0.013	1	Pass
n78_3_90MHz_30kHz_3745MHz_CP-OFDM 256 QAM_RB245@0	10.91	8.17	0.007	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.12	14.38	0.027	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.30	14.56	0.029	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.39	14.65	0.029	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	16.87	14.13	0.026	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.18	14.44	0.028	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@243	17.43	14.69	0.029	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB120@60	17.42	14.68	0.029	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB243@0	16.45	13.71	0.023	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB243@0	15.46	12.72	0.019	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB243@0	14.96	12.22	0.017	1	Pass
n78_3_90MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB243@0	12.96	10.22	0.011	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.65	12.91	0.020	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@243	15.85	13.11	0.020	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB123@61	15.97	13.23	0.021	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM QPSK_RB245@0	14.38	11.64	0.015	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB245@0	14.43	11.69	0.015	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB245@0	13.93	11.19	0.013	1	Pass
n78_3_90MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB245@0	10.94	8.20	0.007	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.22	14.48	0.028	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@243	17.33	14.59	0.029	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB120@60	17.53	14.79	0.030	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM $\pi/2$ BPSK_RB243@0	17.02	14.28	0.027	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@1	17.22	14.48	0.028	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB1@243	17.42	14.68	0.029	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB120@60	17.59	14.85	0.031	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM QPSK_RB243@0	16.54	13.80	0.024	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 16 QAM_RB243@0	15.56	12.82	0.019	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 64 QAM_RB243@0	15.05	12.31	0.017	1	Pass
n78_3_90MHz_30kHz_3755MHz_DFT-s-OFDM 256 QAM_RB243@0	13.05	10.31	0.011	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@1	15.78	13.04	0.020	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB1@243	15.93	13.19	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB123@61	16.05	13.31	0.021	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM QPSK_RB245@0	14.49	11.75	0.015	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 16 QAM_RB245@0	14.49	11.75	0.015	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 64 QAM_RB245@0	14.03	11.29	0.013	1	Pass
n78_3_90MHz_30kHz_3755MHz_CP-OFDM 256 QAM_RB245@0	11.01	8.27	0.007	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@1	17.12	14.38	0.027	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB1@271	17.34	14.60	0.029	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB135@67	17.39	14.65	0.029	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM $\pi/2$ BPSK_RB270@0	16.91	14.17	0.026	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@1	17.14	14.40	0.028	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB1@271	17.37	14.63	0.029	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB135@67	17.49	14.75	0.030	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM QPSK_RB270@0	16.45	13.71	0.023	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 16 QAM_RB270@0	15.46	12.72	0.019	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 64 QAM_RB270@0	15.04	12.30	0.017	1	Pass
n78_3_100MHz_30kHz_3750MHz_DFT-s-OFDM 256 QAM_RB270@0	12.95	10.21	0.010	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@1	15.68	12.94	0.020	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB1@271	15.79	13.05	0.020	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB137@68	15.99	13.25	0.021	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM QPSK_RB273@0	14.47	11.73	0.015	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 16 QAM_RB273@0	14.46	11.72	0.015	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 64 QAM_RB273@0	13.95	11.21	0.013	1	Pass
n78_3_100MHz_30kHz_3750MHz_CP-OFDM 256 QAM_RB273@0	10.97	8.23	0.007	1	Pass

Note:

EIRP = Conducted Power(dBm) - L_C(dB) + G_T(dBi)

1.Ant Gain = -2.74dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB