



802.11ac20\_5785MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:41:24

802.11ac20\_5825MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:42:02

802.11ac40\_5755MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:42:47

802.11ac40\_5795MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:43:33

802.11ac80\_5775MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:44:16

802.11ax20\_5745MHz\_RU\_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:36:10

802.11ax20\_5785MHz\_RU\_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:37:05

802.11ax20\_5825MHz\_RU\_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:37:43

802.11ax40\_5755MHz\_RU\_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:38:20

802.11ax40\_5795MHz\_RU\_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:38:56

802.11ax80\_5775MHz\_RU\_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 25.APR.2026 00:39:40

5.7 Duty Cycle

|             |          |              |                       |
|-------------|----------|--------------|-----------------------|
| Serial No.: | 3J02-1   | Test Date:   | 2026/04/01~2026/04/24 |
| Test Site:  | RF       | Test Mode:   | Transmitting          |
| Tester:     | Jeff Wei | Test Result: | N/A                   |

Environmental Conditions:

|                      |           |                           |       |                        |             |
|----------------------|-----------|---------------------------|-------|------------------------|-------------|
| Temperature:<br>(°C) | 24.9-26.1 | Relative Humidity:<br>(%) | 60-71 | ATM Pressure:<br>(kPa) | 100.5-100.7 |
|----------------------|-----------|---------------------------|-------|------------------------|-------------|

Test Equipment List and Details:

| Manufacturer | Description        | Model               | Serial Number | Calibration Date | Calibration Due Date |
|--------------|--------------------|---------------------|---------------|------------------|----------------------|
| R&S          | Coaxial Attenuator | 10dB                | F-08-EM512    | 2025/06/06       | 2026/06/05           |
| R&S          | Spectrum Analyzer  | FSV40               | 101589        | 2025/07/28       | 2026/07/27           |
| JD           | Test Software      | JD Auto Test System | V1.0          | N/A              | N/A                  |


\* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

Test Data:

| Mode               | Test Frequency (MHz) | Ton (ms) | Ton+Toff (ms) | Duty Cycle (%) | Duty Cycle Factor(dB) | 1/Ton (Hz) | VBW Setting (kHz) |
|--------------------|----------------------|----------|---------------|----------------|-----------------------|------------|-------------------|
| 802.11a            | 5200                 | 100      | 100           | 100            | 0                     | /          | 0.010             |
| 802.11ac20         | 5200                 | 1.305    | 1.908         | 68.40          | 1.65                  | 766        | 1                 |
| 802.11ac40         | 5190                 | 0.651    | 1.253         | 51.96          | 2.84                  | 1536       | 2                 |
| 802.11ac80         | 5210                 | 0.323    | 0.925         | 34.92          | 4.57                  | 3096       | 5                 |
| 802.11ax20_RU_Full | 5200                 | 1.012    | 1.723         | 58.73          | 2.31                  | 988        | 1                 |
| 802.11ax40_RU_Full | 5190                 | 0.532    | 1.243         | 42.80          | 3.69                  | 1880       | 2                 |
| 802.11ax80_RU_Full | 5210                 | 0.286    | 0.970         | 29.48          | 5.30                  | 3497       | 5                 |


Duty Cycle = Ton/(Ton+Toff)\*100%

802.11a\_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 24.APR.2026 21:46:06

802.11ac20\_5200MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 1.APR.2026 20:43:28

802.11ac40\_5190MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 1.APR.2026 20:46:40

802.11ac80\_5210MHz




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 1.APR.2026 20:45:35

802.11ax20\_5200MHz\_RU\_Full




ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 8.APR.2026 15:51:56

802.11ax40\_5190MHz\_RU\_Full



ProjectNo.:2602R09298E-RF Tester:Jeff Wei  
Date: 8.APR.2026 15:53:22



---

## **EXHIBIT A - EUT PHOTOGRAPHS**

---

Please refer to the attachment 2602R09298E-RF-EXP EUT EXTERNAL PHOTOGRAPHS and 2602R09298E-RF-INP EUT INTERNAL PHOTOGRAPHS.

---

## **EXHIBIT B - TEST SETUP PHOTOGRAPHS**

---

Please refer to the attachment 2602R09298E-RF-00D-TSP TEST SETUP PHOTOGRAPHS.

**\*\*\*\*\* END OF REPORT \*\*\*\*\***