

Appendix D9

Test Information:

Serial No.:	3J02-1	Test Date:	2026/04/14~2026/04/15
Test Site:	RF	Test Mode:	Transmitting
Tester:	Loge Long	Test Result:	Pass

Environmental Conditions:

Temperature: (°C)	24.2~24.7	Relative Humidity: (%)	49~63	ATM Pressure: (kPa)	101.1~100.4
----------------------	-----------	---------------------------	-------	------------------------	-------------

Test Equipment List and Details:

Manufacturer	Description	Model	Serial Number	Calibration Date	Calibration Due Date
Micro-Coax	Coaxial Cable	UFB205A	323308-018	2025/06/01	2026/05/31
Micro-Coax	Coaxial Cable	UFB205A	323308-015	2025/06/01	2026/05/31
Anritsu	Radio Communication Test Station	MT8000A	6272709229	2025/09/21	2026/09/20
Gongee	Coaxial Power Splitters & Combiner	PD-0/6-2S	RF20230800110	2026/01/15	2027/01/14
Narda	4-Way Power Divider	4322-4	02355	2026/03/01	2027/03/01
JD	Test Software	JD Auto Test System	V1.0	N/A	N/A

* Statement of Traceability: Bay Area Compliance Laboratories Corp. (Dongguan) attests that all calibrations have been performed, traceable to National Primary Standards and International System of Units (SI).

RF Output Power
FCC Part 27

DC_5A_n7A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.84(22.27 13.72)	19.67	0.093	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.72(22.1 13.95)	19.55	0.090	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	22.72(22.15 13.63)	19.55	0.090	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.74(22.15 13.81)	19.58	0.091	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.8(22.18 14.03)	19.63	0.092	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK CP-OFDM QPSK_RB12@0 RB13@6	22.75(22.12 14.06)	19.58	0.091	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.81(22.2 14.01)	19.65	0.092	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.79(22.18 14)	19.63	0.092	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.82(22.2 14.07)	19.65	0.092	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.77(22.15 14.02)	19.60	0.091	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.75(22.19 13.55)	19.58	0.091	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_829MHz 2502.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.58(22.22 11.57)	19.41	0.087	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.64(21.88 14.68)	19.47	0.089	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.65(21.89 14.71)	19.49	0.089	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM QPSK_RB12@0 RB13@6	22.66(21.89 14.77)	19.50	0.089	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.69(21.94 14.72)	19.53	0.090	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.6(21.83 14.68)	19.43	0.088	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.63(21.85 14.8)	19.47	0.088	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.69(21.92 14.77)	19.52	0.090	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.63(21.93 14.35)	19.46	0.088	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.37(21.92 12.31)	19.20	0.083	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@24	21.97(21.4 12.86)	18.80	0.076	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	22.03(21.44 13.09)	18.87	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@24	22.01(21.47 12.65)	18.84	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@24	22.04(21.48 12.9)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB12@6	22(21.41 13.07)	18.84	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK CP-OFDM QPSK_RB12@38 RB13@6	22.05(21.45 13.14)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	22.06(21.47 13.08)	18.89	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB13@6	22.01(21.41 13.08)	18.84	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	22.05(21.46 13.1)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB13@6	22.03(21.43 13.1)	18.86	0.077	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.95(21.41 12.65)	18.78	0.076	2	Pass
DC_5A_n7A_10MHz 5MHz_15kHz_844MHz 2567.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.81(21.47 10.63)	18.64	0.073	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.91(22.35 13.75)	19.74	0.094	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.81(22.19 14.03)	19.64	0.092	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	22.8(22.24 13.66)	19.64	0.092	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.77(22.18 13.79)	19.60	0.091	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.81(22.19 14.07)	19.65	0.092	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.77(22.14 14.09)	19.61	0.091	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.83(22.22 14.04)	19.67	0.093	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.83(22.21 14.08)	19.66	0.093	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.83(22.2 14.11)	19.66	0.092	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.81(22.18 14.1)	19.64	0.092	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.68(22.11 13.58)	19.51	0.089	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_829MHz 2505MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.58(22.22 11.63)	19.41	0.087	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.67(21.91 14.74)	19.51	0.089	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.69(21.93 14.74)	19.53	0.090	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.66(21.9 14.7)	19.49	0.089	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.66(21.9 14.73)	19.50	0.089	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.69(21.94 14.69)	19.53	0.090	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.72(21.96 14.8)	19.56	0.090	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.69(21.93 14.76)	19.53	0.090	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.61(21.92 14.28)	19.44	0.088	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.36(21.92 12.25)	19.19	0.083	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@51	22.02(21.45 12.89)	18.85	0.077	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	22.04(21.43 13.22)	18.87	0.077	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	21.95(21.4 12.74)	18.79	0.076	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.98(21.4 12.92)	18.81	0.076	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	22.08(21.47 13.23)	18.91	0.078	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	22.03(21.43 13.17)	18.87	0.077	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	22.05(21.44 13.23)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	22.04(21.44 13.17)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	22.09(21.48 13.28)	18.93	0.078	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	22.1(21.5 13.23)	18.94	0.078	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.97(21.42 12.76)	18.81	0.076	2	Pass
DC_5A_n7A_10MHz 10MHz_15kHz_844MHz 2565MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.84(21.49 10.75)	18.67	0.074	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.85(22.27 13.82)	19.68	0.093	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.91(22.26 14.31)	19.74	0.094	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.85(22.28 13.76)	19.68	0.093	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.86(22.27 13.87)	19.69	0.093	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.83(22.18 14.28)	19.67	0.093	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.89(22.22 14.41)	19.72	0.094	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.87(22.22 14.32)	19.71	0.093	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.94(22.28 14.41)	19.77	0.095	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.88(22.23 14.31)	19.71	0.094	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.83(22.15 14.43)	19.66	0.093	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.85(22.26 13.87)	19.68	0.093	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 15MHz_15kHz_829MHz 2507.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.6(22.21 11.9)	19.43	0.088	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.63(21.86 14.75)	19.47	0.088	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.67(21.91 14.73)	19.51	0.089	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM QPSK_RB12@0 RB39@19	22.7(21.93 14.82)	19.54	0.090	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.71(21.95 14.79)	19.55	0.090	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.73(21.95 14.87)	19.56	0.090	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.71(21.93 14.84)	19.54	0.090	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.74(21.97 14.85)	19.58	0.091	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.64(21.95 14.31)	19.47	0.089	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.34(21.89 12.31)	19.17	0.083	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@78	22.03(21.44 13.06)	18.86	0.077	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	22.12(21.46 13.58)	18.95	0.079	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@78	22.08(21.51 12.94)	18.91	0.078	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@78	22.05(21.47 13.03)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB36@18	22.13(21.48 13.58)	18.97	0.079	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK CP-OFDM QPSK_RB12@38 RB39@19	22.14(21.49 13.54)	18.97	0.079	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	22.12(21.46 13.59)	18.95	0.079	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB39@19	22.13(21.47 13.59)	18.96	0.079	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	22.11(21.45 13.62)	18.95	0.078	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB39@19	22.1(21.45 13.56)	18.94	0.078	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	22.05(21.45 13.14)	18.88	0.077	2	Pass
DC_5A_n7A_10MHz 15MHz_15kHz_844MHz 2562.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.83(21.45 11.07)	18.66	0.073	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.87(22.28 13.9)	19.70	0.093	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.89(22.2 14.55)	19.72	0.094	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	22.88(22.31 13.81)	19.72	0.094	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.83(22.23 13.92)	19.66	0.092	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.89(22.2 14.53)	19.72	0.094	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK CP-OFDM QPSK_RB12@0 RB53@26	22.95(22.26 14.6)	19.78	0.095	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.86(22.17 14.51)	19.69	0.093	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB53@26	22.91(22.21 14.61)	19.74	0.094	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.93(22.25 14.52)	19.76	0.095	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB53@26	22.93(22.24 14.62)	19.77	0.095	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.85(22.23 14.09)	19.68	0.093	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_829MHz 2510MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB53@26	22.61(22.21 12.11)	19.44	0.088	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.68(21.91 14.77)	19.51	0.089	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.71(21.95 14.77)	19.55	0.090	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM QPSK_RB12@0 RB53@26	22.69(21.91 14.82)	19.52	0.090	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.73(21.97 14.81)	19.57	0.091	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.72(21.95 14.82)	19.56	0.090	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.7(21.92 14.83)	19.53	0.090	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.7(21.92 14.88)	19.54	0.090	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.61(21.9 14.38)	19.44	0.088	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.38(21.93 12.32)	19.21	0.083	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	22.08(21.5 13.02)	18.91	0.078	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	22.16(21.48 13.75)	18.99	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@105	21.95(21.37 12.93)	18.78	0.076	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@105	22.05(21.47 13.04)	18.89	0.077	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB50@25	22.13(21.45 13.76)	18.97	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK CP-OFDM QPSK_RB12@38 RB53@26	22.14(21.47 13.72)	18.98	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	22.13(21.45 13.73)	18.96	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB53@26	22.12(21.44 13.72)	18.95	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	22.13(21.46 13.68)	18.96	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB53@26	22.14(21.47 13.72)	18.98	0.079	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.07(21.46 13.26)	18.91	0.078	2	Pass
DC_5A_n7A_10MHz 20MHz_15kHz_844MHz 2560MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB53@26	21.84(21.45 11.21)	18.67	0.074	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	20.09(19.31 12.26)	16.93	0.049	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	20.44(19.46 13.51)	17.28	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	20.21(19.46 12.24)	17.05	0.051	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.29(19.54 12.28)	17.12	0.052	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB64@32	20.47(19.47 13.58)	17.31	0.054	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK CP-OFDM QPSK_RB12@0 RB67@33	20.48(19.47 13.64)	17.32	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	20.46(19.47 13.57)	17.30	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB67@33	20.48(19.47 13.64)	17.32	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	20.52(19.52 13.63)	17.36	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB67@33	20.51(19.49 13.74)	17.36	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	20.43(19.52 13.2)	17.27	0.053	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_829MHz 2512.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB67@33	20.11(19.5 11.28)	16.94	0.049	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	20.43(19.6 12.81)	17.26	0.053	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB64@32	20.44(19.61 12.83)	17.27	0.053	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM QPSK_RB12@0 RB67@33	20.47(19.65 12.82)	17.31	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	20.49(19.67 12.82)	17.32	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB67@33	20.5(19.68 12.83)	17.33	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	20.49(19.67 12.86)	17.33	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB67@33	20.49(19.66 12.87)	17.32	0.054	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	20.43(19.68 12.42)	17.26	0.053	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB67@33	20.14(19.65 10.44)	16.97	0.050	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	20.19(19.45 12.12)	17.02	0.050	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	20.65(19.98 12.2)	17.48	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@132	20.23(19.5 12.11)	17.06	0.051	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@132	20.15(19.4 12.16)	16.99	0.050	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB64@32	20.66(19.99 12.18)	17.49	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK CP-OFDM QPSK_RB12@38 RB67@33	20.67(20 12.25)	17.51	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	20.63(19.96 12.17)	17.46	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB67@33	20.68(20.01 12.21)	17.51	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	20.66(19.98 12.26)	17.49	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB67@33	20.67(19.99 12.25)	17.50	0.056	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	20.6(19.99 11.79)	17.44	0.055	2	Pass
DC_5A_n7A_10MHz 25MHz_15kHz_844MHz 2557.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB67@33	20.4(20 9.83)	17.23	0.053	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	19.73(18.91 12.09)	16.57	0.045	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB80@40	20.56(19.51 13.86)	17.40	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	19.91(19.04 12.48)	16.74	0.047	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	19.9(19.01 12.6)	16.74	0.047	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK CP-OFDM QPSK_RB12@0 RB80@40	20.55(19.49 13.9)	17.39	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB80@40	20.58(19.52 13.94)	17.42	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB80@40	20.56(19.5 13.91)	17.40	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	20.53(19.46 13.92)	17.37	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB80@40	20.58(19.52 13.94)	17.42	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	20.59(19.54 13.93)	17.44	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB80@40	20.11(19.48 11.4)	16.94	0.049	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_829MHz 2515MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	20.48(19.51 13.48)	17.32	0.054	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB80@40	20.55(19.69 13.07)	17.38	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	20.55(19.67 13.17)	17.39	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	20.54(19.68 13.11)	17.38	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	20.54(19.67 13.12)	17.38	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	20.51(19.65 13.08)	17.35	0.054	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	20.51(19.63 13.14)	17.35	0.054	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	20.52(19.64 13.14)	17.36	0.054	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	20.2(19.69 10.63)	17.03	0.050	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_836.5MHz 2535MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	20.46(19.67 12.65)	17.29	0.054	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@159	20.24(19.46 12.37)	17.07	0.051	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB80@40	20.69(20.01 12.33)	17.53	0.057	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	20.22(19.46 12.28)	17.06	0.051	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	20.33(19.56 12.42)	17.16	0.052	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	20.56(19.98 11.53)	17.39	0.055	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	20.66(19.96 12.36)	17.49	0.056	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	20.53(19.94 11.53)	17.36	0.054	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	20.67(19.98 12.36)	17.51	0.056	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	20.53(19.94 11.56)	17.36	0.054	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	20.68(19.99 12.38)	17.52	0.056	2	Pass
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	20.32(19.98 9.04)	17.14	0.052	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 30MHz_15kHz_844MHz 2555MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	20.6(19.97 11.89)	17.43	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	21.06(20.51 11.84)	17.90	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	21.19(20.45 13.16)	18.03	0.064	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	21.05(20.5 11.78)	17.88	0.061	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	21.1(20.54 11.9)	17.93	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK CP-OFDM QPSK_RB12@0 RB108@54	21.2(20.46 13.15)	18.04	0.064	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.23(20.5 13.13)	18.07	0.064	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB108@54	21.22(20.49 13.14)	18.06	0.064	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.22(20.47 13.2)	18.05	0.064	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB108@54	21.26(20.53 13.18)	18.10	0.065	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.26(20.52 13.21)	18.10	0.065	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB108@54	20.95(20.53 10.62)	17.78	0.060	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_829MHz 2520MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	21.13(20.45 12.73)	17.96	0.063	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	21.07(20.44 12.4)	17.91	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM QPSK_RB12@0 RB108@54	21.09(20.44 12.51)	17.92	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB108@54	21.05(20.41 12.41)	17.88	0.061	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB108@54	21.08(20.44 12.47)	17.92	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	21.08(20.44 12.44)	17.91	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB108@54	21.09(20.43 12.56)	17.92	0.062	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	21.07(20.41 12.55)	17.90	0.062	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB108@54	20.85(20.48 9.99)	17.68	0.059	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	20.99(20.4 12.03)	17.82	0.061	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@215	20.69(20.04 12.1)	17.52	0.057	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	20.57(19.97 11.68)	17.40	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@215	20.61(19.97 11.98)	17.44	0.056	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@215	20.72(20.07 12.18)	17.56	0.057	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK CP-OFDM QPSK_RB12@38 RB108@54	20.57(19.98 11.63)	17.41	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB108@54	20.56(19.97 11.62)	17.40	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB108@54	20.55(19.96 11.6)	17.38	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	20.55(19.96 11.62)	17.39	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB108@54	20.54(19.95 11.61)	17.38	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	20.59(20 11.61)	17.42	0.055	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB108@54	20.32(19.98 9.14)	17.15	0.052	2	Pass
DC_5A_n7A_10MHz 40MHz_15kHz_844MHz 2550MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	20.52(19.99 11.15)	17.35	0.054	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	20.93(20.36 11.8)	17.76	0.060	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	21.17(20.48 12.86)	18.01	0.063	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK CP-OFDM QPSK_RB1@0 RB1@0	20.95(20.4 11.68)	17.78	0.060	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.93(20.36 11.85)	17.77	0.060	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK CP-OFDM QPSK_RB12@0 RB135@67	21.2(20.49 12.98)	18.03	0.064	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM QPSK_RB12@0 RB135@67	21.16(20.46 12.89)	18.00	0.063	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK CP-OFDM 16 QAM_RB12@0 RB135@67	21.19(20.49 12.94)	18.03	0.064	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	21.17(20.46 12.96)	18.01	0.063	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK CP-OFDM 64 QAM_RB12@0 RB135@67	21.15(20.44 12.94)	17.99	0.063	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	21.15(20.43 12.98)	17.98	0.063	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK CP-OFDM 256 QAM_RB12@0 RB135@67	20.91(20.5 10.49)	17.74	0.059	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_829MHz 2525MHz_QP SK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	21.1(20.45 12.51)	17.93	0.062	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	21.07(20.44 12.4)	17.91	0.062	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM QPSK_RB12@0 RB135@67	21.12(20.47 12.53)	17.95	0.062	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB135@67	21.05(20.39 12.54)	17.88	0.061	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB135@67	21.04(20.39 12.46)	17.87	0.061	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	21.01(20.35 12.47)	17.84	0.061	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB135@67	21.06(20.41 12.52)	17.90	0.062	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	21.06(20.41 12.52)	17.90	0.062	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB135@67	20.83(20.45 10.04)	17.66	0.058	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_836.5MHz 2535MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	21(20.4 12.08)	17.83	0.061	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@269	20.64(20 12.04)	17.48	0.056	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB135@67	20.6(19.98 11.83)	17.43	0.055	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK CP-OFDM QPSK_RB1@49 RB1@269	20.48(19.82 11.96)	17.31	0.054	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM QPSK_RB1@49 RB1@269	20.6(19.95 12.03)	17.43	0.055	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK CP-OFDM QPSK_RB12@38 RB135@67	20.59(19.97 11.83)	17.42	0.055	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM QPSK_RB12@38 RB135@67	20.59(19.97 11.84)	17.42	0.055	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK CP-OFDM 16 QAM_RB12@38 RB135@67	20.61(20 11.81)	17.45	0.056	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	20.57(19.94 11.84)	17.40	0.055	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK CP-OFDM 64 QAM_RB12@38 RB135@67	20.57(19.95 11.83)	17.41	0.055	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	20.63(20.01 11.85)	17.46	0.056	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK CP-OFDM 256 QAM_RB12@38 RB135@67	20.34(19.98 9.32)	17.17	0.052	2	Pass
DC_5A_n7A_10MHz 50MHz_15kHz_844MHz 2545MHz_QP SK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	20.55(19.99 11.38)	17.38	0.055	2	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

n7:

1.Ant Gain = -3.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -3.18dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_5A_n38A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.75(22.34 12.28)	19.58	0.091	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.74(22.33 12.34)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	22.59(22.18 12.15)	19.42	0.088	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.8(22.39 12.31)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.78(22.37 12.35)	19.61	0.091	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK CP-OFDM QPSK_RB12@0 RB13@6	22.74(22.32 12.37)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.74(22.32 12.37)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.74(22.32 12.4)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.73(22.3 12.47)	19.56	0.090	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.77(22.36 12.31)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.71(22.32 12)	19.53	0.090	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_829MHz 2572.5MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.55(22.31 9.92)	19.38	0.087	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.48(21.98 12.81)	19.31	0.085	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.49(21.99 12.82)	19.32	0.085	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK CP-OFDM QPSK_RB12@0 RB13@6	22.48(21.97 12.91)	19.31	0.085	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.47(21.97 12.86)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.47(21.97 12.82)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.51(22.01 12.89)	19.34	0.086	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.49(21.98 12.9)	19.32	0.085	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.42(21.95 12.5)	19.25	0.084	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_836.5MHz 2595MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.32(22.03 10.46)	19.15	0.082	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@24	21.89(21.26 13.19)	18.72	0.075	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	21.88(21.24 13.22)	18.71	0.074	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@24	21.74(21.12 12.98)	18.57	0.072	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@24	21.86(21.22 13.23)	18.69	0.074	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.87(21.23 13.21)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK CP-OFDM QPSK_RB12@38 RB13@6	21.9(21.25 13.3)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.89(21.25 13.24)	18.72	0.074	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB13@6	21.9(21.27 13.22)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	21.87(21.22 13.33)	18.71	0.074	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB13@6	21.89(21.25 13.26)	18.72	0.075	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.84(21.25 12.87)	18.67	0.074	2	Pass
DC_5A_n38A_10MHz 5MHz_15kHz_844MHz 2617.5MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.66(21.28 10.85)	18.48	0.071	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.85(22.45 12.29)	19.68	0.093	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.7(22.29 12.28)	19.53	0.090	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	22.71(22.31 12.12)	19.54	0.090	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.76(22.34 12.38)	19.59	0.091	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK CP-OFDM QPSK_RB12@0 RB12@6	22.63(22.21 12.25)	19.46	0.088	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.74(22.32 12.39)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB12@6	22.76(22.35 12.35)	19.59	0.091	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.73(22.32 12.33)	19.56	0.090	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB12@6	22.75(22.31 12.62)	19.58	0.091	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.73(22.32 12.23)	19.55	0.090	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.48(22.22 10.05)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_829MHz 2575MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.73(22.33 12.12)	19.55	0.090	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.47(21.98 12.74)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	22.47(21.99 12.63)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.5(22 12.9)	19.33	0.086	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	22.48(21.98 12.89)	19.32	0.085	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.52(22.01 12.96)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	22.49(21.99 12.83)	19.32	0.085	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.55(22.04 12.99)	19.38	0.087	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.33(22.03 10.58)	19.16	0.082	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.41(21.94 12.49)	19.24	0.084	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@23	21.8(21.14 13.29)	18.63	0.073	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	21.9(21.28 13.13)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	21.73(21.09 13.13)	18.57	0.072	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	21.86(21.2 13.37)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	21.9(21.26 13.3)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.91(21.27 13.28)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	21.89(21.24 13.35)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.9(21.25 13.34)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	21.93(21.28 13.39)	18.77	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	21.92(21.27 13.38)	18.76	0.075	2	Pass
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	21.64(21.25 10.94)	18.47	0.070	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 10MHz_30kHz_844MHz 2615MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.83(21.21 13.1)	18.67	0.074	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.71(22.31 12.17)	19.54	0.090	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	22.79(22.38 12.31)	19.62	0.092	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.76(22.36 12.16)	19.58	0.091	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.8(22.39 12.36)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	22.74(22.32 12.44)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	22.77(22.35 12.45)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	22.69(22.27 12.39)	19.52	0.090	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	22.77(22.33 12.59)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	22.77(22.33 12.59)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	22.76(22.33 12.54)	19.59	0.091	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.7(22.31 12.04)	19.53	0.090	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_829MHz 2577.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.57(22.31 10.2)	19.40	0.087	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	22.54(22.04 12.93)	19.37	0.087	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	22.48(21.97 12.92)	19.31	0.085	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	22.5(21.99 12.92)	19.33	0.086	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	22.56(22.06 12.9)	19.39	0.087	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	22.5(21.98 13.06)	19.34	0.086	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	22.49(21.97 13.04)	19.32	0.086	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	22.51(21.99 13.05)	19.34	0.086	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.37(21.91 12.39)	19.20	0.083	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.3(22 10.54)	19.13	0.082	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37	21.86(21.19 13.44)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9	21.92(21.27 13.36)	18.76	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	21.91(21.3 13.11)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	21.87(21.22 13.28)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	21.95(21.29 13.43)	18.78	0.076	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	21.91(21.25 13.42)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	21.94(21.27 13.5)	18.78	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	21.91(21.25 13.43)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	21.92(21.27 13.38)	18.76	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	21.9(21.25 13.32)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	21.87(21.26 13.03)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 15MHz_30kHz_844MHz 2612.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	21.64(21.24 11.06)	18.47	0.070	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.83(22.42 12.4)	19.66	0.092	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.8(22.38 12.44)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.65(22.25 12.15)	19.48	0.089	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.84(22.43 12.44)	19.67	0.093	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	22.8(22.36 12.64)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.78(22.34 12.58)	19.61	0.091	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB25@12	22.77(22.33 12.58)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.77(22.35 12.4)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB25@12	22.8(22.35 12.75)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.81(22.37 12.63)	19.64	0.092	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.57(22.31 10.18)	19.39	0.087	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_829MHz 2580MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.79(22.4 12.12)	19.62	0.092	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.52(22.02 12.86)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	22.58(22.08 12.97)	19.41	0.087	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.51(22.01 12.91)	19.34	0.086	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	22.51(22.01 12.92)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.47(21.95 12.97)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	22.57(22.04 13.17)	19.40	0.087	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.48(21.95 13.04)	19.31	0.085	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.34(22.04 10.54)	19.16	0.082	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.44(21.97 12.55)	19.27	0.085	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50	21.85(21.18 13.43)	18.69	0.074	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	21.93(21.28 13.38)	18.77	0.075	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@50	21.77(21.14 13.09)	18.61	0.073	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@50	21.91(21.27 13.27)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK CP-OFDM QPSK_RB12@38 RB25@12	21.94(21.28 13.4)	18.77	0.075	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.94(21.29 13.37)	18.77	0.075	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB25@12	21.91(21.25 13.37)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.91(21.25 13.39)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB25@12	21.96(21.27 13.61)	18.79	0.076	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.93(21.27 13.45)	18.77	0.075	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB25@12	21.64(21.26 10.86)	18.47	0.070	2	Pass
DC_5A_n38A_10MHz 20MHz_30kHz_844MHz 2610MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.84(21.23 12.98)	18.67	0.074	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.89(22.48 12.39)	19.71	0.094	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB32@16	22.74(22.3 12.55)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.79(22.4 12.14)	19.62	0.092	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.88(22.46 12.5)	19.71	0.093	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16	22.75(22.32 12.48)	19.58	0.091	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16	22.74(22.29 12.7)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16	22.79(22.34 12.73)	19.62	0.092	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16	22.75(22.31 12.62)	19.58	0.091	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16	22.8(22.37 12.51)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16	22.81(22.35 12.82)	19.64	0.092	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16	22.75(22.34 12.29)	19.58	0.091	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_829MHz 2582.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16	22.69(22.36 11.35)	19.52	0.090	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB32@16	22.5(21.99 12.93)	19.33	0.086	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16	22.47(21.96 12.91)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16	22.51(22.01 12.92)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16	22.48(21.95 13.06)	19.31	0.085	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16	22.53(22.02 12.99)	19.36	0.086	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16	22.51(21.99 13)	19.34	0.086	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16	22.52(21.99 13.15)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16	22.46(22 12.51)	19.29	0.085	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16	22.41(22.02 11.7)	19.23	0.084	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@64	21.94(21.29 13.4)	18.78	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB32@16	21.9(21.27 13.17)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@64	21.83(21.2 13.16)	18.67	0.074	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@64	21.95(21.28 13.5)	18.78	0.076	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB32@16	21.93(21.3 13.2)	18.76	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB33@16	21.91(21.26 13.37)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB32@16	21.92(21.25 13.45)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB33@16	21.91(21.27 13.3)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB32@16	21.93(21.26 13.47)	18.76	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB33@16	21.94(21.27 13.46)	18.77	0.075	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB32@16	21.88(21.28 13)	18.71	0.074	2	Pass
DC_5A_n38A_10MHz 25MHz_30kHz_844MHz 2607.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB33@16	21.78(21.3 11.98)	18.61	0.073	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.77(22.35 12.43)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.84(22.42 12.54)	19.67	0.093	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	22.82(22.42 12.23)	19.65	0.092	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.8(22.37 12.54)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.74(22.3 12.53)	19.56	0.090	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK CP-OFDM QPSK_RB12@0 RB39@19	22.8(22.38 12.47)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.77(22.35 12.46)	19.60	0.091	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.8(22.36 12.63)	19.63	0.092	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.79(22.35 12.67)	19.62	0.092	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.73(22.3 12.52)	19.56	0.090	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.76(22.36 12.18)	19.59	0.091	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_829MHz 2585MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.69(22.36 11.35)	19.52	0.090	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.52(22 13.03)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.5(22 12.85)	19.33	0.086	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.49(21.97 13.02)	19.32	0.086	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.48(21.95 13.04)	19.31	0.085	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.49(21.97 12.99)	19.32	0.085	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.47(21.94 13.05)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.52(21.99 13.1)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.48(22.01 12.57)	19.31	0.085	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 30MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.41(22.02 11.71)	19.24	0.084	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77	21.87(21.23 13.26)	18.71	0.074	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	21.9(21.26 13.24)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77	21.85(21.22 13.17)	18.69	0.074	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77	21.76(21.07 13.41)	18.59	0.072	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	21.9(21.27 13.23)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	21.94(21.3 13.3)	18.77	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.89(21.24 13.34)	18.73	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.94(21.3 13.33)	18.78	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.91(21.26 13.32)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.91(21.26 13.36)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.87(21.29 12.85)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 30MHz_30kHz_844MHz 2605MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.75(21.27 11.94)	18.58	0.072	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.76(22.33 12.51)	19.59	0.091	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.85(22.39 12.88)	19.68	0.093	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.71(22.3 12.25)	19.54	0.090	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.76(22.32 12.57)	19.59	0.091	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.78(22.32 12.8)	19.61	0.091	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.81(22.34 12.96)	19.64	0.092	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.78(22.3 12.93)	19.61	0.091	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.82(22.34 12.98)	19.65	0.092	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.74(22.26 12.92)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.84(22.36 13.01)	19.67	0.093	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.74(22.32 12.44)	19.57	0.091	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_829MHz 2590MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.63(22.27 11.6)	19.46	0.088	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.48(21.98 12.89)	19.32	0.085	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.54(22.03 12.97)	19.37	0.086	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.53(22.02 13.01)	19.37	0.086	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.51(21.99 13.05)	19.34	0.086	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.53(22.02 13.01)	19.37	0.086	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.46(21.96 12.86)	19.29	0.085	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.52(22 13.06)	19.35	0.086	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.47(22 12.58)	19.30	0.085	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_836.5MHz 2595MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.39(22 11.68)	19.21	0.083	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	21.85(21.18 13.41)	18.69	0.074	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	21.88(21.26 13.09)	18.71	0.074	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@105	21.86(21.21 13.31)	18.70	0.074	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.84(21.18 13.36)	18.68	0.074	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB50@25	21.9(21.29 13.11)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_Q PSK CP-OFDM QPSK_RB12@38 RB53@26	21.92(21.28 13.26)	18.75	0.075	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.91(21.28 13.25)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.93(21.3 13.21)	18.76	0.075	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	21.9(21.27 13.23)	18.74	0.075	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.91(21.29 13.18)	18.75	0.075	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.81(21.23 12.8)	18.65	0.073	2	Pass
DC_5A_n38A_10MHz 40MHz_30kHz_844MHz 2600MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.73(21.26 11.88)	18.56	0.072	2	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

n38:

1.Ant Gain = -3.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -3.18dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_5A_n41A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.88(22.41 13.03)	19.71	0.094	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.84(22.36 13.05)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.91(22.43 13.1)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.83(22.34 13.08)	19.66	0.092	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	22.88(22.38 13.22)	19.71	0.094	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.86(22.35 13.31)	19.69	0.093	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	22.83(22.33 13.23)	19.66	0.093	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.87(22.37 13.23)	19.70	0.093	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	22.86(22.36 13.23)	19.69	0.093	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.88(22.37 13.32)	19.71	0.094	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.65(22.36 10.73)	19.48	0.089	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_829MHz 2501.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.87(22.4 12.98)	19.70	0.093	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.52(22.01 12.98)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	22.56(22.05 13.04)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.56(22.05 13.03)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	22.55(22.03 13.1)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.57(22.07 12.97)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	22.57(22.03 13.22)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.57(22.06 13)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.37(22.07 10.58)	19.19	0.083	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.48(21.97 12.89)	19.31	0.085	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@23	21.9(21.33 12.83)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	21.87(21.29 12.83)	18.70	0.074	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	21.88(21.3 12.85)	18.71	0.074	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	21.81(21.24 12.73)	18.65	0.073	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK CP-OFDM QPSK_RB12@38 RB12@6	21.85(21.28 12.72)	18.68	0.074	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB12@6	21.86(21.29 12.76)	18.69	0.074	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB12@6	21.88(21.29 12.95)	18.72	0.074	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	21.86(21.26 12.97)	18.69	0.074	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB12@6	21.91(21.31 13.05)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	21.9(21.29 13.1)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB12@6	21.65(21.3 10.56)	18.48	0.070	2	Pass
DC_5A_n41A_10MHz 10MHz_30kHz_844MHz 2685MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.83(21.29 12.51)	18.66	0.073	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.8(22.31 13.07)	19.63	0.092	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	22.91(22.41 13.27)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.82(22.32 13.15)	19.65	0.092	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.82(22.33 13.14)	19.65	0.092	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	22.84(22.32 13.33)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	22.92(22.41 13.33)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	22.85(22.33 13.39)	19.68	0.093	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	22.86(22.34 13.37)	19.69	0.093	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	22.9(22.4 13.3)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	22.91(22.38 13.54)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.81(22.34 12.93)	19.64	0.092	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_829MHz 2503.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.7(22.4 11)	19.53	0.090	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	22.5(21.99 12.95)	19.33	0.086	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	22.59(22.08 13)	19.42	0.087	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	22.55(22.05 12.94)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	22.63(22.11 13.12)	19.46	0.088	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	22.57(22.05 13.1)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	22.55(22.02 13.12)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	22.57(22.07 12.97)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	22.5(22.03 12.6)	19.33	0.086	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.34(22.04 10.6)	19.17	0.083	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37	21.85(21.24 13.01)	18.68	0.074	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9	21.89(21.3 12.93)	18.72	0.075	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	21.84(21.23 12.98)	18.67	0.074	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	21.87(21.27 13.01)	18.71	0.074	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	21.87(21.28 12.93)	18.71	0.074	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	21.94(21.33 13.08)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	21.87(21.26 13.02)	18.70	0.074	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	21.91(21.31 13.03)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	21.89(21.29 13)	18.72	0.075	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	21.88(21.28 12.99)	18.71	0.074	2	Pass
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	21.87(21.32 12.59)	18.70	0.074	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 15MHz_30kHz_844MHz 2682.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	21.62(21.26 10.59)	18.45	0.070	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.95(22.48 13.05)	19.78	0.095	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.84(22.33 13.26)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.89(22.41 13.11)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.79(22.3 13.11)	19.62	0.092	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	22.92(22.41 13.39)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.85(22.33 13.35)	19.68	0.093	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	22.83(22.29 13.51)	19.66	0.093	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.92(22.41 13.36)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	22.85(22.32 13.47)	19.68	0.093	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.86(22.34 13.41)	19.69	0.093	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.68(22.38 10.91)	19.51	0.089	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_829MHz 2506.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.83(22.37 12.88)	19.66	0.093	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.49(21.98 12.98)	19.33	0.086	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	22.57(22.06 13.01)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.57(22.06 13.02)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	22.53(22 13.17)	19.37	0.086	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.58(22.05 13.14)	19.41	0.087	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	22.54(22 13.19)	19.37	0.086	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.58(22.06 13.1)	19.41	0.087	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.34(22.03 10.65)	19.16	0.082	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.49(22.03 12.55)	19.32	0.086	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50	21.82(21.21 13)	18.65	0.073	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	21.89(21.29 13.03)	18.73	0.075	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	21.92(21.31 13.09)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	21.88(21.27 13.03)	18.71	0.074	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	21.89(21.28 13.03)	18.72	0.074	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	21.92(21.31 13.09)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	21.91(21.3 13.05)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	21.94(21.33 13.1)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	21.89(21.27 13.16)	18.73	0.075	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	21.95(21.34 13.11)	18.78	0.076	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	21.64(21.28 10.69)	18.47	0.070	2	Pass
DC_5A_n41A_10MHz 20MHz_30kHz_844MHz 2679.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	21.87(21.32 12.64)	18.70	0.074	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.92(22.44 13.08)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.95(22.41 13.6)	19.78	0.095	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.89(22.41 13.13)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.91(22.43 13.14)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.89(22.35 13.57)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.93(22.4 13.56)	19.76	0.095	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.92(22.37 13.65)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.97(22.42 13.69)	19.80	0.095	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.92(22.38 13.63)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.94(22.39 13.7)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.87(22.38 13.13)	19.70	0.093	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_829MHz 2511MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.69(22.37 11.24)	19.52	0.090	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.51(22 13)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.58(22.08 12.95)	19.41	0.087	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.58(22.07 13.02)	19.41	0.087	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.56(22.03 13.16)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.59(22.07 13.12)	19.42	0.088	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.55(22.01 13.2)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.61(22.08 13.17)	19.44	0.088	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.48(22.02 12.55)	19.32	0.085	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.33(22.02 10.67)	19.15	0.082	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77	21.92(21.3 13.18)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	21.92(21.31 13.08)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77	21.89(21.25 13.24)	18.72	0.074	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77	21.82(21.18 13.2)	18.66	0.073	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	21.92(21.32 13.05)	18.76	0.075	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	21.91(21.3 13.08)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	21.93(21.32 13.12)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	21.9(21.28 13.16)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	21.91(21.27 13.3)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	21.9(21.27 13.19)	18.73	0.075	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	21.87(21.31 12.71)	18.70	0.074	2	Pass
DC_5A_n41A_10MHz 30MHz_30kHz_844MHz 2674.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.65(21.29 10.71)	18.48	0.071	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.95(22.49 13.02)	19.79	0.095	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.93(22.39 13.63)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.92(22.44 13.07)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.86(22.38 13.02)	19.69	0.093	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.94(22.4 13.63)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.92(22.35 13.79)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.95(22.39 13.75)	19.78	0.095	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.92(22.35 13.78)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.94(22.38 13.73)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.92(22.36 13.77)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.87(22.38 13.19)	19.70	0.093	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_829MHz 2516.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.7(22.37 11.34)	19.53	0.090	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.53(22.01 13.02)	19.36	0.086	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.55(22.04 12.98)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.53(22.01 13.05)	19.36	0.086	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.57(22.06 13.01)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.59(22.07 13.08)	19.42	0.087	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.56(22.03 13.13)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.55(22.03 13.11)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.52(22.05 12.59)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.35(22.04 10.66)	19.17	0.083	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	21.84(21.24 12.96)	18.67	0.074	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	21.9(21.29 13.07)	18.73	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	21.81(21.18 13.1)	18.64	0.073	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	21.91(21.3 13.05)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	21.87(21.27 12.98)	18.70	0.074	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	21.95(21.33 13.16)	18.78	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	21.89(21.27 13.12)	18.72	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	21.91(21.31 13)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	21.9(21.27 13.17)	18.73	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	21.91(21.3 13.1)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	21.85(21.29 12.64)	18.68	0.074	2	Pass
DC_5A_n41A_10MHz 40MHz_30kHz_844MHz 2670MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.65(21.28 10.71)	18.47	0.070	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.89(22.42 13.01)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	22.92(22.35 13.78)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.9(22.42 13.12)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.91(22.44 13.04)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.93(22.36 13.82)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.93(22.35 13.93)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.92(22.35 13.85)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.94(22.37 13.84)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.97(22.4 13.88)	19.80	0.096	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.97(22.39 13.94)	19.80	0.096	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.9(22.39 13.39)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_829MHz 2521.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.68(22.34 11.5)	19.51	0.089	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	22.55(22.04 13.02)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.56(22.05 13.03)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.52(21.99 13.13)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.5(21.98 13.06)	19.34	0.086	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.58(22.06 13.13)	19.41	0.087	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.56(22.04 13.07)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.55(22.02 13.16)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.52(22.04 12.67)	19.35	0.086	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 50MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.38(22.08 10.59)	19.20	0.083	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	21.91(21.3 13.1)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	21.95(21.32 13.23)	18.78	0.076	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	21.94(21.32 13.18)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	21.93(21.32 13.08)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	21.9(21.28 13.16)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	21.98(21.35 13.26)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	21.94(21.29 13.35)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	21.92(21.28 13.26)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	21.91(21.26 13.32)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	21.95(21.32 13.26)	18.78	0.076	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	21.83(21.25 12.8)	18.66	0.073	2	Pass
DC_5A_n41A_10MHz 50MHz_30kHz_844MHz 2664.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	21.65(21.28 10.79)	18.48	0.070	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.84(22.37 12.91)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	22.88(22.33 13.67)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.88(22.4 13.05)	19.71	0.093	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.91(22.45 12.98)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	22.91(22.35 13.77)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	22.91(22.36 13.68)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	22.91(22.35 13.77)	19.75	0.094	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	22.91(22.35 13.75)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB81@40	22.9(22.33 13.78)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23(22.45 13.78)	19.84	0.096	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.67(22.34 11.29)	19.50	0.089	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_829MHz 2526MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	22.88(22.37 13.32)	19.71	0.094	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	22.56(22.06 12.97)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	22.55(22.04 13.01)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	22.55(22.04 12.97)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	22.55(22.04 13.04)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	22.51(22 12.98)	19.34	0.086	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	22.58(22.07 13.04)	19.41	0.087	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	22.59(22.07 13.08)	19.42	0.087	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.31(22.01 10.59)	19.14	0.082	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_836.5MHz 2592.99M Hz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	22.51(22.05 12.58)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@161	21.93(21.34 12.94)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB81@40	21.93(21.31 13.17)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	21.84(21.23 12.99)	18.67	0.074	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	21.72(21.09 13.04)	18.56	0.072	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	21.93(21.3 13.24)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	21.91(21.29 13.16)	18.74	0.075	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	21.92(21.29 13.24)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	21.91(21.28 13.21)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	21.89(21.25 13.23)	18.72	0.074	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	21.96(21.33 13.24)	18.79	0.076	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	21.66(21.29 10.78)	18.49	0.071	2	Pass
DC_5A_n41A_10MHz 60MHz_30kHz_844MHz 2659.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	21.89(21.32 12.8)	18.72	0.075	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	20.88(20.08 13.12)	17.71	0.059	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45	21.05(20.17 13.7)	17.89	0.062	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	20.96(20.12 13.42)	17.80	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	20.99(20.22 13.08)	17.82	0.061	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	21.05(20.15 13.79)	17.89	0.062	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	21.13(20.22 13.92)	17.97	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	21.13(20.22 13.88)	17.97	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	21.12(20.18 14.02)	17.96	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	21.09(20.16 13.92)	17.93	0.062	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47	21.15(20.21 14.04)	17.99	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	21.02(20.17 13.51)	17.86	0.061	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_829MHz 2531.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB95@47	20.71(20.15 11.57)	17.55	0.057	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45	21.14(20.33 13.45)	17.98	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	21.17(20.35 13.52)	18.01	0.063	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	21.16(20.32 13.6)	18.00	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	21.17(20.32 13.66)	18.01	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	21.2(20.36 13.68)	18.04	0.064	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	21.13(20.27 13.67)	17.97	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47	21.18(20.32 13.74)	18.02	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	21.12(20.35 13.22)	17.96	0.062	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB95@47	20.81(20.3 11.25)	17.64	0.058	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@188	21.14(20.27 13.73)	17.98	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB90@45	20.93(20.17 12.97)	17.76	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@188	21.14(20.23 13.92)	17.98	0.063	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@188	21.07(20.19 13.72)	17.91	0.062	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB90@45	20.94(20.16 13.07)	17.77	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK CP-OFDM QPSK_RB12@38 RB95@47	20.98(20.19 13.19)	17.82	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB90@45	20.99(20.2 13.21)	17.83	0.061	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB95@47	20.97(20.17 13.2)	17.80	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB90@45	20.99(20.19 13.24)	17.83	0.061	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB95@47	20.97(20.18 13.18)	17.81	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB90@45	20.93(20.22 12.73)	17.77	0.060	2	Pass
DC_5A_n41A_10MHz 70MHz_30kHz_844MHz 2655MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB95@47	20.69(20.22 10.79)	17.52	0.056	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.86(22.38 13.06)	19.69	0.093	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	22.91(22.36 13.67)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.96(22.48 13.18)	19.79	0.095	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.84(22.34 13.16)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.9(22.35 13.65)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	22.94(22.38 13.78)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.92(22.36 13.73)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	22.89(22.33 13.74)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.93(22.38 13.72)	19.77	0.095	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	22.9(22.34 13.75)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.82(22.32 13.23)	19.66	0.092	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_829MHz 2536.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.71(22.39 11.23)	19.54	0.090	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	22.52(22 13.02)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.54(22.02 13.08)	19.37	0.087	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	22.54(22.02 13.08)	19.37	0.087	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.53(21.99 13.18)	19.36	0.086	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	22.53(22 13.16)	19.36	0.086	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.58(22.05 13.22)	19.42	0.087	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	22.56(22.03 13.15)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.48(22 12.68)	19.31	0.085	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.32(22.01 10.7)	19.15	0.082	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@216	21.83(21.2 13.1)	18.66	0.073	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	21.96(21.31 13.41)	18.80	0.076	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	21.91(21.28 13.18)	18.74	0.075	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	21.85(21.22 13.18)	18.69	0.074	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	21.94(21.28 13.43)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	21.94(21.27 13.49)	18.77	0.075	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	21.96(21.28 13.54)	18.79	0.076	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	21.96(21.29 13.53)	18.80	0.076	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	21.99(21.32 13.54)	18.82	0.076	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	21.96(21.3 13.45)	18.79	0.076	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	21.88(21.28 13.01)	18.72	0.074	2	Pass
DC_5A_n41A_10MHz 80MHz_30kHz_844MHz 2649.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	21.69(21.31 10.95)	18.52	0.071	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.93(22.46 13.06)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	22.93(22.39 13.63)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.9(22.42 13.11)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.91(22.43 13.07)	19.74	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	22.89(22.33 13.68)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	22.91(22.37 13.62)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	22.89(22.34 13.68)	19.73	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	22.9(22.36 13.61)	19.74	0.094	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	22.92(22.37 13.67)	19.75	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	22.89(22.34 13.64)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.84(22.34 13.19)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_829MHz 2541MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.71(22.39 11.18)	19.53	0.090	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	22.59(22.09 12.95)	19.42	0.088	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	22.55(22.03 13.04)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	22.51(21.97 13.18)	19.34	0.086	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	22.56(22.03 13.17)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	22.56(22.03 13.18)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	22.56(22.03 13.19)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	22.56(22.03 13.16)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	22.54(22.06 12.69)	19.37	0.086	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.36(22.05 10.74)	19.19	0.083	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@244	21.92(21.31 13.13)	18.76	0.075	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB120@60	21.97(21.31 13.48)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	21.86(21.22 13.21)	18.69	0.074	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	21.88(21.25 13.19)	18.71	0.074	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	22(21.33 13.52)	18.83	0.076	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	21.98(21.3 13.6)	18.82	0.076	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	21.99(21.31 13.59)	18.82	0.076	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	21.98(21.31 13.53)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	22(21.32 13.59)	18.83	0.076	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	21.98(21.31 13.55)	18.82	0.076	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	21.92(21.31 13.07)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 90MHz_30kHz_844MHz 2644.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	21.69(21.3 11.08)	18.52	0.071	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.95(22.48 13.03)	19.78	0.095	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	22.87(22.37 13.27)	19.70	0.093	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.8(22.31 13.06)	19.63	0.092	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.83(22.35 13.07)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	22.93(22.41 13.42)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	22.83(22.32 13.32)	19.67	0.093	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	22.93(22.41 13.44)	19.76	0.095	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	22.88(22.36 13.44)	19.72	0.094	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	22.88(22.35 13.45)	19.71	0.093	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	22.88(22.36 13.43)	19.71	0.094	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	22.87(22.4 12.95)	19.70	0.093	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_829MHz 2546.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.71(22.41 10.95)	19.54	0.090	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	22.56(22.06 12.89)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	22.59(22.08 13.06)	19.42	0.088	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	22.58(22.05 13.19)	19.41	0.087	2	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	22.54(22.01 13.18)	19.38	0.087	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	22.56(22.04 13.12)	19.40	0.087	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	22.63(22.11 13.18)	19.46	0.088	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	22.56(22.03 13.13)	19.39	0.087	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	22.52(22.04 12.72)	19.35	0.086	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_836.5MHz 2592.99MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.34(22.03 10.74)	19.17	0.083	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@272	21.94(21.35 13.01)	18.78	0.075	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB135@67	21.96(21.31 13.38)	18.79	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	21.85(21.23 13.09)	18.68	0.074	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	21.9(21.28 13.11)	18.73	0.075	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	21.97(21.31 13.47)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	21.95(21.27 13.55)	18.78	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	21.97(21.29 13.59)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	21.98(21.31 13.52)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	21.98(21.3 13.56)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	21.98(21.3 13.56)	18.81	0.076	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	21.92(21.31 13.09)	18.75	0.075	2	Pass
DC_5A_n41A_10MHz 100MHz_30kHz_844MHz 2640MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	21.67(21.27 11.08)	18.50	0.071	2	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

n41:

1.Ant Gain = -3.08dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -3.18dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_5A_n77A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.72(22.27 18.25)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	23.58(22.08 18.25)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM QPSK_RB1@0 RB1@0	23.75(22.29 18.32)	20.70	0.118	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.59(22.09 18.26)	20.55	0.113	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM QPSK_RB12@0 RB12@6	23.61(22.07 18.37)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.62(22.04 18.47)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.69(22.17 18.4)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.72(22.14 18.57)	20.68	0.117	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.56(22.18 17.92)	20.51	0.112	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.73(22.21 18.44)	20.69	0.117	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.84(22.07 14.97)	19.74	0.094	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	23.38(22.21 17.11)	20.31	0.107	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	23.62(21.97 18.63)	20.59	0.114	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.5(21.81 18.57)	20.46	0.111	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.6(21.96 18.58)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.46(21.82 18.43)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.66(21.94 18.81)	20.63	0.116	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.38(21.81 18.2)	20.34	0.108	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.64(21.95 18.73)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.75(21.9 15.24)	19.65	0.092	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	23.11(21.75 17.41)	20.05	0.101	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@23	23.39(21.45 18.95)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	23.49(21.52 19.1)	20.47	0.111	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@23	23.47(21.52 19.06)	20.46	0.111	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@23	23.42(21.49 18.96)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM QPSK_RB12@38 RB12@6	23.41(21.53 18.88)	20.39	0.110	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.5(21.51 19.15)	20.49	0.112	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB12@6	23.4(21.38 19.11)	20.39	0.109	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.52(21.53 19.17)	20.51	0.112	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	23.29(21.5 18.57)	20.26	0.106	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.4(21.39 19.1)	20.39	0.109	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	22.46(21.43 15.69)	19.37	0.087	1	Pass
DC_5A_n77A_10MHz 10MHz_30kHz_844MHz 3975MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.96(21.43 17.7)	19.92	0.098	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.61(22.12 18.25)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	23.63(22.05 18.47)	20.59	0.115	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.73(22.25 18.32)	20.68	0.117	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.6(22.09 18.27)	20.55	0.114	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.62(22.04 18.47)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.72(22.2 18.41)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.69(22.12 18.5)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.59(22.06 18.3)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.69(22.11 18.52)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.48(22.07 17.91)	20.43	0.110	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.33(22.18 17.01)	20.26	0.106	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.84(22.06 15.01)	19.74	0.094	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	23.63(21.96 18.66)	20.59	0.115	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.44(21.7 18.64)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.55(21.88 18.6)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.51(21.75 18.73)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.55(21.87 18.61)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.51(21.8 18.64)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.31(21.69 18.23)	20.27	0.106	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.08(21.82 17.08)	20.01	0.100	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 15MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.83(21.99 15.27)	19.73	0.094	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37	23.37(21.41 18.97)	20.35	0.109	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9	23.45(21.39 19.23)	20.44	0.111	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	23.4(21.4 19.07)	20.39	0.109	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	23.38(21.41 19)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	23.44(21.38 19.21)	20.43	0.110	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	23.49(21.49 19.17)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	23.47(21.5 19.1)	20.46	0.111	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	23.53(21.5 19.24)	20.51	0.113	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	23.57(21.53 19.32)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	23.26(21.41 18.67)	20.24	0.106	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	23.02(21.51 17.71)	19.98	0.099	1	Pass
DC_5A_n77A_10MHz 15MHz_30kHz_844MHz 3972.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	22.53(21.5 15.76)	19.44	0.088	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.59(22.09 18.26)	20.55	0.113	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	23.69(22.17 18.39)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.71(22.19 18.42)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.6(22.05 18.36)	20.55	0.114	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.65(22.06 18.51)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.65(22.04 18.57)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.71(22.16 18.49)	20.67	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.63(22.03 18.52)	20.59	0.115	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.54(22.08 18.1)	20.49	0.112	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.69(22.12 18.52)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.89(22.1 15.12)	19.79	0.095	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	23.25(22.05 17.06)	20.18	0.104	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	23.56(21.83 18.72)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.61(21.94 18.65)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.63(21.94 18.72)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.5(21.78 18.66)	20.47	0.112	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.57(21.88 18.64)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.45(21.94 18.14)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.63(21.94 18.71)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.7(21.84 15.22)	19.60	0.091	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	23.19(21.93 17.22)	20.13	0.103	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50	23.49(21.55 19.07)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	23.46(21.44 19.17)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	23.51(21.55 19.12)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	23.37(21.49 18.84)	20.35	0.109	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	23.46(21.43 19.18)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.49(21.48 19.19)	20.48	0.112	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	23.5(21.5 19.18)	20.49	0.112	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.49(21.47 19.19)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	23.3(21.43 18.75)	20.28	0.107	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.46(21.4 19.22)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	22.44(21.4 15.7)	19.35	0.086	1	Pass
DC_5A_n77A_10MHz 20MHz_30kHz_844MHz 3969.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.95(21.4 17.73)	19.91	0.098	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.6(21.33 19.7)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB32@16	23.41(21.44 19.04)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.76(21.33 20.09)	20.78	0.120	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.65(21.35 19.78)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16	23.41(21.44 19.02)	20.39	0.109	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16	23.46(21.44 19.16)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16	23.42(21.46 19.02)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16	23.46(21.4 19.23)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16	23.48(21.41 19.26)	20.47	0.111	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16	23.28(21.38 18.77)	20.26	0.106	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16	23(21.49 17.67)	19.95	0.099	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16	22.47(21.43 15.76)	19.39	0.087	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB32@16	23.93(21.47 20.28)	20.94	0.124	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16	24.04(21.58 20.41)	21.06	0.128	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16	24.02(21.57 20.36)	21.03	0.127	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16	24.01(21.6 20.31)	21.03	0.127	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16	24.05(21.52 20.51)	21.07	0.128	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16	24.12(21.65 20.5)	21.14	0.130	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16	23.88(21.56 20.06)	20.89	0.123	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16	23.42(21.47 19.01)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16	23.06(21.67 17.42)	20.00	0.100	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@64	24.56(21.82 21.27)	21.60	0.144	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB32@16	24.37(21.79 20.88)	21.39	0.138	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@64	24.63(21.78 21.45)	21.67	0.147	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@64	24.59(21.79 21.36)	21.63	0.145	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB32@16	24.45(21.84 21)	21.47	0.140	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB33@16	24.47(21.85 21.04)	21.50	0.141	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB32@16	24.43(21.79 21.01)	21.45	0.140	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB33@16	24.5(21.85 21.09)	21.52	0.142	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB32@16	24.53(21.87 21.14)	21.56	0.143	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB33@16	24.3(21.86 20.64)	21.32	0.135	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB32@16	23.75(21.78 19.37)	20.74	0.118	1	Pass
DC_5A_n77A_10MHz 25MHz_30kHz_844MHz 3967.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB33@16	23.23(21.82 17.67)	20.18	0.104	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.71(22.25 18.26)	20.66	0.116	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	23.69(22.17 18.38)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.62(22.1 18.33)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.63(22.15 18.23)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.69(22.13 18.49)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.64(22.05 18.52)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.64(22.09 18.43)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.72(22.13 18.57)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.65(22.09 18.45)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.52(22.08 18.03)	20.47	0.111	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	23.24(22.07 16.96)	20.16	0.104	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.95(22.18 15.07)	19.85	0.097	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	23.57(21.9 18.61)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.58(21.94 18.56)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.45(21.75 18.55)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.58(21.9 18.63)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.57(21.88 18.64)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.4(21.67 18.57)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.43(21.93 18.07)	20.38	0.109	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	23.08(21.85 17.02)	20.02	0.100	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.82(22.01 15.14)	19.72	0.094	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77	23.41(21.41 19.08)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	23.42(21.38 19.15)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77	23.51(21.45 19.29)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77	23.44(21.44 19.11)	20.43	0.110	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	23.52(21.51 19.2)	20.51	0.112	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	23.49(21.46 19.22)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	23.53(21.49 19.26)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	23.55(21.53 19.25)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	23.45(21.38 19.25)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	23.35(21.46 18.84)	20.34	0.108	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	23.02(21.5 17.71)	19.97	0.099	1	Pass
DC_5A_n77A_10MHz 30MHz_30kHz_844MHz 3964.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	22.54(21.51 15.77)	19.45	0.088	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.69(22.24 18.23)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	23.7(22.15 18.49)	20.66	0.116	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.76(22.26 18.4)	20.71	0.118	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.74(22.28 18.28)	20.69	0.117	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.69(22.14 18.45)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.71(22.15 18.52)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.68(22.13 18.46)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.75(22.2 18.51)	20.70	0.118	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.68(22.09 18.55)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.56(22.16 17.95)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	23.21(22.02 17)	20.14	0.103	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.88(22.1 15.04)	19.78	0.095	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	23.51(21.82 18.59)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.59(21.96 18.56)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.57(21.89 18.64)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.53(21.9 18.5)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.59(21.93 18.62)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.6(21.91 18.68)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.37(21.82 18.14)	20.33	0.108	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	23.02(21.72 17.13)	19.95	0.099	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.68(21.83 15.19)	19.58	0.091	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	23.45(21.53 18.98)	20.43	0.110	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	23.46(21.5 19.07)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@105	23.43(21.43 19.1)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.42(21.47 19.01)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.39(21.4 19.05)	20.38	0.109	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK CP-OFDM QPSK_RB12@38 RB53@26	23.35(21.41 18.92)	20.34	0.108	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.45(21.45 19.12)	20.44	0.111	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.42(21.44 19.06)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.41(21.42 19.07)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.28(21.48 18.58)	20.25	0.106	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.9(21.38 17.6)	19.85	0.097	1	Pass
DC_5A_n77A_10MHz 40MHz_30kHz_844MHz 3960MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB53@26	22.43(21.42 15.62)	19.35	0.086	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.62(22.2 18.07)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	23.68(22.18 18.33)	20.63	0.116	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.59(22.11 18.21)	20.55	0.113	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.57(22.1 18.14)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.62(22.11 18.3)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.62(22.08 18.36)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.61(22.09 18.32)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.69(22.21 18.3)	20.64	0.116	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.68(22.18 18.32)	20.63	0.116	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.51(22.17 17.76)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23.19(22.04 16.85)	20.11	0.103	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.84(22.1 14.82)	19.74	0.094	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	23.61(21.93 18.66)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.57(21.9 18.62)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.57(21.86 18.69)	20.54	0.113	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.5(21.79 18.64)	20.47	0.112	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.45(21.76 18.52)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.49(21.75 18.68)	20.46	0.111	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.42(21.88 18.18)	20.38	0.109	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23.08(21.78 17.19)	20.01	0.100	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.63(21.75 15.24)	19.53	0.090	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	23.36(21.39 18.97)	20.34	0.108	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	23.46(21.5 19.05)	20.44	0.111	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	23.46(21.46 19.13)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	23.38(21.4 19.02)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	23.41(21.47 18.98)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	23.45(21.49 19.06)	20.44	0.111	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	23.41(21.42 19.06)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	23.4(21.49 18.91)	20.38	0.109	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	23.37(21.36 19.05)	20.36	0.109	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	23.3(21.48 18.65)	20.28	0.107	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	22.91(21.38 17.63)	19.86	0.097	1	Pass
DC_5A_n77A_10MHz 50MHz_30kHz_844MHz 3954.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	22.4(21.42 15.47)	19.32	0.085	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.56(22.12 18.06)	20.51	0.112	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	23.49(21.97 18.18)	20.44	0.111	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.53(22.02 18.2)	20.48	0.112	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.6(22.14 18.14)	20.55	0.113	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.58(22.11 18.17)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.63(22.19 18.13)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.62(22.16 18.19)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.6(22.14 18.17)	20.55	0.114	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.38(22.01 17.7)	20.32	0.108	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.56(22.05 18.24)	20.51	0.113	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.92(22.21 14.71)	19.81	0.096	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23.28(22.19 16.73)	20.20	0.105	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	23.45(21.74 18.59)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.62(21.98 18.6)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.56(21.9 18.59)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.5(21.78 18.65)	20.47	0.111	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.57(21.89 18.62)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.47(21.96 18.15)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.46(21.77 18.54)	20.43	0.110	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.61(21.76 15.1)	19.51	0.089	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23.05(21.8 17.03)	19.98	0.100	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@161	23.34(21.39 18.93)	20.33	0.108	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB81@40	23.24(21.38 18.67)	20.22	0.105	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	23.37(21.4 19)	20.36	0.109	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	23.36(21.45 18.87)	20.34	0.108	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	23.38(21.5 18.84)	20.36	0.109	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	23.3(21.42 18.77)	20.28	0.107	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	23.34(21.46 18.81)	20.32	0.108	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	23.39(21.5 18.86)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	23.23(21.51 18.38)	20.20	0.105	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	23.39(21.51 18.85)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	22.38(21.41 15.39)	19.29	0.085	1	Pass
DC_5A_n77A_10MHz 60MHz_30kHz_844MHz 3949.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	22.87(21.47 17.26)	19.81	0.096	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.57(22.04 18.31)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45	23.62(22.19 18.09)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.58(22 18.42)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.65(22.16 18.29)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	23.62(22.17 18.14)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	23.54(22.07 18.12)	20.49	0.112	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	23.58(22.15 18.07)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	23.5(22.02 18.11)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	23.58(22.09 18.2)	20.53	0.113	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB95@47	23.46(22.16 17.58)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	23.15(22.02 16.73)	20.07	0.102	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB95@47	22.78(22.05 14.69)	19.67	0.093	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45	23.63(21.94 18.71)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	23.57(21.8 18.81)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	23.54(21.74 18.86)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	23.66(21.88 18.93)	20.63	0.116	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	23.58(21.79 18.88)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	23.61(21.83 18.87)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47	23.4(21.79 18.31)	20.36	0.109	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	23.14(21.81 17.34)	20.08	0.102	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB95@47	22.72(21.83 15.39)	19.62	0.092	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@188	23.51(21.53 19.15)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB90@45	23.33(21.4 18.89)	20.32	0.108	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@188	23.53(21.5 19.24)	20.51	0.113	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@188	23.43(21.52 18.95)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB90@45	23.33(21.5 18.7)	20.31	0.107	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK CP-OFDM QPSK_RB12@38 RB95@47	23.39(21.47 18.93)	20.38	0.109	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB90@45	23.42(21.5 18.95)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB95@47	23.32(21.41 18.83)	20.30	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB90@45	23.35(21.47 18.8)	20.33	0.108	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB95@47	23.23(21.52 18.37)	20.20	0.105	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB90@45	22.83(21.39 17.33)	19.78	0.095	1	Pass
DC_5A_n77A_10MHz 70MHz_30kHz_844MHz 3945MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB95@47	22.33(21.37 15.29)	19.24	0.084	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.63(22.1 18.34)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	23.55(22.1 18.07)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.64(22.07 18.46)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.66(22.16 18.33)	20.62	0.115	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.55(22.07 18.15)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.57(22.09 18.19)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.6(22.12 18.22)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.55(22.07 18.15)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.65(22.17 18.25)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.43(22.06 17.75)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.27(22.17 16.77)	20.19	0.105	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.86(22.16 14.56)	19.74	0.094	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	23.72(21.98 18.9)	20.69	0.117	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.7(22.02 18.77)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.59(21.81 18.86)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.71(21.95 18.93)	20.68	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.63(21.85 18.9)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.68(21.9 18.94)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.46(21.81 18.47)	20.43	0.110	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.28(21.95 17.5)	20.22	0.105	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.82(21.95 15.43)	19.73	0.094	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@216	23.48(21.45 19.2)	20.47	0.111	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	23.41(21.5 18.91)	20.39	0.109	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	23.52(21.43 19.34)	20.51	0.113	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	23.42(21.45 19.04)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	23.42(21.5 18.95)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	23.43(21.52 18.95)	20.41	0.110	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	23.38(21.42 18.97)	20.36	0.109	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	23.3(21.41 18.78)	20.28	0.107	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	23.34(21.42 18.86)	20.32	0.108	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	23.22(21.52 18.31)	20.18	0.104	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	22.89(21.48 17.32)	19.84	0.096	1	Pass
DC_5A_n77A_10MHz 80MHz_30kHz_844MHz 3939.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	22.34(21.37 15.34)	19.25	0.084	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.73(22.26 18.31)	20.68	0.117	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	23.65(22.19 18.2)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.65(22.1 18.43)	20.61	0.115	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.72(22.25 18.3)	20.67	0.117	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.62(22.15 18.19)	20.57	0.114	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.56(22.08 18.18)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.57(22.08 18.19)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.59(22.12 18.17)	20.54	0.113	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.58(22.12 18.13)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.47(22.12 17.75)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	23.24(22.17 16.63)	20.16	0.104	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.89(22.17 14.75)	19.78	0.095	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	23.63(21.91 18.79)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.52(21.67 18.93)	20.50	0.112	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.72(21.93 19)	20.69	0.117	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.63(21.82 18.96)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.62(21.78 18.99)	20.59	0.115	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.69(21.9 18.97)	20.66	0.116	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.56(21.92 18.53)	20.52	0.113	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	23.16(21.78 17.51)	20.10	0.102	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.72(21.81 15.51)	19.63	0.092	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@244	23.41(21.4 19.11)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB120@60	23.33(21.4 18.87)	20.31	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	23.54(21.51 19.26)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	23.46(21.44 19.17)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	23.32(21.44 18.77)	20.30	0.107	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	23.42(21.52 18.92)	20.40	0.110	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	23.31(21.33 18.95)	20.30	0.107	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	23.33(21.37 18.94)	20.32	0.108	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	23.38(21.45 18.94)	20.37	0.109	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	23.21(21.48 18.38)	20.18	0.104	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	22.86(21.45 17.3)	19.81	0.096	1	Pass
DC_5A_n77A_10MHz 90MHz_30kHz_844MHz 3934.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	22.38(21.38 15.49)	19.29	0.085	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.58(22.06 18.27)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	23.59(22.07 18.3)	20.55	0.113	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.66(22.1 18.47)	20.62	0.115	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.57(22.05 18.28)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	23.68(22.18 18.32)	20.63	0.116	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.67(22.17 18.33)	20.62	0.115	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	23.63(22.09 18.39)	20.59	0.115	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.65(22.13 18.34)	20.60	0.115	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	23.58(22.07 18.26)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.53(22.15 17.89)	20.48	0.112	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	23.34(22.25 16.79)	20.26	0.106	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.88(22.12 14.92)	19.77	0.095	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	23.68(21.88 18.99)	20.66	0.116	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	23.77(22 19.01)	20.74	0.119	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.58(21.72 19)	20.56	0.114	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	23.67(21.84 19.03)	20.65	0.116	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.6(21.74 19.03)	20.58	0.114	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	23.63(21.78 19.03)	20.61	0.115	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.57(21.91 18.58)	20.53	0.113	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	23.17(21.78 17.55)	20.12	0.103	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_836.5MHz 3840MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.67(21.73 15.58)	19.58	0.091	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@272	23.45(21.45 19.13)	20.44	0.111	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB135@67	23.36(21.45 18.86)	20.34	0.108	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@272	23.43(21.42 19.13)	20.42	0.110	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@272	23.47(21.47 19.13)	20.45	0.111	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB135@67	23.34(21.44 18.84)	20.32	0.108	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM QPSK_RB12@38 RB137@68	23.38(21.5 18.84)	20.36	0.109	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB135@67	23.35(21.43 18.87)	20.33	0.108	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB137@68	23.37(21.5 18.81)	20.35	0.108	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB135@67	23.34(21.51 18.7)	20.32	0.108	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB137@68	23.22(21.49 18.4)	20.19	0.105	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB135@67	22.9(21.5 17.29)	19.84	0.096	1	Pass
DC_5A_n77A_10MHz 100MHz_30kHz_844MHz 3930MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB137@68	22.38(21.41 15.39)	19.29	0.085	1	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

n77:

1.Ant Gain = -2.74dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -3.18dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_5A_n78A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.66(22.22 18.15)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	23.66(22.11 18.42)	20.61	0.115	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.62(22.14 18.24)	20.58	0.114	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.49(21.95 18.23)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.64(22.11 18.38)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.61(22.09 18.32)	20.57	0.114	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.63(22.11 18.34)	20.59	0.114	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.73(22.2 18.46)	20.69	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.52(22.09 18)	20.47	0.111	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.62(22.08 18.38)	20.58	0.114	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.89(22.12 15.02)	19.79	0.095	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_829MHz 3705MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	23.28(22.1 17.03)	20.21	0.105	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	23.4(21.96 17.89)	20.34	0.108	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB12@6	23.34(21.91 17.82)	20.29	0.107	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	23.4(21.96 17.91)	20.35	0.108	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB12@6	23.31(21.81 17.96)	20.26	0.106	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	23.27(21.79 17.88)	20.22	0.105	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB12@6	23.28(21.94 17.51)	20.22	0.105	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	23.35(21.82 18.06)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB12@6	22.57(21.84 14.49)	19.47	0.088	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	23.04(21.91 16.62)	19.96	0.099	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@23	23.47(21.58 18.95)	20.45	0.111	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	23.43(21.5 18.97)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@23	23.42(21.34 19.22)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@23	23.43(21.41 19.13)	20.42	0.110	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK CP-OFDM QPSK_RB12@38 RB12@6	23.38(21.38 19.06)	20.37	0.109	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB12@6	23.38(21.39 19.03)	20.37	0.109	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB12@6	23.47(21.5 19.1)	20.46	0.111	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	23.42(21.41 19.1)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB12@6	23.26(21.46 18.57)	20.24	0.106	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	23.42(21.43 19.08)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB12@6	22.43(21.39 15.69)	19.34	0.086	1	Pass
DC_5A_n78A_10MHz 10MHz_30kHz_844MHz 3795MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	22.98(21.43 17.77)	19.94	0.099	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.59(22.07 18.29)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	23.72(22.15 18.53)	20.68	0.117	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.7(22.19 18.38)	20.65	0.116	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.68(22.19 18.32)	20.64	0.116	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.73(22.18 18.52)	20.69	0.117	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.69(22.12 18.51)	20.65	0.116	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.7(22.17 18.43)	20.66	0.116	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.65(22.15 18.3)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.74(22.18 18.54)	20.70	0.117	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.55(22.12 18.03)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.35(22.2 17.01)	20.27	0.107	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_829MHz 3707.52MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.91(22.11 15.14)	19.80	0.096	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB18@9	23.47(22 18.04)	20.42	0.110	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB18@9	23.44(21.97 18.02)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB19@9	23.33(21.83 17.99)	20.28	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB18@9	23.26(21.78 17.85)	20.21	0.105	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB19@9	23.32(21.81 17.99)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB18@9	23.32(21.81 18)	20.27	0.107	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB19@9	23.31(21.97 17.56)	20.25	0.106	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB18@9	23.03(21.93 16.52)	19.95	0.099	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB19@9	22.71(22.01 14.46)	19.60	0.091	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@37	23.48(21.44 19.21)	20.47	0.111	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB18@9	23.5(21.46 19.23)	20.49	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@37	23.49(21.43 19.27)	20.48	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@37	23.51(21.45 19.27)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB18@9	23.51(21.51 19.19)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM QPSK_RB12@38 RB19@9	23.49(21.41 19.29)	20.48	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB18@9	23.42(21.42 19.1)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB19@9	23.47(21.41 19.24)	20.46	0.111	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB18@9	23.5(21.44 19.28)	20.49	0.112	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB19@9	23.34(21.42 18.87)	20.32	0.108	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB18@9	22.94(21.42 17.63)	19.89	0.098	1	Pass
DC_5A_n78A_10MHz 15MHz_30kHz_844MHz 3792.48MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB19@9	22.53(21.49 15.79)	19.44	0.088	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.65(22.14 18.34)	20.61	0.115	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	23.76(22.2 18.55)	20.72	0.118	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.74(22.24 18.41)	20.70	0.117	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.71(22.21 18.37)	20.66	0.117	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.8(22.26 18.55)	20.76	0.119	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.71(22.1 18.63)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.64(22.03 18.56)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.73(22.16 18.56)	20.69	0.117	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.65(22.21 18.15)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.63(22 18.6)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	23.01(22.24 15.11)	19.90	0.098	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_829MHz 3710.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	23.32(22.17 16.98)	20.24	0.106	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	23.31(21.8 18)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB25@12	23.32(21.84 17.92)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	23.36(21.84 18.07)	20.32	0.108	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB25@12	23.46(21.96 18.1)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	23.27(21.73 18.03)	20.23	0.105	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB25@12	23.37(22 17.68)	20.31	0.107	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	23.46(21.99 18.05)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB25@12	22.64(21.9 14.6)	19.53	0.090	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	23.02(21.9 16.58)	19.94	0.099	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@50	23.5(21.48 19.21)	20.49	0.112	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	23.49(21.49 19.17)	20.48	0.112	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@50	23.44(21.36 19.25)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@50	23.46(21.42 19.2)	20.45	0.111	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB25@12	23.5(21.52 19.14)	20.49	0.112	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	23.44(21.4 19.17)	20.43	0.110	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB25@12	23.47(21.41 19.24)	20.46	0.111	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	23.5(21.48 19.2)	20.49	0.112	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB25@12	23.26(21.4 18.67)	20.23	0.106	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	23.54(21.52 19.24)	20.53	0.113	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB25@12	22.53(21.51 15.76)	19.45	0.088	1	Pass
DC_5A_n78A_10MHz 20MHz_30kHz_844MHz 3789.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.97(21.42 17.74)	19.93	0.098	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.54(22.04 18.2)	20.49	0.112	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB32@16	23.7(22.07 18.65)	20.66	0.116	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.67(22.17 18.33)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.58(22.09 18.2)	20.53	0.113	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16	23.78(22.21 18.59)	20.74	0.118	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16	23.81(22.26 18.59)	20.77	0.119	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16	23.66(22.08 18.5)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16	23.77(22.16 18.67)	20.73	0.118	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16	23.73(22.1 18.68)	20.69	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16	23.52(22.04 18.12)	20.47	0.111	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16	23.31(22.13 17.09)	20.24	0.106	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_829MHz 3712.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16	22.88(22.08 15.11)	19.77	0.095	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB32@16	23.41(21.96 17.94)	20.36	0.109	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB32@16	23.44(22 17.96)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB33@16	23.42(21.96 17.99)	20.37	0.109	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB32@16	23.38(21.92 17.93)	20.33	0.108	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB33@16	23.43(21.98 17.97)	20.38	0.109	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB32@16	23.32(21.77 18.08)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB33@16	23.3(21.94 17.59)	20.24	0.106	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB32@16	22.91(21.81 16.4)	19.83	0.096	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB33@16	22.72(22 14.55)	19.61	0.091	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@64	23.42(21.37 19.18)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB32@16	23.38(21.42 18.99)	20.37	0.109	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@64	23.56(21.56 19.22)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@64	23.45(21.41 19.18)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB32@16	23.43(21.42 19.12)	20.42	0.110	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB33@16	23.4(21.39 19.08)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB32@16	23.41(21.41 19.09)	20.40	0.110	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB33@16	23.51(21.52 19.16)	20.50	0.112	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB32@16	23.52(21.52 19.18)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB33@16	23.24(21.36 18.7)	20.22	0.105	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB32@16	22.94(21.41 17.67)	19.90	0.098	1	Pass
DC_5A_n78A_10MHz 25MHz_30kHz_844MHz 3787.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB33@16	22.52(21.51 15.71)	19.44	0.088	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.59(22.08 18.26)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	23.75(22.22 18.49)	20.71	0.118	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.8(22.33 18.38)	20.75	0.119	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.69(22.23 18.26)	20.64	0.116	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.73(22.18 18.5)	20.69	0.117	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.71(22.19 18.42)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.69(22.11 18.52)	20.64	0.116	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.71(22.13 18.56)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.8(22.25 18.57)	20.76	0.119	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.62(22.19 18.11)	20.57	0.114	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	23.29(22.12 17.01)	20.21	0.105	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_829MHz 3715.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.86(22.08 15.03)	19.76	0.095	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	23.37(21.88 18.01)	20.33	0.108	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	23.45(22.01 17.96)	20.40	0.110	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	23.44(22 17.93)	20.38	0.109	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	23.33(21.81 18.04)	20.29	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	23.42(21.92 18.09)	20.38	0.109	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	23.41(21.96 17.95)	20.36	0.109	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	23.13(21.71 17.6)	20.08	0.102	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	23.01(21.95 16.37)	19.93	0.098	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.55(21.83 14.41)	19.44	0.088	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@77	23.45(21.39 19.23)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	23.44(21.41 19.17)	20.43	0.110	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@77	23.69(21.6 19.52)	20.69	0.117	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@77	23.56(21.51 19.32)	20.55	0.114	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	23.41(21.38 19.14)	20.40	0.110	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	23.49(21.45 19.23)	20.48	0.112	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	23.5(21.45 19.26)	20.49	0.112	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	23.57(21.53 19.3)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	23.55(21.51 19.28)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	23.41(21.53 18.87)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	22.97(21.42 17.73)	19.92	0.098	1	Pass
DC_5A_n78A_10MHz 30MHz_30kHz_844MHz 3784.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	22.52(21.47 15.83)	19.44	0.088	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.61(22.14 18.2)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	23.67(22.1 18.5)	20.63	0.116	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.73(22.22 18.41)	20.68	0.117	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.7(22.2 18.34)	20.65	0.116	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.72(22.18 18.46)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK CP-OFDM QPSK_RB12@0 RB53@26	23.64(22.04 18.54)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.69(22.12 18.5)	20.65	0.116	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.72(22.17 18.48)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.71(22.13 18.55)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.51(22.06 18.03)	20.46	0.111	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	23.37(22.23 17.02)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_829MHz 3720MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.88(22.1 15.02)	19.77	0.095	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	23.44(22 17.96)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	23.3(21.78 18.01)	20.26	0.106	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	23.38(21.92 17.93)	20.33	0.108	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	23.31(21.76 18.07)	20.26	0.106	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	23.3(21.76 18.06)	20.26	0.106	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	23.34(21.81 18.08)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	23.2(21.85 17.47)	20.14	0.103	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.97(21.84 16.55)	19.89	0.097	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.57(21.82 14.58)	19.46	0.088	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	23.55(21.52 19.28)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	23.41(21.4 19.09)	20.40	0.110	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@105	23.66(21.64 19.37)	20.65	0.116	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@105	23.45(21.45 19.12)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB50@25	23.42(21.42 19.08)	20.40	0.110	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK CP-OFDM QPSK_RB12@38 RB53@26	23.46(21.54 18.99)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	23.49(21.53 19.09)	20.47	0.112	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB53@26	23.44(21.52 18.97)	20.42	0.110	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	23.42(21.39 19.14)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB53@26	23.24(21.4 18.63)	20.22	0.105	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.99(21.49 17.65)	19.94	0.099	1	Pass
DC_5A_n78A_10MHz 40MHz_30kHz_844MHz 3780MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB53@26	22.51(21.5 15.69)	19.43	0.088	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.7(22.28 18.14)	20.64	0.116	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	23.58(22.08 18.22)	20.53	0.113	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.6(22.08 18.29)	20.55	0.114	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.6(22.17 18.08)	20.55	0.113	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.67(22.16 18.35)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.58(22.1 18.18)	20.53	0.113	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.59(22.08 18.27)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.66(22.16 18.31)	20.61	0.115	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.59(22.03 18.39)	20.55	0.113	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.48(22.1 17.84)	20.43	0.110	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23.23(22.08 16.88)	20.15	0.104	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_829MHz 3725.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.84(22.1 14.82)	19.74	0.094	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	23.39(21.92 17.98)	20.34	0.108	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.32(21.78 18.08)	20.28	0.107	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.42(21.95 18)	20.37	0.109	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.44(21.94 18.08)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.38(21.87 18.06)	20.33	0.108	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.45(21.94 18.14)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.31(21.94 17.62)	20.25	0.106	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23(21.87 16.61)	19.93	0.098	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.62(21.86 14.65)	19.51	0.089	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	23.52(21.5 19.22)	20.51	0.112	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	23.46(21.49 19.09)	20.45	0.111	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	23.6(21.52 19.41)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	23.61(21.6 19.29)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	23.4(21.4 19.07)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	23.39(21.38 19.08)	20.38	0.109	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	23.46(21.5 19.06)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	23.4(21.4 19.06)	20.38	0.109	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	23.46(21.5 19.07)	20.45	0.111	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	23.32(21.5 18.67)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	22.91(21.4 17.6)	19.87	0.097	1	Pass
DC_5A_n78A_10MHz 50MHz_30kHz_844MHz 3774.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	22.48(21.5 15.53)	19.39	0.087	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.67(22.23 18.19)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	23.61(22.15 18.17)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.61(22.13 18.2)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.55(22.05 18.2)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.53(22.02 18.2)	20.48	0.112	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.65(22.18 18.22)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.66(22.26 18.07)	20.61	0.115	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.65(22.18 18.23)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.51(22.2 17.65)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.65(22.17 18.24)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.8(22.06 14.76)	19.69	0.093	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_829MHz 3730.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23.19(22.09 16.67)	20.11	0.103	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB81@40	23.4(21.9 18.04)	20.35	0.108	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB81@40	23.44(21.96 18.05)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB81@40	23.35(21.83 18.06)	20.31	0.107	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB81@40	23.27(21.71 18.07)	20.23	0.105	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB81@40	23.33(21.78 18.11)	20.29	0.107	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB81@40	23.16(21.76 17.58)	20.11	0.103	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB81@40	23.39(21.91 17.99)	20.34	0.108	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB81@40	22.52(21.77 14.51)	19.41	0.087	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB81@40	23.01(21.92 16.47)	19.93	0.098	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@161	23.48(21.44 19.22)	20.47	0.111	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB81@40	23.29(21.41 18.74)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@161	23.55(21.49 19.31)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@161	23.42(21.39 19.14)	20.41	0.110	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB81@40	23.28(21.4 18.73)	20.26	0.106	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB81@40	23.29(21.41 18.76)	20.27	0.107	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB81@40	23.37(21.52 18.76)	20.34	0.108	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB81@40	23.35(21.51 18.73)	20.33	0.108	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB81@40	23.14(21.43 18.26)	20.11	0.102	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB81@40	23.33(21.46 18.76)	20.31	0.107	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB81@40	22.34(21.41 15.21)	19.25	0.084	1	Pass
DC_5A_n78A_10MHz 60MHz_30kHz_844MHz 3769.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB81@40	22.93(21.53 17.32)	19.87	0.097	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.6(22.06 18.36)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45	23.6(22.1 18.27)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.73(22.19 18.49)	20.69	0.117	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.64(22.15 18.27)	20.59	0.115	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK DFT-s-OFDM QPSK_RB12@0 RB90@45	23.66(22.19 18.23)	20.61	0.115	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK CP-OFDM QPSK_RB12@0 RB95@47	23.56(22.06 18.21)	20.51	0.113	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	23.67(22.19 18.28)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK CP-OFDM 16 QAM_RB12@0 RB95@47	23.67(22.2 18.24)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	23.6(22.08 18.3)	20.55	0.114	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK CP-OFDM 64 QAM_RB12@0 RB95@47	23.52(22.21 17.68)	20.46	0.111	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	23.23(22.11 16.81)	20.16	0.104	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_829MHz 3735MHz_Q PSK CP-OFDM 256 QAM_RB12@0 RB95@47	22.81(22.07 14.77)	19.70	0.093	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB90@45	23.37(21.82 18.16)	20.33	0.108	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB90@45	23.49(21.95 18.23)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB95@47	23.43(21.83 18.32)	20.39	0.109	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB90@45	23.54(21.98 18.34)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB95@47	23.5(21.96 18.25)	20.46	0.111	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB90@45	23.52(21.97 18.3)	20.48	0.112	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB95@47	23.39(21.97 17.86)	20.34	0.108	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB90@45	23.15(22 16.83)	20.08	0.102	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB95@47	22.75(21.97 14.91)	19.65	0.092	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@188	23.6(21.53 19.4)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB90@45	23.24(21.39 18.64)	20.22	0.105	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK CP-OFDM QPSK_RB1@49 RB1@188	23.59(21.45 19.48)	20.58	0.114	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM QPSK_RB1@49 RB1@188	23.51(21.39 19.38)	20.51	0.112	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM QPSK_RB12@38 RB90@45	23.25(21.38 18.68)	20.23	0.105	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK CP-OFDM QPSK_RB12@38 RB95@47	23.29(21.42 18.74)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM 16 QAM_RB12@38 RB90@45	23.27(21.4 18.72)	20.25	0.106	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK CP-OFDM 16 QAM_RB12@38 RB95@47	23.29(21.41 18.75)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM 64 QAM_RB12@38 RB90@45	23.34(21.52 18.69)	20.32	0.108	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK CP-OFDM 64 QAM_RB12@38 RB95@47	23.13(21.43 18.22)	20.09	0.102	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK DFT-s-OFDM 256 QAM_RB12@38 RB90@45	22.9(21.51 17.26)	19.84	0.096	1	Pass
DC_5A_n78A_10MHz 70MHz_30kHz_844MHz 3765MHz_Q PSK CP-OFDM 256 QAM_RB12@38 RB95@47	22.44(21.51 15.3)	19.35	0.086	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.63(22.08 18.39)	20.58	0.114	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	23.63(22.12 18.31)	20.58	0.114	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.77(22.25 18.48)	20.73	0.118	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.66(22.16 18.3)	20.61	0.115	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.71(22.23 18.32)	20.66	0.116	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.65(22.2 18.19)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.63(22.11 18.32)	20.58	0.114	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.59(22.08 18.28)	20.55	0.113	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.68(22.2 18.28)	20.63	0.116	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.56(22.21 17.83)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.31(22.2 16.86)	20.24	0.106	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 80MHz_30kHz_829MHz 3740.01MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.93(22.19 14.85)	19.82	0.096	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	23.35(21.75 18.24)	20.31	0.107	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.56(22 18.36)	20.52	0.113	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB109@54	23.43(21.8 18.39)	20.39	0.110	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.51(21.95 18.32)	20.47	0.111	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB109@54	23.55(21.98 18.37)	20.51	0.112	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.37(21.74 18.34)	20.34	0.108	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB109@54	23.26(21.8 17.81)	20.21	0.105	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.17(21.98 16.95)	20.10	0.102	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB109@54	22.7(21.91 14.92)	19.60	0.091	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@216	23.48(21.37 19.32)	20.47	0.111	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	23.22(21.39 18.58)	20.20	0.105	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@216	23.66(21.51 19.58)	20.66	0.116	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@216	23.57(21.43 19.46)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	23.33(21.52 18.66)	20.31	0.107	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM QPSK_RB12@38 RB109@54	23.22(21.41 18.55)	20.20	0.105	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	23.34(21.52 18.69)	20.32	0.108	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB109@54	23.22(21.4 18.55)	20.19	0.104	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	23.32(21.51 18.65)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB109@54	23.11(21.41 18.2)	20.07	0.102	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	22.8(21.4 17.21)	19.75	0.094	1	Pass
DC_5A_n78A_10MHz 80MHz_30kHz_844MHz 3759.99MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB109@54	22.34(21.42 15.14)	19.25	0.084	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.74(22.25 18.38)	20.70	0.117	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	23.62(22.11 18.29)	20.57	0.114	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.64(22.04 18.52)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.74(22.28 18.28)	20.69	0.117	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.58(22.08 18.24)	20.53	0.113	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.6(22.06 18.34)	20.55	0.114	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.6(22.09 18.29)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.63(22.15 18.25)	20.59	0.114	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.59(22.06 18.3)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.58(22.23 17.83)	20.52	0.113	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	23.22(22.09 16.83)	20.15	0.103	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_829MHz 3745.02MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.83(22.09 14.79)	19.72	0.094	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB120@60	23.46(21.85 18.38)	20.42	0.110	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB120@60	23.54(21.99 18.32)	20.50	0.112	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB123@61	23.5(21.92 18.34)	20.46	0.111	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB120@60	23.48(21.87 18.38)	20.44	0.111	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB123@61	23.4(21.74 18.42)	20.36	0.109	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB120@60	23.45(21.8 18.45)	20.41	0.110	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB123@61	23.4(21.92 17.99)	20.35	0.108	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB120@60	23.04(21.82 16.95)	19.98	0.099	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_836.5MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB123@61	22.7(21.9 14.97)	19.60	0.091	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@244	23.59(21.48 19.45)	20.59	0.114	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB120@60	23.22(21.4 18.56)	20.19	0.105	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@244	23.6(21.52 19.4)	20.59	0.115	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@244	23.55(21.44 19.39)	20.54	0.113	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB120@60	23.25(21.51 18.44)	20.22	0.105	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM QPSK_RB12@38 RB123@61	23.27(21.45 18.6)	20.24	0.106	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB120@60	23.33(21.53 18.63)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB123@61	23.33(21.53 18.63)	20.30	0.107	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB120@60	23.24(21.4 18.61)	20.21	0.105	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB123@61	23.1(21.42 18.15)	20.06	0.101	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB120@60	22.87(21.54 17.1)	19.82	0.096	1	Pass
DC_5A_n78A_10MHz 90MHz_30kHz_844MHz 3754.98MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB123@61	22.32(21.4 15.15)	19.23	0.084	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.73(22.27 18.29)	20.68	0.117	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB135@67	23.71(22.18 18.44)	20.67	0.117	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.64(22.06 18.48)	20.60	0.115	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.77(22.29 18.36)	20.72	0.118	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB135@67	23.77(22.25 18.46)	20.72	0.118	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM QPSK_RB12@0 RB137@68	23.67(22.14 18.39)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB135@67	23.79(22.26 18.53)	20.75	0.119	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB137@68	23.67(22.16 18.35)	20.62	0.115	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB135@67	23.76(22.23 18.48)	20.71	0.118	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB137@68	23.61(22.22 18)	20.56	0.114	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB135@67	23.35(22.2 17)	20.27	0.106	1	Pass
DC_5A_n78A_10MHz 100MHz_30kHz_829MHz 3750MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB137@68	22.97(22.21 15.01)	19.86	0.097	1	Pass

Note:

P_{Total}(P_{LTE} | P_{NR});

EIRP = P + Ant Gain – C_L;

EIRP_{NSA} = EIRP_{LTE} + EIRP_{NR};

n78:

1.Ant Gain = -2.74dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

5A:

1.Ant Gain = -3.18dBi;

2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB

DC_12A_n66A

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.42(21.73 14.06)	17.86	0.061	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.47(21.79 14.11)	17.92	0.062	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.58(21.95 13.91)	18.01	0.063	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.58(21.92 14.07)	18.01	0.063	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.47(21.78 14.13)	17.92	0.062	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.52(21.83 14.16)	17.96	0.063	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.52(21.85 14.1)	17.96	0.063	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.52(21.84 14.11)	17.96	0.062	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.5(21.81 14.15)	17.94	0.062	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.47(21.78 14.13)	17.92	0.062	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.49(21.84 13.9)	17.92	0.062	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_704MHz 1712.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.28(21.87 11.83)	17.59	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB12@6	22.28(21.63 13.71)	17.71	0.059	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB12@6	22.27(21.62 13.71)	17.70	0.059	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB13@6	22.34(21.69 13.77)	17.77	0.060	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB12@6	22.32(21.68 13.72)	17.75	0.060	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB13@6	22.28(21.63 13.71)	17.71	0.059	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB12@6	22.33(21.68 13.76)	17.76	0.060	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB13@6	22.25(21.59 13.72)	17.68	0.059	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB12@6	22.31(21.7 13.51)	17.73	0.059	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB13@6	22.07(21.67 11.49)	17.37	0.055	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@24	22.05(21.3 14.03)	17.52	0.056	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB12@6	22.05(21.29 14.11)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@24	22.08(21.36 13.89)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@24	21.93(21.17 14)	17.41	0.055	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB12@6	22.02(21.26 14.07)	17.50	0.056	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB13@6	22.06(21.3 14.14)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB12@6	22.02(21.27 14.05)	17.50	0.056	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB13@6	22.05(21.31 14.02)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB12@6	22.06(21.3 14.14)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB13@6	22.09(21.34 14.09)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB12@6	21.99(21.27 13.86)	17.46	0.056	1	Pass
DC_12A_n66A_10MHz 5MHz_15kHz_711MHz 1777.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB13@6	21.74(21.27 11.81)	17.08	0.051	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.54(21.85 14.19)	17.98	0.063	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.47(21.79 14.07)	17.91	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.45(21.76 14.12)	17.90	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.48(21.78 14.23)	17.94	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.49(21.81 14.1)	17.93	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.48(21.8 14.1)	17.93	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.5(21.82 14.1)	17.94	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.56(21.89 14.1)	18.00	0.063	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.55(21.87 14.13)	17.99	0.063	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.48(21.79 14.15)	17.93	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.47(21.84 13.78)	17.89	0.062	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_704MHz 1715MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.26(21.85 11.84)	17.58	0.057	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB25@12	22.32(21.67 13.73)	17.75	0.060	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB25@12	22.32(21.68 13.7)	17.75	0.060	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB26@13	22.33(21.69 13.71)	17.76	0.060	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB25@12	22.29(21.64 13.74)	17.72	0.059	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB26@13	22.31(21.66 13.71)	17.73	0.059	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB25@12	22.35(21.7 13.76)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB26@13	22.32(21.67 13.76)	17.75	0.060	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB25@12	22.3(21.69 13.47)	17.71	0.059	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB26@13	22.04(21.64 11.48)	17.35	0.054	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@51	22.12(21.38 14.08)	17.59	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB25@12	22.06(21.31 14.09)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@51	22.09(21.36 13.96)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@51	21.97(21.2 14.06)	17.45	0.056	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB25@12	22.05(21.29 14.13)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM QPSK_RB12@38 RB26@13	22.05(21.3 14.07)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB25@12	22.09(21.33 14.14)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB26@13	22.09(21.33 14.12)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB25@12	22.06(21.29 14.17)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB26@13	22.04(21.27 14.12)	17.52	0.056	1	Pass
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB25@12	22.02(21.3 13.84)	17.48	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 10MHz_15kHz_711MHz 1775MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB26@13	21.8(21.34 11.83)	17.14	0.052	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.55(21.87 14.17)	18.00	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.53(21.86 14.08)	17.97	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.59(21.93 14.1)	18.03	0.064	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.58(21.9 14.21)	18.03	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.55(21.88 14.07)	17.98	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.52(21.85 14.09)	17.96	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.52(21.85 14.08)	17.96	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.49(21.82 14.05)	17.93	0.062	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.52(21.85 14.08)	17.96	0.063	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.49(21.82 14.07)	17.93	0.062	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.46(21.83 13.8)	17.89	0.061	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_704MHz 1717.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.3(21.89 11.81)	17.61	0.058	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB36@18	22.35(21.7 13.75)	17.77	0.060	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB36@18	22.34(21.7 13.7)	17.76	0.060	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB39@19	22.33(21.68 13.79)	17.77	0.060	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB36@18	22.37(21.72 13.78)	17.80	0.060	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB39@19	22.27(21.6 13.81)	17.71	0.059	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB36@18	22.32(21.66 13.78)	17.75	0.060	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB39@19	22.37(21.72 13.81)	17.80	0.060	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB36@18	22.32(21.71 13.48)	17.73	0.059	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB39@19	22.06(21.66 11.55)	17.37	0.055	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@78	21.97(21.21 14.05)	17.46	0.056	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB36@18	22.03(21.26 14.12)	17.51	0.056	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@78	22.07(21.34 13.95)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@78	22.06(21.31 14.04)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB36@18	22.07(21.31 14.1)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB39@19	22.09(21.33 14.14)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB36@18	22.05(21.28 14.14)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB39@19	22.1(21.33 14.18)	17.58	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB36@18	22.13(21.37 14.16)	17.60	0.058	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB39@19	22.07(21.31 14.14)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB36@18	22.05(21.33 13.87)	17.51	0.056	1	Pass
DC_12A_n66A_10MHz 15MHz_15kHz_711MHz 1772.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB39@19	21.77(21.3 11.84)	17.11	0.051	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	22.57(21.9 14.15)	18.01	0.063	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.53(21.87 13.99)	17.96	0.062	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	22.4(21.71 14.1)	17.85	0.061	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	22.53(21.85 14.14)	17.97	0.063	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.56(21.91 14.02)	18.00	0.063	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.55(21.89 14.02)	17.98	0.063	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.51(21.85 13.99)	17.94	0.062	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.48(21.82 13.97)	17.91	0.062	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.51(21.85 13.98)	17.94	0.062	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.51(21.85 14.03)	17.95	0.062	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.51(21.9 13.72)	17.93	0.062	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_704MHz 1720MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.24(21.84 11.69)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB50@25	22.35(21.71 13.75)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB50@25	22.35(21.7 13.8)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB53@26	22.35(21.7 13.77)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB50@25	22.34(21.69 13.78)	17.77	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB53@26	22.36(21.71 13.76)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB50@25	22.33(21.68 13.79)	17.77	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB53@26	22.36(21.7 13.83)	17.79	0.060	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB50@25	22.31(21.69 13.52)	17.72	0.059	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB53@26	22.07(21.68 11.46)	17.38	0.055	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@105	22(21.24 14.08)	17.49	0.056	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB50@25	22.09(21.32 14.2)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@105	22.09(21.36 14)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@105	22.06(21.31 14.07)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB50@25	22.04(21.27 14.17)	17.53	0.057	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM QPSK_RB12@38 RB53@26	22.11(21.35 14.19)	17.60	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB50@25	22.09(21.32 14.18)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB53@26	22.08(21.3 14.21)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB50@25	22.08(21.31 14.18)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB53@26	22.09(21.31 14.22)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB50@25	22.03(21.3 13.94)	17.50	0.056	1	Pass
DC_12A_n66A_10MHz 20MHz_15kHz_711MHz 1770MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB53@26	21.79(21.32 11.87)	17.13	0.052	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.69(21.86 19.06)	19.58	0.091	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	23.58(21.84 18.78)	19.44	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.53(21.66 18.97)	19.43	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.74(21.9 19.13)	19.63	0.092	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	23.59(21.86 18.76)	19.45	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	23.57(21.83 18.76)	19.43	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	23.57(21.84 18.74)	19.43	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	23.55(21.8 18.77)	19.42	0.087	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	23.58(21.82 18.8)	19.44	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	23.59(21.85 18.78)	19.45	0.088	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	23.49(21.83 18.52)	19.32	0.086	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_704MHz 1722.5MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.92(21.81 16.47)	18.55	0.072	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB64@32	22.35(21.71 13.74)	17.78	0.060	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB64@32	22.38(21.74 13.74)	17.80	0.060	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB67@33	22.33(21.68 13.75)	17.76	0.060	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB64@32	22.36(21.72 13.7)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB67@33	22.31(21.66 13.76)	17.74	0.059	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB64@32	22.33(21.68 13.76)	17.76	0.060	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB67@33	22.35(21.71 13.75)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB64@32	22.33(21.72 13.49)	17.74	0.059	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB67@33	22.15(21.77 11.43)	17.45	0.056	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@132	22.09(21.34 14.07)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB64@32	22.06(21.31 14.09)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@132	22(21.24 14.03)	17.47	0.056	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@132	22.07(21.32 14.06)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB64@32	22.09(21.35 14.06)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM QPSK_RB12@38 RB67@33	22.06(21.31 14.05)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB64@32	22.08(21.33 14.06)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB67@33	22.06(21.31 14.07)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB64@32	22.05(21.29 14.12)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB67@33	22.08(21.34 14.05)	17.56	0.057	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB64@32	22.03(21.32 13.81)	17.49	0.056	1	Pass
DC_12A_n66A_10MHz 25MHz_15kHz_711MHz 1767.5MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB67@33	21.78(21.32 11.8)	17.12	0.051	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.72(21.83 19.21)	19.63	0.092	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB80@40	23.56(21.84 18.7)	19.41	0.087	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.78(22 19.04)	19.65	0.092	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.76(21.89 19.19)	19.65	0.092	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	23.59(21.86 18.75)	19.44	0.088	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	23.57(21.85 18.71)	19.42	0.087	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	23.58(21.87 18.69)	19.42	0.088	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	23.59(21.89 18.69)	19.43	0.088	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	23.58(21.88 18.69)	19.43	0.088	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	23.55(21.83 18.71)	19.41	0.087	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	22.95(21.86 16.41)	18.57	0.072	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_704MHz 1725MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	23.43(21.78 18.44)	19.26	0.084	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB80@40	22.39(21.75 13.79)	17.82	0.061	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB80@40	22.41(21.76 13.82)	17.84	0.061	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB80@40	22.35(21.7 13.8)	17.78	0.060	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB80@40	22.4(21.76 13.76)	17.82	0.061	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB80@40	22.41(21.76 13.81)	17.83	0.061	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB80@40	22.38(21.73 13.82)	17.81	0.060	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB80@40	22.3(21.63 13.82)	17.73	0.059	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB80@40	22.14(21.75 11.48)	17.44	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 30MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB80@40	22.3(21.68 13.53)	17.71	0.059	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@159	22.09(21.33 14.14)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB80@40	22.05(21.29 14.12)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@159	22.04(21.3 14.01)	17.52	0.056	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@159	21.97(21.2 14.1)	17.46	0.056	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM QPSK_RB12@38 RB80@40	22.1(21.35 14.11)	17.58	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB80@40	22.1(21.36 14.06)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB80@40	22.07(21.32 14.1)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB80@40	22.07(21.31 14.11)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB80@40	22.1(21.35 14.1)	17.57	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB80@40	22.11(21.36 14.12)	17.59	0.057	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB80@40	21.77(21.31 11.75)	17.10	0.051	1	Pass
DC_12A_n66A_10MHz 30MHz_15kHz_711MHz 1765MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB80@40	22.04(21.33 13.83)	17.50	0.056	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@0 RB1@0	23.68(21.82 19.09)	19.57	0.091	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	23.05(21.83 16.92)	18.71	0.074	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM QPSK_RB1@0 RB1@0	23.58(21.74 18.97)	19.47	0.089	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM QPSK_RB1@0 RB1@0	23.67(21.79 19.12)	19.57	0.091	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	23.04(21.83 16.89)	18.70	0.074	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	23.01(21.78 16.94)	18.69	0.074	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	23.05(21.84 16.9)	18.71	0.074	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	23.1(21.9 16.93)	18.76	0.075	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	23.06(21.85 16.93)	18.73	0.075	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	23.08(21.88 16.92)	18.75	0.075	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	22.62(21.87 14.64)	18.10	0.065	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_704MHz 1730MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	23.03(21.9 16.65)	18.67	0.074	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@0 RB108@54	22.4(21.75 13.8)	17.82	0.061	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM QPSK_RB12@0 RB108@54	22.38(21.74 13.77)	17.81	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM QPSK_RB12@0 RB108@54	22.36(21.71 13.77)	17.79	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 16 QAM_RB12@0 RB108@54	22.36(21.71 13.78)	17.79	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 16 QAM_RB12@0 RB108@54	22.36(21.71 13.81)	17.79	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 64 QAM_RB12@0 RB108@54	22.37(21.72 13.8)	17.80	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 64 QAM_RB12@0 RB108@54	22.36(21.7 13.83)	17.79	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK CP-OFDM 256 QAM_RB12@0 RB108@54	22.09(21.69 11.53)	17.40	0.055	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_707.5MHz 1745MHz_QPSK DFT-s-OFDM 256 QAM_RB12@0 RB108@54	22.39(21.78 13.54)	17.80	0.060	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB1@49 RB1@215	22.11(21.37 14.04)	17.58	0.057	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM $\pi/2$ BPSK_RB12@38 RB108@54	22.05(21.32 13.92)	17.51	0.056	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM QPSK_RB1@49 RB1@215	22.12(21.41 13.93)	17.58	0.057	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB1@49 RB1@215	22.07(21.33 14.05)	17.55	0.057	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM QPSK_RB12@38 RB108@54	22.06(21.33 13.96)	17.53	0.057	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM QPSK_RB12@38 RB108@54	22.04(21.32 13.91)	17.51	0.056	1	Pass

Mode	Conducted Power (dBm)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 16 QAM_RB12@38 RB108@54	22.08(21.36 13.9)	17.54	0.057	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 16 QAM_RB12@38 RB108@54	22.04(21.31 13.94)	17.51	0.056	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 64 QAM_RB12@38 RB108@54	22.05(21.32 13.94)	17.52	0.056	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 64 QAM_RB12@38 RB108@54	22.05(21.32 13.95)	17.52	0.056	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK CP-OFDM 256 QAM_RB12@38 RB108@54	21.75(21.3 11.64)	17.08	0.051	1	Pass
DC_12A_n66A_10MHz 40MHz_15kHz_711MHz 1760MHz_QPSK DFT-s-OFDM 256 QAM_RB12@38 RB108@54	22.04(21.36 13.67)	17.49	0.056	1	Pass

Note:
P_Total(P_LTE | P_NR);
EIRP = P + Ant Gain – C_L;
EIRP_NSA = EIRP_LTE + EIRP_NR;
n66:
1.Ant Gain = -2.91dBi;
2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB
12A:
1.Ant Gain = -4.91dBi;
2.C_L = signal attenuation in the connecting cable between the transmitter and antenna in 0dB