



GFSK (BLE 2Mbps) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 2Mbps) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



GFSK (BLE 2Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 2Mbps) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




Aux. Antenna


GFSK (BLE 1Mbps) LOW CHANNEL, CARRIER LEVEL



GFSK (BLE 1Mbps) LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



GFSK (BLE 1Mbps) LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



GFSK (BLE 1Mbps) MIDDLE CHANNEL, CARRIER LEVEL



GFSK (BLE 1Mbps) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 1Mbps) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



GFSK (BLE 1Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 1Mbps) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



GFSK (BLE 1Mbps) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



GFSK (BLE 2Mbps) LOW CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) LOW CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 2Mbps) LOW CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 2Mbps) MIDDLE CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL, SPURIOUS 30 MHz ~ 3 GHz




GFSK (BLE 2Mbps) MIDDLE CHANNEL, SPURIOUS 2 GHz ~ 25 GHz




GFSK (BLE 2Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) HIGH CHANNEL, SPURIOUS 30 MHz ~ 3 GHz



GFSK (BLE 2Mbps) HIGH CHANNEL, SPURIOUS 2 GHz ~ 25 GHz



A.4 Band Edge (Authorized-band band-edge)

Note: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Test Data

Main Antenna

GFSK (BLE 1Mbps)				
Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-53.45	-3.96	-23.96	Pass
High	-52.52	-2.67	-22.67	Pass

GFSK (BLE 2Mbps)				
Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-52.57	-4.80	-24.80	Pass
High	-53.28	-3.30	-23.30	Pass

Aux. Antenna

GFSK (BLE 1Mbps)				
Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-52.38	-3.93	-23.93	Pass
High	-54.15	-2.47	-22.47	Pass

GFSK (BLE 2Mbps)				
Channel	Measured Max. Band Edge Emission (dBm)	Limit (dBm)		Verdict
		Carrier Level	Calculated 20 dBc Limit	
Low	-53.12	-4.71	-24.71	Pass
High	-53.73	-3.00	-23.00	Pass

Test Plots

Main Antenna

GFSK (BLE 1Mbps) LOW CHANNEL, CARRIER LEVEL



GFSK (BLE 1Mbps) LOW CHANNEL, BAND EDGE



GFSK (BLE 1Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 1Mbps) HIGH CHANNEL, BAND EDGE



GFSK (BLE 2Mbps) LOW CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) LOW CHANNEL, BAND EDGE



GFSK (BLE 2Mbps) HIGH CHANNEL, CARRIER LEVEL




GFSK (BLE 2Mbps) HIGH CHANNEL, BAND EDGE




Aux. Antenna

GFSK (BLE 1Mbps) LOW CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) LOW CHANNEL, BAND EDGE



GFSK (BLE 1Mbps) HIGH CHANNEL, CARRIER LEVEL




GFSK (BLE 1Mbps) HIGH CHANNEL, BAND EDGE



GFSK (BLE 2Mbps) LOW CHANNEL, CARRIER LEVEL




GFSK (BLE 2Mbps) LOW CHANNEL, BAND EDGE



GFSK (BLE 2Mbps) HIGH CHANNEL, CARRIER LEVEL



GFSK (BLE 2Mbps) HIGH CHANNEL, BAND EDGE



A.5 Conducted Emission


Note 1: The EUT is working in the Normal link mode. All modes have been tested and normal link mode is worst.

Note 2: Devices subject to Part 15 must be tested for all available U.S. voltages and frequencies (such as a nominal 120 VAC, 60 Hz and 240 VAC, 50 Hz) for which the device is capable of operation. So, The configuration 120 VAC, 60 Hz and 240 VAC, 50 Hz were tested respectively, but only the worst configuration (120 VAC, 60 Hz) shown here.

Note 3: Results (dBuV) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots


PHASE L



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.152	49.52	10.06	65.89	16.37	Peak	L	Pass
1**	0.152	25.00	10.06	55.89	30.89	AV	L	Pass
2	0.220	39.73	10.12	62.82	23.09	Peak	L	Pass
2**	0.220	27.62	10.12	52.82	25.20	AV	L	Pass
3	0.486	39.50	10.15	56.24	16.74	Peak	L	Pass
3**	0.486	31.13	10.15	46.24	15.11	AV	L	Pass
4	1.254	36.32	10.23	56.00	19.68	Peak	L	Pass
4**	1.254	24.72	10.23	46.00	21.28	AV	L	Pass
5	3.896	35.26	10.42	56.00	20.74	Peak	L	Pass
5**	3.896	22.92	10.42	46.00	23.08	AV	L	Pass
6	10.764	38.22	10.98	60.00	21.78	Peak	L	Pass
6**	10.764	27.44	10.98	50.00	22.56	AV	L	Pass

PHASE N

CE Test case_FCC_CE_FCC PART 15C



No.	Frequency (MHz)	Results (dBuV)	Factor (dB)	Limit (dBuV)	Margin (dB)	Detector	Line	Verdict
1	0.154	47.53	10.15	65.78	18.25	Peak	N	Pass
1**	0.154	29.82	10.15	55.78	25.96	AV	N	Pass
2	0.212	40.94	10.16	63.13	22.19	Peak	N	Pass
2**	0.212	25.77	10.16	53.13	27.36	AV	N	Pass
3	0.462	36.74	10.17	56.66	19.92	Peak	N	Pass
3**	0.462	26.38	10.17	46.66	20.28	AV	N	Pass
4	1.014	34.84	10.24	56.00	21.16	Peak	N	Pass
4**	1.014	22.78	10.24	46.00	23.22	AV	N	Pass
5	3.736	32.22	10.36	56.00	23.78	Peak	N	Pass
5**	3.736	20.43	10.36	46.00	25.57	AV	N	Pass
6	12.154	37.08	11.02	60.00	22.92	Peak	N	Pass
6**	12.154	23.22	11.02	50.00	26.78	AV	N	Pass

A.6 Radiated Spurious Emission

Note 1: The symbol of “--” in the table which means not application.

Note 2: For the test data above 1 GHz, according the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 3: The low frequency, which started from 9 kHz to 30 MHz, was pre-scanned and the result which was 20 dB lower than the limit line per 15.31(o) was not reported.

Note 4: The Frequency band was pre-scanned, the harmonic and other spurious which worst frequency are recorded in the report.


Note 5: All antenna were tested, but only the worst case has been reported in this report.

Note 6: Results (dBuV/m) = Original reading level of Spectrum Analyzer (dBuV) + Factor (dB)

Test Data and Plots

30 MHz to 1 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	72.729	26.60	-29.88	40.0	13.40	Peak	7.00	200	Horizontal	Pass
2	145.672	27.43	-29.59	43.5	16.07	Peak	295.00	100	Horizontal	Pass
3	194.027	34.82	-25.70	43.5	8.68	Peak	258.00	100	Horizontal	Pass
4	291.124	35.73	-23.19	46.0	10.27	Peak	90.00	200	Horizontal	Pass
5	339.624	32.58	-21.94	46.0	13.42	Peak	90.00	200	Horizontal	Pass
6	904.794	31.01	-9.16	46.0	14.99	Peak	120.00	100	Horizontal	Pass

30 MHz to 1 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_30MHz-1GHz




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	33.589	36.30	-28.25	40.0	3.70	Peak	6.00	100	Vertical	Pass
2	53.813	30.79	-24.92	40.0	9.21	Peak	193.00	100	Vertical	Pass
3	72.874	30.82	-29.91	40.0	9.18	Peak	272.00	100	Vertical	Pass
4	194.027	33.17	-25.70	43.5	10.33	Peak	228.00	200	Vertical	Pass
5	290.978	41.48	-23.18	46.0	4.52	Peak	193.00	100	Vertical	Pass
6	909.111	31.34	-9.22	46.0	14.66	Peak	266.00	100	Vertical	Pass

Note 1: The marked spikes near 2400 MHz with circle should be ignored because they are Fundamental signal.

Note 2: The spurious from 18GHz-25GHz is noise only, do not show on the report.

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1314.250	39.68	-15.87	74.0	34.32	Peak	113.00	150	Horizontal	Pass
1**	1314.250	28.44	-15.87	54.0	25.56	AV	113.00	150	Horizontal	Pass
2	2440.000	77.79	-12.37	74.0	-3.79	Peak	304.00	150	Horizontal	N/A
2**	2440.000	76.30	-12.37	54.0	-22.30	AV	304.00	150	Horizontal	N/A
3	3409.000	46.97	-5.35	74.0	27.03	Peak	81.00	150	Horizontal	Pass
3**	3409.000	36.09	-5.35	54.0	17.91	AV	81.00	150	Horizontal	Pass
4	6414.500	53.03	0.25	74.0	20.97	Peak	4.00	150	Horizontal	Pass
4**	6414.500	41.98	0.25	54.0	12.02	AV	4.00	150	Horizontal	Pass
5	8987.000	47.46	-4.54	74.0	26.54	Peak	11.00	150	Horizontal	Pass
5**	8987.000	36.68	-4.54	54.0	17.32	AV	11.00	150	Horizontal	Pass
6	15276.500	49.26	-1.65	74.0	24.74	Peak	40.00	150	Horizontal	Pass
6**	15276.500	39.03	-1.65	54.0	14.97	AV	40.00	150	Horizontal	Pass

GFSK (BLE 1Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1177.000	40.10	-15.68	74.0	33.90	Peak	62.00	150	Vertical	Pass
1**	1177.000	28.60	-15.68	54.0	25.40	AV	62.00	150	Vertical	Pass
2	2439.750	88.53	-12.37	74.0	-14.53	Peak	240.00	150	Vertical	N/A
2**	2439.750	85.56	-12.37	54.0	-31.56	AV	240.00	150	Vertical	N/A
3	2936.250	46.38	-8.18	74.0	27.62	Peak	173.00	150	Vertical	Pass
3**	2936.250	35.32	-8.18	54.0	18.68	AV	173.00	150	Vertical	Pass
4	6256.000	52.25	-1.00	74.0	21.75	Peak	0.00	150	Vertical	Pass
4**	6256.000	40.48	-1.00	54.0	13.52	AV	0.00	150	Vertical	Pass
5	9294.000	47.06	-5.57	74.0	26.94	Peak	350.00	150	Vertical	Pass
5**	9294.000	35.52	-5.57	54.0	18.48	AV	350.00	150	Vertical	Pass
6	17254.001	50.19	-0.91	74.0	23.81	Peak	360.00	150	Vertical	Pass
6**	17254.001	39.70	-0.91	54.0	14.30	AV	360.00	150	Vertical	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT H


RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1358.000	40.22	-15.84	74.0	33.78	Peak	77.00	150	Horizontal	Pass
1**	1358.000	28.68	-15.84	54.0	25.32	AV	77.00	150	Horizontal	Pass
2	2440.500	87.83	-12.38	74.0	-13.83	Peak	237.00	150	Horizontal	N/A
2**	2440.500	85.91	-12.38	54.0	-31.91	AV	237.00	150	Horizontal	N/A
3	2969.000	47.05	-8.40	74.0	26.95	Peak	323.00	150	Horizontal	Pass
3**	2969.000	35.01	-8.40	54.0	18.99	AV	323.00	150	Horizontal	Pass
4	5918.500	51.59	-0.41	74.0	22.41	Peak	360.00	150	Horizontal	Pass
4**	5918.500	40.11	-0.41	54.0	13.89	AV	360.00	150	Horizontal	Pass
5	8189.500	47.97	-5.32	74.0	26.03	Peak	300.00	150	Horizontal	Pass
5**	8189.500	36.92	-5.32	54.0	17.08	AV	300.00	150	Horizontal	Pass
6	15023.000	49.74	-2.66	74.0	24.26	Peak	360.00	150	Horizontal	Pass
6**	15023.000	38.94	-2.66	54.0	15.06	AV	360.00	150	Horizontal	Pass

GFSK (BLE 2Mbps) MIDDLE CHANNEL 1 GHz to 18 GHz, ANT V

RE Test case_FCC Part 15C_FCC 15.247(2.4G)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1327.500	39.83	-15.92	74.0	34.17	Peak	193.00	150	Vertical	Pass
1**	1327.500	28.33	-15.92	54.0	25.67	AV	193.00	150	Vertical	Pass
2	2440.500	79.10	-12.38	74.0	-5.10	Peak	124.00	150	Vertical	N/A
2**	2440.500	77.22	-12.38	54.0	-23.22	AV	124.00	150	Vertical	N/A
3	2927.250	46.20	-8.08	74.0	27.80	Peak	164.00	150	Vertical	Pass
3**	2927.250	35.51	-8.08	54.0	18.49	AV	164.00	150	Vertical	Pass
4	6412.500	53.25	0.25	74.0	20.75	Peak	240.00	150	Vertical	Pass
4**	6412.500	41.96	0.25	54.0	12.04	AV	240.00	150	Vertical	Pass
5	9549.500	47.50	-2.51	74.0	26.50	Peak	63.00	150	Vertical	Pass
5**	9549.500	37.27	-2.51	54.0	16.73	AV	63.00	150	Vertical	Pass
6	16390.500	49.27	-1.32	74.0	24.73	Peak	63.00	150	Vertical	Pass
6**	16390.500	39.04	-1.32	54.0	14.96	AV	63.00	150	Vertical	Pass

A.7 Band Edge (Restricted-band band-edge)

Note 1: The lowest and highest channels are tested to verify the band edge emissions. Please refer to the following the plots for emissions values.

Note 2: The test data all are tested in the vertical and horizontal antenna which the trace is max hold. So these plots have shown the worst case.


Note 3: According the ANSI C63.10-2020, where limits are specified for both average and peak (or quasi-peak) detector functions, if the peak (or quasi-peak) measured value complies with the average limit, it is unnecessary to perform an average measurement.

Note 4: The Level (dBuV/m) has been corrected by factor.

Note 5: All antenna were tested, but only the worst case has been reported in this report.


Test Data and Plots

GFSK (BLE 1Mbps) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.53	-4.87	74.0	23.47	Peak	325.01	150	Vertical	Pass
1**	2390.000	40.43	-4.87	54.0	13.57	AV	325.01	150	Vertical	Pass
2	2383.300	52.53	-4.49	74.0	21.47	Peak	191.00	150	Vertical	Pass
2**	2383.300	40.41	-4.49	54.0	13.59	AV	191.00	150	Vertical	Pass

GFSK (BLE 1Mbps) HIGH CHANNEL




No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.10	-3.78	74.0	22.90	Peak	360.00	150	Vertical	Pass
1**	2483.500	41.04	-3.78	54.0	12.96	AV	360.00	150	Vertical	Pass
2	2489.680	52.52	-3.83	74.0	21.48	Peak	194.00	150	Vertical	Pass
2**	2489.680	40.68	-3.83	54.0	13.32	AV	194.00	150	Vertical	Pass

GFSK (BLE 2Mbps) LOW CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2390.000	50.32	-4.87	74.0	23.68	Peak	89.16	150	Vertical	Pass
1**	2390.000	40.22	-4.87	54.0	13.78	AV	89.16	150	Vertical	Pass
2	2365.900	53.10	-4.44	74.0	20.90	Peak	46.00	150	Vertical	Pass
2**	2365.900	40.74	-4.44	54.0	13.26	AV	46.00	150	Vertical	Pass

GFSK (BLE 2Mbps) HIGH CHANNEL



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	2483.500	51.63	-3.78	74.0	22.37	Peak	15.00	150	Horizontal	Pass
1**	2483.500	41.02	-3.78	54.0	12.98	AV	15.00	150	Horizontal	Pass
2	2495.290	52.55	-3.93	74.0	21.45	Peak	360.00	150	Horizontal	Pass
2**	2495.290	40.86	-3.93	54.0	13.14	AV	360.00	150	Horizontal	Pass

A.8 Power Spectral Density (PSD)

Test Data

Main Antenna

GFSK (BLE 1Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-19.75	8	Pass
Middle	-18.94	8	Pass
High	-18.52	8	Pass

GFSK (BLE 2Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-22.23	8	Pass
Middle	-21.44	8	Pass
High	-20.68	8	Pass

Aux. Antenna


GFSK (BLE 1Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-19.78	8	Pass
Middle	-18.80	8	Pass
High	-18.67	8	Pass

GFSK (BLE 2Mbps)			
Channel	Spectral power density (dBm/3kHz)	Limit (dBm/3kHz)	Verdict
Low	-23.94	8	Pass
Middle	-20.92	8	Pass
High	-20.42	8	Pass

Test Plots

Main Antenna


GFSK (BLE 1Mbps) LOW CHANNEL



GFSK (BLE 1Mbps) MIDDLE CHANNEL



GFSK (BLE 1Mbps) HIGH CHANNEL




GFSK (BLE 2Mbps) LOW CHANNEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL




GFSK (BLE 2Mbps) HIGH CHANNEL




Aux. Antenna


GFSK (BLE 1Mbps) LOW CHANNEL



GFSK (BLE 1Mbps) MIDDLE CHANNEL



GFSK (BLE 1Mbps) HIGH CHANNEL



GFSK (BLE 2Mbps) LOW CHANNEL



GFSK (BLE 2Mbps) MIDDLE CHANNEL



GFSK (BLE 2Mbps) HIGH CHANNEL



ANNEX B TEST SETUP PHOTOS

Please refer the document “BL-SH25B1277-AR-1.PDF”.

ANNEX C EUT EXTERNAL PHOTOS

Please refer the document “BL-SH25B1277-AW.PDF”.

ANNEX D EUT INTERNAL PHOTOS

Please refer the document “BL-SH25B1277-AI.PDF”.

Statement

1. The Testing Center guarantees the scientificity, accuracy and impartiality of the test, and is responsible for all the information in the report, except the information provided by the customer. The customer is responsible for the impact of the information provided on the validity of the results.
2. For the report with Accreditation Symbol, the items marked with "☆" are not within the accredited scope.
3. This report is invalid if it is altered, without the signature of the testing and approval personnel, or without the test report stamp.
4. The test data and results are only valid for the tested samples provided by the customer.
5. This report shall not be partially reproduced without the written permission of the Testing Center.
6. Any objection shall be raised to the Testing Center within 30 days after receiving the report.

--END OF REPORT--