

Transmitter Radiated Power (EIRP/ERP)

GSM Mode Test Data

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
GSM850	LCH	32.21	-3.7	-5.85	26.36	0.433	7.000	Pass
	MCH	32.22	-3.7	-5.85	26.37	0.434	7.000	Pass
	HCH	32.24	-3.7	-5.85	26.39	0.436	7.000	Pass
GPRS850	LCH	31.59	-3.7	-5.85	25.74	0.375	7.000	Pass
	MCH	31.60	-3.7	-5.85	25.75	0.376	7.000	Pass
	HCH	31.58	-3.7	-5.85	25.73	0.374	7.000	Pass
EGPRS850	LCH	31.60	-3.7	-5.85	25.75	0.376	7.000	Pass
	MCH	31.61	-3.7	-5.85	25.76	0.377	7.000	Pass
	HCH	31.61	-3.7	-5.85	25.76	0.377	7.000	Pass

Test Band	Test CH	Conducted Output Peak Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
GSM1900	LCH	30.05	-3.5	26.55	0.452	2.000	Pass
	MCH	30.02	-3.5	26.52	0.449	2.000	Pass
	HCH	30.04	-3.5	26.54	0.451	2.000	Pass
GPRS1900	LCH	28.51	-3.5	25.01	0.317	2.000	Pass
	MCH	28.51	-3.5	25.01	0.317	2.000	Pass
	HCH	28.47	-3.5	24.97	0.314	2.000	Pass
EGPRS1900	LCH	25.56	-3.5	22.06	0.161	2.000	Pass
	MCH	25.56	-3.5	22.06	0.161	2.000	Pass
	HCH	25.55	-3.5	22.05	0.160	2.000	Pass

GPRS Conducted Output Power

Test Band	Test CH	GPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
GPRS850	LCH	31.59	1.44	30.92	1.23	29.23	0.84	28.12	0.65	Pass
	MCH	31.60	1.45	30.88	1.22	29.11	0.81	28.03	0.63	Pass
	HCH	31.58	1.44	30.86	1.22	29.06	0.81	27.96	0.63	Pass
GPRS1900	LCH	28.51	0.71	27.88	0.61	26.37	0.43	25.34	0.34	Pass
	MCH	28.51	0.71	27.90	0.62	26.36	0.43	25.37	0.34	Pass
	HCH	28.47	0.70	27.85	0.61	26.37	0.43	25.37	0.34	Pass

EGPRS Conducted Output Power

Test Band	Test CH	EGPRS Conducted Output Power(dBm)								Verdict
		1 slot (dBm)	1 slot (W)	2 slots (dBm)	2 slots (W)	3 slots (dBm)	3 slots (W)	4 slots (dBm)	4 slots (W)	
EGPRS850	LCH	31.60	1.45	30.92	1.24	29.22	0.83	28.11	0.65	Pass
	MCH	31.61	1.45	30.90	1.23	29.10	0.81	28.03	0.63	Pass
	HCH	31.61	1.45	30.88	1.22	29.06	0.81	27.96	0.63	Pass
EGPRS1900	LCH	25.56	0.36	25.48	0.35	25.41	0.35	25.36	0.34	Pass
	MCH	25.56	0.36	25.49	0.35	25.42	0.35	25.36	0.34	Pass
	HCH	25.55	0.36	25.48	0.35	25.41	0.35	25.35	0.34	Pass

WCDMA Mode Test Data

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B2	LCH	15.67	-3.3	12.37	0.017	2.000	Pass
	MCH	15.61	-3.3	12.31	0.017	2.000	Pass
	HCH	15.8	-3.3	12.50	0.018	2.000	Pass
HSDPA B2	LCH	15.78	-3.3	12.48	0.018	2.000	Pass
	MCH	15.72	-3.3	12.42	0.017	2.000	Pass
	HCH	15.99	-3.3	12.69	0.019	2.000	Pass
HSUPA B2	LCH	16.72	-3.3	13.42	0.022	2.000	Pass
	MCH	16.65	-3.3	13.35	0.022	2.000	Pass
	HCH	16.86	-3.3	13.56	0.023	2.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
WCDMA B4	LCH	15.82	-3.3	12.52	0.018	1.000	Pass
	MCH	15.78	-3.3	12.48	0.018	1.000	Pass
	HCH	15.67	-3.3	12.37	0.017	1.000	Pass
HSDPA B4	LCH	15.86	-3.3	12.56	0.018	1.000	Pass
	MCH	15.87	-3.3	12.57	0.018	1.000	Pass
	HCH	15.76	-3.3	12.46	0.018	1.000	Pass
HSUPA B4	LCH	16.84	-3.3	13.54	0.023	1.000	Pass
	MCH	16.80	-3.3	13.50	0.022	1.000	Pass
	HCH	16.69	-3.3	13.39	0.022	1.000	Pass

Test Band	Test CH	Conducted Output Power (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
WCDMA B5	LCH	23.35	-3.7	-5.85	17.50	0.056	7.000	Pass
	MCH	23.36	-3.7	-5.85	17.51	0.056	7.000	Pass
	HCH	23.42	-3.7	-5.85	17.57	0.057	7.000	Pass
HSDPA B5	LCH	23.46	-3.7	-5.85	17.61	0.058	7.000	Pass
	MCH	23.49	-3.7	-5.85	17.64	0.058	7.000	Pass
	HCH	23.46	-3.7	-5.85	17.61	0.058	7.000	Pass
HSUPA B5	LCH	23.34	-3.7	-5.85	17.49	0.056	7.000	Pass
	MCH	23.38	-3.7	-5.85	17.53	0.057	7.000	Pass
	HCH	23.33	-3.7	-5.85	17.48	0.056	7.000	Pass

HSDPA Conducted Output Power

Conducted Output Power		EIRP (dBm)			EIRP (W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B2	Subtest 1	15.75	15.69	15.96	0.038	0.037	0.039	Pass
	Subtest 2	15.78	15.72	15.99	0.038	0.037	0.040	Pass
	Subtest 3	15.35	15.27	15.53	0.034	0.034	0.036	Pass
	Subtest 4	15.31	15.21	15.48	0.034	0.033	0.035	Pass
HSDPA B4	Subtest 1	15.86	15.84	15.75	0.039	0.038	0.038	Pass
	Subtest 2	15.85	15.87	15.76	0.038	0.039	0.038	Pass
	Subtest 3	15.42	15.4	15.31	0.035	0.035	0.034	Pass
	Subtest 4	15.37	15.38	15.26	0.034	0.035	0.034	Pass
Conducted Output Power		ERP (dBm)			ERP (W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSDPA B5	Subtest 1	23.46	23.49	23.45	0.222	0.223	0.221	Pass
	Subtest 2	23.46	23.48	23.46	0.222	0.223	0.222	Pass
	Subtest 3	23.01	23.03	23.02	0.200	0.201	0.200	Pass
	Subtest 4	22.98	23.01	22.96	0.199	0.200	0.198	Pass

HSUPA Conducted Output Power

Conducted Output Power		EIRP (dBm)			EIRP (W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B2	Subtest 1	15.77	15.72	15.88	0.038	0.037	0.039	Pass
	Subtest 2	13.76	13.72	13.91	0.024	0.024	0.025	Pass
	Subtest 3	14.79	14.73	14.91	0.030	0.030	0.031	Pass
	Subtest 4	13.29	13.21	13.43	0.021	0.021	0.022	Pass
	Subtest 5	16.72	16.65	16.86	0.047	0.046	0.049	Pass
HSUPA B4	Subtest 1	15.84	15.84	15.74	0.038	0.038	0.037	Pass
	Subtest 2	13.84	13.85	13.72	0.024	0.024	0.024	Pass
	Subtest 3	14.9	14.85	14.75	0.031	0.031	0.030	Pass
	Subtest 4	13.4	13.39	13.29	0.022	0.022	0.021	Pass
	Subtest 5	16.84	16.8	16.69	0.048	0.048	0.047	Pass
Conducted Output Power		ERP (dBm)			ERP (W)			Verdict
Band	Configuration	LCH	MCH	HCH	LCH	MCH	HCH	
HSUPA B5	Subtest 1	23.34	23.38	23.33	0.216	0.218	0.215	Pass
	Subtest 2	21.24	21.28	21.22	0.133	0.134	0.132	Pass
	Subtest 3	22.26	22.29	22.25	0.168	0.169	0.168	Pass
	Subtest 4	21.32	21.31	22.28	0.136	0.135	0.169	Pass
	Subtest 5	23.34	23.37	23.32	0.216	0.217	0.215	Pass

LTE Mode Test Data

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
1.4	LCH	QPSK	1	Low	24.19	-3.3	20.89	0.123	2.000	Pass
			1	Mid	24.18	-3.3	20.88	0.122	2.000	Pass
			1	High	24.19	-3.3	20.89	0.123	2.000	Pass
			3	Low	23.98	-3.3	20.68	0.117	2.000	Pass
			3	Mid	23.96	-3.3	20.66	0.116	2.000	Pass
			3	High	23.99	-3.3	20.69	0.117	2.000	Pass
			6	Low	23.11	-3.3	19.81	0.096	2.000	Pass
		Q16	1	Low	23.22	-3.3	19.92	0.098	2.000	Pass
			1	Mid	23.16	-3.3	19.86	0.097	2.000	Pass
			1	High	23.22	-3.3	19.92	0.098	2.000	Pass
			3	Low	23.11	-3.3	19.81	0.096	2.000	Pass
			3	Mid	23.09	-3.3	19.79	0.095	2.000	Pass
			3	High	23.13	-3.3	19.83	0.096	2.000	Pass
			6	Low	22.24	-3.3	18.94	0.078	2.000	Pass
		Q64	1	Low	22.56	-3.3	19.26	0.084	2.000	Pass
			1	Mid	22.58	-3.3	19.28	0.085	2.000	Pass
			1	High	22.51	-3.3	19.21	0.083	2.000	Pass
			3	Low	22.45	-3.3	19.15	0.082	2.000	Pass
			3	Mid	22.44	-3.3	19.14	0.082	2.000	Pass
			3	High	22.43	-3.3	19.13	0.082	2.000	Pass
			6	Low	21.07	-3.3	17.77	0.060	2.000	Pass
		Q256	1	Low	19.22	-3.3	15.92	0.039	2.000	Pass
			1	Mid	19.24	-3.3	15.94	0.039	2.000	Pass
			1	High	19.22	-3.3	15.92	0.039	2.000	Pass
			3	Low	19.22	-3.3	15.92	0.039	2.000	Pass
			3	Mid	19.21	-3.3	15.91	0.039	2.000	Pass
			3	High	19.19	-3.3	15.89	0.039	2.000	Pass
			6	Low	19.18	-3.3	15.88	0.039	2.000	Pass
	MCH	QPSK	1	Low	24.17	-3.3	20.87	0.122	2.000	Pass
			1	Mid	24.16	-3.3	20.86	0.122	2.000	Pass
			1	High	24.18	-3.3	20.88	0.122	2.000	Pass
			3	Low	24.06	-3.3	20.76	0.119	2.000	Pass
			3	Mid	24.06	-3.3	20.76	0.119	2.000	Pass
			3	High	24.07	-3.3	20.77	0.119	2.000	Pass
			6	Low	23.16	-3.3	19.86	0.097	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	1	Low	23.59	-3.3	20.29	0.107	2.000	Pass
			1	Mid	23.49	-3.3	20.19	0.104	2.000	Pass
			1	High	23.56	-3.3	20.26	0.106	2.000	Pass
			3	Low	23.28	-3.3	19.98	0.100	2.000	Pass
			3	Mid	23.26	-3.3	19.96	0.099	2.000	Pass
			3	High	23.28	-3.3	19.98	0.100	2.000	Pass
			6	Low	22.07	-3.3	18.77	0.075	2.000	Pass
		Q64	1	Low	22.34	-3.3	19.04	0.080	2.000	Pass
			1	Mid	22.35	-3.3	19.05	0.080	2.000	Pass
			1	High	22.33	-3.3	19.03	0.080	2.000	Pass
			3	Low	22.25	-3.3	18.95	0.079	2.000	Pass
			3	Mid	22.3	-3.3	19.00	0.079	2.000	Pass
			3	High	22.3	-3.3	19.00	0.079	2.000	Pass
			6	Low	21.42	-3.3	18.12	0.065	2.000	Pass
		Q256	1	Low	19.07	-3.3	15.77	0.038	2.000	Pass
			1	Mid	19.03	-3.3	15.73	0.037	2.000	Pass
			1	High	19.07	-3.3	15.77	0.038	2.000	Pass
			3	Low	19.2	-3.3	15.90	0.039	2.000	Pass
			3	Mid	19.2	-3.3	15.90	0.039	2.000	Pass
			3	High	19.2	-3.3	15.90	0.039	2.000	Pass
			6	Low	19.12	-3.3	15.82	0.038	2.000	Pass
	HCH	QPSK	1	Low	24.19	-3.3	20.89	0.123	2.000	Pass
			1	Mid	24.19	-3.3	20.89	0.123	2.000	Pass
			1	High	24.2	-3.3	20.90	0.123	2.000	Pass
			3	Low	24.11	-3.3	20.81	0.121	2.000	Pass
			3	Mid	24.15	-3.3	20.85	0.122	2.000	Pass
			3	High	24.16	-3.3	20.86	0.122	2.000	Pass
			6	Low	23.2	-3.3	19.90	0.098	2.000	Pass
		Q16	1	Low	23.31	-3.3	20.01	0.100	2.000	Pass
			1	Mid	23.23	-3.3	19.93	0.098	2.000	Pass
			1	High	23.33	-3.3	20.03	0.101	2.000	Pass
			3	Low	23.41	-3.3	20.11	0.103	2.000	Pass
			3	Mid	23.39	-3.3	20.09	0.102	2.000	Pass
			3	High	23.4	-3.3	20.10	0.102	2.000	Pass
			6	Low	22.36	-3.3	19.06	0.081	2.000	Pass
		Q64	1	Low	22.49	-3.3	19.19	0.083	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	22.44	-3.3	19.14	0.082	2.000	Pass
			1	High	22.51	-3.3	19.21	0.083	2.000	Pass
			3	Low	22.16	-3.3	18.86	0.077	2.000	Pass
			3	Mid	22.19	-3.3	18.89	0.077	2.000	Pass
			3	High	22.19	-3.3	18.89	0.077	2.000	Pass
			6	Low	21.37	-3.3	18.07	0.064	2.000	Pass
		Q256	1	Low	19.2	-3.3	15.90	0.039	2.000	Pass
			1	Mid	19.17	-3.3	15.87	0.039	2.000	Pass
			1	High	19.17	-3.3	15.87	0.039	2.000	Pass
			3	Low	19.35	-3.3	16.05	0.040	2.000	Pass
			3	Mid	19.32	-3.3	16.02	0.040	2.000	Pass
			3	High	19.36	-3.3	16.06	0.040	2.000	Pass
			6	Low	19.35	-3.3	16.05	0.040	2.000	Pass
3	LCH	QPSK	1	Low	24.13	-3.3	20.83	0.121	2.000	Pass
			1	Mid	24.12	-3.3	20.82	0.121	2.000	Pass
			1	High	24.1	-3.3	20.80	0.120	2.000	Pass
			8	Low	23.14	-3.3	19.84	0.096	2.000	Pass
			8	Mid	23.17	-3.3	19.87	0.097	2.000	Pass
			8	High	23.15	-3.3	19.85	0.097	2.000	Pass
			15	Low	23.14	-3.3	19.84	0.096	2.000	Pass
		Q16	1	Low	23	-3.3	19.70	0.093	2.000	Pass
			1	Mid	22.98	-3.3	19.68	0.093	2.000	Pass
			1	High	22.98	-3.3	19.68	0.093	2.000	Pass
			8	Low	22.25	-3.3	18.95	0.079	2.000	Pass
			8	Mid	22.23	-3.3	18.93	0.078	2.000	Pass
			8	High	22.27	-3.3	18.97	0.079	2.000	Pass
			15	Low	22.2	-3.3	18.90	0.078	2.000	Pass
		Q64	1	Low	22.47	-3.3	19.17	0.083	2.000	Pass
			1	Mid	22.45	-3.3	19.15	0.082	2.000	Pass
			1	High	22.46	-3.3	19.16	0.082	2.000	Pass
			8	Low	21.23	-3.3	17.93	0.062	2.000	Pass
			8	Mid	21.24	-3.3	17.94	0.062	2.000	Pass
			8	High	21.25	-3.3	17.95	0.062	2.000	Pass
			15	Low	21.15	-3.3	17.85	0.061	2.000	Pass
		Q256	1	Low	19.71	-3.3	16.41	0.044	2.000	Pass
			1	Mid	19.72	-3.3	16.42	0.044	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
	MCH		1	High	19.69	-3.3	16.39	0.044	2.000	Pass
			8	Low	19.26	-3.3	15.96	0.039	2.000	Pass
			8	Mid	19.26	-3.3	15.96	0.039	2.000	Pass
			8	High	19.28	-3.3	15.98	0.040	2.000	Pass
			15	Low	19.22	-3.3	15.92	0.039	2.000	Pass
		QPSK	1	Low	24.21	-3.3	20.91	0.123	2.000	Pass
			1	Mid	24.21	-3.3	20.91	0.123	2.000	Pass
			1	High	24.23	-3.3	20.93	0.124	2.000	Pass
			8	Low	23.21	-3.3	19.91	0.098	2.000	Pass
			8	Mid	23.2	-3.3	19.90	0.098	2.000	Pass
			8	High	23.22	-3.3	19.92	0.098	2.000	Pass
			15	Low	23.2	-3.3	19.90	0.098	2.000	Pass
		Q16	1	Low	23.62	-3.3	20.32	0.108	2.000	Pass
			1	Mid	23.58	-3.3	20.28	0.107	2.000	Pass
			1	High	23.63	-3.3	20.33	0.108	2.000	Pass
			8	Low	22.28	-3.3	18.98	0.079	2.000	Pass
			8	Mid	22.26	-3.3	18.96	0.079	2.000	Pass
			8	High	22.28	-3.3	18.98	0.079	2.000	Pass
			15	Low	22.26	-3.3	18.96	0.079	2.000	Pass
		Q64	1	Low	22.34	-3.3	19.04	0.080	2.000	Pass
			1	Mid	22.37	-3.3	19.07	0.081	2.000	Pass
			1	High	22.4	-3.3	19.10	0.081	2.000	Pass
			8	Low	21.3	-3.3	18.00	0.063	2.000	Pass
			8	Mid	21.3	-3.3	18.00	0.063	2.000	Pass
			8	High	21.32	-3.3	18.02	0.063	2.000	Pass
			15	Low	21.25	-3.3	17.95	0.062	2.000	Pass
		Q256	1	Low	19.1	-3.3	15.80	0.038	2.000	Pass
			1	Mid	19.04	-3.3	15.74	0.037	2.000	Pass
			1	High	19.09	-3.3	15.79	0.038	2.000	Pass
			8	Low	19.18	-3.3	15.88	0.039	2.000	Pass
			8	Mid	19.18	-3.3	15.88	0.039	2.000	Pass
			8	High	19.18	-3.3	15.88	0.039	2.000	Pass
			15	Low	19.24	-3.3	15.94	0.039	2.000	Pass
	HCH	QPSK	1	Low	24.25	-3.3	20.95	0.124	2.000	Pass
			1	Mid	24.26	-3.3	20.96	0.125	2.000	Pass
			1	High	24.21	-3.3	20.91	0.123	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			8	Low	23.3	-3.3	20.00	0.100	2.000	Pass
			8	Mid	23.27	-3.3	19.97	0.099	2.000	Pass
			8	High	23.3	-3.3	20.00	0.100	2.000	Pass
			15	Low	23.36	-3.3	20.06	0.101	2.000	Pass
		Q16	1	Low	23.36	-3.3	20.06	0.101	2.000	Pass
			1	Mid	23.3	-3.3	20.00	0.100	2.000	Pass
			1	High	23.32	-3.3	20.02	0.100	2.000	Pass
			8	Low	22.38	-3.3	19.08	0.081	2.000	Pass
			8	Mid	22.38	-3.3	19.08	0.081	2.000	Pass
			8	High	22.4	-3.3	19.10	0.081	2.000	Pass
			15	Low	22.31	-3.3	19.01	0.080	2.000	Pass
		Q64	1	Low	22.53	-3.3	19.23	0.084	2.000	Pass
			1	Mid	22.49	-3.3	19.19	0.083	2.000	Pass
			1	High	22.49	-3.3	19.19	0.083	2.000	Pass
			8	Low	21.24	-3.3	17.94	0.062	2.000	Pass
			8	Mid	21.26	-3.3	17.96	0.063	2.000	Pass
			8	High	21.25	-3.3	17.95	0.062	2.000	Pass
			15	Low	21.38	-3.3	18.08	0.064	2.000	Pass
		Q256	1	Low	19.18	-3.3	15.88	0.039	2.000	Pass
			1	Mid	19.14	-3.3	15.84	0.038	2.000	Pass
			1	High	19.22	-3.3	15.92	0.039	2.000	Pass
			8	Low	19.43	-3.3	16.13	0.041	2.000	Pass
			8	Mid	19.42	-3.3	16.12	0.041	2.000	Pass
			8	High	19.42	-3.3	16.12	0.041	2.000	Pass
			15	Low	19.38	-3.3	16.08	0.041	2.000	Pass
5	LCH	QPSK	1	Low	24.17	-3.3	20.87	0.122	2.000	Pass
			1	Mid	24.15	-3.3	20.85	0.122	2.000	Pass
			1	High	24.17	-3.3	20.87	0.122	2.000	Pass
			12	Low	23.17	-3.3	19.87	0.097	2.000	Pass
			12	Mid	23.17	-3.3	19.87	0.097	2.000	Pass
			12	High	23.17	-3.3	19.87	0.097	2.000	Pass
			25	Low	23.22	-3.3	19.92	0.098	2.000	Pass
		Q16	1	Low	23.35	-3.3	20.05	0.101	2.000	Pass
			1	Mid	23.33	-3.3	20.03	0.101	2.000	Pass
			1	High	23.34	-3.3	20.04	0.101	2.000	Pass
			12	Low	22.25	-3.3	18.95	0.079	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	Mid	22.21	-3.3	18.91	0.078	2.000	Pass
			12	High	22.26	-3.3	18.96	0.079	2.000	Pass
			25	Low	22.23	-3.3	18.93	0.078	2.000	Pass
		Q64	1	Low	22.13	-3.3	18.83	0.076	2.000	Pass
			1	Mid	22.1	-3.3	18.80	0.076	2.000	Pass
			1	High	22.12	-3.3	18.82	0.076	2.000	Pass
			12	Low	21.25	-3.3	17.95	0.062	2.000	Pass
			12	Mid	21.22	-3.3	17.92	0.062	2.000	Pass
			12	High	21.23	-3.3	17.93	0.062	2.000	Pass
			25	Low	21.2	-3.3	17.90	0.062	2.000	Pass
		Q256	1	Low	18.81	-3.3	15.51	0.036	2.000	Pass
			1	Mid	18.85	-3.3	15.55	0.036	2.000	Pass
			1	High	18.82	-3.3	15.52	0.036	2.000	Pass
			12	Low	19.17	-3.3	15.87	0.039	2.000	Pass
			12	Mid	19.18	-3.3	15.88	0.039	2.000	Pass
			12	High	19.17	-3.3	15.87	0.039	2.000	Pass
			25	Low	19.23	-3.3	15.93	0.039	2.000	Pass
	MCH	QPSK	1	Low	24.24	-3.3	20.94	0.124	2.000	Pass
			1	Mid	24.27	-3.3	20.97	0.125	2.000	Pass
			1	High	24.28	-3.3	20.98	0.125	2.000	Pass
			12	Low	23.26	-3.3	19.96	0.099	2.000	Pass
			12	Mid	23.24	-3.3	19.94	0.099	2.000	Pass
			12	High	23.25	-3.3	19.95	0.099	2.000	Pass
			25	Low	23.28	-3.3	19.98	0.100	2.000	Pass
		Q16	1	Low	23.74	-3.3	20.44	0.111	2.000	Pass
			1	Mid	23.79	-3.3	20.49	0.112	2.000	Pass
			1	High	23.8	-3.3	20.50	0.112	2.000	Pass
			12	Low	22.38	-3.3	19.08	0.081	2.000	Pass
			12	Mid	22.37	-3.3	19.07	0.081	2.000	Pass
			12	High	22.41	-3.3	19.11	0.081	2.000	Pass
			25	Low	22.32	-3.3	19.02	0.080	2.000	Pass
		Q64	1	Low	22.52	-3.3	19.22	0.084	2.000	Pass
			1	Mid	22.6	-3.3	19.30	0.085	2.000	Pass
			1	High	22.6	-3.3	19.30	0.085	2.000	Pass
			12	Low	21.22	-3.3	17.92	0.062	2.000	Pass
			12	Mid	21.21	-3.3	17.91	0.062	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			12	High	21.21	-3.3	17.91	0.062	2.000	Pass
			25	Low	21.25	-3.3	17.95	0.062	2.000	Pass
		Q256	1	Low	19.38	-3.3	16.08	0.041	2.000	Pass
			1	Mid	19.4	-3.3	16.10	0.041	2.000	Pass
			1	High	19.4	-3.3	16.10	0.041	2.000	Pass
			12	Low	19.28	-3.3	15.98	0.040	2.000	Pass
			12	Mid	19.29	-3.3	15.99	0.040	2.000	Pass
			12	High	19.29	-3.3	15.99	0.040	2.000	Pass
			25	Low	19.26	-3.3	15.96	0.039	2.000	Pass
		QPSK	1	Low	24.38	-3.3	21.08	0.128	2.000	Pass
			1	Mid	24.38	-3.3	21.08	0.128	2.000	Pass
			1	High	24.38	-3.3	21.08	0.128	2.000	Pass
			12	Low	23.35	-3.3	20.05	0.101	2.000	Pass
			12	Mid	23.31	-3.3	20.01	0.100	2.000	Pass
			12	High	23.33	-3.3	20.03	0.101	2.000	Pass
			25	Low	23.36	-3.3	20.06	0.101	2.000	Pass
	HCH	Q16	1	Low	23.41	-3.3	20.11	0.103	2.000	Pass
			1	Mid	23.45	-3.3	20.15	0.104	2.000	Pass
			1	High	23.43	-3.3	20.13	0.103	2.000	Pass
			12	Low	22.42	-3.3	19.12	0.082	2.000	Pass
			12	Mid	22.38	-3.3	19.08	0.081	2.000	Pass
			12	High	22.37	-3.3	19.07	0.081	2.000	Pass
			25	Low	22.3	-3.3	19.00	0.079	2.000	Pass
		Q64	1	Low	22.53	-3.3	19.23	0.084	2.000	Pass
			1	Mid	22.54	-3.3	19.24	0.084	2.000	Pass
			1	High	22.56	-3.3	19.26	0.084	2.000	Pass
			12	Low	21.42	-3.3	18.12	0.065	2.000	Pass
			12	Mid	21.37	-3.3	18.07	0.064	2.000	Pass
			12	High	21.38	-3.3	18.08	0.064	2.000	Pass
			25	Low	21.38	-3.3	18.08	0.064	2.000	Pass
		Q256	1	Low	19.23	-3.3	15.93	0.039	2.000	Pass
			1	Mid	19.27	-3.3	15.97	0.040	2.000	Pass
			1	High	19.29	-3.3	15.99	0.040	2.000	Pass
			12	Low	19.44	-3.3	16.14	0.041	2.000	Pass
			12	Mid	19.42	-3.3	16.12	0.041	2.000	Pass
			12	High	19.45	-3.3	16.15	0.041	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
10	LCH	QPSK	25	Low	19.43	-3.3	16.13	0.041	2.000	Pass
			1	Low	24.19	-3.3	20.89	0.123	2.000	Pass
			1	Mid	24.14	-3.3	20.84	0.121	2.000	Pass
			1	High	24.22	-3.3	20.92	0.124	2.000	Pass
			25	Low	23.1	-3.3	19.80	0.095	2.000	Pass
			25	Mid	23.13	-3.3	19.83	0.096	2.000	Pass
			25	High	23.15	-3.3	19.85	0.097	2.000	Pass
		Q16	50	Low	23.15	-3.3	19.85	0.097	2.000	Pass
			1	Low	23.07	-3.3	19.77	0.095	2.000	Pass
			1	Mid	22.99	-3.3	19.69	0.093	2.000	Pass
			1	High	23.06	-3.3	19.76	0.095	2.000	Pass
			25	Low	22.13	-3.3	18.83	0.076	2.000	Pass
			25	Mid	22.16	-3.3	18.86	0.077	2.000	Pass
			25	High	22.18	-3.3	18.88	0.077	2.000	Pass
		Q64	50	Low	22.14	-3.3	18.84	0.077	2.000	Pass
			1	Low	22.43	-3.3	19.13	0.082	2.000	Pass
			1	Mid	22.41	-3.3	19.11	0.081	2.000	Pass
			1	High	22.46	-3.3	19.16	0.082	2.000	Pass
			25	Low	21.16	-3.3	17.86	0.061	2.000	Pass
			25	Mid	21.19	-3.3	17.89	0.062	2.000	Pass
			25	High	21.2	-3.3	17.90	0.062	2.000	Pass
		Q256	50	Low	21.17	-3.3	17.87	0.061	2.000	Pass
			1	Low	19.8	-3.3	16.50	0.045	2.000	Pass
			1	Mid	19.75	-3.3	16.45	0.044	2.000	Pass
			1	High	19.8	-3.3	16.50	0.045	2.000	Pass
			25	Low	19.22	-3.3	15.92	0.039	2.000	Pass
			25	Mid	19.24	-3.3	15.94	0.039	2.000	Pass
			25	High	19.26	-3.3	15.96	0.039	2.000	Pass
		MCH	50	Low	19.27	-3.3	15.97	0.040	2.000	Pass
			1	Low	24.27	-3.3	20.97	0.125	2.000	Pass
			1	Mid	24.26	-3.3	20.96	0.125	2.000	Pass
			1	High	24.33	-3.3	21.03	0.127	2.000	Pass
			25	Low	23.19	-3.3	19.89	0.097	2.000	Pass
			25	Mid	23.21	-3.3	19.91	0.098	2.000	Pass
			25	High	23.23	-3.3	19.93	0.098	2.000	Pass
			50	Low	23.24	-3.3	19.94	0.099	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
		Q16	1	Low	23.57	-3.3	20.27	0.106	2.000	Pass
			1	Mid	23.59	-3.3	20.29	0.107	2.000	Pass
			1	High	23.68	-3.3	20.38	0.109	2.000	Pass
			25	Low	22.23	-3.3	18.93	0.078	2.000	Pass
			25	Mid	22.23	-3.3	18.93	0.078	2.000	Pass
			25	High	22.26	-3.3	18.96	0.079	2.000	Pass
			50	Low	22.24	-3.3	18.94	0.078	2.000	Pass
		Q64	1	Low	22.36	-3.3	19.06	0.081	2.000	Pass
			1	Mid	22.38	-3.3	19.08	0.081	2.000	Pass
			1	High	22.43	-3.3	19.13	0.082	2.000	Pass
			25	Low	21.27	-3.3	17.97	0.063	2.000	Pass
			25	Mid	21.3	-3.3	18.00	0.063	2.000	Pass
			25	High	21.31	-3.3	18.01	0.063	2.000	Pass
			50	Low	21.29	-3.3	17.99	0.063	2.000	Pass
		Q256	1	Low	19.13	-3.3	15.83	0.038	2.000	Pass
			1	Mid	19.1	-3.3	15.80	0.038	2.000	Pass
			1	High	19.16	-3.3	15.86	0.039	2.000	Pass
			25	Low	19.24	-3.3	15.94	0.039	2.000	Pass
			25	Mid	19.27	-3.3	15.97	0.040	2.000	Pass
			25	High	19.28	-3.3	15.98	0.040	2.000	Pass
			50	Low	19.25	-3.3	15.95	0.039	2.000	Pass
	HCH	QPSK	1	Low	24.3	-3.3	21.00	0.126	2.000	Pass
			1	Mid	24.27	-3.3	20.97	0.125	2.000	Pass
			1	High	24.3	-3.3	21.00	0.126	2.000	Pass
			25	Low	23.34	-3.3	20.04	0.101	2.000	Pass
			25	Mid	23.31	-3.3	20.01	0.100	2.000	Pass
			25	High	23.29	-3.3	19.99	0.100	2.000	Pass
			50	Low	23.34	-3.3	20.04	0.101	2.000	Pass
		Q16	1	Low	23.42	-3.3	20.12	0.103	2.000	Pass
			1	Mid	23.35	-3.3	20.05	0.101	2.000	Pass
			1	High	23.4	-3.3	20.10	0.102	2.000	Pass
			25	Low	22.43	-3.3	19.13	0.082	2.000	Pass
			25	Mid	22.39	-3.3	19.09	0.081	2.000	Pass
			25	High	22.36	-3.3	19.06	0.081	2.000	Pass
			50	Low	22.36	-3.3	19.06	0.081	2.000	Pass
		Q64	1	Low	22.47	-3.3	19.17	0.083	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	Mid	22.51	-3.3	19.21	0.083	2.000	Pass
			1	High	22.51	-3.3	19.21	0.083	2.000	Pass
			25	Low	21.42	-3.3	18.12	0.065	2.000	Pass
			25	Mid	21.4	-3.3	18.10	0.065	2.000	Pass
			25	High	21.37	-3.3	18.07	0.064	2.000	Pass
			50	Low	21.34	-3.3	18.04	0.064	2.000	Pass
		Q256	1	Low	19.18	-3.3	15.88	0.039	2.000	Pass
			1	Mid	19.19	-3.3	15.89	0.039	2.000	Pass
			1	High	19.24	-3.3	15.94	0.039	2.000	Pass
			25	Low	19.44	-3.3	16.14	0.041	2.000	Pass
			25	Mid	19.42	-3.3	16.12	0.041	2.000	Pass
			25	High	19.42	-3.3	16.12	0.041	2.000	Pass
			50	Low	19.38	-3.3	16.08	0.041	2.000	Pass
			50	Mid	19.38	-3.3	16.08	0.041	2.000	Pass
15	LCH	QPSK	1	Low	24.13	-3.3	20.83	0.121	2.000	Pass
			1	Mid	24.16	-3.3	20.86	0.122	2.000	Pass
			1	High	24.21	-3.3	20.91	0.123	2.000	Pass
			36	Low	23.06	-3.3	19.76	0.095	2.000	Pass
			36	Mid	23.08	-3.3	19.78	0.095	2.000	Pass
			36	High	23.13	-3.3	19.83	0.096	2.000	Pass
			75	Low	23.13	-3.3	19.83	0.096	2.000	Pass
		Q16	1	Low	23.03	-3.3	19.73	0.094	2.000	Pass
			1	Mid	23.01	-3.3	19.71	0.094	2.000	Pass
			1	High	23.08	-3.3	19.78	0.095	2.000	Pass
			36	Low	22.09	-3.3	18.79	0.076	2.000	Pass
			36	Mid	22.1	-3.3	18.80	0.076	2.000	Pass
			36	High	22.16	-3.3	18.86	0.077	2.000	Pass
			75	Low	22.13	-3.3	18.83	0.076	2.000	Pass
		Q64	1	Low	22.42	-3.3	19.12	0.082	2.000	Pass
			1	Mid	22.42	-3.3	19.12	0.082	2.000	Pass
			1	High	22.5	-3.3	19.20	0.083	2.000	Pass
			36	Low	21.14	-3.3	17.84	0.061	2.000	Pass
			36	Mid	21.17	-3.3	17.87	0.061	2.000	Pass
			36	High	21.19	-3.3	17.89	0.062	2.000	Pass
			75	Low	21.15	-3.3	17.85	0.061	2.000	Pass
		Q256	1	Low	19.73	-3.3	16.43	0.044	2.000	Pass
			1	Mid	19.75	-3.3	16.45	0.044	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			1	High	19.77	-3.3	16.47	0.044	2.000	Pass
			36	Low	19.17	-3.3	15.87	0.039	2.000	Pass
			36	Mid	19.21	-3.3	15.91	0.039	2.000	Pass
			36	High	19.22	-3.3	15.92	0.039	2.000	Pass
			75	Low	19.22	-3.3	15.92	0.039	2.000	Pass
		QPSK	1	Low	24.23	-3.3	20.93	0.124	2.000	Pass
			1	Mid	24.3	-3.3	21.00	0.126	2.000	Pass
			1	High	24.35	-3.3	21.05	0.127	2.000	Pass
			36	Low	23.17	-3.3	19.87	0.097	2.000	Pass
			36	Mid	23.19	-3.3	19.89	0.097	2.000	Pass
			36	High	23.22	-3.3	19.92	0.098	2.000	Pass
			75	Low	23.21	-3.3	19.91	0.098	2.000	Pass
		Q16	1	Low	23.58	-3.3	20.28	0.107	2.000	Pass
			1	Mid	23.6	-3.3	20.30	0.107	2.000	Pass
			1	High	23.69	-3.3	20.39	0.109	2.000	Pass
			36	Low	22.23	-3.3	18.93	0.078	2.000	Pass
			36	Mid	22.25	-3.3	18.95	0.079	2.000	Pass
			36	High	22.3	-3.3	19.00	0.079	2.000	Pass
			75	Low	22.23	-3.3	18.93	0.078	2.000	Pass
		Q64	1	Low	22.34	-3.3	19.04	0.080	2.000	Pass
			1	Mid	22.4	-3.3	19.10	0.081	2.000	Pass
			1	High	22.46	-3.3	19.16	0.082	2.000	Pass
			36	Low	21.26	-3.3	17.96	0.063	2.000	Pass
			36	Mid	21.27	-3.3	17.97	0.063	2.000	Pass
			36	High	21.31	-3.3	18.01	0.063	2.000	Pass
			75	Low	21.24	-3.3	17.94	0.062	2.000	Pass
		Q256	1	Low	19.11	-3.3	15.81	0.038	2.000	Pass
			1	Mid	19.17	-3.3	15.87	0.039	2.000	Pass
			1	High	19.18	-3.3	15.88	0.039	2.000	Pass
			36	Low	19.2	-3.3	15.90	0.039	2.000	Pass
			36	Mid	19.24	-3.3	15.94	0.039	2.000	Pass
			36	High	19.24	-3.3	15.94	0.039	2.000	Pass
			75	Low	19.24	-3.3	15.94	0.039	2.000	Pass
	HCH	QPSK	1	Low	24.32	-3.3	21.02	0.126	2.000	Pass
			1	Mid	24.39	-3.3	21.09	0.129	2.000	Pass
			1	High	24.37	-3.3	21.07	0.128	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			36	Low	23.28	-3.3	19.98	0.100	2.000	Pass
			36	Mid	23.27	-3.3	19.97	0.099	2.000	Pass
			36	High	23.32	-3.3	20.02	0.100	2.000	Pass
			75	Low	23.32	-3.3	20.02	0.100	2.000	Pass
		Q16	1	Low	23.62	-3.3	20.32	0.108	2.000	Pass
			1	Mid	23.63	-3.3	20.33	0.108	2.000	Pass
			1	High	23.71	-3.3	20.41	0.110	2.000	Pass
			36	Low	22.29	-3.3	18.99	0.079	2.000	Pass
			36	Mid	22.29	-3.3	18.99	0.079	2.000	Pass
			36	High	22.32	-3.3	19.02	0.080	2.000	Pass
			75	Low	22.29	-3.3	18.99	0.079	2.000	Pass
		Q64	1	Low	22.87	-3.3	19.57	0.091	2.000	Pass
			1	Mid	22.93	-3.3	19.63	0.092	2.000	Pass
			1	High	22.93	-3.3	19.63	0.092	2.000	Pass
			36	Low	21.3	-3.3	18.00	0.063	2.000	Pass
			36	Mid	21.3	-3.3	18.00	0.063	2.000	Pass
			36	High	21.32	-3.3	18.02	0.063	2.000	Pass
			75	Low	21.37	-3.3	18.07	0.064	2.000	Pass
		Q256	1	Low	19.69	-3.3	16.39	0.044	2.000	Pass
			1	Mid	19.73	-3.3	16.43	0.044	2.000	Pass
			1	High	19.78	-3.3	16.48	0.044	2.000	Pass
			36	Low	19.39	-3.3	16.09	0.041	2.000	Pass
			36	Mid	19.37	-3.3	16.07	0.040	2.000	Pass
			36	High	19.38	-3.3	16.08	0.041	2.000	Pass
			75	Low	19.36	-3.3	16.06	0.040	2.000	Pass
20	LCH	QPSK	1	Low	24.05	-3.3	20.75	0.119	2.000	Pass
			1	Mid	24.09	-3.3	20.79	0.120	2.000	Pass
			1	High	24.14	-3.3	20.84	0.121	2.000	Pass
			50	Low	23.14	-3.3	19.84	0.096	2.000	Pass
			50	Mid	23.17	-3.3	19.87	0.097	2.000	Pass
			50	High	23.21	-3.3	19.91	0.098	2.000	Pass
			100	Low	23.2	-3.3	19.90	0.098	2.000	Pass
		Q16	1	Low	23.76	-3.3	20.46	0.111	2.000	Pass
			1	Mid	23.75	-3.3	20.45	0.111	2.000	Pass
			1	High	23.83	-3.3	20.53	0.113	2.000	Pass
			50	Low	22.17	-3.3	18.87	0.077	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	Mid	22.23	-3.3	18.93	0.078	2.000	Pass
			50	High	22.24	-3.3	18.94	0.078	2.000	Pass
			100	Low	22.22	-3.3	18.92	0.078	2.000	Pass
		Q64	1	Low	22.51	-3.3	19.21	0.083	2.000	Pass
			1	Mid	22.49	-3.3	19.19	0.083	2.000	Pass
			1	High	22.57	-3.3	19.27	0.085	2.000	Pass
			50	Low	21.2	-3.3	17.90	0.062	2.000	Pass
			50	Mid	21.27	-3.3	17.97	0.063	2.000	Pass
			50	High	21.29	-3.3	17.99	0.063	2.000	Pass
			100	Low	21.24	-3.3	17.94	0.062	2.000	Pass
		Q256	1	Low	19.38	-3.3	16.08	0.041	2.000	Pass
			1	Mid	19.4	-3.3	16.10	0.041	2.000	Pass
			1	High	19.41	-3.3	16.11	0.041	2.000	Pass
			50	Low	19.2	-3.3	15.90	0.039	2.000	Pass
			50	Mid	19.24	-3.3	15.94	0.039	2.000	Pass
			50	High	19.27	-3.3	15.97	0.040	2.000	Pass
			100	Low	19.21	-3.3	15.91	0.039	2.000	Pass
	MCH	QPSK	1	Low	24.2	-3.3	20.90	0.123	2.000	Pass
			1	Mid	24.27	-3.3	20.97	0.125	2.000	Pass
			1	High	24.32	-3.3	21.02	0.126	2.000	Pass
			50	Low	23.24	-3.3	19.94	0.099	2.000	Pass
			50	Mid	23.23	-3.3	19.93	0.098	2.000	Pass
			50	High	23.29	-3.3	19.99	0.100	2.000	Pass
			100	Low	23.23	-3.3	19.93	0.098	2.000	Pass
		Q16	1	Low	23.64	-3.3	20.34	0.108	2.000	Pass
			1	Mid	23.68	-3.3	20.38	0.109	2.000	Pass
			1	High	23.77	-3.3	20.47	0.111	2.000	Pass
			50	Low	22.27	-3.3	18.97	0.079	2.000	Pass
			50	Mid	22.27	-3.3	18.97	0.079	2.000	Pass
			50	High	22.31	-3.3	19.01	0.080	2.000	Pass
			100	Low	22.27	-3.3	18.97	0.079	2.000	Pass
		Q64	1	Low	22.87	-3.3	19.57	0.091	2.000	Pass
			1	Mid	22.93	-3.3	19.63	0.092	2.000	Pass
			1	High	22.99	-3.3	19.69	0.093	2.000	Pass
			50	Low	21.31	-3.3	18.01	0.063	2.000	Pass
			50	Mid	21.3	-3.3	18.00	0.063	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			50	High	21.36	-3.3	18.06	0.064	2.000	Pass
			100	Low	21.26	-3.3	17.96	0.063	2.000	Pass
		Q256	1	Low	19.37	-3.3	16.07	0.040	2.000	Pass
			1	Mid	19.43	-3.3	16.13	0.041	2.000	Pass
			1	High	19.47	-3.3	16.17	0.041	2.000	Pass
			50	Low	19.28	-3.3	15.98	0.040	2.000	Pass
			50	Mid	19.29	-3.3	15.99	0.040	2.000	Pass
			50	High	19.31	-3.3	16.01	0.040	2.000	Pass
			100	Low	19.27	-3.3	15.97	0.040	2.000	Pass
		QPSK	1	Low	24.3	-3.3	21.00	0.126	2.000	Pass
			1	Mid	24.3	-3.3	21.00	0.126	2.000	Pass
			1	High	24.34	-3.3	21.04	0.127	2.000	Pass
			50	Low	23.33	-3.3	20.03	0.101	2.000	Pass
			50	Mid	23.34	-3.3	20.04	0.101	2.000	Pass
			50	High	23.31	-3.3	20.01	0.100	2.000	Pass
			100	Low	23.32	-3.3	20.02	0.100	2.000	Pass
	HCH	Q16	1	Low	23.73	-3.3	20.43	0.110	2.000	Pass
			1	Mid	23.71	-3.3	20.41	0.110	2.000	Pass
			1	High	23.79	-3.3	20.49	0.112	2.000	Pass
			50	Low	22.31	-3.3	19.01	0.080	2.000	Pass
			50	Mid	22.32	-3.3	19.02	0.080	2.000	Pass
			50	High	22.27	-3.3	18.97	0.079	2.000	Pass
			100	Low	22.36	-3.3	19.06	0.081	2.000	Pass
		Q64	1	Low	22.55	-3.3	19.25	0.084	2.000	Pass
			1	Mid	22.51	-3.3	19.21	0.083	2.000	Pass
			1	High	22.6	-3.3	19.30	0.085	2.000	Pass
			50	Low	21.37	-3.3	18.07	0.064	2.000	Pass
			50	Mid	21.4	-3.3	18.10	0.065	2.000	Pass
			50	High	21.36	-3.3	18.06	0.064	2.000	Pass
			100	Low	21.36	-3.3	18.06	0.064	2.000	Pass
		Q256	1	Low	19.28	-3.3	15.98	0.040	2.000	Pass
			1	Mid	19.33	-3.3	16.03	0.040	2.000	Pass
			1	High	19.38	-3.3	16.08	0.041	2.000	Pass
			50	Low	19.38	-3.3	16.08	0.041	2.000	Pass
			50	Mid	19.39	-3.3	16.09	0.041	2.000	Pass
			50	High	19.34	-3.3	16.04	0.040	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 2										
			100	Low	19.37	-3.3	16.07	0.040	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
1.4	LCH	QPSK	1	Low	23.37	-3.3	20.07	0.102	1.000	Pass
			1	Mid	23.28	-3.3	19.98	0.100	1.000	Pass
			1	High	23.38	-3.3	20.08	0.102	1.000	Pass
			3	Low	23.06	-3.3	19.76	0.095	1.000	Pass
			3	Mid	23.11	-3.3	19.81	0.096	1.000	Pass
			3	High	23.08	-3.3	19.78	0.095	1.000	Pass
			6	Low	22.33	-3.3	19.03	0.080	1.000	Pass
		Q16	1	Low	22.41	-3.3	19.11	0.081	1.000	Pass
			1	Mid	22.37	-3.3	19.07	0.081	1.000	Pass
			1	High	22.44	-3.3	19.14	0.082	1.000	Pass
			3	Low	22.35	-3.3	19.05	0.080	1.000	Pass
			3	Mid	22.33	-3.3	19.03	0.080	1.000	Pass
			3	High	22.35	-3.3	19.05	0.080	1.000	Pass
			6	Low	21.43	-3.3	18.13	0.065	1.000	Pass
		Q64	1	Low	21.8	-3.3	18.50	0.071	1.000	Pass
			1	Mid	21.81	-3.3	18.51	0.071	1.000	Pass
			1	High	21.75	-3.3	18.45	0.070	1.000	Pass
			3	Low	21.64	-3.3	18.34	0.068	1.000	Pass
			3	Mid	21.72	-3.3	18.42	0.070	1.000	Pass
			3	High	21.65	-3.3	18.35	0.068	1.000	Pass
			6	Low	20.33	-3.3	17.03	0.050	1.000	Pass
		Q256	1	Low	18.34	-3.3	15.04	0.032	1.000	Pass
			1	Mid	18.32	-3.3	15.02	0.032	1.000	Pass
			1	High	18.35	-3.3	15.05	0.032	1.000	Pass
			3	Low	18.33	-3.3	15.03	0.032	1.000	Pass
			3	Mid	18.3	-3.3	15.00	0.032	1.000	Pass
			3	High	18.28	-3.3	14.98	0.031	1.000	Pass
			6	Low	18.3	-3.3	15.00	0.032	1.000	Pass
	MCH	QPSK	1	Low	23.1	-3.3	19.80	0.095	1.000	Pass
			1	Mid	23.05	-3.3	19.75	0.094	1.000	Pass
			1	High	23.1	-3.3	19.80	0.095	1.000	Pass
			3	Low	23.01	-3.3	19.71	0.094	1.000	Pass
			3	Mid	23	-3.3	19.70	0.093	1.000	Pass
			3	High	23.02	-3.3	19.72	0.094	1.000	Pass
			6	Low	22.15	-3.3	18.85	0.077	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	22.62	-3.3	19.32	0.086	1.000	Pass
			1	Mid	22.53	-3.3	19.23	0.084	1.000	Pass
			1	High	22.62	-3.3	19.32	0.086	1.000	Pass
			3	Low	22.31	-3.3	19.01	0.080	1.000	Pass
			3	Mid	22.26	-3.3	18.96	0.079	1.000	Pass
			3	High	22.3	-3.3	19.00	0.079	1.000	Pass
			6	Low	21.11	-3.3	17.81	0.060	1.000	Pass
		Q64	1	Low	21.37	-3.3	18.07	0.064	1.000	Pass
			1	Mid	21.38	-3.3	18.08	0.064	1.000	Pass
			1	High	21.34	-3.3	18.04	0.064	1.000	Pass
			3	Low	21.31	-3.3	18.01	0.063	1.000	Pass
			3	Mid	21.28	-3.3	17.98	0.063	1.000	Pass
			3	High	21.31	-3.3	18.01	0.063	1.000	Pass
			6	Low	20.45	-3.3	17.15	0.052	1.000	Pass
		Q256	1	Low	18.09	-3.3	14.79	0.030	1.000	Pass
			1	Mid	18.01	-3.3	14.71	0.030	1.000	Pass
			1	High	18.08	-3.3	14.78	0.030	1.000	Pass
			3	Low	18.25	-3.3	14.95	0.031	1.000	Pass
			3	Mid	18.22	-3.3	14.92	0.031	1.000	Pass
			3	High	18.22	-3.3	14.92	0.031	1.000	Pass
			6	Low	18.13	-3.3	14.83	0.030	1.000	Pass
	HCH	QPSK	1	Low	23.13	-3.3	19.83	0.096	1.000	Pass
			1	Mid	23.17	-3.3	19.87	0.097	1.000	Pass
			1	High	23.15	-3.3	19.85	0.097	1.000	Pass
			3	Low	23.13	-3.3	19.83	0.096	1.000	Pass
			3	Mid	23.11	-3.3	19.81	0.096	1.000	Pass
			3	High	23.14	-3.3	19.84	0.096	1.000	Pass
			6	Low	22.31	-3.3	19.01	0.080	1.000	Pass
		Q16	1	Low	22.38	-3.3	19.08	0.081	1.000	Pass
			1	Mid	22.29	-3.3	18.99	0.079	1.000	Pass
			1	High	22.43	-3.3	19.13	0.082	1.000	Pass
			3	Low	22.48	-3.3	19.18	0.083	1.000	Pass
			3	Mid	22.41	-3.3	19.11	0.081	1.000	Pass
			3	High	22.46	-3.3	19.16	0.082	1.000	Pass
			6	Low	21.46	-3.3	18.16	0.065	1.000	Pass
		Q64	1	Low	21.55	-3.3	18.25	0.067	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	21.51	-3.3	18.21	0.066	1.000	Pass
			1	High	21.59	-3.3	18.29	0.067	1.000	Pass
			3	Low	21.24	-3.3	17.94	0.062	1.000	Pass
			3	Mid	21.28	-3.3	17.98	0.063	1.000	Pass
			3	High	21.24	-3.3	17.94	0.062	1.000	Pass
			6	Low	20.44	-3.3	17.14	0.052	1.000	Pass
		Q256	1	Low	18.16	-3.3	14.86	0.031	1.000	Pass
			1	Mid	18.19	-3.3	14.89	0.031	1.000	Pass
			1	High	18.16	-3.3	14.86	0.031	1.000	Pass
			3	Low	18.34	-3.3	15.04	0.032	1.000	Pass
			3	Mid	18.31	-3.3	15.01	0.032	1.000	Pass
			3	High	18.33	-3.3	15.03	0.032	1.000	Pass
			6	Low	18.32	-3.3	15.02	0.032	1.000	Pass
3	LCH	QPSK	1	Low	23.33	-3.3	20.03	0.101	1.000	Pass
			1	Mid	23.27	-3.3	19.97	0.099	1.000	Pass
			1	High	23.34	-3.3	20.04	0.101	1.000	Pass
			8	Low	22.41	-3.3	19.11	0.081	1.000	Pass
			8	Mid	22.41	-3.3	19.11	0.081	1.000	Pass
			8	High	22.42	-3.3	19.12	0.082	1.000	Pass
			15	Low	22.44	-3.3	19.14	0.082	1.000	Pass
		Q16	1	Low	22.27	-3.3	18.97	0.079	1.000	Pass
			1	Mid	22.3	-3.3	19.00	0.079	1.000	Pass
			1	High	22.24	-3.3	18.94	0.078	1.000	Pass
			8	Low	21.56	-3.3	18.26	0.067	1.000	Pass
			8	Mid	21.5	-3.3	18.20	0.066	1.000	Pass
			8	High	21.5	-3.3	18.20	0.066	1.000	Pass
			15	Low	21.47	-3.3	18.17	0.066	1.000	Pass
		Q64	1	Low	21.79	-3.3	18.49	0.071	1.000	Pass
			1	Mid	21.68	-3.3	18.38	0.069	1.000	Pass
			1	High	21.74	-3.3	18.44	0.070	1.000	Pass
			8	Low	20.51	-3.3	17.21	0.053	1.000	Pass
			8	Mid	20.5	-3.3	17.20	0.052	1.000	Pass
			8	High	20.52	-3.3	17.22	0.053	1.000	Pass
			15	Low	20.41	-3.3	17.11	0.051	1.000	Pass
		Q256	1	Low	18.85	-3.3	15.55	0.036	1.000	Pass
			1	Mid	18.87	-3.3	15.57	0.036	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		1	High	18.83	-3.3	15.53	0.036	1.000	Pass
			8	Low	18.4	-3.3	15.10	0.032	1.000	Pass
			8	Mid	18.4	-3.3	15.10	0.032	1.000	Pass
			8	High	18.37	-3.3	15.07	0.032	1.000	Pass
			15	Low	18.35	-3.3	15.05	0.032	1.000	Pass
		QPSK	1	Low	23.14	-3.3	19.84	0.096	1.000	Pass
			1	Mid	23.2	-3.3	19.90	0.098	1.000	Pass
			1	High	23.18	-3.3	19.88	0.097	1.000	Pass
			8	Low	22.24	-3.3	18.94	0.078	1.000	Pass
			8	Mid	22.23	-3.3	18.93	0.078	1.000	Pass
			8	High	22.26	-3.3	18.96	0.079	1.000	Pass
			15	Low	22.26	-3.3	18.96	0.079	1.000	Pass
		Q16	1	Low	22.66	-3.3	19.36	0.086	1.000	Pass
			1	Mid	22.59	-3.3	19.29	0.085	1.000	Pass
			1	High	22.63	-3.3	19.33	0.086	1.000	Pass
			8	Low	21.34	-3.3	18.04	0.064	1.000	Pass
			8	Mid	21.3	-3.3	18.00	0.063	1.000	Pass
			8	High	21.36	-3.3	18.06	0.064	1.000	Pass
			15	Low	21.32	-3.3	18.02	0.063	1.000	Pass
		Q64	1	Low	21.37	-3.3	18.07	0.064	1.000	Pass
			1	Mid	21.4	-3.3	18.10	0.065	1.000	Pass
			1	High	21.42	-3.3	18.12	0.065	1.000	Pass
			8	Low	20.33	-3.3	17.03	0.050	1.000	Pass
			8	Mid	20.3	-3.3	17.00	0.050	1.000	Pass
			8	High	20.33	-3.3	17.03	0.050	1.000	Pass
			15	Low	20.33	-3.3	17.03	0.050	1.000	Pass
		Q256	1	Low	18.11	-3.3	14.81	0.030	1.000	Pass
			1	Mid	18.1	-3.3	14.80	0.030	1.000	Pass
			1	High	18.07	-3.3	14.77	0.030	1.000	Pass
			8	Low	18.22	-3.3	14.92	0.031	1.000	Pass
			8	Mid	18.17	-3.3	14.87	0.031	1.000	Pass
			8	High	18.21	-3.3	14.91	0.031	1.000	Pass
			15	Low	18.28	-3.3	14.98	0.031	1.000	Pass
	HCH	QPSK	1	Low	23.24	-3.3	19.94	0.099	1.000	Pass
			1	Mid	23.16	-3.3	19.86	0.097	1.000	Pass
			1	High	23.22	-3.3	19.92	0.098	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			8	Low	22.36	-3.3	19.06	0.081	1.000	Pass
			8	Mid	22.37	-3.3	19.07	0.081	1.000	Pass
			8	High	22.36	-3.3	19.06	0.081	1.000	Pass
			15	Low	22.36	-3.3	19.06	0.081	1.000	Pass
		Q16	1	Low	22.42	-3.3	19.12	0.082	1.000	Pass
			1	Mid	22.35	-3.3	19.05	0.080	1.000	Pass
			1	High	22.4	-3.3	19.10	0.081	1.000	Pass
			8	Low	21.43	-3.3	18.13	0.065	1.000	Pass
			8	Mid	21.42	-3.3	18.12	0.065	1.000	Pass
			8	High	21.41	-3.3	18.11	0.065	1.000	Pass
			15	Low	21.34	-3.3	18.04	0.064	1.000	Pass
		Q64	1	Low	21.6	-3.3	18.30	0.068	1.000	Pass
			1	Mid	21.57	-3.3	18.27	0.067	1.000	Pass
			1	High	21.53	-3.3	18.23	0.067	1.000	Pass
			8	Low	20.31	-3.3	17.01	0.050	1.000	Pass
			8	Mid	20.31	-3.3	17.01	0.050	1.000	Pass
			8	High	20.32	-3.3	17.02	0.050	1.000	Pass
			15	Low	20.43	-3.3	17.13	0.052	1.000	Pass
		Q256	1	Low	18.18	-3.3	14.88	0.031	1.000	Pass
			1	Mid	18.17	-3.3	14.87	0.031	1.000	Pass
			1	High	18.18	-3.3	14.88	0.031	1.000	Pass
			8	Low	18.45	-3.3	15.15	0.033	1.000	Pass
			8	Mid	18.4	-3.3	15.10	0.032	1.000	Pass
			8	High	18.41	-3.3	15.11	0.032	1.000	Pass
			15	Low	18.35	-3.3	15.05	0.032	1.000	Pass
5	LCH	QPSK	1	Low	23.33	-3.3	20.03	0.101	1.000	Pass
			1	Mid	23.45	-3.3	20.15	0.104	1.000	Pass
			1	High	23.29	-3.3	19.99	0.100	1.000	Pass
			12	Low	22.42	-3.3	19.12	0.082	1.000	Pass
			12	Mid	22.4	-3.3	19.10	0.081	1.000	Pass
			12	High	22.37	-3.3	19.07	0.081	1.000	Pass
			25	Low	22.5	-3.3	19.20	0.083	1.000	Pass
		Q16	1	Low	22.66	-3.3	19.36	0.086	1.000	Pass
			1	Mid	22.6	-3.3	19.30	0.085	1.000	Pass
			1	High	22.55	-3.3	19.25	0.084	1.000	Pass
			12	Low	21.49	-3.3	18.19	0.066	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	Mid	21.48	-3.3	18.18	0.066	1.000	Pass
			12	High	21.42	-3.3	18.12	0.065	1.000	Pass
			25	Low	21.49	-3.3	18.19	0.066	1.000	Pass
		Q64	1	Low	21.37	-3.3	18.07	0.064	1.000	Pass
			1	Mid	21.32	-3.3	18.02	0.063	1.000	Pass
			1	High	21.3	-3.3	18.00	0.063	1.000	Pass
			12	Low	20.52	-3.3	17.22	0.053	1.000	Pass
			12	Mid	20.46	-3.3	17.16	0.052	1.000	Pass
			12	High	20.43	-3.3	17.13	0.052	1.000	Pass
			25	Low	20.43	-3.3	17.13	0.052	1.000	Pass
		Q256	1	Low	17.99	-3.3	14.69	0.029	1.000	Pass
			1	Mid	18	-3.3	14.70	0.030	1.000	Pass
			1	High	17.91	-3.3	14.61	0.029	1.000	Pass
			12	Low	18.31	-3.3	15.01	0.032	1.000	Pass
			12	Mid	18.31	-3.3	15.01	0.032	1.000	Pass
			12	High	18.28	-3.3	14.98	0.031	1.000	Pass
			25	Low	18.37	-3.3	15.07	0.032	1.000	Pass
	MCH	QPSK	1	Low	23.19	-3.3	19.89	0.097	1.000	Pass
			1	Mid	23.15	-3.3	19.85	0.097	1.000	Pass
			1	High	23.16	-3.3	19.86	0.097	1.000	Pass
			12	Low	22.27	-3.3	18.97	0.079	1.000	Pass
			12	Mid	22.3	-3.3	19.00	0.079	1.000	Pass
			12	High	22.3	-3.3	19.00	0.079	1.000	Pass
			25	Low	22.34	-3.3	19.04	0.080	1.000	Pass
		Q16	1	Low	22.88	-3.3	19.58	0.091	1.000	Pass
			1	Mid	22.82	-3.3	19.52	0.090	1.000	Pass
			1	High	22.85	-3.3	19.55	0.090	1.000	Pass
			12	Low	21.44	-3.3	18.14	0.065	1.000	Pass
			12	Mid	21.43	-3.3	18.13	0.065	1.000	Pass
			12	High	21.41	-3.3	18.11	0.065	1.000	Pass
			25	Low	21.39	-3.3	18.09	0.064	1.000	Pass
		Q64	1	Low	21.64	-3.3	18.34	0.068	1.000	Pass
			1	Mid	21.64	-3.3	18.34	0.068	1.000	Pass
			1	High	21.58	-3.3	18.28	0.067	1.000	Pass
			12	Low	20.24	-3.3	16.94	0.049	1.000	Pass
			12	Mid	20.26	-3.3	16.96	0.050	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			12	High	20.26	-3.3	16.96	0.050	1.000	Pass
			25	Low	20.29	-3.3	16.99	0.050	1.000	Pass
		Q256	1	Low	18.43	-3.3	15.13	0.033	1.000	Pass
			1	Mid	18.42	-3.3	15.12	0.033	1.000	Pass
			1	High	18.4	-3.3	15.10	0.032	1.000	Pass
			12	Low	18.31	-3.3	15.01	0.032	1.000	Pass
			12	Mid	18.3	-3.3	15.00	0.032	1.000	Pass
			12	High	18.3	-3.3	15.00	0.032	1.000	Pass
			25	Low	18.28	-3.3	14.98	0.031	1.000	Pass
	HCH	QPSK	1	Low	23.34	-3.3	20.04	0.101	1.000	Pass
			1	Mid	23.33	-3.3	20.03	0.101	1.000	Pass
			1	High	23.37	-3.3	20.07	0.102	1.000	Pass
			12	Low	22.41	-3.3	19.11	0.081	1.000	Pass
			12	Mid	22.38	-3.3	19.08	0.081	1.000	Pass
			12	High	22.41	-3.3	19.11	0.081	1.000	Pass
			25	Low	22.46	-3.3	19.16	0.082	1.000	Pass
		Q16	1	Low	22.48	-3.3	19.18	0.083	1.000	Pass
			1	Mid	22.49	-3.3	19.19	0.083	1.000	Pass
			1	High	22.52	-3.3	19.22	0.084	1.000	Pass
			12	Low	21.48	-3.3	18.18	0.066	1.000	Pass
			12	Mid	21.43	-3.3	18.13	0.065	1.000	Pass
			12	High	21.47	-3.3	18.17	0.066	1.000	Pass
			25	Low	21.38	-3.3	18.08	0.064	1.000	Pass
		Q64	1	Low	21.58	-3.3	18.28	0.067	1.000	Pass
			1	Mid	21.64	-3.3	18.34	0.068	1.000	Pass
			1	High	21.62	-3.3	18.32	0.068	1.000	Pass
			12	Low	20.48	-3.3	17.18	0.052	1.000	Pass
			12	Mid	20.46	-3.3	17.16	0.052	1.000	Pass
			12	High	20.48	-3.3	17.18	0.052	1.000	Pass
			25	Low	20.45	-3.3	17.15	0.052	1.000	Pass
		Q256	1	Low	18.28	-3.3	14.98	0.031	1.000	Pass
			1	Mid	18.28	-3.3	14.98	0.031	1.000	Pass
			1	High	18.28	-3.3	14.98	0.031	1.000	Pass
			12	Low	18.44	-3.3	15.14	0.033	1.000	Pass
			12	Mid	18.45	-3.3	15.15	0.033	1.000	Pass
			12	High	18.43	-3.3	15.13	0.033	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
10	LCH	QPSK	25	Low	18.45	-3.3	15.15	0.033	1.000	Pass
			1	Low	23.41	-3.3	20.11	0.103	1.000	Pass
			1	Mid	23.23	-3.3	19.93	0.098	1.000	Pass
			1	High	23.25	-3.3	19.95	0.099	1.000	Pass
			25	Low	22.42	-3.3	19.12	0.082	1.000	Pass
			25	Mid	22.35	-3.3	19.05	0.080	1.000	Pass
			25	High	22.29	-3.3	18.99	0.079	1.000	Pass
		Q16	50	Low	22.38	-3.3	19.08	0.081	1.000	Pass
			1	Low	22.31	-3.3	19.01	0.080	1.000	Pass
			1	Mid	22.25	-3.3	18.95	0.079	1.000	Pass
			1	High	22.14	-3.3	18.84	0.077	1.000	Pass
			25	Low	21.41	-3.3	18.11	0.065	1.000	Pass
			25	Mid	21.35	-3.3	18.05	0.064	1.000	Pass
			25	High	21.3	-3.3	18.00	0.063	1.000	Pass
		Q64	50	Low	21.33	-3.3	18.03	0.064	1.000	Pass
			1	Low	21.76	-3.3	18.46	0.070	1.000	Pass
			1	Mid	21.61	-3.3	18.31	0.068	1.000	Pass
			1	High	21.59	-3.3	18.29	0.067	1.000	Pass
			25	Low	20.46	-3.3	17.16	0.052	1.000	Pass
			25	Mid	20.41	-3.3	17.11	0.051	1.000	Pass
			25	High	20.33	-3.3	17.03	0.050	1.000	Pass
		Q256	50	Low	20.36	-3.3	17.06	0.051	1.000	Pass
			1	Low	18.94	-3.3	15.64	0.037	1.000	Pass
			1	Mid	18.87	-3.3	15.57	0.036	1.000	Pass
			1	High	18.87	-3.3	15.57	0.036	1.000	Pass
			25	Low	18.37	-3.3	15.07	0.032	1.000	Pass
			25	Mid	18.37	-3.3	15.07	0.032	1.000	Pass
			25	High	18.32	-3.3	15.02	0.032	1.000	Pass
	MCH	QPSK	50	Low	18.36	-3.3	15.06	0.032	1.000	Pass
			1	Low	23.19	-3.3	19.89	0.097	1.000	Pass
			1	Mid	23.18	-3.3	19.88	0.097	1.000	Pass
			1	High	23.27	-3.3	19.97	0.099	1.000	Pass
			25	Low	22.25	-3.3	18.95	0.079	1.000	Pass
			25	Mid	22.2	-3.3	18.90	0.078	1.000	Pass
			25	High	22.26	-3.3	18.96	0.079	1.000	Pass
			50	Low	22.28	-3.3	18.98	0.079	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
		Q16	1	Low	22.62	-3.3	19.32	0.086	1.000	Pass
			1	Mid	22.62	-3.3	19.32	0.086	1.000	Pass
			1	High	22.65	-3.3	19.35	0.086	1.000	Pass
			25	Low	21.27	-3.3	17.97	0.063	1.000	Pass
			25	Mid	21.25	-3.3	17.95	0.062	1.000	Pass
			25	High	21.3	-3.3	18.00	0.063	1.000	Pass
			50	Low	21.29	-3.3	17.99	0.063	1.000	Pass
		Q64	1	Low	21.4	-3.3	18.10	0.065	1.000	Pass
			1	Mid	21.37	-3.3	18.07	0.064	1.000	Pass
			1	High	21.46	-3.3	18.16	0.065	1.000	Pass
			25	Low	20.31	-3.3	17.01	0.050	1.000	Pass
			25	Mid	20.31	-3.3	17.01	0.050	1.000	Pass
			25	High	20.37	-3.3	17.07	0.051	1.000	Pass
			50	Low	20.33	-3.3	17.03	0.050	1.000	Pass
		Q256	1	Low	18.14	-3.3	14.84	0.030	1.000	Pass
			1	Mid	18.1	-3.3	14.80	0.030	1.000	Pass
			1	High	18.16	-3.3	14.86	0.031	1.000	Pass
			25	Low	18.27	-3.3	14.97	0.031	1.000	Pass
			25	Mid	18.25	-3.3	14.95	0.031	1.000	Pass
			25	High	18.27	-3.3	14.97	0.031	1.000	Pass
			50	Low	18.28	-3.3	14.98	0.031	1.000	Pass
	HCH	QPSK	1	Low	23.27	-3.3	19.97	0.099	1.000	Pass
			1	Mid	23.24	-3.3	19.94	0.099	1.000	Pass
			1	High	23.27	-3.3	19.97	0.099	1.000	Pass
			25	Low	22.36	-3.3	19.06	0.081	1.000	Pass
			25	Mid	22.37	-3.3	19.07	0.081	1.000	Pass
			25	High	22.37	-3.3	19.07	0.081	1.000	Pass
			50	Low	22.37	-3.3	19.07	0.081	1.000	Pass
		Q16	1	Low	22.41	-3.3	19.11	0.081	1.000	Pass
			1	Mid	22.38	-3.3	19.08	0.081	1.000	Pass
			1	High	22.39	-3.3	19.09	0.081	1.000	Pass
			25	Low	21.44	-3.3	18.14	0.065	1.000	Pass
			25	Mid	21.45	-3.3	18.15	0.065	1.000	Pass
			25	High	21.43	-3.3	18.13	0.065	1.000	Pass
			50	Low	21.39	-3.3	18.09	0.064	1.000	Pass
		Q64	1	Low	21.54	-3.3	18.24	0.067	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			1	Mid	21.54	-3.3	18.24	0.067	1.000	Pass
			1	High	21.55	-3.3	18.25	0.067	1.000	Pass
			25	Low	20.42	-3.3	17.12	0.052	1.000	Pass
			25	Mid	20.43	-3.3	17.13	0.052	1.000	Pass
			25	High	20.43	-3.3	17.13	0.052	1.000	Pass
			50	Low	20.38	-3.3	17.08	0.051	1.000	Pass
		Q256	1	Low	18.2	-3.3	14.90	0.031	1.000	Pass
			1	Mid	18.21	-3.3	14.91	0.031	1.000	Pass
			1	High	18.25	-3.3	14.95	0.031	1.000	Pass
			25	Low	18.42	-3.3	15.12	0.033	1.000	Pass
			25	Mid	18.44	-3.3	15.14	0.033	1.000	Pass
			25	High	18.44	-3.3	15.14	0.033	1.000	Pass
			50	Low	18.39	-3.3	15.09	0.032	1.000	Pass
			50	Mid	18.40	-3.3	15.10	0.032	1.000	Pass
15	LCH	QPSK	1	Low	23.4	-3.3	20.10	0.102	1.000	Pass
			1	Mid	23.26	-3.3	19.96	0.099	1.000	Pass
			1	High	23.18	-3.3	19.88	0.097	1.000	Pass
			36	Low	22.36	-3.3	19.06	0.081	1.000	Pass
			36	Mid	22.26	-3.3	18.96	0.079	1.000	Pass
			36	High	22.26	-3.3	18.96	0.079	1.000	Pass
			75	Low	22.35	-3.3	19.05	0.080	1.000	Pass
		Q16	1	Low	22.35	-3.3	19.05	0.080	1.000	Pass
			1	Mid	22.16	-3.3	18.86	0.077	1.000	Pass
			1	High	22.19	-3.3	18.89	0.077	1.000	Pass
			36	Low	21.36	-3.3	18.06	0.064	1.000	Pass
			36	Mid	21.27	-3.3	17.97	0.063	1.000	Pass
			36	High	21.29	-3.3	17.99	0.063	1.000	Pass
			75	Low	21.34	-3.3	18.04	0.064	1.000	Pass
		Q64	1	Low	21.76	-3.3	18.46	0.070	1.000	Pass
			1	Mid	21.63	-3.3	18.33	0.068	1.000	Pass
			1	High	21.58	-3.3	18.28	0.067	1.000	Pass
			36	Low	20.42	-3.3	17.12	0.052	1.000	Pass
			36	Mid	20.33	-3.3	17.03	0.050	1.000	Pass
			36	High	20.31	-3.3	17.01	0.050	1.000	Pass
			75	Low	20.35	-3.3	17.05	0.051	1.000	Pass
		Q256	1	Low	18.93	-3.3	15.63	0.037	1.000	Pass
			1	Mid	18.88	-3.3	15.58	0.036	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
	MCH		1	High	18.81	-3.3	15.51	0.036	1.000	Pass
			36	Low	18.36	-3.3	15.06	0.032	1.000	Pass
			36	Mid	18.32	-3.3	15.02	0.032	1.000	Pass
			36	High	18.27	-3.3	14.97	0.031	1.000	Pass
			75	Low	18.35	-3.3	15.05	0.032	1.000	Pass
		QPSK	1	Low	23.18	-3.3	19.88	0.097	1.000	Pass
			1	Mid	23.25	-3.3	19.95	0.099	1.000	Pass
			1	High	23.22	-3.3	19.92	0.098	1.000	Pass
			36	Low	22.21	-3.3	18.91	0.078	1.000	Pass
			36	Mid	22.24	-3.3	18.94	0.078	1.000	Pass
			36	High	22.25	-3.3	18.95	0.079	1.000	Pass
			75	Low	22.26	-3.3	18.96	0.079	1.000	Pass
		Q16	1	Low	22.62	-3.3	19.32	0.086	1.000	Pass
			1	Mid	22.67	-3.3	19.37	0.086	1.000	Pass
			1	High	22.66	-3.3	19.36	0.086	1.000	Pass
			36	Low	21.29	-3.3	17.99	0.063	1.000	Pass
			36	Mid	21.31	-3.3	18.01	0.063	1.000	Pass
			36	High	21.32	-3.3	18.02	0.063	1.000	Pass
			75	Low	21.3	-3.3	18.00	0.063	1.000	Pass
		Q64	1	Low	21.41	-3.3	18.11	0.065	1.000	Pass
			1	Mid	21.42	-3.3	18.12	0.065	1.000	Pass
			1	High	21.49	-3.3	18.19	0.066	1.000	Pass
			36	Low	20.3	-3.3	17.00	0.050	1.000	Pass
			36	Mid	20.33	-3.3	17.03	0.050	1.000	Pass
			36	High	20.34	-3.3	17.04	0.051	1.000	Pass
			75	Low	20.3	-3.3	17.00	0.050	1.000	Pass
		Q256	1	Low	18.1	-3.3	14.80	0.030	1.000	Pass
			1	Mid	18.17	-3.3	14.87	0.031	1.000	Pass
			1	High	18.11	-3.3	14.81	0.030	1.000	Pass
			36	Low	18.2	-3.3	14.90	0.031	1.000	Pass
			36	Mid	18.26	-3.3	14.96	0.031	1.000	Pass
			36	High	18.25	-3.3	14.95	0.031	1.000	Pass
			75	Low	18.27	-3.3	14.97	0.031	1.000	Pass
	HCH	QPSK	1	Low	23.33	-3.3	20.03	0.101	1.000	Pass
			1	Mid	23.34	-3.3	20.04	0.101	1.000	Pass
			1	High	23.34	-3.3	20.04	0.101	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			36	Low	22.31	-3.3	19.01	0.080	1.000	Pass
			36	Mid	22.34	-3.3	19.04	0.080	1.000	Pass
			36	High	22.34	-3.3	19.04	0.080	1.000	Pass
			75	Low	22.36	-3.3	19.06	0.081	1.000	Pass
		Q16	1	Low	22.67	-3.3	19.37	0.086	1.000	Pass
			1	Mid	22.68	-3.3	19.38	0.087	1.000	Pass
			1	High	22.75	-3.3	19.45	0.088	1.000	Pass
			36	Low	21.32	-3.3	18.02	0.063	1.000	Pass
			36	Mid	21.33	-3.3	18.03	0.064	1.000	Pass
			36	High	21.34	-3.3	18.04	0.064	1.000	Pass
			75	Low	21.37	-3.3	18.07	0.064	1.000	Pass
		Q64	1	Low	21.94	-3.3	18.64	0.073	1.000	Pass
			1	Mid	21.95	-3.3	18.65	0.073	1.000	Pass
			1	High	22	-3.3	18.70	0.074	1.000	Pass
			36	Low	20.35	-3.3	17.05	0.051	1.000	Pass
			36	Mid	20.36	-3.3	17.06	0.051	1.000	Pass
			36	High	20.37	-3.3	17.07	0.051	1.000	Pass
			75	Low	20.41	-3.3	17.11	0.051	1.000	Pass
		Q256	1	Low	18.74	-3.3	15.44	0.035	1.000	Pass
			1	Mid	18.7	-3.3	15.40	0.035	1.000	Pass
			1	High	18.74	-3.3	15.44	0.035	1.000	Pass
			36	Low	18.33	-3.3	15.03	0.032	1.000	Pass
			36	Mid	18.37	-3.3	15.07	0.032	1.000	Pass
			36	High	18.38	-3.3	15.08	0.032	1.000	Pass
			75	Low	18.37	-3.3	15.07	0.032	1.000	Pass
20	LCH	QPSK	1	Low	23.3	-3.3	20.00	0.100	1.000	Pass
			1	Mid	23.18	-3.3	19.88	0.097	1.000	Pass
			1	High	23.22	-3.3	19.92	0.098	1.000	Pass
			50	Low	22.35	-3.3	19.05	0.080	1.000	Pass
			50	Mid	22.28	-3.3	18.98	0.079	1.000	Pass
			50	High	22.28	-3.3	18.98	0.079	1.000	Pass
			100	Low	22.31	-3.3	19.01	0.080	1.000	Pass
		Q16	1	Low	23.13	-3.3	19.83	0.096	1.000	Pass
			1	Mid	22.82	-3.3	19.52	0.090	1.000	Pass
			1	High	22.94	-3.3	19.64	0.092	1.000	Pass
			50	Low	21.41	-3.3	18.11	0.065	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	Mid	21.32	-3.3	18.02	0.063	1.000	Pass
			50	High	21.31	-3.3	18.01	0.063	1.000	Pass
			100	Low	21.38	-3.3	18.08	0.064	1.000	Pass
		Q64	1	Low	21.78	-3.3	18.48	0.070	1.000	Pass
			1	Mid	21.58	-3.3	18.28	0.067	1.000	Pass
			1	High	21.66	-3.3	18.36	0.069	1.000	Pass
			50	Low	20.46	-3.3	17.16	0.052	1.000	Pass
			50	Mid	20.38	-3.3	17.08	0.051	1.000	Pass
			50	High	20.36	-3.3	17.06	0.051	1.000	Pass
			100	Low	20.38	-3.3	17.08	0.051	1.000	Pass
		Q256	1	Low	18.56	-3.3	15.26	0.034	1.000	Pass
			1	Mid	18.46	-3.3	15.16	0.033	1.000	Pass
			1	High	18.47	-3.3	15.17	0.033	1.000	Pass
			50	Low	18.34	-3.3	15.04	0.032	1.000	Pass
			50	Mid	18.28	-3.3	14.98	0.031	1.000	Pass
			50	High	18.27	-3.3	14.97	0.031	1.000	Pass
			100	Low	18.28	-3.3	14.98	0.031	1.000	Pass
	MCH	QPSK	1	Low	23.26	-3.3	19.96	0.099	1.000	Pass
			1	Mid	23.18	-3.3	19.88	0.097	1.000	Pass
			1	High	23.25	-3.3	19.95	0.099	1.000	Pass
			50	Low	22.25	-3.3	18.95	0.079	1.000	Pass
			50	Mid	22.29	-3.3	18.99	0.079	1.000	Pass
			50	High	22.32	-3.3	19.02	0.080	1.000	Pass
			100	Low	22.32	-3.3	19.02	0.080	1.000	Pass
		Q16	1	Low	22.71	-3.3	19.41	0.087	1.000	Pass
			1	Mid	22.68	-3.3	19.38	0.087	1.000	Pass
			1	High	22.67	-3.3	19.37	0.086	1.000	Pass
			50	Low	21.3	-3.3	18.00	0.063	1.000	Pass
			50	Mid	21.31	-3.3	18.01	0.063	1.000	Pass
			50	High	21.36	-3.3	18.06	0.064	1.000	Pass
			100	Low	21.34	-3.3	18.04	0.064	1.000	Pass
		Q64	1	Low	21.93	-3.3	18.63	0.073	1.000	Pass
			1	Mid	21.92	-3.3	18.62	0.073	1.000	Pass
			1	High	21.9	-3.3	18.60	0.072	1.000	Pass
			50	Low	20.32	-3.3	17.02	0.050	1.000	Pass
			50	Mid	20.34	-3.3	17.04	0.051	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			50	High	17.08	-3.3	13.78	0.024	1.000	Pass
			100	Low	17.02	-3.3	13.72	0.024	1.000	Pass
		Q256	1	Low	15.02	-3.3	11.72	0.015	1.000	Pass
			1	Mid	15.14	-3.3	11.84	0.015	1.000	Pass
			1	High	15.14	-3.3	11.84	0.015	1.000	Pass
			50	Low	14.99	-3.3	11.69	0.015	1.000	Pass
			50	Mid	15.03	-3.3	11.73	0.015	1.000	Pass
			50	High	15.02	-3.3	11.72	0.015	1.000	Pass
			100	Low	15	-3.3	11.70	0.015	1.000	Pass
	HCH	QPSK	1	Low	19.9	-3.3	16.60	0.046	1.000	Pass
			1	Mid	20.03	-3.3	16.73	0.047	1.000	Pass
			1	High	19.99	-3.3	16.69	0.047	1.000	Pass
			50	Low	19.03	-3.3	15.73	0.037	1.000	Pass
			50	Mid	19.04	-3.3	15.74	0.037	1.000	Pass
			50	High	19.08	-3.3	15.78	0.038	1.000	Pass
			100	Low	19.07	-3.3	15.77	0.038	1.000	Pass
		Q16	1	Low	19.47	-3.3	16.17	0.041	1.000	Pass
			1	Mid	19.47	-3.3	16.17	0.041	1.000	Pass
			1	High	19.51	-3.3	16.21	0.042	1.000	Pass
			50	Low	18.02	-3.3	14.72	0.030	1.000	Pass
			50	Mid	18.04	-3.3	14.74	0.030	1.000	Pass
			50	High	18.05	-3.3	14.75	0.030	1.000	Pass
			100	Low	18.09	-3.3	14.79	0.030	1.000	Pass
		Q64	1	Low	18.25	-3.3	14.95	0.031	1.000	Pass
			1	Mid	18.29	-3.3	14.99	0.032	1.000	Pass
			1	High	18.3	-3.3	15.00	0.032	1.000	Pass
			50	Low	17.08	-3.3	13.78	0.024	1.000	Pass
			50	Mid	17.11	-3.3	13.81	0.024	1.000	Pass
			50	High	17.11	-3.3	13.81	0.024	1.000	Pass
			100	Low	17.13	-3.3	13.83	0.024	1.000	Pass
		Q256	1	Low	14.99	-3.3	11.69	0.015	1.000	Pass
			1	Mid	14.99	-3.3	11.69	0.015	1.000	Pass
			1	High	15.02	-3.3	11.72	0.015	1.000	Pass
			50	Low	15.05	-3.3	11.75	0.015	1.000	Pass
			50	Mid	15.11	-3.3	11.81	0.015	1.000	Pass
			50	High	15.12	-3.3	11.82	0.015	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 4										
			100	Low	15.1	-3.3	11.80	0.015	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
1.4	LCH	QPSK	1	Low	25.12	-3.7	-5.85	19.27	0.085	7.000	Pass
			1	Mid	25.06	-3.7	-5.85	19.21	0.083	7.000	Pass
			1	High	25.13	-3.7	-5.85	19.28	0.085	7.000	Pass
			3	Low	24.9	-3.7	-5.85	19.05	0.080	7.000	Pass
			3	Mid	24.87	-3.7	-5.85	19.02	0.080	7.000	Pass
			3	High	24.92	-3.7	-5.85	19.07	0.081	7.000	Pass
			6	Low	23.94	-3.7	-5.85	18.09	0.064	7.000	Pass
		Q16	1	Low	24.08	-3.7	-5.85	18.23	0.067	7.000	Pass
			1	Mid	23.98	-3.7	-5.85	18.13	0.065	7.000	Pass
			1	High	24.09	-3.7	-5.85	18.24	0.067	7.000	Pass
			3	Low	23.93	-3.7	-5.85	18.08	0.064	7.000	Pass
			3	Mid	23.92	-3.7	-5.85	18.07	0.064	7.000	Pass
			3	High	23.99	-3.7	-5.85	18.14	0.065	7.000	Pass
			6	Low	23.06	-3.7	-5.85	17.21	0.053	7.000	Pass
		Q64	1	Low	23.38	-3.7	-5.85	17.53	0.057	7.000	Pass
			1	Mid	23.43	-3.7	-5.85	17.58	0.057	7.000	Pass
			1	High	23.4	-3.7	-5.85	17.55	0.057	7.000	Pass
			3	Low	23.3	-3.7	-5.85	17.45	0.056	7.000	Pass
			3	Mid	23.29	-3.7	-5.85	17.44	0.055	7.000	Pass
			3	High	23.33	-3.7	-5.85	17.48	0.056	7.000	Pass
			6	Low	21.95	-3.7	-5.85	16.10	0.041	7.000	Pass
		Q256	1	Low	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			1	Mid	20.09	-3.7	-5.85	14.24	0.027	7.000	Pass
			1	High	20.08	-3.7	-5.85	14.23	0.026	7.000	Pass
			3	Low	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			3	Mid	20.05	-3.7	-5.85	14.20	0.026	7.000	Pass
			3	High	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			6	Low	20.03	-3.7	-5.85	14.18	0.026	7.000	Pass
	MCH	QPSK	1	Low	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			1	Mid	25.01	-3.7	-5.85	19.16	0.082	7.000	Pass
			1	High	25.05	-3.7	-5.85	19.20	0.083	7.000	Pass
			3	Low	24.95	-3.7	-5.85	19.10	0.081	7.000	Pass
			3	Mid	24.93	-3.7	-5.85	19.08	0.081	7.000	Pass
			3	High	24.95	-3.7	-5.85	19.10	0.081	7.000	Pass
			6	Low	23.95	-3.7	-5.85	18.10	0.065	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	24.42	-3.7	-5.85	18.57	0.072	7.000	Pass
			1	Mid	24.32	-3.7	-5.85	18.47	0.070	7.000	Pass
			1	High	24.39	-3.7	-5.85	18.54	0.071	7.000	Pass
			3	Low	24.12	-3.7	-5.85	18.27	0.067	7.000	Pass
			3	Mid	24.11	-3.7	-5.85	18.26	0.067	7.000	Pass
			3	High	24.11	-3.7	-5.85	18.26	0.067	7.000	Pass
			6	Low	22.85	-3.7	-5.85	17.00	0.050	7.000	Pass
		Q64	1	Low	23.16	-3.7	-5.85	17.31	0.054	7.000	Pass
			1	Mid	23.13	-3.7	-5.85	17.28	0.053	7.000	Pass
			1	High	23.12	-3.7	-5.85	17.27	0.053	7.000	Pass
			3	Low	23.08	-3.7	-5.85	17.23	0.053	7.000	Pass
			3	Mid	23.09	-3.7	-5.85	17.24	0.053	7.000	Pass
			3	High	23.1	-3.7	-5.85	17.25	0.053	7.000	Pass
			6	Low	22.26	-3.7	-5.85	16.41	0.044	7.000	Pass
		Q256	1	Low	19.91	-3.7	-5.85	14.06	0.025	7.000	Pass
			1	Mid	19.87	-3.7	-5.85	14.02	0.025	7.000	Pass
			1	High	19.92	-3.7	-5.85	14.07	0.026	7.000	Pass
			3	Low	20.05	-3.7	-5.85	14.20	0.026	7.000	Pass
			3	Mid	20.04	-3.7	-5.85	14.19	0.026	7.000	Pass
			3	High	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
			6	Low	20	-3.7	-5.85	14.15	0.026	7.000	Pass
	HCH	QPSK	1	Low	24.92	-3.7	-5.85	19.07	0.081	7.000	Pass
			1	Mid	24.91	-3.7	-5.85	19.06	0.081	7.000	Pass
			1	High	24.94	-3.7	-5.85	19.09	0.081	7.000	Pass
			3	Low	24.89	-3.7	-5.85	19.04	0.080	7.000	Pass
			3	Mid	24.88	-3.7	-5.85	19.03	0.080	7.000	Pass
			3	High	24.9	-3.7	-5.85	19.05	0.080	7.000	Pass
			6	Low	23.89	-3.7	-5.85	18.04	0.064	7.000	Pass
		Q16	1	Low	23.96	-3.7	-5.85	18.11	0.065	7.000	Pass
			1	Mid	23.89	-3.7	-5.85	18.04	0.064	7.000	Pass
			1	High	23.98	-3.7	-5.85	18.13	0.065	7.000	Pass
			3	Low	24.07	-3.7	-5.85	18.22	0.066	7.000	Pass
			3	Mid	24.08	-3.7	-5.85	18.23	0.067	7.000	Pass
			3	High	24.06	-3.7	-5.85	18.21	0.066	7.000	Pass
			6	Low	23.05	-3.7	-5.85	17.20	0.052	7.000	Pass
		Q64	1	Low	23.14	-3.7	-5.85	17.29	0.054	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	23.09	-3.7	-5.85	17.24	0.053	7.000	Pass
			1	High	23.17	-3.7	-5.85	17.32	0.054	7.000	Pass
			3	Low	22.85	-3.7	-5.85	17.00	0.050	7.000	Pass
			3	Mid	22.84	-3.7	-5.85	16.99	0.050	7.000	Pass
			3	High	22.87	-3.7	-5.85	17.02	0.050	7.000	Pass
			6	Low	22.04	-3.7	-5.85	16.19	0.042	7.000	Pass
		Q256	1	Low	19.86	-3.7	-5.85	14.01	0.025	7.000	Pass
			1	Mid	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
			1	High	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
			3	Low	20	-3.7	-5.85	14.15	0.026	7.000	Pass
			3	Mid	19.99	-3.7	-5.85	14.14	0.026	7.000	Pass
			3	High	19.99	-3.7	-5.85	14.14	0.026	7.000	Pass
			6	Low	19.99	-3.7	-5.85	14.14	0.026	7.000	Pass
3	LCH	QPSK	1	Low	25.02	-3.7	-5.85	19.17	0.083	7.000	Pass
			1	Mid	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			1	High	25.01	-3.7	-5.85	19.16	0.082	7.000	Pass
			8	Low	24.02	-3.7	-5.85	18.17	0.066	7.000	Pass
			8	Mid	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
			8	High	24.04	-3.7	-5.85	18.19	0.066	7.000	Pass
			15	Low	24	-3.7	-5.85	18.15	0.065	7.000	Pass
		Q16	1	Low	23.87	-3.7	-5.85	18.02	0.063	7.000	Pass
			1	Mid	23.87	-3.7	-5.85	18.02	0.063	7.000	Pass
			1	High	23.86	-3.7	-5.85	18.01	0.063	7.000	Pass
			8	Low	23.13	-3.7	-5.85	17.28	0.053	7.000	Pass
			8	Mid	23.11	-3.7	-5.85	17.26	0.053	7.000	Pass
			8	High	23.13	-3.7	-5.85	17.28	0.053	7.000	Pass
			15	Low	23.05	-3.7	-5.85	17.20	0.052	7.000	Pass
		Q64	1	Low	23.32	-3.7	-5.85	17.47	0.056	7.000	Pass
			1	Mid	23.35	-3.7	-5.85	17.50	0.056	7.000	Pass
			1	High	23.33	-3.7	-5.85	17.48	0.056	7.000	Pass
			8	Low	22.12	-3.7	-5.85	16.27	0.042	7.000	Pass
			8	Mid	22.09	-3.7	-5.85	16.24	0.042	7.000	Pass
			8	High	22.12	-3.7	-5.85	16.27	0.042	7.000	Pass
			15	Low	21.99	-3.7	-5.85	16.14	0.041	7.000	Pass
		Q256	1	Low	20.56	-3.7	-5.85	14.71	0.030	7.000	Pass
			1	Mid	20.61	-3.7	-5.85	14.76	0.030	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
	MCH		1	High	20.54	-3.7	-5.85	14.69	0.029	7.000	Pass
			8	Low	20.1	-3.7	-5.85	14.25	0.027	7.000	Pass
			8	Mid	20.11	-3.7	-5.85	14.26	0.027	7.000	Pass
			8	High	20.12	-3.7	-5.85	14.27	0.027	7.000	Pass
			15	Low	20.07	-3.7	-5.85	14.22	0.026	7.000	Pass
		QPSK	1	Low	25.09	-3.7	-5.85	19.24	0.084	7.000	Pass
			1	Mid	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			1	High	25.05	-3.7	-5.85	19.20	0.083	7.000	Pass
			8	Low	24.02	-3.7	-5.85	18.17	0.066	7.000	Pass
			8	Mid	23.99	-3.7	-5.85	18.14	0.065	7.000	Pass
			8	High	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
			15	Low	23.99	-3.7	-5.85	18.14	0.065	7.000	Pass
		Q16	1	Low	24.42	-3.7	-5.85	18.57	0.072	7.000	Pass
			1	Mid	24.4	-3.7	-5.85	18.55	0.072	7.000	Pass
			1	High	24.41	-3.7	-5.85	18.56	0.072	7.000	Pass
			8	Low	23.09	-3.7	-5.85	17.24	0.053	7.000	Pass
			8	Mid	23.07	-3.7	-5.85	17.22	0.053	7.000	Pass
			8	High	23.09	-3.7	-5.85	17.24	0.053	7.000	Pass
			15	Low	23.07	-3.7	-5.85	17.22	0.053	7.000	Pass
		Q64	1	Low	23.16	-3.7	-5.85	17.31	0.054	7.000	Pass
			1	Mid	23.2	-3.7	-5.85	17.35	0.054	7.000	Pass
			1	High	23.16	-3.7	-5.85	17.31	0.054	7.000	Pass
			8	Low	22.1	-3.7	-5.85	16.25	0.042	7.000	Pass
			8	Mid	22.08	-3.7	-5.85	16.23	0.042	7.000	Pass
			8	High	22.07	-3.7	-5.85	16.22	0.042	7.000	Pass
			15	Low	22.05	-3.7	-5.85	16.20	0.042	7.000	Pass
		Q256	1	Low	19.93	-3.7	-5.85	14.08	0.026	7.000	Pass
			1	Mid	19.91	-3.7	-5.85	14.06	0.025	7.000	Pass
			1	High	19.88	-3.7	-5.85	14.03	0.025	7.000	Pass
			8	Low	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
			8	Mid	20.01	-3.7	-5.85	14.16	0.026	7.000	Pass
			8	High	20.01	-3.7	-5.85	14.16	0.026	7.000	Pass
			15	Low	20.08	-3.7	-5.85	14.23	0.026	7.000	Pass
	HCH	QPSK	1	Low	24.97	-3.7	-5.85	19.12	0.082	7.000	Pass
			1	Mid	24.98	-3.7	-5.85	19.13	0.082	7.000	Pass
			1	High	24.94	-3.7	-5.85	19.09	0.081	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			8	Low	24	-3.7	-5.85	18.15	0.065	7.000	Pass
			8	Mid	23.96	-3.7	-5.85	18.11	0.065	7.000	Pass
			8	High	23.96	-3.7	-5.85	18.11	0.065	7.000	Pass
			15	Low	24	-3.7	-5.85	18.15	0.065	7.000	Pass
		Q16	1	Low	24.05	-3.7	-5.85	18.20	0.066	7.000	Pass
			1	Mid	24	-3.7	-5.85	18.15	0.065	7.000	Pass
			1	High	23.97	-3.7	-5.85	18.12	0.065	7.000	Pass
			8	Low	23.08	-3.7	-5.85	17.23	0.053	7.000	Pass
			8	Mid	23.05	-3.7	-5.85	17.20	0.052	7.000	Pass
			8	High	23.03	-3.7	-5.85	17.18	0.052	7.000	Pass
			15	Low	22.99	-3.7	-5.85	17.14	0.052	7.000	Pass
		Q64	1	Low	23.23	-3.7	-5.85	17.38	0.055	7.000	Pass
			1	Mid	23.19	-3.7	-5.85	17.34	0.054	7.000	Pass
			1	High	23.14	-3.7	-5.85	17.29	0.054	7.000	Pass
			8	Low	21.95	-3.7	-5.85	16.10	0.041	7.000	Pass
			8	Mid	21.92	-3.7	-5.85	16.07	0.040	7.000	Pass
			8	High	21.93	-3.7	-5.85	16.08	0.041	7.000	Pass
			15	Low	22.05	-3.7	-5.85	16.20	0.042	7.000	Pass
		Q256	1	Low	19.85	-3.7	-5.85	14.00	0.025	7.000	Pass
			1	Mid	19.85	-3.7	-5.85	14.00	0.025	7.000	Pass
			1	High	19.84	-3.7	-5.85	13.99	0.025	7.000	Pass
			8	Low	20.1	-3.7	-5.85	14.25	0.027	7.000	Pass
			8	Mid	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			8	High	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			15	Low	20.03	-3.7	-5.85	14.18	0.026	7.000	Pass
5	LCH	QPSK	1	Low	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			1	Mid	25.11	-3.7	-5.85	19.26	0.084	7.000	Pass
			1	High	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			12	Low	24.03	-3.7	-5.85	18.18	0.066	7.000	Pass
			12	Mid	24.06	-3.7	-5.85	18.21	0.066	7.000	Pass
			12	High	24.03	-3.7	-5.85	18.18	0.066	7.000	Pass
			25	Low	24.08	-3.7	-5.85	18.23	0.067	7.000	Pass
		Q16	1	Low	24.2	-3.7	-5.85	18.35	0.068	7.000	Pass
			1	Mid	24.23	-3.7	-5.85	18.38	0.069	7.000	Pass
			1	High	24.22	-3.7	-5.85	18.37	0.069	7.000	Pass
			12	Low	23.11	-3.7	-5.85	17.26	0.053	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	Mid	23.11	-3.7	-5.85	17.26	0.053	7.000	Pass
			12	High	23.08	-3.7	-5.85	17.23	0.053	7.000	Pass
			25	Low	23.1	-3.7	-5.85	17.25	0.053	7.000	Pass
		Q64	1	Low	22.99	-3.7	-5.85	17.14	0.052	7.000	Pass
			1	Mid	23.01	-3.7	-5.85	17.16	0.052	7.000	Pass
			1	High	23	-3.7	-5.85	17.15	0.052	7.000	Pass
			12	Low	22.08	-3.7	-5.85	16.23	0.042	7.000	Pass
			12	Mid	22.1	-3.7	-5.85	16.25	0.042	7.000	Pass
			12	High	22.07	-3.7	-5.85	16.22	0.042	7.000	Pass
			25	Low	22.05	-3.7	-5.85	16.20	0.042	7.000	Pass
		Q256	1	Low	19.65	-3.7	-5.85	13.80	0.024	7.000	Pass
			1	Mid	19.71	-3.7	-5.85	13.86	0.024	7.000	Pass
			1	High	19.67	-3.7	-5.85	13.82	0.024	7.000	Pass
			12	Low	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
			12	Mid	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
			12	High	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
			25	Low	20.07	-3.7	-5.85	14.22	0.026	7.000	Pass
	MCH	QPSK	1	Low	25.12	-3.7	-5.85	19.27	0.085	7.000	Pass
			1	Mid	25.1	-3.7	-5.85	19.25	0.084	7.000	Pass
			1	High	25.08	-3.7	-5.85	19.23	0.084	7.000	Pass
			12	Low	24.06	-3.7	-5.85	18.21	0.066	7.000	Pass
			12	Mid	24.05	-3.7	-5.85	18.20	0.066	7.000	Pass
			12	High	24.06	-3.7	-5.85	18.21	0.066	7.000	Pass
			25	Low	24.08	-3.7	-5.85	18.23	0.067	7.000	Pass
		Q16	1	Low	24.61	-3.7	-5.85	18.76	0.075	7.000	Pass
			1	Mid	24.61	-3.7	-5.85	18.76	0.075	7.000	Pass
			1	High	24.59	-3.7	-5.85	18.74	0.075	7.000	Pass
			12	Low	23.21	-3.7	-5.85	17.36	0.054	7.000	Pass
			12	Mid	23.18	-3.7	-5.85	17.33	0.054	7.000	Pass
			12	High	23.19	-3.7	-5.85	17.34	0.054	7.000	Pass
			25	Low	23.13	-3.7	-5.85	17.28	0.053	7.000	Pass
		Q64	1	Low	23.38	-3.7	-5.85	17.53	0.057	7.000	Pass
			1	Mid	23.41	-3.7	-5.85	17.56	0.057	7.000	Pass
			1	High	23.36	-3.7	-5.85	17.51	0.056	7.000	Pass
			12	Low	22.04	-3.7	-5.85	16.19	0.042	7.000	Pass
			12	Mid	22.01	-3.7	-5.85	16.16	0.041	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			12	High	22.01	-3.7	-5.85	16.16	0.041	7.000	Pass
			25	Low	22.07	-3.7	-5.85	16.22	0.042	7.000	Pass
		Q256	1	Low	20.24	-3.7	-5.85	14.39	0.027	7.000	Pass
			1	Mid	20.23	-3.7	-5.85	14.38	0.027	7.000	Pass
			1	High	20.2	-3.7	-5.85	14.35	0.027	7.000	Pass
			12	Low	20.13	-3.7	-5.85	14.28	0.027	7.000	Pass
			12	Mid	20.09	-3.7	-5.85	14.24	0.027	7.000	Pass
			12	High	20.09	-3.7	-5.85	14.24	0.027	7.000	Pass
			25	Low	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
	HCH	QPSK	1	Low	25.12	-3.7	-5.85	19.27	0.085	7.000	Pass
			1	Mid	25.14	-3.7	-5.85	19.29	0.085	7.000	Pass
			1	High	25.11	-3.7	-5.85	19.26	0.084	7.000	Pass
			12	Low	24.04	-3.7	-5.85	18.19	0.066	7.000	Pass
			12	Mid	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
			12	High	24.02	-3.7	-5.85	18.17	0.066	7.000	Pass
			25	Low	24.07	-3.7	-5.85	18.22	0.066	7.000	Pass
		Q16	1	Low	24.14	-3.7	-5.85	18.29	0.067	7.000	Pass
			1	Mid	24.12	-3.7	-5.85	18.27	0.067	7.000	Pass
			1	High	24.1	-3.7	-5.85	18.25	0.067	7.000	Pass
			12	Low	23.11	-3.7	-5.85	17.26	0.053	7.000	Pass
			12	Mid	23.08	-3.7	-5.85	17.23	0.053	7.000	Pass
			12	High	23.07	-3.7	-5.85	17.22	0.053	7.000	Pass
			25	Low	23	-3.7	-5.85	17.15	0.052	7.000	Pass
		Q64	1	Low	23.25	-3.7	-5.85	17.40	0.055	7.000	Pass
			1	Mid	23.26	-3.7	-5.85	17.41	0.055	7.000	Pass
			1	High	23.26	-3.7	-5.85	17.41	0.055	7.000	Pass
			12	Low	22.11	-3.7	-5.85	16.26	0.042	7.000	Pass
			12	Mid	22.09	-3.7	-5.85	16.24	0.042	7.000	Pass
			12	High	22.06	-3.7	-5.85	16.21	0.042	7.000	Pass
			25	Low	22.07	-3.7	-5.85	16.22	0.042	7.000	Pass
		Q256	1	Low	19.97	-3.7	-5.85	14.12	0.026	7.000	Pass
			1	Mid	19.97	-3.7	-5.85	14.12	0.026	7.000	Pass
			1	High	19.95	-3.7	-5.85	14.10	0.026	7.000	Pass
			12	Low	20.14	-3.7	-5.85	14.29	0.027	7.000	Pass
			12	Mid	20.12	-3.7	-5.85	14.27	0.027	7.000	Pass
			12	High	20.09	-3.7	-5.85	14.24	0.027	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
10	LCH	QPSK	25	Low	20.11	-3.7	-5.85	14.26	0.027	7.000	Pass
			1	Low	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			1	Mid	25.02	-3.7	-5.85	19.17	0.083	7.000	Pass
			1	High	25.06	-3.7	-5.85	19.21	0.083	7.000	Pass
			25	Low	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
			25	Mid	24.03	-3.7	-5.85	18.18	0.066	7.000	Pass
			25	High	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
		Q16	50	Low	24.04	-3.7	-5.85	18.19	0.066	7.000	Pass
			1	Low	23.95	-3.7	-5.85	18.10	0.065	7.000	Pass
			1	Mid	23.88	-3.7	-5.85	18.03	0.064	7.000	Pass
			1	High	23.93	-3.7	-5.85	18.08	0.064	7.000	Pass
			25	Low	23.05	-3.7	-5.85	17.20	0.052	7.000	Pass
			25	Mid	23.04	-3.7	-5.85	17.19	0.052	7.000	Pass
			25	High	23.01	-3.7	-5.85	17.16	0.052	7.000	Pass
		Q64	50	Low	23.01	-3.7	-5.85	17.16	0.052	7.000	Pass
			1	Low	23.34	-3.7	-5.85	17.49	0.056	7.000	Pass
			1	Mid	23.3	-3.7	-5.85	17.45	0.056	7.000	Pass
			1	High	23.31	-3.7	-5.85	17.46	0.056	7.000	Pass
			25	Low	22.05	-3.7	-5.85	16.20	0.042	7.000	Pass
			25	Mid	22.09	-3.7	-5.85	16.24	0.042	7.000	Pass
			25	High	22.06	-3.7	-5.85	16.21	0.042	7.000	Pass
		Q256	50	Low	22.04	-3.7	-5.85	16.19	0.042	7.000	Pass
			1	Low	20.6	-3.7	-5.85	14.75	0.030	7.000	Pass
			1	Mid	20.57	-3.7	-5.85	14.72	0.030	7.000	Pass
			1	High	20.59	-3.7	-5.85	14.74	0.030	7.000	Pass
			25	Low	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			25	Mid	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			25	High	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
	MCH	QPSK	50	Low	20.07	-3.7	-5.85	14.22	0.026	7.000	Pass
			1	Low	25.07	-3.7	-5.85	19.22	0.084	7.000	Pass
			1	Mid	25.05	-3.7	-5.85	19.20	0.083	7.000	Pass
			1	High	25.09	-3.7	-5.85	19.24	0.084	7.000	Pass
			25	Low	24.03	-3.7	-5.85	18.18	0.066	7.000	Pass
			25	Mid	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
			25	High	24.06	-3.7	-5.85	18.21	0.066	7.000	Pass
			50	Low	24.05	-3.7	-5.85	18.20	0.066	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
		Q16	1	Low	24.41	-3.7	-5.85	18.56	0.072	7.000	Pass
			1	Mid	24.38	-3.7	-5.85	18.53	0.071	7.000	Pass
			1	High	24.45	-3.7	-5.85	18.60	0.072	7.000	Pass
			25	Low	23.03	-3.7	-5.85	17.18	0.052	7.000	Pass
			25	Mid	23.04	-3.7	-5.85	17.19	0.052	7.000	Pass
			25	High	23.07	-3.7	-5.85	17.22	0.053	7.000	Pass
			50	Low	23.04	-3.7	-5.85	17.19	0.052	7.000	Pass
		Q64	1	Low	23.19	-3.7	-5.85	17.34	0.054	7.000	Pass
			1	Mid	23.18	-3.7	-5.85	17.33	0.054	7.000	Pass
			1	High	23.25	-3.7	-5.85	17.40	0.055	7.000	Pass
			25	Low	22.09	-3.7	-5.85	16.24	0.042	7.000	Pass
			25	Mid	22.1	-3.7	-5.85	16.25	0.042	7.000	Pass
			25	High	22.12	-3.7	-5.85	16.27	0.042	7.000	Pass
			50	Low	22.07	-3.7	-5.85	16.22	0.042	7.000	Pass
		Q256	1	Low	19.86	-3.7	-5.85	14.01	0.025	7.000	Pass
			1	Mid	19.87	-3.7	-5.85	14.02	0.025	7.000	Pass
			1	High	19.9	-3.7	-5.85	14.05	0.025	7.000	Pass
			25	Low	20.03	-3.7	-5.85	14.18	0.026	7.000	Pass
			25	Mid	20.04	-3.7	-5.85	14.19	0.026	7.000	Pass
			25	High	20.06	-3.7	-5.85	14.21	0.026	7.000	Pass
			50	Low	20	-3.7	-5.85	14.15	0.026	7.000	Pass
	HCH	QPSK	1	Low	25.04	-3.7	-5.85	19.19	0.083	7.000	Pass
			1	Mid	24.96	-3.7	-5.85	19.11	0.081	7.000	Pass
			1	High	24.97	-3.7	-5.85	19.12	0.082	7.000	Pass
			25	Low	24	-3.7	-5.85	18.15	0.065	7.000	Pass
			25	Mid	24	-3.7	-5.85	18.15	0.065	7.000	Pass
			25	High	24	-3.7	-5.85	18.15	0.065	7.000	Pass
			50	Low	24.01	-3.7	-5.85	18.16	0.065	7.000	Pass
		Q16	1	Low	24.1	-3.7	-5.85	18.25	0.067	7.000	Pass
			1	Mid	23.99	-3.7	-5.85	18.14	0.065	7.000	Pass
			1	High	24.02	-3.7	-5.85	18.17	0.066	7.000	Pass
			25	Low	23.09	-3.7	-5.85	17.24	0.053	7.000	Pass
			25	Mid	23.08	-3.7	-5.85	17.23	0.053	7.000	Pass
			25	High	23.06	-3.7	-5.85	17.21	0.053	7.000	Pass
			50	Low	23.02	-3.7	-5.85	17.17	0.052	7.000	Pass
		Q64	1	Low	23.27	-3.7	-5.85	17.42	0.055	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 5											
			1	Mid	23.16	-3.7	-5.85	17.31	0.054	7.000	Pass
			1	High	23.19	-3.7	-5.85	17.34	0.054	7.000	Pass
			25	Low	22.08	-3.7	-5.85	16.23	0.042	7.000	Pass
			25	Mid	22.08	-3.7	-5.85	16.23	0.042	7.000	Pass
			25	High	22.06	-3.7	-5.85	16.21	0.042	7.000	Pass
			50	Low	22	-3.7	-5.85	16.15	0.041	7.000	Pass
		Q256	1	Low	19.87	-3.7	-5.85	14.02	0.025	7.000	Pass
			1	Mid	19.87	-3.7	-5.85	14.02	0.025	7.000	Pass
			1	High	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
			25	Low	20.09	-3.7	-5.85	14.24	0.027	7.000	Pass
			25	Mid	20.09	-3.7	-5.85	14.24	0.027	7.000	Pass
			25	High	20.04	-3.7	-5.85	14.19	0.026	7.000	Pass
			50	Low	20	-3.7	-5.85	14.15	0.026	7.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
5	LCH	QPSK	1	Low	10.26	-2.4	7.86	0.006	2.000	Pass
			1	Mid	10.29	-2.4	7.89	0.006	2.000	Pass
			1	High	10.35	-2.4	7.95	0.006	2.000	Pass
			12	Low	9.15	-2.4	6.75	0.005	2.000	Pass
			12	Mid	9.18	-2.4	6.78	0.005	2.000	Pass
			12	High	9.29	-2.4	6.89	0.005	2.000	Pass
			25	Low	9.31	-2.4	6.91	0.005	2.000	Pass
		Q16	1	Low	9.29	-2.4	6.89	0.005	2.000	Pass
			1	Mid	9.4	-2.4	7.00	0.005	2.000	Pass
			1	High	9.47	-2.4	7.07	0.005	2.000	Pass
			12	Low	8.28	-2.4	5.88	0.004	2.000	Pass
			12	Mid	8.29	-2.4	5.89	0.004	2.000	Pass
			12	High	8.4	-2.4	6.00	0.004	2.000	Pass
			25	Low	8.34	-2.4	5.94	0.004	2.000	Pass
		Q64	1	Low	8.13	-2.4	5.73	0.004	2.000	Pass
			1	Mid	8.21	-2.4	5.81	0.004	2.000	Pass
			1	High	8.3	-2.4	5.90	0.004	2.000	Pass
			12	Low	7.3	-2.4	4.90	0.003	2.000	Pass
			12	Mid	7.32	-2.4	4.92	0.003	2.000	Pass
			12	High	7.44	-2.4	5.04	0.003	2.000	Pass
			25	Low	7.31	-2.4	4.91	0.003	2.000	Pass
		Q256	1	Low	4.97	-2.4	2.57	0.002	2.000	Pass
			1	Mid	5.06	-2.4	2.66	0.002	2.000	Pass
			1	High	5.11	-2.4	2.71	0.002	2.000	Pass
			12	Low	5.32	-2.4	2.92	0.002	2.000	Pass
			12	Mid	5.36	-2.4	2.96	0.002	2.000	Pass
			12	High	5.45	-2.4	3.05	0.002	2.000	Pass
			25	Low	5.46	-2.4	3.06	0.002	2.000	Pass
	MCH	QPSK	1	Low	10.66	-2.4	8.26	0.007	2.000	Pass
			1	Mid	10.81	-2.4	8.41	0.007	2.000	Pass
			1	High	10.76	-2.4	8.36	0.007	2.000	Pass
			12	Low	9.73	-2.4	7.33	0.005	2.000	Pass
			12	Mid	9.72	-2.4	7.32	0.005	2.000	Pass
			12	High	9.74	-2.4	7.34	0.005	2.000	Pass
			25	Low	9.77	-2.4	7.37	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	10.19	-2.4	7.79	0.006	2.000	Pass
			1	Mid	10.38	-2.4	7.98	0.006	2.000	Pass
			1	High	10.27	-2.4	7.87	0.006	2.000	Pass
			12	Low	8.89	-2.4	6.49	0.004	2.000	Pass
			12	Mid	8.88	-2.4	6.48	0.004	2.000	Pass
			12	High	8.89	-2.4	6.49	0.004	2.000	Pass
			25	Low	8.79	-2.4	6.39	0.004	2.000	Pass
		Q64	1	Low	8.98	-2.4	6.58	0.005	2.000	Pass
			1	Mid	9.12	-2.4	6.72	0.005	2.000	Pass
			1	High	9.05	-2.4	6.65	0.005	2.000	Pass
			12	Low	7.71	-2.4	5.31	0.003	2.000	Pass
			12	Mid	7.68	-2.4	5.28	0.003	2.000	Pass
			12	High	7.69	-2.4	5.29	0.003	2.000	Pass
			25	Low	7.69	-2.4	5.29	0.003	2.000	Pass
		Q256	1	Low	5.86	-2.4	3.46	0.002	2.000	Pass
			1	Mid	5.96	-2.4	3.56	0.002	2.000	Pass
			1	High	5.85	-2.4	3.45	0.002	2.000	Pass
			12	Low	5.79	-2.4	3.39	0.002	2.000	Pass
			12	Mid	5.8	-2.4	3.40	0.002	2.000	Pass
			12	High	5.74	-2.4	3.34	0.002	2.000	Pass
			25	Low	5.73	-2.4	3.33	0.002	2.000	Pass
	HCH	QPSK	1	Low	10.99	-2.4	8.59	0.007	2.000	Pass
			1	Mid	11.02	-2.4	8.62	0.007	2.000	Pass
			1	High	10.86	-2.4	8.46	0.007	2.000	Pass
			12	Low	10.04	-2.4	7.64	0.006	2.000	Pass
			12	Mid	9.96	-2.4	7.56	0.006	2.000	Pass
			12	High	9.89	-2.4	7.49	0.006	2.000	Pass
			25	Low	9.99	-2.4	7.59	0.006	2.000	Pass
		Q16	1	Low	10.12	-2.4	7.72	0.006	2.000	Pass
			1	Mid	10.08	-2.4	7.68	0.006	2.000	Pass
			1	High	9.93	-2.4	7.53	0.006	2.000	Pass
			12	Low	9.08	-2.4	6.68	0.005	2.000	Pass
			12	Mid	9	-2.4	6.60	0.005	2.000	Pass
			12	High	8.95	-2.4	6.55	0.005	2.000	Pass
			25	Low	8.9	-2.4	6.50	0.004	2.000	Pass
		Q64	1	Low	9.18	-2.4	6.78	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	9.2	-2.4	6.80	0.005	2.000	Pass
			1	High	9.07	-2.4	6.67	0.005	2.000	Pass
			12	Low	8.04	-2.4	5.64	0.004	2.000	Pass
			12	Mid	7.99	-2.4	5.59	0.004	2.000	Pass
			12	High	7.92	-2.4	5.52	0.004	2.000	Pass
			25	Low	7.98	-2.4	5.58	0.004	2.000	Pass
		Q256	1	Low	5.77	-2.4	3.37	0.002	2.000	Pass
			1	Mid	5.76	-2.4	3.36	0.002	2.000	Pass
			1	High	5.6	-2.4	3.20	0.002	2.000	Pass
			12	Low	5.93	-2.4	3.53	0.002	2.000	Pass
			12	Mid	5.88	-2.4	3.48	0.002	2.000	Pass
			12	High	5.82	-2.4	3.42	0.002	2.000	Pass
			25	Low	5.85	-2.4	3.45	0.002	2.000	Pass
			25	Low	5.85	-2.4	3.45	0.002	2.000	Pass
10	LCH	QPSK	1	Low	10.15	-2.4	7.75	0.006	2.000	Pass
			1	Mid	10.23	-2.4	7.83	0.006	2.000	Pass
			1	High	10.44	-2.4	8.04	0.006	2.000	Pass
			25	Low	9.18	-2.4	6.78	0.005	2.000	Pass
			25	Mid	9.29	-2.4	6.89	0.005	2.000	Pass
			25	High	9.4	-2.4	7.00	0.005	2.000	Pass
			50	Low	9.31	-2.4	6.91	0.005	2.000	Pass
		Q16	1	Low	9.04	-2.4	6.64	0.005	2.000	Pass
			1	Mid	9.15	-2.4	6.75	0.005	2.000	Pass
			1	High	9.35	-2.4	6.95	0.005	2.000	Pass
			25	Low	8.24	-2.4	5.84	0.004	2.000	Pass
			25	Mid	8.31	-2.4	5.91	0.004	2.000	Pass
			25	High	8.44	-2.4	6.04	0.004	2.000	Pass
			50	Low	8.31	-2.4	5.91	0.004	2.000	Pass
		Q64	1	Low	8.47	-2.4	6.07	0.004	2.000	Pass
			1	Mid	8.6	-2.4	6.20	0.004	2.000	Pass
			1	High	8.76	-2.4	6.36	0.004	2.000	Pass
			25	Low	7.29	-2.4	4.89	0.003	2.000	Pass
			25	Mid	7.4	-2.4	5.00	0.003	2.000	Pass
			25	High	7.53	-2.4	5.13	0.003	2.000	Pass
			50	Low	7.38	-2.4	4.98	0.003	2.000	Pass
		Q256	1	Low	5.86	-2.4	3.46	0.002	2.000	Pass
			1	Mid	6.06	-2.4	3.66	0.002	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
	MCH		1	High	6.11	-2.4	3.71	0.002	2.000	Pass
			25	Low	5.4	-2.4	3.00	0.002	2.000	Pass
			25	Mid	5.53	-2.4	3.13	0.002	2.000	Pass
			25	High	5.58	-2.4	3.18	0.002	2.000	Pass
			50	Low	5.53	-2.4	3.13	0.002	2.000	Pass
		QPSK	1	Low	10.7	-2.4	8.30	0.007	2.000	Pass
			1	Mid	10.77	-2.4	8.37	0.007	2.000	Pass
			1	High	10.82	-2.4	8.42	0.007	2.000	Pass
			25	Low	9.68	-2.4	7.28	0.005	2.000	Pass
			25	Mid	9.74	-2.4	7.34	0.005	2.000	Pass
			25	High	9.72	-2.4	7.32	0.005	2.000	Pass
			50	Low	9.8	-2.4	7.40	0.005	2.000	Pass
		Q16	1	Low	10.04	-2.4	7.64	0.006	2.000	Pass
			1	Mid	10.15	-2.4	7.75	0.006	2.000	Pass
			1	High	10.16	-2.4	7.76	0.006	2.000	Pass
			25	Low	8.71	-2.4	6.31	0.004	2.000	Pass
			25	Mid	8.77	-2.4	6.37	0.004	2.000	Pass
			25	High	8.71	-2.4	6.31	0.004	2.000	Pass
			50	Low	8.74	-2.4	6.34	0.004	2.000	Pass
		Q64	1	Low	8.77	-2.4	6.37	0.004	2.000	Pass
			1	Mid	8.91	-2.4	6.51	0.004	2.000	Pass
			1	High	8.93	-2.4	6.53	0.004	2.000	Pass
			25	Low	7.76	-2.4	5.36	0.003	2.000	Pass
			25	Mid	7.82	-2.4	5.42	0.003	2.000	Pass
			25	High	7.77	-2.4	5.37	0.003	2.000	Pass
			50	Low	7.75	-2.4	5.35	0.003	2.000	Pass
		Q256	1	Low	5.58	-2.4	3.18	0.002	2.000	Pass
			1	Mid	5.57	-2.4	3.17	0.002	2.000	Pass
			1	High	5.58	-2.4	3.18	0.002	2.000	Pass
			25	Low	5.71	-2.4	3.31	0.002	2.000	Pass
			25	Mid	5.72	-2.4	3.32	0.002	2.000	Pass
			25	High	5.72	-2.4	3.32	0.002	2.000	Pass
			50	Low	5.71	-2.4	3.31	0.002	2.000	Pass
	HCH	QPSK	1	Low	10.97	-2.4	8.57	0.007	2.000	Pass
			1	Mid	10.91	-2.4	8.51	0.007	2.000	Pass
			1	High	10.79	-2.4	8.39	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			25	Low	10.05	-2.4	7.65	0.006	2.000	Pass
			25	Mid	9.96	-2.4	7.56	0.006	2.000	Pass
			25	High	9.88	-2.4	7.48	0.006	2.000	Pass
			50	Low	9.98	-2.4	7.58	0.006	2.000	Pass
		Q16	1	Low	10.11	-2.4	7.71	0.006	2.000	Pass
			1	Mid	9.98	-2.4	7.58	0.006	2.000	Pass
			1	High	9.86	-2.4	7.46	0.006	2.000	Pass
			25	Low	9.12	-2.4	6.72	0.005	2.000	Pass
			25	Mid	9.01	-2.4	6.61	0.005	2.000	Pass
			25	High	8.96	-2.4	6.56	0.005	2.000	Pass
			50	Low	8.98	-2.4	6.58	0.005	2.000	Pass
		Q64	1	Low	9.24	-2.4	6.84	0.005	2.000	Pass
			1	Mid	9.21	-2.4	6.81	0.005	2.000	Pass
			1	High	9.01	-2.4	6.61	0.005	2.000	Pass
			25	Low	8.07	-2.4	5.67	0.004	2.000	Pass
			25	Mid	8	-2.4	5.60	0.004	2.000	Pass
			25	High	7.94	-2.4	5.54	0.004	2.000	Pass
			50	Low	7.92	-2.4	5.52	0.004	2.000	Pass
		Q256	1	Low	5.71	-2.4	3.31	0.002	2.000	Pass
			1	Mid	5.59	-2.4	3.19	0.002	2.000	Pass
			1	High	5.53	-2.4	3.13	0.002	2.000	Pass
			25	Low	5.87	-2.4	3.47	0.002	2.000	Pass
			25	Mid	5.83	-2.4	3.43	0.002	2.000	Pass
			25	High	5.73	-2.4	3.33	0.002	2.000	Pass
			50	Low	5.72	-2.4	3.32	0.002	2.000	Pass
15	LCH	QPSK	1	Low	10.2	-2.4	7.80	0.006	2.000	Pass
			1	Mid	10.36	-2.4	7.96	0.006	2.000	Pass
			1	High	10.51	-2.4	8.11	0.006	2.000	Pass
			36	Low	9.26	-2.4	6.86	0.005	2.000	Pass
			36	Mid	9.4	-2.4	7.00	0.005	2.000	Pass
			36	High	9.49	-2.4	7.09	0.005	2.000	Pass
			75	Low	9.38	-2.4	6.98	0.005	2.000	Pass
		Q16	1	Low	9.11	-2.4	6.71	0.005	2.000	Pass
			1	Mid	9.31	-2.4	6.91	0.005	2.000	Pass
			1	High	9.48	-2.4	7.08	0.005	2.000	Pass
			36	Low	8.31	-2.4	5.91	0.004	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	Mid	8.45	-2.4	6.05	0.004	2.000	Pass
			36	High	8.54	-2.4	6.14	0.004	2.000	Pass
			75	Low	8.41	-2.4	6.01	0.004	2.000	Pass
		Q64	1	Low	8.57	-2.4	6.17	0.004	2.000	Pass
			1	Mid	8.74	-2.4	6.34	0.004	2.000	Pass
			1	High	8.89	-2.4	6.49	0.004	2.000	Pass
			36	Low	7.36	-2.4	4.96	0.003	2.000	Pass
			36	Mid	7.49	-2.4	5.09	0.003	2.000	Pass
			36	High	7.6	-2.4	5.20	0.003	2.000	Pass
			75	Low	7.46	-2.4	5.06	0.003	2.000	Pass
		Q256	1	Low	5.87	-2.4	3.47	0.002	2.000	Pass
			1	Mid	6.12	-2.4	3.72	0.002	2.000	Pass
			1	High	6.28	-2.4	3.88	0.002	2.000	Pass
			36	Low	5.47	-2.4	3.07	0.002	2.000	Pass
			36	Mid	5.57	-2.4	3.17	0.002	2.000	Pass
			36	High	5.64	-2.4	3.24	0.002	2.000	Pass
			75	Low	5.56	-2.4	3.16	0.002	2.000	Pass
	MCH	QPSK	1	Low	10.68	-2.4	8.28	0.007	2.000	Pass
			1	Mid	10.83	-2.4	8.43	0.007	2.000	Pass
			1	High	10.88	-2.4	8.48	0.007	2.000	Pass
			36	Low	9.66	-2.4	7.26	0.005	2.000	Pass
			36	Mid	9.72	-2.4	7.32	0.005	2.000	Pass
			36	High	9.71	-2.4	7.31	0.005	2.000	Pass
			75	Low	9.75	-2.4	7.35	0.005	2.000	Pass
		Q16	1	Low	10.05	-2.4	7.65	0.006	2.000	Pass
			1	Mid	10.17	-2.4	7.77	0.006	2.000	Pass
			1	High	10.22	-2.4	7.82	0.006	2.000	Pass
			36	Low	8.7	-2.4	6.30	0.004	2.000	Pass
			36	Mid	8.78	-2.4	6.38	0.004	2.000	Pass
			36	High	8.77	-2.4	6.37	0.004	2.000	Pass
			75	Low	8.76	-2.4	6.36	0.004	2.000	Pass
		Q64	1	Low	8.82	-2.4	6.42	0.004	2.000	Pass
			1	Mid	8.95	-2.4	6.55	0.005	2.000	Pass
			1	High	8.96	-2.4	6.56	0.005	2.000	Pass
			36	Low	7.73	-2.4	5.33	0.003	2.000	Pass
			36	Mid	7.78	-2.4	5.38	0.003	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			36	High	7.78	-2.4	5.38	0.003	2.000	Pass
			75	Low	7.75	-2.4	5.35	0.003	2.000	Pass
		Q256	1	Low	5.55	-2.4	3.15	0.002	2.000	Pass
			1	Mid	5.68	-2.4	3.28	0.002	2.000	Pass
			1	High	5.61	-2.4	3.21	0.002	2.000	Pass
			36	Low	5.65	-2.4	3.25	0.002	2.000	Pass
			36	Mid	5.69	-2.4	3.29	0.002	2.000	Pass
			36	High	5.68	-2.4	3.28	0.002	2.000	Pass
			75	Low	5.7	-2.4	3.30	0.002	2.000	Pass
	HCH	QPSK	1	Low	10.97	-2.4	8.57	0.007	2.000	Pass
			1	Mid	11.08	-2.4	8.68	0.007	2.000	Pass
			1	High	10.91	-2.4	8.51	0.007	2.000	Pass
			36	Low	10.03	-2.4	7.63	0.006	2.000	Pass
			36	Mid	9.99	-2.4	7.59	0.006	2.000	Pass
			36	High	9.96	-2.4	7.56	0.006	2.000	Pass
			75	Low	9.99	-2.4	7.59	0.006	2.000	Pass
		Q16	1	Low	10.45	-2.4	8.05	0.006	2.000	Pass
			1	Mid	10.41	-2.4	8.01	0.006	2.000	Pass
			1	High	10.28	-2.4	7.88	0.006	2.000	Pass
			36	Low	9.04	-2.4	6.64	0.005	2.000	Pass
			36	Mid	8.95	-2.4	6.55	0.005	2.000	Pass
			36	High	8.94	-2.4	6.54	0.005	2.000	Pass
			75	Low	8.9	-2.4	6.50	0.004	2.000	Pass
		Q64	1	Low	9.57	-2.4	7.17	0.005	2.000	Pass
			1	Mid	9.65	-2.4	7.25	0.005	2.000	Pass
			1	High	9.47	-2.4	7.07	0.005	2.000	Pass
			36	Low	8.01	-2.4	5.61	0.004	2.000	Pass
			36	Mid	7.97	-2.4	5.57	0.004	2.000	Pass
			36	High	7.92	-2.4	5.52	0.004	2.000	Pass
			75	Low	7.92	-2.4	5.52	0.004	2.000	Pass
		Q256	1	Low	6.19	-2.4	3.79	0.002	2.000	Pass
			1	Mid	6.25	-2.4	3.85	0.002	2.000	Pass
			1	High	6.15	-2.4	3.75	0.002	2.000	Pass
			36	Low	5.83	-2.4	3.43	0.002	2.000	Pass
			36	Mid	5.8	-2.4	3.40	0.002	2.000	Pass
			36	High	5.76	-2.4	3.36	0.002	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulati on	UL RB Numb er	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict	
LTE BAND 7											
			75	Low	5.74	-2.4	3.34	0.002	2.000	Pass	
20	LCH	QPSK	1	Low	10.22	-2.4	7.82	0.006	2.000	Pass	
			1	Mid	10.42	-2.4	8.02	0.006	2.000	Pass	
			1	High	10.59	-2.4	8.19	0.007	2.000	Pass	
			50	Low	9.29	-2.4	6.89	0.005	2.000	Pass	
			50	Mid	9.48	-2.4	7.08	0.005	2.000	Pass	
			50	High	9.56	-2.4	7.16	0.005	2.000	Pass	
			100	Low	9.44	-2.4	7.04	0.005	2.000	Pass	
		Q16	1	Low	9.74	-2.4	7.34	0.005	2.000	Pass	
			1	Mid	10.03	-2.4	7.63	0.006	2.000	Pass	
			1	High	10.21	-2.4	7.81	0.006	2.000	Pass	
			50	Low	8.37	-2.4	5.97	0.004	2.000	Pass	
			50	Mid	8.54	-2.4	6.14	0.004	2.000	Pass	
			50	High	8.61	-2.4	6.21	0.004	2.000	Pass	
			100	Low	8.52	-2.4	6.12	0.004	2.000	Pass	
		Q64	1	Low	8.6	-2.4	6.20	0.004	2.000	Pass	
			1	Mid	8.87	-2.4	6.47	0.004	2.000	Pass	
			1	High	8.99	-2.4	6.59	0.005	2.000	Pass	
			50	Low	7.43	-2.4	5.03	0.003	2.000	Pass	
			50	Mid	7.61	-2.4	5.21	0.003	2.000	Pass	
			50	High	7.68	-2.4	5.28	0.003	2.000	Pass	
			100	Low	7.53	-2.4	5.13	0.003	2.000	Pass	
		Q256	1	Low	5.5	-2.4	3.10	0.002	2.000	Pass	
			1	Mid	5.75	-2.4	3.35	0.002	2.000	Pass	
			1	High	5.86	-2.4	3.46	0.002	2.000	Pass	
			50	Low	5.44	-2.4	3.04	0.002	2.000	Pass	
			50	Mid	5.61	-2.4	3.21	0.002	2.000	Pass	
			50	High	5.69	-2.4	3.29	0.002	2.000	Pass	
			100	Low	5.53	-2.4	3.13	0.002	2.000	Pass	
		MCH	QPSK	1	Low	10.65	-2.4	8.25	0.007	2.000	Pass
				1	Mid	10.77	-2.4	8.37	0.007	2.000	Pass
				1	High	10.89	-2.4	8.49	0.007	2.000	Pass
				50	Low	9.71	-2.4	7.31	0.005	2.000	Pass
				50	Mid	9.78	-2.4	7.38	0.005	2.000	Pass
				50	High	9.79	-2.4	7.39	0.005	2.000	Pass
				100	Low	9.79	-2.4	7.39	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
		Q16	1	Low	10.16	-2.4	7.76	0.006	2.000	Pass
			1	Mid	10.22	-2.4	7.82	0.006	2.000	Pass
			1	High	10.37	-2.4	7.97	0.006	2.000	Pass
			50	Low	8.74	-2.4	6.34	0.004	2.000	Pass
			50	Mid	8.79	-2.4	6.39	0.004	2.000	Pass
			50	High	8.81	-2.4	6.41	0.004	2.000	Pass
			100	Low	8.81	-2.4	6.41	0.004	2.000	Pass
		Q64	1	Low	9.36	-2.4	6.96	0.005	2.000	Pass
			1	Mid	9.47	-2.4	7.07	0.005	2.000	Pass
			1	High	9.58	-2.4	7.18	0.005	2.000	Pass
			50	Low	7.75	-2.4	5.35	0.003	2.000	Pass
			50	Mid	7.8	-2.4	5.40	0.003	2.000	Pass
			50	High	7.8	-2.4	5.40	0.003	2.000	Pass
			100	Low	7.77	-2.4	5.37	0.003	2.000	Pass
		Q256	1	Low	5.83	-2.4	3.43	0.002	2.000	Pass
			1	Mid	5.86	-2.4	3.46	0.002	2.000	Pass
			1	High	5.92	-2.4	3.52	0.002	2.000	Pass
			50	Low	5.75	-2.4	3.35	0.002	2.000	Pass
			50	Mid	5.74	-2.4	3.34	0.002	2.000	Pass
			50	High	5.77	-2.4	3.37	0.002	2.000	Pass
			100	Low	5.76	-2.4	3.36	0.002	2.000	Pass
	HCH	QPSK	1	Low	10.9	-2.4	8.50	0.007	2.000	Pass
			1	Mid	11.05	-2.4	8.65	0.007	2.000	Pass
			1	High	10.88	-2.4	8.48	0.007	2.000	Pass
			50	Low	10.11	-2.4	7.71	0.006	2.000	Pass
			50	Mid	10.02	-2.4	7.62	0.006	2.000	Pass
			50	High	9.93	-2.4	7.53	0.006	2.000	Pass
			100	Low	9.95	-2.4	7.55	0.006	2.000	Pass
		Q16	1	Low	10.43	-2.4	8.03	0.006	2.000	Pass
			1	Mid	10.52	-2.4	8.12	0.006	2.000	Pass
			1	High	10.33	-2.4	7.93	0.006	2.000	Pass
			50	Low	9.04	-2.4	6.64	0.005	2.000	Pass
			50	Mid	8.98	-2.4	6.58	0.005	2.000	Pass
			50	High	8.89	-2.4	6.49	0.004	2.000	Pass
			100	Low	8.98	-2.4	6.58	0.005	2.000	Pass
		Q64	1	Low	9.18	-2.4	6.78	0.005	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 7										
			1	Mid	9.29	-2.4	6.89	0.005	2.000	Pass
			1	High	9.11	-2.4	6.71	0.005	2.000	Pass
			50	Low	8.07	-2.4	5.67	0.004	2.000	Pass
			50	Mid	8	-2.4	5.60	0.004	2.000	Pass
			50	High	7.92	-2.4	5.52	0.004	2.000	Pass
			100	Low	7.94	-2.4	5.54	0.004	2.000	Pass
		Q256	1	Low	5.84	-2.4	3.44	0.002	2.000	Pass
			1	Mid	5.83	-2.4	3.43	0.002	2.000	Pass
			1	High	5.64	-2.4	3.24	0.002	2.000	Pass
			50	Low	5.91	-2.4	3.51	0.002	2.000	Pass
			50	Mid	5.82	-2.4	3.42	0.002	2.000	Pass
			50	High	5.73	-2.4	3.33	0.002	2.000	Pass
			100	Low	5.77	-2.4	3.37	0.002	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
1.4	LCH	QPSK	1	Low	24.18	-3.7	-5.85	18.33	0.068	3.000	Pass
			1	Mid	24.15	-3.7	-5.85	18.30	0.068	3.000	Pass
			1	High	24.15	-3.7	-5.85	18.30	0.068	3.000	Pass
			3	Low	24.13	-3.7	-5.85	18.28	0.067	3.000	Pass
			3	Mid	24.12	-3.7	-5.85	18.27	0.067	3.000	Pass
			3	High	24.14	-3.7	-5.85	18.29	0.067	3.000	Pass
		Q16	6	Low	23.13	-3.7	-5.85	17.28	0.053	3.000	Pass
			1	Low	23.19	-3.7	-5.85	17.34	0.054	3.000	Pass
			1	Mid	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			1	High	23.23	-3.7	-5.85	17.38	0.055	3.000	Pass
			3	Low	23.3	-3.7	-5.85	17.45	0.056	3.000	Pass
			3	Mid	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			3	High	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			6	Low	22.29	-3.7	-5.85	16.44	0.044	3.000	Pass
		Q64	1	Low	22.4	-3.7	-5.85	16.55	0.045	3.000	Pass
			1	Mid	22.35	-3.7	-5.85	16.50	0.045	3.000	Pass
			1	High	22.41	-3.7	-5.85	16.56	0.045	3.000	Pass
			3	Low	22.11	-3.7	-5.85	16.26	0.042	3.000	Pass
			3	Mid	22.09	-3.7	-5.85	16.24	0.042	3.000	Pass
			3	High	22.11	-3.7	-5.85	16.26	0.042	3.000	Pass
			6	Low	21.26	-3.7	-5.85	15.41	0.035	3.000	Pass
		Q256	1	Low	19.12	-3.7	-5.85	13.27	0.021	3.000	Pass
			1	Mid	19.11	-3.7	-5.85	13.26	0.021	3.000	Pass
			1	High	19.09	-3.7	-5.85	13.24	0.021	3.000	Pass
			3	Low	19.28	-3.7	-5.85	13.43	0.022	3.000	Pass
			3	Mid	19.25	-3.7	-5.85	13.40	0.022	3.000	Pass
			3	High	19.27	-3.7	-5.85	13.42	0.022	3.000	Pass
			6	Low	19.23	-3.7	-5.85	13.38	0.022	3.000	Pass
	MCH	QPSK	1	Low	24.37	-3.7	-5.85	18.52	0.071	3.000	Pass
			1	Mid	24.27	-3.7	-5.85	18.42	0.070	3.000	Pass
			1	High	24.31	-3.7	-5.85	18.46	0.070	3.000	Pass
			3	Low	24.1	-3.7	-5.85	18.25	0.067	3.000	Pass
			3	Mid	24.1	-3.7	-5.85	18.25	0.067	3.000	Pass
			3	High	24.1	-3.7	-5.85	18.25	0.067	3.000	Pass
			6	Low	23.17	-3.7	-5.85	17.32	0.054	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	23.29	-3.7	-5.85	17.44	0.055	3.000	Pass
			1	Mid	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			1	High	23.32	-3.7	-5.85	17.47	0.056	3.000	Pass
			3	Low	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
			3	Mid	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
			3	High	23.17	-3.7	-5.85	17.32	0.054	3.000	Pass
			6	Low	22.27	-3.7	-5.85	16.42	0.044	3.000	Pass
		Q64	1	Low	22.63	-3.7	-5.85	16.78	0.048	3.000	Pass
			1	Mid	22.68	-3.7	-5.85	16.83	0.048	3.000	Pass
			1	High	22.64	-3.7	-5.85	16.79	0.048	3.000	Pass
			3	Low	22.53	-3.7	-5.85	16.68	0.047	3.000	Pass
			3	Mid	22.54	-3.7	-5.85	16.69	0.047	3.000	Pass
			3	High	22.52	-3.7	-5.85	16.67	0.046	3.000	Pass
			6	Low	21.19	-3.7	-5.85	15.34	0.034	3.000	Pass
		Q256	1	Low	19.37	-3.7	-5.85	13.52	0.022	3.000	Pass
			1	Mid	19.36	-3.7	-5.85	13.51	0.022	3.000	Pass
			1	High	19.36	-3.7	-5.85	13.51	0.022	3.000	Pass
			3	Low	19.31	-3.7	-5.85	13.46	0.022	3.000	Pass
			3	Mid	19.29	-3.7	-5.85	13.44	0.022	3.000	Pass
			3	High	19.29	-3.7	-5.85	13.44	0.022	3.000	Pass
			6	Low	19.28	-3.7	-5.85	13.43	0.022	3.000	Pass
	HCH	QPSK	1	Low	24.2	-3.7	-5.85	18.35	0.068	3.000	Pass
			1	Mid	24.2	-3.7	-5.85	18.35	0.068	3.000	Pass
			1	High	24.19	-3.7	-5.85	18.34	0.068	3.000	Pass
			3	Low	24.16	-3.7	-5.85	18.31	0.068	3.000	Pass
			3	Mid	24.12	-3.7	-5.85	18.27	0.067	3.000	Pass
			3	High	24.13	-3.7	-5.85	18.28	0.067	3.000	Pass
			6	Low	23.16	-3.7	-5.85	17.31	0.054	3.000	Pass
		Q16	1	Low	23.56	-3.7	-5.85	17.71	0.059	3.000	Pass
			1	Mid	23.47	-3.7	-5.85	17.62	0.058	3.000	Pass
			1	High	23.54	-3.7	-5.85	17.69	0.059	3.000	Pass
			3	Low	23.3	-3.7	-5.85	17.45	0.056	3.000	Pass
			3	Mid	23.27	-3.7	-5.85	17.42	0.055	3.000	Pass
			3	High	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			6	Low	22.04	-3.7	-5.85	16.19	0.042	3.000	Pass
		Q64	1	Low	22.33	-3.7	-5.85	16.48	0.044	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	22.32	-3.7	-5.85	16.47	0.044	3.000	Pass
			1	High	22.29	-3.7	-5.85	16.44	0.044	3.000	Pass
			3	Low	22.3	-3.7	-5.85	16.45	0.044	3.000	Pass
			3	Mid	22.27	-3.7	-5.85	16.42	0.044	3.000	Pass
			3	High	22.27	-3.7	-5.85	16.42	0.044	3.000	Pass
			6	Low	21.44	-3.7	-5.85	15.59	0.036	3.000	Pass
		Q256	1	Low	19.09	-3.7	-5.85	13.24	0.021	3.000	Pass
			1	Mid	19.07	-3.7	-5.85	13.22	0.021	3.000	Pass
			1	High	19.12	-3.7	-5.85	13.27	0.021	3.000	Pass
			3	Low	19.26	-3.7	-5.85	13.41	0.022	3.000	Pass
			3	Mid	19.25	-3.7	-5.85	13.40	0.022	3.000	Pass
			3	High	19.25	-3.7	-5.85	13.40	0.022	3.000	Pass
			6	Low	19.25	-3.7	-5.85	13.40	0.022	3.000	Pass
3	LCH	QPSK	1	Low	24.19	-3.7	-5.85	18.34	0.068	3.000	Pass
			1	Mid	24.21	-3.7	-5.85	18.36	0.069	3.000	Pass
			1	High	24.25	-3.7	-5.85	18.40	0.069	3.000	Pass
			8	Low	23.23	-3.7	-5.85	17.38	0.055	3.000	Pass
			8	Mid	23.19	-3.7	-5.85	17.34	0.054	3.000	Pass
			8	High	23.21	-3.7	-5.85	17.36	0.054	3.000	Pass
			15	Low	23.21	-3.7	-5.85	17.36	0.054	3.000	Pass
		Q16	1	Low	23.03	-3.7	-5.85	17.18	0.052	3.000	Pass
			1	Mid	23.01	-3.7	-5.85	17.16	0.052	3.000	Pass
			1	High	23.01	-3.7	-5.85	17.16	0.052	3.000	Pass
			8	Low	22.3	-3.7	-5.85	16.45	0.044	3.000	Pass
			8	Mid	22.29	-3.7	-5.85	16.44	0.044	3.000	Pass
			8	High	22.31	-3.7	-5.85	16.46	0.044	3.000	Pass
			15	Low	22.24	-3.7	-5.85	16.39	0.044	3.000	Pass
		Q64	1	Low	22.49	-3.7	-5.85	16.64	0.046	3.000	Pass
			1	Mid	22.49	-3.7	-5.85	16.64	0.046	3.000	Pass
			1	High	22.48	-3.7	-5.85	16.63	0.046	3.000	Pass
			8	Low	21.28	-3.7	-5.85	15.43	0.035	3.000	Pass
			8	Mid	21.28	-3.7	-5.85	15.43	0.035	3.000	Pass
			8	High	21.28	-3.7	-5.85	15.43	0.035	3.000	Pass
			15	Low	21.18	-3.7	-5.85	15.33	0.034	3.000	Pass
		Q256	1	Low	19.78	-3.7	-5.85	13.93	0.025	3.000	Pass
			1	Mid	19.77	-3.7	-5.85	13.92	0.025	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
	MCH		1	High	19.72	-3.7	-5.85	13.87	0.024	3.000	Pass
			8	Low	19.31	-3.7	-5.85	13.46	0.022	3.000	Pass
			8	Mid	19.32	-3.7	-5.85	13.47	0.022	3.000	Pass
			8	High	19.31	-3.7	-5.85	13.46	0.022	3.000	Pass
			15	Low	19.26	-3.7	-5.85	13.41	0.022	3.000	Pass
		QPSK	1	Low	24.35	-3.7	-5.85	18.50	0.071	3.000	Pass
			1	Mid	24.32	-3.7	-5.85	18.47	0.070	3.000	Pass
			1	High	24.28	-3.7	-5.85	18.43	0.070	3.000	Pass
			8	Low	23.23	-3.7	-5.85	17.38	0.055	3.000	Pass
			8	Mid	23.22	-3.7	-5.85	17.37	0.055	3.000	Pass
			8	High	23.22	-3.7	-5.85	17.37	0.055	3.000	Pass
			15	Low	23.21	-3.7	-5.85	17.36	0.054	3.000	Pass
		Q16	1	Low	23.63	-3.7	-5.85	17.78	0.060	3.000	Pass
			1	Mid	23.6	-3.7	-5.85	17.75	0.060	3.000	Pass
			1	High	23.59	-3.7	-5.85	17.74	0.059	3.000	Pass
			8	Low	22.32	-3.7	-5.85	16.47	0.044	3.000	Pass
			8	Mid	22.31	-3.7	-5.85	16.46	0.044	3.000	Pass
			8	High	22.31	-3.7	-5.85	16.46	0.044	3.000	Pass
			15	Low	22.29	-3.7	-5.85	16.44	0.044	3.000	Pass
		Q64	1	Low	22.39	-3.7	-5.85	16.54	0.045	3.000	Pass
			1	Mid	22.37	-3.7	-5.85	16.52	0.045	3.000	Pass
			1	High	22.37	-3.7	-5.85	16.52	0.045	3.000	Pass
			8	Low	21.31	-3.7	-5.85	15.46	0.035	3.000	Pass
			8	Mid	21.3	-3.7	-5.85	15.45	0.035	3.000	Pass
			8	High	21.3	-3.7	-5.85	15.45	0.035	3.000	Pass
			15	Low	21.27	-3.7	-5.85	15.42	0.035	3.000	Pass
		Q256	1	Low	19.2	-3.7	-5.85	13.35	0.022	3.000	Pass
			1	Mid	19.18	-3.7	-5.85	13.33	0.022	3.000	Pass
			1	High	19.11	-3.7	-5.85	13.26	0.021	3.000	Pass
			8	Low	19.28	-3.7	-5.85	13.43	0.022	3.000	Pass
			8	Mid	19.26	-3.7	-5.85	13.41	0.022	3.000	Pass
			8	High	19.24	-3.7	-5.85	13.39	0.022	3.000	Pass
			15	Low	19.33	-3.7	-5.85	13.48	0.022	3.000	Pass
	HCH	QPSK	1	Low	24.23	-3.7	-5.85	18.38	0.069	3.000	Pass
			1	Mid	24.22	-3.7	-5.85	18.37	0.069	3.000	Pass
			1	High	24.17	-3.7	-5.85	18.32	0.068	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			8	Low	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
			8	Mid	23.18	-3.7	-5.85	17.33	0.054	3.000	Pass
			8	High	23.17	-3.7	-5.85	17.32	0.054	3.000	Pass
			15	Low	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
		Q16	1	Low	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			1	Mid	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
			1	High	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
			8	Low	22.3	-3.7	-5.85	16.45	0.044	3.000	Pass
			8	Mid	22.29	-3.7	-5.85	16.44	0.044	3.000	Pass
			8	High	22.25	-3.7	-5.85	16.40	0.044	3.000	Pass
			15	Low	22.19	-3.7	-5.85	16.34	0.043	3.000	Pass
		Q64	1	Low	22.46	-3.7	-5.85	16.61	0.046	3.000	Pass
			1	Mid	22.41	-3.7	-5.85	16.56	0.045	3.000	Pass
			1	High	22.36	-3.7	-5.85	16.51	0.045	3.000	Pass
			8	Low	21.18	-3.7	-5.85	15.33	0.034	3.000	Pass
			8	Mid	21.14	-3.7	-5.85	15.29	0.034	3.000	Pass
			8	High	21.12	-3.7	-5.85	15.27	0.034	3.000	Pass
			15	Low	21.28	-3.7	-5.85	15.43	0.035	3.000	Pass
		Q256	1	Low	19.09	-3.7	-5.85	13.24	0.021	3.000	Pass
			1	Mid	19.08	-3.7	-5.85	13.23	0.021	3.000	Pass
			1	High	19.1	-3.7	-5.85	13.25	0.021	3.000	Pass
			8	Low	19.34	-3.7	-5.85	13.49	0.022	3.000	Pass
			8	Mid	19.31	-3.7	-5.85	13.46	0.022	3.000	Pass
			8	High	19.3	-3.7	-5.85	13.45	0.022	3.000	Pass
			15	Low	19.29	-3.7	-5.85	13.44	0.022	3.000	Pass
5	LCH	QPSK	1	Low	24.38	-3.7	-5.85	18.53	0.071	3.000	Pass
			1	Mid	24.37	-3.7	-5.85	18.52	0.071	3.000	Pass
			1	High	24.42	-3.7	-5.85	18.57	0.072	3.000	Pass
			12	Low	23.22	-3.7	-5.85	17.37	0.055	3.000	Pass
			12	Mid	23.21	-3.7	-5.85	17.36	0.054	3.000	Pass
			12	High	23.23	-3.7	-5.85	17.38	0.055	3.000	Pass
			25	Low	23.26	-3.7	-5.85	17.41	0.055	3.000	Pass
		Q16	1	Low	23.38	-3.7	-5.85	17.53	0.057	3.000	Pass
			1	Mid	23.39	-3.7	-5.85	17.54	0.057	3.000	Pass
			1	High	23.45	-3.7	-5.85	17.60	0.058	3.000	Pass
			12	Low	22.3	-3.7	-5.85	16.45	0.044	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	Mid	22.28	-3.7	-5.85	16.43	0.044	3.000	Pass
			12	High	22.34	-3.7	-5.85	16.49	0.045	3.000	Pass
			25	Low	22.28	-3.7	-5.85	16.43	0.044	3.000	Pass
		Q64	1	Low	22.18	-3.7	-5.85	16.33	0.043	3.000	Pass
			1	Mid	22.14	-3.7	-5.85	16.29	0.043	3.000	Pass
			1	High	22.25	-3.7	-5.85	16.40	0.044	3.000	Pass
			12	Low	21.29	-3.7	-5.85	15.44	0.035	3.000	Pass
			12	Mid	21.27	-3.7	-5.85	15.42	0.035	3.000	Pass
			12	High	21.29	-3.7	-5.85	15.44	0.035	3.000	Pass
			25	Low	21.25	-3.7	-5.85	15.40	0.035	3.000	Pass
		Q256	1	Low	18.9	-3.7	-5.85	13.05	0.020	3.000	Pass
			1	Mid	18.9	-3.7	-5.85	13.05	0.020	3.000	Pass
			1	High	18.97	-3.7	-5.85	13.12	0.021	3.000	Pass
			12	Low	19.26	-3.7	-5.85	13.41	0.022	3.000	Pass
			12	Mid	19.24	-3.7	-5.85	13.39	0.022	3.000	Pass
			12	High	19.26	-3.7	-5.85	13.41	0.022	3.000	Pass
			25	Low	19.3	-3.7	-5.85	13.45	0.022	3.000	Pass
	MCH	QPSK	1	Low	24.37	-3.7	-5.85	18.52	0.071	3.000	Pass
			1	Mid	24.32	-3.7	-5.85	18.47	0.070	3.000	Pass
			1	High	24.29	-3.7	-5.85	18.44	0.070	3.000	Pass
			12	Low	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			12	Mid	23.25	-3.7	-5.85	17.40	0.055	3.000	Pass
			12	High	23.27	-3.7	-5.85	17.42	0.055	3.000	Pass
			25	Low	23.29	-3.7	-5.85	17.44	0.055	3.000	Pass
		Q16	1	Low	23.82	-3.7	-5.85	17.97	0.063	3.000	Pass
			1	Mid	23.81	-3.7	-5.85	17.96	0.063	3.000	Pass
			1	High	23.82	-3.7	-5.85	17.97	0.063	3.000	Pass
			12	Low	22.45	-3.7	-5.85	16.60	0.046	3.000	Pass
			12	Mid	22.41	-3.7	-5.85	16.56	0.045	3.000	Pass
			12	High	22.4	-3.7	-5.85	16.55	0.045	3.000	Pass
			25	Low	22.34	-3.7	-5.85	16.49	0.045	3.000	Pass
		Q64	1	Low	22.6	-3.7	-5.85	16.75	0.047	3.000	Pass
			1	Mid	22.6	-3.7	-5.85	16.75	0.047	3.000	Pass
			1	High	22.55	-3.7	-5.85	16.70	0.047	3.000	Pass
			12	Low	21.26	-3.7	-5.85	15.41	0.035	3.000	Pass
			12	Mid	21.22	-3.7	-5.85	15.37	0.034	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			12	High	21.25	-3.7	-5.85	15.40	0.035	3.000	Pass
			25	Low	21.25	-3.7	-5.85	15.40	0.035	3.000	Pass
		Q256	1	Low	19.52	-3.7	-5.85	13.67	0.023	3.000	Pass
			1	Mid	19.49	-3.7	-5.85	13.64	0.023	3.000	Pass
			1	High	19.49	-3.7	-5.85	13.64	0.023	3.000	Pass
			12	Low	19.39	-3.7	-5.85	13.54	0.023	3.000	Pass
			12	Mid	19.37	-3.7	-5.85	13.52	0.022	3.000	Pass
			12	High	19.35	-3.7	-5.85	13.50	0.022	3.000	Pass
			25	Low	19.33	-3.7	-5.85	13.48	0.022	3.000	Pass
	HCH	QPSK	1	Low	24.39	-3.7	-5.85	18.54	0.071	3.000	Pass
			1	Mid	24.36	-3.7	-5.85	18.51	0.071	3.000	Pass
			1	High	24.34	-3.7	-5.85	18.49	0.071	3.000	Pass
			12	Low	23.26	-3.7	-5.85	17.41	0.055	3.000	Pass
			12	Mid	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			12	High	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
			25	Low	23.29	-3.7	-5.85	17.44	0.055	3.000	Pass
		Q16	1	Low	23.36	-3.7	-5.85	17.51	0.056	3.000	Pass
			1	Mid	23.33	-3.7	-5.85	17.48	0.056	3.000	Pass
			1	High	23.3	-3.7	-5.85	17.45	0.056	3.000	Pass
			12	Low	22.32	-3.7	-5.85	16.47	0.044	3.000	Pass
			12	Mid	22.3	-3.7	-5.85	16.45	0.044	3.000	Pass
			12	High	22.28	-3.7	-5.85	16.43	0.044	3.000	Pass
			25	Low	22.23	-3.7	-5.85	16.38	0.043	3.000	Pass
		Q64	1	Low	22.48	-3.7	-5.85	16.63	0.046	3.000	Pass
			1	Mid	22.5	-3.7	-5.85	16.65	0.046	3.000	Pass
			1	High	22.46	-3.7	-5.85	16.61	0.046	3.000	Pass
			12	Low	21.32	-3.7	-5.85	15.47	0.035	3.000	Pass
			12	Mid	21.32	-3.7	-5.85	15.47	0.035	3.000	Pass
			12	High	21.27	-3.7	-5.85	15.42	0.035	3.000	Pass
			25	Low	21.28	-3.7	-5.85	15.43	0.035	3.000	Pass
		Q256	1	Low	19.25	-3.7	-5.85	13.40	0.022	3.000	Pass
			1	Mid	19.23	-3.7	-5.85	13.38	0.022	3.000	Pass
			1	High	19.23	-3.7	-5.85	13.38	0.022	3.000	Pass
			12	Low	19.39	-3.7	-5.85	13.54	0.023	3.000	Pass
			12	Mid	19.38	-3.7	-5.85	13.53	0.023	3.000	Pass
			12	High	19.33	-3.7	-5.85	13.48	0.022	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
10	LCH	QPSK	25	Low	19.37	-3.7	-5.85	13.52	0.022	3.000	Pass
			1	Low	24.26	-3.7	-5.85	18.41	0.069	3.000	Pass
			1	Mid	24.3	-3.7	-5.85	18.45	0.070	3.000	Pass
			1	High	24.3	-3.7	-5.85	18.45	0.070	3.000	Pass
			25	Low	23.19	-3.7	-5.85	17.34	0.054	3.000	Pass
			25	Mid	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			25	High	23.22	-3.7	-5.85	17.37	0.055	3.000	Pass
			50	Low	23.22	-3.7	-5.85	17.37	0.055	3.000	Pass
		Q16	1	Low	23.14	-3.7	-5.85	17.29	0.054	3.000	Pass
			1	Mid	23.13	-3.7	-5.85	17.28	0.053	3.000	Pass
			1	High	23.14	-3.7	-5.85	17.29	0.054	3.000	Pass
			25	Low	22.22	-3.7	-5.85	16.37	0.043	3.000	Pass
			25	Mid	22.25	-3.7	-5.85	16.40	0.044	3.000	Pass
			25	High	22.23	-3.7	-5.85	16.38	0.043	3.000	Pass
			50	Low	22.19	-3.7	-5.85	16.34	0.043	3.000	Pass
		Q64	1	Low	22.52	-3.7	-5.85	16.67	0.046	3.000	Pass
			1	Mid	22.54	-3.7	-5.85	16.69	0.047	3.000	Pass
			1	High	22.52	-3.7	-5.85	16.67	0.046	3.000	Pass
			25	Low	21.24	-3.7	-5.85	15.39	0.035	3.000	Pass
			25	Mid	21.28	-3.7	-5.85	15.43	0.035	3.000	Pass
			25	High	21.27	-3.7	-5.85	15.42	0.035	3.000	Pass
			50	Low	21.23	-3.7	-5.85	15.38	0.035	3.000	Pass
		Q256	1	Low	19.86	-3.7	-5.85	14.01	0.025	3.000	Pass
			1	Mid	19.84	-3.7	-5.85	13.99	0.025	3.000	Pass
			1	High	19.84	-3.7	-5.85	13.99	0.025	3.000	Pass
			25	Low	19.27	-3.7	-5.85	13.42	0.022	3.000	Pass
			25	Mid	19.29	-3.7	-5.85	13.44	0.022	3.000	Pass
			25	High	19.27	-3.7	-5.85	13.42	0.022	3.000	Pass
			50	Low	19.26	-3.7	-5.85	13.41	0.022	3.000	Pass
	MCH	QPSK	1	Low	24.32	-3.7	-5.85	18.47	0.070	3.000	Pass
			1	Mid	24.3	-3.7	-5.85	18.45	0.070	3.000	Pass
			1	High	24.3	-3.7	-5.85	18.45	0.070	3.000	Pass
			25	Low	23.25	-3.7	-5.85	17.40	0.055	3.000	Pass
			25	Mid	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			25	High	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			50	Low	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
		Q16	1	Low	23.63	-3.7	-5.85	17.78	0.060	3.000	Pass
			1	Mid	23.6	-3.7	-5.85	17.75	0.060	3.000	Pass
			1	High	23.6	-3.7	-5.85	17.75	0.060	3.000	Pass
			25	Low	22.31	-3.7	-5.85	16.46	0.044	3.000	Pass
			25	Mid	22.27	-3.7	-5.85	16.42	0.044	3.000	Pass
			25	High	22.26	-3.7	-5.85	16.41	0.044	3.000	Pass
			50	Low	22.29	-3.7	-5.85	16.44	0.044	3.000	Pass
		Q64	1	Low	22.43	-3.7	-5.85	16.58	0.045	3.000	Pass
			1	Mid	22.42	-3.7	-5.85	16.57	0.045	3.000	Pass
			1	High	22.39	-3.7	-5.85	16.54	0.045	3.000	Pass
			25	Low	21.34	-3.7	-5.85	15.49	0.035	3.000	Pass
			25	Mid	21.32	-3.7	-5.85	15.47	0.035	3.000	Pass
			25	High	21.32	-3.7	-5.85	15.47	0.035	3.000	Pass
			50	Low	21.3	-3.7	-5.85	15.45	0.035	3.000	Pass
		Q256	1	Low	19.18	-3.7	-5.85	13.33	0.022	3.000	Pass
			1	Mid	19.12	-3.7	-5.85	13.27	0.021	3.000	Pass
			1	High	19.14	-3.7	-5.85	13.29	0.021	3.000	Pass
			25	Low	19.33	-3.7	-5.85	13.48	0.022	3.000	Pass
			25	Mid	19.31	-3.7	-5.85	13.46	0.022	3.000	Pass
			25	High	19.3	-3.7	-5.85	13.45	0.022	3.000	Pass
			50	Low	19.29	-3.7	-5.85	13.44	0.022	3.000	Pass
	HCH	QPSK	1	Low	24.34	-3.7	-5.85	18.49	0.071	3.000	Pass
			1	Mid	24.25	-3.7	-5.85	18.40	0.069	3.000	Pass
			1	High	24.22	-3.7	-5.85	18.37	0.069	3.000	Pass
			25	Low	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			25	Mid	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			25	High	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
			50	Low	23.21	-3.7	-5.85	17.36	0.054	3.000	Pass
		Q16	1	Low	23.34	-3.7	-5.85	17.49	0.056	3.000	Pass
			1	Mid	23.25	-3.7	-5.85	17.40	0.055	3.000	Pass
			1	High	23.23	-3.7	-5.85	17.38	0.055	3.000	Pass
			25	Low	22.34	-3.7	-5.85	16.49	0.045	3.000	Pass
			25	Mid	22.34	-3.7	-5.85	16.49	0.045	3.000	Pass
			25	High	22.28	-3.7	-5.85	16.43	0.044	3.000	Pass
			50	Low	22.24	-3.7	-5.85	16.39	0.044	3.000	Pass
		Q64	1	Low	22.51	-3.7	-5.85	16.66	0.046	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	Antenn a Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 12											
			1	Mid	22.42	-3.7	-5.85	16.57	0.045	3.000	Pass
			1	High	22.38	-3.7	-5.85	16.53	0.045	3.000	Pass
			25	Low	21.32	-3.7	-5.85	15.47	0.035	3.000	Pass
			25	Mid	21.34	-3.7	-5.85	15.49	0.035	3.000	Pass
			25	High	21.29	-3.7	-5.85	15.44	0.035	3.000	Pass
			50	Low	21.21	-3.7	-5.85	15.36	0.034	3.000	Pass
		Q256	1	Low	19.18	-3.7	-5.85	13.33	0.022	3.000	Pass
			1	Mid	19.11	-3.7	-5.85	13.26	0.021	3.000	Pass
			1	High	19.12	-3.7	-5.85	13.27	0.021	3.000	Pass
			25	Low	19.37	-3.7	-5.85	13.52	0.022	3.000	Pass
			25	Mid	19.38	-3.7	-5.85	13.53	0.023	3.000	Pass
			25	High	19.32	-3.7	-5.85	13.47	0.022	3.000	Pass
			50	Low	19.24	-3.7	-5.85	13.39	0.022	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
5	LCH	QPSK	1	Low	24.18	-3.7	-5.85	18.33	0.068	3.000	Pass
			1	Mid	24.25	-3.7	-5.85	18.40	0.069	3.000	Pass
			1	High	24.26	-3.7	-5.85	18.41	0.069	3.000	Pass
			12	Low	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			12	Mid	23.1	-3.7	-5.85	17.25	0.053	3.000	Pass
			12	High	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			25	Low	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
		Q16	1	Low	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			1	Mid	23.31	-3.7	-5.85	17.46	0.056	3.000	Pass
			1	High	23.35	-3.7	-5.85	17.50	0.056	3.000	Pass
			12	Low	22.11	-3.7	-5.85	16.26	0.042	3.000	Pass
			12	Mid	22.11	-3.7	-5.85	16.26	0.042	3.000	Pass
			12	High	22.13	-3.7	-5.85	16.28	0.042	3.000	Pass
			25	Low	22.1	-3.7	-5.85	16.25	0.042	3.000	Pass
		Q64	1	Low	21.95	-3.7	-5.85	16.10	0.041	3.000	Pass
			1	Mid	22.01	-3.7	-5.85	16.16	0.041	3.000	Pass
			1	High	22.02	-3.7	-5.85	16.17	0.041	3.000	Pass
			12	Low	21.1	-3.7	-5.85	15.25	0.033	3.000	Pass
			12	Mid	21.12	-3.7	-5.85	15.27	0.034	3.000	Pass
			12	High	21.12	-3.7	-5.85	15.27	0.034	3.000	Pass
			25	Low	21.05	-3.7	-5.85	15.20	0.033	3.000	Pass
		Q256	1	Low	18.66	-3.7	-5.85	12.81	0.019	3.000	Pass
			1	Mid	18.76	-3.7	-5.85	12.91	0.020	3.000	Pass
			1	High	18.73	-3.7	-5.85	12.88	0.019	3.000	Pass
			12	Low	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			12	Mid	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			12	High	19.06	-3.7	-5.85	13.21	0.021	3.000	Pass
			25	Low	19.08	-3.7	-5.85	13.23	0.021	3.000	Pass
	MCH	QPSK	1	Low	24.17	-3.7	-5.85	18.32	0.068	3.000	Pass
			1	Mid	24.17	-3.7	-5.85	18.32	0.068	3.000	Pass
			1	High	24.2	-3.7	-5.85	18.35	0.068	3.000	Pass
			12	Low	23.14	-3.7	-5.85	17.29	0.054	3.000	Pass
			12	Mid	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			12	High	23.14	-3.7	-5.85	17.29	0.054	3.000	Pass
			25	Low	23.19	-3.7	-5.85	17.34	0.054	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
		Q16	1	Low	23.7	-3.7	-5.85	17.85	0.061	3.000	Pass
			1	Mid	23.74	-3.7	-5.85	17.89	0.062	3.000	Pass
			1	High	23.75	-3.7	-5.85	17.90	0.062	3.000	Pass
			12	Low	22.22	-3.7	-5.85	16.37	0.043	3.000	Pass
			12	Mid	22.2	-3.7	-5.85	16.35	0.043	3.000	Pass
			12	High	22.23	-3.7	-5.85	16.38	0.043	3.000	Pass
			25	Low	22.18	-3.7	-5.85	16.33	0.043	3.000	Pass
		Q64	1	Low	22.38	-3.7	-5.85	16.53	0.045	3.000	Pass
			1	Mid	22.41	-3.7	-5.85	16.56	0.045	3.000	Pass
			1	High	22.43	-3.7	-5.85	16.58	0.045	3.000	Pass
			12	Low	21.06	-3.7	-5.85	15.21	0.033	3.000	Pass
			12	Mid	21.07	-3.7	-5.85	15.22	0.033	3.000	Pass
			12	High	21.05	-3.7	-5.85	15.20	0.033	3.000	Pass
			25	Low	21.08	-3.7	-5.85	15.23	0.033	3.000	Pass
		Q256	1	Low	19.31	-3.7	-5.85	13.46	0.022	3.000	Pass
			1	Mid	19.27	-3.7	-5.85	13.42	0.022	3.000	Pass
			1	High	19.29	-3.7	-5.85	13.44	0.022	3.000	Pass
			12	Low	19.16	-3.7	-5.85	13.31	0.021	3.000	Pass
			12	Mid	19.17	-3.7	-5.85	13.32	0.021	3.000	Pass
			12	High	19.15	-3.7	-5.85	13.30	0.021	3.000	Pass
			25	Low	19.13	-3.7	-5.85	13.28	0.021	3.000	Pass
	HCH	QPSK	1	Low	24.25	-3.7	-5.85	18.40	0.069	3.000	Pass
			1	Mid	24.28	-3.7	-5.85	18.43	0.070	3.000	Pass
			1	High	24.3	-3.7	-5.85	18.45	0.070	3.000	Pass
			12	Low	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
			12	Mid	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
			12	High	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
			25	Low	23.2	-3.7	-5.85	17.35	0.054	3.000	Pass
		Q16	1	Low	23.26	-3.7	-5.85	17.41	0.055	3.000	Pass
			1	Mid	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			1	High	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			12	Low	22.18	-3.7	-5.85	16.33	0.043	3.000	Pass
			12	Mid	22.15	-3.7	-5.85	16.30	0.043	3.000	Pass
			12	High	22.16	-3.7	-5.85	16.31	0.043	3.000	Pass
			25	Low	22.07	-3.7	-5.85	16.22	0.042	3.000	Pass
		Q64	1	Low	22.31	-3.7	-5.85	16.46	0.044	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	Mid	22.33	-3.7	-5.85	16.48	0.044	3.000	Pass
			1	High	22.36	-3.7	-5.85	16.51	0.045	3.000	Pass
			12	Low	21.17	-3.7	-5.85	15.32	0.034	3.000	Pass
			12	Mid	21.16	-3.7	-5.85	15.31	0.034	3.000	Pass
			12	High	21.14	-3.7	-5.85	15.29	0.034	3.000	Pass
			25	Low	21.14	-3.7	-5.85	15.29	0.034	3.000	Pass
		Q256	1	Low	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			1	Mid	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			1	High	19.08	-3.7	-5.85	13.23	0.021	3.000	Pass
			12	Low	19.21	-3.7	-5.85	13.36	0.022	3.000	Pass
			12	Mid	19.21	-3.7	-5.85	13.36	0.022	3.000	Pass
			12	High	19.2	-3.7	-5.85	13.35	0.022	3.000	Pass
			25	Low	19.17	-3.7	-5.85	13.32	0.021	3.000	Pass
10	MCH	QPSK	1	Low	24.18	-3.7	-5.85	18.33	0.068	3.000	Pass
			1	Mid	24.25	-3.7	-5.85	18.40	0.069	3.000	Pass
			1	High	24.26	-3.7	-5.85	18.41	0.069	3.000	Pass
			25	Low	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			25	Mid	23.1	-3.7	-5.85	17.25	0.053	3.000	Pass
			25	High	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			50	Low	23.15	-3.7	-5.85	17.30	0.054	3.000	Pass
		Q16	1	Low	23.24	-3.7	-5.85	17.39	0.055	3.000	Pass
			1	Mid	23.31	-3.7	-5.85	17.46	0.056	3.000	Pass
			1	High	23.35	-3.7	-5.85	17.50	0.056	3.000	Pass
			25	Low	22.11	-3.7	-5.85	16.26	0.042	3.000	Pass
			25	Mid	22.11	-3.7	-5.85	16.26	0.042	3.000	Pass
			25	High	22.13	-3.7	-5.85	16.28	0.042	3.000	Pass
			50	Low	22.1	-3.7	-5.85	16.25	0.042	3.000	Pass
		Q64	1	Low	21.95	-3.7	-5.85	16.10	0.041	3.000	Pass
			1	Mid	22.01	-3.7	-5.85	16.16	0.041	3.000	Pass
			1	High	22.02	-3.7	-5.85	16.17	0.041	3.000	Pass
			25	Low	21.1	-3.7	-5.85	15.25	0.033	3.000	Pass
			25	Mid	21.12	-3.7	-5.85	15.27	0.034	3.000	Pass
			25	High	21.12	-3.7	-5.85	15.27	0.034	3.000	Pass
			50	Low	21.05	-3.7	-5.85	15.20	0.033	3.000	Pass
		Q256	1	Low	18.66	-3.7	-5.85	12.81	0.019	3.000	Pass
			1	Mid	18.76	-3.7	-5.85	12.91	0.020	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 13											
			1	High	18.73	-3.7	-5.85	12.88	0.019	3.000	Pass
			25	Low	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			25	Mid	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			25	High	19.06	-3.7	-5.85	13.21	0.021	3.000	Pass
			50	Low	19.08	-3.7	-5.85	13.23	0.021	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
5	LCH	QPSK	1	Low	24.12	-3.7	-5.85	18.27	0.067	3.000	Pass
			1	Mid	24.08	-3.7	-5.85	18.23	0.067	3.000	Pass
			1	High	24.04	-3.7	-5.85	18.19	0.066	3.000	Pass
			12	Low	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
			12	Mid	22.91	-3.7	-5.85	17.06	0.051	3.000	Pass
			12	High	22.88	-3.7	-5.85	17.03	0.050	3.000	Pass
			25	Low	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
		Q16	1	Low	23.08	-3.7	-5.85	17.23	0.053	3.000	Pass
			1	Mid	23.06	-3.7	-5.85	17.21	0.053	3.000	Pass
			1	High	23.03	-3.7	-5.85	17.18	0.052	3.000	Pass
			12	Low	22	-3.7	-5.85	16.15	0.041	3.000	Pass
			12	Mid	21.98	-3.7	-5.85	16.13	0.041	3.000	Pass
			12	High	21.96	-3.7	-5.85	16.11	0.041	3.000	Pass
			25	Low	21.96	-3.7	-5.85	16.11	0.041	3.000	Pass
		Q64	1	Low	21.86	-3.7	-5.85	16.01	0.040	3.000	Pass
			1	Mid	21.83	-3.7	-5.85	15.98	0.040	3.000	Pass
			1	High	21.82	-3.7	-5.85	15.97	0.040	3.000	Pass
			12	Low	21	-3.7	-5.85	15.15	0.033	3.000	Pass
			12	Mid	20.98	-3.7	-5.85	15.13	0.033	3.000	Pass
			12	High	20.95	-3.7	-5.85	15.10	0.032	3.000	Pass
			25	Low	20.95	-3.7	-5.85	15.10	0.032	3.000	Pass
		Q256	1	Low	18.63	-3.7	-5.85	12.78	0.019	3.000	Pass
			1	Mid	18.71	-3.7	-5.85	12.86	0.019	3.000	Pass
			1	High	18.64	-3.7	-5.85	12.79	0.019	3.000	Pass
			12	Low	19.01	-3.7	-5.85	13.16	0.021	3.000	Pass
			12	Mid	18.98	-3.7	-5.85	13.13	0.021	3.000	Pass
			12	High	18.97	-3.7	-5.85	13.12	0.021	3.000	Pass
			25	Low	19.06	-3.7	-5.85	13.21	0.021	3.000	Pass
	MCH	QPSK	1	Low	24	-3.7	-5.85	18.15	0.065	3.000	Pass
			1	Mid	23.97	-3.7	-5.85	18.12	0.065	3.000	Pass
			1	High	24.02	-3.7	-5.85	18.17	0.066	3.000	Pass
			12	Low	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
			12	Mid	22.91	-3.7	-5.85	17.06	0.051	3.000	Pass
			12	High	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
			25	Low	22.94	-3.7	-5.85	17.09	0.051	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
		Q16	1	Low	23.43	-3.7	-5.85	17.58	0.057	3.000	Pass
			1	Mid	23.44	-3.7	-5.85	17.59	0.057	3.000	Pass
			1	High	23.47	-3.7	-5.85	17.62	0.058	3.000	Pass
			12	Low	22.06	-3.7	-5.85	16.21	0.042	3.000	Pass
			12	Mid	22.06	-3.7	-5.85	16.21	0.042	3.000	Pass
			12	High	22.05	-3.7	-5.85	16.20	0.042	3.000	Pass
			25	Low	22.01	-3.7	-5.85	16.16	0.041	3.000	Pass
		Q64	1	Low	22.21	-3.7	-5.85	16.36	0.043	3.000	Pass
			1	Mid	22.21	-3.7	-5.85	16.36	0.043	3.000	Pass
			1	High	22.24	-3.7	-5.85	16.39	0.044	3.000	Pass
			12	Low	20.88	-3.7	-5.85	15.03	0.032	3.000	Pass
			12	Mid	20.87	-3.7	-5.85	15.02	0.032	3.000	Pass
			12	High	20.84	-3.7	-5.85	14.99	0.032	3.000	Pass
			25	Low	20.91	-3.7	-5.85	15.06	0.032	3.000	Pass
		Q256	1	Low	19.23	-3.7	-5.85	13.38	0.022	3.000	Pass
			1	Mid	19.22	-3.7	-5.85	13.37	0.022	3.000	Pass
			1	High	19.14	-3.7	-5.85	13.29	0.021	3.000	Pass
			12	Low	19.09	-3.7	-5.85	13.24	0.021	3.000	Pass
			12	Mid	19.06	-3.7	-5.85	13.21	0.021	3.000	Pass
			12	High	19.03	-3.7	-5.85	13.18	0.021	3.000	Pass
			25	Low	19.01	-3.7	-5.85	13.16	0.021	3.000	Pass
	HCH	QPSK	1	Low	24.06	-3.7	-5.85	18.21	0.066	3.000	Pass
			1	Mid	24.1	-3.7	-5.85	18.25	0.067	3.000	Pass
			1	High	24.1	-3.7	-5.85	18.25	0.067	3.000	Pass
			12	Low	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
			12	Mid	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
			12	High	22.88	-3.7	-5.85	17.03	0.050	3.000	Pass
			25	Low	22.94	-3.7	-5.85	17.09	0.051	3.000	Pass
		Q16	1	Low	23.01	-3.7	-5.85	17.16	0.052	3.000	Pass
			1	Mid	23.04	-3.7	-5.85	17.19	0.052	3.000	Pass
			1	High	23.01	-3.7	-5.85	17.16	0.052	3.000	Pass
			12	Low	21.99	-3.7	-5.85	16.14	0.041	3.000	Pass
			12	Mid	21.97	-3.7	-5.85	16.12	0.041	3.000	Pass
			12	High	21.94	-3.7	-5.85	16.09	0.041	3.000	Pass
			25	Low	21.9	-3.7	-5.85	16.05	0.040	3.000	Pass
		Q64	1	Low	22.12	-3.7	-5.85	16.27	0.042	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	Mid	22.18	-3.7	-5.85	16.33	0.043	3.000	Pass
			1	High	22.15	-3.7	-5.85	16.30	0.043	3.000	Pass
			12	Low	20.98	-3.7	-5.85	15.13	0.033	3.000	Pass
			12	Mid	20.99	-3.7	-5.85	15.14	0.033	3.000	Pass
			12	High	20.92	-3.7	-5.85	15.07	0.032	3.000	Pass
			25	Low	20.97	-3.7	-5.85	15.12	0.033	3.000	Pass
		Q256	1	Low	18.94	-3.7	-5.85	13.09	0.020	3.000	Pass
			1	Mid	18.9	-3.7	-5.85	13.05	0.020	3.000	Pass
			1	High	18.89	-3.7	-5.85	13.04	0.020	3.000	Pass
			12	Low	19.07	-3.7	-5.85	13.22	0.021	3.000	Pass
			12	Mid	19.04	-3.7	-5.85	13.19	0.021	3.000	Pass
			12	High	19.01	-3.7	-5.85	13.16	0.021	3.000	Pass
			25	Low	19.01	-3.7	-5.85	13.16	0.021	3.000	Pass
10	LCH	QPSK	1	Low	24	-3.7	-5.85	18.15	0.065	3.000	Pass
			1	Mid	23.91	-3.7	-5.85	18.06	0.064	3.000	Pass
			1	High	24.01	-3.7	-5.85	18.16	0.065	3.000	Pass
			25	Low	22.92	-3.7	-5.85	17.07	0.051	3.000	Pass
			25	Mid	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
			25	High	22.88	-3.7	-5.85	17.03	0.050	3.000	Pass
			50	Low	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
		Q16	1	Low	22.81	-3.7	-5.85	16.96	0.050	3.000	Pass
			1	Mid	22.73	-3.7	-5.85	16.88	0.049	3.000	Pass
			1	High	22.82	-3.7	-5.85	16.97	0.050	3.000	Pass
			25	Low	21.94	-3.7	-5.85	16.09	0.041	3.000	Pass
			25	Mid	21.9	-3.7	-5.85	16.05	0.040	3.000	Pass
			25	High	21.9	-3.7	-5.85	16.05	0.040	3.000	Pass
			50	Low	21.91	-3.7	-5.85	16.06	0.040	3.000	Pass
		Q64	1	Low	22.19	-3.7	-5.85	16.34	0.043	3.000	Pass
			1	Mid	22.15	-3.7	-5.85	16.30	0.043	3.000	Pass
			1	High	22.2	-3.7	-5.85	16.35	0.043	3.000	Pass
			25	Low	20.98	-3.7	-5.85	15.13	0.033	3.000	Pass
			25	Mid	20.95	-3.7	-5.85	15.10	0.032	3.000	Pass
			25	High	20.94	-3.7	-5.85	15.09	0.032	3.000	Pass
			50	Low	20.94	-3.7	-5.85	15.09	0.032	3.000	Pass
		Q256	1	Low	19.62	-3.7	-5.85	13.77	0.024	3.000	Pass
			1	Mid	19.57	-3.7	-5.85	13.72	0.024	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			1	High	19.55	-3.7	-5.85	13.70	0.023	3.000	Pass
			25	Low	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			25	Mid	19.02	-3.7	-5.85	13.17	0.021	3.000	Pass
			25	High	19	-3.7	-5.85	13.15	0.021	3.000	Pass
			50	Low	19.02	-3.7	-5.85	13.17	0.021	3.000	Pass
	MCH	QPSK	1	Low	24.04	-3.7	-5.85	18.19	0.066	3.000	Pass
			1	Mid	23.99	-3.7	-5.85	18.14	0.065	3.000	Pass
			1	High	24.02	-3.7	-5.85	18.17	0.066	3.000	Pass
			25	Low	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
			25	Mid	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
			25	High	22.88	-3.7	-5.85	17.03	0.050	3.000	Pass
			50	Low	22.9	-3.7	-5.85	17.05	0.051	3.000	Pass
		Q16	1	Low	23.27	-3.7	-5.85	17.42	0.055	3.000	Pass
			1	Mid	23.28	-3.7	-5.85	17.43	0.055	3.000	Pass
			1	High	23.26	-3.7	-5.85	17.41	0.055	3.000	Pass
			25	Low	21.93	-3.7	-5.85	16.08	0.041	3.000	Pass
			25	Mid	21.91	-3.7	-5.85	16.06	0.040	3.000	Pass
			25	High	21.92	-3.7	-5.85	16.07	0.040	3.000	Pass
			50	Low	21.91	-3.7	-5.85	16.06	0.040	3.000	Pass
		Q64	1	Low	22.08	-3.7	-5.85	16.23	0.042	3.000	Pass
			1	Mid	22.1	-3.7	-5.85	16.25	0.042	3.000	Pass
			1	High	22.07	-3.7	-5.85	16.22	0.042	3.000	Pass
			25	Low	20.96	-3.7	-5.85	15.11	0.032	3.000	Pass
			25	Mid	20.99	-3.7	-5.85	15.14	0.033	3.000	Pass
			25	High	20.98	-3.7	-5.85	15.13	0.033	3.000	Pass
			50	Low	20.93	-3.7	-5.85	15.08	0.032	3.000	Pass
		Q256	1	Low	18.84	-3.7	-5.85	12.99	0.020	3.000	Pass
			1	Mid	18.82	-3.7	-5.85	12.97	0.020	3.000	Pass
			1	High	18.8	-3.7	-5.85	12.95	0.020	3.000	Pass
			25	Low	19.02	-3.7	-5.85	13.17	0.021	3.000	Pass
			25	Mid	18.99	-3.7	-5.85	13.14	0.021	3.000	Pass
			25	High	18.95	-3.7	-5.85	13.10	0.020	3.000	Pass
			50	Low	18.95	-3.7	-5.85	13.10	0.020	3.000	Pass
	HCH	QPSK	1	Low	24	-3.7	-5.85	18.15	0.065	3.000	Pass
			1	Mid	23.86	-3.7	-5.85	18.01	0.063	3.000	Pass
			1	High	23.97	-3.7	-5.85	18.12	0.065	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
LTE BAND 17											
			25	Low	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
			25	Mid	22.88	-3.7	-5.85	17.03	0.050	3.000	Pass
			25	High	22.87	-3.7	-5.85	17.02	0.050	3.000	Pass
			50	Low	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
		Q16	1	Low	22.95	-3.7	-5.85	17.10	0.051	3.000	Pass
			1	Mid	22.85	-3.7	-5.85	17.00	0.050	3.000	Pass
			1	High	22.92	-3.7	-5.85	17.07	0.051	3.000	Pass
			25	Low	21.99	-3.7	-5.85	16.14	0.041	3.000	Pass
			25	Mid	21.98	-3.7	-5.85	16.13	0.041	3.000	Pass
			25	High	21.96	-3.7	-5.85	16.11	0.041	3.000	Pass
			50	Low	21.9	-3.7	-5.85	16.05	0.040	3.000	Pass
		Q64	1	Low	22.15	-3.7	-5.85	16.30	0.043	3.000	Pass
			1	Mid	22.03	-3.7	-5.85	16.18	0.041	3.000	Pass
			1	High	22.1	-3.7	-5.85	16.25	0.042	3.000	Pass
			25	Low	20.95	-3.7	-5.85	15.10	0.032	3.000	Pass
			25	Mid	20.97	-3.7	-5.85	15.12	0.033	3.000	Pass
			25	High	20.96	-3.7	-5.85	15.11	0.032	3.000	Pass
			50	Low	20.89	-3.7	-5.85	15.04	0.032	3.000	Pass
		Q256	1	Low	18.93	-3.7	-5.85	13.08	0.020	3.000	Pass
			1	Mid	18.81	-3.7	-5.85	12.96	0.020	3.000	Pass
			1	High	18.83	-3.7	-5.85	12.98	0.020	3.000	Pass
			25	Low	19.07	-3.7	-5.85	13.22	0.021	3.000	Pass
			25	Mid	19.05	-3.7	-5.85	13.20	0.021	3.000	Pass
			25	High	19	-3.7	-5.85	13.15	0.021	3.000	Pass
			50	Low	18.96	-3.7	-5.85	13.11	0.020	3.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
5	LCH	QPSK	1	Low	15.39	-2.4	12.99	0.020	2.000	Pass
			1	Mid	15.41	-2.4	13.01	0.020	2.000	Pass
			1	High	15.41	-2.4	13.01	0.020	2.000	Pass
			12	Low	14.42	-2.4	12.02	0.016	2.000	Pass
			12	Mid	14.37	-2.4	11.97	0.016	2.000	Pass
			12	High	14.4	-2.4	12.00	0.016	2.000	Pass
			25	Low	14.42	-2.4	12.02	0.016	2.000	Pass
		Q16	1	Low	14.67	-2.4	12.27	0.017	2.000	Pass
			1	Mid	14.64	-2.4	12.24	0.017	2.000	Pass
			1	High	14.66	-2.4	12.26	0.017	2.000	Pass
			12	Low	13.37	-2.4	10.97	0.013	2.000	Pass
			12	Mid	13.41	-2.4	11.01	0.013	2.000	Pass
			12	High	13.37	-2.4	10.97	0.013	2.000	Pass
			25	Low	13.43	-2.4	11.03	0.013	2.000	Pass
		Q64	1	Low	13.47	-2.4	11.07	0.013	2.000	Pass
			1	Mid	13.5	-2.4	11.10	0.013	2.000	Pass
			1	High	13.43	-2.4	11.03	0.013	2.000	Pass
			12	Low	12.34	-2.4	9.94	0.010	2.000	Pass
			12	Mid	12.34	-2.4	9.94	0.010	2.000	Pass
			12	High	12.38	-2.4	9.98	0.010	2.000	Pass
			25	Low	12.44	-2.4	10.04	0.010	2.000	Pass
		Q256	1	Low	10.94	-2.4	8.54	0.007	2.000	Pass
			1	Mid	11	-2.4	8.60	0.007	2.000	Pass
			1	High	11.04	-2.4	8.64	0.007	2.000	Pass
			12	Low	10.44	-2.4	8.04	0.006	2.000	Pass
			12	Mid	10.47	-2.4	8.07	0.006	2.000	Pass
			12	High	10.46	-2.4	8.06	0.006	2.000	Pass
			25	Low	10.52	-2.4	8.12	0.006	2.000	Pass
	MCH	QPSK	1	Low	15.37	-2.4	12.97	0.020	2.000	Pass
			1	Mid	15.39	-2.4	12.99	0.020	2.000	Pass
			1	High	15.42	-2.4	13.02	0.020	2.000	Pass
			12	Low	14.37	-2.4	11.97	0.016	2.000	Pass
			12	Mid	14.37	-2.4	11.97	0.016	2.000	Pass
			12	High	14.39	-2.4	11.99	0.016	2.000	Pass
			25	Low	14.39	-2.4	11.99	0.016	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	14.71	-2.4	12.31	0.017	2.000	Pass
			1	Mid	14.67	-2.4	12.27	0.017	2.000	Pass
			1	High	14.76	-2.4	12.36	0.017	2.000	Pass
			12	Low	13.41	-2.4	11.01	0.013	2.000	Pass
			12	Mid	13.37	-2.4	10.97	0.013	2.000	Pass
			12	High	13.39	-2.4	10.99	0.013	2.000	Pass
			25	Low	13.45	-2.4	11.05	0.013	2.000	Pass
		Q64	1	Low	14.01	-2.4	11.61	0.014	2.000	Pass
			1	Mid	14.09	-2.4	11.69	0.015	2.000	Pass
			1	High	14.06	-2.4	11.66	0.015	2.000	Pass
			12	Low	12.49	-2.4	10.09	0.010	2.000	Pass
			12	Mid	12.49	-2.4	10.09	0.010	2.000	Pass
			12	High	12.49	-2.4	10.09	0.010	2.000	Pass
			25	Low	12.37	-2.4	9.97	0.010	2.000	Pass
		Q256	1	Low	10.92	-2.4	8.52	0.007	2.000	Pass
			1	Mid	10.95	-2.4	8.55	0.007	2.000	Pass
			1	High	10.88	-2.4	8.48	0.007	2.000	Pass
			12	Low	10.48	-2.4	8.08	0.006	2.000	Pass
			12	Mid	10.46	-2.4	8.06	0.006	2.000	Pass
			12	High	10.42	-2.4	8.02	0.006	2.000	Pass
			25	Low	10.48	-2.4	8.08	0.006	2.000	Pass
	HCH	QPSK	1	Low	15.29	-2.4	12.89	0.019	2.000	Pass
			1	Mid	15.37	-2.4	12.97	0.020	2.000	Pass
			1	High	15.38	-2.4	12.98	0.020	2.000	Pass
			12	Low	14.37	-2.4	11.97	0.016	2.000	Pass
			12	Mid	14.39	-2.4	11.99	0.016	2.000	Pass
			12	High	14.41	-2.4	12.01	0.016	2.000	Pass
			25	Low	14.4	-2.4	12.00	0.016	2.000	Pass
		Q16	1	Low	14.68	-2.4	12.28	0.017	2.000	Pass
			1	Mid	14.82	-2.4	12.42	0.017	2.000	Pass
			1	High	14.77	-2.4	12.37	0.017	2.000	Pass
			12	Low	13.5	-2.4	11.10	0.013	2.000	Pass
			12	Mid	13.46	-2.4	11.06	0.013	2.000	Pass
			12	High	13.51	-2.4	11.11	0.013	2.000	Pass
			25	Low	13.48	-2.4	11.08	0.013	2.000	Pass
		Q64	1	Low	13.71	-2.4	11.31	0.014	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	13.73	-2.4	11.33	0.014	2.000	Pass
			1	High	13.72	-2.4	11.32	0.014	2.000	Pass
			12	Low	12.35	-2.4	9.95	0.010	2.000	Pass
			12	Mid	12.4	-2.4	10.00	0.010	2.000	Pass
			12	High	12.41	-2.4	10.01	0.010	2.000	Pass
			25	Low	12.33	-2.4	9.93	0.010	2.000	Pass
		Q256	1	Low	10.76	-2.4	8.36	0.007	2.000	Pass
			1	Mid	10.78	-2.4	8.38	0.007	2.000	Pass
			1	High	10.79	-2.4	8.39	0.007	2.000	Pass
			12	Low	10.45	-2.4	8.05	0.006	2.000	Pass
			12	Mid	10.48	-2.4	8.08	0.006	2.000	Pass
			12	High	10.47	-2.4	8.07	0.006	2.000	Pass
			25	Low	10.46	-2.4	8.06	0.006	2.000	Pass
10	LCH	QPSK	1	Low	15.34	-2.4	12.94	0.020	2.000	Pass
			1	Mid	15.31	-2.4	12.91	0.020	2.000	Pass
			1	High	15.31	-2.4	12.91	0.020	2.000	Pass
			25	Low	14.35	-2.4	11.95	0.016	2.000	Pass
			25	Mid	14.37	-2.4	11.97	0.016	2.000	Pass
			25	High	14.39	-2.4	11.99	0.016	2.000	Pass
			50	Low	14.39	-2.4	11.99	0.016	2.000	Pass
		Q16	1	Low	14.63	-2.4	12.23	0.017	2.000	Pass
			1	Mid	14.58	-2.4	12.18	0.017	2.000	Pass
			1	High	14.62	-2.4	12.22	0.017	2.000	Pass
			25	Low	13.35	-2.4	10.95	0.012	2.000	Pass
			25	Mid	13.34	-2.4	10.94	0.012	2.000	Pass
			25	High	13.35	-2.4	10.95	0.012	2.000	Pass
			50	Low	13.39	-2.4	10.99	0.013	2.000	Pass
		Q64	1	Low	13.21	-2.4	10.81	0.012	2.000	Pass
			1	Mid	13.21	-2.4	10.81	0.012	2.000	Pass
			1	High	13.18	-2.4	10.78	0.012	2.000	Pass
			25	Low	12.37	-2.4	9.97	0.010	2.000	Pass
			25	Mid	12.38	-2.4	9.98	0.010	2.000	Pass
			25	High	12.37	-2.4	9.97	0.010	2.000	Pass
			50	Low	12.4	-2.4	10.00	0.010	2.000	Pass
		Q256	1	Low	10.68	-2.4	8.28	0.007	2.000	Pass
			1	Mid	10.61	-2.4	8.21	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
	MCH		1	High	10.61	-2.4	8.21	0.007	2.000	Pass
			25	Low	10.5	-2.4	8.10	0.006	2.000	Pass
			25	Mid	10.53	-2.4	8.13	0.007	2.000	Pass
			25	High	10.46	-2.4	8.06	0.006	2.000	Pass
			50	Low	10.49	-2.4	8.09	0.006	2.000	Pass
		QPSK	1	Low	15.44	-2.4	13.04	0.020	2.000	Pass
			1	Mid	15.45	-2.4	13.05	0.020	2.000	Pass
			1	High	15.47	-2.4	13.07	0.020	2.000	Pass
			25	Low	14.33	-2.4	11.93	0.016	2.000	Pass
			25	Mid	14.37	-2.4	11.97	0.016	2.000	Pass
			25	High	14.41	-2.4	12.01	0.016	2.000	Pass
			50	Low	14.39	-2.4	11.99	0.016	2.000	Pass
		Q16	1	Low	14.85	-2.4	12.45	0.018	2.000	Pass
			1	Mid	14.81	-2.4	12.41	0.017	2.000	Pass
			1	High	14.88	-2.4	12.48	0.018	2.000	Pass
			25	Low	13.32	-2.4	10.92	0.012	2.000	Pass
			25	Mid	13.35	-2.4	10.95	0.012	2.000	Pass
			25	High	13.38	-2.4	10.98	0.013	2.000	Pass
			50	Low	13.41	-2.4	11.01	0.013	2.000	Pass
		Q64	1	Low	13.96	-2.4	11.56	0.014	2.000	Pass
			1	Mid	13.95	-2.4	11.55	0.014	2.000	Pass
			1	High	13.98	-2.4	11.58	0.014	2.000	Pass
			25	Low	12.35	-2.4	9.95	0.010	2.000	Pass
			25	Mid	12.32	-2.4	9.92	0.010	2.000	Pass
			25	High	12.34	-2.4	9.94	0.010	2.000	Pass
			50	Low	12.35	-2.4	9.95	0.010	2.000	Pass
		Q256	1	Low	10.31	-2.4	7.91	0.006	2.000	Pass
			1	Mid	10.33	-2.4	7.93	0.006	2.000	Pass
			1	High	10.35	-2.4	7.95	0.006	2.000	Pass
			25	Low	10.47	-2.4	8.07	0.006	2.000	Pass
			25	Mid	10.5	-2.4	8.10	0.006	2.000	Pass
			25	High	10.51	-2.4	8.11	0.006	2.000	Pass
			50	Low	10.44	-2.4	8.04	0.006	2.000	Pass
	HCH	QPSK	1	Low	15.29	-2.4	12.89	0.019	2.000	Pass
			1	Mid	15.3	-2.4	12.90	0.019	2.000	Pass
			1	High	15.33	-2.4	12.93	0.020	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			25	Low	14.29	-2.4	11.89	0.015	2.000	Pass
			25	Mid	14.32	-2.4	11.92	0.016	2.000	Pass
			25	High	14.35	-2.4	11.95	0.016	2.000	Pass
			50	Low	14.3	-2.4	11.90	0.015	2.000	Pass
		Q16	1	Low	14.77	-2.4	12.37	0.017	2.000	Pass
			1	Mid	14.67	-2.4	12.27	0.017	2.000	Pass
			1	High	14.8	-2.4	12.40	0.017	2.000	Pass
			25	Low	13.29	-2.4	10.89	0.012	2.000	Pass
			25	Mid	13.34	-2.4	10.94	0.012	2.000	Pass
			25	High	13.38	-2.4	10.98	0.013	2.000	Pass
			50	Low	13.35	-2.4	10.95	0.012	2.000	Pass
		Q64	1	Low	13.65	-2.4	11.25	0.013	2.000	Pass
			1	Mid	13.55	-2.4	11.15	0.013	2.000	Pass
			1	High	13.71	-2.4	11.31	0.014	2.000	Pass
			25	Low	12.17	-2.4	9.77	0.009	2.000	Pass
			25	Mid	12.25	-2.4	9.85	0.010	2.000	Pass
			25	High	12.27	-2.4	9.87	0.010	2.000	Pass
			50	Low	12.33	-2.4	9.93	0.010	2.000	Pass
		Q256	1	Low	10.76	-2.4	8.36	0.007	2.000	Pass
			1	Mid	10.71	-2.4	8.31	0.007	2.000	Pass
			1	High	10.76	-2.4	8.36	0.007	2.000	Pass
			25	Low	10.39	-2.4	7.99	0.006	2.000	Pass
			25	Mid	10.39	-2.4	7.99	0.006	2.000	Pass
			25	High	10.41	-2.4	8.01	0.006	2.000	Pass
			50	Low	10.38	-2.4	7.98	0.006	2.000	Pass
15	LCH	QPSK	1	Low	15.33	-2.4	12.93	0.020	2.000	Pass
			1	Mid	15.35	-2.4	12.95	0.020	2.000	Pass
			1	High	15.32	-2.4	12.92	0.020	2.000	Pass
			36	Low	14.33	-2.4	11.93	0.016	2.000	Pass
			36	Mid	14.34	-2.4	11.94	0.016	2.000	Pass
			36	High	14.28	-2.4	11.88	0.015	2.000	Pass
			75	Low	14.36	-2.4	11.96	0.016	2.000	Pass
		Q16	1	Low	14.64	-2.4	12.24	0.017	2.000	Pass
			1	Mid	14.58	-2.4	12.18	0.017	2.000	Pass
			1	High	14.62	-2.4	12.22	0.017	2.000	Pass
			36	Low	13.36	-2.4	10.96	0.012	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	Mid	13.34	-2.4	10.94	0.012	2.000	Pass
			36	High	13.3	-2.4	10.90	0.012	2.000	Pass
			75	Low	13.35	-2.4	10.95	0.012	2.000	Pass
		Q64	1	Low	13.22	-2.4	10.82	0.012	2.000	Pass
			1	Mid	13.25	-2.4	10.85	0.012	2.000	Pass
			1	High	13.09	-2.4	10.69	0.012	2.000	Pass
			36	Low	12.47	-2.4	10.07	0.010	2.000	Pass
			36	Mid	12.41	-2.4	10.01	0.010	2.000	Pass
			36	High	12.4	-2.4	10.00	0.010	2.000	Pass
			75	Low	12.32	-2.4	9.92	0.010	2.000	Pass
		Q256	1	Low	10.61	-2.4	8.21	0.007	2.000	Pass
			1	Mid	10.6	-2.4	8.20	0.007	2.000	Pass
			1	High	10.59	-2.4	8.19	0.007	2.000	Pass
			36	Low	10.54	-2.4	8.14	0.007	2.000	Pass
			36	Mid	10.49	-2.4	8.09	0.006	2.000	Pass
			36	High	10.47	-2.4	8.07	0.006	2.000	Pass
			75	Low	10.44	-2.4	8.04	0.006	2.000	Pass
	MCH	QPSK	1	Low	15.41	-2.4	13.01	0.020	2.000	Pass
			1	Mid	15.49	-2.4	13.09	0.020	2.000	Pass
			1	High	15.52	-2.4	13.12	0.021	2.000	Pass
			36	Low	14.31	-2.4	11.91	0.016	2.000	Pass
			36	Mid	14.34	-2.4	11.94	0.016	2.000	Pass
			36	High	14.34	-2.4	11.94	0.016	2.000	Pass
			75	Low	14.36	-2.4	11.96	0.016	2.000	Pass
		Q16	1	Low	14.8	-2.4	12.40	0.017	2.000	Pass
			1	Mid	14.87	-2.4	12.47	0.018	2.000	Pass
			1	High	14.9	-2.4	12.50	0.018	2.000	Pass
			36	Low	13.32	-2.4	10.92	0.012	2.000	Pass
			36	Mid	13.38	-2.4	10.98	0.013	2.000	Pass
			36	High	13.36	-2.4	10.96	0.012	2.000	Pass
			75	Low	13.32	-2.4	10.92	0.012	2.000	Pass
		Q64	1	Low	13.92	-2.4	11.52	0.014	2.000	Pass
			1	Mid	14.01	-2.4	11.61	0.014	2.000	Pass
			1	High	14.02	-2.4	11.62	0.015	2.000	Pass
			36	Low	12.39	-2.4	9.99	0.010	2.000	Pass
			36	Mid	12.43	-2.4	10.03	0.010	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			36	High	12.44	-2.4	10.04	0.010	2.000	Pass
			75	Low	12.37	-2.4	9.97	0.010	2.000	Pass
		Q256	1	Low	10.31	-2.4	7.91	0.006	2.000	Pass
			1	Mid	10.42	-2.4	8.02	0.006	2.000	Pass
			1	High	10.34	-2.4	7.94	0.006	2.000	Pass
			36	Low	10.43	-2.4	8.03	0.006	2.000	Pass
			36	Mid	10.45	-2.4	8.05	0.006	2.000	Pass
			36	High	10.44	-2.4	8.04	0.006	2.000	Pass
			75	Low	10.38	-2.4	7.98	0.006	2.000	Pass
	HCH	QPSK	1	Low	15.36	-2.4	12.96	0.020	2.000	Pass
			1	Mid	15.32	-2.4	12.92	0.020	2.000	Pass
			1	High	15.4	-2.4	13.00	0.020	2.000	Pass
			36	Low	14.27	-2.4	11.87	0.015	2.000	Pass
			36	Mid	14.23	-2.4	11.83	0.015	2.000	Pass
			36	High	14.32	-2.4	11.92	0.016	2.000	Pass
			75	Low	14.31	-2.4	11.91	0.016	2.000	Pass
		Q16	1	Low	14.61	-2.4	12.21	0.017	2.000	Pass
			1	Mid	14.63	-2.4	12.23	0.017	2.000	Pass
			1	High	14.7	-2.4	12.30	0.017	2.000	Pass
			36	Low	13.37	-2.4	10.97	0.013	2.000	Pass
			36	Mid	13.33	-2.4	10.93	0.012	2.000	Pass
			36	High	13.37	-2.4	10.97	0.013	2.000	Pass
			75	Low	13.36	-2.4	10.96	0.012	2.000	Pass
		Q64	1	Low	13.52	-2.4	11.12	0.013	2.000	Pass
			1	Mid	13.48	-2.4	11.08	0.013	2.000	Pass
			1	High	13.57	-2.4	11.17	0.013	2.000	Pass
			36	Low	12.3	-2.4	9.90	0.010	2.000	Pass
			36	Mid	12.24	-2.4	9.84	0.010	2.000	Pass
			36	High	12.32	-2.4	9.92	0.010	2.000	Pass
			75	Low	12.32	-2.4	9.92	0.010	2.000	Pass
		Q256	1	Low	11.05	-2.4	8.65	0.007	2.000	Pass
			1	Mid	11.02	-2.4	8.62	0.007	2.000	Pass
			1	High	11	-2.4	8.60	0.007	2.000	Pass
			36	Low	10.35	-2.4	7.95	0.006	2.000	Pass
			36	Mid	10.35	-2.4	7.95	0.006	2.000	Pass
			36	High	10.37	-2.4	7.97	0.006	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
20	LCH	QPSK	75	Low	10.41	-2.4	8.01	0.006	2.000	Pass
			1	Low	15.09	-2.4	12.69	0.019	2.000	Pass
			1	Mid	15.42	-2.4	13.02	0.020	2.000	Pass
			1	High	15.41	-2.4	13.01	0.020	2.000	Pass
			50	Low	14.39	-2.4	11.99	0.016	2.000	Pass
			50	Mid	14.36	-2.4	11.96	0.016	2.000	Pass
			50	High	14.34	-2.4	11.94	0.016	2.000	Pass
		Q16	100	Low	14.41	-2.4	12.01	0.016	2.000	Pass
			1	Low	14.69	-2.4	12.29	0.017	2.000	Pass
			1	Mid	14.71	-2.4	12.31	0.017	2.000	Pass
			1	High	14.69	-2.4	12.29	0.017	2.000	Pass
			50	Low	13.39	-2.4	10.99	0.013	2.000	Pass
			50	Mid	13.36	-2.4	10.96	0.012	2.000	Pass
			50	High	13.33	-2.4	10.93	0.012	2.000	Pass
		Q64	100	Low	13.38	-2.4	10.98	0.013	2.000	Pass
			1	Low	14.03	-2.4	11.63	0.015	2.000	Pass
			1	Mid	14.05	-2.4	11.65	0.015	2.000	Pass
			1	High	13.99	-2.4	11.59	0.014	2.000	Pass
			50	Low	12.44	-2.4	10.04	0.010	2.000	Pass
			50	Mid	12.42	-2.4	10.02	0.010	2.000	Pass
			50	High	12.4	-2.4	10.00	0.010	2.000	Pass
		Q256	100	Low	12.38	-2.4	9.98	0.010	2.000	Pass
			1	Low	10.89	-2.4	8.49	0.007	2.000	Pass
			1	Mid	10.82	-2.4	8.42	0.007	2.000	Pass
			1	High	10.9	-2.4	8.50	0.007	2.000	Pass
			50	Low	10.46	-2.4	8.06	0.006	2.000	Pass
			50	Mid	10.49	-2.4	8.09	0.006	2.000	Pass
			50	High	10.44	-2.4	8.04	0.006	2.000	Pass
	MCH	QPSK	100	Low	10.48	-2.4	8.08	0.006	2.000	Pass
			1	Low	15.4	-2.4	13.00	0.020	2.000	Pass
			1	Mid	15.5	-2.4	13.10	0.020	2.000	Pass
			1	High	15.49	-2.4	13.09	0.020	2.000	Pass
			50	Low	14.37	-2.4	11.97	0.016	2.000	Pass
			50	Mid	14.36	-2.4	11.96	0.016	2.000	Pass
			50	High	14.41	-2.4	12.01	0.016	2.000	Pass
			100	Low	14.36	-2.4	11.96	0.016	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
		Q16	1	Low	14.57	-2.4	12.17	0.016	2.000	Pass
			1	Mid	14.6	-2.4	12.20	0.017	2.000	Pass
			1	High	14.65	-2.4	12.25	0.017	2.000	Pass
			50	Low	13.36	-2.4	10.96	0.012	2.000	Pass
			50	Mid	13.4	-2.4	11.00	0.013	2.000	Pass
			50	High	13.42	-2.4	11.02	0.013	2.000	Pass
			100	Low	13.38	-2.4	10.98	0.013	2.000	Pass
		Q64	1	Low	13.57	-2.4	11.17	0.013	2.000	Pass
			1	Mid	13.63	-2.4	11.23	0.013	2.000	Pass
			1	High	13.66	-2.4	11.26	0.013	2.000	Pass
			50	Low	12.36	-2.4	9.96	0.010	2.000	Pass
			50	Mid	12.44	-2.4	10.04	0.010	2.000	Pass
			50	High	12.44	-2.4	10.04	0.010	2.000	Pass
			100	Low	12.39	-2.4	9.99	0.010	2.000	Pass
		Q256	1	Low	10.52	-2.4	8.12	0.006	2.000	Pass
			1	Mid	10.56	-2.4	8.16	0.007	2.000	Pass
			1	High	10.56	-2.4	8.16	0.007	2.000	Pass
			50	Low	10.49	-2.4	8.09	0.006	2.000	Pass
			50	Mid	10.5	-2.4	8.10	0.006	2.000	Pass
			50	High	10.53	-2.4	8.13	0.007	2.000	Pass
			100	Low	10.53	-2.4	8.13	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.43	-2.4	13.03	0.020	2.000	Pass
			1	Mid	15.39	-2.4	12.99	0.020	2.000	Pass
			1	High	15.43	-2.4	13.03	0.020	2.000	Pass
			50	Low	14.36	-2.4	11.96	0.016	2.000	Pass
			50	Mid	14.31	-2.4	11.91	0.016	2.000	Pass
			50	High	14.32	-2.4	11.92	0.016	2.000	Pass
			100	Low	14.35	-2.4	11.95	0.016	2.000	Pass
		Q16	1	Low	14.85	-2.4	12.45	0.018	2.000	Pass
			1	Mid	14.85	-2.4	12.45	0.018	2.000	Pass
			1	High	14.88	-2.4	12.48	0.018	2.000	Pass
			50	Low	13.37	-2.4	10.97	0.013	2.000	Pass
			50	Mid	13.37	-2.4	10.97	0.013	2.000	Pass
			50	High	13.39	-2.4	10.99	0.013	2.000	Pass
			100	Low	13.37	-2.4	10.97	0.013	2.000	Pass
		Q64	1	Low	13.83	-2.4	11.43	0.014	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 38										
			1	Mid	13.8	-2.4	11.40	0.014	2.000	Pass
			1	High	13.86	-2.4	11.46	0.014	2.000	Pass
			50	Low	12.4	-2.4	10.00	0.010	2.000	Pass
			50	Mid	12.39	-2.4	9.99	0.010	2.000	Pass
			50	High	12.42	-2.4	10.02	0.010	2.000	Pass
			100	Low	12.45	-2.4	10.05	0.010	2.000	Pass
		Q256	1	Low	10.82	-2.4	8.42	0.007	2.000	Pass
			1	Mid	10.77	-2.4	8.37	0.007	2.000	Pass
			1	High	10.84	-2.4	8.44	0.007	2.000	Pass
			50	Low	10.4	-2.4	8.00	0.006	2.000	Pass
			50	Mid	10.38	-2.4	7.98	0.006	2.000	Pass
			50	High	10.43	-2.4	8.03	0.006	2.000	Pass
			100	Low	10.45	-2.4	8.05	0.006	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
5	LCH	QPSK	1	Low	15.51	-2.4	13.11	0.020	2.000	Pass
			1	Mid	15.53	-2.4	13.13	0.021	2.000	Pass
			1	High	15.54	-2.4	13.14	0.021	2.000	Pass
			12	Low	14.44	-2.4	12.04	0.016	2.000	Pass
			12	Mid	14.49	-2.4	12.09	0.016	2.000	Pass
			12	High	14.47	-2.4	12.07	0.016	2.000	Pass
			25	Low	14.52	-2.4	12.12	0.016	2.000	Pass
		Q16	1	Low	14.63	-2.4	12.23	0.017	2.000	Pass
			1	Mid	14.71	-2.4	12.31	0.017	2.000	Pass
			1	High	14.71	-2.4	12.31	0.017	2.000	Pass
			12	Low	13.5	-2.4	11.10	0.013	2.000	Pass
			12	Mid	13.49	-2.4	11.09	0.013	2.000	Pass
			12	High	13.51	-2.4	11.11	0.013	2.000	Pass
			25	Low	13.5	-2.4	11.10	0.013	2.000	Pass
		Q64	1	Low	13.46	-2.4	11.06	0.013	2.000	Pass
			1	Mid	13.58	-2.4	11.18	0.013	2.000	Pass
			1	High	13.56	-2.4	11.16	0.013	2.000	Pass
			12	Low	12.49	-2.4	10.09	0.010	2.000	Pass
			12	Mid	12.45	-2.4	10.05	0.010	2.000	Pass
			12	High	12.5	-2.4	10.10	0.010	2.000	Pass
			25	Low	12.57	-2.4	10.17	0.010	2.000	Pass
		Q256	1	Low	10.97	-2.4	8.57	0.007	2.000	Pass
			1	Mid	11.02	-2.4	8.62	0.007	2.000	Pass
			1	High	11.01	-2.4	8.61	0.007	2.000	Pass
			12	Low	10.56	-2.4	8.16	0.007	2.000	Pass
			12	Mid	10.55	-2.4	8.15	0.007	2.000	Pass
			12	High	10.54	-2.4	8.14	0.007	2.000	Pass
			25	Low	10.59	-2.4	8.19	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.54	-2.4	13.14	0.021	2.000	Pass
			1	Mid	15.58	-2.4	13.18	0.021	2.000	Pass
			1	High	15.66	-2.4	13.26	0.021	2.000	Pass
			12	Low	14.6	-2.4	12.20	0.017	2.000	Pass
			12	Mid	14.55	-2.4	12.15	0.016	2.000	Pass
			12	High	14.56	-2.4	12.16	0.016	2.000	Pass
			25	Low	14.58	-2.4	12.18	0.017	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	14.85	-2.4	12.45	0.018	2.000	Pass
			1	Mid	14.86	-2.4	12.46	0.018	2.000	Pass
			1	High	14.95	-2.4	12.55	0.018	2.000	Pass
			12	Low	13.59	-2.4	11.19	0.013	2.000	Pass
			12	Mid	13.56	-2.4	11.16	0.013	2.000	Pass
			12	High	13.56	-2.4	11.16	0.013	2.000	Pass
			25	Low	13.64	-2.4	11.24	0.013	2.000	Pass
		Q64	1	Low	14.16	-2.4	11.76	0.015	2.000	Pass
			1	Mid	14.22	-2.4	11.82	0.015	2.000	Pass
			1	High	14.21	-2.4	11.81	0.015	2.000	Pass
			12	Low	12.67	-2.4	10.27	0.011	2.000	Pass
			12	Mid	12.67	-2.4	10.27	0.011	2.000	Pass
			12	High	12.74	-2.4	10.34	0.011	2.000	Pass
			25	Low	12.56	-2.4	10.16	0.010	2.000	Pass
		Q256	1	Low	10.98	-2.4	8.58	0.007	2.000	Pass
			1	Mid	11.04	-2.4	8.64	0.007	2.000	Pass
			1	High	11.05	-2.4	8.65	0.007	2.000	Pass
			12	Low	10.58	-2.4	8.18	0.007	2.000	Pass
			12	Mid	10.63	-2.4	8.23	0.007	2.000	Pass
			12	High	10.58	-2.4	8.18	0.007	2.000	Pass
			25	Low	10.62	-2.4	8.22	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.72	-2.4	13.32	0.021	2.000	Pass
			1	Mid	15.76	-2.4	13.36	0.022	2.000	Pass
			1	High	15.73	-2.4	13.33	0.022	2.000	Pass
			12	Low	14.71	-2.4	12.31	0.017	2.000	Pass
			12	Mid	14.72	-2.4	12.32	0.017	2.000	Pass
			12	High	14.75	-2.4	12.35	0.017	2.000	Pass
			25	Low	14.76	-2.4	12.36	0.017	2.000	Pass
		Q16	1	Low	15.06	-2.4	12.66	0.018	2.000	Pass
			1	Mid	15.11	-2.4	12.71	0.019	2.000	Pass
			1	High	15.13	-2.4	12.73	0.019	2.000	Pass
			12	Low	13.82	-2.4	11.42	0.014	2.000	Pass
			12	Mid	13.84	-2.4	11.44	0.014	2.000	Pass
			12	High	13.82	-2.4	11.42	0.014	2.000	Pass
			25	Low	13.81	-2.4	11.41	0.014	2.000	Pass
		Q64	1	Low	14.05	-2.4	11.65	0.015	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	14.07	-2.4	11.67	0.015	2.000	Pass
			1	High	14.13	-2.4	11.73	0.015	2.000	Pass
			12	Low	12.69	-2.4	10.29	0.011	2.000	Pass
			12	Mid	12.71	-2.4	10.31	0.011	2.000	Pass
			12	High	12.73	-2.4	10.33	0.011	2.000	Pass
			25	Low	12.68	-2.4	10.28	0.011	2.000	Pass
		Q256	1	Low	11.15	-2.4	8.75	0.007	2.000	Pass
			1	Mid	11.18	-2.4	8.78	0.008	2.000	Pass
			1	High	11.19	-2.4	8.79	0.008	2.000	Pass
			12	Low	10.84	-2.4	8.44	0.007	2.000	Pass
			12	Mid	10.83	-2.4	8.43	0.007	2.000	Pass
			12	High	10.86	-2.4	8.46	0.007	2.000	Pass
			25	Low	10.83	-2.4	8.43	0.007	2.000	Pass
10	LCH	QPSK	1	Low	15.36	-2.4	12.96	0.020	2.000	Pass
			1	Mid	15.4	-2.4	13.00	0.020	2.000	Pass
			1	High	15.49	-2.4	13.09	0.020	2.000	Pass
			25	Low	14.43	-2.4	12.03	0.016	2.000	Pass
			25	Mid	14.44	-2.4	12.04	0.016	2.000	Pass
			25	High	14.48	-2.4	12.08	0.016	2.000	Pass
			50	Low	14.45	-2.4	12.05	0.016	2.000	Pass
		Q16	1	Low	14.67	-2.4	12.27	0.017	2.000	Pass
			1	Mid	14.65	-2.4	12.25	0.017	2.000	Pass
			1	High	14.81	-2.4	12.41	0.017	2.000	Pass
			25	Low	13.44	-2.4	11.04	0.013	2.000	Pass
			25	Mid	13.46	-2.4	11.06	0.013	2.000	Pass
			25	High	13.46	-2.4	11.06	0.013	2.000	Pass
			50	Low	13.46	-2.4	11.06	0.013	2.000	Pass
		Q64	1	Low	13.21	-2.4	10.81	0.012	2.000	Pass
			1	Mid	13.28	-2.4	10.88	0.012	2.000	Pass
			1	High	13.38	-2.4	10.98	0.013	2.000	Pass
			25	Low	12.47	-2.4	10.07	0.010	2.000	Pass
			25	Mid	12.44	-2.4	10.04	0.010	2.000	Pass
			25	High	12.49	-2.4	10.09	0.010	2.000	Pass
			50	Low	12.46	-2.4	10.06	0.010	2.000	Pass
		Q256	1	Low	10.61	-2.4	8.21	0.007	2.000	Pass
			1	Mid	10.6	-2.4	8.20	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
	MCH		1	High	10.69	-2.4	8.29	0.007	2.000	Pass
			25	Low	10.56	-2.4	8.16	0.007	2.000	Pass
			25	Mid	10.57	-2.4	8.17	0.007	2.000	Pass
			25	High	10.54	-2.4	8.14	0.007	2.000	Pass
			50	Low	10.57	-2.4	8.17	0.007	2.000	Pass
		QPSK	1	Low	15.6	-2.4	13.20	0.021	2.000	Pass
			1	Mid	15.6	-2.4	13.20	0.021	2.000	Pass
			1	High	15.69	-2.4	13.29	0.021	2.000	Pass
			25	Low	14.52	-2.4	12.12	0.016	2.000	Pass
			25	Mid	14.53	-2.4	12.13	0.016	2.000	Pass
			25	High	14.58	-2.4	12.18	0.017	2.000	Pass
			50	Low	14.57	-2.4	12.17	0.016	2.000	Pass
		Q16	1	Low	14.99	-2.4	12.59	0.018	2.000	Pass
			1	Mid	15	-2.4	12.60	0.018	2.000	Pass
			1	High	15.1	-2.4	12.70	0.019	2.000	Pass
			25	Low	13.5	-2.4	11.10	0.013	2.000	Pass
			25	Mid	13.55	-2.4	11.15	0.013	2.000	Pass
			25	High	13.59	-2.4	11.19	0.013	2.000	Pass
			50	Low	13.57	-2.4	11.17	0.013	2.000	Pass
		Q64	1	Low	14.11	-2.4	11.71	0.015	2.000	Pass
			1	Mid	14.12	-2.4	11.72	0.015	2.000	Pass
			1	High	14.18	-2.4	11.78	0.015	2.000	Pass
			25	Low	12.48	-2.4	10.08	0.010	2.000	Pass
			25	Mid	12.5	-2.4	10.10	0.010	2.000	Pass
			25	High	12.51	-2.4	10.11	0.010	2.000	Pass
			50	Low	12.52	-2.4	10.12	0.010	2.000	Pass
		Q256	1	Low	10.45	-2.4	8.05	0.006	2.000	Pass
			1	Mid	10.45	-2.4	8.05	0.006	2.000	Pass
			1	High	10.56	-2.4	8.16	0.007	2.000	Pass
			25	Low	10.64	-2.4	8.24	0.007	2.000	Pass
			25	Mid	10.62	-2.4	8.22	0.007	2.000	Pass
			25	High	10.67	-2.4	8.27	0.007	2.000	Pass
			50	Low	10.62	-2.4	8.22	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.65	-2.4	13.25	0.021	2.000	Pass
			1	Mid	15.62	-2.4	13.22	0.021	2.000	Pass
			1	High	15.69	-2.4	13.29	0.021	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			25	Low	14.65	-2.4	12.25	0.017	2.000	Pass
			25	Mid	14.7	-2.4	12.30	0.017	2.000	Pass
			25	High	14.7	-2.4	12.30	0.017	2.000	Pass
			50	Low	14.68	-2.4	12.28	0.017	2.000	Pass
		Q16	1	Low	15.09	-2.4	12.69	0.019	2.000	Pass
			1	Mid	15.02	-2.4	12.62	0.018	2.000	Pass
			1	High	15.12	-2.4	12.72	0.019	2.000	Pass
			25	Low	13.69	-2.4	11.29	0.013	2.000	Pass
			25	Mid	13.69	-2.4	11.29	0.013	2.000	Pass
			25	High	13.72	-2.4	11.32	0.014	2.000	Pass
			50	Low	13.7	-2.4	11.30	0.013	2.000	Pass
		Q64	1	Low	13.99	-2.4	11.59	0.014	2.000	Pass
			1	Mid	13.85	-2.4	11.45	0.014	2.000	Pass
			1	High	14.05	-2.4	11.65	0.015	2.000	Pass
			25	Low	12.57	-2.4	10.17	0.010	2.000	Pass
			25	Mid	12.62	-2.4	10.22	0.011	2.000	Pass
			25	High	12.62	-2.4	10.22	0.011	2.000	Pass
			50	Low	12.64	-2.4	10.24	0.011	2.000	Pass
		Q256	1	Low	11.12	-2.4	8.72	0.007	2.000	Pass
			1	Mid	11.1	-2.4	8.70	0.007	2.000	Pass
			1	High	11.18	-2.4	8.78	0.008	2.000	Pass
			25	Low	10.78	-2.4	8.38	0.007	2.000	Pass
			25	Mid	10.78	-2.4	8.38	0.007	2.000	Pass
			25	High	10.79	-2.4	8.39	0.007	2.000	Pass
			50	Low	10.77	-2.4	8.37	0.007	2.000	Pass
15	LCH	QPSK	1	Low	15.4	-2.4	13.00	0.020	2.000	Pass
			1	Mid	15.46	-2.4	13.06	0.020	2.000	Pass
			1	High	15.61	-2.4	13.21	0.021	2.000	Pass
			36	Low	14.45	-2.4	12.05	0.016	2.000	Pass
			36	Mid	14.45	-2.4	12.05	0.016	2.000	Pass
			36	High	14.53	-2.4	12.13	0.016	2.000	Pass
			75	Low	14.52	-2.4	12.12	0.016	2.000	Pass
		Q16	1	Low	14.7	-2.4	12.30	0.017	2.000	Pass
			1	Mid	14.68	-2.4	12.28	0.017	2.000	Pass
			1	High	14.87	-2.4	12.47	0.018	2.000	Pass
			36	Low	13.48	-2.4	11.08	0.013	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			36	Mid	13.46	-2.4	11.06	0.013	2.000	Pass
			36	High	13.58	-2.4	11.18	0.013	2.000	Pass
			75	Low	13.56	-2.4	11.16	0.013	2.000	Pass
		Q64	1	Low	13.31	-2.4	10.91	0.012	2.000	Pass
			1	Mid	13.27	-2.4	10.87	0.012	2.000	Pass
			1	High	13.46	-2.4	11.06	0.013	2.000	Pass
			36	Low	12.55	-2.4	10.15	0.010	2.000	Pass
			36	Mid	12.59	-2.4	10.19	0.010	2.000	Pass
			36	High	12.66	-2.4	10.26	0.011	2.000	Pass
			75	Low	12.54	-2.4	10.14	0.010	2.000	Pass
		Q256	1	Low	10.64	-2.4	8.24	0.007	2.000	Pass
			1	Mid	10.69	-2.4	8.29	0.007	2.000	Pass
			1	High	10.81	-2.4	8.41	0.007	2.000	Pass
			36	Low	10.58	-2.4	8.18	0.007	2.000	Pass
			36	Mid	10.59	-2.4	8.19	0.007	2.000	Pass
			36	High	10.67	-2.4	8.27	0.007	2.000	Pass
			75	Low	10.58	-2.4	8.18	0.007	2.000	Pass
	MCH	QPSK	1	Low	15.62	-2.4	13.22	0.021	2.000	Pass
			1	Mid	15.71	-2.4	13.31	0.021	2.000	Pass
			1	High	15.71	-2.4	13.31	0.021	2.000	Pass
			36	Low	14.52	-2.4	12.12	0.016	2.000	Pass
			36	Mid	14.51	-2.4	12.11	0.016	2.000	Pass
			36	High	14.55	-2.4	12.15	0.016	2.000	Pass
			75	Low	14.59	-2.4	12.19	0.017	2.000	Pass
		Q16	1	Low	15.08	-2.4	12.68	0.019	2.000	Pass
			1	Mid	15.08	-2.4	12.68	0.019	2.000	Pass
			1	High	15.11	-2.4	12.71	0.019	2.000	Pass
			36	Low	13.52	-2.4	11.12	0.013	2.000	Pass
			36	Mid	13.57	-2.4	11.17	0.013	2.000	Pass
			36	High	13.6	-2.4	11.20	0.013	2.000	Pass
			75	Low	13.56	-2.4	11.16	0.013	2.000	Pass
		Q64	1	Low	14.16	-2.4	11.76	0.015	2.000	Pass
			1	Mid	14.19	-2.4	11.79	0.015	2.000	Pass
			1	High	14.22	-2.4	11.82	0.015	2.000	Pass
			36	Low	12.58	-2.4	10.18	0.010	2.000	Pass
			36	Mid	12.66	-2.4	10.26	0.011	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			36	High	12.65	-2.4	10.25	0.011	2.000	Pass
			75	Low	12.55	-2.4	10.15	0.010	2.000	Pass
		Q256	1	Low	10.51	-2.4	8.11	0.006	2.000	Pass
			1	Mid	10.48	-2.4	8.08	0.006	2.000	Pass
			1	High	10.56	-2.4	8.16	0.007	2.000	Pass
			36	Low	10.6	-2.4	8.20	0.007	2.000	Pass
			36	Mid	10.6	-2.4	8.20	0.007	2.000	Pass
			36	High	10.61	-2.4	8.21	0.007	2.000	Pass
			75	Low	10.56	-2.4	8.16	0.007	2.000	Pass
		QPSK	1	Low	15.66	-2.4	13.26	0.021	2.000	Pass
			1	Mid	15.73	-2.4	13.33	0.022	2.000	Pass
			1	High	15.75	-2.4	13.35	0.022	2.000	Pass
			36	Low	14.62	-2.4	12.22	0.017	2.000	Pass
			36	Mid	14.66	-2.4	12.26	0.017	2.000	Pass
			36	High	14.67	-2.4	12.27	0.017	2.000	Pass
			75	Low	14.66	-2.4	12.26	0.017	2.000	Pass
	HCH	Q16	1	Low	14.93	-2.4	12.53	0.018	2.000	Pass
			1	Mid	14.97	-2.4	12.57	0.018	2.000	Pass
			1	High	15.06	-2.4	12.66	0.018	2.000	Pass
			36	Low	13.68	-2.4	11.28	0.013	2.000	Pass
			36	Mid	13.7	-2.4	11.30	0.013	2.000	Pass
			36	High	13.75	-2.4	11.35	0.014	2.000	Pass
			75	Low	13.67	-2.4	11.27	0.013	2.000	Pass
		Q64	1	Low	13.81	-2.4	11.41	0.014	2.000	Pass
			1	Mid	13.86	-2.4	11.46	0.014	2.000	Pass
			1	High	13.88	-2.4	11.48	0.014	2.000	Pass
			36	Low	12.63	-2.4	10.23	0.011	2.000	Pass
			36	Mid	12.66	-2.4	10.26	0.011	2.000	Pass
			36	High	12.66	-2.4	10.26	0.011	2.000	Pass
			75	Low	12.7	-2.4	10.30	0.011	2.000	Pass
		Q256	1	Low	11.25	-2.4	8.85	0.008	2.000	Pass
			1	Mid	11.3	-2.4	8.90	0.008	2.000	Pass
			1	High	11.36	-2.4	8.96	0.008	2.000	Pass
			36	Low	10.73	-2.4	8.33	0.007	2.000	Pass
			36	Mid	10.74	-2.4	8.34	0.007	2.000	Pass
			36	High	10.79	-2.4	8.39	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
20	LCH	QPSK	75	Low	10.78	-2.4	8.38	0.007	2.000	Pass
			1	Low	15.37	-2.4	12.97	0.020	2.000	Pass
			1	Mid	15.56	-2.4	13.16	0.021	2.000	Pass
			1	High	15.64	-2.4	13.24	0.021	2.000	Pass
			50	Low	14.52	-2.4	12.12	0.016	2.000	Pass
			50	Mid	14.59	-2.4	12.19	0.017	2.000	Pass
			50	High	14.61	-2.4	12.21	0.017	2.000	Pass
		Q16	100	Low	14.61	-2.4	12.21	0.017	2.000	Pass
			1	Low	14.81	-2.4	12.41	0.017	2.000	Pass
			1	Mid	14.86	-2.4	12.46	0.018	2.000	Pass
			1	High	14.94	-2.4	12.54	0.018	2.000	Pass
			50	Low	13.52	-2.4	11.12	0.013	2.000	Pass
			50	Mid	13.58	-2.4	11.18	0.013	2.000	Pass
			50	High	13.6	-2.4	11.20	0.013	2.000	Pass
		Q64	100	Low	13.62	-2.4	11.22	0.013	2.000	Pass
			1	Low	14.07	-2.4	11.67	0.015	2.000	Pass
			1	Mid	14.14	-2.4	11.74	0.015	2.000	Pass
			1	High	14.23	-2.4	11.83	0.015	2.000	Pass
			50	Low	12.58	-2.4	10.18	0.010	2.000	Pass
			50	Mid	12.63	-2.4	10.23	0.011	2.000	Pass
			50	High	12.66	-2.4	10.26	0.011	2.000	Pass
		Q256	100	Low	12.65	-2.4	10.25	0.011	2.000	Pass
			1	Low	10.94	-2.4	8.54	0.007	2.000	Pass
			1	Mid	11.02	-2.4	8.62	0.007	2.000	Pass
			1	High	11.1	-2.4	8.70	0.007	2.000	Pass
			50	Low	10.61	-2.4	8.21	0.007	2.000	Pass
			50	Mid	10.64	-2.4	8.24	0.007	2.000	Pass
			50	High	10.67	-2.4	8.27	0.007	2.000	Pass
	MCH	QPSK	100	Low	10.65	-2.4	8.25	0.007	2.000	Pass
			1	Low	15.6	-2.4	13.20	0.021	2.000	Pass
			1	Mid	15.69	-2.4	13.29	0.021	2.000	Pass
			1	High	15.73	-2.4	13.33	0.022	2.000	Pass
			50	Low	14.57	-2.4	12.17	0.016	2.000	Pass
			50	Mid	14.58	-2.4	12.18	0.017	2.000	Pass
			50	High	14.63	-2.4	12.23	0.017	2.000	Pass
			100	Low	14.59	-2.4	12.19	0.017	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
		Q16	1	Low	14.78	-2.4	12.38	0.017	2.000	Pass
			1	Mid	14.82	-2.4	12.42	0.017	2.000	Pass
			1	High	14.87	-2.4	12.47	0.018	2.000	Pass
			50	Low	13.59	-2.4	11.19	0.013	2.000	Pass
			50	Mid	13.64	-2.4	11.24	0.013	2.000	Pass
			50	High	13.63	-2.4	11.23	0.013	2.000	Pass
			100	Low	13.64	-2.4	11.24	0.013	2.000	Pass
		Q64	1	Low	13.78	-2.4	11.38	0.014	2.000	Pass
			1	Mid	13.84	-2.4	11.44	0.014	2.000	Pass
			1	High	13.89	-2.4	11.49	0.014	2.000	Pass
			50	Low	12.62	-2.4	10.22	0.011	2.000	Pass
			50	Mid	12.62	-2.4	10.22	0.011	2.000	Pass
			50	High	12.69	-2.4	10.29	0.011	2.000	Pass
			100	Low	12.65	-2.4	10.25	0.011	2.000	Pass
		Q256	1	Low	10.79	-2.4	8.39	0.007	2.000	Pass
			1	Mid	10.72	-2.4	8.32	0.007	2.000	Pass
			1	High	10.81	-2.4	8.41	0.007	2.000	Pass
			50	Low	10.62	-2.4	8.22	0.007	2.000	Pass
			50	Mid	10.63	-2.4	8.23	0.007	2.000	Pass
			50	High	10.69	-2.4	8.29	0.007	2.000	Pass
			100	Low	10.65	-2.4	8.25	0.007	2.000	Pass
	HCH	QPSK	1	Low	15.69	-2.4	13.29	0.021	2.000	Pass
			1	Mid	15.69	-2.4	13.29	0.021	2.000	Pass
			1	High	15.78	-2.4	13.38	0.022	2.000	Pass
			50	Low	14.68	-2.4	12.28	0.017	2.000	Pass
			50	Mid	14.72	-2.4	12.32	0.017	2.000	Pass
			50	High	14.68	-2.4	12.28	0.017	2.000	Pass
			100	Low	14.72	-2.4	12.32	0.017	2.000	Pass
		Q16	1	Low	15.13	-2.4	12.73	0.019	2.000	Pass
			1	Mid	15.16	-2.4	12.76	0.019	2.000	Pass
			1	High	15.23	-2.4	12.83	0.019	2.000	Pass
			50	Low	13.73	-2.4	11.33	0.014	2.000	Pass
			50	Mid	13.72	-2.4	11.32	0.014	2.000	Pass
			50	High	13.77	-2.4	11.37	0.014	2.000	Pass
			100	Low	13.72	-2.4	11.32	0.014	2.000	Pass
		Q64	1	Low	14.13	-2.4	11.73	0.015	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 41										
			1	Mid	14.11	-2.4	11.71	0.015	2.000	Pass
			1	High	14.18	-2.4	11.78	0.015	2.000	Pass
			50	Low	12.74	-2.4	10.34	0.011	2.000	Pass
			50	Mid	12.74	-2.4	10.34	0.011	2.000	Pass
			50	High	12.76	-2.4	10.36	0.011	2.000	Pass
			100	Low	12.79	-2.4	10.39	0.011	2.000	Pass
		Q256	1	Low	11.12	-2.4	8.72	0.007	2.000	Pass
			1	Mid	11.1	-2.4	8.70	0.007	2.000	Pass
			1	High	11.24	-2.4	8.84	0.008	2.000	Pass
			50	Low	10.76	-2.4	8.36	0.007	2.000	Pass
			50	Mid	10.77	-2.4	8.37	0.007	2.000	Pass
			50	High	10.8	-2.4	8.40	0.007	2.000	Pass
			100	Low	10.79	-2.4	8.39	0.007	2.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
5	LCH	QPSK	1	Low	13.63	-3.0	10.63	0.012	1.000	Pass
			1	Mid	13.55	-3	10.55	0.011	1.000	Pass
			1	High	13.52	-3	10.52	0.011	1.000	Pass
			12	Low	12.57	-3	9.57	0.009	1.000	Pass
			12	Mid	12.52	-3	9.52	0.009	1.000	Pass
			12	High	12.5	-3	9.50	0.009	1.000	Pass
			25	Low	12.58	-3	9.58	0.009	1.000	Pass
		Q16	1	Low	12.84	-3	9.84	0.010	1.000	Pass
			1	Mid	12.77	-3	9.77	0.009	1.000	Pass
			1	High	12.73	-3	9.73	0.009	1.000	Pass
			12	Low	11.63	-3	8.63	0.007	1.000	Pass
			12	Mid	11.58	-3	8.58	0.007	1.000	Pass
			12	High	11.56	-3	8.56	0.007	1.000	Pass
			25	Low	11.57	-3	8.57	0.007	1.000	Pass
		Q64	1	Low	11.71	-3	8.71	0.007	1.000	Pass
			1	Mid	11.67	-3	8.67	0.007	1.000	Pass
			1	High	11.62	-3	8.62	0.007	1.000	Pass
			12	Low	10.58	-3	7.58	0.006	1.000	Pass
			12	Mid	10.55	-3	7.55	0.006	1.000	Pass
			12	High	10.52	-3	7.52	0.006	1.000	Pass
			25	Low	10.62	-3	7.62	0.006	1.000	Pass
		Q256	1	Low	9.13	-3	6.13	0.004	1.000	Pass
			1	Mid	9.09	-3	6.09	0.004	1.000	Pass
			1	High	9.04	-3	6.04	0.004	1.000	Pass
			12	Low	8.67	-3	5.67	0.004	1.000	Pass
			12	Mid	8.64	-3	5.64	0.004	1.000	Pass
			12	High	8.61	-3	5.61	0.004	1.000	Pass
			25	Low	8.63	-3	5.63	0.004	1.000	Pass
	MCH	QPSK	1	Low	12.91	-3	9.91	0.010	1.000	Pass
			1	Mid	12.86	-3	9.86	0.010	1.000	Pass
			1	High	12.87	-3	9.87	0.010	1.000	Pass
			12	Low	11.85	-3	8.85	0.008	1.000	Pass
			12	Mid	11.82	-3	8.82	0.008	1.000	Pass
			12	High	11.8	-3	8.80	0.008	1.000	Pass
			25	Low	11.83	-3	8.83	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	12.15	-3	9.15	0.008	1.000	Pass
			1	Mid	12.12	-3	9.12	0.008	1.000	Pass
			1	High	12.13	-3	9.13	0.008	1.000	Pass
			12	Low	10.83	-3	7.83	0.006	1.000	Pass
			12	Mid	10.81	-3	7.81	0.006	1.000	Pass
			12	High	10.81	-3	7.81	0.006	1.000	Pass
			25	Low	10.83	-3	7.83	0.006	1.000	Pass
		Q64	1	Low	11.45	-3	8.45	0.007	1.000	Pass
			1	Mid	11.4	-3	8.40	0.007	1.000	Pass
			1	High	11.36	-3	8.36	0.007	1.000	Pass
			12	Low	9.93	-3	6.93	0.005	1.000	Pass
			12	Mid	9.92	-3	6.92	0.005	1.000	Pass
			12	High	9.88	-3	6.88	0.005	1.000	Pass
			25	Low	9.78	-3	6.78	0.005	1.000	Pass
		Q256	1	Low	8.23	-3	5.23	0.003	1.000	Pass
			1	Mid	8.21	-3	5.21	0.003	1.000	Pass
			1	High	8.19	-3	5.19	0.003	1.000	Pass
			12	Low	7.81	-3	4.81	0.003	1.000	Pass
			12	Mid	7.8	-3	4.80	0.003	1.000	Pass
			12	High	7.79	-3	4.79	0.003	1.000	Pass
			25	Low	7.88	-3	4.88	0.003	1.000	Pass
	HCH	QPSK	1	Low	12.43	-3	9.43	0.009	1.000	Pass
			1	Mid	12.44	-3	9.44	0.009	1.000	Pass
			1	High	12.46	-3	9.46	0.009	1.000	Pass
			12	Low	11.44	-3	8.44	0.007	1.000	Pass
			12	Mid	11.42	-3	8.42	0.007	1.000	Pass
			12	High	11.47	-3	8.47	0.007	1.000	Pass
			25	Low	11.47	-3	8.47	0.007	1.000	Pass
		Q16	1	Low	11.82	-3	8.82	0.008	1.000	Pass
			1	Mid	11.83	-3	8.83	0.008	1.000	Pass
			1	High	11.87	-3	8.87	0.008	1.000	Pass
			12	Low	10.54	-3	7.54	0.006	1.000	Pass
			12	Mid	10.52	-3	7.52	0.006	1.000	Pass
			12	High	10.56	-3	7.56	0.006	1.000	Pass
			25	Low	10.47	-3	7.47	0.006	1.000	Pass
		Q64	1	Low	10.72	-3	7.72	0.006	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	10.76	-3	7.76	0.006	1.000	Pass
			1	High	10.76	-3	7.76	0.006	1.000	Pass
			12	Low	9.38	-3	6.38	0.004	1.000	Pass
			12	Mid	9.38	-3	6.38	0.004	1.000	Pass
			12	High	9.43	-3	6.43	0.004	1.000	Pass
			25	Low	9.4	-3	6.40	0.004	1.000	Pass
		Q256	1	Low	7.8	-3	4.80	0.003	1.000	Pass
			1	Mid	7.88	-3	4.88	0.003	1.000	Pass
			1	High	7.89	-3	4.89	0.003	1.000	Pass
			12	Low	7.48	-3	4.48	0.003	1.000	Pass
			12	Mid	7.5	-3	4.50	0.003	1.000	Pass
			12	High	7.55	-3	4.55	0.003	1.000	Pass
			25	Low	7.5	-3	4.50	0.003	1.000	Pass
10	LCH	QPSK	1	Low	13.6	-3	10.60	0.011	1.000	Pass
			1	Mid	13.45	-3	10.45	0.011	1.000	Pass
			1	High	13.49	-3	10.49	0.011	1.000	Pass
			25	Low	12.56	-3	9.56	0.009	1.000	Pass
			25	Mid	12.49	-3	9.49	0.009	1.000	Pass
			25	High	12.42	-3	9.42	0.009	1.000	Pass
			50	Low	12.52	-3	9.52	0.009	1.000	Pass
		Q16	1	Low	12.9	-3	9.90	0.010	1.000	Pass
			1	Mid	12.72	-3	9.72	0.009	1.000	Pass
			1	High	12.78	-3	9.78	0.010	1.000	Pass
			25	Low	11.53	-3	8.53	0.007	1.000	Pass
			25	Mid	11.47	-3	8.47	0.007	1.000	Pass
			25	High	11.42	-3	8.42	0.007	1.000	Pass
			50	Low	11.5	-3	8.50	0.007	1.000	Pass
		Q64	1	Low	11.4	-3	8.40	0.007	1.000	Pass
			1	Mid	11.24	-3	8.24	0.007	1.000	Pass
			1	High	11.28	-3	8.28	0.007	1.000	Pass
			25	Low	10.56	-3	7.56	0.006	1.000	Pass
			25	Mid	10.49	-3	7.49	0.006	1.000	Pass
			25	High	10.47	-3	7.47	0.006	1.000	Pass
			50	Low	10.49	-3	7.49	0.006	1.000	Pass
		Q256	1	Low	8.85	-3	5.85	0.004	1.000	Pass
			1	Mid	8.65	-3	5.65	0.004	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
	MCH		1	High	8.72	-3	5.72	0.004	1.000	Pass
			25	Low	8.62	-3	5.62	0.004	1.000	Pass
			25	Mid	8.57	-3	5.57	0.004	1.000	Pass
			25	High	8.53	-3	5.53	0.004	1.000	Pass
			50	Low	8.61	-3	5.61	0.004	1.000	Pass
		QPSK	1	Low	13.07	-3	10.07	0.010	1.000	Pass
			1	Mid	12.9	-3	9.90	0.010	1.000	Pass
			1	High	12.93	-3	9.93	0.010	1.000	Pass
			25	Low	11.87	-3	8.87	0.008	1.000	Pass
			25	Mid	11.81	-3	8.81	0.008	1.000	Pass
			25	High	11.77	-3	8.77	0.008	1.000	Pass
			50	Low	11.81	-3	8.81	0.008	1.000	Pass
		Q16	1	Low	12.38	-3	9.38	0.009	1.000	Pass
			1	Mid	12.22	-3	9.22	0.008	1.000	Pass
			1	High	12.25	-3	9.25	0.008	1.000	Pass
			25	Low	10.85	-3	7.85	0.006	1.000	Pass
			25	Mid	10.8	-3	7.80	0.006	1.000	Pass
			25	High	10.74	-3	7.74	0.006	1.000	Pass
			50	Low	10.81	-3	7.81	0.006	1.000	Pass
		Q64	1	Low	11.46	-3	8.46	0.007	1.000	Pass
			1	Mid	11.32	-3	8.32	0.007	1.000	Pass
			1	High	11.27	-3	8.27	0.007	1.000	Pass
			25	Low	9.79	-3	6.79	0.005	1.000	Pass
			25	Mid	9.75	-3	6.75	0.005	1.000	Pass
			25	High	9.71	-3	6.71	0.005	1.000	Pass
			50	Low	9.75	-3	6.75	0.005	1.000	Pass
		Q256	1	Low	7.84	-3	4.84	0.003	1.000	Pass
			1	Mid	7.65	-3	4.65	0.003	1.000	Pass
			1	High	7.66	-3	4.66	0.003	1.000	Pass
			25	Low	7.94	-3	4.94	0.003	1.000	Pass
			25	Mid	7.86	-3	4.86	0.003	1.000	Pass
			25	High	7.82	-3	4.82	0.003	1.000	Pass
			50	Low	7.83	-3	4.83	0.003	1.000	Pass
	HCH	QPSK	1	Low	12.55	-3	9.55	0.009	1.000	Pass
			1	Mid	12.44	-3	9.44	0.009	1.000	Pass
			1	High	12.56	-3	9.56	0.009	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			25	Low	11.47	-3	8.47	0.007	1.000	Pass
			25	Mid	11.44	-3	8.44	0.007	1.000	Pass
			25	High	11.5	-3	8.50	0.007	1.000	Pass
			50	Low	11.51	-3	8.51	0.007	1.000	Pass
		Q16	1	Low	11.93	-3	8.93	0.008	1.000	Pass
			1	Mid	11.82	-3	8.82	0.008	1.000	Pass
			1	High	11.96	-3	8.96	0.008	1.000	Pass
			25	Low	10.48	-3	7.48	0.006	1.000	Pass
			25	Mid	10.46	-3	7.46	0.006	1.000	Pass
			25	High	10.5	-3	7.50	0.006	1.000	Pass
			50	Low	10.52	-3	7.52	0.006	1.000	Pass
		Q64	1	Low	10.75	-3	7.75	0.006	1.000	Pass
			1	Mid	10.69	-3	7.69	0.006	1.000	Pass
			1	High	10.81	-3	7.81	0.006	1.000	Pass
			25	Low	9.39	-3	6.39	0.004	1.000	Pass
			25	Mid	9.36	-3	6.36	0.004	1.000	Pass
			25	High	9.41	-3	6.41	0.004	1.000	Pass
			50	Low	9.47	-3	6.47	0.004	1.000	Pass
		Q256	1	Low	7.9	-3	4.90	0.003	1.000	Pass
			1	Mid	7.8	-3	4.80	0.003	1.000	Pass
			1	High	7.99	-3	4.99	0.003	1.000	Pass
			25	Low	7.51	-3	4.51	0.003	1.000	Pass
			25	Mid	7.47	-3	4.47	0.003	1.000	Pass
			25	High	7.51	-3	4.51	0.003	1.000	Pass
			50	Low	7.52	-3	4.52	0.003	1.000	Pass
15	LCH	QPSK	1	Low	13.45	-3	10.45	0.011	1.000	Pass
			1	Mid	13.35	-3	10.35	0.011	1.000	Pass
			1	High	13.4	-3	10.40	0.011	1.000	Pass
			36	Low	12.39	-3	9.39	0.009	1.000	Pass
			36	Mid	12.32	-3	9.32	0.009	1.000	Pass
			36	High	12.32	-3	9.32	0.009	1.000	Pass
			75	Low	12.36	-3	9.36	0.009	1.000	Pass
		Q16	1	Low	12.76	-3	9.76	0.009	1.000	Pass
			1	Mid	12.63	-3	9.63	0.009	1.000	Pass
			1	High	12.66	-3	9.66	0.009	1.000	Pass
			36	Low	11.41	-3	8.41	0.007	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	Mid	11.36	-3	8.36	0.007	1.000	Pass
			36	High	11.34	-3	8.34	0.007	1.000	Pass
			75	Low	11.38	-3	8.38	0.007	1.000	Pass
		Q64	1	Low	11.27	-3	8.27	0.007	1.000	Pass
			1	Mid	11.18	-3	8.18	0.007	1.000	Pass
			1	High	11.17	-3	8.17	0.007	1.000	Pass
			36	Low	10.46	-3	7.46	0.006	1.000	Pass
			36	Mid	10.41	-3	7.41	0.006	1.000	Pass
			36	High	10.38	-3	7.38	0.005	1.000	Pass
			75	Low	10.34	-3	7.34	0.005	1.000	Pass
		Q256	1	Low	8.73	-3	5.73	0.004	1.000	Pass
			1	Mid	8.6	-3	5.60	0.004	1.000	Pass
			1	High	8.6	-3	5.60	0.004	1.000	Pass
			36	Low	8.5	-3	5.50	0.004	1.000	Pass
			36	Mid	8.45	-3	5.45	0.004	1.000	Pass
			36	High	8.46	-3	5.46	0.004	1.000	Pass
			75	Low	8.46	-3	5.46	0.004	1.000	Pass
	MCH	QPSK	1	Low	13.07	-3	10.07	0.010	1.000	Pass
			1	Mid	13	-3	10.00	0.010	1.000	Pass
			1	High	12.86	-3	9.86	0.010	1.000	Pass
			36	Low	11.87	-3	8.87	0.008	1.000	Pass
			36	Mid	11.8	-3	8.80	0.008	1.000	Pass
			36	High	11.73	-3	8.73	0.007	1.000	Pass
			75	Low	11.8	-3	8.80	0.008	1.000	Pass
		Q16	1	Low	12.4	-3	9.40	0.009	1.000	Pass
			1	Mid	12.31	-3	9.31	0.009	1.000	Pass
			1	High	12.2	-3	9.20	0.008	1.000	Pass
			36	Low	10.86	-3	7.86	0.006	1.000	Pass
			36	Mid	10.82	-3	7.82	0.006	1.000	Pass
			36	High	10.74	-3	7.74	0.006	1.000	Pass
			75	Low	10.79	-3	7.79	0.006	1.000	Pass
		Q64	1	Low	11.48	-3	8.48	0.007	1.000	Pass
			1	Mid	11.38	-3	8.38	0.007	1.000	Pass
			1	High	11.26	-3	8.26	0.007	1.000	Pass
			36	Low	9.9	-3	6.90	0.005	1.000	Pass
			36	Mid	9.87	-3	6.87	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			36	High	9.78	-3	6.78	0.005	1.000	Pass
			75	Low	9.79	-3	6.79	0.005	1.000	Pass
		Q256	1	Low	7.82	-3	4.82	0.003	1.000	Pass
			1	Mid	7.69	-3	4.69	0.003	1.000	Pass
			1	High	7.62	-3	4.62	0.003	1.000	Pass
			36	Low	7.91	-3	4.91	0.003	1.000	Pass
			36	Mid	7.81	-3	4.81	0.003	1.000	Pass
			36	High	7.76	-3	4.76	0.003	1.000	Pass
			75	Low	7.81	-3	4.81	0.003	1.000	Pass
	HCH	QPSK	1	Low	12.61	-3	9.61	0.009	1.000	Pass
			1	Mid	12.59	-3	9.59	0.009	1.000	Pass
			1	High	12.64	-3	9.64	0.009	1.000	Pass
			36	Low	11.51	-3	8.51	0.007	1.000	Pass
			36	Mid	11.49	-3	8.49	0.007	1.000	Pass
			36	High	11.54	-3	8.54	0.007	1.000	Pass
			75	Low	11.56	-3	8.56	0.007	1.000	Pass
		Q16	1	Low	11.88	-3	8.88	0.008	1.000	Pass
			1	Mid	11.88	-3	8.88	0.008	1.000	Pass
			1	High	11.92	-3	8.92	0.008	1.000	Pass
			36	Low	10.58	-3	7.58	0.006	1.000	Pass
			36	Mid	10.58	-3	7.58	0.006	1.000	Pass
			36	High	10.58	-3	7.58	0.006	1.000	Pass
			75	Low	10.55	-3	7.55	0.006	1.000	Pass
		Q64	1	Low	10.66	-3	7.66	0.006	1.000	Pass
			1	Mid	10.67	-3	7.67	0.006	1.000	Pass
			1	High	10.69	-3	7.69	0.006	1.000	Pass
			36	Low	9.49	-3	6.49	0.004	1.000	Pass
			36	Mid	9.51	-3	6.51	0.004	1.000	Pass
			36	High	9.51	-3	6.51	0.004	1.000	Pass
			75	Low	9.54	-3	6.54	0.005	1.000	Pass
		Q256	1	Low	8.11	-3	5.11	0.003	1.000	Pass
			1	Mid	8.03	-3	5.03	0.003	1.000	Pass
			1	High	8.15	-3	5.15	0.003	1.000	Pass
			36	Low	7.57	-3	4.57	0.003	1.000	Pass
			36	Mid	7.53	-3	4.53	0.003	1.000	Pass
			36	High	7.56	-3	4.56	0.003	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
20	LCH	QPSK	75	Low	7.59	-3	4.59	0.003	1.000	Pass
			1	Low	13.49	-3	10.49	0.011	1.000	Pass
			1	Mid	13.39	-3	10.39	0.011	1.000	Pass
			1	High	13.46	-3	10.46	0.011	1.000	Pass
			50	Low	12.37	-3	9.37	0.009	1.000	Pass
			50	Mid	12.31	-3	9.31	0.009	1.000	Pass
			50	High	12.33	-3	9.33	0.009	1.000	Pass
		Q16	100	Low	12.36	-3	9.36	0.009	1.000	Pass
			1	Low	12.81	-3	9.81	0.010	1.000	Pass
			1	Mid	12.71	-3	9.71	0.009	1.000	Pass
			1	High	12.78	-3	9.78	0.010	1.000	Pass
			50	Low	11.38	-3	8.38	0.007	1.000	Pass
			50	Mid	11.31	-3	8.31	0.007	1.000	Pass
			50	High	11.35	-3	8.35	0.007	1.000	Pass
		Q64	100	Low	11.34	-3	8.34	0.007	1.000	Pass
			1	Low	12.07	-3	9.07	0.008	1.000	Pass
			1	Mid	11.97	-3	8.97	0.008	1.000	Pass
			1	High	12.01	-3	9.01	0.008	1.000	Pass
			50	Low	10.42	-3	7.42	0.006	1.000	Pass
			50	Mid	10.38	-3	7.38	0.005	1.000	Pass
			50	High	10.38	-3	7.38	0.005	1.000	Pass
		Q256	100	Low	10.36	-3	7.36	0.005	1.000	Pass
			1	Low	8.9	-3	5.90	0.004	1.000	Pass
			1	Mid	8.77	-3	5.77	0.004	1.000	Pass
			1	High	8.84	-3	5.84	0.004	1.000	Pass
			50	Low	8.47	-3	5.47	0.004	1.000	Pass
			50	Mid	8.4	-3	5.40	0.003	1.000	Pass
			50	High	8.39	-3	5.39	0.003	1.000	Pass
	MCH	QPSK	100	Low	8.41	-3	5.41	0.003	1.000	Pass
			1	Low	13.05	-3	10.05	0.010	1.000	Pass
			1	Mid	12.85	-3	9.85	0.010	1.000	Pass
			1	High	12.83	-3	9.83	0.010	1.000	Pass
			50	Low	11.87	-3	8.87	0.008	1.000	Pass
			50	Mid	11.78	-3	8.78	0.008	1.000	Pass
			50	High	11.73	-3	8.73	0.007	1.000	Pass
			100	Low	11.8	-3	8.80	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
		Q16	1	Low	12.18	-3	9.18	0.008	1.000	Pass
			1	Mid	12.02	-3	9.02	0.008	1.000	Pass
			1	High	11.95	-3	8.95	0.008	1.000	Pass
			50	Low	10.87	-3	7.87	0.006	1.000	Pass
			50	Mid	10.77	-3	7.77	0.006	1.000	Pass
			50	High	10.75	-3	7.75	0.006	1.000	Pass
			100	Low	10.82	-3	7.82	0.006	1.000	Pass
		Q64	1	Low	11.15	-3	8.15	0.007	1.000	Pass
			1	Mid	11.02	-3	8.02	0.006	1.000	Pass
			1	High	10.92	-3	7.92	0.006	1.000	Pass
			50	Low	9.9	-3	6.90	0.005	1.000	Pass
			50	Mid	9.79	-3	6.79	0.005	1.000	Pass
			50	High	9.78	-3	6.78	0.005	1.000	Pass
			100	Low	9.81	-3	6.81	0.005	1.000	Pass
		Q256	1	Low	8.17	-3	5.17	0.003	1.000	Pass
			1	Mid	8	-3	5.00	0.003	1.000	Pass
			1	High	7.96	-3	4.96	0.003	1.000	Pass
			50	Low	7.95	-3	4.95	0.003	1.000	Pass
			50	Mid	7.82	-3	4.82	0.003	1.000	Pass
			50	High	7.78	-3	4.78	0.003	1.000	Pass
			100	Low	7.88	-3	4.88	0.003	1.000	Pass
	HCH	QPSK	1	Low	12.75	-3	9.75	0.009	1.000	Pass
			1	Mid	12.67	-3	9.67	0.009	1.000	Pass
			1	High	12.71	-3	9.71	0.009	1.000	Pass
			50	Low	11.63	-3	8.63	0.007	1.000	Pass
			50	Mid	11.6	-3	8.60	0.007	1.000	Pass
			50	High	11.6	-3	8.60	0.007	1.000	Pass
			100	Low	11.62	-3	8.62	0.007	1.000	Pass
		Q16	1	Low	12.1	-3	9.10	0.008	1.000	Pass
			1	Mid	12.05	-3	9.05	0.008	1.000	Pass
			1	High	12.06	-3	9.06	0.008	1.000	Pass
			50	Low	10.69	-3	7.69	0.006	1.000	Pass
			50	Mid	10.67	-3	7.67	0.006	1.000	Pass
			50	High	10.66	-3	7.66	0.006	1.000	Pass
			100	Low	10.64	-3	7.64	0.006	1.000	Pass
		Q64	1	Low	11.09	-3	8.09	0.006	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 42(3450-3550)										
			1	Mid	11.07	-3	8.07	0.006	1.000	Pass
			1	High	11.06	-3	8.06	0.006	1.000	Pass
			50	Low	9.71	-3	6.71	0.005	1.000	Pass
			50	Mid	9.67	-3	6.67	0.005	1.000	Pass
			50	High	9.67	-3	6.67	0.005	1.000	Pass
			100	Low	9.7	-3	6.70	0.005	1.000	Pass
		Q256	1	Low	8.19	-3	5.19	0.003	1.000	Pass
			1	Mid	7.97	-3	4.97	0.003	1.000	Pass
			1	High	8.09	-3	5.09	0.003	1.000	Pass
			50	Low	7.71	-3	4.71	0.003	1.000	Pass
			50	Mid	7.66	-3	4.66	0.003	1.000	Pass
			50	High	7.65	-3	4.65	0.003	1.000	Pass
			100	Low	7.71	-3	4.71	0.003	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
1.4	LCH	QPSK	1	Low	15.19	-3.3	11.89	0.015	1.000	Pass
			1	Mid	15.2	-3.3	11.90	0.015	1.000	Pass
			1	High	15.18	-3.3	11.88	0.015	1.000	Pass
			3	Low	15.2	-3.3	11.90	0.015	1.000	Pass
			3	Mid	15.18	-3.3	11.88	0.015	1.000	Pass
			3	High	15.21	-3.3	11.91	0.016	1.000	Pass
			6	Low	14.3	-3.3	11.00	0.013	1.000	Pass
		Q16	1	Low	14.38	-3.3	11.08	0.013	1.000	Pass
			1	Mid	14.24	-3.3	10.94	0.012	1.000	Pass
			1	High	14.41	-3.3	11.11	0.013	1.000	Pass
			3	Low	14.46	-3.3	11.16	0.013	1.000	Pass
			3	Mid	14.42	-3.3	11.12	0.013	1.000	Pass
			3	High	14.46	-3.3	11.16	0.013	1.000	Pass
			6	Low	13.46	-3.3	10.16	0.010	1.000	Pass
		Q64	1	Low	13.52	-3.3	10.22	0.011	1.000	Pass
			1	Mid	13.51	-3.3	10.21	0.010	1.000	Pass
			1	High	13.53	-3.3	10.23	0.011	1.000	Pass
			3	Low	13.24	-3.3	9.94	0.010	1.000	Pass
			3	Mid	13.26	-3.3	9.96	0.010	1.000	Pass
			3	High	13.24	-3.3	9.94	0.010	1.000	Pass
			6	Low	12.44	-3.3	9.14	0.008	1.000	Pass
		Q256	1	Low	10.2	-3.3	6.90	0.005	1.000	Pass
			1	Mid	10.18	-3.3	6.88	0.005	1.000	Pass
			1	High	10.17	-3.3	6.87	0.005	1.000	Pass
			3	Low	10.37	-3.3	7.07	0.005	1.000	Pass
			3	Mid	10.36	-3.3	7.06	0.005	1.000	Pass
			3	High	10.36	-3.3	7.06	0.005	1.000	Pass
			6	Low	10.35	-3.3	7.05	0.005	1.000	Pass
	MCH	QPSK	1	Low	15.44	-3.3	12.14	0.016	1.000	Pass
			1	Mid	15.31	-3.3	12.01	0.016	1.000	Pass
			1	High	15.41	-3.3	12.11	0.016	1.000	Pass
			3	Low	15.13	-3.3	11.83	0.015	1.000	Pass
			3	Mid	15.13	-3.3	11.83	0.015	1.000	Pass
			3	High	15.15	-3.3	11.85	0.015	1.000	Pass
			6	Low	14.3	-3.3	11.00	0.013	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	14.45	-3.3	11.15	0.013	1.000	Pass
			1	Mid	14.41	-3.3	11.11	0.013	1.000	Pass
			1	High	14.47	-3.3	11.17	0.013	1.000	Pass
			3	Low	14.3	-3.3	11.00	0.013	1.000	Pass
			3	Mid	14.31	-3.3	11.01	0.013	1.000	Pass
			3	High	14.3	-3.3	11.00	0.013	1.000	Pass
			6	Low	13.42	-3.3	10.12	0.010	1.000	Pass
		Q64	1	Low	13.79	-3.3	10.49	0.011	1.000	Pass
			1	Mid	13.83	-3.3	10.53	0.011	1.000	Pass
			1	High	13.77	-3.3	10.47	0.011	1.000	Pass
			3	Low	13.63	-3.3	10.33	0.011	1.000	Pass
			3	Mid	13.68	-3.3	10.38	0.011	1.000	Pass
			3	High	13.65	-3.3	10.35	0.011	1.000	Pass
			6	Low	12.31	-3.3	9.01	0.008	1.000	Pass
		Q256	1	Low	10.4	-3.3	7.10	0.005	1.000	Pass
			1	Mid	10.4	-3.3	7.10	0.005	1.000	Pass
			1	High	10.37	-3.3	7.07	0.005	1.000	Pass
			3	Low	10.36	-3.3	7.06	0.005	1.000	Pass
			3	Mid	10.33	-3.3	7.03	0.005	1.000	Pass
			3	High	10.31	-3.3	7.01	0.005	1.000	Pass
			6	Low	10.34	-3.3	7.04	0.005	1.000	Pass
	HCH	QPSK	1	Low	15.13	-3.3	11.83	0.015	1.000	Pass
			1	Mid	15.12	-3.3	11.82	0.015	1.000	Pass
			1	High	15.08	-3.3	11.78	0.015	1.000	Pass
			3	Low	15.08	-3.3	11.78	0.015	1.000	Pass
			3	Mid	15.08	-3.3	11.78	0.015	1.000	Pass
			3	High	15.05	-3.3	11.75	0.015	1.000	Pass
			6	Low	14.17	-3.3	10.87	0.012	1.000	Pass
		Q16	1	Low	14.63	-3.3	11.33	0.014	1.000	Pass
			1	Mid	14.47	-3.3	11.17	0.013	1.000	Pass
			1	High	14.6	-3.3	11.30	0.013	1.000	Pass
			3	Low	14.32	-3.3	11.02	0.013	1.000	Pass
			3	Mid	14.29	-3.3	10.99	0.013	1.000	Pass
			3	High	14.35	-3.3	11.05	0.013	1.000	Pass
			6	Low	13.1	-3.3	9.80	0.010	1.000	Pass
		Q64	1	Low	13.33	-3.3	10.03	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	13.34	-3.3	10.04	0.010	1.000	Pass
			1	High	13.31	-3.3	10.01	0.010	1.000	Pass
			3	Low	13.33	-3.3	10.03	0.010	1.000	Pass
			3	Mid	13.29	-3.3	9.99	0.010	1.000	Pass
			3	High	13.35	-3.3	10.05	0.010	1.000	Pass
			6	Low	12.48	-3.3	9.18	0.008	1.000	Pass
		Q256	1	Low	9.99	-3.3	6.69	0.005	1.000	Pass
			1	Mid	9.96	-3.3	6.66	0.005	1.000	Pass
			1	High	10	-3.3	6.70	0.005	1.000	Pass
			3	Low	10.18	-3.3	6.88	0.005	1.000	Pass
			3	Mid	10.15	-3.3	6.85	0.005	1.000	Pass
			3	High	10.17	-3.3	6.87	0.005	1.000	Pass
			6	Low	10.12	-3.3	6.82	0.005	1.000	Pass
3	LCH	QPSK	1	Low	15.36	-3.3	12.06	0.016	1.000	Pass
			1	Mid	15.25	-3.3	11.95	0.016	1.000	Pass
			1	High	15.35	-3.3	12.05	0.016	1.000	Pass
			8	Low	14.38	-3.3	11.08	0.013	1.000	Pass
			8	Mid	14.38	-3.3	11.08	0.013	1.000	Pass
			8	High	14.36	-3.3	11.06	0.013	1.000	Pass
			15	Low	14.39	-3.3	11.09	0.013	1.000	Pass
		Q16	1	Low	14.24	-3.3	10.94	0.012	1.000	Pass
			1	Mid	14.24	-3.3	10.94	0.012	1.000	Pass
			1	High	14.21	-3.3	10.91	0.012	1.000	Pass
			8	Low	13.51	-3.3	10.21	0.010	1.000	Pass
			8	Mid	13.47	-3.3	10.17	0.010	1.000	Pass
			8	High	13.47	-3.3	10.17	0.010	1.000	Pass
			15	Low	13.43	-3.3	10.13	0.010	1.000	Pass
		Q64	1	Low	13.72	-3.3	10.42	0.011	1.000	Pass
			1	Mid	13.68	-3.3	10.38	0.011	1.000	Pass
			1	High	13.7	-3.3	10.40	0.011	1.000	Pass
			8	Low	12.49	-3.3	9.19	0.008	1.000	Pass
			8	Mid	12.47	-3.3	9.17	0.008	1.000	Pass
			8	High	12.46	-3.3	9.16	0.008	1.000	Pass
			15	Low	12.4	-3.3	9.10	0.008	1.000	Pass
		Q256	1	Low	10.94	-3.3	7.64	0.006	1.000	Pass
			1	Mid	10.89	-3.3	7.59	0.006	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH		1	High	10.87	-3.3	7.57	0.006	1.000	Pass
			8	Low	10.42	-3.3	7.12	0.005	1.000	Pass
			8	Mid	10.43	-3.3	7.13	0.005	1.000	Pass
			8	High	10.41	-3.3	7.11	0.005	1.000	Pass
			15	Low	10.38	-3.3	7.08	0.005	1.000	Pass
		QPSK	1	Low	15.3	-3.3	12.00	0.016	1.000	Pass
			1	Mid	15.37	-3.3	12.07	0.016	1.000	Pass
			1	High	15.35	-3.3	12.05	0.016	1.000	Pass
			8	Low	14.37	-3.3	11.07	0.013	1.000	Pass
			8	Mid	14.39	-3.3	11.09	0.013	1.000	Pass
			8	High	14.37	-3.3	11.07	0.013	1.000	Pass
			15	Low	14.38	-3.3	11.08	0.013	1.000	Pass
		Q16	1	Low	14.73	-3.3	11.43	0.014	1.000	Pass
			1	Mid	14.76	-3.3	11.46	0.014	1.000	Pass
			1	High	14.79	-3.3	11.49	0.014	1.000	Pass
			8	Low	13.46	-3.3	10.16	0.010	1.000	Pass
			8	Mid	13.44	-3.3	10.14	0.010	1.000	Pass
			8	High	13.48	-3.3	10.18	0.010	1.000	Pass
			15	Low	13.45	-3.3	10.15	0.010	1.000	Pass
		Q64	1	Low	13.45	-3.3	10.15	0.010	1.000	Pass
			1	Mid	13.5	-3.3	10.20	0.010	1.000	Pass
			1	High	13.58	-3.3	10.28	0.011	1.000	Pass
			8	Low	12.44	-3.3	9.14	0.008	1.000	Pass
			8	Mid	12.45	-3.3	9.15	0.008	1.000	Pass
			8	High	12.44	-3.3	9.14	0.008	1.000	Pass
			15	Low	12.43	-3.3	9.13	0.008	1.000	Pass
		Q256	1	Low	10.18	-3.3	6.88	0.005	1.000	Pass
			1	Mid	10.21	-3.3	6.91	0.005	1.000	Pass
			1	High	10.19	-3.3	6.89	0.005	1.000	Pass
			8	Low	10.3	-3.3	7.00	0.005	1.000	Pass
			8	Mid	10.29	-3.3	6.99	0.005	1.000	Pass
			8	High	10.34	-3.3	7.04	0.005	1.000	Pass
			15	Low	10.39	-3.3	7.09	0.005	1.000	Pass
	HCH	QPSK	1	Low	15.11	-3.3	11.81	0.015	1.000	Pass
			1	Mid	15.08	-3.3	11.78	0.015	1.000	Pass
			1	High	15.11	-3.3	11.81	0.015	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			8	Low	14.2	-3.3	10.90	0.012	1.000	Pass
			8	Mid	14.19	-3.3	10.89	0.012	1.000	Pass
			8	High	14.17	-3.3	10.87	0.012	1.000	Pass
			15	Low	14.21	-3.3	10.91	0.012	1.000	Pass
		Q16	1	Low	14.28	-3.3	10.98	0.013	1.000	Pass
			1	Mid	14.18	-3.3	10.88	0.012	1.000	Pass
			1	High	14.24	-3.3	10.94	0.012	1.000	Pass
			8	Low	13.26	-3.3	9.96	0.010	1.000	Pass
			8	Mid	13.25	-3.3	9.95	0.010	1.000	Pass
			8	High	13.24	-3.3	9.94	0.010	1.000	Pass
			15	Low	13.17	-3.3	9.87	0.010	1.000	Pass
		Q64	1	Low	13.41	-3.3	10.11	0.010	1.000	Pass
			1	Mid	13.42	-3.3	10.12	0.010	1.000	Pass
			1	High	13.4	-3.3	10.10	0.010	1.000	Pass
			8	Low	12.16	-3.3	8.86	0.008	1.000	Pass
			8	Mid	12.17	-3.3	8.87	0.008	1.000	Pass
			8	High	12.19	-3.3	8.89	0.008	1.000	Pass
			15	Low	12.3	-3.3	9.00	0.008	1.000	Pass
		Q256	1	Low	9.96	-3.3	6.66	0.005	1.000	Pass
			1	Mid	10.02	-3.3	6.72	0.005	1.000	Pass
			1	High	9.99	-3.3	6.69	0.005	1.000	Pass
			8	Low	10.26	-3.3	6.96	0.005	1.000	Pass
			8	Mid	10.2	-3.3	6.90	0.005	1.000	Pass
			8	High	10.23	-3.3	6.93	0.005	1.000	Pass
			15	Low	10.17	-3.3	6.87	0.005	1.000	Pass
5	LCH	QPSK	1	Low	15.38	-3.3	12.08	0.016	1.000	Pass
			1	Mid	15.43	-3.3	12.13	0.016	1.000	Pass
			1	High	15.36	-3.3	12.06	0.016	1.000	Pass
			12	Low	14.35	-3.3	11.05	0.013	1.000	Pass
			12	Mid	14.35	-3.3	11.05	0.013	1.000	Pass
			12	High	14.35	-3.3	11.05	0.013	1.000	Pass
			25	Low	14.43	-3.3	11.13	0.013	1.000	Pass
		Q16	1	Low	14.57	-3.3	11.27	0.013	1.000	Pass
			1	Mid	14.57	-3.3	11.27	0.013	1.000	Pass
			1	High	14.52	-3.3	11.22	0.013	1.000	Pass
			12	Low	13.43	-3.3	10.13	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	Mid	13.42	-3.3	10.12	0.010	1.000	Pass
			12	High	13.41	-3.3	10.11	0.010	1.000	Pass
			25	Low	13.41	-3.3	10.11	0.010	1.000	Pass
		Q64	1	Low	13.33	-3.3	10.03	0.010	1.000	Pass
			1	Mid	13.28	-3.3	9.98	0.010	1.000	Pass
			1	High	13.3	-3.3	10.00	0.010	1.000	Pass
			12	Low	12.45	-3.3	9.15	0.008	1.000	Pass
			12	Mid	12.44	-3.3	9.14	0.008	1.000	Pass
			12	High	12.4	-3.3	9.10	0.008	1.000	Pass
			25	Low	12.38	-3.3	9.08	0.008	1.000	Pass
		Q256	1	Low	10.03	-3.3	6.73	0.005	1.000	Pass
			1	Mid	10	-3.3	6.70	0.005	1.000	Pass
			1	High	9.91	-3.3	6.61	0.005	1.000	Pass
			12	Low	10.34	-3.3	7.04	0.005	1.000	Pass
			12	Mid	10.3	-3.3	7.00	0.005	1.000	Pass
			12	High	10.25	-3.3	6.95	0.005	1.000	Pass
			25	Low	10.38	-3.3	7.08	0.005	1.000	Pass
	MCH	QPSK	1	Low	15.27	-3.3	11.97	0.016	1.000	Pass
			1	Mid	15.39	-3.3	12.09	0.016	1.000	Pass
			1	High	15.34	-3.3	12.04	0.016	1.000	Pass
			12	Low	14.4	-3.3	11.10	0.013	1.000	Pass
			12	Mid	14.39	-3.3	11.09	0.013	1.000	Pass
			12	High	14.39	-3.3	11.09	0.013	1.000	Pass
			25	Low	14.43	-3.3	11.13	0.013	1.000	Pass
		Q16	1	Low	14.92	-3.3	11.62	0.015	1.000	Pass
			1	Mid	14.98	-3.3	11.68	0.015	1.000	Pass
			1	High	14.93	-3.3	11.63	0.015	1.000	Pass
			12	Low	13.54	-3.3	10.24	0.011	1.000	Pass
			12	Mid	13.53	-3.3	10.23	0.011	1.000	Pass
			12	High	13.58	-3.3	10.28	0.011	1.000	Pass
			25	Low	13.48	-3.3	10.18	0.010	1.000	Pass
		Q64	1	Low	13.66	-3.3	10.36	0.011	1.000	Pass
			1	Mid	13.72	-3.3	10.42	0.011	1.000	Pass
			1	High	13.72	-3.3	10.42	0.011	1.000	Pass
			12	Low	12.36	-3.3	9.06	0.008	1.000	Pass
			12	Mid	12.37	-3.3	9.07	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			12	High	12.37	-3.3	9.07	0.008	1.000	Pass
			25	Low	12.4	-3.3	9.10	0.008	1.000	Pass
		Q256	1	Low	10.48	-3.3	7.18	0.005	1.000	Pass
			1	Mid	10.53	-3.3	7.23	0.005	1.000	Pass
			1	High	10.51	-3.3	7.21	0.005	1.000	Pass
			12	Low	10.39	-3.3	7.09	0.005	1.000	Pass
			12	Mid	10.42	-3.3	7.12	0.005	1.000	Pass
			12	High	10.4	-3.3	7.10	0.005	1.000	Pass
			25	Low	10.38	-3.3	7.08	0.005	1.000	Pass
		QPSK	1	Low	15.18	-3.3	11.88	0.015	1.000	Pass
			1	Mid	15.23	-3.3	11.93	0.016	1.000	Pass
			1	High	15.25	-3.3	11.95	0.016	1.000	Pass
			12	Low	14.21	-3.3	10.91	0.012	1.000	Pass
			12	Mid	14.22	-3.3	10.92	0.012	1.000	Pass
			12	High	14.2	-3.3	10.90	0.012	1.000	Pass
			25	Low	14.27	-3.3	10.97	0.013	1.000	Pass
	HCH	Q16	1	Low	14.28	-3.3	10.98	0.013	1.000	Pass
			1	Mid	14.31	-3.3	11.01	0.013	1.000	Pass
			1	High	14.32	-3.3	11.02	0.013	1.000	Pass
			12	Low	13.25	-3.3	9.95	0.010	1.000	Pass
			12	Mid	13.26	-3.3	9.96	0.010	1.000	Pass
			12	High	13.26	-3.3	9.96	0.010	1.000	Pass
			25	Low	13.19	-3.3	9.89	0.010	1.000	Pass
		Q64	1	Low	13.39	-3.3	10.09	0.010	1.000	Pass
			1	Mid	13.44	-3.3	10.14	0.010	1.000	Pass
			1	High	13.45	-3.3	10.15	0.010	1.000	Pass
			12	Low	12.24	-3.3	8.94	0.008	1.000	Pass
			12	Mid	12.3	-3.3	9.00	0.008	1.000	Pass
			12	High	12.29	-3.3	8.99	0.008	1.000	Pass
			25	Low	12.31	-3.3	9.01	0.008	1.000	Pass
		Q256	1	Low	10.08	-3.3	6.78	0.005	1.000	Pass
			1	Mid	10.07	-3.3	6.77	0.005	1.000	Pass
			1	High	10.07	-3.3	6.77	0.005	1.000	Pass
			12	Low	10.24	-3.3	6.94	0.005	1.000	Pass
			12	Mid	10.26	-3.3	6.96	0.005	1.000	Pass
			12	High	10.23	-3.3	6.93	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
10	LCH	QPSK	25	Low	10.23	-3.3	6.93	0.005	1.000	Pass
			1	Low	15.43	-3.3	12.13	0.016	1.000	Pass
			1	Mid	15.34	-3.3	12.04	0.016	1.000	Pass
			1	High	15.35	-3.3	12.05	0.016	1.000	Pass
			25	Low	14.37	-3.3	11.07	0.013	1.000	Pass
			25	Mid	14.35	-3.3	11.05	0.013	1.000	Pass
			25	High	14.3	-3.3	11.00	0.013	1.000	Pass
		Q16	50	Low	14.35	-3.3	11.05	0.013	1.000	Pass
			1	Low	14.3	-3.3	11.00	0.013	1.000	Pass
			1	Mid	14.19	-3.3	10.89	0.012	1.000	Pass
			1	High	14.15	-3.3	10.85	0.012	1.000	Pass
			25	Low	13.38	-3.3	10.08	0.010	1.000	Pass
			25	Mid	13.35	-3.3	10.05	0.010	1.000	Pass
			25	High	13.32	-3.3	10.02	0.010	1.000	Pass
		Q64	50	Low	13.33	-3.3	10.03	0.010	1.000	Pass
			1	Low	13.71	-3.3	10.41	0.011	1.000	Pass
			1	Mid	13.6	-3.3	10.30	0.011	1.000	Pass
			1	High	13.56	-3.3	10.26	0.011	1.000	Pass
			25	Low	12.4	-3.3	9.10	0.008	1.000	Pass
			25	Mid	12.37	-3.3	9.07	0.008	1.000	Pass
			25	High	12.35	-3.3	9.05	0.008	1.000	Pass
		Q256	50	Low	12.37	-3.3	9.07	0.008	1.000	Pass
			1	Low	10.98	-3.3	7.68	0.006	1.000	Pass
			1	Mid	10.89	-3.3	7.59	0.006	1.000	Pass
			1	High	10.83	-3.3	7.53	0.006	1.000	Pass
			25	Low	10.39	-3.3	7.09	0.005	1.000	Pass
			25	Mid	10.34	-3.3	7.04	0.005	1.000	Pass
			25	High	10.31	-3.3	7.01	0.005	1.000	Pass
	MCH	QPSK	50	Low	10.38	-3.3	7.08	0.005	1.000	Pass
			1	Low	15.35	-3.3	12.05	0.016	1.000	Pass
			1	Mid	15.39	-3.3	12.09	0.016	1.000	Pass
			1	High	15.42	-3.3	12.12	0.016	1.000	Pass
			25	Low	14.35	-3.3	11.05	0.013	1.000	Pass
			25	Mid	14.33	-3.3	11.03	0.013	1.000	Pass
			25	High	14.37	-3.3	11.07	0.013	1.000	Pass
			50	Low	14.38	-3.3	11.08	0.013	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
		Q16	1	Low	14.72	-3.3	11.42	0.014	1.000	Pass
			1	Mid	14.74	-3.3	11.44	0.014	1.000	Pass
			1	High	14.75	-3.3	11.45	0.014	1.000	Pass
			25	Low	13.37	-3.3	10.07	0.010	1.000	Pass
			25	Mid	13.37	-3.3	10.07	0.010	1.000	Pass
			25	High	13.38	-3.3	10.08	0.010	1.000	Pass
			50	Low	13.35	-3.3	10.05	0.010	1.000	Pass
		Q64	1	Low	13.48	-3.3	10.18	0.010	1.000	Pass
			1	Mid	13.52	-3.3	10.22	0.011	1.000	Pass
			1	High	13.54	-3.3	10.24	0.011	1.000	Pass
			25	Low	12.43	-3.3	9.13	0.008	1.000	Pass
			25	Mid	12.42	-3.3	9.12	0.008	1.000	Pass
			25	High	12.45	-3.3	9.15	0.008	1.000	Pass
			50	Low	12.42	-3.3	9.12	0.008	1.000	Pass
		Q256	1	Low	10.2	-3.3	6.90	0.005	1.000	Pass
			1	Mid	10.2	-3.3	6.90	0.005	1.000	Pass
			1	High	10.26	-3.3	6.96	0.005	1.000	Pass
			25	Low	10.35	-3.3	7.05	0.005	1.000	Pass
			25	Mid	10.34	-3.3	7.04	0.005	1.000	Pass
			25	High	10.38	-3.3	7.08	0.005	1.000	Pass
			50	Low	10.3	-3.3	7.00	0.005	1.000	Pass
	HCH	QPSK	1	Low	15.19	-3.3	11.89	0.015	1.000	Pass
			1	Mid	15.11	-3.3	11.81	0.015	1.000	Pass
			1	High	15.13	-3.3	11.83	0.015	1.000	Pass
			25	Low	14.17	-3.3	10.87	0.012	1.000	Pass
			25	Mid	14.16	-3.3	10.86	0.012	1.000	Pass
			25	High	14.2	-3.3	10.90	0.012	1.000	Pass
			50	Low	14.2	-3.3	10.90	0.012	1.000	Pass
		Q16	1	Low	14.26	-3.3	10.96	0.012	1.000	Pass
			1	Mid	14.18	-3.3	10.88	0.012	1.000	Pass
			1	High	14.19	-3.3	10.89	0.012	1.000	Pass
			25	Low	13.26	-3.3	9.96	0.010	1.000	Pass
			25	Mid	13.22	-3.3	9.92	0.010	1.000	Pass
			25	High	13.26	-3.3	9.96	0.010	1.000	Pass
			50	Low	13.22	-3.3	9.92	0.010	1.000	Pass
		Q64	1	Low	13.43	-3.3	10.13	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			1	Mid	13.31	-3.3	10.01	0.010	1.000	Pass
			1	High	13.37	-3.3	10.07	0.010	1.000	Pass
			25	Low	12.24	-3.3	8.94	0.008	1.000	Pass
			25	Mid	12.24	-3.3	8.94	0.008	1.000	Pass
			25	High	12.26	-3.3	8.96	0.008	1.000	Pass
			50	Low	12.2	-3.3	8.90	0.008	1.000	Pass
		Q256	1	Low	10.05	-3.3	6.75	0.005	1.000	Pass
			1	Mid	10	-3.3	6.70	0.005	1.000	Pass
			1	High	10.03	-3.3	6.73	0.005	1.000	Pass
			25	Low	10.25	-3.3	6.95	0.005	1.000	Pass
			25	Mid	10.27	-3.3	6.97	0.005	1.000	Pass
			25	High	10.24	-3.3	6.94	0.005	1.000	Pass
			50	Low	10.2	-3.3	6.90	0.005	1.000	Pass
			50	Mid	10.2	-3.3	6.90	0.005	1.000	Pass
15	LCH	QPSK	1	Low	15.41	-3.3	12.11	0.016	1.000	Pass
			1	Mid	15.31	-3.3	12.01	0.016	1.000	Pass
			1	High	15.21	-3.3	11.91	0.016	1.000	Pass
			36	Low	14.35	-3.3	11.05	0.013	1.000	Pass
			36	Mid	14.29	-3.3	10.99	0.013	1.000	Pass
			36	High	14.24	-3.3	10.94	0.012	1.000	Pass
			75	Low	14.31	-3.3	11.01	0.013	1.000	Pass
		Q16	1	Low	14.26	-3.3	10.96	0.012	1.000	Pass
			1	Mid	14.21	-3.3	10.91	0.012	1.000	Pass
			1	High	14.17	-3.3	10.87	0.012	1.000	Pass
			36	Low	13.36	-3.3	10.06	0.010	1.000	Pass
			36	Mid	13.28	-3.3	9.98	0.010	1.000	Pass
			36	High	13.27	-3.3	9.97	0.010	1.000	Pass
			75	Low	13.32	-3.3	10.02	0.010	1.000	Pass
		Q64	1	Low	13.76	-3.3	10.46	0.011	1.000	Pass
			1	Mid	13.62	-3.3	10.32	0.011	1.000	Pass
			1	High	13.55	-3.3	10.25	0.011	1.000	Pass
			36	Low	12.41	-3.3	9.11	0.008	1.000	Pass
			36	Mid	12.35	-3.3	9.05	0.008	1.000	Pass
			36	High	12.29	-3.3	8.99	0.008	1.000	Pass
			75	Low	12.33	-3.3	9.03	0.008	1.000	Pass
		Q256	1	Low	10.96	-3.3	7.66	0.006	1.000	Pass
			1	Mid	10.87	-3.3	7.57	0.006	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
	MCH		1	High	10.82	-3.3	7.52	0.006	1.000	Pass
			36	Low	10.38	-3.3	7.08	0.005	1.000	Pass
			36	Mid	10.32	-3.3	7.02	0.005	1.000	Pass
			36	High	10.28	-3.3	6.98	0.005	1.000	Pass
			75	Low	10.33	-3.3	7.03	0.005	1.000	Pass
		QPSK	1	Low	15.28	-3.3	11.98	0.016	1.000	Pass
			1	Mid	15.45	-3.3	12.15	0.016	1.000	Pass
			1	High	15.37	-3.3	12.07	0.016	1.000	Pass
			36	Low	14.32	-3.3	11.02	0.013	1.000	Pass
			36	Mid	14.31	-3.3	11.01	0.013	1.000	Pass
			36	High	14.35	-3.3	11.05	0.013	1.000	Pass
			75	Low	14.34	-3.3	11.04	0.013	1.000	Pass
		Q16	1	Low	14.71	-3.3	11.41	0.014	1.000	Pass
			1	Mid	14.77	-3.3	11.47	0.014	1.000	Pass
			1	High	14.77	-3.3	11.47	0.014	1.000	Pass
			36	Low	13.4	-3.3	10.10	0.010	1.000	Pass
			36	Mid	13.38	-3.3	10.08	0.010	1.000	Pass
			36	High	13.4	-3.3	10.10	0.010	1.000	Pass
			75	Low	13.36	-3.3	10.06	0.010	1.000	Pass
		Q64	1	Low	13.46	-3.3	10.16	0.010	1.000	Pass
			1	Mid	13.53	-3.3	10.23	0.011	1.000	Pass
			1	High	13.56	-3.3	10.26	0.011	1.000	Pass
			36	Low	12.41	-3.3	9.11	0.008	1.000	Pass
			36	Mid	12.41	-3.3	9.11	0.008	1.000	Pass
			36	High	12.43	-3.3	9.13	0.008	1.000	Pass
			75	Low	12.35	-3.3	9.05	0.008	1.000	Pass
		Q256	1	Low	10.18	-3.3	6.88	0.005	1.000	Pass
			1	Mid	10.25	-3.3	6.95	0.005	1.000	Pass
			1	High	10.26	-3.3	6.96	0.005	1.000	Pass
			36	Low	10.32	-3.3	7.02	0.005	1.000	Pass
			36	Mid	10.31	-3.3	7.01	0.005	1.000	Pass
			36	High	10.32	-3.3	7.02	0.005	1.000	Pass
			75	Low	10.32	-3.3	7.02	0.005	1.000	Pass
	HCH	QPSK	1	Low	15.28	-3.3	11.98	0.016	1.000	Pass
			1	Mid	15.22	-3.3	11.92	0.016	1.000	Pass
			1	High	15.27	-3.3	11.97	0.016	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measure d (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			36	Low	14.19	-3.3	10.89	0.012	1.000	Pass
			36	Mid	14.15	-3.3	10.85	0.012	1.000	Pass
			36	High	14.16	-3.3	10.86	0.012	1.000	Pass
			75	Low	14.21	-3.3	10.91	0.012	1.000	Pass
		Q16	1	Low	14.66	-3.3	11.36	0.014	1.000	Pass
			1	Mid	14.53	-3.3	11.23	0.013	1.000	Pass
			1	High	14.53	-3.3	11.23	0.013	1.000	Pass
			36	Low	13.19	-3.3	9.89	0.010	1.000	Pass
			36	Mid	13.14	-3.3	9.84	0.010	1.000	Pass
			36	High	13.18	-3.3	9.88	0.010	1.000	Pass
			75	Low	13.21	-3.3	9.91	0.010	1.000	Pass
		Q64	1	Low	13.88	-3.3	10.58	0.011	1.000	Pass
			1	Mid	13.8	-3.3	10.50	0.011	1.000	Pass
			1	High	13.84	-3.3	10.54	0.011	1.000	Pass
			36	Low	12.22	-3.3	8.92	0.008	1.000	Pass
			36	Mid	12.18	-3.3	8.88	0.008	1.000	Pass
			36	High	12.2	-3.3	8.90	0.008	1.000	Pass
			75	Low	12.26	-3.3	8.96	0.008	1.000	Pass
		Q256	1	Low	10.62	-3.3	7.32	0.005	1.000	Pass
			1	Mid	10.58	-3.3	7.28	0.005	1.000	Pass
			1	High	10.55	-3.3	7.25	0.005	1.000	Pass
			36	Low	10.23	-3.3	6.93	0.005	1.000	Pass
			36	Mid	10.19	-3.3	6.89	0.005	1.000	Pass
			36	High	10.19	-3.3	6.89	0.005	1.000	Pass
			75	Low	10.2	-3.3	6.90	0.005	1.000	Pass
20	LCH	QPSK	1	Low	15.36	-3.3	12.06	0.016	1.000	Pass
			1	Mid	15.26	-3.3	11.96	0.016	1.000	Pass
			1	High	15.22	-3.3	11.92	0.016	1.000	Pass
			50	Low	14.35	-3.3	11.05	0.013	1.000	Pass
			50	Mid	14.29	-3.3	10.99	0.013	1.000	Pass
			50	High	14.23	-3.3	10.93	0.012	1.000	Pass
			100	Low	14.31	-3.3	11.01	0.013	1.000	Pass
		Q16	1	Low	15.11	-3.3	11.81	0.015	1.000	Pass
			1	Mid	14.83	-3.3	11.53	0.014	1.000	Pass
			1	High	14.87	-3.3	11.57	0.014	1.000	Pass
			50	Low	13.38	-3.3	10.08	0.010	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			50	Mid	13.32	-3.3	10.02	0.010	1.000	Pass
			50	High	13.28	-3.3	9.98	0.010	1.000	Pass
			100	Low	13.35	-3.3	10.05	0.010	1.000	Pass
		Q64	1	Low	13.77	-3.3	10.47	0.011	1.000	Pass
			1	Mid	13.64	-3.3	10.34	0.011	1.000	Pass
			1	High	13.62	-3.3	10.32	0.011	1.000	Pass
			50	Low	12.42	-3.3	9.12	0.008	1.000	Pass
			50	Mid	12.37	-3.3	9.07	0.008	1.000	Pass
			50	High	12.32	-3.3	9.02	0.008	1.000	Pass
			100	Low	12.35	-3.3	9.05	0.008	1.000	Pass
		Q256	1	Low	10.61	-3.3	7.31	0.005	1.000	Pass
			1	Mid	10.45	-3.3	7.15	0.005	1.000	Pass
			1	High	10.4	-3.3	7.10	0.005	1.000	Pass
			50	Low	10.33	-3.3	7.03	0.005	1.000	Pass
			50	Mid	10.3	-3.3	7.00	0.005	1.000	Pass
			50	High	10.26	-3.3	6.96	0.005	1.000	Pass
			100	Low	10.29	-3.3	6.99	0.005	1.000	Pass
	MCH	QPSK	1	Low	15.25	-3.3	11.95	0.016	1.000	Pass
			1	Mid	15.42	-3.3	12.12	0.016	1.000	Pass
			1	High	15.34	-3.3	12.04	0.016	1.000	Pass
			50	Low	14.33	-3.3	11.03	0.013	1.000	Pass
			50	Mid	14.35	-3.3	11.05	0.013	1.000	Pass
			50	High	14.39	-3.3	11.09	0.013	1.000	Pass
			100	Low	14.37	-3.3	11.07	0.013	1.000	Pass
		Q16	1	Low	14.73	-3.3	11.43	0.014	1.000	Pass
			1	Mid	14.81	-3.3	11.51	0.014	1.000	Pass
			1	High	14.85	-3.3	11.55	0.014	1.000	Pass
			50	Low	13.35	-3.3	10.05	0.010	1.000	Pass
			50	Mid	13.39	-3.3	10.09	0.010	1.000	Pass
			50	High	13.43	-3.3	10.13	0.010	1.000	Pass
			100	Low	13.41	-3.3	10.11	0.010	1.000	Pass
		Q64	1	Low	13.99	-3.3	10.69	0.012	1.000	Pass
			1	Mid	14.03	-3.3	10.73	0.012	1.000	Pass
			1	High	14.07	-3.3	10.77	0.012	1.000	Pass
			50	Low	12.37	-3.3	9.07	0.008	1.000	Pass
			50	Mid	12.4	-3.3	9.10	0.008	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			50	High	12.44	-3.3	9.14	0.008	1.000	Pass
			100	Low	12.39	-3.3	9.09	0.008	1.000	Pass
		Q256	1	Low	10.4	-3.3	7.10	0.005	1.000	Pass
			1	Mid	10.54	-3.3	7.24	0.005	1.000	Pass
			1	High	10.52	-3.3	7.22	0.005	1.000	Pass
			50	Low	10.33	-3.3	7.03	0.005	1.000	Pass
			50	Mid	10.37	-3.3	7.07	0.005	1.000	Pass
			50	High	10.39	-3.3	7.09	0.005	1.000	Pass
			100	Low	10.39	-3.3	7.09	0.005	1.000	Pass
	HCH	QPSK	1	Low	15.23	-3.3	11.93	0.016	1.000	Pass
			1	Mid	15.18	-3.3	11.88	0.015	1.000	Pass
			1	High	15.23	-3.3	11.93	0.016	1.000	Pass
			50	Low	14.28	-3.3	10.98	0.013	1.000	Pass
			50	Mid	14.2	-3.3	10.90	0.012	1.000	Pass
			50	High	14.18	-3.3	10.88	0.012	1.000	Pass
			100	Low	14.27	-3.3	10.97	0.013	1.000	Pass
		Q16	1	Low	14.72	-3.3	11.42	0.014	1.000	Pass
			1	Mid	14.64	-3.3	11.34	0.014	1.000	Pass
			1	High	14.64	-3.3	11.34	0.014	1.000	Pass
			50	Low	13.27	-3.3	9.97	0.010	1.000	Pass
			50	Mid	13.21	-3.3	9.91	0.010	1.000	Pass
			50	High	13.21	-3.3	9.91	0.010	1.000	Pass
			100	Low	13.26	-3.3	9.96	0.010	1.000	Pass
		Q64	1	Low	13.53	-3.3	10.23	0.011	1.000	Pass
			1	Mid	13.46	-3.3	10.16	0.010	1.000	Pass
			1	High	13.41	-3.3	10.11	0.010	1.000	Pass
			50	Low	12.32	-3.3	9.02	0.008	1.000	Pass
			50	Mid	12.27	-3.3	8.97	0.008	1.000	Pass
			50	High	12.26	-3.3	8.96	0.008	1.000	Pass
			100	Low	12.32	-3.3	9.02	0.008	1.000	Pass
		Q256	1	Low	10.24	-3.3	6.94	0.005	1.000	Pass
			1	Mid	10.15	-3.3	6.85	0.005	1.000	Pass
			1	High	10.14	-3.3	6.84	0.005	1.000	Pass
			50	Low	10.27	-3.3	6.97	0.005	1.000	Pass
			50	Mid	10.24	-3.3	6.94	0.005	1.000	Pass
			50	High	10.22	-3.3	6.92	0.005	1.000	Pass

Bandwidth (MHz)	UL Channel	UL Modulation	UL RB Number	UL RB Position	Measured (dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
LTE BAND 66										
			100	Low	10.29	-3.3	6.99	0.005	1.000	Pass

CA Test Data

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)		EIRP (W)			Limit (W)	Verdict
		Low	Mid	High			LCH	MCH	HCH		
CA_5C											
5MHz+3MHz											
QPSK	1 0	24.47	24.57	24.55	-3.7	0.073	0.074	0.074	24.47	7.000	Pass
	Half 0	24.53	24.59	24.58	-3.7	0.074	0.075	0.075	24.53	7.000	Pass
	Full 0	24.56	24.64	24.59	-3.7	0.074	0.076	0.075	24.56	7.000	Pass
	1 1	24.51	24.69	24.51	-3.7	0.073	0.077	0.073	24.51	7.000	Pass
	Full Full	24.55	24.59	24.54	-3.7	0.074	0.075	0.074	24.55	7.000	Pass
16QAM	1 0	24.92	25.1	24.97	-3.7	0.081	0.084	0.082	24.92	7.000	Pass
	Half 0	24.59	24.58	24.6	-3.7	0.075	0.075	0.075	24.59	7.000	Pass
	Full 0	24.61	24.67	24.62	-3.7	0.075	0.076	0.075	24.61	7.000	Pass
	1 1	24.96	25.01	24.93	-3.7	0.081	0.082	0.081	24.96	7.000	Pass
	Full Full	24.62	24.61	24.55	-3.7	0.075	0.075	0.074	24.62	7.000	Pass
10MHz+10MHz											
QPSK	1 0	24.55	24.66	24.58	-3.7	0.074	0.076	0.075	24.55	7.000	Pass
	Half 0	23.6	23.62	23.64	-3.7	0.060	0.060	0.060	23.6	7.000	Pass
	Full 0	23.6	23.61	23.63	-3.7	0.060	0.060	0.060	23.6	7.000	Pass
	1 1	24.48	24.49	24.62	-3.7	0.073	0.073	0.075	24.48	7.000	Pass
	Full Full	22.71	22.7	22.59	-3.7	0.049	0.048	0.047	22.71	7.000	Pass
16QAM	1 0	23.98	24.16	23.99	-3.7	0.065	0.068	0.065	23.98	7.000	Pass
	Half 0	22.62	22.66	22.67	-3.7	0.048	0.048	0.048	22.62	7.000	Pass
	Full 0	22.66	22.67	22.66	-3.7	0.048	0.048	0.048	22.66	7.000	Pass
	1 1	24.12	24.1	24	-3.7	0.067	0.067	0.065	24.12	7.000	Pass
	Full Full	21.75	21.75	21.68	-3.7	0.039	0.039	0.038	21.75	7.000	Pass
3MHz+5MHz											
QPSK	1 1	24.46	24.58	24.55	-3.7	0.073	0.075	0.074	24.46	7.000	Pass
	Full Full	24.55	24.59	24.53	-3.7	0.074	0.075	0.074	24.55	7.000	Pass
16QAM	1 1	25.07	25.07	25.08	-3.7	0.084	0.084	0.084	25.07	7.000	Pass
	Full Full	24.66	24.62	24.55	-3.7	0.076	0.075	0.074	24.66	7.000	Pass
5MHz+10MHz											
QPSK	1 1	25.58	25.61	25.65	-3.7	0.094	0.095	0.095	25.58	7.000	Pass
	Full Full	22.71	22.69	22.7	-3.7	0.049	0.048	0.048	22.71	7.000	Pass
16QAM	1 1	25.27	25.02	25	-3.7	0.087	0.083	0.082	25.27	7.000	Pass
	Full Full	21.74	21.71	21.71	-3.7	0.039	0.039	0.039	21.74	7.000	Pass

10MHz+5MHz											
QPSK	1 1	24.55	24.57	24.62	-3.7	0.074	0.074	0.075	24.55	7.000	Pass
	Full Full	22.67	22.66	22.59	-3.7	0.048	0.048	0.047	22.67	7.000	Pass
16QAM	1 1	24.01	24.17	24.06	-3.7	0.065	0.068	0.066	24.01	7.000	Pass
	Full Full	21.68	21.58	21.6	-3.7	0.038	0.037	0.038	21.68	7.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit (W)	Verdict
		Low	Mid	High		LCH	MCH	HCH		
CA_7C										
20MHz+10MHz										
QPSK	1 0	10.25	10.5	10.56	-2.4	0.006	0.006	0.007	2.000	Pass
	Half 0	9.49	9.65	9.84	-2.4	0.005	0.005	0.006	2.000	Pass
	Full 0	8.57	8.74	8.9	-2.4	0.004	0.004	0.004	2.000	Pass
	1 1	10.75	10.87	11.1	-2.4	0.007	0.007	0.007	2.000	Pass
	Full Full	8.69	8.66	8.31	-2.4	0.004	0.004	0.004	2.000	Pass
16QAM	1 0	9.8	10.25	10.35	-2.4	0.005	0.006	0.006	2.000	Pass
	Half 0	8.55	8.66	8.9	-2.4	0.004	0.004	0.004	2.000	Pass
	Full 0	7.57	7.72	7.93	-2.4	0.003	0.003	0.004	2.000	Pass
	1 1	10.28	10.43	10.75	-2.4	0.006	0.006	0.007	2.000	Pass
	Full Full	7.83	7.52	7.28	-2.4	0.003	0.003	0.003	2.000	Pass
20MHz+20MHz										
QPSK	1 0	10.26	10.47	10.49	-2.4	0.006	0.006	0.006	2.000	Pass
	Half 0	9.51	9.56	9.77	-2.4	0.005	0.005	0.005	2.000	Pass
	Full 0	9.48	9.63	9.94	-2.4	0.005	0.005	0.006	2.000	Pass
	1 1	10.58	10.67	11	-2.4	0.007	0.007	0.007	2.000	Pass
	Full Full	8.89	8.3	8	-2.4	0.004	0.004	0.004	2.000	Pass
16QAM	1 0	9.68	10.02	10.11	-2.4	0.005	0.006	0.006	2.000	Pass
	Half 0	8.5	8.59	8.75	-2.4	0.004	0.004	0.004	2.000	Pass
	Full 0	8.53	8.58	8.88	-2.4	0.004	0.004	0.004	2.000	Pass
	1 1	10.41	10.36	10.5	-2.4	0.006	0.006	0.006	2.000	Pass
	Full Full	7.84	7.35	6.88	-2.4	0.003	0.003	0.003	2.000	Pass
10MHz+20MHz										
QPSK	1 1	12.52	12.4	12.74	-2.4	0.010	0.010	0.011	2.000	Pass
	Full Full	9.37	8.44	7.82	-2.4	0.005	0.004	0.003	2.000	Pass
16QAM	1 1	12.13	12.09	12.46	-2.4	0.009	0.009	0.010	2.000	Pass
	Full Full	8.35	7.48	6.87	-2.4	0.004	0.003	0.003	2.000	Pass
15MHz+15MHz										
QPSK	1 1	10.63	10.65	11	-2.4	0.007	0.007	0.007	2.000	Pass
	Full Full	9.03	8.44	8.08	-2.4	0.005	0.004	0.004	2.000	Pass
16QAM	1 1	10.42	10.49	10.63	-2.4	0.006	0.006	0.007	2.000	Pass
	Full Full	8.09	7.63	7.24	-2.4	0.004	0.003	0.003	2.000	Pass
15MHz+20MHz										

QPSK	1 1	10.65	10.62	10.83	-2.4	0.007	0.007	0.007	2.000	Pass
	Full Full	9.14	8.34	7.73	-2.4	0.005	0.004	0.003	2.000	Pass
16QAM	1 1	10.29	10.19	10.44	-2.4	0.006	0.006	0.006	2.000	Pass
	Full Full	8.17	7.33	6.73	-2.4	0.004	0.003	0.003	2.000	Pass
20MHz+15MHz										
QPSK	1 1	10.61	10.63	10.86	-2.4	0.007	0.007	0.007	2.000	Pass
	Full Full	8.98	8.42	7.99	-2.4	0.005	0.004	0.004	2.000	Pass
16QAM	1 1	10.27	10.39	10.55	-2.4	0.006	0.006	0.007	2.000	Pass
	Full Full	7.89	7.39	7	-2.4	0.004	0.003	0.003	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_38C										
15MHz+15MHz										
QPSK	1 0	15.86	15.69	15.59	-2.4	0.022	0.021	0.021	2.000	Pass
	Half 0	14.86	14.74	14.7	-2.4	0.018	0.017	0.017	2.000	Pass
	Full 0	14.85	14.74	14.69	-2.4	0.018	0.017	0.017	2.000	Pass
	1 1	15.76	15.65	15.65	-2.4	0.022	0.021	0.021	2.000	Pass
	Full Full	13.74	13.71	13.73	-2.4	0.014	0.014	0.014	2.000	Pass
16QAM	1 0	15.44	15.33	15.25	-2.4	0.020	0.020	0.019	2.000	Pass
	Half 0	13.87	13.75	13.68	-2.4	0.014	0.014	0.013	2.000	Pass
	Full 0	13.89	13.77	13.73	-2.4	0.014	0.014	0.014	2.000	Pass
	1 1	15.36	15.3	15.31	-2.4	0.020	0.019	0.020	2.000	Pass
	Full Full	13.77	13.73	13.78	-2.4	0.014	0.014	0.014	2.000	Pass
20MHz+20MHz										
QPSK	1 0	15.77	15.73	15.68	-2.4	0.022	0.022	0.021	2.000	Pass
	Half 0	14.84	14.78	14.75	-2.4	0.018	0.017	0.017	2.000	Pass
	Full 0	14.83	14.76	14.75	-2.4	0.017	0.017	0.017	2.000	Pass
	1 1	15.64	15.67	15.69	-2.4	0.021	0.021	0.021	2.000	Pass
	Full Full	13.75	13.72	13.78	-2.4	0.014	0.014	0.014	2.000	Pass
16QAM	1 0	15.4	15.37	15.33	-2.4	0.020	0.020	0.020	2.000	Pass
	Half 0	13.91	13.84	13.79	-2.4	0.014	0.014	0.014	2.000	Pass
	Full 0	13.86	13.82	13.78	-2.4	0.014	0.014	0.014	2.000	Pass
	1 1	15.3	15.32	15.33	-2.4	0.019	0.020	0.020	2.000	Pass
	Full Full	13.78	13.76	13.81	-2.4	0.014	0.014	0.014	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit (W)	Verdict
		Low	Mid	High		LCH	MCH	HCH		
CA_41C										
20MHz+5MHz										
QPSK	1 0	15.18	15.01	15.19	-2.4	0.019	0.018	0.019	2.000	Pass
	Half 0	13.23	13.06	13.27	-2.4	0.012	0.012	0.012	2.000	Pass
	Full 0	13.27	13.06	13.26	-2.4	0.012	0.012	0.012	2.000	Pass
	1 1	15.22	15	15.12	-2.4	0.019	0.018	0.019	2.000	Pass
	Full Full	13.24	13.09	13.29	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 0	14.68	14.64	14.79	-2.4	0.017	0.017	0.017	2.000	Pass
	Half 0	12.28	12.14	12.32	-2.4	0.010	0.009	0.010	2.000	Pass
	Full 0	12.31	12.12	12.3	-2.4	0.010	0.009	0.010	2.000	Pass
	1 1	14.8	14.63	14.76	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.27	12.13	12.32	-2.4	0.010	0.009	0.010	2.000	Pass
20MHz+20MHz										
QPSK	1 0	15.12	15.02	14.99	-2.4	0.019	0.018	0.018	2.000	Pass
	Half 0	14.18	14.1	14.12	-2.4	0.015	0.015	0.015	2.000	Pass
	Full 0	14.23	14.06	14.15	-2.4	0.015	0.015	0.015	2.000	Pass
	1 1	15.18	14.96	15.06	-2.4	0.019	0.018	0.018	2.000	Pass
	Full Full	13.1	13.03	13.27	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 0	14.62	14.65	14.58	-2.4	0.017	0.017	0.017	2.000	Pass
	Half 0	13.24	13.16	13.17	-2.4	0.012	0.012	0.012	2.000	Pass
	Full 0	13.27	13.12	13.19	-2.4	0.012	0.012	0.012	2.000	Pass
	1 1	14.76	14.64	14.68	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.15	12.06	12.32	-2.4	0.009	0.009	0.010	2.000	Pass
5MHz+20MHz										
QPSK	1 1	18.04	17.95	18.08	-2.4	0.037	0.036	0.037	2.000	Pass
	Full Full	13.58	13.53	13.77	-2.4	0.013	0.013	0.014	2.000	Pass
16QAM	1 1	17.66	17.59	17.71	-2.4	0.034	0.033	0.034	2.000	Pass
	Full Full	12.61	12.57	12.8	-2.4	0.010	0.010	0.011	2.000	Pass
10MHz+15MHz										
QPSK	1 1	15.26	15.09	15.2	-2.4	0.019	0.019	0.019	2.000	Pass
	Full Full	13.11	13.06	13.26	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 1	14.91	14.8	14.87	-2.4	0.018	0.017	0.018	2.000	Pass
	Full Full	12.2	12.1	12.32	-2.4	0.010	0.009	0.010	2.000	Pass
15MHz+10MHz										

QPSK	1 1	15.12	14.99	15.06	-2.4	0.019	0.018	0.018	2.000	Pass
	Full Full	13.12	13.03	13.3	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 1	14.74	14.64	14.72	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.15	12.1	12.31	-2.4	0.009	0.009	0.010	2.000	Pass
10MHz+20MHz										
QPSK	1 1	16.94	16.79	16.93	-2.4	0.028	0.027	0.028	2.000	Pass
	Full Full	13.09	13.05	13.3	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 1	16.77	16.66	16.73	-2.4	0.027	0.027	0.027	2.000	Pass
	Full Full	12.17	12.14	12.36	-2.4	0.009	0.009	0.010	2.000	Pass
20MHz+10MHz										
QPSK	1 1	15.12	15.02	14.97	-2.4	0.019	0.018	0.018	2.000	Pass
	Full Full	13.21	13.08	13.23	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 1	14.76	14.65	14.61	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.25	12.1	12.26	-2.4	0.010	0.009	0.010	2.000	Pass
15MHz+15MHz										
QPSK	1 1	15.13	14.95	14.98	-2.4	0.019	0.018	0.018	2.000	Pass
	Full Full	13.05	13	13.21	-2.4	0.012	0.011	0.012	2.000	Pass
16QAM	1 1	14.76	14.62	14.65	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.09	12.05	12.26	-2.4	0.009	0.009	0.010	2.000	Pass
15MHz+20MHz										
QPSK	1 1	15.13	14.93	15.05	-2.4	0.019	0.018	0.018	2.000	Pass
	Full Full	13	13.02	13.25	-2.4	0.011	0.012	0.012	2.000	Pass
16QAM	1 1	14.74	14.58	14.71	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.06	12.07	12.3	-2.4	0.009	0.009	0.010	2.000	Pass
20MHz+15MHz										
QPSK	1 1	15.14	15.01	15.01	-2.4	0.019	0.018	0.018	2.000	Pass
	Full Full	13.17	13.02	13.27	-2.4	0.012	0.012	0.012	2.000	Pass
16QAM	1 1	14.77	14.68	14.65	-2.4	0.017	0.017	0.017	2.000	Pass
	Full Full	12.21	12.08	12.28	-2.4	0.010	0.009	0.010	2.000	Pass

Mode	UL-RB	Conducted Output AV Power (dBm)			Antenna Gain (dBi)	EIRP (W)			Limit	Verdict
		Low	Mid	High		LCH	MCH	HCH	(W)	
CA_66C										
20MHz+5MHz										
QPSK	1 0	15.19	15.04	15.14	-3.3	0.015	0.015	0.015	1.000	Pass
	Half 0	13.18	13.16	13.17	-3.3	0.010	0.010	0.010	1.000	Pass
	Full 0	13.16	13.2	13.2	-3.3	0.010	0.010	0.010	1.000	Pass
	1 1	15.4	15.28	15.23	-3.3	0.016	0.016	0.016	1.000	Pass
	Full Full	13.18	13.2	13.21	-3.3	0.010	0.010	0.010	1.000	Pass
16QAM	1 0	14.66	14.45	14.66	-3.3	0.014	0.013	0.014	1.000	Pass
	Half 0	12.22	12.15	12.2	-3.3	0.008	0.008	0.008	1.000	Pass
	Full 0	12.18	12.19	12.18	-3.3	0.008	0.008	0.008	1.000	Pass
	1 1	14.84	14.94	14.82	-3.3	0.014	0.015	0.014	1.000	Pass
	Full Full	12.13	12.25	12.19	-3.3	0.008	0.008	0.008	1.000	Pass
20MHz+20MHz										
QPSK	1 0	15.17	15.06	15.1	-3.3	0.015	0.015	0.015	1.000	Pass
	Half 0	14.18	14.15	14.2	-3.3	0.012	0.012	0.012	1.000	Pass
	Full 0	14.15	14.13	14.19	-3.3	0.012	0.012	0.012	1.000	Pass
	1 1	15.04	15.06	15.04	-3.3	0.015	0.015	0.015	1.000	Pass
	Full Full	13.26	13.07	13.17	-3.3	0.010	0.009	0.010	1.000	Pass
16QAM	1 0	14.82	14.61	14.61	-3.3	0.014	0.014	0.014	1.000	Pass
	Half 0	13.22	13.13	13.19	-3.3	0.010	0.010	0.010	1.000	Pass
	Full 0	13.13	13.14	13.17	-3.3	0.010	0.010	0.010	1.000	Pass
	1 1	14.67	14.58	14.68	-3.3	0.014	0.013	0.014	1.000	Pass
	Full Full	12.28	12.18	12.08	-3.3	0.008	0.008	0.008	1.000	Pass
5MHz+20MHz										
QPSK	1 1	17.91	17.92	18.02	-3.3	0.029	0.029	0.030	1.000	Pass
	Full Full	13.65	13.57	13.49	-3.3	0.011	0.011	0.010	1.000	Pass
16QAM	1 1	17.41	17.45	17.51	-3.3	0.026	0.026	0.026	1.000	Pass
	Full Full	12.7	12.6	12.55	-3.3	0.009	0.009	0.008	1.000	Pass
10MHz+15MHz										
QPSK	1 1	15.21	15.2	15.22	-3.3	0.016	0.015	0.016	1.000	Pass
	Full Full	13.25	13.14	13.15	-3.3	0.010	0.010	0.010	1.000	Pass
16QAM	1 1	14.8	14.83	14.86	-3.3	0.014	0.014	0.014	1.000	Pass
	Full Full	12.27	12.17	12.2	-3.3	0.008	0.008	0.008	1.000	Pass
15MHz+10MHz										

QPSK	1 1	15.01	15.06	14.98	-3.3	0.015	0.015	0.015	1.000	Pass
	Full Full	13.24	13.14	13.18	-3.3	0.010	0.010	0.010	1.000	Pass
16QAM	1 1	14.65	14.91	14.6	-3.3	0.014	0.014	0.013	1.000	Pass
	Full Full	12.2	12.18	12.21	-3.3	0.008	0.008	0.008	1.000	Pass
10MHz+20MHz										
QPSK	1 1	16.97	16.89	16.98	-3.3	0.023	0.023	0.023	1.000	Pass
	Full Full	13.29	13.18	13.09	-3.3	0.010	0.010	0.010	1.000	Pass
16QAM	1 1	16.29	16.6	16.61	-3.3	0.020	0.021	0.021	1.000	Pass
	Full Full	12.3	12.19	12.28	-3.3	0.008	0.008	0.008	1.000	Pass
20MHz+10MHz										
QPSK	1 1	15.2	15.19	15.13	-3.3	0.015	0.015	0.015	1.000	Pass
	Full Full	13.21	13.12	13.13	-3.3	0.010	0.010	0.010	1.000	Pass
16QAM	1 1	14.61	14.81	14.61	-3.3	0.014	0.014	0.014	1.000	Pass
	Full Full	12.2	12.15	12.21	-3.3	0.008	0.008	0.008	1.000	Pass
15MHz+15MHz										
QPSK	1 1	14.96	15.07	15.05	-3.3	0.015	0.015	0.015	1.000	Pass
	Full Full	13.2	13.09	13.1	-3.3	0.010	0.010	0.010	1.000	Pass
16QAM	1 1	14.74	14.79	14.77	-3.3	0.014	0.014	0.014	1.000	Pass
	Full Full	12.24	12.1	12.25	-3.3	0.008	0.008	0.008	1.000	Pass

NR Mode Test Data

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
5	LCH	PI/2 BPSK	12	6	24.28	-3.7	-5.85	18.43	0.070	7.000	Pass
			1	1	24.32	-3.7	-5.85	18.47	0.070	7.000	Pass
			1	23	24.34	-3.7	-5.85	18.49	0.071	7.000	Pass
		QPSK	12	6	24.34	-3.7	-5.85	18.49	0.071	7.000	Pass
			1	1	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
			1	23	24.33	-3.7	-5.85	18.48	0.070	7.000	Pass
		16QAM	12	6	23.28	-3.7	-5.85	17.43	0.055	7.000	Pass
			1	1	23.11	-3.7	-5.85	17.26	0.053	7.000	Pass
			1	23	23.18	-3.7	-5.85	17.33	0.054	7.000	Pass
		64QAM	12	6	21.73	-3.7	-5.85	15.88	0.039	7.000	Pass
			1	1	21.73	-3.7	-5.85	15.88	0.039	7.000	Pass
			1	23	21.74	-3.7	-5.85	15.89	0.039	7.000	Pass
		256QAM	12	6	19.76	-3.7	-5.85	13.91	0.025	7.000	Pass
			1	1	19.79	-3.7	-5.85	13.94	0.025	7.000	Pass
			1	23	19.84	-3.7	-5.85	13.99	0.025	7.000	Pass
	MCH	PI/2 BPSK	12	6	24.33	-3.7	-5.85	18.48	0.070	7.000	Pass
			1	1	24.4	-3.7	-5.85	18.55	0.072	7.000	Pass
			1	23	24.34	-3.7	-5.85	18.49	0.071	7.000	Pass
		QPSK	12	6	24.35	-3.7	-5.85	18.50	0.071	7.000	Pass
			1	1	24.42	-3.7	-5.85	18.57	0.072	7.000	Pass
			1	23	24.41	-3.7	-5.85	18.56	0.072	7.000	Pass
		16QAM	12	6	23.32	-3.7	-5.85	17.47	0.056	7.000	Pass
			1	1	23.2	-3.7	-5.85	17.35	0.054	7.000	Pass
			1	23	23.17	-3.7	-5.85	17.32	0.054	7.000	Pass
		64QAM	12	6	21.81	-3.7	-5.85	15.96	0.039	7.000	Pass
			1	1	21.8	-3.7	-5.85	15.95	0.039	7.000	Pass
			1	23	21.74	-3.7	-5.85	15.89	0.039	7.000	Pass
		256QAM	12	6	19.8	-3.7	-5.85	13.95	0.025	7.000	Pass
			1	1	19.89	-3.7	-5.85	14.04	0.025	7.000	Pass
			1	23	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
	HCH	PI/2 BPSK	12	6	24.33	-3.7	-5.85	18.48	0.070	7.000	Pass
			1	1	24.37	-3.7	-5.85	18.52	0.071	7.000	Pass
			1	23	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
		QPSK	12	6	24.4	-3.7	-5.85	18.55	0.072	7.000	Pass
			1	1	24.45	-3.7	-5.85	18.60	0.072	7.000	Pass
			1	23	24.4	-3.7	-5.85	18.55	0.072	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	12	6	23.35	-3.7	-5.85	17.50	0.056	7.000	Pass
			1	1	23.23	-3.7	-5.85	17.38	0.055	7.000	Pass
			1	23	23.22	-3.7	-5.85	17.37	0.055	7.000	Pass
		64QAM	12	6	21.83	-3.7	-5.85	15.98	0.040	7.000	Pass
			1	1	21.8	-3.7	-5.85	15.95	0.039	7.000	Pass
			1	23	21.73	-3.7	-5.85	15.88	0.039	7.000	Pass
		256QAM	12	6	19.8	-3.7	-5.85	13.95	0.025	7.000	Pass
			1	1	19.86	-3.7	-5.85	14.01	0.025	7.000	Pass
			1	23	19.8	-3.7	-5.85	13.95	0.025	7.000	Pass
15	LCH	PI/2 BPSK	36	18	24.34	-3.7	-5.85	18.49	0.071	7.000	Pass
			1	1	24.37	-3.7	-5.85	18.52	0.071	7.000	Pass
			1	77	24.48	-3.7	-5.85	18.63	0.073	7.000	Pass
		QPSK	36	18	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
			1	1	24.48	-3.7	-5.85	18.63	0.073	7.000	Pass
			1	77	24.54	-3.7	-5.85	18.69	0.074	7.000	Pass
		16QAM	36	18	23.34	-3.7	-5.85	17.49	0.056	7.000	Pass
			1	1	23.17	-3.7	-5.85	17.32	0.054	7.000	Pass
			1	77	23.25	-3.7	-5.85	17.40	0.055	7.000	Pass
		64QAM	36	18	21.82	-3.7	-5.85	15.97	0.040	7.000	Pass
			1	1	21.74	-3.7	-5.85	15.89	0.039	7.000	Pass
			1	77	21.85	-3.7	-5.85	16.00	0.040	7.000	Pass
		256QAM	36	18	19.85	-3.7	-5.85	14.00	0.025	7.000	Pass
			1	1	19.86	-3.7	-5.85	14.01	0.025	7.000	Pass
			1	77	20	-3.7	-5.85	14.15	0.026	7.000	Pass
	MCH	PI/2 BPSK	36	18	24.39	-3.7	-5.85	18.54	0.071	7.000	Pass
			1	1	24.42	-3.7	-5.85	18.57	0.072	7.000	Pass
			1	77	24.44	-3.7	-5.85	18.59	0.072	7.000	Pass
		QPSK	36	18	24.37	-3.7	-5.85	18.52	0.071	7.000	Pass
			1	1	24.47	-3.7	-5.85	18.62	0.073	7.000	Pass
			1	77	24.55	-3.7	-5.85	18.70	0.074	7.000	Pass
		16QAM	36	18	23.35	-3.7	-5.85	17.50	0.056	7.000	Pass
			1	1	23.24	-3.7	-5.85	17.39	0.055	7.000	Pass
			1	77	23.2	-3.7	-5.85	17.35	0.054	7.000	Pass
		64QAM	36	18	21.87	-3.7	-5.85	16.02	0.040	7.000	Pass
			1	1	21.81	-3.7	-5.85	15.96	0.039	7.000	Pass
			1	77	21.85	-3.7	-5.85	16.00	0.040	7.000	Pass
		256QAM	36	18	19.84	-3.7	-5.85	13.99	0.025	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
			1	1	19.91	-3.7	-5.85	14.06	0.025	7.000	Pass
			1	77	19.9	-3.7	-5.85	14.05	0.025	7.000	Pass
	HCH	PI/2 BPSK	36	18	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
			1	1	24.41	-3.7	-5.85	18.56	0.072	7.000	Pass
			1	77	24.42	-3.7	-5.85	18.57	0.072	7.000	Pass
			1	77	24.42	-3.7	-5.85	18.57	0.072	7.000	Pass
		QPSK	36	18	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
			1	1	24.52	-3.7	-5.85	18.67	0.074	7.000	Pass
			1	77	24.5	-3.7	-5.85	18.65	0.073	7.000	Pass
			1	77	24.5	-3.7	-5.85	18.65	0.073	7.000	Pass
		16QAM	36	18	23.36	-3.7	-5.85	17.51	0.056	7.000	Pass
			1	1	23.23	-3.7	-5.85	17.38	0.055	7.000	Pass
			1	77	23.18	-3.7	-5.85	17.33	0.054	7.000	Pass
			1	77	23.18	-3.7	-5.85	17.33	0.054	7.000	Pass
		64QAM	36	18	21.86	-3.7	-5.85	16.01	0.040	7.000	Pass
			1	1	21.89	-3.7	-5.85	16.04	0.040	7.000	Pass
			1	77	21.85	-3.7	-5.85	16.00	0.040	7.000	Pass
			1	77	21.85	-3.7	-5.85	16.00	0.040	7.000	Pass
		256QAM	36	18	19.85	-3.7	-5.85	14.00	0.025	7.000	Pass
			1	1	19.92	-3.7	-5.85	14.07	0.026	7.000	Pass
			1	77	19.89	-3.7	-5.85	14.04	0.025	7.000	Pass
			1	77	19.89	-3.7	-5.85	14.04	0.025	7.000	Pass
20	LCH	PI/2 BPSK	50	25	24.45	-3.7	-5.85	18.60	0.072	7.000	Pass
			1	1	24.34	-3.7	-5.85	18.49	0.071	7.000	Pass
			1	104	24.37	-3.7	-5.85	18.52	0.071	7.000	Pass
			1	104	24.37	-3.7	-5.85	18.52	0.071	7.000	Pass
		QPSK	50	25	24.47	-3.7	-5.85	18.62	0.073	7.000	Pass
			1	1	24.47	-3.7	-5.85	18.62	0.073	7.000	Pass
			1	104	24.5	-3.7	-5.85	18.65	0.073	7.000	Pass
			1	104	24.5	-3.7	-5.85	18.65	0.073	7.000	Pass
		16QAM	50	25	23.43	-3.7	-5.85	17.58	0.057	7.000	Pass
			1	1	23.13	-3.7	-5.85	17.28	0.053	7.000	Pass
			1	104	23.16	-3.7	-5.85	17.31	0.054	7.000	Pass
			1	104	23.16	-3.7	-5.85	17.31	0.054	7.000	Pass
		64QAM	50	25	21.98	-3.7	-5.85	16.13	0.041	7.000	Pass
			1	1	21.76	-3.7	-5.85	15.91	0.039	7.000	Pass
			1	104	21.81	-3.7	-5.85	15.96	0.039	7.000	Pass
			1	104	21.81	-3.7	-5.85	15.96	0.039	7.000	Pass
		256QAM	50	25	20.05	-3.7	-5.85	14.20	0.026	7.000	Pass
			1	1	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
			1	104	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
			1	104	19.83	-3.7	-5.85	13.98	0.025	7.000	Pass
	MCH	PI/2 BPSK	50	25	24.46	-3.7	-5.85	18.61	0.073	7.000	Pass
			1	1	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
			1	104	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
			1	104	24.36	-3.7	-5.85	18.51	0.071	7.000	Pass
		QPSK	50	25	24.46	-3.7	-5.85	18.61	0.073	7.000	Pass
			1	1	24.43	-3.7	-5.85	18.58	0.072	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n5											
		16QAM	1	104	24.5	-3.7	-5.85	18.65	0.073	7.000	Pass
			50	25	23.45	-3.7	-5.85	17.60	0.058	7.000	Pass
			1	1	23.11	-3.7	-5.85	17.26	0.053	7.000	Pass
			1	104	23.18	-3.7	-5.85	17.33	0.054	7.000	Pass
		64QAM	50	25	21.99	-3.7	-5.85	16.14	0.041	7.000	Pass
			1	1	21.91	-3.7	-5.85	16.06	0.040	7.000	Pass
			1	104	21.73	-3.7	-5.85	15.88	0.039	7.000	Pass
		256QAM	50	25	20.03	-3.7	-5.85	14.18	0.026	7.000	Pass
			1	1	19.81	-3.7	-5.85	13.96	0.025	7.000	Pass
			1	104	19.84	-3.7	-5.85	13.99	0.025	7.000	Pass
	HCH	PI/2 BPSK	50	25	24.45	-3.7	-5.85	18.60	0.072	7.000	Pass
			1	1	24.41	-3.7	-5.85	18.56	0.072	7.000	Pass
			1	104	24.38	-3.7	-5.85	18.53	0.071	7.000	Pass
		QPSK	50	25	24.43	-3.7	-5.85	18.58	0.072	7.000	Pass
			1	1	24.45	-3.7	-5.85	18.60	0.072	7.000	Pass
			1	104	24.48	-3.7	-5.85	18.63	0.073	7.000	Pass
		16QAM	50	25	23.43	-3.7	-5.85	17.58	0.057	7.000	Pass
			1	1	23.2	-3.7	-5.85	17.35	0.054	7.000	Pass
			1	104	23.12	-3.7	-5.85	17.27	0.053	7.000	Pass
		64QAM	50	25	21.97	-3.7	-5.85	16.12	0.041	7.000	Pass
			1	1	21.79	-3.7	-5.85	15.94	0.039	7.000	Pass
			1	104	21.75	-3.7	-5.85	15.90	0.039	7.000	Pass
		256QAM	50	25	20.02	-3.7	-5.85	14.17	0.026	7.000	Pass
			1	1	19.89	-3.7	-5.85	14.04	0.025	7.000	Pass
			1	104	19.86	-3.7	-5.85	14.01	0.025	7.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
5	LCH	PI/2 BPSK	12	6	12.98	-2.4	10.58	0.011	2.000	Pass
			1	1	12.91	-2.4	10.51	0.011	2.000	Pass
			1	23	13.03	-2.4	10.63	0.012	2.000	Pass
		QPSK	12	6	12.94	-2.4	10.54	0.011	2.000	Pass
			1	1	12.89	-2.4	10.49	0.011	2.000	Pass
			1	23	13.08	-2.4	10.68	0.012	2.000	Pass
		16QAM	12	6	11.94	-2.4	9.54	0.009	2.000	Pass
			1	1	11.72	-2.4	9.32	0.009	2.000	Pass
			1	23	11.91	-2.4	9.51	0.009	2.000	Pass
		64QAM	12	6	10.49	-2.4	8.09	0.006	2.000	Pass
			1	1	10.4	-2.4	8.00	0.006	2.000	Pass
			1	23	10.53	-2.4	8.13	0.007	2.000	Pass
		256QAM	12	6	8.58	-2.4	6.18	0.004	2.000	Pass
			1	1	8.58	-2.4	6.18	0.004	2.000	Pass
			1	23	8.67	-2.4	6.27	0.004	2.000	Pass
	MCH	PI/2 BPSK	12	6	13.41	-2.4	11.01	0.013	2.000	Pass
			1	1	13.44	-2.4	11.04	0.013	2.000	Pass
			1	23	13.51	-2.4	11.11	0.013	2.000	Pass
		QPSK	12	6	13.5	-2.4	11.10	0.013	2.000	Pass
			1	1	13.49	-2.4	11.09	0.013	2.000	Pass
			1	23	13.58	-2.4	11.18	0.013	2.000	Pass
		16QAM	12	6	12.43	-2.4	10.03	0.010	2.000	Pass
			1	1	12.3	-2.4	9.90	0.010	2.000	Pass
			1	23	12.36	-2.4	9.96	0.010	2.000	Pass
		64QAM	12	6	10.9	-2.4	8.50	0.007	2.000	Pass
			1	1	10.87	-2.4	8.47	0.007	2.000	Pass
			1	23	10.85	-2.4	8.45	0.007	2.000	Pass
		256QAM	12	6	8.8	-2.4	6.40	0.004	2.000	Pass
			1	1	8.8	-2.4	6.40	0.004	2.000	Pass
			1	23	8.82	-2.4	6.42	0.004	2.000	Pass
	HCH	PI/2 BPSK	12	6	13.91	-2.4	11.51	0.014	2.000	Pass
			1	1	14.1	-2.4	11.70	0.015	2.000	Pass
			1	23	13.85	-2.4	11.45	0.014	2.000	Pass
		QPSK	12	6	14.08	-2.4	11.68	0.015	2.000	Pass
			1	1	14.23	-2.4	11.83	0.015	2.000	Pass
			1	23	13.95	-2.4	11.55	0.014	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	12	6	13.02	-2.4	10.62	0.012	2.000	Pass
			1	1	12.93	-2.4	10.53	0.011	2.000	Pass
			1	23	12.66	-2.4	10.26	0.011	2.000	Pass
		64QAM	12	6	11.45	-2.4	9.05	0.008	2.000	Pass
			1	1	11.44	-2.4	9.04	0.008	2.000	Pass
			1	23	11.21	-2.4	8.81	0.008	2.000	Pass
		256QAM	12	6	9.19	-2.4	6.79	0.005	2.000	Pass
			1	1	9.21	-2.4	6.81	0.005	2.000	Pass
			1	23	9.07	-2.4	6.67	0.005	2.000	Pass
15	LCH	PI/2 BPSK	36	18	13.43	-2.4	11.03	0.013	2.000	Pass
			1	1	13.12	-2.4	10.72	0.012	2.000	Pass
			1	77	13.34	-2.4	10.94	0.012	2.000	Pass
		QPSK	36	18	13.36	-2.4	10.96	0.012	2.000	Pass
			1	1	13.12	-2.4	10.72	0.012	2.000	Pass
			1	77	13.37	-2.4	10.97	0.013	2.000	Pass
		16QAM	36	18	12.4	-2.4	10.00	0.010	2.000	Pass
			1	1	11.89	-2.4	9.49	0.009	2.000	Pass
			1	77	12.22	-2.4	9.82	0.010	2.000	Pass
		64QAM	36	18	10.96	-2.4	8.56	0.007	2.000	Pass
			1	1	10.57	-2.4	8.17	0.007	2.000	Pass
			1	77	10.75	-2.4	8.35	0.007	2.000	Pass
		256QAM	36	18	8.99	-2.4	6.59	0.005	2.000	Pass
			1	1	8.8	-2.4	6.40	0.004	2.000	Pass
			1	77	8.84	-2.4	6.44	0.004	2.000	Pass
	MCH	PI/2 BPSK	36	18	13.53	-2.4	11.13	0.013	2.000	Pass
			1	1	13.42	-2.4	11.02	0.013	2.000	Pass
			1	77	13.71	-2.4	11.31	0.014	2.000	Pass
		QPSK	36	18	13.58	-2.4	11.18	0.013	2.000	Pass
			1	1	13.49	-2.4	11.09	0.013	2.000	Pass
			1	77	13.86	-2.4	11.46	0.014	2.000	Pass
		16QAM	36	18	12.58	-2.4	10.18	0.010	2.000	Pass
			1	1	12.2	-2.4	9.80	0.010	2.000	Pass
			1	77	12.59	-2.4	10.19	0.010	2.000	Pass
		64QAM	36	18	11.09	-2.4	8.69	0.007	2.000	Pass
			1	1	10.87	-2.4	8.47	0.007	2.000	Pass
			1	77	11.1	-2.4	8.70	0.007	2.000	Pass
		256QAM	36	18	9.04	-2.4	6.64	0.005	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
	HCH	PI/2 BPSK	1	1	8.85	-2.4	6.45	0.004	2.000	Pass
			1	77	8.96	-2.4	6.56	0.005	2.000	Pass
			36	18	13.96	-2.4	11.56	0.014	2.000	Pass
		QPSK	1	1	13.71	-2.4	11.31	0.014	2.000	Pass
			1	77	13.85	-2.4	11.45	0.014	2.000	Pass
			36	18	14.16	-2.4	11.76	0.015	2.000	Pass
		16QAM	1	1	13.85	-2.4	11.45	0.014	2.000	Pass
			1	77	14	-2.4	11.60	0.014	2.000	Pass
			36	18	13.09	-2.4	10.69	0.012	2.000	Pass
		64QAM	1	1	12.53	-2.4	10.13	0.010	2.000	Pass
			1	77	12.69	-2.4	10.29	0.011	2.000	Pass
			36	18	11.58	-2.4	9.18	0.008	2.000	Pass
		256QAM	1	1	11.13	-2.4	8.73	0.007	2.000	Pass
			1	77	11.26	-2.4	8.86	0.008	2.000	Pass
			36	18	9.3	-2.4	6.90	0.005	2.000	Pass
20	LCH	PI/2 BPSK	1	1	9.01	-2.4	6.61	0.005	2.000	Pass
			1	77	9.1	-2.4	6.70	0.005	2.000	Pass
			50	25	13.4	-2.4	11.00	0.013	2.000	Pass
		QPSK	1	1	12.97	-2.4	10.57	0.011	2.000	Pass
			1	104	13.71	-2.4	11.31	0.014	2.000	Pass
			50	25	13.44	-2.4	11.04	0.013	2.000	Pass
		16QAM	1	1	12.98	-2.4	10.58	0.011	2.000	Pass
			1	104	13.85	-2.4	11.45	0.014	2.000	Pass
			50	25	12.49	-2.4	10.09	0.010	2.000	Pass
		64QAM	1	1	11.81	-2.4	9.41	0.009	2.000	Pass
			1	104	12.59	-2.4	10.19	0.010	2.000	Pass
			50	25	11	-2.4	8.60	0.007	2.000	Pass
		256QAM	1	1	10.46	-2.4	8.06	0.006	2.000	Pass
			1	104	11.11	-2.4	8.71	0.007	2.000	Pass
			50	25	9	-2.4	6.60	0.005	2.000	Pass
	MCH	PI/2 BPSK	1	1	8.63	-2.4	6.23	0.004	2.000	Pass
			1	104	8.9	-2.4	6.50	0.004	2.000	Pass
			50	25	13.49	-2.4	11.09	0.013	2.000	Pass
		QPSK	1	1	13.22	-2.4	10.82	0.012	2.000	Pass
			1	104	13.93	-2.4	11.53	0.014	2.000	Pass
			50	25	13.57	-2.4	11.17	0.013	2.000	Pass
			1	1	13.24	-2.4	10.84	0.012	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n7										
		16QAM	1	104	14.15	-2.4	11.75	0.015	2.000	Pass
			50	25	12.61	-2.4	10.21	0.010	2.000	Pass
			1	1	12.02	-2.4	9.62	0.009	2.000	Pass
			1	104	12.77	-2.4	10.37	0.011	2.000	Pass
		64QAM	50	25	11.09	-2.4	8.69	0.007	2.000	Pass
			1	1	10.66	-2.4	8.26	0.007	2.000	Pass
			1	104	11.29	-2.4	8.89	0.008	2.000	Pass
		256QAM	50	25	9.06	-2.4	6.66	0.005	2.000	Pass
			1	1	8.75	-2.4	6.35	0.004	2.000	Pass
			1	104	9.02	-2.4	6.62	0.005	2.000	Pass
	HCH	PI/2 BPSK	50	25	13.65	-2.4	11.25	0.013	2.000	Pass
			1	1	13.3	-2.4	10.90	0.012	2.000	Pass
			1	104	13.78	-2.4	11.38	0.014	2.000	Pass
		QPSK	50	25	13.79	-2.4	11.39	0.014	2.000	Pass
			1	1	13.38	-2.4	10.98	0.013	2.000	Pass
			1	104	13.95	-2.4	11.55	0.014	2.000	Pass
		16QAM	50	25	12.82	-2.4	10.42	0.011	2.000	Pass
			1	1	12.11	-2.4	9.71	0.009	2.000	Pass
			1	104	12.6	-2.4	10.20	0.010	2.000	Pass
		64QAM	50	25	11.27	-2.4	8.87	0.008	2.000	Pass
			1	1	10.71	-2.4	8.31	0.007	2.000	Pass
			1	104	11.14	-2.4	8.74	0.007	2.000	Pass
		256QAM	50	25	9.19	-2.4	6.79	0.005	2.000	Pass
			1	1	8.74	-2.4	6.34	0.004	2.000	Pass
			1	104	9.01	-2.4	6.61	0.005	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
5	LCH	PI/2 BPSK	12	6	22.99	-3.7	-5.85	17.14	0.052	3.000	Pass
			1	1	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	23	22.96	-3.7	-5.85	17.11	0.051	3.000	Pass
		QPSK	12	6	23.01	-3.7	-5.85	17.16	0.052	3.000	Pass
			1	1	22.98	-3.7	-5.85	17.13	0.052	3.000	Pass
			1	23	23	-3.7	-5.85	17.15	0.052	3.000	Pass
		16QAM	12	6	21.96	-3.7	-5.85	16.11	0.041	3.000	Pass
			1	1	21.77	-3.7	-5.85	15.92	0.039	3.000	Pass
			1	23	21.78	-3.7	-5.85	15.93	0.039	3.000	Pass
		64QAM	12	6	20.5	-3.7	-5.85	14.65	0.029	3.000	Pass
			1	1	20.41	-3.7	-5.85	14.56	0.029	3.000	Pass
			1	23	20.42	-3.7	-5.85	14.57	0.029	3.000	Pass
		256QAM	12	6	18.44	-3.7	-5.85	12.59	0.018	3.000	Pass
			1	1	18.43	-3.7	-5.85	12.58	0.018	3.000	Pass
			1	23	18.44	-3.7	-5.85	12.59	0.018	3.000	Pass
	MCH	PI/2 BPSK	12	6	22.96	-3.7	-5.85	17.11	0.051	3.000	Pass
			1	1	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	23	22.94	-3.7	-5.85	17.09	0.051	3.000	Pass
		QPSK	12	6	22.98	-3.7	-5.85	17.13	0.052	3.000	Pass
			1	1	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	23	22.98	-3.7	-5.85	17.13	0.052	3.000	Pass
		16QAM	12	6	21.94	-3.7	-5.85	16.09	0.041	3.000	Pass
			1	1	21.77	-3.7	-5.85	15.92	0.039	3.000	Pass
			1	23	21.79	-3.7	-5.85	15.94	0.039	3.000	Pass
		64QAM	12	6	20.44	-3.7	-5.85	14.59	0.029	3.000	Pass
			1	1	20.42	-3.7	-5.85	14.57	0.029	3.000	Pass
			1	23	20.4	-3.7	-5.85	14.55	0.029	3.000	Pass
		256QAM	12	6	18.39	-3.7	-5.85	12.54	0.018	3.000	Pass
			1	1	18.42	-3.7	-5.85	12.57	0.018	3.000	Pass
			1	23	18.4	-3.7	-5.85	12.55	0.018	3.000	Pass
	HCH	PI/2 BPSK	12	6	22.81	-3.7	-5.85	16.96	0.050	3.000	Pass
			1	1	22.88	-3.7	-5.85	17.03	0.050	3.000	Pass
			1	23	22.86	-3.7	-5.85	17.01	0.050	3.000	Pass
		QPSK	12	6	22.86	-3.7	-5.85	17.01	0.050	3.000	Pass
			1	1	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
			1	23	22.85	-3.7	-5.85	17.00	0.050	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	12	6	21.8	-3.7	-5.85	15.95	0.039	3.000	Pass
			1	1	21.68	-3.7	-5.85	15.83	0.038	3.000	Pass
			1	23	21.66	-3.7	-5.85	15.81	0.038	3.000	Pass
		64QAM	12	6	20.3	-3.7	-5.85	14.45	0.028	3.000	Pass
			1	1	20.3	-3.7	-5.85	14.45	0.028	3.000	Pass
			1	23	20.25	-3.7	-5.85	14.40	0.028	3.000	Pass
		256QAM	12	6	18.24	-3.7	-5.85	12.39	0.017	3.000	Pass
			1	1	18.34	-3.7	-5.85	12.49	0.018	3.000	Pass
			1	23	18.29	-3.7	-5.85	12.44	0.018	3.000	Pass
10	LCH	PI/2 BPSK	25	12	23	-3.7	-5.85	17.15	0.052	3.000	Pass
			1	1	23.05	-3.7	-5.85	17.20	0.052	3.000	Pass
			1	50	23.04	-3.7	-5.85	17.19	0.052	3.000	Pass
		QPSK	25	12	22.98	-3.7	-5.85	17.13	0.052	3.000	Pass
			1	1	23.07	-3.7	-5.85	17.22	0.053	3.000	Pass
			1	50	23.06	-3.7	-5.85	17.21	0.053	3.000	Pass
		16QAM	25	12	21.96	-3.7	-5.85	16.11	0.041	3.000	Pass
			1	1	21.87	-3.7	-5.85	16.02	0.040	3.000	Pass
			1	50	21.88	-3.7	-5.85	16.03	0.040	3.000	Pass
		64QAM	25	12	20.49	-3.7	-5.85	14.64	0.029	3.000	Pass
			1	1	20.49	-3.7	-5.85	14.64	0.029	3.000	Pass
			1	50	20.45	-3.7	-5.85	14.60	0.029	3.000	Pass
		256QAM	25	12	18.44	-3.7	-5.85	12.59	0.018	3.000	Pass
			1	1	18.52	-3.7	-5.85	12.67	0.018	3.000	Pass
			1	50	18.48	-3.7	-5.85	12.63	0.018	3.000	Pass
	MCH	PI/2 BPSK	25	12	22.98	-3.7	-5.85	17.13	0.052	3.000	Pass
			1	1	23.04	-3.7	-5.85	17.19	0.052	3.000	Pass
			1	50	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
		QPSK	25	12	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	1	23.11	-3.7	-5.85	17.26	0.053	3.000	Pass
			1	50	23.05	-3.7	-5.85	17.20	0.052	3.000	Pass
		16QAM	25	12	21.96	-3.7	-5.85	16.11	0.041	3.000	Pass
			1	1	21.87	-3.7	-5.85	16.02	0.040	3.000	Pass
			1	50	21.79	-3.7	-5.85	15.94	0.039	3.000	Pass
		64QAM	25	12	20.48	-3.7	-5.85	14.63	0.029	3.000	Pass
			1	1	20.53	-3.7	-5.85	14.68	0.029	3.000	Pass
			1	50	20.39	-3.7	-5.85	14.54	0.028	3.000	Pass
		256QAM	25	12	18.43	-3.7	-5.85	12.58	0.018	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
			1	1	18.52	-3.7	-5.85	12.67	0.018	3.000	Pass
			1	50	18.42	-3.7	-5.85	12.57	0.018	3.000	Pass
	HCH	PI/2 BPSK	25	12	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
			1	1	23.06	-3.7	-5.85	17.21	0.053	3.000	Pass
			1	50	22.93	-3.7	-5.85	17.08	0.051	3.000	Pass
			1	1	23.1	-3.7	-5.85	17.25	0.053	3.000	Pass
		QPSK	25	12	22.87	-3.7	-5.85	17.02	0.050	3.000	Pass
			1	1	23.1	-3.7	-5.85	17.25	0.053	3.000	Pass
			1	50	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	1	23.1	-3.7	-5.85	17.25	0.053	3.000	Pass
		16QAM	25	12	21.84	-3.7	-5.85	15.99	0.040	3.000	Pass
			1	1	21.84	-3.7	-5.85	15.99	0.040	3.000	Pass
			1	50	21.73	-3.7	-5.85	15.88	0.039	3.000	Pass
			1	1	21.73	-3.7	-5.85	15.88	0.039	3.000	Pass
		64QAM	25	12	20.37	-3.7	-5.85	14.52	0.028	3.000	Pass
			1	1	20.48	-3.7	-5.85	14.63	0.029	3.000	Pass
			1	50	20.33	-3.7	-5.85	14.48	0.028	3.000	Pass
			1	1	20.33	-3.7	-5.85	14.48	0.028	3.000	Pass
		256QAM	25	12	18.32	-3.7	-5.85	12.47	0.018	3.000	Pass
			1	1	18.49	-3.7	-5.85	12.64	0.018	3.000	Pass
			1	50	18.4	-3.7	-5.85	12.55	0.018	3.000	Pass
			1	1	18.4	-3.7	-5.85	12.55	0.018	3.000	Pass
15	LCH	PI/2 BPSK	36	18	22.98	-3.7	-5.85	17.13	0.052	3.000	Pass
			1	1	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	77	22.84	-3.7	-5.85	16.99	0.050	3.000	Pass
			1	77	22.84	-3.7	-5.85	16.99	0.050	3.000	Pass
		QPSK	36	18	22.96	-3.7	-5.85	17.11	0.051	3.000	Pass
			1	1	23	-3.7	-5.85	17.15	0.052	3.000	Pass
			1	77	22.91	-3.7	-5.85	17.06	0.051	3.000	Pass
			1	77	22.91	-3.7	-5.85	17.06	0.051	3.000	Pass
		16QAM	36	18	21.95	-3.7	-5.85	16.10	0.041	3.000	Pass
			1	1	21.76	-3.7	-5.85	15.91	0.039	3.000	Pass
			1	77	21.64	-3.7	-5.85	15.79	0.038	3.000	Pass
			1	77	21.64	-3.7	-5.85	15.79	0.038	3.000	Pass
		64QAM	36	18	20.53	-3.7	-5.85	14.68	0.029	3.000	Pass
			1	1	20.37	-3.7	-5.85	14.52	0.028	3.000	Pass
			1	77	20.3	-3.7	-5.85	14.45	0.028	3.000	Pass
			1	77	20.3	-3.7	-5.85	14.45	0.028	3.000	Pass
		256QAM	36	18	18.48	-3.7	-5.85	12.63	0.018	3.000	Pass
			1	1	18.36	-3.7	-5.85	12.51	0.018	3.000	Pass
			1	77	18.28	-3.7	-5.85	12.43	0.017	3.000	Pass
			1	77	18.28	-3.7	-5.85	12.43	0.017	3.000	Pass
	MCH	PI/2 BPSK	36	18	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	1	22.97	-3.7	-5.85	17.12	0.052	3.000	Pass
			1	77	22.84	-3.7	-5.85	16.99	0.050	3.000	Pass
		QPSK	36	18	22.96	-3.7	-5.85	17.11	0.051	3.000	Pass
			1	1	23.03	-3.7	-5.85	17.18	0.052	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	Antenna Gain (dBd)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n12											
		16QAM	1	77	22.91	-3.7	-5.85	17.06	0.051	3.000	Pass
			36	18	21.93	-3.7	-5.85	16.08	0.041	3.000	Pass
			1	1	21.78	-3.7	-5.85	15.93	0.039	3.000	Pass
			1	77	21.63	-3.7	-5.85	15.78	0.038	3.000	Pass
		64QAM	36	18	20.54	-3.7	-5.85	14.69	0.029	3.000	Pass
			1	1	20.39	-3.7	-5.85	14.54	0.028	3.000	Pass
			1	77	20.22	-3.7	-5.85	14.37	0.027	3.000	Pass
		256QAM	36	18	18.47	-3.7	-5.85	12.62	0.018	3.000	Pass
			1	1	18.41	-3.7	-5.85	12.56	0.018	3.000	Pass
			1	77	18.27	-3.7	-5.85	12.42	0.017	3.000	Pass
	HCH	PI/2 BPSK	36	18	23	-3.7	-5.85	17.15	0.052	3.000	Pass
			1	1	23	-3.7	-5.85	17.15	0.052	3.000	Pass
			1	77	22.85	-3.7	-5.85	17.00	0.050	3.000	Pass
		QPSK	36	18	23	-3.7	-5.85	17.15	0.052	3.000	Pass
			1	1	23.07	-3.7	-5.85	17.22	0.053	3.000	Pass
			1	77	22.89	-3.7	-5.85	17.04	0.051	3.000	Pass
		16QAM	36	18	21.95	-3.7	-5.85	16.10	0.041	3.000	Pass
			1	1	21.78	-3.7	-5.85	15.93	0.039	3.000	Pass
			1	77	21.66	-3.7	-5.85	15.81	0.038	3.000	Pass
		64QAM	36	18	20.55	-3.7	-5.85	14.70	0.030	3.000	Pass
			1	1	20.36	-3.7	-5.85	14.51	0.028	3.000	Pass
			1	77	20.25	-3.7	-5.85	14.40	0.028	3.000	Pass
		256QAM	36	18	18.47	-3.7	-5.85	12.62	0.018	3.000	Pass
			1	1	18.44	-3.7	-5.85	12.59	0.018	3.000	Pass
			1	77	18.29	-3.7	-5.85	12.44	0.018	3.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
20	LCH	PI/2 BPSK	25	12	8.46	-2.4	6.06	0.004	2.000	Pass
			1	1	8.53	-2.4	6.13	0.004	2.000	Pass
			1	49	8.47	-2.4	6.07	0.004	2.000	Pass
		QPSK	25	12	8.46	-2.4	6.06	0.004	2.000	Pass
			1	1	8.57	-2.4	6.17	0.004	2.000	Pass
			1	49	8.52	-2.4	6.12	0.004	2.000	Pass
		16QAM	25	12	7.43	-2.4	5.03	0.003	2.000	Pass
			1	1	7.37	-2.4	4.97	0.003	2.000	Pass
			1	49	7.32	-2.4	4.92	0.003	2.000	Pass
		64QAM	25	12	6.05	-2.4	3.65	0.002	2.000	Pass
			1	1	6.04	-2.4	3.64	0.002	2.000	Pass
			1	49	5.95	-2.4	3.55	0.002	2.000	Pass
		256QAM	25	12	3.68	-2.4	1.28	0.001	2.000	Pass
			1	1	3.98	-2.4	1.58	0.001	2.000	Pass
			1	49	3.93	-2.4	1.53	0.001	2.000	Pass
	MCH	PI/2 BPSK	25	12	8.35	-2.4	5.95	0.004	2.000	Pass
			1	1	8.38	-2.4	5.98	0.004	2.000	Pass
			1	49	8.32	-2.4	5.92	0.004	2.000	Pass
		QPSK	25	12	8.32	-2.4	5.92	0.004	2.000	Pass
			1	1	8.43	-2.4	6.03	0.004	2.000	Pass
			1	49	8.39	-2.4	5.99	0.004	2.000	Pass
		16QAM	25	12	7.31	-2.4	4.91	0.003	2.000	Pass
			1	1	7.23	-2.4	4.83	0.003	2.000	Pass
			1	49	7.18	-2.4	4.78	0.003	2.000	Pass
		64QAM	25	12	5.91	-2.4	3.51	0.002	2.000	Pass
			1	1	5.85	-2.4	3.45	0.002	2.000	Pass
			1	49	5.83	-2.4	3.43	0.002	2.000	Pass
		256QAM	25	12	3.49	-2.4	1.09	0.001	2.000	Pass
			1	1	3.76	-2.4	1.36	0.001	2.000	Pass
			1	49	3.74	-2.4	1.34	0.001	2.000	Pass
	HCH	PI/2 BPSK	25	12	8.43	-2.4	6.03	0.004	2.000	Pass
			1	1	8.43	-2.4	6.03	0.004	2.000	Pass
			1	49	8.52	-2.4	6.12	0.004	2.000	Pass
		QPSK	25	12	8.39	-2.4	5.99	0.004	2.000	Pass
			1	1	8.48	-2.4	6.08	0.004	2.000	Pass
			1	49	8.53	-2.4	6.13	0.004	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	25	12	7.4	-2.4	5.00	0.003	2.000	Pass
			1	1	7.28	-2.4	4.88	0.003	2.000	Pass
			1	49	7.32	-2.4	4.92	0.003	2.000	Pass
		64QAM	25	12	5.99	-2.4	3.59	0.002	2.000	Pass
			1	1	5.94	-2.4	3.54	0.002	2.000	Pass
			1	49	5.98	-2.4	3.58	0.002	2.000	Pass
		256QAM	25	12	3.57	-2.4	1.17	0.001	2.000	Pass
			1	1	3.78	-2.4	1.38	0.001	2.000	Pass
			1	49	3.9	-2.4	1.50	0.001	2.000	Pass
30	LCH	PI/2 BPSK	36	18	8.53	-2.4	6.13	0.004	2.000	Pass
			1	1	8.5	-2.4	6.10	0.004	2.000	Pass
			1	76	8.32	-2.4	5.92	0.004	2.000	Pass
		QPSK	36	18	8.52	-2.4	6.12	0.004	2.000	Pass
			1	1	8.74	-2.4	6.34	0.004	2.000	Pass
			1	76	8.5	-2.4	6.10	0.004	2.000	Pass
		16QAM	36	18	7.58	-2.4	5.18	0.003	2.000	Pass
			1	1	7.49	-2.4	5.09	0.003	2.000	Pass
			1	76	7.34	-2.4	4.94	0.003	2.000	Pass
		64QAM	36	18	6.16	-2.4	3.76	0.002	2.000	Pass
			1	1	6.12	-2.4	3.72	0.002	2.000	Pass
			1	76	5.97	-2.4	3.57	0.002	2.000	Pass
		256QAM	36	18	3.98	-2.4	1.58	0.001	2.000	Pass
			1	1	3.94	-2.4	1.54	0.001	2.000	Pass
			1	76	3.71	-2.4	1.31	0.001	2.000	Pass
	MCH	PI/2 BPSK	36	18	8.35	-2.4	5.95	0.004	2.000	Pass
			1	1	8.39	-2.4	5.99	0.004	2.000	Pass
			1	76	8.21	-2.4	5.81	0.004	2.000	Pass
		QPSK	36	18	8.37	-2.4	5.97	0.004	2.000	Pass
			1	1	8.61	-2.4	6.21	0.004	2.000	Pass
			1	76	8.48	-2.4	6.08	0.004	2.000	Pass
		16QAM	36	18	7.42	-2.4	5.02	0.003	2.000	Pass
			1	1	7.32	-2.4	4.92	0.003	2.000	Pass
			1	76	7.12	-2.4	4.72	0.003	2.000	Pass
		64QAM	36	18	6	-2.4	3.60	0.002	2.000	Pass
			1	1	5.99	-2.4	3.59	0.002	2.000	Pass
			1	76	5.77	-2.4	3.37	0.002	2.000	Pass
		256QAM	36	18	3.78	-2.4	1.38	0.001	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
	HCH	PI/2 BPSK	1	1	3.77	-2.4	1.37	0.001	2.000	Pass
			1	76	3.58	-2.4	1.18	0.001	2.000	Pass
			36	18	8.4	-2.4	6.00	0.004	2.000	Pass
		QPSK	1	1	8.27	-2.4	5.87	0.004	2.000	Pass
			1	76	8.34	-2.4	5.94	0.004	2.000	Pass
			36	18	8.4	-2.4	6.00	0.004	2.000	Pass
		16QAM	1	1	8.54	-2.4	6.14	0.004	2.000	Pass
			1	76	8.59	-2.4	6.19	0.004	2.000	Pass
			36	18	7.45	-2.4	5.05	0.003	2.000	Pass
		64QAM	1	1	7.22	-2.4	4.82	0.003	2.000	Pass
			1	76	7.18	-2.4	4.78	0.003	2.000	Pass
			36	18	6.03	-2.4	3.63	0.002	2.000	Pass
		256QAM	1	1	5.95	-2.4	3.55	0.002	2.000	Pass
			1	76	5.95	-2.4	3.55	0.002	2.000	Pass
			36	18	3.77	-2.4	1.37	0.001	2.000	Pass
40	LCH	PI/2 BPSK	1	1	3.66	-2.4	1.26	0.001	2.000	Pass
			1	76	3.75	-2.4	1.35	0.001	2.000	Pass
			50	25	8.48	-2.4	6.08	0.004	2.000	Pass
		QPSK	1	1	8.66	-2.4	6.26	0.004	2.000	Pass
			1	104	8.33	-2.4	5.93	0.004	2.000	Pass
			50	25	8.47	-2.4	6.07	0.004	2.000	Pass
		16QAM	1	1	8.92	-2.4	6.52	0.004	2.000	Pass
			1	104	8.51	-2.4	6.11	0.004	2.000	Pass
			50	25	7.48	-2.4	5.08	0.003	2.000	Pass
		64QAM	1	1	7.53	-2.4	5.13	0.003	2.000	Pass
			1	104	7.15	-2.4	4.75	0.003	2.000	Pass
			50	25	6.07	-2.4	3.67	0.002	2.000	Pass
		256QAM	1	1	6.28	-2.4	3.88	0.002	2.000	Pass
			1	104	5.92	-2.4	3.52	0.002	2.000	Pass
			50	25	3.98	-2.4	1.58	0.001	2.000	Pass
	MCH	PI/2 BPSK	1	1	4.06	-2.4	1.66	0.001	2.000	Pass
			1	104	3.66	-2.4	1.26	0.001	2.000	Pass
			50	25	8.41	-2.4	6.01	0.004	2.000	Pass
		QPSK	1	1	8.57	-2.4	6.17	0.004	2.000	Pass
			1	104	8.4	-2.4	6.00	0.004	2.000	Pass
			50	25	8.44	-2.4	6.04	0.004	2.000	Pass
			1	1	8.84	-2.4	6.44	0.004	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	ERP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n38										
		16QAM	1	104	8.63	-2.4	6.23	0.004	2.000	Pass
			50	25	7.44	-2.4	5.04	0.003	2.000	Pass
			1	1	7.46	-2.4	5.06	0.003	2.000	Pass
			1	104	7.23	-2.4	4.83	0.003	2.000	Pass
		64QAM	50	25	6.02	-2.4	3.62	0.002	2.000	Pass
			1	1	6.17	-2.4	3.77	0.002	2.000	Pass
			1	104	5.99	-2.4	3.59	0.002	2.000	Pass
		256QAM	50	25	3.9	-2.4	1.50	0.001	2.000	Pass
			1	1	3.96	-2.4	1.56	0.001	2.000	Pass
			1	104	3.76	-2.4	1.36	0.001	2.000	Pass
	HCH	PI/2 BPSK	50	25	8.36	-2.4	5.96	0.004	2.000	Pass
			1	1	8.46	-2.4	6.06	0.004	2.000	Pass
			1	104	8.42	-2.4	6.02	0.004	2.000	Pass
		QPSK	50	25	8.4	-2.4	6.00	0.004	2.000	Pass
			1	1	8.7	-2.4	6.30	0.004	2.000	Pass
			1	104	8.68	-2.4	6.28	0.004	2.000	Pass
		16QAM	50	25	7.39	-2.4	4.99	0.003	2.000	Pass
			1	1	7.31	-2.4	4.91	0.003	2.000	Pass
			1	104	7.28	-2.4	4.88	0.003	2.000	Pass
		64QAM	50	25	5.98	-2.4	3.58	0.002	2.000	Pass
			1	1	6.1	-2.4	3.70	0.002	2.000	Pass
			1	104	6.13	-2.4	3.73	0.002	2.000	Pass
		256QAM	50	25	3.88	-2.4	1.48	0.001	2.000	Pass
			1	1	3.88	-2.4	1.48	0.001	2.000	Pass
			1	104	3.76	-2.4	1.36	0.001	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
20	LCH	PI/2 BPSK	25	12	9.66	-2.4	7.26	0.005	2.000	Pass
			1	1	9.59	-2.4	7.19	0.005	2.000	Pass
			1	49	9.69	-2.4	7.29	0.005	2.000	Pass
		QPSK	25	12	9.64	-2.4	7.24	0.005	2.000	Pass
			1	1	9.69	-2.4	7.29	0.005	2.000	Pass
			1	49	9.73	-2.4	7.33	0.005	2.000	Pass
		16QAM	25	12	8.62	-2.4	6.22	0.004	2.000	Pass
			1	1	8.45	-2.4	6.05	0.004	2.000	Pass
			1	49	8.52	-2.4	6.12	0.004	2.000	Pass
		64QAM	25	12	7.21	-2.4	4.81	0.003	2.000	Pass
			1	1	7.09	-2.4	4.69	0.003	2.000	Pass
			1	49	7.1	-2.4	4.70	0.003	2.000	Pass
		256QAM	25	12	4.83	-2.4	2.43	0.002	2.000	Pass
			1	1	5.01	-2.4	2.61	0.002	2.000	Pass
			1	49	5.07	-2.4	2.67	0.002	2.000	Pass
	MCH	PI/2 BPSK	25	12	9.55	-2.4	7.15	0.005	2.000	Pass
			1	1	9.59	-2.4	7.19	0.005	2.000	Pass
			1	49	9.59	-2.4	7.19	0.005	2.000	Pass
		QPSK	25	12	9.53	-2.4	7.13	0.005	2.000	Pass
			1	1	9.62	-2.4	7.22	0.005	2.000	Pass
			1	49	9.66	-2.4	7.26	0.005	2.000	Pass
		16QAM	25	12	8.5	-2.4	6.10	0.004	2.000	Pass
			1	1	8.48	-2.4	6.08	0.004	2.000	Pass
			1	49	8.55	-2.4	6.15	0.004	2.000	Pass
		64QAM	25	12	7.12	-2.4	4.72	0.003	2.000	Pass
			1	1	7.13	-2.4	4.73	0.003	2.000	Pass
			1	49	7.1	-2.4	4.70	0.003	2.000	Pass
		256QAM	25	12	4.7	-2.4	2.30	0.002	2.000	Pass
			1	1	4.97	-2.4	2.57	0.002	2.000	Pass
			1	49	5.01	-2.4	2.61	0.002	2.000	Pass
	HCH	PI/2 BPSK	25	12	9.71	-2.4	7.31	0.005	2.000	Pass
			1	1	9.71	-2.4	7.31	0.005	2.000	Pass
			1	49	9.75	-2.4	7.35	0.005	2.000	Pass
		QPSK	25	12	9.65	-2.4	7.25	0.005	2.000	Pass
			1	1	9.74	-2.4	7.34	0.005	2.000	Pass
			1	49	9.77	-2.4	7.37	0.005	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	25	12	8.62	-2.4	6.22	0.004	2.000	Pass
			1	1	8.55	-2.4	6.15	0.004	2.000	Pass
			1	49	8.57	-2.4	6.17	0.004	2.000	Pass
		64QAM	25	12	7.2	-2.4	4.80	0.003	2.000	Pass
			1	1	7.15	-2.4	4.75	0.003	2.000	Pass
			1	49	7.19	-2.4	4.79	0.003	2.000	Pass
		256QAM	25	12	4.85	-2.4	2.45	0.002	2.000	Pass
			1	1	5.09	-2.4	2.69	0.002	2.000	Pass
			1	49	5.11	-2.4	2.71	0.002	2.000	Pass
60	LCH	PI/2 BPSK	81	40	9.83	-2.4	7.43	0.006	2.000	Pass
			1	1	9.63	-2.4	7.23	0.005	2.000	Pass
			1	160	9.48	-2.4	7.08	0.005	2.000	Pass
		QPSK	81	40	9.82	-2.4	7.42	0.006	2.000	Pass
			1	1	9.88	-2.4	7.48	0.006	2.000	Pass
			1	160	9.68	-2.4	7.28	0.005	2.000	Pass
		16QAM	81	40	8.81	-2.4	6.41	0.004	2.000	Pass
			1	1	8.5	-2.4	6.10	0.004	2.000	Pass
			1	160	8.29	-2.4	5.89	0.004	2.000	Pass
		64QAM	81	40	7.42	-2.4	5.02	0.003	2.000	Pass
			1	1	7.25	-2.4	4.85	0.003	2.000	Pass
			1	160	7.1	-2.4	4.70	0.003	2.000	Pass
		256QAM	81	40	5.27	-2.4	2.87	0.002	2.000	Pass
			1	1	5.09	-2.4	2.69	0.002	2.000	Pass
			1	160	4.84	-2.4	2.44	0.002	2.000	Pass
	MCH	PI/2 BPSK	81	40	9.71	-2.4	7.31	0.005	2.000	Pass
			1	1	9.62	-2.4	7.22	0.005	2.000	Pass
			1	160	9.53	-2.4	7.13	0.005	2.000	Pass
		QPSK	81	40	9.71	-2.4	7.31	0.005	2.000	Pass
			1	1	9.83	-2.4	7.43	0.006	2.000	Pass
			1	160	9.77	-2.4	7.37	0.005	2.000	Pass
		16QAM	81	40	8.69	-2.4	6.29	0.004	2.000	Pass
			1	1	8.48	-2.4	6.08	0.004	2.000	Pass
			1	160	8.45	-2.4	6.05	0.004	2.000	Pass
		64QAM	81	40	7.31	-2.4	4.91	0.003	2.000	Pass
			1	1	7.34	-2.4	4.94	0.003	2.000	Pass
			1	160	7.25	-2.4	4.85	0.003	2.000	Pass
		256QAM	81	40	5.1	-2.4	2.70	0.002	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
	HCH	PI/2 BPSK	1	1	4.94	-2.4	2.54	0.002	2.000	Pass
			1	160	4.85	-2.4	2.45	0.002	2.000	Pass
			81	40	9.78	-2.4	7.38	0.005	2.000	Pass
		QPSK	1	1	9.59	-2.4	7.19	0.005	2.000	Pass
			1	160	9.52	-2.4	7.12	0.005	2.000	Pass
			81	40	9.75	-2.4	7.35	0.005	2.000	Pass
		16QAM	1	1	9.87	-2.4	7.47	0.006	2.000	Pass
			1	160	9.7	-2.4	7.30	0.005	2.000	Pass
			81	40	8.76	-2.4	6.36	0.004	2.000	Pass
		64QAM	1	1	8.39	-2.4	5.99	0.004	2.000	Pass
			1	160	8.32	-2.4	5.92	0.004	2.000	Pass
			81	40	7.32	-2.4	4.92	0.003	2.000	Pass
		256QAM	1	1	7.15	-2.4	4.75	0.003	2.000	Pass
			1	160	7.09	-2.4	4.69	0.003	2.000	Pass
			81	40	5.16	-2.4	2.76	0.002	2.000	Pass
100	LCH	PI/2 BPSK	1	1	4.9	-2.4	2.50	0.002	2.000	Pass
			1	160	4.88	-2.4	2.48	0.002	2.000	Pass
			135	67	9.71	-2.4	7.31	0.005	2.000	Pass
		QPSK	1	1	9.73	-2.4	7.33	0.005	2.000	Pass
			1	271	9.41	-2.4	7.01	0.005	2.000	Pass
			135	67	9.73	-2.4	7.33	0.005	2.000	Pass
		16QAM	1	1	9.99	-2.4	7.59	0.006	2.000	Pass
			1	271	9.69	-2.4	7.29	0.005	2.000	Pass
			135	67	8.76	-2.4	6.36	0.004	2.000	Pass
		64QAM	1	1	8.57	-2.4	6.17	0.004	2.000	Pass
			1	271	8.21	-2.4	5.81	0.004	2.000	Pass
			135	67	7.25	-2.4	4.85	0.003	2.000	Pass
	MCH	256QAM	1	1	7.29	-2.4	4.89	0.003	2.000	Pass
			1	271	7.11	-2.4	4.71	0.003	2.000	Pass
			135	67	5.23	-2.4	2.83	0.002	2.000	Pass
		PI/2 BPSK	1	1	5.13	-2.4	2.73	0.002	2.000	Pass
			1	271	4.77	-2.4	2.37	0.002	2.000	Pass
			135	67	9.68	-2.4	7.28	0.005	2.000	Pass
	LCH	QPSK	1	1	9.71	-2.4	7.31	0.005	2.000	Pass
			1	271	9.59	-2.4	7.19	0.005	2.000	Pass
			135	67	9.69	-2.4	7.29	0.005	2.000	Pass
		16QAM	1	1	9.94	-2.4	7.54	0.006	2.000	Pass
			1	271	9.87	-2.4	7.47	0.006	2.000	Pass
			135	67	9.75	-2.4	7.35	0.005	2.000	Pass
	MCH	256QAM	1	1	9.52	-2.4	7.12	0.005	2.000	Pass
			1	271	9.41	-2.4	7.01	0.005	2.000	Pass
			135	67	9.38	-2.4	6.98	0.005	2.000	Pass
		QPSK	1	1	9.25	-2.4	6.85	0.005	2.000	Pass
			1	271	9.12	-2.4	6.72	0.005	2.000	Pass
			135	67	9.05	-2.4	6.65	0.005	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	ERP (W)	Limit (W)	Verdict
NR Band n41										
		16QAM	1	271	9.87	-2.4	7.47	0.006	2.000	Pass
			135	67	8.75	-2.4	6.35	0.004	2.000	Pass
			1	1	8.5	-2.4	6.10	0.004	2.000	Pass
			1	271	8.38	-2.4	5.98	0.004	2.000	Pass
		64QAM	135	67	7.26	-2.4	4.86	0.003	2.000	Pass
			1	1	7.3	-2.4	4.90	0.003	2.000	Pass
			1	271	7.2	-2.4	4.80	0.003	2.000	Pass
		256QAM	135	67	5.19	-2.4	2.79	0.002	2.000	Pass
			1	1	5.14	-2.4	2.74	0.002	2.000	Pass
			1	271	4.9	-2.4	2.50	0.002	2.000	Pass
	HCH	PI/2 BPSK	135	67	9.94	-2.4	7.54	0.006	2.000	Pass
			1	1	9.83	-2.4	7.43	0.006	2.000	Pass
			1	271	9.76	-2.4	7.36	0.005	2.000	Pass
		QPSK	135	67	9.96	-2.4	7.56	0.006	2.000	Pass
			1	1	10.09	-2.4	7.69	0.006	2.000	Pass
			1	271	9.95	-2.4	7.55	0.006	2.000	Pass
		16QAM	135	67	9.04	-2.4	6.64	0.005	2.000	Pass
			1	1	8.67	-2.4	6.27	0.004	2.000	Pass
			1	271	8.56	-2.4	6.16	0.004	2.000	Pass
		64QAM	135	67	7.56	-2.4	5.16	0.003	2.000	Pass
			1	1	7.53	-2.4	5.13	0.003	2.000	Pass
			1	271	7.4	-2.4	5.00	0.003	2.000	Pass
		256QAM	135	67	5.41	-2.4	3.01	0.002	2.000	Pass
			1	1	5.19	-2.4	2.79	0.002	2.000	Pass
			1	271	5.12	-2.4	2.72	0.002	2.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
5	LCH	PI/2 BPSK	12	6	12.71	-3.3	9.41	0.009	1.000	Pass
			1	1	12.78	-3.3	9.48	0.009	1.000	Pass
			1	23	12.69	-3.3	9.39	0.009	1.000	Pass
		QPSK	12	6	12.75	-3.3	9.45	0.009	1.000	Pass
			1	1	12.93	-3.3	9.63	0.009	1.000	Pass
			1	23	12.76	-3.3	9.46	0.009	1.000	Pass
		16QAM	12	6	11.69	-3.3	8.39	0.007	1.000	Pass
			1	1	11.57	-3.3	8.27	0.007	1.000	Pass
			1	23	11.48	-3.3	8.18	0.007	1.000	Pass
		64QAM	12	6	10.33	-3.3	7.03	0.005	1.000	Pass
			1	1	10.32	-3.3	7.02	0.005	1.000	Pass
			1	23	10.28	-3.3	6.98	0.005	1.000	Pass
		256QAM	12	6	8.27	-3.3	4.97	0.003	1.000	Pass
			1	1	8.34	-3.3	5.04	0.003	1.000	Pass
			1	23	8.25	-3.3	4.95	0.003	1.000	Pass
	MCH	PI/2 BPSK	12	6	12.74	-3.3	9.44	0.009	1.000	Pass
			1	1	12.76	-3.3	9.46	0.009	1.000	Pass
			1	23	12.83	-3.3	9.53	0.009	1.000	Pass
		QPSK	12	6	12.78	-3.3	9.48	0.009	1.000	Pass
			1	1	12.82	-3.3	9.52	0.009	1.000	Pass
			1	23	12.87	-3.3	9.57	0.009	1.000	Pass
		16QAM	12	6	11.73	-3.3	8.43	0.007	1.000	Pass
			1	1	11.53	-3.3	8.23	0.007	1.000	Pass
			1	23	11.59	-3.3	8.29	0.007	1.000	Pass
		64QAM	12	6	10.39	-3.3	7.09	0.005	1.000	Pass
			1	1	10.33	-3.3	7.03	0.005	1.000	Pass
			1	23	10.39	-3.3	7.09	0.005	1.000	Pass
		256QAM	12	6	8.33	-3.3	5.03	0.003	1.000	Pass
			1	1	8.34	-3.3	5.04	0.003	1.000	Pass
			1	23	8.36	-3.3	5.06	0.003	1.000	Pass
	HCH	PI/2 BPSK	12	6	12.52	-3.3	9.22	0.008	1.000	Pass
			1	1	12.59	-3.3	9.29	0.008	1.000	Pass
			1	23	12.55	-3.3	9.25	0.008	1.000	Pass
		QPSK	12	6	12.57	-3.3	9.27	0.008	1.000	Pass
			1	1	12.67	-3.3	9.37	0.009	1.000	Pass
			1	23	12.68	-3.3	9.38	0.009	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	12	6	11.53	-3.3	8.23	0.007	1.000	Pass
			1	1	11.38	-3.3	8.08	0.006	1.000	Pass
			1	23	11.32	-3.3	8.02	0.006	1.000	Pass
		64QAM	12	6	10.16	-3.3	6.86	0.005	1.000	Pass
			1	1	10.18	-3.3	6.88	0.005	1.000	Pass
			1	23	10.04	-3.3	6.74	0.005	1.000	Pass
		256QAM	12	6	8.13	-3.3	4.83	0.003	1.000	Pass
			1	1	8.16	-3.3	4.86	0.003	1.000	Pass
			1	23	8.12	-3.3	4.82	0.003	1.000	Pass
15	LCH	PI/2 BPSK	36	18	12.8	-3.3	9.50	0.009	1.000	Pass
			1	1	12.84	-3.3	9.54	0.009	1.000	Pass
			1	77	12.68	-3.3	9.38	0.009	1.000	Pass
		QPSK	36	18	12.8	-3.3	9.50	0.009	1.000	Pass
			1	1	13.03	-3.3	9.73	0.009	1.000	Pass
			1	77	12.74	-3.3	9.44	0.009	1.000	Pass
		16QAM	36	18	11.77	-3.3	8.47	0.007	1.000	Pass
			1	1	11.64	-3.3	8.34	0.007	1.000	Pass
			1	77	11.46	-3.3	8.16	0.007	1.000	Pass
		64QAM	36	18	10.41	-3.3	7.11	0.005	1.000	Pass
			1	1	10.4	-3.3	7.10	0.005	1.000	Pass
			1	77	10.17	-3.3	6.87	0.005	1.000	Pass
		256QAM	36	18	8.37	-3.3	5.07	0.003	1.000	Pass
			1	1	8.37	-3.3	5.07	0.003	1.000	Pass
			1	77	8.18	-3.3	4.88	0.003	1.000	Pass
	MCH	PI/2 BPSK	36	18	12.89	-3.3	9.59	0.009	1.000	Pass
			1	1	12.72	-3.3	9.42	0.009	1.000	Pass
			1	77	12.77	-3.3	9.47	0.009	1.000	Pass
		QPSK	36	18	12.91	-3.3	9.61	0.009	1.000	Pass
			1	1	12.84	-3.3	9.54	0.009	1.000	Pass
			1	77	12.91	-3.3	9.61	0.009	1.000	Pass
		16QAM	36	18	11.91	-3.3	8.61	0.007	1.000	Pass
			1	1	11.51	-3.3	8.21	0.007	1.000	Pass
			1	77	11.58	-3.3	8.28	0.007	1.000	Pass
		64QAM	36	18	10.51	-3.3	7.21	0.005	1.000	Pass
			1	1	10.29	-3.3	6.99	0.005	1.000	Pass
			1	77	10.32	-3.3	7.02	0.005	1.000	Pass
		256QAM	36	18	8.5	-3.3	5.20	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
	HCH	PI/2 BPSK	1	1	8.26	-3.3	4.96	0.003	1.000	Pass
			1	77	8.3	-3.3	5.00	0.003	1.000	Pass
			36	18	12.72	-3.3	9.42	0.009	1.000	Pass
		QPSK	1	1	12.63	-3.3	9.33	0.009	1.000	Pass
			1	77	12.55	-3.3	9.25	0.008	1.000	Pass
			36	18	12.75	-3.3	9.45	0.009	1.000	Pass
		16QAM	1	1	12.77	-3.3	9.47	0.009	1.000	Pass
			1	77	12.77	-3.3	9.47	0.009	1.000	Pass
			36	18	11.76	-3.3	8.46	0.007	1.000	Pass
		64QAM	1	1	11.39	-3.3	8.09	0.006	1.000	Pass
			1	77	11.33	-3.3	8.03	0.006	1.000	Pass
			36	18	10.32	-3.3	7.02	0.005	1.000	Pass
		256QAM	1	1	10.12	-3.3	6.82	0.005	1.000	Pass
			1	77	10.02	-3.3	6.72	0.005	1.000	Pass
			36	18	8.31	-3.3	5.01	0.003	1.000	Pass
			1	1	8.17	-3.3	4.87	0.003	1.000	Pass
			1	77	8.06	-3.3	4.76	0.003	1.000	Pass
20	LCH	PI/2 BPSK	50	25	12.76	-3.3	9.46	0.009	1.000	Pass
			1	1	12.83	-3.3	9.53	0.009	1.000	Pass
			1	104	12.83	-3.3	9.53	0.009	1.000	Pass
		QPSK	50	25	12.79	-3.3	9.49	0.009	1.000	Pass
			1	1	13.02	-3.3	9.72	0.009	1.000	Pass
			1	104	12.99	-3.3	9.69	0.009	1.000	Pass
		16QAM	50	25	11.82	-3.3	8.52	0.007	1.000	Pass
			1	1	11.63	-3.3	8.33	0.007	1.000	Pass
			1	104	11.66	-3.3	8.36	0.007	1.000	Pass
		64QAM	50	25	10.31	-3.3	7.01	0.005	1.000	Pass
			1	1	10.23	-3.3	6.93	0.005	1.000	Pass
			1	104	10.21	-3.3	6.91	0.005	1.000	Pass
		256QAM	50	25	8.28	-3.3	4.98	0.003	1.000	Pass
			1	1	8.25	-3.3	4.95	0.003	1.000	Pass
			1	104	8.25	-3.3	4.95	0.003	1.000	Pass
		MCH	50	25	12.88	-3.3	9.58	0.009	1.000	Pass
			1	1	12.8	-3.3	9.50	0.009	1.000	Pass
			1	104	12.77	-3.3	9.47	0.009	1.000	Pass
		QPSK	50	25	12.9	-3.3	9.60	0.009	1.000	Pass
			1	1	12.87	-3.3	9.57	0.009	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n66										
		16QAM	1	104	12.88	-3.3	9.58	0.009	1.000	Pass
			50	25	11.93	-3.3	8.63	0.007	1.000	Pass
			1	1	11.57	-3.3	8.27	0.007	1.000	Pass
			1	104	11.55	-3.3	8.25	0.007	1.000	Pass
		64QAM	50	25	10.43	-3.3	7.13	0.005	1.000	Pass
			1	1	10.2	-3.3	6.90	0.005	1.000	Pass
			1	104	10.21	-3.3	6.91	0.005	1.000	Pass
		256QAM	50	25	8.42	-3.3	5.12	0.003	1.000	Pass
			1	1	8.21	-3.3	4.91	0.003	1.000	Pass
			1	104	8.15	-3.3	4.85	0.003	1.000	Pass
	HCH	PI/2 BPSK	50	25	12.76	-3.3	9.46	0.009	1.000	Pass
			1	1	12.8	-3.3	9.50	0.009	1.000	Pass
			1	104	12.71	-3.3	9.41	0.009	1.000	Pass
		QPSK	50	25	12.77	-3.3	9.47	0.009	1.000	Pass
			1	1	12.91	-3.3	9.61	0.009	1.000	Pass
			1	104	12.94	-3.3	9.64	0.009	1.000	Pass
		16QAM	50	25	11.83	-3.3	8.53	0.007	1.000	Pass
			1	1	11.62	-3.3	8.32	0.007	1.000	Pass
			1	104	11.52	-3.3	8.22	0.007	1.000	Pass
		64QAM	50	25	10.29	-3.3	6.99	0.005	1.000	Pass
			1	1	10.19	-3.3	6.89	0.005	1.000	Pass
			1	104	10.08	-3.3	6.78	0.005	1.000	Pass
		256QAM	50	25	8.33	-3.3	5.03	0.003	1.000	Pass
			1	1	8.21	-3.3	4.91	0.003	1.000	Pass
			1	104	8.13	-3.3	4.83	0.003	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
20	LCH	PI/2 BPSK	25	12	19.94	-3.0	16.94	0.049	1.000	Pass
			1	1	19.99	-3	16.99	0.050	1.000	Pass
			1	49	19.92	-3	16.92	0.049	1.000	Pass
		QPSK	25	12	19.92	-3	16.92	0.049	1.000	Pass
			1	1	19.99	-3	16.99	0.050	1.000	Pass
			1	49	19.91	-3	16.91	0.049	1.000	Pass
		16QAM	25	12	18.92	-3	15.92	0.039	1.000	Pass
			1	1	18.86	-3	15.86	0.039	1.000	Pass
			1	49	18.75	-3	15.75	0.038	1.000	Pass
		64QAM	25	12	17.47	-3	14.47	0.028	1.000	Pass
			1	1	17.41	-3	14.41	0.028	1.000	Pass
			1	49	17.38	-3	14.38	0.027	1.000	Pass
		256QAM	25	12	15.24	-3	12.24	0.017	1.000	Pass
			1	1	15.47	-3	12.47	0.018	1.000	Pass
			1	49	15.45	-3	12.45	0.018	1.000	Pass
	MCH	PI/2 BPSK	25	12	19.95	-3	16.95	0.050	1.000	Pass
			1	1	20.05	-3	17.05	0.051	1.000	Pass
			1	49	19.92	-3	16.92	0.049	1.000	Pass
		QPSK	25	12	19.95	-3	16.95	0.050	1.000	Pass
			1	1	20.05	-3	17.05	0.051	1.000	Pass
			1	49	19.93	-3	16.93	0.049	1.000	Pass
		16QAM	25	12	18.91	-3	15.91	0.039	1.000	Pass
			1	1	18.82	-3	15.82	0.038	1.000	Pass
			1	49	18.79	-3	15.79	0.038	1.000	Pass
		64QAM	25	12	17.51	-3	14.51	0.028	1.000	Pass
			1	1	17.47	-3	14.47	0.028	1.000	Pass
			1	49	17.3	-3	14.30	0.027	1.000	Pass
		256QAM	25	12	15.28	-3	12.28	0.017	1.000	Pass
			1	1	15.54	-3	12.54	0.018	1.000	Pass
			1	49	15.38	-3	12.38	0.017	1.000	Pass
	HCH	PI/2 BPSK	25	12	19.9	-3	16.90	0.049	1.000	Pass
			1	1	19.87	-3	16.87	0.049	1.000	Pass
			1	49	19.94	-3	16.94	0.049	1.000	Pass
		QPSK	25	12	19.85	-3	16.85	0.048	1.000	Pass
			1	1	19.85	-3	16.85	0.048	1.000	Pass
			1	49	19.93	-3	16.93	0.049	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
		16QAM	25	12	18.84	-3	15.84	0.038	1.000	Pass
			1	1	18.68	-3	15.68	0.037	1.000	Pass
			1	49	18.74	-3	15.74	0.037	1.000	Pass
		64QAM	25	12	17.44	-3	14.44	0.028	1.000	Pass
			1	1	17.22	-3	14.22	0.026	1.000	Pass
			1	49	17.3	-3	14.30	0.027	1.000	Pass
		256QAM	25	12	15.2	-3	12.20	0.017	1.000	Pass
			1	1	15.32	-3	12.32	0.017	1.000	Pass
			1	49	15.41	-3	12.41	0.017	1.000	Pass
60	LCH	PI/2 BPSK	81	40	20.05	-3	17.05	0.051	1.000	Pass
			1	1	19.84	-3	16.84	0.048	1.000	Pass
			1	160	19.8	-3	16.80	0.048	1.000	Pass
		QPSK	81	40	20.04	-3	17.04	0.051	1.000	Pass
			1	1	19.97	-3	16.97	0.050	1.000	Pass
			1	160	19.89	-3	16.89	0.049	1.000	Pass
		16QAM	81	40	19.04	-3	16.04	0.040	1.000	Pass
			1	1	18.68	-3	15.68	0.037	1.000	Pass
			1	160	18.63	-3	15.63	0.037	1.000	Pass
		64QAM	81	40	17.63	-3	14.63	0.029	1.000	Pass
			1	1	17.42	-3	14.42	0.028	1.000	Pass
			1	160	17.37	-3	14.37	0.027	1.000	Pass
		256QAM	81	40	15.63	-3	12.63	0.018	1.000	Pass
			1	1	15.41	-3	12.41	0.017	1.000	Pass
			1	160	15.42	-3	12.42	0.017	1.000	Pass
	MCH	PI/2 BPSK	81	40	19.97	-3	16.97	0.050	1.000	Pass
			1	1	19.89	-3	16.89	0.049	1.000	Pass
			1	160	19.76	-3	16.76	0.047	1.000	Pass
		QPSK	81	40	20	-3	17.00	0.050	1.000	Pass
			1	1	19.97	-3	16.97	0.050	1.000	Pass
			1	160	19.79	-3	16.79	0.048	1.000	Pass
		16QAM	81	40	18.94	-3	15.94	0.039	1.000	Pass
			1	1	18.84	-3	15.84	0.038	1.000	Pass
			1	160	18.67	-3	15.67	0.037	1.000	Pass
		64QAM	81	40	17.55	-3	14.55	0.029	1.000	Pass
			1	1	17.37	-3	14.37	0.027	1.000	Pass
			1	160	17.36	-3	14.36	0.027	1.000	Pass
		256QAM	81	40	15.58	-3	12.58	0.018	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	15.46	-3	12.46	0.018	1.000	Pass
			1	160	15.32	-3	12.32	0.017	1.000	Pass
			81	40	20.02	-3	17.02	0.050	1.000	Pass
		QPSK	1	1	19.8	-3	16.80	0.048	1.000	Pass
			1	160	19.81	-3	16.81	0.048	1.000	Pass
			81	40	20.03	-3	17.03	0.050	1.000	Pass
		16QAM	1	1	19.88	-3	16.88	0.049	1.000	Pass
			1	160	19.85	-3	16.85	0.048	1.000	Pass
			81	40	18.96	-3	15.96	0.039	1.000	Pass
		64QAM	1	1	18.69	-3	15.69	0.037	1.000	Pass
			1	160	18.69	-3	15.69	0.037	1.000	Pass
			81	40	17.57	-3	14.57	0.029	1.000	Pass
		256QAM	1	1	17.34	-3	14.34	0.027	1.000	Pass
			1	160	17.41	-3	14.41	0.028	1.000	Pass
			81	40	15.58	-3	12.58	0.018	1.000	Pass
100	MCH	PI/2 BPSK	1	1	15.36	-3	12.36	0.017	1.000	Pass
			1	160	15.39	-3	12.39	0.017	1.000	Pass
			135	67	19.93	-3	16.93	0.049	1.000	Pass
		QPSK	1	1	20.07	-3	17.07	0.051	1.000	Pass
			1	271	19.84	-3	16.84	0.048	1.000	Pass
			135	67	20.01	-3	17.01	0.050	1.000	Pass
		16QAM	1	1	20.17	-3	17.17	0.052	1.000	Pass
			1	271	19.86	-3	16.86	0.049	1.000	Pass
			135	67	19.02	-3	16.02	0.040	1.000	Pass
		64QAM	1	1	18.93	-3	15.93	0.039	1.000	Pass
			1	271	18.75	-3	15.75	0.038	1.000	Pass
			135	67	17.54	-3	14.54	0.028	1.000	Pass
		256QAM	1	1	17.72	-3	14.72	0.030	1.000	Pass
			1	271	17.33	-3	14.33	0.027	1.000	Pass
			135	67	15.64	-3	12.64	0.018	1.000	Pass
			1	1	15.63	-3	12.63	0.018	1.000	Pass
			1	271	15.35	-3	12.35	0.017	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
20	LCH	PI/2 BPSK	25	12	18.55	-3	15.55	0.036	1.000	Pass
			1	1	18.47	-3	15.47	0.035	1.000	Pass
			1	49	18.56	-3	15.56	0.036	1.000	Pass
		QPSK	25	12	18.46	-3	15.46	0.035	1.000	Pass
			1	1	18.46	-3	15.46	0.035	1.000	Pass
			1	49	18.52	-3	15.52	0.036	1.000	Pass
		16QAM	25	12	17.49	-3	14.49	0.028	1.000	Pass
			1	1	17.37	-3	14.37	0.027	1.000	Pass
			1	49	17.45	-3	14.45	0.028	1.000	Pass
		64QAM	25	12	16.08	-3	13.08	0.020	1.000	Pass
			1	1	15.79	-3	12.79	0.019	1.000	Pass
			1	49	15.87	-3	12.87	0.019	1.000	Pass
		256QAM	25	12	13.78	-3	10.78	0.012	1.000	Pass
			1	1	13.93	-3	10.93	0.012	1.000	Pass
			1	49	14.02	-3	11.02	0.013	1.000	Pass
	MCH	PI/2 BPSK	25	12	18.56	-3	15.56	0.036	1.000	Pass
			1	1	18.52	-3	15.52	0.036	1.000	Pass
			1	49	18.55	-3	15.55	0.036	1.000	Pass
		QPSK	25	12	18.5	-3	15.50	0.035	1.000	Pass
			1	1	18.53	-3	15.53	0.036	1.000	Pass
			1	49	18.56	-3	15.56	0.036	1.000	Pass
		16QAM	25	12	17.47	-3	14.47	0.028	1.000	Pass
			1	1	17.31	-3	14.31	0.027	1.000	Pass
			1	49	17.38	-3	14.38	0.027	1.000	Pass
		64QAM	25	12	16.05	-3	13.05	0.020	1.000	Pass
			1	1	15.83	-3	12.83	0.019	1.000	Pass
			1	49	15.88	-3	12.88	0.019	1.000	Pass
		256QAM	25	12	13.83	-3	10.83	0.012	1.000	Pass
			1	1	13.96	-3	10.96	0.012	1.000	Pass
			1	49	14.02	-3	11.02	0.013	1.000	Pass
	HCH	PI/2 BPSK	25	12	18.27	-3	15.27	0.034	1.000	Pass
			1	1	18.35	-3	15.35	0.034	1.000	Pass
			1	49	18.17	-3	15.17	0.033	1.000	Pass
		QPSK	25	12	18.19	-3	15.19	0.033	1.000	Pass
			1	1	18.36	-3	15.36	0.034	1.000	Pass
			1	49	18.19	-3	15.19	0.033	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	25	12	17.18	-3	14.18	0.026	1.000	Pass
			1	1	17.14	-3	14.14	0.026	1.000	Pass
			1	49	16.99	-3	13.99	0.025	1.000	Pass
		64QAM	25	12	15.74	-3	12.74	0.019	1.000	Pass
			1	1	15.73	-3	12.73	0.019	1.000	Pass
			1	49	15.59	-3	12.59	0.018	1.000	Pass
		256QAM	25	12	13.47	-3	10.47	0.011	1.000	Pass
			1	1	13.76	-3	10.76	0.012	1.000	Pass
			1	49	13.63	-3	10.63	0.012	1.000	Pass
60	LCH	PI/2 BPSK	81	40	18.56	-3	15.56	0.036	1.000	Pass
			1	1	18.28	-3	15.28	0.034	1.000	Pass
			1	160	18.39	-3	15.39	0.035	1.000	Pass
		QPSK	81	40	18.53	-3	15.53	0.036	1.000	Pass
			1	1	18.37	-3	15.37	0.034	1.000	Pass
			1	160	18.49	-3	15.49	0.035	1.000	Pass
		16QAM	81	40	17.52	-3	14.52	0.028	1.000	Pass
			1	1	17.27	-3	14.27	0.027	1.000	Pass
			1	160	17.35	-3	14.35	0.027	1.000	Pass
		64QAM	81	40	16.11	-3	13.11	0.020	1.000	Pass
			1	1	15.76	-3	12.76	0.019	1.000	Pass
			1	160	15.86	-3	12.86	0.019	1.000	Pass
		256QAM	81	40	14.11	-3	11.11	0.013	1.000	Pass
			1	1	13.76	-3	10.76	0.012	1.000	Pass
			1	160	13.9	-3	10.90	0.012	1.000	Pass
	MCH	PI/2 BPSK	81	40	18.58	-3	15.58	0.036	1.000	Pass
			1	1	18.3	-3	15.30	0.034	1.000	Pass
			1	160	18.31	-3	15.31	0.034	1.000	Pass
		QPSK	81	40	18.58	-3	15.58	0.036	1.000	Pass
			1	1	18.34	-3	15.34	0.034	1.000	Pass
			1	160	18.34	-3	15.34	0.034	1.000	Pass
		16QAM	81	40	17.56	-3	14.56	0.029	1.000	Pass
			1	1	17.08	-3	14.08	0.026	1.000	Pass
			1	160	17.12	-3	14.12	0.026	1.000	Pass
		64QAM	81	40	16.12	-3	13.12	0.021	1.000	Pass
			1	1	15.78	-3	12.78	0.019	1.000	Pass
			1	160	15.8	-3	12.80	0.019	1.000	Pass
		256QAM	81	40	14.12	-3	11.12	0.013	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
	HCH	PI/2 BPSK	1	1	13.82	-3	10.82	0.012	1.000	Pass
			1	160	13.79	-3	10.79	0.012	1.000	Pass
			81	40	18.43	-3	15.43	0.035	1.000	Pass
		QPSK	1	1	18.29	-3	15.29	0.034	1.000	Pass
			1	160	18.01	-3	15.01	0.032	1.000	Pass
			81	40	18.41	-3	15.41	0.035	1.000	Pass
		16QAM	1	1	18.36	-3	15.36	0.034	1.000	Pass
			1	160	18.06	-3	15.06	0.032	1.000	Pass
			81	40	17.39	-3	14.39	0.027	1.000	Pass
		64QAM	1	1	17.14	-3	14.14	0.026	1.000	Pass
			1	160	16.8	-3	13.80	0.024	1.000	Pass
			81	40	15.99	-3	12.99	0.020	1.000	Pass
		256QAM	1	1	15.77	-3	12.77	0.019	1.000	Pass
			1	160	15.4	-3	12.40	0.017	1.000	Pass
			81	40	13.96	-3	10.96	0.012	1.000	Pass
100	LCH	PI/2 BPSK	1	1	13.78	-3	10.78	0.012	1.000	Pass
			1	160	13.48	-3	10.48	0.011	1.000	Pass
			135	67	18.25	-3	15.25	0.033	1.000	Pass
		QPSK	1	1	18.48	-3	15.48	0.035	1.000	Pass
			1	271	18.13	-3	15.13	0.033	1.000	Pass
			135	67	18.34	-3	15.34	0.034	1.000	Pass
		16QAM	1	1	18.53	-3	15.53	0.036	1.000	Pass
			1	271	18.17	-3	15.17	0.033	1.000	Pass
			135	67	17.34	-3	14.34	0.027	1.000	Pass
		64QAM	1	1	17.32	-3	14.32	0.027	1.000	Pass
			1	271	16.98	-3	13.98	0.025	1.000	Pass
			135	67	15.87	-3	12.87	0.019	1.000	Pass
	MCH	256QAM	1	1	15.97	-3	12.97	0.020	1.000	Pass
			1	271	15.56	-3	12.56	0.018	1.000	Pass
			135	67	13.93	-3	10.93	0.012	1.000	Pass
		PI/2 BPSK	1	1	14.02	-3	11.02	0.013	1.000	Pass
			1	271	13.7	-3	10.70	0.012	1.000	Pass
			135	67	18.54	-3	15.54	0.036	1.000	Pass
		QPSK	1	1	18.68	-3	15.68	0.037	1.000	Pass
			1	271	18.52	-3	15.52	0.036	1.000	Pass
			135	67	18.62	-3	15.62	0.036	1.000	Pass
			1	1	18.69	-3	15.69	0.037	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n77(3700MHz-3980MHz)										
		16QAM	1	271	18.53	-3	15.53	0.036	1.000	Pass
			135	67	17.65	-3	14.65	0.029	1.000	Pass
			1	1	17.56	-3	14.56	0.029	1.000	Pass
			1	271	17.38	-3	14.38	0.027	1.000	Pass
		64QAM	135	67	16.18	-3	13.18	0.021	1.000	Pass
			1	1	16.15	-3	13.15	0.021	1.000	Pass
			1	271	16.02	-3	13.02	0.020	1.000	Pass
		256QAM	135	67	14.21	-3	11.21	0.013	1.000	Pass
			1	1	14.24	-3	11.24	0.013	1.000	Pass
			1	271	14.02	-3	11.02	0.013	1.000	Pass
	HCH	PI/2 BPSK	135	67	18.47	-3	15.47	0.035	1.000	Pass
			1	1	18.61	-3	15.61	0.036	1.000	Pass
			1	271	18.13	-3	15.13	0.033	1.000	Pass
		QPSK	135	67	18.56	-3	15.56	0.036	1.000	Pass
			1	1	18.62	-3	15.62	0.036	1.000	Pass
			1	271	18.17	-3	15.17	0.033	1.000	Pass
		16QAM	135	67	17.58	-3	14.58	0.029	1.000	Pass
			1	1	17.43	-3	14.43	0.028	1.000	Pass
			1	271	16.92	-3	13.92	0.025	1.000	Pass
		64QAM	135	67	16.08	-3	13.08	0.020	1.000	Pass
			1	1	16.14	-3	13.14	0.021	1.000	Pass
			1	271	15.74	-3	12.74	0.019	1.000	Pass
		256QAM	135	67	14.12	-3	11.12	0.013	1.000	Pass
			1	1	14.12	-3	11.12	0.013	1.000	Pass
			1	271	13.62	-3	10.62	0.012	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
20	LCH	PI/2 BPSK	25	12	16.99	-3	13.99	0.025	1.000	Pass
			1	1	17.04	-3	14.04	0.025	1.000	Pass
			1	49	16.99	-3	13.99	0.025	1.000	Pass
		QPSK	25	12	16.97	-3	13.97	0.025	1.000	Pass
			1	1	17.01	-3	14.01	0.025	1.000	Pass
			1	49	16.95	-3	13.95	0.025	1.000	Pass
		16QAM	25	12	16	-3	13.00	0.020	1.000	Pass
			1	1	15.9	-3	12.90	0.019	1.000	Pass
			1	49	15.81	-3	12.81	0.019	1.000	Pass
		64QAM	25	12	14.55	-3	11.55	0.014	1.000	Pass
			1	1	14.47	-3	11.47	0.014	1.000	Pass
			1	49	14.41	-3	11.41	0.014	1.000	Pass
		256QAM	25	12	12.26	-3	9.26	0.008	1.000	Pass
			1	1	12.48	-3	9.48	0.009	1.000	Pass
			1	49	12.43	-3	9.43	0.009	1.000	Pass
	MCH	PI/2 BPSK	25	12	17.1	-3	14.10	0.026	1.000	Pass
			1	1	17.13	-3	14.13	0.026	1.000	Pass
			1	49	17.05	-3	14.05	0.025	1.000	Pass
		QPSK	25	12	17.05	-3	14.05	0.025	1.000	Pass
			1	1	17.13	-3	14.13	0.026	1.000	Pass
			1	49	17.04	-3	14.04	0.025	1.000	Pass
		16QAM	25	12	16.07	-3	13.07	0.020	1.000	Pass
			1	1	15.95	-3	12.95	0.020	1.000	Pass
			1	49	15.93	-3	12.93	0.020	1.000	Pass
		64QAM	25	12	14.66	-3	11.66	0.015	1.000	Pass
			1	1	14.54	-3	11.54	0.014	1.000	Pass
			1	49	14.46	-3	11.46	0.014	1.000	Pass
		256QAM	25	12	12.33	-3	9.33	0.009	1.000	Pass
			1	1	12.56	-3	9.56	0.009	1.000	Pass
			1	49	12.48	-3	9.48	0.009	1.000	Pass
	HCH	PI/2 BPSK	25	12	17.08	-3	14.08	0.026	1.000	Pass
			1	1	17.05	-3	14.05	0.025	1.000	Pass
			1	49	17.12	-3	14.12	0.026	1.000	Pass
		QPSK	25	12	17.01	-3	14.01	0.025	1.000	Pass
			1	1	17.06	-3	14.06	0.025	1.000	Pass
			1	49	17.12	-3	14.12	0.026	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
		16QAM	25	12	16.01	-3	13.01	0.020	1.000	Pass
			1	1	15.92	-3	12.92	0.020	1.000	Pass
			1	49	15.98	-3	12.98	0.020	1.000	Pass
		64QAM	25	12	14.52	-3	11.52	0.014	1.000	Pass
			1	1	14.41	-3	11.41	0.014	1.000	Pass
			1	49	14.49	-3	11.49	0.014	1.000	Pass
		256QAM	25	12	12.28	-3	9.28	0.008	1.000	Pass
			1	1	12.47	-3	9.47	0.009	1.000	Pass
			1	49	12.56	-3	9.56	0.009	1.000	Pass
60	LCH	PI/2 BPSK	81	40	17.21	-3	14.21	0.026	1.000	Pass
			1	1	16.91	-3	13.91	0.025	1.000	Pass
			1	160	16.9	-3	13.90	0.025	1.000	Pass
		QPSK	81	40	17.21	-3	14.21	0.026	1.000	Pass
			1	1	17.01	-3	14.01	0.025	1.000	Pass
			1	160	16.97	-3	13.97	0.025	1.000	Pass
		16QAM	81	40	16.17	-3	13.17	0.021	1.000	Pass
			1	1	15.81	-3	12.81	0.019	1.000	Pass
			1	160	15.74	-3	12.74	0.019	1.000	Pass
		64QAM	81	40	14.78	-3	11.78	0.015	1.000	Pass
			1	1	14.5	-3	11.50	0.014	1.000	Pass
			1	160	14.53	-3	11.53	0.014	1.000	Pass
		256QAM	81	40	12.79	-3	9.79	0.010	1.000	Pass
			1	1	12.41	-3	9.41	0.009	1.000	Pass
			1	160	12.4	-3	9.40	0.009	1.000	Pass
	MCH	PI/2 BPSK	81	40	17.16	-3	14.16	0.026	1.000	Pass
			1	1	17.07	-3	14.07	0.026	1.000	Pass
			1	160	16.96	-3	13.96	0.025	1.000	Pass
		QPSK	81	40	17.17	-3	14.17	0.026	1.000	Pass
			1	1	17.15	-3	14.15	0.026	1.000	Pass
			1	160	17.01	-3	14.01	0.025	1.000	Pass
		16QAM	81	40	16.14	-3	13.14	0.021	1.000	Pass
			1	1	15.94	-3	12.94	0.020	1.000	Pass
			1	160	15.89	-3	12.89	0.019	1.000	Pass
		64QAM	81	40	14.71	-3	11.71	0.015	1.000	Pass
			1	1	14.63	-3	11.63	0.015	1.000	Pass
			1	160	14.5	-3	11.50	0.014	1.000	Pass
		256QAM	81	40	12.7	-3	9.70	0.009	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3450MHz-3550MHz)										
	HCH	PI/2 BPSK	1	1	12.51	-3	9.51	0.009	1.000	Pass
			1	160	12.42	-3	9.42	0.009	1.000	Pass
			81	40	17.16	-3	14.16	0.026	1.000	Pass
		QPSK	1	1	16.98	-3	13.98	0.025	1.000	Pass
			1	160	17.05	-3	14.05	0.025	1.000	Pass
			81	40	17.19	-3	14.19	0.026	1.000	Pass
		16QAM	1	1	17.07	-3	14.07	0.026	1.000	Pass
			1	160	17.13	-3	14.13	0.026	1.000	Pass
			81	40	16.14	-3	13.14	0.021	1.000	Pass
		64QAM	1	1	15.77	-3	12.77	0.019	1.000	Pass
			1	160	15.84	-3	12.84	0.019	1.000	Pass
			81	40	14.73	-3	11.73	0.015	1.000	Pass
		256QAM	1	1	14.61	-3	11.61	0.014	1.000	Pass
			1	160	14.65	-3	11.65	0.015	1.000	Pass
			81	40	12.72	-3	9.72	0.009	1.000	Pass
100	MCH	PI/2 BPSK	1	1	12.45	-3	9.45	0.009	1.000	Pass
			1	160	12.5	-3	9.50	0.009	1.000	Pass
			135	67	17.07	-3	14.07	0.026	1.000	Pass
		QPSK	1	1	17.21	-3	14.21	0.026	1.000	Pass
			1	271	17.09	-3	14.09	0.026	1.000	Pass
			135	67	17.16	-3	14.16	0.026	1.000	Pass
		16QAM	1	1	17.3	-3	14.30	0.027	1.000	Pass
			1	271	17.09	-3	14.09	0.026	1.000	Pass
			135	67	16.14	-3	13.14	0.021	1.000	Pass
		64QAM	1	1	16.04	-3	13.04	0.020	1.000	Pass
			1	271	16	-3	13.00	0.020	1.000	Pass
			135	67	14.72	-3	11.72	0.015	1.000	Pass
		256QAM	1	1	14.8	-3	11.80	0.015	1.000	Pass
			1	271	14.59	-3	11.59	0.014	1.000	Pass
			135	67	12.75	-3	9.75	0.009	1.000	Pass
			1	1	12.62	-3	9.62	0.009	1.000	Pass
			1	271	12.53	-3	9.53	0.009	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
20	LCH	PI/2 BPSK	25	12	16.53	-3	13.53	0.023	1.000	Pass
			1	1	16.5	-3	13.50	0.022	1.000	Pass
			1	49	16.56	-3	13.56	0.023	1.000	Pass
		QPSK	25	12	16.5	-3	13.50	0.022	1.000	Pass
			1	1	16.48	-3	13.48	0.022	1.000	Pass
			1	49	16.53	-3	13.53	0.023	1.000	Pass
		16QAM	25	12	15.54	-3	12.54	0.018	1.000	Pass
			1	1	15.42	-3	12.42	0.017	1.000	Pass
			1	49	15.4	-3	12.40	0.017	1.000	Pass
		64QAM	25	12	14.1	-3	11.10	0.013	1.000	Pass
			1	1	13.87	-3	10.87	0.012	1.000	Pass
			1	49	13.87	-3	10.87	0.012	1.000	Pass
		256QAM	25	12	11.78	-3	8.78	0.008	1.000	Pass
			1	1	11.94	-3	8.94	0.008	1.000	Pass
			1	49	11.96	-3	8.96	0.008	1.000	Pass
	MCH	PI/2 BPSK	25	12	16.27	-3	13.27	0.021	1.000	Pass
			1	1	16.28	-3	13.28	0.021	1.000	Pass
			1	49	16.24	-3	13.24	0.021	1.000	Pass
		QPSK	25	12	16.21	-3	13.21	0.021	1.000	Pass
			1	1	16.25	-3	13.25	0.021	1.000	Pass
			1	49	16.2	-3	13.20	0.021	1.000	Pass
		16QAM	25	12	15.23	-3	12.23	0.017	1.000	Pass
			1	1	15.16	-3	12.16	0.016	1.000	Pass
			1	49	15.1	-3	12.10	0.016	1.000	Pass
		64QAM	25	12	13.81	-3	10.81	0.012	1.000	Pass
			1	1	13.57	-3	10.57	0.011	1.000	Pass
			1	49	13.6	-3	10.60	0.011	1.000	Pass
		256QAM	25	12	11.5	-3	8.50	0.007	1.000	Pass
			1	1	11.71	-3	8.71	0.007	1.000	Pass
			1	49	11.66	-3	8.66	0.007	1.000	Pass
	HCH	PI/2 BPSK	25	12	16.39	-3	13.39	0.022	1.000	Pass
			1	1	16.25	-3	13.25	0.021	1.000	Pass
			1	49	16.42	-3	13.42	0.022	1.000	Pass
		QPSK	25	12	16.34	-3	13.34	0.022	1.000	Pass
			1	1	16.23	-3	13.23	0.021	1.000	Pass
			1	49	16.39	-3	13.39	0.022	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
		16QAM	25	12	15.32	-3	12.32	0.017	1.000	Pass
			1	1	15.04	-3	12.04	0.016	1.000	Pass
			1	49	15.16	-3	12.16	0.016	1.000	Pass
		64QAM	25	12	13.89	-3	10.89	0.012	1.000	Pass
			1	1	13.56	-3	10.56	0.011	1.000	Pass
			1	49	13.72	-3	10.72	0.012	1.000	Pass
		256QAM	25	12	11.58	-3	8.58	0.007	1.000	Pass
			1	1	11.67	-3	8.67	0.007	1.000	Pass
			1	49	11.82	-3	8.82	0.008	1.000	Pass
60	LCH	PI/2 BPSK	81	40	16.52	-3	13.52	0.022	1.000	Pass
			1	1	16.36	-3	13.36	0.022	1.000	Pass
			1	160	16.3	-3	13.30	0.021	1.000	Pass
		QPSK	81	40	16.51	-3	13.51	0.022	1.000	Pass
			1	1	16.42	-3	13.42	0.022	1.000	Pass
			1	160	16.41	-3	13.41	0.022	1.000	Pass
		16QAM	81	40	15.51	-3	12.51	0.018	1.000	Pass
			1	1	15.28	-3	12.28	0.017	1.000	Pass
			1	160	15.21	-3	12.21	0.017	1.000	Pass
		64QAM	81	40	14.11	-3	11.11	0.013	1.000	Pass
			1	1	13.85	-3	10.85	0.012	1.000	Pass
			1	160	13.71	-3	10.71	0.012	1.000	Pass
		256QAM	81	40	12.07	-3	9.07	0.008	1.000	Pass
			1	1	11.81	-3	8.81	0.008	1.000	Pass
			1	160	11.77	-3	8.77	0.008	1.000	Pass
	MCH	PI/2 BPSK	81	40	16.38	-3	13.38	0.022	1.000	Pass
			1	1	16.14	-3	13.14	0.021	1.000	Pass
			1	160	16.02	-3	13.02	0.020	1.000	Pass
		QPSK	81	40	16.36	-3	13.36	0.022	1.000	Pass
			1	1	16.24	-3	13.24	0.021	1.000	Pass
			1	160	16.08	-3	13.08	0.020	1.000	Pass
		16QAM	81	40	15.33	-3	12.33	0.017	1.000	Pass
			1	1	15.05	-3	12.05	0.016	1.000	Pass
			1	160	14.93	-3	11.93	0.016	1.000	Pass
		64QAM	81	40	13.96	-3	10.96	0.012	1.000	Pass
			1	1	13.5	-3	10.50	0.011	1.000	Pass
			1	160	13.39	-3	10.39	0.011	1.000	Pass
		256QAM	81	40	11.92	-3	8.92	0.008	1.000	Pass

Test BW	Test Channel	Test Mode	UL RB Number	UL RB Position	Conducted Output AV Power(dBm)	Antenna Gain (dBi)	EIRP (dBm)	EIRP (W)	Limit (W)	Verdict
NR Band n78(3700MHz-3800MHz)										
	HCH	PI/2 BPSK	1	1	11.65	-3	8.65	0.007	1.000	Pass
			1	160	11.47	-3	8.47	0.007	1.000	Pass
			81	40	16.32	-3	13.32	0.021	1.000	Pass
		QPSK	1	1	16.19	-3	13.19	0.021	1.000	Pass
			1	160	16.3	-3	13.30	0.021	1.000	Pass
			81	40	16.3	-3	13.30	0.021	1.000	Pass
		16QAM	1	1	16.24	-3	13.24	0.021	1.000	Pass
			1	160	16.35	-3	13.35	0.022	1.000	Pass
			81	40	15.21	-3	12.21	0.017	1.000	Pass
		64QAM	1	1	15.08	-3	12.08	0.016	1.000	Pass
			1	160	15.11	-3	12.11	0.016	1.000	Pass
			81	40	13.85	-3	10.85	0.012	1.000	Pass
		256QAM	1	1	13.65	-3	10.65	0.012	1.000	Pass
			1	160	13.76	-3	10.76	0.012	1.000	Pass
			81	40	11.82	-3	8.82	0.008	1.000	Pass
			1	1	11.67	-3	8.67	0.007	1.000	Pass
			1	160	11.75	-3	8.75	0.007	1.000	Pass
			135	67	16.25	-3	13.25	0.021	1.000	Pass
100	MCH	PI/2 BPSK	1	1	16.55	-3	13.55	0.023	1.000	Pass
			1	271	16.44	-3	13.44	0.022	1.000	Pass
			135	67	16.34	-3	13.34	0.022	1.000	Pass
		QPSK	1	1	16.61	-3	13.61	0.023	1.000	Pass
			1	271	16.47	-3	13.47	0.022	1.000	Pass
			135	67	15.34	-3	12.34	0.017	1.000	Pass
		16QAM	1	1	15.42	-3	12.42	0.017	1.000	Pass
			1	271	15.26	-3	12.26	0.017	1.000	Pass
			135	67	13.87	-3	10.87	0.012	1.000	Pass
		64QAM	1	1	13.99	-3	10.99	0.013	1.000	Pass
			1	271	13.84	-3	10.84	0.012	1.000	Pass
			135	67	11.9	-3	8.90	0.008	1.000	Pass
		256QAM	1	1	11.98	-3	8.98	0.008	1.000	Pass
			1	271	11.87	-3	8.87	0.008	1.000	Pass
			135	67	11.87	-3	8.87	0.008	1.000	Pass

ENDC Mode Test Data

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	12.763	19.870	20.6425	17.34	0.054	1.00	Pass
			12	6	8	0	12.71	19.943	20.6952	17.40	0.055	1.00	Pass
	MCH		12	6	8	0	12.697	19.927	20.6797	17.38	0.055	1.00	Pass
	HCH		1	23	1	24	12.73	19.946	20.7009	17.40	0.055	1.00	Pass
		QP SK	12	6	8	0	12.692	19.953	20.7008	17.40	0.055	1.00	Pass
	LCH		1	1	1	0	12.738	19.866	20.6351	17.34	0.054	1.00	Pass
			12	6	8	0	12.728	19.948	20.7023	17.40	0.055	1.00	Pass
	MCH		12	6	8	0	12.71	19.954	20.7044	17.40	0.055	1.00	Pass
	HCH		1	23	1	24	12.674	19.887	20.6424	17.34	0.054	1.00	Pass
		16 QA M	12	6	8	0	12.722	19.924	20.6811	17.38	0.055	1.00	Pass
	LCH		1	1	1	0	12.545	19.864	20.6026	17.30	0.054	1.00	Pass
			12	6	8	0	12.713	19.964	20.7133	17.41	0.055	1.00	Pass
	MCH		12	6	8	0	12.705	19.920	20.6751	17.38	0.055	1.00	Pass
	HCH		1	23	1	24	12.514	19.907	20.6341	17.33	0.054	1.00	Pass
		64 QA M	12	6	8	0	12.702	19.962	20.7099	17.41	0.055	1.00	Pass
	LCH		1	1	1	0	12.833	19.881	20.6631	17.36	0.054	1.00	Pass
			12	6	8	0	12.756	19.964	20.7202	17.42	0.055	1.00	Pass
	MCH		12	6	8	0	12.737	19.954	20.7087	17.41	0.055	1.00	Pass
	HCH		1	23	1	24	13.221	19.948	20.7847	17.48	0.056	1.00	Pass
		256 QA M	12	6	8	0	12.763	19.956	20.7146	17.41	0.055	1.00	Pass
	LCH		1	1	1	0	12.69	19.917	20.6702	17.37	0.055	1.00	Pass
			12	6	8	0	12.65	19.936	20.6798	17.38	0.055	1.00	Pass
	MCH		12	6	8	0	12.627	19.971	20.7057	17.41	0.055	1.00	Pass
	HCH		1	23	1	24	12.658	19.868	20.6239	17.32	0.054	1.00	Pass
		PI/2 BP SK	12	6	8	0	12.655	19.947	20.6899	17.39	0.055	1.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH		1	1	1	0	12.884	19.734	20.5494	17.25	0.053	1.00	Pass
			108	54	18	0	12.771	19.880	20.6522	17.35	0.054	1.00	Pass
	MCH		108	54	18	0	12.831	19.864	20.6486	17.35	0.054	1.00	Pass
	HCH		1	214	1	99	12.787	19.895	20.6673	17.37	0.055	1.00	Pass
		QP SK	108	54	18	0	12.813	19.880	20.6590	17.36	0.054	1.00	Pass
	LCH		1	1	1	0	12.823	19.645	20.4652	17.17	0.052	1.00	Pass
			108	54	18	0	12.807	19.881	20.6589	17.36	0.054	1.00	Pass
	MCH		108	54	18	0	12.828	19.896	20.6749	17.37	0.055	1.00	Pass
	HCH		1	214	1	99	12.759	19.907	20.6728	17.37	0.055	1.00	Pass
		PI/2 BP SK	108	54	18	0	12.816	19.915	20.6888	17.39	0.055	1.00	Pass
	LCH		1	1	1	0	12.884	19.734	20.5494	17.25	0.053	1.00	Pass
			108	54	18	0	12.771	19.880	20.6522	17.35	0.054	1.00	Pass
	MCH		108	54	18	0	12.831	19.864	20.6486	17.35	0.054	1.00	Pass

	LCH	16	1	1	1	0	12.671	19.736	20.5154	17.22	0.053	1.00	Pass
			108	54	18	0	12.839	19.888	20.6700	17.37	0.055	1.00	Pass
	MCH	QA	108	54	18	0	12.846	19.903	20.6837	17.38	0.055	1.00	Pass
			1	214	1	99	12.587	19.893	20.6337	17.33	0.054	1.00	Pass
	HCH	M	108	54	18	0	12.833	19.914	20.6907	17.39	0.055	1.00	Pass
			1	1	1	0	12.923	19.739	20.5602	17.26	0.053	1.00	Pass
	LCH	64	108	54	18	0	12.851	19.935	20.7112	17.41	0.055	1.00	Pass
			108	54	18	0	12.844	19.879	20.6633	17.36	0.054	1.00	Pass
	MCH	QA	108	54	18	0	12.844	19.879	20.6633	17.36	0.054	1.00	Pass
			1	214	1	99	12.862	19.930	20.7089	17.41	0.055	1.00	Pass
	HCH	M	108	54	18	0	12.828	19.916	20.6916	17.39	0.055	1.00	Pass
			1	1	1	0	12.821	19.688	20.5005	17.20	0.052	1.00	Pass
	LCH	256	108	54	18	0	12.82	19.898	20.6752	17.38	0.055	1.00	Pass
			108	54	18	0	12.813	19.881	20.6599	17.36	0.054	1.00	Pass
	MCH	QA	108	54	18	0	12.813	19.881	20.6599	17.36	0.054	1.00	Pass
			1	214	1	99	12.727	19.929	20.6861	17.39	0.055	1.00	Pass
	HCH	M	108	54	18	0	12.807	19.886	20.6631	17.36	0.054	1.00	Pass
			108	54	18	0	12.807	19.886	20.6631	17.36	0.054	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.923	19.787	21.5972	18.40	0.069	1.00	Pass
			25	12	8	0	16.894	19.896	21.6597	18.46	0.070	1.00	Pass
	MCH	BP SK	25	12	8	0	16.917	19.868	21.6488	18.45	0.070	1.00	Pass
	HCH		1	49	1	24	16.946	19.959	21.7190	18.52	0.071	1.00	Pass
			25	12	8	0	16.91	19.902	21.6690	18.47	0.070	1.00	Pass
	LCH	QP SK	1	1	1	0	17.044	19.835	21.6702	18.48	0.070	1.00	Pass
			25	12	8	0	16.85	19.856	21.6183	18.42	0.070	1.00	Pass
	MCH		25	12	8	0	16.837	19.853	21.6120	18.41	0.069	1.00	Pass
	HCH		1	49	1	24	17.028	19.931	21.7280	18.53	0.071	1.00	Pass
			25	12	8	0	16.85	19.858	21.6197	18.42	0.070	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.661	19.806	21.5225	18.32	0.068	1.00	Pass
			25	12	8	0	16.979	19.889	21.6836	18.49	0.071	1.00	Pass
	MCH		25	12	8	0	16.923	19.917	21.6834	18.49	0.071	1.00	Pass
	HCH		1	49	1	24	16.819	19.938	21.6630	18.46	0.070	1.00	Pass
			25	12	8	0	16.842	19.868	21.6237	18.43	0.070	1.00	Pass
	LCH	64 QA M	1	1	1	0	17.062	19.768	21.6327	18.44	0.070	1.00	Pass
			25	12	8	0	16.974	19.894	21.6852	18.49	0.071	1.00	Pass
	MCH		25	12	8	0	17.024	19.890	21.6995	18.50	0.071	1.00	Pass
	HCH		1	49	1	24	17.073	19.864	21.6992	18.51	0.071	1.00	Pass
			25	12	8	0	17.245	19.863	21.7587	18.57	0.072	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.886	19.864	21.3257	18.11	0.065	1.00	Pass
			25	12	8	0	15.594	19.876	21.2530	18.04	0.064	1.00	Pass
	MCH		25	12	8	0	15.699	19.851	21.2637	18.05	0.064	1.00	Pass
	HCH		1	49	1	24	15.903	19.908	21.3620	18.15	0.065	1.00	Pass
			25	12	8	0	15.722	19.888	21.2968	18.08	0.064	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	16.9	19.608	21.4720	18.28	0.067	1.00	Pass
			135	67	18	0	16.983	19.808	21.6316	18.44	0.070	1.00	Pass
	MCH	BP SK	135	67	18	0	16.972	19.795	21.6192	18.42	0.070	1.00	Pass
	HCH		1	271	1	99	16.455	19.938	21.5470	18.34	0.068	1.00	Pass
			135	67	18	0	17.011	19.794	21.6320	18.44	0.070	1.00	Pass
	LCH	QP SK	1	1	1	0	16.806	19.623	21.4493	18.25	0.067	1.00	Pass
			135	67	18	0	17.049	19.772	21.6308	18.44	0.070	1.00	Pass
	MCH		135	67	18	0	17.005	19.761	21.6083	18.41	0.069	1.00	Pass
	HCH		1	271	1	99	16.439	19.886	21.5062	18.30	0.068	1.00	Pass
			135	67	18	0	17.043	19.797	21.6450	18.45	0.070	1.00	Pass

	LCH	16	1	1	1	0	17.065	19.657	21.5619	18.37	0.069	1.00	Pass
			135	67	18	0	17.103	19.801	21.6685	18.48	0.070	1.00	Pass
	MCH	QA	135	67	18	0	17.099	19.789	21.6593	18.47	0.070	1.00	Pass
			1	271	1	99	16.295	19.901	21.4723	18.27	0.067	1.00	Pass
	HCH	M	135	67	18	0	16.983	19.792	21.6211	18.43	0.070	1.00	Pass
			1	1	1	0	17.373	19.651	21.6700	18.48	0.071	1.00	Pass
	LCH	64	135	67	18	0	17.139	19.782	21.6688	18.48	0.070	1.00	Pass
			135	67	18	0	17.111	19.773	21.6531	18.48	0.070	1.00	Pass
	MCH	QA	135	67	18	0	17.111	19.773	21.6531	18.48	0.070	1.00	Pass
			1	271	1	99	16.604	19.869	21.5467	18.46	0.070	1.00	Pass
	HCH	M	135	67	18	0	17.164	19.769	21.6693	18.35	0.068	1.00	Pass
			1	1	1	0	15.869	19.626	21.1520	18.48	0.070	1.00	Pass
	LCH	256	135	67	18	0	16.08	19.772	21.3174	17.94	0.062	1.00	Pass
			135	67	18	0	16.137	19.787	21.3450	18.11	0.065	1.00	Pass
	MCH	QA	135	67	18	0	16.137	19.787	21.3450	18.11	0.065	1.00	Pass
			1	271	1	99	15.444	19.912	21.2392	18.14	0.065	1.00	Pass
	HCH	M	135	67	18	0	16.138	19.790	21.3474	18.02	0.063	1.00	Pass
			135	67	18	0	16.138	19.790	21.3474	18.02	0.063	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.605	19.813	21.5090	20.63	0.116	1.00	Pass
			25	12	8	0	16.52	19.880	21.5274	20.67	0.117	1.00	Pass
	MCH	BP SK	25	12	8	0	16.506	19.859	21.5087	20.65	0.116	1.00	Pass
	HCH		1	49	1	24	16.522	19.923	21.5575	20.71	0.118	1.00	Pass
			25	12	8	0	16.539	19.874	21.5294	20.67	0.117	1.00	Pass
	LCH	QP SK	1	1	1	0	16.603	19.837	21.5246	20.65	0.116	1.00	Pass
			25	12	8	0	16.501	19.863	21.5098	20.65	0.116	1.00	Pass
	MCH		25	12	8	0	16.407	19.853	21.4735	20.63	0.116	1.00	Pass
	HCH		1	49	1	24	16.525	19.926	21.5605	20.71	0.118	1.00	Pass
			25	12	8	0	16.516	19.879	21.5255	20.67	0.117	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.443	19.743	21.4095	20.55	0.113	1.00	Pass
			25	12	8	0	16.511	19.891	21.5321	20.68	0.117	1.00	Pass
	MCH		25	12	8	0	16.542	19.890	21.5412	20.68	0.117	1.00	Pass
	HCH		1	49	1	24	16.422	19.879	21.4961	20.65	0.116	1.00	Pass
			25	12	8	0	16.521	19.875	21.5243	20.67	0.117	1.00	Pass
	LCH	64 QA M	1	1	1	0	16.812	19.796	21.5657	20.66	0.117	1.00	Pass
			25	12	8	0	16.581	19.875	21.5434	20.68	0.117	1.00	Pass
	MCH		25	12	8	0	16.606	19.912	21.5766	20.71	0.118	1.00	Pass
	HCH		1	49	1	24	16.65	19.890	21.5757	20.71	0.118	1.00	Pass
			25	12	8	0	16.582	19.855	21.5301	20.66	0.117	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.544	19.816	21.1957	20.45	0.111	1.00	Pass
			25	12	8	0	15.222	19.877	21.1557	20.45	0.111	1.00	Pass
	MCH		25	12	8	0	15.255	19.869	21.1582	20.45	0.111	1.00	Pass
	HCH		1	49	1	24	15.482	19.934	21.2654	20.54	0.113	1.00	Pass
			25	12	8	0	15.226	19.922	21.1903	20.49	0.112	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	17.206	19.660	21.6144	20.64	0.116	1.00	Pass
			135	67	18	0	16.614	19.825	21.5200	20.65	0.116	1.00	Pass
	MCH	BP SK	135	67	18	0	16.636	19.790	21.5035	20.62	0.115	1.00	Pass
	HCH		1	271	1	99	16.803	19.881	21.6195	20.73	0.118	1.00	Pass
			135	67	18	0	16.619	19.810	21.5115	20.64	0.116	1.00	Pass
	LCH	QP SK	1	1	1	0	17.23	19.657	21.6212	20.65	0.116	1.00	Pass
			135	67	18	0	16.675	19.829	21.5425	20.66	0.116	1.00	Pass
	MCH		135	67	18	0	16.701	19.810	21.5383	20.65	0.116	1.00	Pass
	HCH		1	271	1	99	16.849	19.921	21.6614	20.77	0.119	1.00	Pass
			135	67	18	0	16.702	19.792	21.5265	20.64	0.116	1.00	Pass

	LCH	16	1	1	1	0	17.123	19.614	21.5550	20.59	0.114	1.00	Pass
			135	67	18	0	16.775	19.793	21.5513	20.65	0.116	1.00	Pass
	MCH	QA	135	67	18	0	16.777	19.785	21.5467	20.65	0.116	1.00	Pass
			1	271	1	99	16.695	19.892	21.5916	20.72	0.118	1.00	Pass
	HCH	M	135	67	18	0	16.817	19.806	21.5740	20.67	0.117	1.00	Pass
			1	1	1	0	17.61	19.681	21.7781	20.75	0.119	1.00	Pass
	LCH	64	135	67	18	0	16.777	19.779	21.5427	20.64	0.116	1.00	Pass
			135	67	18	0	16.758	19.797	21.5484	20.65	0.116	1.00	Pass
	MCH	QA	135	67	18	0	16.758	19.797	21.5484	20.65	0.116	1.00	Pass
			1	271	1	99	16.969	19.907	21.6921	20.78	0.120	1.00	Pass
	HCH	M	135	67	18	0	16.807	19.801	21.5674	20.67	0.117	1.00	Pass
			1	1	1	0	16.213	19.637	21.2643	20.42	0.110	1.00	Pass
	LCH	256	135	67	18	0	15.699	19.813	21.2362	20.47	0.111	1.00	Pass
			135	67	18	0	15.563	19.806	21.1936	20.44	0.111	1.00	Pass
	MCH	QA	135	67	18	0	15.563	19.806	21.1936	20.44	0.111	1.00	Pass
			1	271	1	99	15.74	19.884	21.2989	20.54	0.113	1.00	Pass
	HCH	M	135	67	18	0	15.736	19.806	21.2416	20.47	0.111	1.00	Pass
			135	67	18	0	15.736	19.806	21.2416	20.47	0.111	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n41A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	9.822	20.198	20.5791	17.33	0.054	2.00	Pass
			25	12	8	0	9.779	20.176	20.5553	17.39	0.055	2.00	Pass
	MCH		25	12	8	0	9.78	20.169	20.5490	17.36	0.054	2.00	Pass
	HCH		1	49	1	24	9.868	20.224	20.6067	17.30	0.054	2.00	Pass
			25	12	8	0	9.784	20.199	20.5768	17.33	0.054	2.00	Pass
	LCH	QP SK	1	1	1	0	9.788	20.127	20.5112	17.37	0.055	2.00	Pass
			25	12	8	0	9.723	20.171	20.5461	17.36	0.054	2.00	Pass
	MCH		25	12	8	0	9.836	20.203	20.5848	17.35	0.054	2.00	Pass
	HCH		1	49	1	24	9.828	20.198	20.5796	17.29	0.054	2.00	Pass
			25	12	8	0	9.671	20.198	20.5666	17.36	0.054	2.00	Pass
	LCH	16 QA M	1	1	1	0	9.554	20.150	20.5130	17.35	0.054	2.00	Pass
			25	12	8	0	9.664	20.210	20.5770	17.35	0.054	2.00	Pass
	MCH		25	12	8	0	9.63	20.202	20.5669	17.37	0.055	2.00	Pass
	HCH		1	49	1	24	9.581	20.207	20.5676	17.35	0.054	2.00	Pass
			25	12	8	0	9.679	20.220	20.5874	17.38	0.055	2.00	Pass
	LCH	64 QA M	25	12	1	0	9.994	20.160	20.5591	17.37	0.055	2.00	Pass
			25	12	8	0	9.782	20.226	20.6014	17.44	0.055	2.00	Pass
	MCH		25	12	8	0	9.771	20.213	20.5886	17.36	0.054	2.00	Pass
	HCH		1	49	1	24	10.052	20.258	20.6536	17.26	0.053	2.00	Pass
			25	12	8	0	9.797	20.199	20.5779	17.26	0.053	2.00	Pass
	LCH	256 QA M	1	1	1	0	9.153	20.160	20.4914	17.29	0.054	2.00	Pass
			25	12	8	0	8.902	20.177	20.4893	17.35	0.054	2.00	Pass
	MCH		25	12	8	0	8.901	20.216	20.5255	17.29	0.054	2.00	Pass
	HCH		1	49	1	24	9.161	20.248	20.5736	17.20	0.052	2.00	Pass
			25	12	8	0	8.905	20.211	20.5212	17.26	0.053	2.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	10.384	19.942	20.3980	17.29	0.054	2.00	Pass
			135	67	18	0	10	20.060	20.4685	17.14	0.052	2.00	Pass
	MCH		135	67	18	0	9.988	20.095	20.4993	17.27	0.053	2.00	Pass
	HCH		1	271	1	99	9.574	19.978	20.3567	17.22	0.053	2.00	Pass
			135	67	18	0	9.923	20.079	20.4790	17.28	0.053	2.00	Pass
	LCH	QP SK	1	1	1	0	10.505	19.949	20.4165	17.28	0.053	2.00	Pass
			135	67	18	0	10.05	20.074	20.4858	17.18	0.052	2.00	Pass
	MCH		135	67	18	0	10.015	20.082	20.4899	17.30	0.054	2.00	Pass
	HCH		1	271	1	99	9.754	20.007	20.3985	17.11	0.051	2.00	Pass
			135	67	18	0	10.034	20.107	20.5143	17.28	0.054	2.00	Pass

	LCH	16	1	1	1	0	10.028	19.886	20.3130	17.31	0.054	2.00	Pass
			135	67	18	0	9.97	20.093	20.4959	17.13	0.052	2.00	Pass
	MCH	QA	135	67	18	0	9.974	20.122	20.5227	17.31	0.054	2.00	Pass
			1	271	1	99	9.338	19.989	20.3476	17.15	0.052	2.00	Pass
	HCH	M	135	67	18	0	10.01	20.116	20.5204	17.28	0.053	2.00	Pass
			1	1	1	0	10.304	19.902	20.3540	17.28	0.054	2.00	Pass
	LCH	64	135	67	18	0	10.014	20.082	20.4898	17.18	0.052	2.00	Pass
			135	67	18	0	9.976	20.093	20.4964	17.29	0.054	2.00	Pass
	MCH	QA	135	67	18	0	9.976	20.093	20.4964	17.29	0.054	2.00	Pass
			1	271	1	99	9.618	20.015	20.3943	17.09	0.051	2.00	Pass
	HCH	M	135	67	18	0	9.992	20.096	20.5006	17.21	0.053	2.00	Pass
			1	1	1	0	9.566	19.929	20.3112	17.21	0.053	2.00	Pass
	LCH	256	135	67	18	0	9.438	20.075	20.4347	17.08	0.051	2.00	Pass
			135	67	18	0	9.438	20.075	20.4347	17.24	0.053	2.00	Pass
	MCH	QA	135	67	18	0	9.438	20.075	20.4347	17.24	0.053	2.00	Pass
			1	271	1	99	8.823	19.988	20.3080	17.33	0.054	2.00	Pass
	HCH	M	135	67	18	0	9.443	20.100	20.4581	17.39	0.055	2.00	Pass
			135	67	18	0	9.443	20.100	20.4581	17.39	0.055	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.611	19.969	16.611	18.41	0.069	1.00	Pass
			25	12	8	0	16.64	20.017	16.64	18.46	0.070	1.00	Pass
	MCH	BP SK	25	12	8	0	16.59	20.103	16.59	18.50	0.071	1.00	Pass
	HCH		1	49	1	24	16.637	20.022	16.637	18.46	0.070	1.00	Pass
			25	12	8	0	16.555	20.059	16.555	18.46	0.070	1.00	Pass
	LCH	QP SK	1	1	1	0	16.711	20.020	16.711	18.48	0.070	1.00	Pass
			25	12	8	0	16.485	20.049	16.485	18.43	0.070	1.00	Pass
	MCH		25	12	8	0	16.617	20.066	16.617	18.48	0.070	1.00	Pass
	HCH		1	49	1	24	16.724	20.034	16.724	18.50	0.071	1.00	Pass
			25	12	8	0	16.514	20.038	16.514	18.43	0.070	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.57	20.020	16.57	18.43	0.070	1.00	Pass
			25	12	8	0	16.556	20.038	16.556	18.44	0.070	1.00	Pass
	MCH		25	12	8	0	16.686	20.084	16.686	18.52	0.071	1.00	Pass
	HCH		1	49	1	24	16.555	20.005	16.555	18.42	0.069	1.00	Pass
			25	12	8	0	16.702	20.033	16.702	18.49	0.071	1.00	Pass
	LCH	64 QA M	25	12	1	0	16.995	19.979	16.995	18.55	0.072	1.00	Pass
			25	12	8	0	16.647	20.120	16.647	18.53	0.071	1.00	Pass
	MCH		25	12	8	0	16.713	20.063	16.713	18.51	0.071	1.00	Pass
	HCH		1	49	1	24	16.707	20.038	16.707	18.49	0.071	1.00	Pass
			25	12	8	0	16.732	20.061	16.732	18.52	0.071	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.587	20.022	15.587	18.14	0.065	1.00	Pass
			25	12	8	0	15.188	20.104	15.188	18.09	0.064	1.00	Pass
	MCH		25	12	8	0	15.294	20.035	15.294	18.07	0.064	1.00	Pass
	HCH		1	49	1	24	15.435	20.058	15.435	18.12	0.065	1.00	Pass
			25	12	8	0	15.384	20.077	15.384	18.12	0.065	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	16.637	19.857	16.637	18.35	0.068	1.00	Pass
			135	67	18	0	16.693	19.998	16.693	18.46	0.070	1.00	Pass
	MCH		135	67	18	0	16.689	20.003	16.689	18.46	0.070	1.00	Pass
	HCH		1	271	1	99	16.239	19.979	16.239	18.30	0.068	1.00	Pass
			135	67	18	0	16.732	20.024	16.732	18.49	0.071	1.00	Pass
	LCH	QP SK	1	1	1	0	16.51	19.877	16.51	18.32	0.068	1.00	Pass
			135	67	18	0	16.749	20.044	16.749	18.51	0.071	1.00	Pass
	MCH		135	67	18	0	16.717	20.030	16.717	18.49	0.071	1.00	Pass
	HCH		1	271	1	99	16.179	19.917	16.179	18.24	0.067	1.00	Pass
			135	67	18	0	16.757	19.995	16.757	18.48	0.070	1.00	Pass

	LCH	16	1	1	1	0	16.423	19.921	16.423	18.32	0.068	1.00	Pass
			135	67	18	0	16.838	20.025	16.838	18.53	0.071	1.00	Pass
	MCH	QA	135	67	18	0	16.827	20.050	16.827	18.54	0.071	1.00	Pass
			1	271	1	99	15.993	19.958	15.993	18.21	0.066	1.00	Pass
	HCH	M	135	67	18	0	16.873	20.053	16.873	18.56	0.072	1.00	Pass
			1	1	1	0	16.848	19.874	16.848	18.43	0.070	1.00	Pass
	LCH	64	135	67	18	0	16.866	20.041	16.866	18.55	0.072	1.00	Pass
			135	67	18	0	16.959	20.026	16.959	18.57	0.072	1.00	Pass
	MCH	QA	135	67	18	0	16.959	20.026	16.959	18.57	0.072	1.00	Pass
			1	271	1	99	16.264	19.911	16.264	18.26	0.067	1.00	Pass
	HCH	M	135	67	18	0	16.899	20.008	16.899	18.54	0.071	1.00	Pass
			1	1	1	0	15.655	19.886	15.655	18.06	0.064	1.00	Pass
	LCH	256	135	67	18	0	15.825	20.027	15.825	18.21	0.066	1.00	Pass
			135	67	18	0	15.799	20.017	15.799	18.20	0.066	1.00	Pass
	MCH	QA	135	67	18	0	15.799	20.017	15.799	18.20	0.066	1.00	Pass
			1	271	1	99	15.164	19.893	15.164	17.93	0.062	1.00	Pass
	HCH	M	135	67	18	0	15.834	20.041	15.834	18.22	0.066	1.00	Pass
			135	67	18	0	15.834	20.041	15.834	18.22	0.066	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.694	20.053	21.7008	18.50	0.071	1.00	Pass
			25	12	8	0	16.611	20.073	21.6885	18.48	0.071	1.00	Pass
	MCH	BP SK	25	12	8	0	16.584	20.052	21.6656	18.46	0.070	1.00	Pass
	HCH		1	49	1	24	16.628	20.080	21.6986	18.49	0.071	1.00	Pass
			25	12	8	0	16.664	20.075	21.7064	18.50	0.071	1.00	Pass
	LCH	QP SK	1	1	1	0	16.693	20.024	21.6806	18.48	0.070	1.00	Pass
			25	12	8	0	16.607	20.079	21.6914	18.49	0.071	1.00	Pass
	MCH		25	12	8	0	16.601	20.057	21.6744	18.47	0.070	1.00	Pass
	HCH		1	49	1	24	16.63	20.095	21.7096	18.50	0.071	1.00	Pass
			25	12	8	0	16.581	20.068	21.6758	18.47	0.070	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.545	20.048	21.6508	18.45	0.070	1.00	Pass
			25	12	8	0	16.655	20.060	21.6933	18.49	0.071	1.00	Pass
	MCH		25	12	8	0	16.612	20.033	21.6613	18.46	0.070	1.00	Pass
	HCH		1	49	1	24	16.498	20.033	21.6260	18.42	0.070	1.00	Pass
			25	12	8	0	16.672	20.102	21.7275	18.52	0.071	1.00	Pass
	LCH	64 QA M	25	12	1	0	16.787	20.070	21.7419	18.54	0.071	1.00	Pass
			25	12	8	0	16.629	20.068	21.6907	18.49	0.071	1.00	Pass
	MCH		25	12	8	0	16.707	20.108	21.7425	18.54	0.071	1.00	Pass
	HCH		1	49	1	24	16.73	20.107	21.7491	18.55	0.072	1.00	Pass
			25	12	8	0	16.681	20.102	21.7303	18.53	0.071	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.638	20.001	21.3561	18.14	0.065	1.00	Pass
			25	12	8	0	15.347	20.052	21.3180	18.10	0.065	1.00	Pass
	MCH		25	12	8	0	15.316	20.039	21.3005	18.08	0.064	1.00	Pass
	HCH		1	49	1	24	15.583	20.088	21.4055	18.19	0.066	1.00	Pass
			25	12	8	0	15.369	20.046	21.3191	18.10	0.065	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	17.335	19.991	21.8733	18.68	0.074	1.00	Pass
			135	67	18	0	16.723	20.077	21.7263	18.52	0.071	1.00	Pass
	MCH	BP SK	135	67	18	0	16.687	20.048	21.6951	18.49	0.071	1.00	Pass
	HCH		1	271	1	99	16.941	19.961	21.7187	18.52	0.071	1.00	Pass
			135	67	18	0	16.696	20.065	21.7096	18.51	0.071	1.00	Pass
	LCH	QP SK	1	1	1	0	17.353	19.928	21.8389	18.65	0.073	1.00	Pass
			135	67	18	0	16.77	20.059	21.7290	18.53	0.071	1.00	Pass
	MCH		135	67	18	0	16.773	20.066	21.7347	18.53	0.071	1.00	Pass
	HCH		1	271	1	99	16.889	19.950	21.6941	18.50	0.071	1.00	Pass
			135	67	18	0	16.807	20.046	21.7320	18.53	0.071	1.00	Pass

	LCH	16	1	1	1	0	17.27	19.872	21.7733	18.58	0.072	1.00	Pass
			135	67	18	0	16.753	20.095	21.7481	18.55	0.072	1.00	Pass
	MCH	QA	135	67	18	0	16.896	20.082	21.7851	18.58	0.072	1.00	Pass
			1	271	1	99	16.839	20.006	21.7153	18.52	0.071	1.00	Pass
	HCH	M	135	67	18	0	16.866	20.075	21.7707	18.57	0.072	1.00	Pass
			1	1	1	0	17.455	19.974	21.9049	18.72	0.074	1.00	Pass
	LCH	64	135	67	18	0	16.882	20.074	21.7752	18.57	0.072	1.00	Pass
			135	67	18	0	16.865	20.061	21.7609	18.56	0.072	1.00	Pass
	MCH	QA	135	67	18	0	16.865	20.061	21.7609	18.56	0.072	1.00	Pass
			1	271	1	99	16.96	19.966	21.7283	18.53	0.071	1.00	Pass
	HCH	M	135	67	18	0	16.885	20.042	21.7546	18.55	0.072	1.00	Pass
			1	1	1	0	16.302	19.961	21.5163	18.31	0.068	1.00	Pass
	LCH	256	135	67	18	0	15.828	20.073	21.4600	18.24	0.067	1.00	Pass
			135	67	18	0	15.826	20.094	21.4748	18.26	0.067	1.00	Pass
	MCH	QA	135	67	18	0	15.826	20.094	21.4748	18.26	0.067	1.00	Pass
			1	271	1	99	15.848	19.980	21.3982	18.18	0.066	1.00	Pass
	HCH	M	135	67	18	0	15.816	20.039	21.4321	18.22	0.066	1.00	Pass
			135	67	18	0	15.816	20.039	21.4321	18.22	0.066	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n38A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	8.523	20.605	20.8659	15.31	0.034	2.00	Pass
			25	12	8	0	8.489	20.720	20.9724	15.41	0.035	2.00	Pass
	MCH	BP	25	12	8	0	8.455	20.689	20.9412	15.38	0.035	2.00	Pass
			1	49	1	24	8.563	20.878	21.1257	15.56	0.036	2.00	Pass
	HCH	SK	25	12	8	0	8.518	20.732	20.9853	15.42	0.035	2.00	Pass
			1	1	1	0	8.5	20.590	20.8504	15.30	0.034	2.00	Pass
	LCH	QP	25	12	8	0	8.494	20.708	20.9613	15.40	0.035	2.00	Pass
			25	12	8	0	8.456	20.700	20.9516	15.39	0.035	2.00	Pass
	MCH	SK	1	49	1	24	8.573	20.900	21.1470	15.58	0.036	2.00	Pass
			25	12	8	0	8.454	20.706	20.9572	15.39	0.035	2.00	Pass
	LCH	16	1	1	1	0	9.024	20.635	20.9248	15.40	0.035	2.00	Pass
			25	12	8	0	8.516	20.715	20.9692	15.41	0.035	2.00	Pass
	MCH	QA	25	12	8	0	8.537	20.683	20.9402	15.38	0.035	2.00	Pass
			1	49	1	24	8.608	20.890	21.1395	15.57	0.036	2.00	Pass
	HCH	M	25	12	8	0	8.485	20.679	20.9334	15.37	0.034	2.00	Pass
			1	1	1	0	8.566	20.602	20.8656	15.32	0.034	2.00	Pass
	LCH	64	25	12	8	0	8.485	20.728	20.9797	15.42	0.035	2.00	Pass
			25	12	8	0	8.651	20.723	20.9845	15.43	0.035	2.00	Pass
	MCH	QA	1	49	1	24	8.617	20.890	21.1400	15.58	0.036	2.00	Pass
			25	12	8	0	8.541	20.713	20.9687	15.41	0.035	2.00	Pass
	LCH	256	1	1	1	0	8.463	20.632	20.8879	15.33	0.034	2.00	Pass
			25	12	8	0	8.215	20.733	20.9696	15.39	0.035	2.00	Pass
	MCH	QA	25	12	8	0	8.233	20.721	20.9592	15.38	0.035	2.00	Pass
			1	49	1	24	8.55	20.921	21.1656	15.59	0.036	2.00	Pass
	HCH	M	25	12	8	0	8.213	20.692	20.9307	15.35	0.034	2.00	Pass
			1	1	1	0	8.613	20.578	20.8458	15.30	0.034	2.00	Pass
10MHz(LTE) + 40MHz(NR)	LCH	PI/2	50	25	12	0	8.537	20.741	20.9949	15.43	0.035	2.00	Pass
			50	25	12	0	8.54	20.725	20.9800	15.42	0.035	2.00	Pass
	MCH	BP	1	104	1	49	8.473	20.966	21.2040	15.63	0.037	2.00	Pass
			50	25	12	0	8.559	20.704	20.9613	15.40	0.035	2.00	Pass
	LCH	QP	1	1	1	0	8.76	20.589	20.8651	15.33	0.034	2.00	Pass
			50	25	12	0	8.55	20.730	20.9852	15.43	0.035	2.00	Pass
	MCH	SK	50	25	12	0	8.553	20.755	21.0090	15.45	0.035	2.00	Pass
			1	104	1	49	8.597	20.969	21.2135	15.64	0.037	2.00	Pass

			50	25	12	0	8.562	20.733	20.9888	15.43	0.035	2.00	Pass
	LCH	16	1	1	1	0	8.569	20.557	20.8234	15.28	0.034	2.00	Pass
			50	25	12	0	8.605	20.756	21.0129	15.46	0.035	2.00	Pass
	MCH	QA	50	25	12	0	8.612	20.763	21.0199	15.46	0.035	2.00	Pass
			1	104	1	49	8.363	20.994	21.2247	15.64	0.037	2.00	Pass
	HCH	M	50	25	12	0	8.566	20.722	20.9786	15.42	0.035	2.00	Pass
	LCH	64	1	1	1	0	8.718	20.575	20.8493	15.31	0.034	2.00	Pass
			50	25	12	0	8.657	20.730	20.9914	15.44	0.035	2.00	Pass
	MCH	QA	50	25	12	0	8.674	20.718	20.9811	15.43	0.035	2.00	Pass
			1	104	1	49	8.378	20.972	21.2046	15.62	0.036	2.00	Pass
	HCH	M	50	25	12	0	8.606	20.766	21.0224	15.46	0.035	2.00	Pass
	LCH	256	1	1	1	0	8.502	20.593	20.8534	15.30	0.034	2.00	Pass
			50	25	12	0	8.557	20.754	21.0083	15.45	0.035	2.00	Pass
	MCH	QA	50	25	12	0	8.542	20.739	20.9933	15.43	0.035	2.00	Pass
			1	104	1	49	8.359	20.968	21.1999	15.62	0.036	2.00	Pass
	HCH	M	50	25	12	0	8.565	20.734	20.9899	15.43	0.035	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n41A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	9.5	20.558	20.8857	15.40	0.035	2.00	Pass
			25	12	8	0	9.431	20.683	20.9969	15.50	0.035	2.00	Pass
	MCH		25	12	8	0	9.464	20.705	21.0197	15.52	0.036	2.00	Pass
	HCH		1	49	1	24	9.552	20.870	21.1793	15.68	0.037	2.00	Pass
		QP SK	25	12	8	0	9.433	20.680	20.9943	15.50	0.035	2.00	Pass
	LCH		1	1	1	0	9.513	20.589	20.9154	15.43	0.035	2.00	Pass
			25	12	8	0	9.475	20.723	21.0372	15.54	0.036	2.00	Pass
	MCH		25	12	8	0	9.44	20.707	21.0199	15.52	0.036	2.00	Pass
	HCH		1	49	1	24	9.556	20.878	21.1871	15.68	0.037	2.00	Pass
		16 QA M	25	12	8	0	9.437	20.681	20.9955	15.50	0.035	2.00	Pass
	LCH		1	1	1	0	9.854	20.591	20.9429	15.48	0.035	2.00	Pass
			25	12	8	0	9.52	20.682	21.0022	15.51	0.036	2.00	Pass
	MCH		25	12	8	0	9.493	20.726	21.0412	15.55	0.036	2.00	Pass
	HCH		1	49	1	24	9.534	20.859	21.1679	15.67	0.037	2.00	Pass
		64 QA M	25	12	8	0	9.447	20.692	21.0064	15.51	0.036	2.00	Pass
	LCH		1	1	1	0	9.569	20.593	20.9232	15.44	0.035	2.00	Pass
			25	12	8	0	9.551	20.707	21.0277	15.54	0.036	2.00	Pass
	MCH		25	12	8	0	9.445	20.701	21.0146	15.52	0.036	2.00	Pass
	HCH		1	49	1	24	9.623	20.872	21.1861	15.69	0.037	2.00	Pass
		256 QA M	25	12	8	0	9.512	20.674	20.9942	15.50	0.036	2.00	Pass
	LCH		1	1	1	0	9.451	20.610	20.9305	15.44	0.035	2.00	Pass
			25	12	8	0	9.174	20.695	20.9907	15.47	0.035	2.00	Pass
	MCH		25	12	8	0	9.18	20.767	21.0584	15.54	0.036	2.00	Pass
	HCH		1	49	1	24	9.456	20.852	21.1560	15.65	0.037	2.00	Pass
		QP SK	25	12	8	0	9.229	20.712	21.0102	15.50	0.035	2.00	Pass
	LCH		1	1	1	0	9.961	20.571	20.9329	15.48	0.035	2.00	Pass
			135	67	12	0	9.645	20.742	21.0669	15.58	0.036	2.00	Pass
	MCH		135	67	12	0	9.697	20.750	21.0781	15.60	0.036	2.00	Pass
	HCH		1	271	1	49	9.302	20.968	21.2543	15.73	0.037	2.00	Pass
		QP SK	135	67	12	0	9.691	20.745	21.0730	15.59	0.036	2.00	Pass
	LCH		1	1	1	0	10.071	20.619	20.9859	15.54	0.036	2.00	Pass
			135	67	12	0	9.658	20.716	21.0437	15.56	0.036	2.00	Pass
	MCH		135	67	12	0	9.683	20.754	21.0808	15.60	0.036	2.00	Pass
	HCH		1	271	1	49	9.495	20.993	21.2902	15.78	0.038	2.00	Pass
		QP SK	135	67	12	0	9.677	20.746	21.0729	15.59	0.036	2.00	Pass

	LCH	16	1	1	1	0	9.827	20.576	20.9269	15.47	0.035	2.00	Pass
			135	67	12	0	9.732	20.745	21.0760	15.60	0.036	2.00	Pass
	MCH	QA	135	67	12	0	9.749	20.750	21.0819	15.60	0.036	2.00	Pass
			1	271	1	49	9.224	20.979	21.2597	15.73	0.037	2.00	Pass
	HCH	M	135	67	12	0	9.773	20.726	21.0614	15.59	0.036	2.00	Pass
			1	1	1	0	10.082	20.592	20.9620	15.52	0.036	2.00	Pass
	LCH	64	135	67	12	0	9.756	20.730	21.0639	15.59	0.036	2.00	Pass
			135	67	12	0	9.755	20.759	21.0907	15.61	0.036	2.00	Pass
	MCH	QA	135	67	12	0	9.755	20.759	21.0907	15.61	0.036	2.00	Pass
			1	271	1	49	9.431	20.969	21.2636	15.75	0.038	2.00	Pass
	HCH	M	135	67	12	0	9.743	20.766	21.0963	15.62	0.036	2.00	Pass
			1	1	1	0	9.779	20.606	20.9509	15.49	0.035	2.00	Pass
	LCH	256	135	67	12	0	9.713	20.720	21.0514	15.57	0.036	2.00	Pass
			135	67	12	0	9.658	20.752	21.0771	15.59	0.036	2.00	Pass
	MCH	QA	135	67	12	0	9.658	20.752	21.0771	15.59	0.036	2.00	Pass
			1	271	1	49	9.263	21.011	21.2921	15.76	0.038	2.00	Pass
	HCH	M	135	67	12	0	9.721	20.768	21.0965	15.61	0.036	2.00	Pass
			135	67	12	0	9.721	20.768	21.0965	15.61	0.036	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	12.73	20.712	21.3534	15.96	0.039	1.00	Pass
			12	6	8	0	12.791	20.807	21.4437	16.04	0.040	1.00	Pass
	MCH		12	6	8	0	12.789	20.800	21.4374	16.04	0.040	1.00	Pass
	HCH		1	23	1	24	12.811	20.993	21.6075	16.19	0.042	1.00	Pass
		QP SK	12	6	8	0	12.786	20.808	21.4439	16.04	0.040	1.00	Pass
	LCH		1	1	1	0	12.74	20.737	21.3763	15.98	0.040	1.00	Pass
			12	6	8	0	12.822	20.802	21.4437	16.05	0.040	1.00	Pass
	MCH		12	6	8	0	12.857	20.870	21.5071	16.11	0.041	1.00	Pass
	HCH		1	23	1	24	12.823	21.006	21.6203	16.21	0.042	1.00	Pass
		16 QA M	12	6	8	0	12.867	20.836	21.4792	16.08	0.041	1.00	Pass
	LCH		1	1	1	0	12.594	20.695	21.3202	15.91	0.039	1.00	Pass
			12	6	8	0	12.859	20.830	21.4729	16.08	0.041	1.00	Pass
	MCH		12	6	8	0	12.81	20.813	21.4515	16.05	0.040	1.00	Pass
	HCH		1	23	1	24	12.644	21.001	21.5928	16.16	0.041	1.00	Pass
		64 QA M	12	6	8	0	12.843	20.825	21.4664	16.07	0.040	1.00	Pass
	LCH		1	1	1	0	12.85	20.727	21.3830	15.99	0.040	1.00	Pass
			12	6	8	0	12.859	20.789	21.4376	16.04	0.040	1.00	Pass
	MCH		12	6	8	0	12.861	20.819	21.4637	16.07	0.040	1.00	Pass
	HCH		1	23	1	24	12.876	20.998	21.6204	16.21	0.042	1.00	Pass
		256 QA M	12	6	8	0	12.868	20.814	21.4603	16.07	0.040	1.00	Pass
	LCH		1	1	1	0	12.75	20.682	21.3303	15.94	0.039	1.00	Pass
			12	6	8	0	12.752	20.797	21.4298	16.03	0.040	1.00	Pass
	MCH		12	6	8	0	12.786	20.870	21.4975	16.09	0.041	1.00	Pass
	HCH		1	23	1	24	12.855	20.960	21.5847	16.18	0.041	1.00	Pass
		PI/2 BP SK	12	6	8	0	12.773	20.818	21.4508	16.05	0.040	1.00	Pass
10MHz(LTE) + 20MHz(NR)	LCH		1	1	1	0	12.725	20.692	21.3354	15.94	0.039	1.00	Pass
			50	25	12	0	12.93	20.826	21.4793	16.09	0.041	1.00	Pass
	MCH		50	25	12	0	12.916	20.852	21.4997	16.11	0.041	1.00	Pass
	HCH		1	104	1	49	13.017	21.056	21.6896	16.29	0.043	1.00	Pass
		QP SK	50	25	12	0	12.943	20.817	21.4734	16.08	0.041	1.00	Pass
	LCH		1	1	1	0	12.634	20.698	21.3282	15.92	0.039	1.00	Pass
			50	25	12	0	12.929	20.836	21.4878	16.10	0.041	1.00	Pass
	MCH		50	25	12	0	12.89	20.859	21.5022	16.11	0.041	1.00	Pass
	HCH		1	104	1	49	12.971	21.019	21.6514	16.25	0.042	1.00	Pass
		PI/2 BP SK	50	25	12	0	12.918	20.835	21.4854	16.09	0.041	1.00	Pass
	LCH		1	1	1	0	12.725	20.692	21.3354	15.94	0.039	1.00	Pass
			50	25	12	0	12.93	20.826	21.4793	16.09	0.041	1.00	Pass
	MCH		50	25	12	0	12.916	20.852	21.4997	16.11	0.041	1.00	Pass

	LCH	16	1	1	1	0	12.468	20.715	21.3209	15.90	0.039	1.00	Pass
			50	25	12	0	12.982	20.830	21.4900	16.10	0.041	1.00	Pass
	MCH	QA	50	25	12	0	12.944	20.830	21.4847	16.09	0.041	1.00	Pass
			1	104	1	49	12.84	21.057	21.6669	16.25	0.042	1.00	Pass
	HCH	M	50	25	12	0	12.976	20.858	21.5133	16.12	0.041	1.00	Pass
			1	1	1	0	12.756	20.695	21.3423	15.95	0.039	1.00	Pass
	LCH	64	50	25	12	0	12.963	20.828	21.4856	16.10	0.041	1.00	Pass
			50	25	12	0	12.971	20.844	21.5005	16.11	0.041	1.00	Pass
	MCH	QA	50	25	12	0	12.971	20.844	21.5005	16.11	0.041	1.00	Pass
			1	104	1	49	13.07	21.038	21.6813	16.28	0.043	1.00	Pass
	HCH	M	50	25	12	0	12.977	20.870	21.5237	16.13	0.041	1.00	Pass
			1	1	1	0	12.664	20.675	21.3124	15.91	0.039	1.00	Pass
	LCH	256	50	25	12	0	12.969	20.822	21.4813	16.09	0.041	1.00	Pass
			50	25	12	0	12.954	20.845	21.4990	16.11	0.041	1.00	Pass
	MCH	QA	50	25	12	0	12.954	20.845	21.4990	16.11	0.041	1.00	Pass
			1	104	1	49	12.819	21.023	21.6346	16.22	0.042	1.00	Pass
	HCH	M	50	25	12	0	13.005	20.854	21.5139	16.13	0.041	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.83	20.712	23	18.38	0.069	1.00	Pass
			25	12	8	0	18.891	20.807	23	18.46	0.070	1.00	Pass
	MCH	BP SK	25	12	8	0	18.889	20.800	23	18.46	0.070	1.00	Pass
			1	49	1	24	18.911	20.993	23	18.55	0.072	1.00	Pass
	HCH		25	12	8	0	18.886	20.808	23	18.46	0.070	1.00	Pass
			1	1	1	0	18.84	20.737	23	18.40	0.069	1.00	Pass
	LCH	QP SK	25	12	8	0	18.922	20.802	23	18.47	0.070	1.00	Pass
			25	12	8	0	18.957	20.870	23	18.52	0.071	1.00	Pass
	MCH		1	49	1	24	18.923	21.006	23	18.57	0.072	1.00	Pass
			25	12	8	0	18.967	20.836	23	18.51	0.071	1.00	Pass
	HCH		1	1	1	0	18.694	20.695	23	18.30	0.068	1.00	Pass
			25	12	8	0	18.959	20.830	23	18.51	0.071	1.00	Pass
	LCH	16 QA M	25	12	8	0	18.91	20.813	23	18.47	0.070	1.00	Pass
			1	49	1	24	18.744	21.001	23	18.47	0.070	1.00	Pass
	MCH		25	12	8	0	18.943	20.825	23	18.50	0.071	1.00	Pass
			1	1	1	0	18.95	20.727	23	18.46	0.070	1.00	Pass
	HCH	64 QA M	25	12	8	0	18.959	20.789	23	18.49	0.071	1.00	Pass
			25	12	8	0	18.961	20.819	23	18.50	0.071	1.00	Pass
	LCH		1	49	1	24	18.976	20.998	23	18.59	0.072	1.00	Pass
			25	12	8	0	18.968	20.814	23	18.51	0.071	1.00	Pass
	MCH	256 QA M	1	1	1	0	18.85	20.682	23	18.38	0.069	1.00	Pass
			25	12	8	0	18.852	20.797	23	18.43	0.070	1.00	Pass
	HCH		25	12	8	0	18.886	20.870	23	18.48	0.071	1.00	Pass
			1	49	1	24	18.955	20.960	23	18.56	0.072	1.00	Pass
	LCH		25	12	8	0	18.873	20.818	23	18.45	0.070	1.00	Pass
			1	1	1	0	18.825	20.692	23	18.37	0.069	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	12	0	19.03	20.826	23	18.55	0.072	1.00	Pass
			1	271	1	49	19.117	21.056	23	18.70	0.074	1.00	Pass
	MCH	BP SK	135	67	12	0	19.016	20.852	23	18.55	0.072	1.00	Pass
			135	67	12	0	19.043	20.817	23	18.55	0.072	1.00	Pass
	HCH		1	1	1	0	18.734	20.698	23	18.32	0.068	1.00	Pass
			135	67	12	0	19.029	20.836	23	18.55	0.072	1.00	Pass
	LCH	QP SK	135	67	12	0	18.99	20.859	23	18.54	0.071	1.00	Pass
			1	271	1	49	19.071	21.019	23	18.65	0.073	1.00	Pass
	MCH		135	67	12	0	19.018	20.835	23	18.54	0.071	1.00	Pass
			135	67	12	0							

	LCH	16	1	1	1	0	18.568	20.715	23	18.24	0.067	1.00	Pass
			135	67	12	0	19.082	20.830	23	18.58	0.072	1.00	Pass
	MCH	QA	135	67	12	0	19.044	20.830	23	18.55	0.072	1.00	Pass
	HCH	M	1	271	1	49	18.94	21.057	23	18.60	0.072	1.00	Pass
			135	67	12	0	19.076	20.858	23	18.59	0.072	1.00	Pass
	LCH	64	1	1	1	0	18.856	20.695	23	18.39	0.069	1.00	Pass
			135	67	12	0	19.063	20.828	23	18.56	0.072	1.00	Pass
	MCH	QA	135	67	12	0	19.071	20.844	23	18.58	0.072	1.00	Pass
	HCH	M	1	271	1	49	19.17	21.038	23	18.72	0.074	1.00	Pass
			135	67	12	0	19.077	20.870	23	18.59	0.072	1.00	Pass
	LCH	256	1	1	1	0	18.764	20.675	23	18.33	0.068	1.00	Pass
			135	67	12	0	19.069	20.822	23	18.57	0.072	1.00	Pass
	MCH	QA	135	67	12	0	19.054	20.845	23	18.57	0.072	1.00	Pass
	HCH	M	1	271	1	49	18.919	21.023	23	18.57	0.072	1.00	Pass
			135	67	12	0	19.105	20.854	23	18.60	0.072	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n77A(3700-3980)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.204	20.601	22.5761	17.99	0.063	1.00	Pass
			25	12	8	0	18.32	20.709	22.6870	18.11	0.065	1.00	Pass
	MCH	BP	25	12	8	0	18.274	20.757	22.7009	18.10	0.065	1.00	Pass
			1	49	1	24	18.322	20.949	22.8415	18.22	0.066	1.00	Pass
	HCH	SK	25	12	8	0	18.348	20.758	22.7284	18.14	0.065	1.00	Pass
			1	1	1	0	18.218	20.650	22.6124	18.02	0.063	1.00	Pass
	LCH	QP	25	12	8	0	18.143	20.735	22.6399	18.03	0.063	1.00	Pass
			25	12	8	0	18.269	20.747	22.6927	18.10	0.065	1.00	Pass
	MCH	SK	1	49	1	24	18.29	20.890	22.7920	18.18	0.066	1.00	Pass
			25	12	8	0	18.296	20.727	22.6897	18.10	0.065	1.00	Pass
	HCH	16	1	1	1	0	18.12	20.650	22.5770	17.97	0.063	1.00	Pass
			25	12	8	0	18.382	20.695	22.7010	18.13	0.065	1.00	Pass
	LCH	QA	25	12	8	0	18.378	20.739	22.7273	18.15	0.065	1.00	Pass
			1	49	1	24	18.162	20.919	22.7660	18.13	0.065	1.00	Pass
	MCH	M	25	12	8	0	18.298	20.733	22.6943	18.11	0.065	1.00	Pass
			1	1	1	0	18.594	20.675	22.7683	18.24	0.067	1.00	Pass
	LCH	64	25	12	8	0	18.401	20.726	22.7276	18.16	0.065	1.00	Pass
			25	12	8	0	18.39	20.724	22.7222	18.15	0.065	1.00	Pass
	MCH	QA	1	49	1	24	18.626	20.917	22.9311	18.37	0.069	1.00	Pass
			25	12	8	0	18.373	20.765	22.7419	18.16	0.065	1.00	Pass
	HCH	M	1	1	1	0	18.201	20.666	22.6164	18.02	0.063	1.00	Pass
			25	12	8	0	18.124	20.748	22.6415	18.02	0.063	1.00	Pass
	LCH	256	25	12	8	0	18.191	20.756	22.6705	18.06	0.064	1.00	Pass
			1	49	1	24	18.364	20.925	22.8409	18.23	0.067	1.00	Pass
	MCH	QA	25	12	8	0	18.194	20.726	22.6523	18.05	0.064	1.00	Pass
			1	1	1	0	18.031	20.615	22.5227	17.91	0.062	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	12	0	18.205	20.747	22.6697	18.06	0.064	1.00	Pass
			135	67	12	0	18.208	20.810	22.7113	18.10	0.065	1.00	Pass
	MCH	BP	1	271	1	49	18.044	20.981	22.7665	18.10	0.065	1.00	Pass
			135	67	12	0	18.227	20.771	22.6930	18.09	0.064	1.00	Pass
	HCH	SK	1	1	1	0	18.057	20.593	22.5178	17.91	0.062	1.00	Pass
			135	67	12	0	18.257	20.777	22.7076	18.11	0.065	1.00	Pass
	LCH	QP	135	67	12	0	18.189	20.773	22.6807	18.07	0.064	1.00	Pass
			1	271	1	49	18.052	20.874	22.6986	18.05	0.064	1.00	Pass
	MCH	SK	135	67	12	0	18.305	20.787	22.7312	18.14	0.065	1.00	Pass
			135	67	12	0	18.305	20.787	22.7312	18.14	0.065	1.00	Pass

	LCH	16	1	1	1	0	17.943	20.640	22.5079	17.88	0.061	1.00	Pass
			135	67	12	0	18.347	20.780	22.7420	18.15	0.065	1.00	Pass
	MCH	QA	135	67	12	0	18.354	20.762	22.7331	18.15	0.065	1.00	Pass
			1	271	1	49	17.9	20.998	22.7299	18.04	0.064	1.00	Pass
	HCH	M	135	67	12	0	18.289	20.786	22.7248	18.13	0.065	1.00	Pass
			1	1	1	0	18.18	20.586	22.5578	17.97	0.063	1.00	Pass
	LCH	64	135	67	12	0	18.36	20.783	22.7486	18.16	0.065	1.00	Pass
			135	67	12	0	18.378	20.773	22.7488	18.17	0.066	1.00	Pass
	MCH	QA	135	67	12	0	18.378	20.773	22.7488	18.17	0.066	1.00	Pass
			1	271	1	49	18.231	21.004	22.8455	18.20	0.066	1.00	Pass
	HCH	M	135	67	12	0	18.366	20.787	22.7534	18.17	0.066	1.00	Pass
			1	1	1	0	18.086	20.647	22.5629	17.95	0.062	1.00	Pass
	LCH	256	135	67	12	0	18.436	20.774	22.7708	18.20	0.066	1.00	Pass
			135	67	12	0	18.485	20.805	22.8084	18.24	0.067	1.00	Pass
	MCH	QA	135	67	12	0	18.485	20.805	22.8084	18.24	0.067	1.00	Pass
			1	271	1	49	18.128	21.010	22.8141	18.15	0.065	1.00	Pass
	HCH	M	135	67	12	0	18.446	20.767	22.7700	18.20	0.066	1.00	Pass
			135	67	12	0	18.446	20.767	22.7700	18.20	0.066	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.433	20.643	22.6874	18.14	0.065	1.00	Pass
			25	12	8	0	18.39	20.785	22.7608	18.18	0.066	1.00	Pass
	MCH	BP	25	12	8	0	18.452	20.736	22.7527	18.19	0.066	1.00	Pass
			1	49	1	24	18.272	20.902	22.7934	18.17	0.066	1.00	Pass
	HCH	SK	25	12	8	0	18.411	20.753	22.7483	18.17	0.066	1.00	Pass
			1	1	1	0	18.537	20.632	22.7199	18.19	0.066	1.00	Pass
	LCH	QP	25	12	8	0	18.392	20.760	22.7457	18.17	0.066	1.00	Pass
			25	12	8	0	18.388	20.734	22.7278	18.15	0.065	1.00	Pass
	MCH	SK	1	49	1	24	18.482	20.869	22.8478	18.27	0.067	1.00	Pass
			25	12	8	0	18.415	20.753	22.7498	18.18	0.066	1.00	Pass
	HCH	16	1	1	1	0	18.211	20.620	22.5907	18.01	0.063	1.00	Pass
			25	12	8	0	18.415	20.750	22.7479	18.18	0.066	1.00	Pass
	LCH	QA	25	12	8	0	18.441	20.756	22.7613	18.19	0.066	1.00	Pass
			1	49	1	24	18.307	20.945	22.8336	18.21	0.066	1.00	Pass
	MCH	M	25	12	8	0	18.431	20.767	22.7645	18.19	0.066	1.00	Pass
			1	1	1	0	18.622	20.665	22.7728	18.25	0.067	1.00	Pass
	LCH	64	25	12	8	0	18.478	20.773	22.7857	18.22	0.066	1.00	Pass
			25	12	8	0	18.494	20.763	22.7853	18.22	0.066	1.00	Pass
	MCH	QA	1	49	1	24	18.74	20.905	22.9663	18.42	0.070	1.00	Pass
			25	12	8	0	18.452	20.756	22.7653	18.20	0.066	1.00	Pass
	HCH	M	1	1	1	0	18.437	20.677	22.7101	18.15	0.065	1.00	Pass
			25	12	8	0	18.286	20.770	22.7135	18.12	0.065	1.00	Pass
	LCH	256	25	12	8	0	18.216	20.724	22.6589	18.06	0.064	1.00	Pass
			1	49	1	24	18.371	20.895	22.8241	18.22	0.066	1.00	Pass
	MCH	QA	25	12	8	0	18.257	20.752	22.6916	18.09	0.064	1.00	Pass
			1	1	1	0	18.675	20.613	22.7615	18.25	0.067	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	12	0	18.455	20.787	22.7860	18.21	0.066	1.00	Pass
			135	67	12	0	18.433	20.768	22.7659	18.19	0.066	1.00	Pass
	MCH	BP	1	271	1	49	18.033	20.985	22.7654	18.09	0.064	1.00	Pass
			135	67	12	0	18.446	20.791	22.7852	18.21	0.066	1.00	Pass
	HCH	SK	1	1	1	0	18.624	20.648	22.7632	18.24	0.067	1.00	Pass
			135	67	12	0	18.517	20.771	22.7989	18.24	0.067	1.00	Pass
	LCH	QP	135	67	12	0	18.504	20.804	22.8148	18.25	0.067	1.00	Pass
			1	271	1	49	17.959	20.980	22.7373	18.06	0.064	1.00	Pass
	MCH	SK	135	67	12	0	18.542	20.791	22.8208	18.26	0.067	1.00	Pass
			135	67	12	0	18.542	20.791	22.8208	18.26	0.067	1.00	Pass
	HCH	16	1	1	1	0	18.622	20.665	22.7728	18.25	0.067	1.00	Pass
			25	12	8	0	18.478	20.773	22.7857	18.22	0.066	1.00	Pass

	LCH	16	1	1	1	0	18.628	20.631	22.7543	18.24	0.067	1.00	Pass
			135	67	12	0	18.594	20.749	22.8141	18.27	0.067	1.00	Pass
	MCH	QA	135	67	12	0	18.598	20.800	22.8474	18.30	0.068	1.00	Pass
	HCH		1	271	1	49	17.887	20.999	22.7263	18.03	0.064	1.00	Pass
		M	135	67	12	0	18.592	20.803	22.8470	18.29	0.068	1.00	Pass
	LCH	64	1	1	1	0	18.723	20.652	22.8040	18.30	0.068	1.00	Pass
			135	67	12	0	18.625	20.794	22.8538	18.31	0.068	1.00	Pass
	MCH	QA	135	67	12	0	18.52	20.786	22.8094	18.25	0.067	1.00	Pass
	HCH		1	271	1	49	18.196	21.019	22.8432	18.19	0.066	1.00	Pass
		M	135	67	12	0	18.584	20.775	22.8265	18.28	0.067	1.00	Pass
	LCH	256	1	1	1	0	18.571	20.658	22.7490	18.22	0.066	1.00	Pass
			135	67	12	0	18.643	20.750	22.8333	18.30	0.068	1.00	Pass
	MCH	QA	135	67	12	0	18.666	20.795	22.8700	18.33	0.068	1.00	Pass
	HCH		1	271	1	49	18.092	21.007	22.7999	18.13	0.065	1.00	Pass
		M	135	67	12	0	18.68	20.775	22.8629	18.33	0.068	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	16.579	20.654	22.0882	17.24	0.053	1.00	Pass
			25	12	8	0	16.528	20.779	22.1644	17.30	0.054	1.00	Pass
	MCH		25	12	8	0	16.505	20.726	22.1196	17.25	0.053	1.00	Pass
	HCH		1	49	1	24	16.571	20.877	22.2474	17.37	0.055	1.00	Pass
			25	12	8	0	16.579	20.750	22.1574	17.30	0.054	1.00	Pass
	LCH	QP SK	1	1	1	0	16.604	20.614	22.0666	17.23	0.053	1.00	Pass
			25	12	8	0	16.567	20.742	22.1483	17.29	0.054	1.00	Pass
	MCH		25	12	8	0	16.579	20.724	22.1386	17.28	0.054	1.00	Pass
	HCH		1	49	1	24	16.563	20.930	22.2840	17.40	0.055	1.00	Pass
			25	12	8	0	16.575	20.714	22.1303	17.28	0.053	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.453	20.633	22.0379	17.18	0.052	1.00	Pass
			25	12	8	0	16.607	20.741	22.1587	17.31	0.054	1.00	Pass
	MCH		25	12	8	0	16.652	20.746	22.1748	17.33	0.054	1.00	Pass
	HCH		1	49	1	24	16.398	20.888	22.2094	17.31	0.054	1.00	Pass
			25	12	8	0	16.609	20.722	22.1455	17.30	0.054	1.00	Pass
	LCH	64 QA M	1	1	1	0	16.669	20.671	22.1258	17.29	0.054	1.00	Pass
			25	12	8	0	16.683	20.762	22.1951	17.35	0.054	1.00	Pass
	MCH		25	12	8	0	16.7	20.788	22.2185	17.37	0.055	1.00	Pass
	HCH		1	49	1	24	16.67	20.914	22.3013	17.43	0.055	1.00	Pass
			25	12	8	0	16.683	20.701	22.1513	17.32	0.054	1.00	Pass
	LCH	256 QA M	1	1	1	0	16.667	20.645	22.1067	17.28	0.053	1.00	Pass
			25	12	8	0	16.511	20.752	22.1401	17.27	0.053	1.00	Pass
	MCH		25	12	8	0	16.399	20.740	22.1010	17.22	0.053	1.00	Pass
	HCH		1	49	1	24	16.606	20.919	22.2876	17.41	0.055	1.00	Pass
			25	12	8	0	16.403	20.738	22.1006	17.22	0.053	1.00	Pass
10MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	17.025	20.632	22.2030	17.43	0.055	1.00	Pass
			135	67	12	0	16.545	20.767	22.1603	17.30	0.054	1.00	Pass
	MCH		135	67	12	0	16.572	20.786	22.1815	17.32	0.054	1.00	Pass
	HCH		1	271	1	49	17.004	21.004	22.4594	17.63	0.058	1.00	Pass
			135	67	12	0	16.566	20.756	22.1581	17.30	0.054	1.00	Pass
	LCH	QP SK	1	1	1	0	17.006	20.635	22.1993	17.42	0.055	1.00	Pass
			135	67	12	0	16.636	20.791	22.2028	17.35	0.054	1.00	Pass
	MCH		135	67	12	0	16.646	20.801	22.2128	17.36	0.054	1.00	Pass
	HCH		1	271	1	49	17.028	21.014	22.4734	17.64	0.058	1.00	Pass
			135	67	12	0	16.592	20.769	22.1747	17.32	0.054	1.00	Pass

	LCH	16	1	1	1	0	16.944	20.603	22.1583	17.38	0.055	1.00	Pass
			135	67	12	0	16.709	20.776	22.2124	17.37	0.055	1.00	Pass
	MCH	QA	135	67	12	0	16.612	20.753	22.1687	17.32	0.054	1.00	Pass
			1	271	1	49	16.849	20.982	22.3999	17.55	0.057	1.00	Pass
	HCH	M	135	67	12	0	16.735	20.775	22.2191	17.38	0.055	1.00	Pass
			1	1	1	0	17.182	20.622	22.2444	17.50	0.056	1.00	Pass
	LCH	64	135	67	12	0	16.734	20.773	22.2173	17.38	0.055	1.00	Pass
			135	67	12	0	16.758	20.783	22.2313	17.40	0.055	1.00	Pass
	MCH	QA	135	67	12	0	16.758	20.783	22.2313	17.40	0.055	1.00	Pass
			1	271	1	49	17.137	21.001	22.4956	17.68	0.059	1.00	Pass
	HCH	M	135	67	12	0	16.731	20.774	22.2172	17.38	0.055	1.00	Pass
			1	1	1	0	17.105	20.648	22.2385	17.48	0.056	1.00	Pass
	LCH	256	135	67	12	0	16.799	20.778	22.2394	17.41	0.055	1.00	Pass
			135	67	12	0	16.779	20.766	22.2251	17.39	0.055	1.00	Pass
	MCH	QA	135	67	12	0	16.779	20.766	22.2251	17.39	0.055	1.00	Pass
			1	271	1	49	17.066	20.986	22.4643	17.64	0.058	1.00	Pass
	HCH	M	135	67	12	0	16.766	20.778	22.2300	17.40	0.055	1.00	Pass
			135	67	12	0	16.766	20.778	22.2300	17.40	0.055	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n66A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	12.591	19.953	20.6849	20.48	0.112	1.00	Pass
			12	6	8	0	12.598	19.955	20.6877	20.48	0.112	1.00	Pass
	MCH		12	6	8	0	12.582	19.988	20.7131	20.51	0.113	1.00	Pass
	HCH		1	23	1	24	12.652	19.956	20.6970	20.49	0.112	1.00	Pass
		QP SK	12	6	8	0	12.594	19.994	20.7201	20.52	0.113	1.00	Pass
	LCH		1	1	1	0	12.528	19.895	20.6262	20.42	0.110	1.00	Pass
			12	6	8	0	12.65	20.021	20.7515	20.55	0.113	1.00	Pass
	MCH		12	6	8	0	12.644	19.983	20.7185	20.51	0.113	1.00	Pass
	HCH		1	23	1	24	12.63	20.013	20.7417	20.54	0.113	1.00	Pass
		16 QA M	12	6	8	0	12.65	20.018	20.7490	20.54	0.113	1.00	Pass
	LCH		1	1	1	0	12.364	19.961	20.6573	20.47	0.111	1.00	Pass
			12	6	8	0	12.622	20.012	20.7396	20.54	0.113	1.00	Pass
	MCH		12	6	8	0	12.611	20.055	20.7743	20.58	0.114	1.00	Pass
	HCH		1	23	1	24	12.445	20.049	20.7443	20.56	0.114	1.00	Pass
		64 QA M	12	6	8	0	12.596	20.006	20.7305	20.53	0.113	1.00	Pass
	LCH		1	1	1	0	12.66	19.943	20.6873	20.48	0.112	1.00	Pass
			12	6	8	0	12.663	20.025	20.7569	20.55	0.114	1.00	Pass
	MCH		12	6	8	0	12.647	20.021	20.7511	20.55	0.113	1.00	Pass
	HCH		1	23	1	24	12.716	20.045	20.7821	20.57	0.114	1.00	Pass
		256 QA M	12	6	8	0	12.652	19.986	20.7223	20.52	0.113	1.00	Pass
	LCH		1	1	1	0	12.334	19.903	20.6035	20.41	0.110	1.00	Pass
			12	6	8	0	12.355	19.968	20.6619	20.48	0.112	1.00	Pass
	MCH		12	6	8	0	12.396	19.955	20.6570	20.47	0.111	1.00	Pass
	HCH		1	23	1	24	12.397	20.036	20.7261	20.54	0.113	1.00	Pass
			12	6	8	0	12.375	20.004	20.6956	20.51	0.112	1.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	12.358	19.926	20.6266	20.44	0.111	1.00	Pass
			108	54	18	0	12.561	20.024	20.7404	20.54	0.113	1.00	Pass
	MCH		108	54	18	0	12.615	19.990	20.7199	20.52	0.113	1.00	Pass
	HCH		1	214	1	99	12.619	20.006	20.7341	20.53	0.113	1.00	Pass
		QP SK	108	54	18	0	12.615	20.000	20.7284	20.53	0.113	1.00	Pass
	LCH		1	1	1	0	12.324	19.919	20.6156	20.43	0.110	1.00	Pass
			108	54	18	0	12.604	20.011	20.7360	20.53	0.113	1.00	Pass
	MCH		108	54	18	0	12.624	19.992	20.7230	20.52	0.113	1.00	Pass
	HCH		1	214	1	99	12.611	20.010	20.7362	20.53	0.113	1.00	Pass
			108	54	18	0	12.599	20.011	20.7352	20.53	0.113	1.00	Pass

	LCH	16	1	1	1	0	12.157	19.909	20.5827	20.41	0.110	1.00	Pass
			108	54	18	0	12.631	19.997	20.7283	20.52	0.113	1.00	Pass
	MCH	QA	108	54	18	0	12.618	20.004	20.7322	20.53	0.113	1.00	Pass
			1	214	1	99	12.438	20.061	20.7535	20.57	0.114	1.00	Pass
	HCH	M	108	54	18	0	12.654	20.031	20.7606	20.56	0.114	1.00	Pass
			1	1	1	0	12.403	19.881	20.5951	20.40	0.110	1.00	Pass
	LCH	64	108	54	18	0	12.606	20.051	20.7702	20.57	0.114	1.00	Pass
			108	54	18	0	12.608	20.024	20.7476	20.55	0.113	1.00	Pass
	MCH	QA	108	54	18	0	12.608	20.024	20.7476	20.55	0.113	1.00	Pass
			1	214	1	99	12.694	20.017	20.7550	20.55	0.113	1.00	Pass
	HCH	M	108	54	18	0	12.639	20.017	20.7465	20.54	0.113	1.00	Pass
			1	1	1	0	12.046	19.897	20.5566	20.39	0.109	1.00	Pass
	LCH	256	108	54	18	0	12.443	20.013	20.7133	20.52	0.113	1.00	Pass
			108	54	18	0	12.473	19.976	20.6864	20.49	0.112	1.00	Pass
	MCH	QA	108	54	18	0	12.473	19.976	20.6864	20.49	0.112	1.00	Pass
			1	214	1	99	12.244	19.991	20.6654	20.49	0.112	1.00	Pass
	HCH	M	108	54	18	0	12.467	20.016	20.7195	20.53	0.113	1.00	Pass
			108	54	18	0	12.467	20.016	20.7195	20.53	0.113	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.821	19.959	22.4375	19.79	0.095	1.00	Pass
			25	12	8	0	18.87	19.978	22.4695	19.82	0.096	1.00	Pass
	MCH	BP SK	25	12	8	0	18.852	19.985	22.4656	19.81	0.096	1.00	Pass
			1	49	1	24	18.842	20.014	22.4777	19.83	0.096	1.00	Pass
	HCH		25	12	8	0	18.859	20.010	22.4828	19.83	0.096	1.00	Pass
			1	1	1	0	18.919	19.963	22.4826	19.83	0.096	1.00	Pass
	LCH	QP SK	25	12	8	0	18.711	19.952	22.3860	19.74	0.094	1.00	Pass
			25	12	8	0	18.757	20.006	22.4365	19.79	0.095	1.00	Pass
	MCH		1	49	1	24	18.948	20.015	22.5245	19.87	0.097	1.00	Pass
			25	12	8	0	18.801	19.981	22.4413	19.79	0.095	1.00	Pass
	HCH		1	1	1	0	18.654	19.958	22.3651	19.72	0.094	1.00	Pass
			25	12	8	0	18.892	19.984	22.4825	19.83	0.096	1.00	Pass
	LCH	16 QA M	25	12	8	0	18.814	19.976	22.4440	19.79	0.095	1.00	Pass
			1	49	1	24	18.714	20.000	22.4147	19.77	0.095	1.00	Pass
	MCH		25	12	8	0	18.85	19.967	22.4546	19.80	0.096	1.00	Pass
			1	1	1	0	18.864	19.959	22.4562	19.80	0.096	1.00	Pass
	HCH	64 QA M	25	12	8	0	18.87	19.969	22.4645	19.81	0.096	1.00	Pass
			25	12	8	0	18.934	20.017	22.5195	19.87	0.097	1.00	Pass
	LCH		1	49	1	24	18.816	20.040	22.4813	19.83	0.096	1.00	Pass
			25	12	8	0	18.99	20.044	22.5592	19.91	0.098	1.00	Pass
	MCH	256 QA M	1	1	1	0	17.79	19.902	21.9834	19.36	0.086	1.00	Pass
			25	12	8	0	17.544	19.966	21.9320	19.32	0.086	1.00	Pass
	HCH		25	12	8	0	17.508	20.061	21.9798	19.37	0.087	1.00	Pass
			1	49	1	24	17.804	20.012	22.0571	19.44	0.088	1.00	Pass
	LCH		25	12	8	0	17.527	19.981	21.9354	19.33	0.086	1.00	Pass
			1	1	1	0	18.85	19.874	22.4024	19.75	0.094	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	135	67	18	0	18.891	20.029	22.5075	19.86	0.097	1.00	Pass
			1	271	1	99	18.472	19.978	22.3003	19.66	0.093	1.00	Pass
	MCH	BP SK	135	67	18	0	18.741	20.015	22.4348	19.79	0.095	1.00	Pass
			135	67	18	0	18.92	20.028	22.5195	19.87	0.097	1.00	Pass
	HCH		1	1	1	0	18.767	19.882	22.3705	19.72	0.094	1.00	Pass
			135	67	18	0	18.933	20.014	22.5173	19.86	0.097	1.00	Pass
	LCH	QP SK	135	67	18	0	18.917	20.009	22.5075	19.86	0.097	1.00	Pass
			1	271	1	99	18.378	20.012	22.2817	19.65	0.092	1.00	Pass
	MCH		135	67	18	0	18.945	20.052	22.5440	19.89	0.098	1.00	Pass
			135	67	18	0	18.945	20.052	22.5440	19.89	0.098	1.00	Pass
	HCH		135	67	18	0	18.945	20.052	22.5440	19.89	0.098	1.00	Pass
			135	67	18	0	18.945	20.052	22.5440	19.89	0.098	1.00	Pass

	LCH	16	1	1	1	0	18.68	19.916	22.3521	19.70	0.093	1.00	Pass
			135	67	18	0	19.006	20.044	22.5662	19.91	0.098	1.00	Pass
	MCH	QA	135	67	18	0	19.069	20.029	22.5858	19.93	0.098	1.00	Pass
			1	271	1	99	18.326	20.003	22.2552	19.62	0.092	1.00	Pass
	HCH	M	135	67	18	0	19.04	19.999	22.5562	19.90	0.098	1.00	Pass
			1	1	1	0	19.007	19.926	22.5011	19.84	0.096	1.00	Pass
	LCH	64	135	67	18	0	19.026	20.012	22.5572	19.90	0.098	1.00	Pass
			135	67	18	0	19.043	20.048	22.5848	19.93	0.098	1.00	Pass
	MCH	QA	135	67	18	0	19.043	20.048	22.5848	19.93	0.098	1.00	Pass
			1	271	1	99	18.651	20.016	22.3972	19.75	0.094	1.00	Pass
	HCH	M	135	67	18	0	19.044	20.024	22.5719	19.92	0.098	1.00	Pass
			1	1	1	0	17.814	19.933	22.0118	19.39	0.087	1.00	Pass
	LCH	256	135	67	18	0	17.928	20.041	22.1221	19.50	0.089	1.00	Pass
			135	67	18	0	17.951	19.992	22.1006	19.48	0.089	1.00	Pass
	MCH	QA	135	67	18	0	17.951	19.992	22.1006	19.48	0.089	1.00	Pass
			1	271	1	99	17.395	20.000	21.9003	19.30	0.085	1.00	Pass
	HCH	M	135	67	18	0	17.995	20.011	22.1292	19.51	0.089	1.00	Pass
			135	67	18	0	17.995	20.011	22.1292	19.51	0.089	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.472	19.973	21.5764	19.00	0.079	1.00	Pass
			25	12	8	0	16.436	20.030	21.6049	19.03	0.080	1.00	Pass
	MCH	BP SK	25	12	8	0	16.441	20.028	21.6051	19.03	0.080	1.00	Pass
	HCH		1	49	1	24	16.423	20.071	21.6296	19.06	0.080	1.00	Pass
			25	12	8	0	16.443	19.989	21.5786	19.00	0.079	1.00	Pass
	LCH	QP SK	1	1	1	0	16.498	19.997	21.6010	19.02	0.080	1.00	Pass
			25	12	8	0	16.41	20.049	21.6103	19.04	0.080	1.00	Pass
	MCH		25	12	8	0	16.423	20.025	21.5975	19.02	0.080	1.00	Pass
	HCH		1	49	1	24	16.448	20.022	21.6030	19.03	0.080	1.00	Pass
			25	12	8	0	16.326	20.011	21.5585	18.99	0.079	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.341	19.990	21.5483	18.98	0.079	1.00	Pass
			25	12	8	0	16.454	20.029	21.6097	19.04	0.080	1.00	Pass
	MCH		25	12	8	0	16.437	20.011	21.5920	19.02	0.080	1.00	Pass
	HCH		1	49	1	24	16.304	20.027	21.5631	18.99	0.079	1.00	Pass
			25	12	8	0	16.43	20.057	21.6219	19.05	0.080	1.00	Pass
	LCH	64 QA M	1	1	1	0	16.606	20.001	21.6374	19.06	0.080	1.00	Pass
			25	12	8	0	16.488	19.990	21.5931	19.02	0.080	1.00	Pass
	MCH		25	12	8	0	16.529	20.037	21.6383	19.06	0.081	1.00	Pass
	HCH		1	49	1	24	16.547	20.055	21.6563	19.08	0.081	1.00	Pass
			25	12	8	0	16.484	20.060	21.6404	19.07	0.081	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.424	19.951	21.2627	18.71	0.074	1.00	Pass
			25	12	8	0	15.11	20.006	21.2245	18.69	0.074	1.00	Pass
	MCH		25	12	8	0	15.133	20.015	21.2370	18.70	0.074	1.00	Pass
	HCH		1	49	1	24	15.361	20.005	21.2865	18.74	0.075	1.00	Pass
			25	12	8	0	15.158	20.068	21.2831	18.74	0.075	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	17.169	19.930	21.7756	19.18	0.083	1.00	Pass
			135	67	18	0	16.549	20.022	21.6341	19.06	0.080	1.00	Pass
	MCH		135	67	18	0	16.541	20.041	21.6447	19.07	0.081	1.00	Pass
	HCH		1	271	1	99	16.705	19.998	21.6667	19.08	0.081	1.00	Pass
			135	67	18	0	16.503	20.041	21.6330	19.06	0.080	1.00	Pass
	LCH	QP SK	1	1	1	0	17.159	19.908	21.7578	19.16	0.082	1.00	Pass
			135	67	18	0	16.57	20.040	21.6530	19.08	0.081	1.00	Pass
	MCH		135	67	18	0	16.56	20.054	21.6596	19.08	0.081	1.00	Pass
	HCH		1	271	1	99	16.715	20.001	21.6719	19.09	0.081	1.00	Pass
			135	67	18	0	16.606	20.025	21.6539	19.08	0.081	1.00	Pass

	LCH	16	1	1	1	0	17.08	19.967	21.7694	19.17	0.083	1.00	Pass
			135	67	18	0	16.664	20.041	21.6831	19.10	0.081	1.00	Pass
	MCH	QA	135	67	18	0	16.693	20.051	21.6991	19.12	0.082	1.00	Pass
			1	271	1	99	16.562	20.014	21.6326	19.05	0.080	1.00	Pass
	HCH	M	135	67	18	0	16.68	20.007	21.6649	19.08	0.081	1.00	Pass
			1	1	1	0	17.396	19.960	21.8748	19.27	0.085	1.00	Pass
	LCH	64	135	67	18	0	16.67	20.058	21.6966	19.12	0.082	1.00	Pass
			135	67	18	0	16.705	20.047	21.7001	19.12	0.082	1.00	Pass
	MCH	QA	135	67	18	0	16.705	20.047	21.7001	19.12	0.082	1.00	Pass
			1	271	1	99	16.886	20.027	21.7448	19.16	0.082	1.00	Pass
	HCH	M	135	67	18	0	16.696	20.042	21.6939	19.11	0.082	1.00	Pass
			1	1	1	0	16.129	19.918	21.4345	18.87	0.077	1.00	Pass
	LCH	256	135	67	18	0	15.572	20.058	21.3805	18.83	0.076	1.00	Pass
			135	67	18	0	15.614	20.019	21.3629	18.81	0.076	1.00	Pass
	MCH	QA	135	67	18	0	15.614	20.019	21.3629	18.81	0.076	1.00	Pass
			1	271	1	99	15.668	20.017	21.3759	18.82	0.076	1.00	Pass
	HCH	M	135	67	18	0	15.616	20.045	21.3825	18.83	0.076	1.00	Pass
			135	67	18	0	15.616	20.045	21.3825	18.83	0.076	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_38A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.805	19.625	22.2446	19.58	0.091	1.00	Pass
			25	12	8	0	18.672	19.661	22.2049	19.55	0.090	1.00	Pass
	MCH	BP SK	25	12	8	0	18.794	19.651	22.2539	19.59	0.091	1.00	Pass
	HCH		1	49	1	24	18.793	19.718	22.2904	19.63	0.092	1.00	Pass
			25	12	8	0	18.667	19.632	22.1865	19.53	0.090	1.00	Pass
	LCH	QP SK	1	1	1	0	18.853	19.636	22.2724	19.61	0.091	1.00	Pass
			25	12	8	0	18.52	19.686	22.1523	19.50	0.089	1.00	Pass
	MCH		25	12	8	0	18.741	19.659	22.2345	19.58	0.091	1.00	Pass
	HCH		1	49	1	24	18.848	19.783	22.3509	19.69	0.093	1.00	Pass
			25	12	8	0	18.731	19.637	22.2179	19.56	0.090	1.00	Pass
	LCH	16 QA M	1	1	1	0	18.633	19.580	22.1426	19.49	0.089	1.00	Pass
			25	12	8	0	18.725	19.660	22.2279	19.57	0.091	1.00	Pass
	MCH		25	12	8	0	18.803	19.679	22.2733	19.61	0.091	1.00	Pass
	HCH		1	49	1	24	18.588	19.703	22.1915	19.54	0.090	1.00	Pass
			25	12	8	0	18.826	19.662	22.2744	19.61	0.091	1.00	Pass
	LCH	64 QA M	1	1	1	0	18.896	19.554	22.2477	19.58	0.091	1.00	Pass
			25	12	8	0	18.899	19.629	22.2896	19.63	0.092	1.00	Pass
	MCH		25	12	8	0	18.794	19.624	22.2391	19.58	0.091	1.00	Pass
	HCH		1	49	1	24	19.085	19.783	22.4583	19.79	0.095	1.00	Pass
			25	12	8	0	18.813	19.643	22.2581	19.60	0.091	1.00	Pass
	LCH	256 QA M	1	1	1	0	17.511	19.544	21.6557	19.03	0.080	1.00	Pass
			25	12	8	0	17.45	19.652	21.6994	19.08	0.081	1.00	Pass
	MCH		25	12	8	0	17.529	19.662	21.7355	19.12	0.082	1.00	Pass
	HCH		1	49	1	24	17.582	19.728	21.7965	19.18	0.083	1.00	Pass
			25	12	8	0	17.499	19.661	21.7235	19.11	0.081	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	18.898	19.365	22.1481	19.47	0.089	1.00	Pass
			135	67	18	0	18.799	19.532	22.1912	19.53	0.090	1.00	Pass
	MCH	BP SK	135	67	18	0	18.826	19.578	22.2286	19.56	0.090	1.00	Pass
	HCH		1	271	1	99	18.443	19.782	22.1742	19.53	0.090	1.00	Pass
			135	67	18	0	18.858	19.560	22.2335	19.57	0.091	1.00	Pass
	LCH	QP SK	1	1	1	0	18.737	19.362	22.0710	19.40	0.087	1.00	Pass
			135	67	18	0	18.852	19.550	22.2253	19.56	0.090	1.00	Pass
	MCH		135	67	18	0	18.833	19.552	22.2177	19.55	0.090	1.00	Pass
	HCH		1	271	1	99	18.415	19.784	22.1635	19.52	0.090	1.00	Pass
			135	67	18	0	18.894	19.583	22.2624	19.60	0.091	1.00	Pass

	LCH	16	1	1	1	0	18.691	19.401	22.0708	19.41	0.087	1.00	Pass
			135	67	18	0	18.934	19.523	22.2488	19.58	0.091	1.00	Pass
	MCH	QA	135	67	18	0	18.942	19.555	22.2696	19.60	0.091	1.00	Pass
			1	271	1	99	18.261	19.812	22.1157	19.48	0.089	1.00	Pass
	HCH	M	135	67	18	0	18.954	19.574	22.2854	19.62	0.092	1.00	Pass
			1	1	1	0	19.367	19.366	22.3768	19.69	0.093	1.00	Pass
	LCH	64	135	67	18	0	18.911	19.562	22.2590	19.59	0.091	1.00	Pass
			135	67	18	0	18.944	19.554	22.2700	19.60	0.091	1.00	Pass
	MCH	QA	135	67	18	0	18.944	19.554	22.2700	19.60	0.091	1.00	Pass
			1	271	1	99	18.632	19.788	22.2586	19.61	0.091	1.00	Pass
	HCH	M	135	67	18	0	18.902	19.542	22.2441	19.58	0.091	1.00	Pass
			1	1	1	0	17.68	19.408	21.6397	19.01	0.080	1.00	Pass
	LCH	256	135	67	18	0	17.922	19.761	21.9484	19.32	0.086	1.00	Pass
			135	67	18	0	17.901	19.581	21.8320	19.20	0.083	1.00	Pass
	MCH	QA	135	67	18	0	17.901	19.581	21.8320	19.20	0.083	1.00	Pass
			1	271	1	99	17.268	19.768	21.7058	19.10	0.081	1.00	Pass
	HCH	M	135	67	18	0	17.93	19.549	21.8248	19.19	0.083	1.00	Pass
			135	67	18	0	17.93	19.549	21.8248	19.19	0.083	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_38A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.467	19.587	21.3117	18.72	0.075	1.00	Pass
			25	12	8	0	16.401	19.638	21.3247	18.74	0.075	1.00	Pass
	MCH	BP SK	25	12	8	0	16.424	19.652	21.3416	18.76	0.075	1.00	Pass
	HCH		1	49	1	24	16.421	19.780	21.4278	18.85	0.077	1.00	Pass
			25	12	8	0	16.398	19.677	21.3502	18.77	0.075	1.00	Pass
	LCH	QP SK	1	1	1	0	16.488	19.581	21.3145	18.73	0.075	1.00	Pass
			25	12	8	0	16.414	19.643	21.3322	18.75	0.075	1.00	Pass
	MCH		25	12	8	0	16.445	19.674	21.3632	18.78	0.075	1.00	Pass
	HCH		1	49	1	24	16.444	19.750	21.4146	18.83	0.076	1.00	Pass
			25	12	8	0	16.428	19.663	21.3503	18.77	0.075	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.325	19.566	21.2514	18.67	0.074	1.00	Pass
			25	12	8	0	16.379	19.642	21.3203	18.74	0.075	1.00	Pass
	MCH		25	12	8	0	16.392	19.685	21.3537	18.77	0.075	1.00	Pass
	HCH		1	49	1	24	16.296	19.743	21.3632	18.79	0.076	1.00	Pass
			25	12	8	0	16.42	19.669	21.3518	18.77	0.075	1.00	Pass
	LCH	64 QA M	1	1	1	0	16.586	19.627	21.3777	18.79	0.076	1.00	Pass
			25	12	8	0	16.524	19.663	21.3814	18.79	0.076	1.00	Pass
	MCH		25	12	8	0	16.533	19.666	21.3864	18.80	0.076	1.00	Pass
	HCH		1	49	1	24	16.505	19.759	21.4402	18.86	0.077	1.00	Pass
			25	12	8	0	16.516	19.640	21.3633	18.78	0.075	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.314	19.637	21.0029	18.45	0.070	1.00	Pass
			25	12	8	0	15.167	19.605	20.9401	18.39	0.069	1.00	Pass
	MCH		25	12	8	0	15.094	19.654	20.9572	18.41	0.069	1.00	Pass
	HCH		1	49	1	24	15.266	19.731	21.0590	18.51	0.071	1.00	Pass
			25	12	8	0	15.148	19.634	20.9565	18.41	0.069	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	17.083	19.389	21.3976	18.78	0.076	1.00	Pass
			135	67	18	0	16.487	19.548	21.2921	18.70	0.074	1.00	Pass
	MCH		135	67	18	0	16.509	19.534	21.2900	18.70	0.074	1.00	Pass
	HCH		1	271	1	99	16.662	19.773	21.5006	18.91	0.078	1.00	Pass
			135	67	18	0	16.493	19.525	21.2787	18.69	0.074	1.00	Pass
	LCH	QP SK	1	1	1	0	17.188	19.390	21.4374	18.82	0.076	1.00	Pass
			135	67	18	0	16.566	19.594	21.3490	18.76	0.075	1.00	Pass
	MCH		135	67	18	0	16.57	19.583	21.3430	18.75	0.075	1.00	Pass
	HCH		1	271	1	99	16.66	19.805	21.5215	18.93	0.078	1.00	Pass
			135	67	18	0	16.485	19.583	21.3149	18.73	0.075	1.00	Pass

	LCH	16	1	1	1	0	17.016	19.393	21.3754	18.77	0.075	1.00	Pass
			135	67	18	0	16.627	19.574	21.3561	18.76	0.075	1.00	Pass
	MCH	QA	135	67	18	0	16.611	19.554	21.3375	18.74	0.075	1.00	Pass
			1	271	1	99	16.502	19.793	21.4623	18.88	0.077	1.00	Pass
	HCH	M	135	67	18	0	16.641	19.559	21.3509	18.76	0.075	1.00	Pass
			1	1	1	0	17.284	19.421	21.4929	18.87	0.077	1.00	Pass
	LCH	64	135	67	18	0	16.594	19.559	21.3351	18.74	0.075	1.00	Pass
			135	67	18	0	16.615	19.609	21.3754	18.78	0.076	1.00	Pass
	MCH	QA	135	67	18	0	16.615	19.609	21.3754	18.78	0.076	1.00	Pass
			1	271	1	99	16.814	19.814	21.5783	18.99	0.079	1.00	Pass
	HCH	M	135	67	18	0	16.642	19.549	21.3446	18.75	0.075	1.00	Pass
			1	1	1	0	16.072	19.371	21.0378	18.46	0.070	1.00	Pass
	LCH	256	135	67	18	0	15.627	19.579	21.0481	18.48	0.071	1.00	Pass
			135	67	18	0	15.598	19.567	21.0313	18.47	0.070	1.00	Pass
	MCH	QA	135	67	18	0	15.598	19.567	21.0313	18.47	0.070	1.00	Pass
			1	271	1	99	15.578	19.821	21.2086	18.65	0.073	1.00	Pass
	HCH	M	135	67	18	0	15.486	19.564	20.9973	18.44	0.070	1.00	Pass
			135	67	18	0	15.486	19.564	20.9973	18.44	0.070	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.999	19.557	22.2973	19.63	0.092	1.00	Pass
			12	6	8	0	19.027	19.628	22.3482	19.68	0.093	1.00	Pass
	MCH		12	6	8	0	19.037	19.629	22.3534	19.68	0.093	1.00	Pass
	HCH		1	22	1	24	18.962	19.728	22.3722	19.71	0.094	1.00	Pass
			12	6	8	0	19.025	19.674	22.3719	19.70	0.093	1.00	Pass
	LCH	QP SK	1	1	1	0	19.042	19.580	22.3296	19.66	0.092	1.00	Pass
			12	6	8	0	18.807	19.664	22.2669	19.61	0.091	1.00	Pass
	MCH		12	6	8	0	18.793	19.646	22.2507	19.59	0.091	1.00	Pass
	HCH		1	22	1	24	18.984	19.631	22.3298	19.66	0.093	1.00	Pass
			12	6	8	0	18.908	19.640	22.2997	19.64	0.092	1.00	Pass
	LCH	16 QA M	1	1	1	0	18.68	19.610	22.1801	19.52	0.090	1.00	Pass
			12	6	8	0	18.957	19.646	22.3254	19.66	0.092	1.00	Pass
	MCH		12	6	8	0	19	19.617	22.3297	19.66	0.092	1.00	Pass
	HCH		1	22	1	24	18.806	19.744	22.3106	19.65	0.092	1.00	Pass
			12	6	8	0	18.99	19.629	22.3315	19.66	0.093	1.00	Pass
	LCH	64 QA M	1	1	1	0	19.127	19.583	22.3713	19.70	0.093	1.00	Pass
			12	6	8	0	18.974	19.618	22.3182	19.65	0.092	1.00	Pass
	MCH		12	6	8	0	19.018	19.634	22.3472	19.68	0.093	1.00	Pass
	HCH		1	22	1	24	19.259	19.789	22.5424	19.87	0.097	1.00	Pass
			12	6	8	0	18.937	19.666	22.3271	19.66	0.093	1.00	Pass
	LCH	256 QA M	1	1	1	0	17.754	19.603	21.7865	19.16	0.082	1.00	Pass
			12	6	8	0	17.635	19.610	21.7441	19.12	0.082	1.00	Pass
	MCH		12	6	8	0	17.613	19.650	21.7601	19.14	0.082	1.00	Pass
	HCH		1	22	1	24	17.841	19.750	21.9099	19.28	0.085	1.00	Pass
			12	6	8	0	17.675	19.632	21.7731	19.15	0.082	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.982	19.399	22.2058	19.53	0.090	1.00	Pass
			135	67	18	0	19.031	19.598	22.3340	19.66	0.093	1.00	Pass
	MCH		135	67	18	0	19.037	19.584	22.3294	19.66	0.092	1.00	Pass
	HCH		1	271	1	99	18.624	19.769	22.2444	19.59	0.091	1.00	Pass
			135	67	18	0	19.02	19.579	22.3188	19.65	0.092	1.00	Pass
	LCH	QP SK	1	1	1	0	19.029	19.424	22.2413	19.57	0.090	1.00	Pass
			135	67	18	0	19.066	19.553	22.3266	19.65	0.092	1.00	Pass
	MCH		135	67	18	0	19.132	19.559	22.3610	19.69	0.093	1.00	Pass
	HCH		1	271	1	99	18.549	19.809	22.2348	19.59	0.091	1.00	Pass
			135	67	18	0	19.112	19.603	22.3747	19.70	0.093	1.00	Pass

	LCH	16	1	1	1	0	18.875	19.424	22.1685	19.50	0.089	1.00	Pass
			135	67	18	0	19.133	19.585	22.3752	19.70	0.093	1.00	Pass
	MCH	QA	135	67	18	0	19.125	19.580	22.3688	19.69	0.093	1.00	Pass
			1	271	1	99	18.427	19.811	22.1842	19.54	0.090	1.00	Pass
	HCH	M	135	67	18	0	19.145	19.580	22.3782	19.70	0.093	1.00	Pass
			1	1	1	0	19.15	19.415	22.2948	19.61	0.092	1.00	Pass
	LCH	64	135	67	18	0	19.117	19.592	22.3713	19.70	0.093	1.00	Pass
			135	67	18	0	19.103	19.586	22.3615	19.69	0.093	1.00	Pass
	MCH	QA	135	67	18	0	19.103	19.586	22.3615	19.69	0.093	1.00	Pass
			1	271	1	99	18.726	19.809	22.3115	19.66	0.092	1.00	Pass
	HCH	M	135	67	18	0	19.153	19.574	22.3789	19.70	0.093	1.00	Pass
			1	1	1	0	17.836	19.385	21.6895	19.05	0.080	1.00	Pass
	LCH	256	135	67	18	0	18.107	19.585	21.9189	19.28	0.085	1.00	Pass
			135	67	18	0	18.145	19.569	21.9254	19.28	0.085	1.00	Pass
	MCH	QA	135	67	18	0	18.145	19.569	21.9254	19.28	0.085	1.00	Pass
			1	271	1	99	17.472	19.816	21.8106	19.20	0.083	1.00	Pass
	HCH	M	135	67	18	0	18.144	19.544	21.9105	19.27	0.084	1.00	Pass
			135	67	18	0	18.144	19.544	21.9105	19.27	0.084	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.547	19.556	22.0910	19.44	0.088	1.00	Pass
			12	6	8	0	18.64	19.611	22.1629	19.51	0.089	1.00	Pass
	MCH		12	6	8	0	18.631	19.653	22.1823	19.53	0.090	1.00	Pass
	HCH		1	22	1	24	18.637	19.756	22.2427	19.59	0.091	1.00	Pass
			12	6	8	0	18.625	19.638	22.1713	19.52	0.089	1.00	Pass
	LCH	QP SK	1	1	1	0	18.554	19.539	22.0847	19.43	0.088	1.00	Pass
			12	6	8	0	18.555	19.649	22.1467	19.49	0.089	1.00	Pass
	MCH		12	6	8	0	18.46	19.643	22.1020	19.45	0.088	1.00	Pass
	HCH		1	22	1	24	18.642	19.663	22.1927	19.54	0.090	1.00	Pass
			12	6	8	0	18.597	19.632	22.1556	19.50	0.089	1.00	Pass
	LCH	16 QA M	1	1	1	0	18.431	19.529	22.0249	19.37	0.087	1.00	Pass
			12	6	8	0	18.569	19.629	22.1416	19.49	0.089	1.00	Pass
	MCH		12	6	8	0	18.62	19.626	22.1624	19.51	0.089	1.00	Pass
	HCH		1	22	1	24	18.509	19.700	22.1555	19.51	0.089	1.00	Pass
			12	6	8	0	18.58	19.643	22.1542	19.50	0.089	1.00	Pass
	LCH	64 QA M	1	1	1	0	18.67	19.612	22.1768	19.52	0.090	1.00	Pass
			12	6	8	0	18.665	19.617	22.1773	19.52	0.090	1.00	Pass
	MCH		12	6	8	0	18.609	19.625	22.1569	19.50	0.089	1.00	Pass
	HCH		1	22	1	24	18.707	19.596	22.1845	19.53	0.090	1.00	Pass
			12	6	8	0	18.685	19.650	22.2045	19.55	0.090	1.00	Pass
	LCH	256 QA M	1	1	1	0	17.429	19.591	21.6535	19.04	0.080	1.00	Pass
			12	6	8	0	17.355	19.565	21.6094	18.99	0.079	1.00	Pass
	MCH		12	6	8	0	17.284	19.633	21.6257	19.01	0.080	1.00	Pass
	HCH		1	22	1	24	17.542	19.715	21.7733	19.16	0.082	1.00	Pass
			12	6	8	0	17.348	19.616	21.6387	19.02	0.080	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.273	19.384	21.8742	19.22	0.084	1.00	Pass
			135	67	18	0	18.609	19.550	22.1152	19.46	0.088	1.00	Pass
	MCH		135	67	18	0	18.593	19.570	22.1192	19.46	0.088	1.00	Pass
	HCH		1	271	1	99	18.641	19.789	22.2631	19.61	0.091	1.00	Pass
			135	67	18	0	18.637	19.538	22.1211	19.46	0.088	1.00	Pass
	LCH	QP SK	1	1	1	0	18.209	19.432	21.8737	19.23	0.084	1.00	Pass
			135	67	18	0	18.666	19.569	22.1512	19.49	0.089	1.00	Pass
	MCH		135	67	18	0	18.694	19.572	22.1655	19.51	0.089	1.00	Pass
	HCH		1	271	1	99	18.612	19.785	22.2483	19.60	0.091	1.00	Pass
			135	67	18	0	18.693	19.540	22.1474	19.49	0.089	1.00	Pass

	LCH	16	1	1	1	0	18.151	19.411	21.8368	19.19	0.083	1.00	Pass
			135	67	18	0	18.781	19.536	22.1852	19.52	0.090	1.00	Pass
	MCH	QA	135	67	18	0	18.796	19.614	22.2345	19.57	0.091	1.00	Pass
			1	271	1	99	18.484	19.802	22.2031	19.56	0.090	1.00	Pass
	HCH	M	135	67	18	0	18.797	19.541	22.1952	19.53	0.090	1.00	Pass
			1	1	1	0	18.386	19.406	21.9362	19.28	0.085	1.00	Pass
	LCH	64	135	67	18	0	18.799	19.578	22.2162	19.55	0.090	1.00	Pass
			135	67	18	0	18.8	19.578	22.2167	19.55	0.090	1.00	Pass
	MCH	QA	135	67	18	0	18.8	19.578	22.2167	19.55	0.090	1.00	Pass
			1	271	1	99	18.727	19.825	22.3209	19.67	0.093	1.00	Pass
	HCH	M	135	67	18	0	18.757	19.581	22.1988	19.54	0.090	1.00	Pass
			1	1	1	0	17.28	19.429	21.4964	18.88	0.077	1.00	Pass
	LCH	256	135	67	18	0	17.737	19.595	21.7749	19.15	0.082	1.00	Pass
			135	67	18	0	17.748	19.532	21.7413	19.11	0.082	1.00	Pass
	MCH	QA	135	67	18	0	17.748	19.532	21.7413	19.11	0.082	1.00	Pass
			1	271	1	99	17.566	19.777	21.8210	19.21	0.083	1.00	Pass
	HCH	M	135	67	18	0	17.749	19.593	21.7784	19.15	0.082	1.00	Pass
			135	67	18	0	17.749	19.593	21.7784	19.15	0.082	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.843	19.536	22.2136	19.55	0.090	1.00	Pass
			25	12	8	0	18.744	19.658	22.2353	19.58	0.091	1.00	Pass
	MCH	BP SK	25	12	8	0	18.881	19.664	22.3004	19.64	0.092	1.00	Pass
	HCH		1	49	1	24	18.853	19.700	22.3074	19.65	0.092	1.00	Pass
			25	12	8	0	18.86	19.649	22.2827	19.62	0.092	1.00	Pass
	LCH	QP SK	1	1	1	0	18.966	19.622	22.3167	19.65	0.092	1.00	Pass
			25	12	8	0	18.716	19.653	22.2200	19.56	0.090	1.00	Pass
	MCH		25	12	8	0	18.698	19.633	22.2009	19.54	0.090	1.00	Pass
	HCH		1	49	1	24	18.927	19.683	22.3317	19.67	0.093	1.00	Pass
			25	12	8	0	18.787	19.652	22.2513	19.59	0.091	1.00	Pass
	LCH	16 QA M	1	1	1	0	18.611	19.576	22.1305	19.47	0.089	1.00	Pass
			25	12	8	0	18.824	19.687	22.2872	19.63	0.092	1.00	Pass
	MCH		25	12	8	0	18.905	19.632	22.2940	19.63	0.092	1.00	Pass
	HCH		1	49	1	24	18.668	19.745	22.2501	19.60	0.091	1.00	Pass
			25	12	8	0	18.806	19.671	22.2703	19.61	0.091	1.00	Pass
	LCH	64 QA M	1	1	1	0	18.89	19.558	22.2471	19.58	0.091	1.00	Pass
			25	12	8	0	18.922	19.677	22.3262	19.66	0.093	1.00	Pass
	MCH		25	12	8	0	18.828	19.645	22.2660	19.60	0.091	1.00	Pass
	HCH		1	49	1	24	18.806	19.711	22.2923	19.63	0.092	1.00	Pass
			25	12	8	0	18.908	19.644	22.3019	19.64	0.092	1.00	Pass
	LCH	256 QA M	1	1	1	0	17.747	19.587	21.7740	19.15	0.082	1.00	Pass
			25	12	8	0	17.53	19.657	21.7327	19.11	0.082	1.00	Pass
	MCH		25	12	8	0	17.459	19.647	21.6997	19.08	0.081	1.00	Pass
	HCH		1	49	1	24	17.741	19.708	21.8452	19.22	0.084	1.00	Pass
			25	12	8	0	17.548	19.689	21.7594	19.14	0.082	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	18.976	19.433	22.2208	19.55	0.090	1.00	Pass
			135	67	18	0	18.896	19.547	22.2440	19.58	0.091	1.00	Pass
	MCH		135	67	18	0	18.928	19.514	22.2412	19.57	0.091	1.00	Pass
	HCH		1	271	1	99	18.494	19.785	22.1976	19.55	0.090	1.00	Pass
			135	67	18	0	18.85	19.581	22.2412	19.58	0.091	1.00	Pass
	LCH	QP SK	1	1	1	0	18.926	19.427	22.1940	19.52	0.090	1.00	Pass
			135	67	18	0	18.952	19.571	22.2828	19.61	0.092	1.00	Pass
	MCH		135	67	18	0	18.986	19.581	22.3040	19.63	0.092	1.00	Pass
	HCH		1	271	1	99	18.568	19.789	22.2316	19.58	0.091	1.00	Pass
			135	67	18	0	19.023	19.581	22.3213	19.65	0.092	1.00	Pass

	LCH	16	1	1	1	0	18.799	19.448	22.1459	19.48	0.089	1.00	Pass
			135	67	18	0	19.031	19.578	22.3234	19.65	0.092	1.00	Pass
	MCH	QA	135	67	18	0	19.009	19.568	22.3078	19.64	0.092	1.00	Pass
			1	271	1	99	18.379	19.809	22.1629	19.52	0.090	1.00	Pass
	HCH	M	135	67	18	0	19.033	19.550	22.3095	19.64	0.092	1.00	Pass
			1	1	1	0	19.381	19.425	22.4134	19.73	0.094	1.00	Pass
	LCH	64	135	67	18	0	19.042	19.603	22.3419	19.67	0.093	1.00	Pass
			135	67	18	0	19.049	19.593	22.3398	19.67	0.093	1.00	Pass
	MCH	QA	135	67	18	0	19.049	19.593	22.3398	19.67	0.093	1.00	Pass
			1	271	1	99	18.685	19.816	22.2975	19.65	0.092	1.00	Pass
	HCH	M	135	67	18	0	19.036	19.607	22.3412	19.67	0.093	1.00	Pass
			1	1	1	0	17.943	19.408	21.7473	19.11	0.081	1.00	Pass
	LCH	256	135	67	18	0	17.964	19.585	21.8600	19.23	0.084	1.00	Pass
			135	67	18	0	17.994	19.577	21.8675	19.23	0.084	1.00	Pass
	MCH	QA	135	67	18	0	17.994	19.577	21.8675	19.23	0.084	1.00	Pass
			1	271	1	99	17.542	19.777	21.8120	19.20	0.083	1.00	Pass
	HCH	M	135	67	18	0	18.034	19.621	21.9099	19.27	0.085	1.00	Pass
			135	67	18	0	18.034	19.621	21.9099	19.27	0.085	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_41A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.468	19.574	21.3032	18.72	0.074	1.00	Pass
			25	12	8	0	16.404	19.639	21.3263	18.74	0.075	1.00	Pass
	MCH	BP SK	25	12	8	0	16.411	19.633	21.3245	18.74	0.075	1.00	Pass
	HCH		1	49	1	24	16.399	19.711	21.3737	18.79	0.076	1.00	Pass
			25	12	8	0	16.4	19.622	21.3135	18.73	0.075	1.00	Pass
	LCH	QP SK	1	1	1	0	16.475	19.540	21.2828	18.69	0.074	1.00	Pass
			25	12	8	0	16.434	19.641	21.3373	18.75	0.075	1.00	Pass
	MCH		25	12	8	0	16.378	19.623	21.3071	18.72	0.075	1.00	Pass
	HCH		1	49	1	24	16.438	19.710	21.3854	18.80	0.076	1.00	Pass
			25	12	8	0	16.354	19.622	21.2987	18.72	0.074	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.33	19.588	21.2679	18.68	0.074	1.00	Pass
			25	12	8	0	16.367	19.653	21.3239	18.74	0.075	1.00	Pass
	MCH		25	12	8	0	16.38	19.656	21.3301	18.75	0.075	1.00	Pass
	HCH		1	49	1	24	16.226	19.736	21.3367	18.76	0.075	1.00	Pass
			25	12	8	0	16.369	19.639	21.3151	18.73	0.075	1.00	Pass
	LCH	64 QA M	1	1	1	0	16.439	19.565	21.2877	18.70	0.074	1.00	Pass
			25	12	8	0	16.483	19.651	21.3600	18.77	0.075	1.00	Pass
	MCH		25	12	8	0	16.457	19.672	21.3657	18.78	0.076	1.00	Pass
	HCH		1	49	1	24	16.519	19.695	21.4014	18.82	0.076	1.00	Pass
			25	12	8	0	16.436	19.646	21.3414	18.76	0.075	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.356	19.557	20.9561	18.40	0.069	1.00	Pass
			25	12	8	0	15.136	19.620	20.9430	18.39	0.069	1.00	Pass
	MCH		25	12	8	0	15.12	19.618	20.9373	18.39	0.069	1.00	Pass
	HCH		1	49	1	24	15.273	19.706	21.0424	18.49	0.071	1.00	Pass
			25	12	8	0	15.134	19.663	20.9742	18.43	0.070	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	17.157	19.428	21.4496	18.84	0.076	1.00	Pass
			135	67	18	0	16.526	19.562	21.3144	18.72	0.075	1.00	Pass
	MCH		135	67	18	0	16.499	19.556	21.3014	18.71	0.074	1.00	Pass
	HCH		1	271	1	99	16.656	19.807	21.5215	18.93	0.078	1.00	Pass
			135	67	18	0	16.506	19.547	21.2977	18.71	0.074	1.00	Pass
	LCH	QP SK	1	1	1	0	17.169	19.368	21.4165	18.80	0.076	1.00	Pass
			135	67	18	0	16.569	19.561	21.3280	18.74	0.075	1.00	Pass
	MCH		135	67	18	0	16.569	19.560	21.3274	18.74	0.075	1.00	Pass
	HCH		1	271	1	99	16.668	19.779	21.5066	18.92	0.078	1.00	Pass
			135	67	18	0	16.555	19.558	21.3213	18.73	0.075	1.00	Pass

	LCH	16	1	1	1	0	16.995	19.393	21.3677	18.76	0.075	1.00	Pass
			135	67	18	0	16.619	19.532	21.3256	18.73	0.075	1.00	Pass
	MCH	QA	135	67	18	0	16.639	19.584	21.3668	18.77	0.075	1.00	Pass
			1	271	1	99	16.512	19.782	21.4581	18.87	0.077	1.00	Pass
	HCH	M	135	67	18	0	16.646	19.575	21.3632	18.77	0.075	1.00	Pass
			1	1	1	0	17.287	19.394	21.4773	18.86	0.077	1.00	Pass
	LCH	64	135	67	18	0	16.599	19.586	21.3547	18.76	0.075	1.00	Pass
			135	67	18	0	16.674	19.590	21.3826	18.79	0.076	1.00	Pass
	MCH	QA	135	67	18	0	16.674	19.590	21.3826	18.79	0.076	1.00	Pass
			1	271	1	99	16.997	19.766	21.6088	19.01	0.080	1.00	Pass
	HCH	M	135	67	18	0	16.665	19.565	21.3630	18.77	0.075	1.00	Pass
			1	1	1	0	16.114	19.446	21.1023	18.52	0.071	1.00	Pass
	LCH	256	135	67	18	0	15.621	19.565	21.0364	18.47	0.070	1.00	Pass
			135	67	18	0	15.592	19.585	21.0424	18.48	0.070	1.00	Pass
	MCH	QA	135	67	18	0	15.592	19.585	21.0424	18.48	0.070	1.00	Pass
			1	271	1	99	15.601	19.791	21.1931	18.64	0.073	1.00	Pass
	HCH	M	135	67	18	0	15.613	19.565	21.0341	18.47	0.070	1.00	Pass
			135	67	18	0	15.613	19.565	21.0341	18.47	0.070	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n38A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	9.665	19.842	22.3471	20.24	0.106	2.00	Pass
			25	12	8	0	10.165	19.987	22.6513	20.42	0.110	2.00	Pass
	MCH		25	12	8	0	10.179	19.999	22.6642	20.43	0.110	2.00	Pass
	HCH		1	49	1	24	10.274	19.980	22.6979	20.42	0.110	2.00	Pass
		QP SK	25	12	8	0	10.184	19.972	22.6519	20.41	0.110	2.00	Pass
	LCH		1	1	1	0	10.179	19.842	22.5799	20.29	0.107	2.00	Pass
			25	12	8	0	10.163	19.979	22.646	20.41	0.110	2.00	Pass
	MCH		25	12	8	0	10.203	20.004	22.6779	20.44	0.111	2.00	Pass
	HCH		1	49	1	24	10.2	20.000	22.6744	20.43	0.110	2.00	Pass
		16 QA M	25	12	8	0	10.139	19.973	22.6318	20.40	0.110	2.00	Pass
	LCH		1	1	1	0	10.014	19.783	22.4717	20.22	0.105	2.00	Pass
			25	12	8	0	10.075	19.982	22.6075	20.40	0.110	2.00	Pass
	MCH		25	12	8	0	10.135	19.963	22.6245	20.39	0.109	2.00	Pass
	HCH		1	49	1	24	10.142	20.058	22.6794	20.48	0.112	2.00	Pass
		64 QA M	25	12	8	0	10.097	19.978	22.6153	20.40	0.110	2.00	Pass
	LCH		1	1	1	0	10.35	19.874	22.6775	20.33	0.108	2.00	Pass
			25	12	8	0	10.201	19.978	22.663	20.41	0.110	2.00	Pass
	MCH		25	12	8	0	10.125	20.026	22.6542	20.45	0.111	2.00	Pass
	HCH		1	49	1	24	10.504	20.009	22.8215	20.47	0.111	2.00	Pass
		256 QA M	25	12	8	0	10.137	19.998	22.6444	20.42	0.110	2.00	Pass
	LCH		1	1	1	0	9.518	19.820	22.2708	20.21	0.105	2.00	Pass
			25	12	8	0	9.276	19.960	22.2501	20.32	0.108	2.00	Pass
	MCH		25	12	8	0	9.275	19.977	22.2598	20.33	0.108	2.00	Pass
	HCH		1	49	1	24	9.57	20.005	22.3989	20.38	0.109	2.00	Pass
		PI/2 BP SK	25	12	8	0	9.324	19.994	22.2899	20.35	0.108	2.00	Pass
	LCH		1	1	1	0	10.348	19.747	22.6104	20.22	0.105	2.00	Pass
			50	25	18	0	10.266	19.822	22.6103	20.28	0.107	2.00	Pass
	MCH		50	25	18	0	10.251	19.833	22.609	20.29	0.107	2.00	Pass
	HCH		1	104	1	99	10.185	19.978	22.6556	20.41	0.110	2.00	Pass
		QP SK	50	25	18	0	10.288	19.857	22.6391	20.31	0.107	2.00	Pass
	LCH		1	1	1	0	10.476	19.738	22.6681	20.22	0.105	2.00	Pass
			50	25	18	0	10.261	19.857	22.6264	20.31	0.107	2.00	Pass
	MCH		50	25	18	0	10.286	19.851	22.635	20.31	0.107	2.00	Pass
	HCH		1	104	1	99	10.33	20.013	22.7416	20.46	0.111	2.00	Pass
		16 QA M	50	25	18	0	10.253	19.884	22.6369	20.33	0.108	2.00	Pass
			50	25	18	0	10.253	19.884	22.6369	20.33	0.108	2.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	10.348	19.747	22.6104	20.22	0.105	2.00	Pass
			50	25	18	0	10.266	19.822	22.6103	20.28	0.107	2.00	Pass
	MCH		50	25	18	0	10.251	19.833	22.609	20.29	0.107	2.00	Pass
	HCH		1	104	1	99	10.185	19.978	22.6556	20.41	0.110	2.00	Pass
		QP SK	50	25	18	0	10.288	19.857	22.6391	20.31	0.107	2.00	Pass
	LCH		1	1	1	0	10.476	19.738	22.6681	20.22	0.105	2.00	Pass
			50	25	18	0	10.261	19.857	22.6264	20.31	0.107	2.00	Pass
	MCH		50	25	18	0	10.286	19.851	22.635	20.31	0.107	2.00	Pass
	HCH		1	104	1	99	10.33	20.013	22.7416	20.46	0.111	2.00	Pass
		16 QA M	50	25	18	0	10.253	19.884	22.6369	20.33	0.108	2.00	Pass
			50	25	18	0	10.253	19.884	22.6369	20.33	0.108	2.00	Pass

	LCH	16	1	1	1	0	10.143	19.716	22.4962	20.17	0.104	2.00	Pass
			50	25	18	0	10.178	19.841	22.5789	20.29	0.107	2.00	Pass
	MCH	QA	50	25	18	0	10.169	19.829	22.5683	20.27	0.107	2.00	Pass
			1	104	1	99	10.029	20.063	22.6314	20.47	0.112	2.00	Pass
	HCH	M	50	25	18	0	10.212	19.837	22.5927	20.29	0.107	2.00	Pass
			1	1	1	0	10.35	19.745	22.6103	20.22	0.105	2.00	Pass
	LCH	64	50	25	18	0	10.305	19.859	22.6482	20.32	0.108	2.00	Pass
			50	25	18	0	10.198	19.882	22.6101	20.33	0.108	2.00	Pass
	MCH	QA	50	25	18	0	10.198	19.882	22.6101	20.33	0.108	2.00	Pass
			1	104	1	99	10.129	20.005	22.6446	20.43	0.110	2.00	Pass
	HCH	M	50	25	18	0	10.284	19.856	22.6367	20.31	0.107	2.00	Pass
			1	1	1	0	9.655	19.714	22.2712	20.12	0.103	2.00	Pass
	LCH	256	50	25	18	0	9.708	19.844	22.3671	20.25	0.106	2.00	Pass
			50	25	18	0	9.702	19.851	22.3684	20.25	0.106	2.00	Pass
	MCH	QA	50	25	18	0	9.702	19.851	22.3684	20.25	0.106	2.00	Pass
			1	104	1	99	9.451	20.003	22.3477	20.37	0.109	2.00	Pass
	HCH	M	50	25	18	0	9.696	19.862	22.3719	20.26	0.106	2.00	Pass
			50	25	18	0	9.696	19.862	22.3719	20.26	0.106	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n41A													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	12.909	19.824	20.6284	20.63	0.116	1.00	Pass
			25	12	8	0	12.84	19.987	20.7530	20.75	0.119	1.00	Pass
	MCH	BP SK	25	12	8	0	12.877	19.988	20.7598	20.76	0.119	1.00	Pass
	HCH		1	49	1	24	12.98	20.021	20.8043	20.80	0.120	1.00	Pass
			25	12	8	0	12.925	19.994	20.7727	20.77	0.119	1.00	Pass
	LCH	QP SK	1	1	1	0	12.811	19.837	20.6228	20.62	0.115	1.00	Pass
			25	12	8	0	12.864	20.006	20.7728	20.77	0.119	1.00	Pass
	MCH		25	12	8	0	12.844	19.998	20.7629	20.76	0.119	1.00	Pass
	HCH		1	49	1	24	12.932	20.078	20.8441	20.84	0.121	1.00	Pass
			25	12	8	0	12.849	19.998	20.7637	20.76	0.119	1.00	Pass
	LCH	16 QA M	1	1	1	0	12.688	19.803	20.5742	20.57	0.114	1.00	Pass
			25	12	8	0	12.79	20.021	20.7735	20.77	0.119	1.00	Pass
	MCH		25	12	8	0	12.697	19.983	20.7268	20.73	0.118	1.00	Pass
	HCH		1	49	1	24	12.78	20.093	20.8326	20.83	0.121	1.00	Pass
			25	12	8	0	12.747	20.003	20.7515	20.75	0.119	1.00	Pass
	LCH	64 QA M	1	1	1	0	12.936	19.843	20.6487	20.65	0.116	1.00	Pass
			25	12	8	0	12.816	19.962	20.7281	20.73	0.118	1.00	Pass
	MCH		25	12	8	0	12.799	20.051	20.8002	20.80	0.120	1.00	Pass
	HCH		1	49	1	24	13.033	20.021	20.8131	20.81	0.121	1.00	Pass
			25	12	8	0	12.854	20.028	20.7896	20.79	0.120	1.00	Pass
	LCH	256 QA M	1	1	1	0	12.253	19.879	20.5710	20.57	0.114	1.00	Pass
			25	12	8	0	11.987	19.989	20.6276	20.63	0.116	1.00	Pass
	MCH		25	12	8	0	11.963	20.016	20.6477	20.65	0.116	1.00	Pass
	HCH		1	49	1	24	12.271	19.995	20.6727	20.67	0.117	1.00	Pass
			25	12	8	0	12.006	19.995	20.6354	20.64	0.116	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	13.511	19.729	20.6593	20.66	0.116	1.00	Pass
			135	67	18	0	13.094	19.871	20.6990	20.70	0.117	1.00	Pass
	MCH		135	67	18	0	13.119	19.874	20.7058	20.71	0.118	1.00	Pass
	HCH		1	271	1	99	12.722	20.025	20.7661	20.77	0.119	1.00	Pass
			135	67	18	0	13.13	19.865	20.7003	20.70	0.117	1.00	Pass
	LCH	QP SK	1	1	1	0	13.655	19.746	20.7011	20.70	0.118	1.00	Pass
			135	67	18	0	13.103	19.895	20.7204	20.72	0.118	1.00	Pass
	MCH		135	67	18	0	13.103	19.919	20.7402	20.74	0.119	1.00	Pass
	HCH		1	271	1	99	12.851	20.047	20.8051	20.81	0.120	1.00	Pass
			135	67	18	0	13.151	19.893	20.7271	20.73	0.118	1.00	Pass

	LCH	16	1	1	1	0	13.185	19.763	20.6262	20.63	0.116	1.00	Pass
			135	67	18	0	13.107	19.891	20.7178	20.72	0.118	1.00	Pass
	MCH	QA	135	67	18	0	13.131	19.916	20.7426	20.74	0.119	1.00	Pass
			1	271	1	99	12.444	20.093	20.7816	20.78	0.120	1.00	Pass
	HCH	M	135	67	18	0	13.109	19.897	20.7231	20.72	0.118	1.00	Pass
			1	1	1	0	13.46	19.732	20.6520	20.65	0.116	1.00	Pass
	LCH	64	135	67	18	0	13.122	19.884	20.7146	20.71	0.118	1.00	Pass
			135	67	18	0	13.116	19.881	20.7111	20.71	0.118	1.00	Pass
	MCH	QA	135	67	18	0	13.116	19.881	20.7111	20.71	0.118	1.00	Pass
			1	271	1	99	12.704	20.081	20.8106	20.81	0.121	1.00	Pass
	HCH	M	135	67	18	0	13.121	19.901	20.7285	20.73	0.118	1.00	Pass
			1	1	1	0	12.778	19.751	20.5456	20.55	0.113	1.00	Pass
	LCH	256	135	67	18	0	12.567	19.876	20.6162	20.62	0.115	1.00	Pass
			135	67	18	0	12.557	19.897	20.6324	20.63	0.116	1.00	Pass
	MCH	QA	135	67	18	0	12.557	19.897	20.6324	20.63	0.116	1.00	Pass
			1	271	1	99	11.923	20.047	20.6692	20.67	0.117	1.00	Pass
	HCH	M	135	67	18	0	12.594	19.869	20.6145	20.61	0.115	1.00	Pass
			135	67	18	0	12.594	19.869	20.6145	20.61	0.115	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.567	19.839	22.2597	22.26	0.168	1.00	Pass
			12	6	8	0	18.515	19.997	22.3292	22.33	0.171	1.00	Pass
	MCH		12	6	8	0	18.529	20.037	22.3584	22.36	0.172	1.00	Pass
	HCH		1	22	1	24	18.546	20.070	22.3848	22.38	0.173	1.00	Pass
		QP SK	12	6	8	0	18.533	20.000	22.3384	22.34	0.171	1.00	Pass
	LCH		1	1	1	0	18.58	19.882	22.2899	22.29	0.169	1.00	Pass
			12	6	8	0	18.371	19.971	22.2546	22.25	0.168	1.00	Pass
	MCH		12	6	8	0	18.409	20.013	22.2949	22.29	0.170	1.00	Pass
	HCH		1	22	1	24	18.603	19.998	22.3666	22.37	0.172	1.00	Pass
		16 QA M	12	6	8	0	18.456	20.003	22.3083	22.31	0.170	1.00	Pass
	LCH		1	1	1	0	18.448	19.897	22.2430	22.24	0.168	1.00	Pass
			12	6	8	0	18.566	20.004	22.3545	22.35	0.172	1.00	Pass
	MCH		12	6	8	0	18.518	19.992	22.3275	22.33	0.171	1.00	Pass
	HCH		1	22	1	24	18.384	20.085	22.3276	22.33	0.171	1.00	Pass
		64 QA M	12	6	8	0	18.537	20.027	22.3559	22.36	0.172	1.00	Pass
	LCH		1	1	1	0	18.726	19.925	22.3770	22.38	0.173	1.00	Pass
			12	6	8	0	18.44	20.073	22.3431	22.34	0.172	1.00	Pass
	MCH		12	6	8	0	18.681	20.001	22.4013	22.40	0.174	1.00	Pass
	HCH		1	22	1	24	18.663	20.042	22.4173	22.42	0.174	1.00	Pass
		256 QA M	12	6	8	0	18.606	20.011	22.3754	22.38	0.173	1.00	Pass
	LCH		1	1	1	0	17.527	19.831	21.8403	21.84	0.153	1.00	Pass
			12	6	8	0	17.304	19.960	21.8423	21.84	0.153	1.00	Pass
	MCH		12	6	8	0	17.229	19.994	21.8382	21.84	0.153	1.00	Pass
	HCH		1	22	1	24	17.255	20.057	21.8885	21.89	0.154	1.00	Pass
			12	6	8	0	17.212	20.032	21.8573	21.86	0.153	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.601	19.726	22.2101	22.21	0.166	1.00	Pass
			135	67	18	0	18.601	19.869	22.2914	22.29	0.169	1.00	Pass
	MCH		135	67	18	0	18.589	19.882	22.2937	22.29	0.170	1.00	Pass
	HCH		1	271	1	99	17.983	19.904	22.0592	22.06	0.161	1.00	Pass
		QP SK	135	67	18	0	18.619	19.866	22.2974	22.30	0.170	1.00	Pass
	LCH		1	1	1	0	18.497	19.723	22.1634	22.16	0.165	1.00	Pass
			135	67	18	0	18.649	19.873	22.3143	22.31	0.170	1.00	Pass
	MCH		135	67	18	0	18.697	19.854	22.3242	22.32	0.171	1.00	Pass
	HCH		1	271	1	99	17.958	19.957	22.0818	22.08	0.162	1.00	Pass
			135	67	18	0	18.671	19.856	22.3141	22.31	0.170	1.00	Pass

	LCH	16	1	1	1	0	18.396	19.748	22.1347	22.13	0.163	1.00	Pass
			135	67	18	0	18.686	19.865	22.3257	22.33	0.171	1.00	Pass
	MCH	QA	135	67	18	0	18.723	19.870	22.3446	22.34	0.172	1.00	Pass
	HCH		1	271	1	99	17.842	19.941	22.0274	22.03	0.159	1.00	Pass
		M	135	67	18	0	18.756	19.872	22.3600	22.36	0.172	1.00	Pass
	LCH	64	1	1	1	0	18.791	19.719	22.2900	22.29	0.169	1.00	Pass
			135	67	18	0	18.625	19.886	22.3114	22.31	0.170	1.00	Pass
	MCH	QA	135	67	18	0	18.736	19.885	22.3587	22.36	0.172	1.00	Pass
	HCH		1	271	1	99	18.163	19.893	22.1239	22.12	0.163	1.00	Pass
		M	135	67	18	0	18.783	19.886	22.3797	22.38	0.173	1.00	Pass
	LCH	256	1	1	1	0	17.594	19.713	21.7918	21.79	0.151	1.00	Pass
			135	67	18	0	17.692	19.857	21.9183	21.92	0.156	1.00	Pass
	MCH	QA	135	67	18	0	17.739	19.882	21.9517	21.95	0.157	1.00	Pass
	HCH		1	271	1	99	16.962	19.944	21.7144	21.71	0.148	1.00	Pass
		M	135	67	18	0	17.712	19.850	21.9216	21.92	0.156	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n77A(3700-3980)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	18.562	19.871	22.2759	22.28	0.169	1.00	Pass
			12	6	8	0	18.608	19.998	22.3687	22.37	0.173	1.00	Pass
	MCH	BP	12	6	8	0	18.635	19.969	22.3633	22.36	0.172	1.00	Pass
			HCH	SK	1	22	1	24	18.622	20.024	22.3896	22.39	0.173
	12	6			8	0	18.638	20.020	22.3940	22.39	0.174	1.00	Pass
	LCH	QP SK	1	1	1	0	18.602	19.875	22.2953	22.30	0.170	1.00	Pass
			12	6	8	0	18.635	20.015	22.3899	22.39	0.173	1.00	Pass
	MCH		12	6	8	0	18.608	19.999	22.3693	22.37	0.173	1.00	Pass
			HCH	1	22	1	24	18.653	20.040	22.4119	22.41	0.174	1.00
	12			6	8	0	18.541	19.987	22.3342	22.33	0.171	1.00	Pass
	LCH		16	1	1	1	0	18.452	19.850	22.2173	22.22	0.167	1.00
		12		6	8	0	18.674	20.007	22.4017	22.40	0.174	1.00	Pass
	MCH	QA	12	6	8	0	18.582	19.995	22.3560	22.36	0.172	1.00	Pass
			HCH	M	1	22	1	24	18.486	20.091	22.3725	22.37	0.173
	12	6			8	0	18.635	19.968	22.3627	22.36	0.172	1.00	Pass
	LCH	64	1	1	1	0	18.692	19.886	22.3402	22.34	0.171	1.00	Pass
			12	6	8	0	18.787	19.984	22.4369	22.44	0.175	1.00	Pass
	MCH	QA	12	6	8	0	18.691	19.982	22.3946	22.39	0.174	1.00	Pass
			HCH	M	1	22	1	24	18.733	20.030	22.4400	22.44	0.175
	12	6			8	0	18.735	20.000	22.4237	22.42	0.175	1.00	Pass
	LCH	256	1	1	1	0	17.456	19.864	21.8351	21.84	0.153	1.00	Pass
			12	6	8	0	17.275	19.986	21.8490	21.85	0.153	1.00	Pass
	MCH	QA	12	6	8	0	17.303	20.021	21.8815	21.88	0.154	1.00	Pass
			HCH	M	1	22	1	24	17.626	20.042	22.0102	22.01	0.159
12	6	8			0	17.386	19.982	21.8854	21.89	0.154	1.00	Pass	
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	18.351	19.679	22.0759	22.08	0.161	1.00	Pass
			135	67	18	0	18.621	19.867	22.2988	22.30	0.170	1.00	Pass
	MCH	BP	135	67	18	0	18.613	19.828	22.2732	22.27	0.169	1.00	Pass
			HCH	SK	1	271	1	99	18.689	19.933	22.3657	22.37	0.172
	135	67			18	0	18.649	19.841	22.2961	22.30	0.170	1.00	Pass
	LCH	QP SK	1	1	1	0	18.336	19.693	22.0776	22.08	0.161	1.00	Pass
			135	67	18	0	18.691	19.852	22.3205	22.32	0.171	1.00	Pass
	MCH		135	67	18	0	18.681	19.832	22.3048	22.30	0.170	1.00	Pass
			HCH	1	271	1	99	18.649	19.962	22.3652	22.37	0.172	1.00
	135			67	18	0	18.719	19.809	22.3084	22.31	0.170	1.00	Pass

	LCH	16	1	1	1	0	18.218	19.660	22.0089	22.01	0.159	1.00	Pass
			135	67	18	0	18.8	19.870	22.3782	22.38	0.173	1.00	Pass
	MCH	QA	135	67	18	0	18.802	19.828	22.3555	22.36	0.172	1.00	Pass
	HCH		1	271	1	99	18.499	19.948	22.2940	22.29	0.170	1.00	Pass
		M	135	67	18	0	18.848	19.818	22.3703	22.37	0.173	1.00	Pass
	LCH	64	1	1	1	0	18.757	19.696	22.2621	22.26	0.168	1.00	Pass
			135	67	18	0	18.816	19.848	22.3729	22.37	0.173	1.00	Pass
	MCH	QA	135	67	18	0	18.812	19.875	22.3862	22.39	0.173	1.00	Pass
	HCH		1	271	1	99	19.003	19.925	22.4987	22.50	0.178	1.00	Pass
		M	135	67	18	0	18.83	19.850	22.3802	22.38	0.173	1.00	Pass
	LCH	256	1	1	1	0	17.319	19.723	21.6956	21.70	0.148	1.00	Pass
			135	67	18	0	17.765	19.856	21.9454	21.95	0.157	1.00	Pass
	MCH	QA	135	67	18	0	17.769	19.849	21.9427	21.94	0.156	1.00	Pass
	HCH		1	271	1	99	17.623	19.936	21.9420	21.94	0.156	1.00	Pass
		M	135	67	18	0	17.773	19.836	21.9362	21.94	0.156	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3450-3550)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	18.853	19.888	22.4116	22.41	0.174	1.00	Pass
			25	12	8	0	18.839	20.024	22.4821	22.48	0.177	1.00	Pass
	MCH	BP SK	25	12	8	0	18.835	20.006	22.4701	22.47	0.177	1.00	Pass
	HCH		1	49	1	24	18.857	20.047	22.5029	22.50	0.178	1.00	Pass
			25	12	8	0	18.871	20.003	22.4841	22.48	0.177	1.00	Pass
	LCH	QP SK	1	1	1	0	18.854	19.866	22.3997	22.40	0.174	1.00	Pass
			25	12	8	0	18.826	20.035	22.4827	22.48	0.177	1.00	Pass
	MCH		25	12	8	0	18.686	20.003	22.4045	22.40	0.174	1.00	Pass
	HCH		1	49	1	24	18.878	20.005	22.4883	22.49	0.177	1.00	Pass
			25	12	8	0	18.751	20.014	22.4386	22.44	0.175	1.00	Pass
	LCH	16 QA M	1	1	1	0	18.683	19.868	22.3261	22.33	0.171	1.00	Pass
			25	12	8	0	18.878	20.035	22.5052	22.51	0.178	1.00	Pass
	MCH		25	12	8	0	18.813	19.985	22.4487	22.45	0.176	1.00	Pass
	HCH		1	49	1	24	18.749	20.092	22.4825	22.48	0.177	1.00	Pass
			25	12	8	0	18.913	20.022	22.5131	22.51	0.178	1.00	Pass
	LCH	64 QA M	1	1	1	0	19.228	19.863	22.5674	22.57	0.181	1.00	Pass
			25	12	8	0	18.889	20.004	22.4925	22.49	0.178	1.00	Pass
	MCH		25	12	8	0	18.935	19.994	22.5070	22.51	0.178	1.00	Pass
	HCH		1	49	1	24	18.965	20.059	22.5567	22.56	0.180	1.00	Pass
			25	12	8	0	18.855	20.002	22.4766	22.48	0.177	1.00	Pass
	LCH	256 QA M	1	1	1	0	17.809	19.909	21.9950	22.00	0.158	1.00	Pass
			25	12	8	0	17.58	20.077	22.0158	22.02	0.159	1.00	Pass
	MCH		25	12	8	0	17.483	20.017	21.9426	21.94	0.156	1.00	Pass
	HCH		1	49	1	24	17.79	20.030	22.0631	22.06	0.161	1.00	Pass
			25	12	8	0	17.554	19.979	21.9439	21.94	0.156	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	18.819	19.768	22.3297	22.33	0.171	1.00	Pass
			135	67	18	0	18.867	19.876	22.4110	22.41	0.174	1.00	Pass
	MCH	BP SK	135	67	18	0	18.89	19.858	22.4112	22.41	0.174	1.00	Pass
	HCH		1	271	1	99	18.407	19.929	22.2446	22.24	0.168	1.00	Pass
			135	67	18	0	18.904	19.842	22.4086	22.41	0.174	1.00	Pass
	LCH	QP SK	1	1	1	0	18.615	19.736	22.2219	22.22	0.167	1.00	Pass
			135	67	18	0	18.908	19.876	22.4292	22.43	0.175	1.00	Pass
	MCH		135	67	18	0	18.891	19.867	22.4167	22.42	0.174	1.00	Pass
	HCH		1	271	1	99	18.34	19.900	22.2000	22.20	0.166	1.00	Pass
			135	67	18	0	18.943	19.845	22.4277	22.43	0.175	1.00	Pass

	LCH	16	1	1	1	0	18.653	19.679	22.2065	22.21	0.166	1.00	Pass
			135	67	18	0	18.896	19.831	22.3989	22.40	0.174	1.00	Pass
	MCH	QA	135	67	18	0	19.05	19.871	22.4902	22.49	0.177	1.00	Pass
	HCH		1	271	1	99	18.229	19.936	22.1761	22.18	0.165	1.00	Pass
		M	135	67	18	0	19.079	19.861	22.4979	22.50	0.178	1.00	Pass
	LCH	64	1	1	1	0	19.064	19.763	22.4378	22.44	0.175	1.00	Pass
			135	67	18	0	19.013	19.867	22.4713	22.47	0.177	1.00	Pass
	MCH	QA	135	67	18	0	19.025	19.860	22.4728	22.47	0.177	1.00	Pass
	HCH		1	271	1	99	18.744	19.952	22.4002	22.40	0.174	1.00	Pass
		M	135	67	18	0	19.041	19.890	22.4965	22.50	0.178	1.00	Pass
	LCH	256	1	1	1	0	17.761	19.709	21.8536	21.85	0.153	1.00	Pass
			135	67	18	0	17.939	19.869	22.0206	22.02	0.159	1.00	Pass
	MCH	QA	135	67	18	0	18.023	19.846	22.0398	22.04	0.160	1.00	Pass
	HCH		1	271	1	99	17.213	19.895	21.7681	21.77	0.150	1.00	Pass
		M	135	67	18	0	18.027	19.864	22.0522	22.05	0.160	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3700-3800)													
5MHz(LTE) + 20MHz(NR)	LCH	PI/2	1	1	1	0	16.488	19.869	21.5098	21.51	0.142	1.00	Pass
			25	12	8	0	16.437	19.987	21.5754	21.58	0.144	1.00	Pass
	MCH	BP SK	25	12	8	0	16.436	19.996	21.5813	21.58	0.144	1.00	Pass
	HCH		1	49	1	24	16.438	20.025	21.6021	21.60	0.145	1.00	Pass
			25	12	8	0	16.449	20.048	21.6214	21.62	0.145	1.00	Pass
	LCH	QP SK	1	1	1	0	16.495	19.893	21.5285	21.53	0.142	1.00	Pass
			25	12	8	0	16.425	19.997	21.5786	21.58	0.144	1.00	Pass
	MCH		25	12	8	0	16.436	19.984	21.5730	21.57	0.144	1.00	Pass
	HCH		1	49	1	24	16.458	20.044	21.6214	21.62	0.145	1.00	Pass
			25	12	8	0	16.391	20.012	21.5787	21.58	0.144	1.00	Pass
	LCH	16 QA M	1	1	1	0	16.368	19.864	21.4690	21.47	0.140	1.00	Pass
			25	12	8	0	16.496	19.992	21.5970	21.60	0.144	1.00	Pass
	MCH		25	12	8	0	16.454	19.979	21.5750	21.58	0.144	1.00	Pass
	HCH		1	49	1	24	16.338	20.018	21.5669	21.57	0.143	1.00	Pass
			25	12	8	0	16.47	19.996	21.5917	21.59	0.144	1.00	Pass
	LCH	64 QA M	1	1	1	0	16.587	19.871	21.5426	21.54	0.143	1.00	Pass
			25	12	8	0	16.516	19.975	21.5914	21.59	0.144	1.00	Pass
	MCH		25	12	8	0	16.472	20.004	21.5979	21.60	0.144	1.00	Pass
	HCH		1	49	1	24	16.544	20.075	21.6692	21.67	0.147	1.00	Pass
			25	12	8	0	16.484	19.987	21.5898	21.59	0.144	1.00	Pass
	LCH	256 QA M	1	1	1	0	15.389	19.838	21.1702	21.17	0.131	1.00	Pass
			25	12	8	0	15.151	20.005	21.2338	21.23	0.133	1.00	Pass
	MCH		25	12	8	0	15.133	20.005	21.2294	21.23	0.133	1.00	Pass
	HCH		1	49	1	24	15.399	20.093	21.3618	21.36	0.137	1.00	Pass
			25	12	8	0	15.126	19.984	21.2119	21.21	0.132	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2	1	1	1	0	17.156	19.668	21.6014	21.60	0.145	1.00	Pass
			135	67	18	0	16.523	19.824	21.4902	21.49	0.141	1.00	Pass
	MCH		135	67	18	0	16.506	19.821	21.4827	21.48	0.141	1.00	Pass
	HCH		1	271	1	99	16.615	19.945	21.6019	21.60	0.145	1.00	Pass
			135	67	18	0	16.494	19.828	21.4837	21.48	0.141	1.00	Pass
	LCH	QP SK	1	1	1	0	17.12	19.699	21.6085	21.61	0.145	1.00	Pass
			135	67	18	0	16.576	19.842	21.5193	21.52	0.142	1.00	Pass
	MCH		135	67	18	0	16.562	19.841	21.5142	21.51	0.142	1.00	Pass
	HCH		1	271	1	99	16.685	19.925	21.6107	21.61	0.145	1.00	Pass
			135	67	18	0	16.572	19.837	21.5147	21.51	0.142	1.00	Pass

	LCH	16	1	1	1	0	16.985	19.695	21.5583	21.56	0.143	1.00	Pass
			135	67	18	0	16.662	19.851	21.5532	21.55	0.143	1.00	Pass
	MCH	QA	135	67	18	0	16.67	19.837	21.5463	21.55	0.143	1.00	Pass
	HCH		1	271	1	99	16.578	19.961	21.6012	21.60	0.145	1.00	Pass
		M	135	67	18	0	16.679	19.862	21.5661	21.57	0.143	1.00	Pass
	LCH	64	1	1	1	0	17.243	19.732	21.6737	21.67	0.147	1.00	Pass
			135	67	18	0	16.696	19.854	21.5662	21.57	0.143	1.00	Pass
	MCH	QA	135	67	18	0	16.662	19.835	21.5424	21.54	0.143	1.00	Pass
	HCH		1	271	1	99	16.831	19.971	21.6891	21.69	0.148	1.00	Pass
		M	135	67	18	0	16.671	19.859	21.5615	21.56	0.143	1.00	Pass
	LCH	256	1	1	1	0	16.119	19.686	21.2692	21.27	0.134	1.00	Pass
			135	67	18	0	15.617	19.867	21.2527	21.25	0.133	1.00	Pass
	MCH	QA	135	67	18	0	15.62	19.845	21.2375	21.24	0.133	1.00	Pass
	HCH		1	271	1	99	15.69	19.945	21.3293	21.33	0.136	1.00	Pass
		M	135	67	18	0	15.653	19.865	21.2611	21.26	0.134	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_2A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	13.037	19.885	20.7008	17.57	0.057	2.00	Pass
			12	6	8	0	13.019	19.971	20.7691	17.63	0.058	2.00	Pass
	MCH	BP SK	12	6	8	0	13.032	19.945	20.7497	17.62	0.058	2.00	Pass
			1	23	1	24	13.047	20.034	20.8263	17.69	0.059	2.00	Pass
	HCH		12	6	8	0	13.02	19.971	20.7693	17.63	0.058	2.00	Pass
			1	1	1	0	13.077	19.961	20.7706	17.64	0.058	2.00	Pass
	LCH	QP SK	12	6	8	0	13.102	19.974	20.7857	17.65	0.058	2.00	Pass
			12	6	8	0	13.082	19.986	20.7922	17.66	0.058	2.00	Pass
	MCH		1	23	1	24	13.091	20.020	20.8220	17.69	0.059	2.00	Pass
			12	6	8	0	13.099	19.978	20.7885	17.66	0.058	2.00	Pass
	HCH		1	1	1	0	12.77	19.943	20.7048	17.56	0.057	2.00	Pass
			12	6	8	0	12.94	19.958	20.7451	17.61	0.058	2.00	Pass
	LCH		12	6	8	0	12.934	19.987	20.7683	17.63	0.058	2.00	Pass
			1	23	1	24	12.782	20.043	20.7908	17.65	0.058	2.00	Pass
	MCH	QA M	12	6	8	0	12.979	19.974	20.7649	17.63	0.058	2.00	Pass
			1	1	1	0	13.054	19.878	20.6979	17.57	0.057	2.00	Pass
	LCH		12	6	8	0	13.025	20.006	20.7993	17.66	0.058	2.00	Pass
			12	6	8	0	13.052	19.976	20.7788	17.64	0.058	2.00	Pass
	MCH	QA M	1	23	1	24	13.053	20.037	20.8298	17.69	0.059	2.00	Pass
			12	6	8	0	13.031	19.989	20.7861	17.65	0.058	2.00	Pass
	LCH		1	1	1	0	12.357	19.902	20.6061	17.45	0.056	2.00	Pass
			12	6	8	0	12.327	19.971	20.6604	17.50	0.056	2.00	Pass
	MCH	QA M	12	6	8	0	12.354	19.994	20.6840	17.53	0.057	2.00	Pass
			1	23	1	24	12.359	20.052	20.7342	17.58	0.057	2.00	Pass
	LCH		12	6	8	0	12.386	19.991	20.6861	17.53	0.057	2.00	Pass
			1	1	1	0	13.144	19.749	20.6073	17.48	0.056	2.00	Pass
	MCH	PI/2 BP SK	108	54	18	0	13.17	19.874	20.7148	17.59	0.057	2.00	Pass
			108	54	18	0	13.167	19.915	20.7480	17.62	0.058	2.00	Pass
	LCH		1	214	1	99	13.198	19.969	20.7980	17.67	0.058	2.00	Pass
			108	54	18	0	13.155	19.858	20.6989	17.57	0.057	2.00	Pass
	MCH	QP SK	1	1	1	0	13.262	19.758	20.6361	17.52	0.056	2.00	Pass
			108	54	18	0	13.164	19.880	20.7186	17.59	0.057	2.00	Pass
	LCH		108	54	18	0	13.153	19.845	20.6879	17.56	0.057	2.00	Pass
			1	214	1	99	13.269	19.928	20.7767	17.65	0.058	2.00	Pass
	MCH		108	54	18	0	13.192	19.861	20.7079	17.58	0.057	2.00	Pass
			1	1	1	0	12.835	19.670	20.4880	17.36	0.054	2.00	Pass
	LCH		1	1	1	0	12.835	19.670	20.4880	17.36	0.054	2.00	Pass
			1	1	1	0	12.835	19.670	20.4880	17.36	0.054	2.00	Pass

		QA	108	54	18	0	13.128	19.882	20.7140	17.58	0.057	2.00	Pass
	MCH	M	108	54	18	0	13.181	19.913	20.7488	17.62	0.058	2.00	Pass
	HCH		1	214	1	99	13.096	19.926	20.7448	17.61	0.058	2.00	Pass
			108	54	18	0	13.178	19.907	20.7434	17.62	0.058	2.00	Pass
	LCH	64	1	1	1	0	13.57	19.759	20.6949	17.58	0.057	2.00	Pass
			108	54	18	0	13.17	19.878	20.7180	17.59	0.057	2.00	Pass
	MCH	QA	108	54	18	0	13.142	19.916	20.7445	17.61	0.058	2.00	Pass
	HCH	M	1	214	1	99	13.373	19.930	20.7970	17.67	0.059	2.00	Pass
			108	54	18	0	13.133	19.887	20.7190	17.59	0.057	2.00	Pass
	LCH	256	1	1	1	0	12.458	19.746	20.4895	17.34	0.054	2.00	Pass
			108	54	18	0	12.584	19.894	20.6340	17.49	0.056	2.00	Pass
	MCH	QA	108	54	18	0	12.601	19.886	20.6300	17.48	0.056	2.00	Pass
	HCH	M	1	214	1	99	12.599	19.931	20.6676	17.52	0.057	2.00	Pass
			108	54	18	0	12.59	19.891	20.6325	17.49	0.056	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	13.081	20.114	20.8986	17.76	0.060	2.00	Pass
			12	6	8	0	13.038	20.167	20.9359	17.80	0.060	2.00	Pass
	MCH	BP SK	12	6	8	0	13.028	20.174	20.9401	17.80	0.060	2.00	Pass
			1	23	1	24	13.062	20.169	20.9415	17.80	0.060	2.00	Pass
	HCH	BP SK	12	6	8	0	13.006	20.179	20.9408	17.80	0.060	2.00	Pass
			1	1	1	0	13.107	20.080	20.8746	17.74	0.059	2.00	Pass
	LCH	QP SK	12	6	8	0	13.089	20.199	20.9710	17.83	0.061	2.00	Pass
			12	6	8	0	13.088	20.224	20.9918	17.85	0.061	2.00	Pass
	MCH	QP SK	1	23	1	24	13.088	20.044	20.8414	17.71	0.059	2.00	Pass
			12	6	8	0	13.102	20.182	20.9589	17.82	0.061	2.00	Pass
	HCH	QP SK	1	1	1	0	12.744	20.156	20.8802	17.73	0.059	2.00	Pass
			12	6	8	0	12.924	20.185	20.9328	17.79	0.060	2.00	Pass
	LCH	16 QA M	12	6	8	0	12.962	20.162	20.9195	17.78	0.060	2.00	Pass
			12	6	8	0	12.962	20.162	20.9195	17.78	0.060	2.00	Pass
	MCH	16 QA M	1	23	1	24	12.798	20.172	20.9021	17.75	0.060	2.00	Pass
			12	6	8	0	12.989	20.185	20.9431	17.80	0.060	2.00	Pass
	HCH	16 QA M	1	1	1	0	13.047	20.183	20.9508	17.81	0.060	2.00	Pass
			12	6	8	0	13.032	20.168	20.9358	17.79	0.060	2.00	Pass
	LCH	64 QA M	12	6	8	0	13.061	20.212	20.9773	17.84	0.061	2.00	Pass
			12	6	8	0	13.061	20.212	20.9773	17.84	0.061	2.00	Pass
	MCH	64 QA M	1	23	1	24	13.043	20.126	20.9024	17.76	0.060	2.00	Pass
			12	6	8	0	13.045	20.199	20.9639	17.82	0.061	2.00	Pass
	HCH	64 QA M	1	1	1	0	12.36	20.146	20.8148	17.66	0.058	2.00	Pass
			12	6	8	0	12.355	20.166	20.8313	17.67	0.058	2.00	Pass
	LCH	256 QA M	12	6	8	0	12.324	20.222	20.8750	17.71	0.059	2.00	Pass
			12	6	8	0	12.324	20.222	20.8750	17.71	0.059	2.00	Pass
	MCH	256 QA M	1	23	1	24	12.363	20.133	20.8041	17.64	0.058	2.00	Pass
			12	6	8	0	12.376	20.154	20.8240	17.66	0.058	2.00	Pass
	HCH	256 QA M	1	1	1	0	13.181	20.080	20.8871	17.75	0.060	2.00	Pass
			108	54	18	0	13.164	20.166	20.9558	17.82	0.061	2.00	Pass
20MHz(LTE) + 40MHz(NR)	LCH	PI/2 BP SK	108	54	18	0	13.182	20.203	20.9896	17.85	0.061	2.00	Pass
			1	214	1	99	13.134	20.027	20.8351	17.70	0.059	2.00	Pass
	MCH	BP SK	108	54	18	0	13.189	20.187	20.9774	17.84	0.061	2.00	Pass
			1	214	1	99	13.134	20.027	20.8351	17.70	0.059	2.00	Pass
	HCH	BP SK	108	54	18	0	13.189	20.187	20.9774	17.84	0.061	2.00	Pass
			1	214	1	99	13.134	20.027	20.8351	17.70	0.059	2.00	Pass
	LCH	QP SK	108	54	18	0	13.167	20.198	20.9830	17.85	0.061	2.00	Pass
			108	54	18	0	13.167	20.198	20.9830	17.85	0.061	2.00	Pass
	MCH	QP SK	108	54	18	0	13.179	20.187	20.9758	17.84	0.061	2.00	Pass
			108	54	18	0	13.179	20.187	20.9758	17.84	0.061	2.00	Pass
	HCH	QP SK	1	214	1	99	13.182	19.991	20.8135	17.68	0.059	2.00	Pass
			108	54	18	0	13.181	20.212	20.9970	17.86	0.061	2.00	Pass
	LCH	16	1	1	1	0	12.891	20.064	20.8258	17.68	0.059	2.00	Pass

		QA	108	54	18	0	13.161	20.215	20.9962	17.86	0.061	2.00	Pass
	MCH	M	108	54	18	0	13.149	20.219	20.9975	17.86	0.061	2.00	Pass
	HCH		1	214	1	99	13	20.049	20.8310	17.69	0.059	2.00	Pass
			108	54	18	0	13.185	20.204	20.9909	17.85	0.061	2.00	Pass
	LCH	64	1	1	1	0	13.092	20.068	20.8621	17.73	0.059	2.00	Pass
			108	54	18	0	13.17	20.185	20.9726	17.84	0.061	2.00	Pass
	MCH	QA	108	54	18	0	13.152	20.229	21.0064	17.87	0.061	2.00	Pass
	HCH	M	1	214	1	99	13.291	20.052	20.8828	17.75	0.060	2.00	Pass
			108	54	18	0	13.189	20.220	21.0050	17.87	0.061	2.00	Pass
	LCH	256	1	1	1	0	12.495	20.057	20.7585	17.61	0.058	2.00	Pass
			108	54	18	0	12.569	20.188	20.8811	17.73	0.059	2.00	Pass
	MCH	QA	108	54	18	0	12.592	20.201	20.8955	17.74	0.059	2.00	Pass
	HCH	M	1	214	1	99	12.51	20.021	20.7302	17.58	0.057	2.00	Pass
			108	54	18	0	12.591	20.233	20.9227	17.77	0.060	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_4A_n38A													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	8.565	20.153	20.4443	17.21	0.053	2.00	Pass
			12	6	8	0	8.482	20.194	20.4774	17.24	0.053	2.00	Pass
	MCH	BP SK	12	6	8	0	8.485	20.166	20.4513	17.21	0.053	2.00	Pass
			1	22	1	24	8.613	20.212	20.5026	17.27	0.053	2.00	Pass
	HCH		12	6	8	0	8.561	20.161	20.4515	17.22	0.053	2.00	Pass
			1	1	1	0	8.496	20.119	20.4080	17.17	0.052	2.00	Pass
	LCH	QP SK	12	6	8	0	8.477	20.227	20.5080	17.27	0.053	2.00	Pass
			12	6	8	0	8.522	20.211	20.4958	17.26	0.053	2.00	Pass
	MCH		1	22	1	24	8.525	20.131	20.4211	17.19	0.052	2.00	Pass
			12	6	8	0	8.435	20.186	20.4669	17.23	0.053	2.00	Pass
	HCH	16 QA M	1	1	1	0	8.309	20.127	20.4037	17.17	0.052	2.00	Pass
			12	6	8	0	8.409	20.197	20.4756	17.24	0.053	2.00	Pass
	MCH		12	6	8	0	8.352	20.175	20.4514	17.21	0.053	2.00	Pass
			1	22	1	24	8.213	20.182	20.4496	17.21	0.053	2.00	Pass
	HCH	64 QA M	12	6	8	0	8.391	20.231	20.5064	17.27	0.053	2.00	Pass
			1	1	1	0	8.518	20.194	20.4796	17.24	0.053	2.00	Pass
	LCH		12	6	8	0	8.468	20.184	20.4671	17.23	0.053	2.00	Pass
			12	6	8	0	8.488	20.195	20.4787	17.24	0.053	2.00	Pass
	MCH	256 QA M	1	22	1	24	8.741	20.177	20.4783	17.24	0.053	2.00	Pass
			12	6	8	0	8.506	20.212	20.4957	17.26	0.053	2.00	Pass
	HCH		1	1	1	0	7.683	20.186	20.4234	17.18	0.052	2.00	Pass
			12	6	8	0	7.591	20.219	20.4499	17.20	0.052	2.00	Pass
	LCH	QP SK	12	6	8	0	7.604	20.216	20.4477	17.20	0.052	2.00	Pass
			1	22	1	24	7.812	20.167	20.4124	17.17	0.052	2.00	Pass
	MCH		12	6	8	0	7.613	20.228	20.4596	17.21	0.053	2.00	Pass
			1	1	1	0	8.636	19.956	20.2652	17.03	0.051	2.00	Pass
	HCH	16 QA M	32	16	18	0	8.569	20.113	20.4072	17.17	0.052	2.00	Pass
			32	16	18	0	8.582	20.099	20.3949	17.16	0.052	2.00	Pass
	MCH		1	63	1	99	8.528	20.025	20.3223	17.09	0.051	2.00	Pass
			32	16	18	0	8.584	20.124	20.4184	17.18	0.052	2.00	Pass
	LCH	QP SK	1	1	1	0	8.802	19.984	20.3028	17.07	0.051	2.00	Pass
			32	16	18	0	8.611	20.144	20.4389	17.20	0.053	2.00	Pass
	MCH		32	16	18	0	8.586	20.120	20.4148	17.18	0.052	2.00	Pass
			1	63	1	99	8.673	20.028	20.3348	17.10	0.051	2.00	Pass
	HCH	16 QA M	32	16	18	0	8.552	20.146	20.4369	17.20	0.052	2.00	Pass
			1	1	1	0	8.436	20.004	20.2966	17.06	0.051	2.00	Pass

		QA	32	16	18	0	8.454	20.124	20.4100	17.17	0.052	2.00	Pass
	MCH	M	32	16	18	0	8.48	20.112	20.4005	17.16	0.052	2.00	Pass
	HCH		1	63	1	99	8.336	20.008	20.2939	17.06	0.051	2.00	Pass
			32	16	18	0	8.486	20.098	20.3877	17.15	0.052	2.00	Pass
	LCH	64	1	1	1	0	8.589	19.988	20.2918	17.06	0.051	2.00	Pass
			32	16	18	0	8.599	20.113	20.4091	17.17	0.052	2.00	Pass
	MCH	QA	32	16	18	0	8.573	20.129	20.4224	17.19	0.052	2.00	Pass
	HCH	M	1	63	1	99	8.78	20.016	20.3310	17.10	0.051	2.00	Pass
			32	16	18	0	8.62	20.117	20.4143	17.18	0.052	2.00	Pass
	LCH	256	1	1	1	0	7.967	19.930	20.1979	16.96	0.050	2.00	Pass
			32	16	18	0	7.98	20.131	20.3879	17.14	0.052	2.00	Pass
	MCH	QA	32	16	18	0	7.969	20.112	20.3694	17.13	0.052	2.00	Pass
	HCH	M	1	63	1	99	7.756	20.015	20.2658	17.02	0.050	2.00	Pass
			32	16	18	0	7.985	20.145	20.4014	17.16	0.052	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_5A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	13.028	20.731	21.4118	16.27	0.042	2.00	Pass
			12	6	8	0	12.983	20.788	21.4541	16.30	0.043	2.00	Pass
	MCH	BP SK	12	6	8	0	12.978	20.777	21.4440	16.29	0.043	2.00	Pass
			1	23	1	24	13.014	20.949	21.5969	16.42	0.044	2.00	Pass
	HCH		12	6	8	0	13.033	20.808	21.4784	16.32	0.043	2.00	Pass
			1	1	1	0	13.024	20.717	21.3992	16.25	0.042	2.00	Pass
	LCH	QP SK	12	6	8	0	13.013	20.823	21.4884	16.33	0.043	2.00	Pass
			12	6	8	0	13.02	20.824	21.4903	16.33	0.043	2.00	Pass
	MCH		1	23	1	24	13.029	20.930	21.5826	16.41	0.044	2.00	Pass
			12	6	8	0	13.02	20.855	21.5169	16.35	0.043	2.00	Pass
	HCH	16 QA M	1	1	1	0	12.82	20.703	21.3581	16.19	0.042	2.00	Pass
			12	6	8	0	13.012	20.820	21.4857	16.33	0.043	2.00	Pass
	LCH		12	6	8	0	12.996	20.836	21.4972	16.33	0.043	2.00	Pass
			1	23	1	24	12.794	20.971	21.5861	16.38	0.043	2.00	Pass
	MCH	64 QA M	12	6	8	0	13.03	20.822	21.4900	16.33	0.043	2.00	Pass
			1	1	1	0	13.096	20.722	21.4140	16.28	0.042	2.00	Pass
	LCH		12	6	8	0	13.1	20.814	21.4932	16.35	0.043	2.00	Pass
			12	6	8	0	13.092	20.818	21.4954	16.35	0.043	2.00	Pass
	MCH	256 QA M	1	23	1	24	13.117	20.979	21.6371	16.47	0.044	2.00	Pass
			12	6	8	0	13.114	20.830	21.5089	16.36	0.043	2.00	Pass
	LCH		1	1	1	0	12.938	20.710	21.3808	16.23	0.042	2.00	Pass
			12	6	8	0	12.918	20.773	21.4320	16.27	0.042	2.00	Pass
	MCH	40Mz(NR)	12	6	8	0	12.96	20.827	21.4844	16.32	0.043	2.00	Pass
			1	23	1	24	12.983	20.989	21.6271	16.44	0.044	2.00	Pass
	LCH		12	6	8	0	12.985	20.850	21.5076	16.34	0.043	2.00	Pass
			1	1	1	0	13.106	20.703	21.3993	16.27	0.042	2.00	Pass
	LCH	PI/2 BP SK	108	54	12	0	13.113	20.855	21.5301	16.38	0.043	2.00	Pass
			108	54	12	0	13.083	20.881	21.5481	16.39	0.044	2.00	Pass
	MCH		1	214	1	49	12.95	21.066	21.6892	16.49	0.045	2.00	Pass
			108	54	12	0	13.102	20.854	21.5277	16.38	0.043	2.00	Pass
	HCH	QP SK	1	1	1	0	13.17	20.702	21.4080	16.28	0.043	2.00	Pass
			108	54	12	0	13.059	20.847	21.5155	16.36	0.043	2.00	Pass
	LCH		108	54	12	0	13.095	20.845	21.5190	16.37	0.043	2.00	Pass
			1	214	1	49	13	21.086	21.7133	16.52	0.045	2.00	Pass
	MCH		108	54	12	0	13.11	20.865	21.5383	16.39	0.044	2.00	Pass
			1	1	1	0	12.933	20.674	21.3493	16.20	0.042	2.00	Pass
	LCH	16											

		QA	108	54	12	0	13.128	20.869	21.5443	16.39	0.044	2.00	Pass
	MCH	M	108	54	12	0	13.142	20.862	21.5403	16.39	0.044	2.00	Pass
	HCH		1	214	1	49	12.808	21.068	21.6723	16.46	0.044	2.00	Pass
			108	54	12	0	12.915	20.872	21.5168	16.34	0.043	2.00	Pass
	LCH	64	1	1	1	0	13.133	20.703	21.4033	16.27	0.042	2.00	Pass
			108	54	12	0	13.132	20.883	21.5568	16.40	0.044	2.00	Pass
	MCH	QA	108	54	12	0	13.145	20.870	21.5476	16.40	0.044	2.00	Pass
	HCH	M	1	214	1	49	13.125	21.075	21.7208	16.54	0.045	2.00	Pass
			108	54	12	0	13.139	20.844	21.5245	16.38	0.043	2.00	Pass
	LCH	256	1	1	1	0	13.028	20.689	21.3759	16.24	0.042	2.00	Pass
			108	54	12	0	13.094	20.880	21.5488	16.39	0.044	2.00	Pass
	MCH	QA	108	54	12	0	13.145	20.882	21.5579	16.41	0.044	2.00	Pass
	HCH	M	1	214	1	49	12.93	21.073	21.6926	16.49	0.045	2.00	Pass
			108	54	12	0	13.161	20.878	21.5567	16.41	0.044	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n77A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.83	19.945	22.4335	19.78	0.095	1.00	Pass
			12	6	8	0	18.749	20.028	22.4457	19.80	0.095	1.00	Pass
	MCH	BP SK	12	6	8	0	18.899	20.014	22.5025	19.85	0.097	1.00	Pass
			1	22	1	24	18.825	20.020	22.4738	19.82	0.096	1.00	Pass
	HCH		12	6	8	0	18.835	20.047	22.4934	19.85	0.096	1.00	Pass
			1	1	1	0	18.815	19.951	22.4303	19.78	0.095	1.00	Pass
	LCH	QP SK	12	6	8	0	18.68	19.989	22.3939	19.75	0.094	1.00	Pass
			12	6	8	0	18.758	19.994	22.4301	19.78	0.095	1.00	Pass
	MCH		1	22	1	24	18.921	20.023	22.5172	19.87	0.097	1.00	Pass
			12	6	8	0	18.715	20.015	22.4238	19.78	0.095	1.00	Pass
	HCH		1	1	1	0	18.566	19.966	22.3325	19.69	0.093	1.00	Pass
			12	6	8	0	18.753	19.995	22.4285	19.78	0.095	1.00	Pass
	LCH		12	6	8	0	18.823	20.019	22.4723	19.82	0.096	1.00	Pass
			1	22	1	24	18.706	19.993	22.4073	19.76	0.095	1.00	Pass
	MCH	QA M	12	6	8	0	18.712	20.017	22.4236	19.78	0.095	1.00	Pass
			1	1	1	0	19.213	19.947	22.6058	19.94	0.099	1.00	Pass
	LCH		12	6	8	0	18.851	20.006	22.4771	19.83	0.096	1.00	Pass
			12	6	8	0	18.846	19.981	22.4608	19.81	0.096	1.00	Pass
	MCH	QA M	1	22	1	24	18.963	20.001	22.5232	19.87	0.097	1.00	Pass
			12	6	8	0	18.841	20.034	22.4886	19.84	0.096	1.00	Pass
	LCH		1	1	1	0	17.63	19.947	21.9515	19.34	0.086	1.00	Pass
			12	6	8	0	17.451	20.017	21.9311	19.33	0.086	1.00	Pass
	MCH	QA M	12	6	8	0	17.51	19.981	21.9292	19.32	0.086	1.00	Pass
			1	22	1	24	17.763	20.049	22.0650	19.45	0.088	1.00	Pass
	LCH		12	6	8	0	17.503	19.987	21.9305	19.32	0.086	1.00	Pass
			1	1	1	0	18.873	19.925	22.4411	19.79	0.095	1.00	Pass
	MCH	PI/2 BP SK	135	67	18	0	18.916	20.042	22.5257	19.87	0.097	1.00	Pass
			135	67	18	0	18.902	20.032	22.5139	19.86	0.097	1.00	Pass
	LCH		1	271	1	99	18.388	19.966	22.2586	19.62	0.092	1.00	Pass
			135	67	18	0	18.908	20.002	22.4997	19.85	0.097	1.00	Pass
	HCH	QP SK	1	1	1	0	18.789	19.909	22.3953	19.74	0.094	1.00	Pass
			135	67	18	0	18.925	20.051	22.5347	19.88	0.097	1.00	Pass
	LCH		135	67	18	0	18.981	20.020	22.5418	19.89	0.097	1.00	Pass
			1	271	1	99	18.284	19.956	22.2103	19.58	0.091	1.00	Pass
	MCH	QA M	135	67	18	0	18.964	20.038	22.5444	19.89	0.098	1.00	Pass
			1	1	1	0	18.688	19.873	22.3311	19.68	0.093	1.00	Pass
	LCH		1	1	1	0	18.688	19.873	22.3311	19.68	0.093	1.00	Pass
			1	1	1	0	18.688	19.873	22.3311	19.68	0.093	1.00	Pass

		QA	135	67	18	0	19.033	20.021	22.5653	19.91	0.098	1.00	Pass
	MCH	M	135	67	18	0	19.009	20.009	22.5480	19.89	0.098	1.00	Pass
	HCH		1	271	1	99	18.308	19.990	22.2402	19.61	0.091	1.00	Pass
			135	67	18	0	19.021	20.025	22.5622	19.91	0.098	1.00	Pass
	LCH	64	1	1	1	0	18.982	19.898	22.4744	19.82	0.096	1.00	Pass
			135	67	18	0	19.036	20.027	22.5700	19.91	0.098	1.00	Pass
	MCH	QA	135	67	18	0	19.031	20.027	22.5678	19.91	0.098	1.00	Pass
	HCH	M	1	271	1	99	18.502	20.011	22.3320	19.69	0.093	1.00	Pass
			135	67	18	0	19.05	20.030	22.5779	19.92	0.098	1.00	Pass
	LCH	256	1	1	1	0	17.879	19.887	22.0083	19.39	0.087	1.00	Pass
			135	67	18	0	17.954	20.018	22.1178	19.50	0.089	1.00	Pass
	MCH	QA	135	67	18	0	18.049	20.014	22.1520	19.53	0.090	1.00	Pass
	HCH	M	1	271	1	99	17.265	19.996	21.8520	19.25	0.084	1.00	Pass
			135	67	18	0	18.073	20.028	22.1699	19.55	0.090	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_7A_n77A(3700-390)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.83	19.945	22.4335	19.78	0.095	1.00	Pass
			12	6	8	0	18.749	20.028	22.4457	19.80	0.095	1.00	Pass
	MCH	BP SK	12	6	8	0	18.899	20.014	22.5025	19.85	0.097	1.00	Pass
			1	22	1	24	18.825	20.020	22.4738	19.82	0.096	1.00	Pass
	HCH		12	6	8	0	18.835	20.047	22.4934	19.85	0.096	1.00	Pass
			1	1	1	0	18.815	19.951	22.4303	19.78	0.095	1.00	Pass
	LCH	QP SK	12	6	8	0	18.68	19.989	22.3939	19.75	0.094	1.00	Pass
			12	6	8	0	18.758	19.994	22.4301	19.78	0.095	1.00	Pass
	MCH		1	22	1	24	18.921	20.023	22.5172	19.87	0.097	1.00	Pass
			12	6	8	0	18.715	20.015	22.4238	19.78	0.095	1.00	Pass
	HCH	16 QA M	1	1	1	0	18.566	19.966	22.3325	19.69	0.093	1.00	Pass
			12	6	8	0	18.753	19.995	22.4285	19.78	0.095	1.00	Pass
	MCH		12	6	8	0	18.823	20.019	22.4723	19.82	0.096	1.00	Pass
			1	22	1	24	18.706	19.993	22.4073	19.76	0.095	1.00	Pass
	HCH	64 QA M	12	6	8	0	18.712	20.017	22.4236	19.78	0.095	1.00	Pass
			1	1	1	0	19.213	19.947	22.6058	19.94	0.099	1.00	Pass
	LCH		12	6	8	0	18.851	20.006	22.4771	19.83	0.096	1.00	Pass
			12	6	8	0	18.846	19.981	22.4608	19.81	0.096	1.00	Pass
	MCH	256 QA M	1	22	1	24	18.963	20.001	22.5232	19.87	0.097	1.00	Pass
			12	6	8	0	18.841	20.034	22.4886	19.84	0.096	1.00	Pass
	HCH		1	1	1	0	17.63	19.947	21.9515	19.34	0.086	1.00	Pass
			12	6	8	0	17.451	20.017	21.9311	19.33	0.086	1.00	Pass
	LCH	QP SK	12	6	8	0	17.51	19.981	21.9292	19.32	0.086	1.00	Pass
			1	22	1	24	17.763	20.049	22.0650	19.45	0.088	1.00	Pass
	MCH		12	6	8	0	17.503	19.987	21.9305	19.32	0.086	1.00	Pass
			1	1	1	0	18.873	19.925	22.4411	19.79	0.095	1.00	Pass
	HCH	16 QA M	135	67	18	0	18.916	20.042	22.5257	19.87	0.097	1.00	Pass
			135	67	18	0	18.902	20.032	22.5139	19.86	0.097	1.00	Pass
	MCH		1	271	1	99	18.388	19.966	22.2586	19.62	0.092	1.00	Pass
			135	67	18	0	18.908	20.002	22.4997	19.85	0.097	1.00	Pass
	LCH	QP SK	1	1	1	0	18.789	19.909	22.3953	19.74	0.094	1.00	Pass
			135	67	18	0	18.925	20.051	22.5347	19.88	0.097	1.00	Pass
	MCH		135	67	18	0	18.981	20.020	22.5418	19.89	0.097	1.00	Pass
			1	271	1	99	18.284	19.956	22.2103	19.58	0.091	1.00	Pass
	HCH	16 QA M	135	67	18	0	18.964	20.038	22.5444	19.89	0.098	1.00	Pass
			1	1	1	0	18.688	19.873	22.3311	19.68	0.093	1.00	Pass

		QA	135	67	18	0	19.033	20.021	22.5653	19.91	0.098	1.00	Pass
	MCH	M	135	67	18	0	19.009	20.009	22.5480	19.89	0.098	1.00	Pass
	HCH		1	271	1	99	18.308	19.990	22.2402	19.61	0.091	1.00	Pass
			135	67	18	0	19.021	20.025	22.5622	19.91	0.098	1.00	Pass
	LCH	64	1	1	1	0	18.982	19.898	22.4744	19.82	0.096	1.00	Pass
			135	67	18	0	19.036	20.027	22.5700	19.91	0.098	1.00	Pass
	MCH	QA	135	67	18	0	19.031	20.027	22.5678	19.91	0.098	1.00	Pass
	HCH	M	1	271	1	99	18.502	20.011	22.3320	19.69	0.093	1.00	Pass
			135	67	18	0	19.05	20.030	22.5779	19.92	0.098	1.00	Pass
	LCH	256	1	1	1	0	17.879	19.887	22.0083	19.39	0.087	1.00	Pass
			135	67	18	0	17.954	20.018	22.1178	19.50	0.089	1.00	Pass
	MCH	QA	135	67	18	0	18.049	20.014	22.1520	19.53	0.090	1.00	Pass
	HCH	M	1	271	1	99	17.265	19.996	21.8520	19.25	0.084	1.00	Pass
			135	67	18	0	18.073	20.028	22.1699	19.55	0.090	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n7A													
5MHz(LTE) + 5MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	12.967	19.931	20.7271	20.73	0.118	2.00	Pass
			12	6	8	0	12.946	20.066	20.8364	20.84	0.121	2.00	Pass
	MCH	BP SK	12	6	8	0	12.925	20.066	20.8330	20.83	0.121	2.00	Pass
			1	23	1	24	12.975	20.078	20.8511	20.85	0.122	2.00	Pass
	HCH		12	6	8	0	12.945	20.055	20.8270	20.83	0.121	2.00	Pass
			1	1	1	0	12.991	19.919	20.7212	20.72	0.118	2.00	Pass
	LCH	QP SK	12	6	8	0	12.981	20.076	20.8504	20.85	0.122	2.00	Pass
			12	6	8	0	12.973	20.067	20.8416	20.84	0.121	2.00	Pass
	MCH		1	23	1	24	12.981	20.062	20.8387	20.84	0.121	2.00	Pass
			12	6	8	0	13.012	20.073	20.8530	20.85	0.122	2.00	Pass
	HCH		1	1	1	0	12.689	19.977	20.7205	20.72	0.118	2.00	Pass
			12	6	8	0	12.868	20.074	20.8305	20.83	0.121	2.00	Pass
	LCH		12	6	8	0	12.844	20.070	20.8233	20.82	0.121	2.00	Pass
			1	23	1	24	12.686	20.091	20.8163	20.82	0.121	2.00	Pass
	MCH	QA M	12	6	8	0	12.87	20.079	20.8350	20.84	0.121	2.00	Pass
			1	1	1	0	12.94	19.954	20.7418	20.74	0.119	2.00	Pass
	LCH		12	6	8	0	12.956	20.072	20.8430	20.84	0.121	2.00	Pass
			12	6	8	0	12.921	20.121	20.8785	20.88	0.122	2.00	Pass
	MCH	QA M	1	23	1	24	12.929	20.043	20.8143	20.81	0.121	2.00	Pass
			12	6	8	0	12.958	20.063	20.8358	20.84	0.121	2.00	Pass
	LCH		1	1	1	0	12.269	19.943	20.6280	20.63	0.116	2.00	Pass
			12	6	8	0	12.234	20.057	20.7206	20.72	0.118	2.00	Pass
	MCH	QA M	12	6	8	0	12.27	20.050	20.7197	20.72	0.118	2.00	Pass
			1	23	1	24	12.245	20.125	20.7805	20.78	0.120	2.00	Pass
	LCH		12	6	8	0	12.271	20.073	20.7395	20.74	0.119	2.00	Pass
			1	1	1	0	13.121	19.767	20.6180	20.62	0.115	2.00	Pass
	MCH	PI/2 BP SK	108	54	18	0	13.056	19.923	20.7355	20.74	0.118	2.00	Pass
			108	54	18	0	13.043	19.940	20.7474	20.75	0.119	2.00	Pass
	LCH		1	214	1	99	12.974	19.983	20.7716	20.77	0.119	2.00	Pass
			108	54	18	0	13.085	19.910	20.7297	20.73	0.118	2.00	Pass
	MCH	QP SK	1	1	1	0	13.181	19.806	20.6608	20.66	0.116	2.00	Pass
			108	54	18	0	13.077	19.929	20.7441	20.74	0.119	2.00	Pass
	LCH		108	54	18	0	13.09	19.907	20.7281	20.73	0.118	2.00	Pass
			1	214	1	99	13.071	20.031	20.8278	20.83	0.121	2.00	Pass
	MCH		108	54	18	0	13.079	19.906	20.7254	20.73	0.118	2.00	Pass
			1	1	1	0	12.732	19.757	20.5429	20.54	0.113	2.00	Pass
	LCH		1	1	1	0	12.732	19.757	20.5429	20.54	0.113	2.00	Pass
			1	1	1	0	12.732	19.757	20.5429	20.54	0.113	2.00	Pass

		QA	108	54	18	0	13.046	19.934	20.7429	20.74	0.119	2.00	Pass
	MCH	M	108	54	18	0	13.052	19.909	20.7232	20.72	0.118	2.00	Pass
	HCH		1	214	1	99	12.959	20.042	20.8184	20.82	0.121	2.00	Pass
			108	54	18	0	13.071	19.931	20.7447	20.74	0.119	2.00	Pass
	LCH	64	1	1	1	0	12.975	19.751	20.5792	20.58	0.114	2.00	Pass
			108	54	18	0	13.044	19.904	20.7177	20.72	0.118	2.00	Pass
	MCH	QA	108	54	18	0	13.064	19.946	20.7559	20.76	0.119	2.00	Pass
	HCH	M	1	214	1	99	13.215	20.045	20.8638	20.86	0.122	2.00	Pass
			108	54	18	0	13.034	19.953	20.7567	20.76	0.119	2.00	Pass
	LCH	256	1	1	1	0	12.399	19.774	20.5039	20.50	0.112	2.00	Pass
			108	54	18	0	12.489	19.920	20.6413	20.64	0.116	2.00	Pass
	MCH	QA	108	54	18	0	12.475	19.950	20.6646	20.66	0.117	2.00	Pass
	HCH	M	1	214	1	99	12.461	20.000	20.7050	20.70	0.118	2.00	Pass
			108	54	18	0	12.494	19.938	20.6573	20.66	0.116	2.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3450-3550)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2 BP SK	1	1	1	0	18.853	19.888	22.4116	22.41	0.174	1.00	Pass
			12	6	8	0	18.839	20.024	22.4821	22.48	0.177	1.00	Pass
	MCH	BP SK	12	6	8	0	18.835	20.006	22.4701	22.47	0.177	1.00	Pass
			1	22	1	24	18.857	20.047	22.5029	22.50	0.178	1.00	Pass
	HCH		12	6	8	0	18.871	20.003	22.4841	22.48	0.177	1.00	Pass
			1	1	1	0	18.854	19.866	22.3997	22.40	0.174	1.00	Pass
	LCH	QP SK	12	6	8	0	18.826	20.035	22.4827	22.48	0.177	1.00	Pass
			12	6	8	0	18.686	20.003	22.4045	22.40	0.174	1.00	Pass
	MCH		1	22	1	24	18.878	20.005	22.4883	22.49	0.177	1.00	Pass
			12	6	8	0	18.751	20.014	22.4386	22.44	0.175	1.00	Pass
	HCH	16 QA M	1	1	1	0	18.683	19.868	22.3261	22.33	0.171	1.00	Pass
			12	6	8	0	18.878	20.035	22.5052	22.51	0.178	1.00	Pass
	LCH		12	6	8	0	18.813	19.985	22.4487	22.45	0.176	1.00	Pass
			1	22	1	24	18.749	20.092	22.4825	22.48	0.177	1.00	Pass
	MCH	64 QA M	12	6	8	0	18.913	20.022	22.5131	22.51	0.178	1.00	Pass
			1	1	1	0	19.228	19.863	22.5674	22.57	0.181	1.00	Pass
	LCH		12	6	8	0	18.889	20.004	22.4925	22.49	0.178	1.00	Pass
			12	6	8	0	18.935	19.994	22.5070	22.51	0.178	1.00	Pass
	MCH	256 QA M	1	22	1	24	18.965	20.059	22.5567	22.56	0.180	1.00	Pass
			12	6	8	0	18.855	20.002	22.4766	22.48	0.177	1.00	Pass
	LCH		1	1	1	0	17.809	19.909	21.9950	22.00	0.158	1.00	Pass
			12	6	8	0	17.58	20.077	22.0158	22.02	0.159	1.00	Pass
	MCH	16 QA M	12	6	8	0	17.483	20.017	21.9426	21.94	0.156	1.00	Pass
			1	22	1	24	17.79	20.030	22.0631	22.06	0.161	1.00	Pass
	LCH		12	6	8	0	17.554	19.979	21.9439	21.94	0.156	1.00	Pass
			1	1	1	0	18.819	19.768	22.3297	22.33	0.171	1.00	Pass
20MHz(LTE) + 100MHz(NR)	LCH	PI/2 BP SK	135	67	18	0	18.867	19.876	22.4110	22.41	0.174	1.00	Pass
			135	67	18	0	18.89	19.858	22.4112	22.41	0.174	1.00	Pass
	MCH		1	271	1	99	18.407	19.929	22.2446	22.24	0.168	1.00	Pass
			135	67	18	0	18.904	19.842	22.4086	22.41	0.174	1.00	Pass
	HCH	QP SK	1	1	1	0	18.615	19.736	22.2219	22.22	0.167	1.00	Pass
			135	67	18	0	18.908	19.876	22.4292	22.43	0.175	1.00	Pass
	LCH		135	67	18	0	18.891	19.867	22.4167	22.42	0.174	1.00	Pass
			1	271	1	99	18.34	19.900	22.2000	22.20	0.166	1.00	Pass
	MCH	16 QA M	135	67	18	0	18.943	19.845	22.4277	22.43	0.175	1.00	Pass
			1	1	1	0	18.653	19.679	22.2065	22.21	0.166	1.00	Pass
	LCH		1	1	1	0	18.653	19.679	22.2065	22.21	0.166	1.00	Pass
			1	1	1	0	18.653	19.679	22.2065	22.21	0.166	1.00	Pass

		QA	135	67	18	0	18.896	19.831	22.3989	22.40	0.174	1.00	Pass
	MCH	M	135	67	18	0	19.05	19.871	22.4902	22.49	0.177	1.00	Pass
	HCH		1	271	1	99	18.229	19.936	22.1761	22.18	0.165	1.00	Pass
			135	67	18	0	19.079	19.861	22.4979	22.50	0.178	1.00	Pass
	LCH	64	1	1	1	0	19.064	19.763	22.4378	22.44	0.175	1.00	Pass
			135	67	18	0	19.013	19.867	22.4713	22.47	0.177	1.00	Pass
	MCH	QA	135	67	18	0	19.025	19.860	22.4728	22.47	0.177	1.00	Pass
	HCH	M	1	271	1	99	18.744	19.952	22.4002	22.40	0.174	1.00	Pass
			135	67	18	0	19.041	19.890	22.4965	22.50	0.178	1.00	Pass
	LCH	256	1	1	1	0	17.761	19.709	21.8536	21.85	0.153	1.00	Pass
			135	67	18	0	17.939	19.869	22.0206	22.02	0.159	1.00	Pass
	MCH	QA	135	67	18	0	18.023	19.846	22.0398	22.04	0.160	1.00	Pass
	HCH	M	1	271	1	99	17.213	19.895	21.7681	21.77	0.150	1.00	Pass
			135	67	18	0	18.027	19.864	22.0522	22.05	0.160	1.00	Pass

Test BW	Test Channel	Test Mode	NR UL RB No.	NR UL RB Pos.	LTE UL RB No.	LTE UL RB Pos.	NR Conducted Output Power (dBm)	LTE Conducted Output Power (dBm)	Total Conducted Output Power (dBm)	Total EIRP (dBm)	Total EIRP (W)	Limit (W)	Verdict
DC_66A_n78A(3700-3800)													
5MHz(LTE) + 10MHz(NR)	LCH	PI/2	1	1	1	0	16.488	19.869	21.5098	21.51	0.142	1.00	Pass
			12	6	8	0	16.437	19.987	21.5754	21.58	0.144	1.00	Pass
	MCH	BP SK	12	6	8	0	16.436	19.996	21.5813	21.58	0.144	1.00	Pass
			1	22	1	24	16.438	20.025	21.6021	21.60	0.145	1.00	Pass
	HCH		12	6	8	0	16.449	20.048	21.6214	21.62	0.145	1.00	Pass
			1	1	1	0	16.495	19.893	21.5285	21.53	0.142	1.00	Pass
	LCH	QP SK	12	6	8	0	16.425	19.997	21.5786	21.58	0.144	1.00	Pass
			12	6	8	0	16.436	19.984	21.5730	21.57	0.144	1.00	Pass
	MCH		1	22	1	24	16.458	20.044	21.6214	21.62	0.145	1.00	Pass
			12	6	8	0	16.391	20.012	21.5787	21.58	0.144	1.00	Pass
	HCH		1	1	1	0	16.368	19.864	21.4690	21.47	0.140	1.00	Pass
			12	6	8	0	16.496	19.992	21.5970	21.60	0.144	1.00	Pass
	LCH	16 QA M	12	6	8	0	16.454	19.979	21.5750	21.58	0.144	1.00	Pass
			1	22	1	24	16.338	20.018	21.5669	21.57	0.143	1.00	Pass
	MCH		12	6	8	0	16.47	19.996	21.5917	21.59	0.144	1.00	Pass
			1	1	1	0	16.587	19.871	21.5426	21.54	0.143	1.00	Pass
	LCH	64 QA M	12	6	8	0	16.516	19.975	21.5914	21.59	0.144	1.00	Pass
			12	6	8	0	16.472	20.004	21.5979	21.60	0.144	1.00	Pass
	MCH		1	22	1	24	16.544	20.075	21.6692	21.67	0.147	1.00	Pass
			12	6	8	0	16.484	19.987	21.5898	21.59	0.144	1.00	Pass
	HCH		1	1	1	0	15.389	19.838	21.1702	21.17	0.131	1.00	Pass
			12	6	8	0	15.151	20.005	21.2338	21.23	0.133	1.00	Pass
	LCH	256 QA M	12	6	8	0	15.133	20.005	21.2294	21.23	0.133	1.00	Pass
			1	22	1	24	15.399	20.093	21.3618	21.36	0.137	1.00	Pass
	MCH		12	6	8	0	15.126	19.984	21.2119	21.21	0.132	1.00	Pass
			1	1	1	0	17.156	19.668	21.6014	21.60	0.145	1.00	Pass
	LCH	PI/2	135	67	18	0	16.523	19.824	21.4902	21.49	0.141	1.00	Pass
			135	67	18	0	16.506	19.821	21.4827	21.48	0.141	1.00	Pass
	MCH	BP SK	1	271	1	99	16.615	19.945	21.6019	21.60	0.145	1.00	Pass
			135	67	18	0	16.494	19.828	21.4837	21.48	0.141	1.00	Pass
	HCH		1	1	1	0	17.12	19.699	21.6085	21.61	0.145	1.00	Pass
			135	67	18	0	16.576	19.842	21.5193	21.52	0.142	1.00	Pass
	LCH	QP SK	135	67	18	0	16.562	19.841	21.5142	21.51	0.142	1.00	Pass
			1	271	1	99	16.685	19.925	21.6107	21.61	0.145	1.00	Pass
	MCH		135	67	18	0	16.572	19.837	21.5147	21.51	0.142	1.00	Pass
			1	1	1	0	16.985	19.695	21.5583	21.56	0.143	1.00	Pass
	LCH	16											

		QA	135	67	18	0	16.662	19.851	21.5532	21.55	0.143	1.00	Pass
	MCH	M	135	67	18	0	16.67	19.837	21.5463	21.55	0.143	1.00	Pass
	HCH	M	1	271	1	99	16.578	19.961	21.6012	21.60	0.145	1.00	Pass
			135	67	18	0	16.679	19.862	21.5661	21.57	0.143	1.00	Pass
	LCH	64	1	1	1	0	17.243	19.732	21.6737	21.67	0.147	1.00	Pass
			135	67	18	0	16.696	19.854	21.5662	21.57	0.143	1.00	Pass
	MCH	QA	135	67	18	0	16.662	19.835	21.5424	21.54	0.143	1.00	Pass
	HCH	M	1	271	1	99	16.831	19.971	21.6891	21.69	0.148	1.00	Pass
			135	67	18	0	16.671	19.859	21.5615	21.56	0.143	1.00	Pass
	LCH	256	1	1	1	0	16.119	19.686	21.2692	21.27	0.134	1.00	Pass
			135	67	18	0	15.617	19.867	21.2527	21.25	0.133	1.00	Pass
	MCH	QA	135	67	18	0	15.62	19.845	21.2375	21.24	0.133	1.00	Pass
	HCH	M	1	271	1	99	15.69	19.945	21.3293	21.33	0.136	1.00	Pass
			135	67	18	0	15.653	19.865	21.2611	21.26	0.134	1.00	Pass