


Spurious Emission at Antenna Terminals


1.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:18650, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-78.45	-13	65.45	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-13	64.32	Pass	2986
30	1000	0.1	RMS	996.698	-69.73	-13	56.73	Pass	9701
1000	1840	1	RMS	1840	-56.02	-13	43.02	Pass	841
1840	1920	1	RMS	1850.4	18.22	60	41.78	Pass	401
1920	3000	1	RMS	2999	-54.29	-13	41.29	Pass	1081
3000	12000	1	RMS	11900	-43.19	-13	30.19	Pass	9002
12000	20000	1	RMS	19346	-34.92	-13	21.92	Pass	8001




1.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:18900, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.17	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	998.499	-69.75	-13	56.75	Pass	9701
1000	1840	1	RMS	1840	-57.56	-13	44.56	Pass	841
1840	1920	1	RMS	1875.4	18.97	60	41.03	Pass	401
1920	3000	1	RMS	2993	-54.27	-13	41.27	Pass	1081
3000	12000	1	RMS	11996	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19413	-34.95	-13	21.95	Pass	8001




1.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:18900, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.52	-13	65.52	Pass	401
0.15	30	0.01	RMS	0.16	-78.46	-13	65.46	Pass	2986
30	1000	0.1	RMS	934.857	-69.94	-13	56.94	Pass	9701
1000	1840	1	RMS	1840	-57.52	-13	44.52	Pass	841
1840	1920	1	RMS	1875.4	17.94	60	42.06	Pass	401
1920	3000	1	RMS	2966	-54.32	-13	41.32	Pass	1081
3000	12000	1	RMS	11988	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19368	-34.82	-13	21.82	Pass	8001




1.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:19150, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.43	-13	65.43	Pass	401
0.15	30	0.01	RMS	0.16	-78.06	-13	65.06	Pass	2986
30	1000	0.1	RMS	869.413	-69.9	-13	56.9	Pass	9701
1000	1840	1	RMS	1838	-57.65	-13	44.65	Pass	841
1840	1920	1	RMS	1900.4	18.91	60	41.09	Pass	401
1920	3000	1	RMS	2990	-54.31	-13	41.31	Pass	1081
3000	12000	1	RMS	11998	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19372	-34.94	-13	21.94	Pass	8001




1.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:19150, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-77.35	-13	64.35	Pass	401
0.15	30	0.01	RMS	0.15	-77.33	-13	64.33	Pass	2986
30	1000	0.1	RMS	992.195	-69.91	-13	56.91	Pass	9701
1000	1840	1	RMS	1840	-57.55	-13	44.55	Pass	841
1840	1920	1	RMS	1900.4	18.03	60	41.97	Pass	401
1920	3000	1	RMS	3000	-54.25	-13	41.25	Pass	1081
3000	12000	1	RMS	11895	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19331	-34.93	-13	21.93	Pass	8001




1.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:18675, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.31	-13	65.31	Pass	401
0.15	30	0.01	RMS	0.18	-78.26	-13	65.26	Pass	2986
30	1000	0.1	RMS	950.567	-69.86	-13	56.86	Pass	9701
1000	1840	1	RMS	1840	-54.64	-13	41.64	Pass	841
1840	1920	1	RMS	1850.8	19.14	60	40.86	Pass	401
1920	3000	1	RMS	2967	-54.29	-13	41.29	Pass	1081
3000	12000	1	RMS	11992	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19336	-34.89	-13	21.89	Pass	8001




1.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:18675, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.81	-13	65.81	Pass	401
0.15	30	0.01	RMS	0.15	-76.88	-13	63.88	Pass	2986
30	1000	0.1	RMS	944.863	-69.72	-13	56.72	Pass	9701
1000	1840	1	RMS	1840	-54.94	-13	41.94	Pass	841
1840	1920	1	RMS	1850.8	18.29	60	41.71	Pass	401
1920	3000	1	RMS	2963	-54.27	-13	41.27	Pass	1081
3000	12000	1	RMS	11994	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19368	-34.85	-13	21.85	Pass	8001




1.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:18900, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.72	-13	65.72	Pass	401
0.15	30	0.01	RMS	0.15	-77.68	-13	64.68	Pass	2986
30	1000	0.1	RMS	955.47	-69.87	-13	56.87	Pass	9701
1000	1840	1	RMS	1840	-57.53	-13	44.53	Pass	841
1840	1920	1	RMS	1873.2	18.99	60	41.01	Pass	401
1920	3000	1	RMS	2999	-54.23	-13	41.23	Pass	1081
3000	12000	1	RMS	11999	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19401	-34.92	-13	21.92	Pass	8001




1.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:18900, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.36	-13	65.36	Pass	401
0.15	30	0.01	RMS	0.15	-78.67	-13	65.67	Pass	2986
30	1000	0.1	RMS	927.652	-69.83	-13	56.83	Pass	9701
1000	1840	1	RMS	1840	-57.55	-13	44.55	Pass	841
1840	1920	1	RMS	1873.2	18.04	60	41.96	Pass	401
1920	3000	1	RMS	3000	-54.27	-13	41.27	Pass	1081
3000	12000	1	RMS	11997	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19366	-34.9	-13	21.9	Pass	8001




1.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:19125, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.17	-77	-13	64	Pass	2986
30	1000	0.1	RMS	869.914	-69.75	-13	56.75	Pass	9701
1000	1840	1	RMS	1837	-57.58	-13	44.58	Pass	841
1840	1920	1	RMS	1895.8	18.95	60	41.05	Pass	401
1920	3000	1	RMS	2999	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11993	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19318	-34.92	-13	21.92	Pass	8001




1.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:19125, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-79.09	-13	66.09	Pass	401
0.15	30	0.01	RMS	0.15	-77.91	-13	64.91	Pass	2986
30	1000	0.1	RMS	943.162	-69.68	-13	56.68	Pass	9701
1000	1840	1	RMS	1838	-57.57	-13	44.57	Pass	841
1840	1920	1	RMS	1895.8	18.15	60	41.85	Pass	401
1920	3000	1	RMS	2990	-54.29	-13	41.29	Pass	1081
3000	12000	1	RMS	11999	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19357	-34.91	-13	21.91	Pass	8001




1.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:18700, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.83	-13	64.83	Pass	401
0.15	30	0.01	RMS	0.15	-77.53	-13	64.53	Pass	2986
30	1000	0.1	RMS	978.386	-69.8	-13	56.8	Pass	9701
1000	1840	1	RMS	1840	-54.57	-13	41.57	Pass	841
1840	1920	1	RMS	1851	19.22	60	40.78	Pass	401
1920	3000	1	RMS	2998	-54.3	-13	41.3	Pass	1081
3000	12000	1	RMS	11996	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19310	-34.92	-13	21.92	Pass	8001




1.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:18700, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.33	-13	65.33	Pass	401
0.15	30	0.01	RMS	0.15	-77.21	-13	64.21	Pass	2986
30	1000	0.1	RMS	981.288	-69.78	-13	56.78	Pass	9701
1000	1840	1	RMS	1840	-54.89	-13	41.89	Pass	841
1840	1920	1	RMS	1851	18.39	60	41.61	Pass	401
1920	3000	1	RMS	2997	-54.28	-13	41.28	Pass	1081
3000	12000	1	RMS	11999	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19315	-34.88	-13	21.88	Pass	8001




1.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:18900, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.7	-13	65.7	Pass	401
0.15	30	0.01	RMS	0.15	-77.17	-13	64.17	Pass	2986
30	1000	0.1	RMS	846.7	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1840	-57.46	-13	44.46	Pass	841
1840	1920	1	RMS	1871	18.97	60	41.03	Pass	401
1920	3000	1	RMS	2994	-54.28	-13	41.28	Pass	1081
3000	12000	1	RMS	12000	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19350	-34.84	-13	21.84	Pass	8001




1.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:18900, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.24	-13	64.24	Pass	401
0.15	30	0.01	RMS	0.15	-77.27	-13	64.27	Pass	2986
30	1000	0.1	RMS	915.244	-69.79	-13	56.79	Pass	9701
1000	1840	1	RMS	1840	-57.53	-13	44.53	Pass	841
1840	1920	1	RMS	1871	18.08	60	41.92	Pass	401
1920	3000	1	RMS	2975	-54.29	-13	41.29	Pass	1081
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19315	-34.9	-13	21.9	Pass	8001




1.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:19100, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.15	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	975.083	-69.73	-13	56.73	Pass	9701
1000	1840	1	RMS	1838	-57.55	-13	44.55	Pass	841
1840	1920	1	RMS	1891	19.01	60	40.99	Pass	401
1920	3000	1	RMS	1920	-49.63	-13	36.63	Pass	1081
3000	12000	1	RMS	11997	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19362	-34.88	-13	21.88	Pass	8001



1.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:19100, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)


Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.15	-78.02	-13	65.02	Pass	2986
30	1000	0.1	RMS	978.686	-69.82	-13	56.82	Pass	9701
1000	1840	1	RMS	1839	-57.51	-13	44.51	Pass	841
1840	1920	1	RMS	1891	18.09	60	41.91	Pass	401
1920	3000	1	RMS	1920	-50.05	-13	37.05	Pass	1081
3000	12000	1	RMS	11995	-43.14	-13	30.14	Pass	9002
12000	20000	1	RMS	19304	-34.86	-13	21.86	Pass	8001



2. LTE_Band4


2.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:19957, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.69	-13	64.69	Pass	401
0.15	30	0.01	RMS	0.15	-78.29	-13	65.29	Pass	2986
30	1000	0.1	RMS	884.523	-69.87	-13	56.87	Pass	9701
1000	1700	1	RMS	1176	-49	-13	36	Pass	701
1700	1765	1	RMS	1710.238	18.65	60	41.35	Pass	401
1765	3000	1	RMS	2992	-54.25	-13	41.25	Pass	1236
3000	12000	1	RMS	11996	-43.13	-13	30.13	Pass	9002
12000	20000	1	RMS	19474	-34.92	-13	21.92	Pass	8001




2.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:19957, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.85	-13	64.85	Pass	401
0.15	30	0.01	RMS	0.2	-78.19	-13	65.19	Pass	2986
30	1000	0.1	RMS	848.9	-69.97	-13	56.97	Pass	9701
1000	1700	1	RMS	1176	-48.98	-13	35.98	Pass	701
1700	1765	1	RMS	1710.238	17.9	60	42.1	Pass	401
1765	3000	1	RMS	2995	-54.3	-13	41.3	Pass	1236
3000	12000	1	RMS	11999	-43.12	-13	30.12	Pass	9002
12000	20000	1	RMS	19333	-34.89	-13	21.89	Pass	8001




2.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:20175, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.15	-77.41	-13	64.41	Pass	2986
30	1000	0.1	RMS	854.604	-69.9	-13	56.9	Pass	9701
1000	1700	1	RMS	1157	-57.23	-13	44.23	Pass	701
1700	1765	1	RMS	1732.013	18.53	60	41.47	Pass	401
1765	3000	1	RMS	2981	-54.25	-13	41.25	Pass	1236
3000	12000	1	RMS	11998	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19309	-34.94	-13	21.94	Pass	8001




2.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:20175, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.64	-13	64.64	Pass	401
0.15	30	0.01	RMS	0.15	-78.12	-13	65.12	Pass	2986
30	1000	0.1	RMS	845.4	-69.85	-13	56.85	Pass	9701
1000	1700	1	RMS	1696	-57.76	-13	44.76	Pass	701
1700	1765	1	RMS	1732.013	17.66	60	42.34	Pass	401
1765	3000	1	RMS	2978	-54.3	-13	41.3	Pass	1236
3000	12000	1	RMS	12000	-43.16	-13	30.16	Pass	9002
12000	20000	1	RMS	19439	-34.89	-13	21.89	Pass	8001




2.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:20393, Bandwidth:1.4, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.73	-13	64.73	Pass	401
0.15	30	0.01	RMS	0.15	-76.74	-13	63.74	Pass	2986
30	1000	0.1	RMS	968.479	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1698	-58.01	-13	45.01	Pass	701
1700	1765	1	RMS	1753.788	18.63	60	41.37	Pass	401
1765	3000	1	RMS	2998	-54.25	-13	41.25	Pass	1236
3000	12000	1	RMS	11997	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19318	-34.9	-13	21.9	Pass	8001




2.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:20393, Bandwidth:1.4, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-77.4	-13	64.4	Pass	401
0.15	30	0.01	RMS	0.15	-76.96	-13	63.96	Pass	2986
30	1000	0.1	RMS	971.881	-69.81	-13	56.81	Pass	9701
1000	1700	1	RMS	1681	-57.98	-13	44.98	Pass	701
1700	1765	1	RMS	1753.788	17.88	60	42.12	Pass	401
1765	3000	1	RMS	2996	-54.26	-13	41.26	Pass	1236
3000	12000	1	RMS	11997	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19423	-34.85	-13	21.85	Pass	8001




2.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:19965, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.93	-13	64.93	Pass	401
0.15	30	0.01	RMS	0.17	-77.7	-13	64.7	Pass	2986
30	1000	0.1	RMS	935.457	-69.56	-13	56.56	Pass	9701
1000	1700	1	RMS	1175	-48.2	-13	35.2	Pass	701
1700	1765	1	RMS	1710.075	18.76	60	41.24	Pass	401
1765	3000	1	RMS	3000	-54.22	-13	41.22	Pass	1236
3000	12000	1	RMS	11900	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19331	-34.91	-13	21.91	Pass	8001




2.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:19965, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.16	-77.87	-13	64.87	Pass	2986
30	1000	0.1	RMS	844.6	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1175	-49.55	-13	36.55	Pass	701
1700	1765	1	RMS	1710.075	18.02	60	41.98	Pass	401
1765	3000	1	RMS	2991	-54.19	-13	41.19	Pass	1236
3000	12000	1	RMS	11899	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19313	-34.87	-13	21.87	Pass	8001




2.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:20175, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.12	-13	65.12	Pass	401
0.15	30	0.01	RMS	0.17	-77.05	-13	64.05	Pass	2986
30	1000	0.1	RMS	940.461	-69.73	-13	56.73	Pass	9701
1000	1700	1	RMS	1681	-57.99	-13	44.99	Pass	701
1700	1765	1	RMS	1731.2	-15.56	60	75.56	Pass	401
1765	3000	1	RMS	2987	-54.22	-13	41.22	Pass	1236
3000	12000	1	RMS	12000	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19351	-34.86	-13	21.86	Pass	8001




2.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:20175, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.6	-13	65.6	Pass	401
0.15	30	0.01	RMS	0.16	-78.57	-13	65.57	Pass	2986
30	1000	0.1	RMS	925.25	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1680	-57.98	-13	44.98	Pass	701
1700	1765	1	RMS	1731.2	-16.99	60	76.99	Pass	401
1765	3000	1	RMS	2996	-54.24	-13	41.24	Pass	1236
3000	12000	1	RMS	11901	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	19295	-34.89	-13	21.89	Pass	8001




2.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:20385, Bandwidth:3, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.15	-76.93	-13	63.93	Pass	2986
30	1000	0.1	RMS	996.698	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1694	-57.91	-13	44.91	Pass	701
1700	1765	1	RMS	1752.163	18.69	60	41.31	Pass	401
1765	3000	1	RMS	2970	-54.25	-13	41.25	Pass	1236
3000	12000	1	RMS	11894	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19323	-34.83	-13	21.83	Pass	8001




2.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:20385, Bandwidth:3, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.02	-13	65.02	Pass	401
0.15	30	0.01	RMS	0.15	-76.83	-13	63.83	Pass	2986
30	1000	0.1	RMS	930.554	-69.79	-13	56.79	Pass	9701
1000	1700	1	RMS	1698	-57.95	-13	44.95	Pass	701
1700	1765	1	RMS	1752.163	18.03	60	41.97	Pass	401
1765	3000	1	RMS	3000	-54.24	-13	41.24	Pass	1236
3000	12000	1	RMS	11999	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19325	-34.83	-13	21.83	Pass	8001




2.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:19975, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.17	-77.45	-13	64.45	Pass	2986
30	1000	0.1	RMS	937.659	-69.73	-13	56.73	Pass	9701
1000	1700	1	RMS	1175	-47.66	-13	34.66	Pass	701
1700	1765	1	RMS	1710.238	18.9	60	41.1	Pass	401
1765	3000	1	RMS	2997	-54.19	-13	41.19	Pass	1236
3000	12000	1	RMS	11997	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	19308	-34.84	-13	21.84	Pass	8001




2.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:19975, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.014	-78.4	-13	65.4	Pass	401
0.15	30	0.01	RMS	0.15	-77.85	-13	64.85	Pass	2986
30	1000	0.1	RMS	982.689	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1175	-49.88	-13	36.88	Pass	701
1700	1765	1	RMS	1710.238	17.85	60	42.15	Pass	401
1765	3000	1	RMS	2985	-54.23	-13	41.23	Pass	1236
3000	12000	1	RMS	11890	-43.11	-13	30.11	Pass	9002
12000	20000	1	RMS	19373	-34.86	-13	21.86	Pass	8001




2.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:20175, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.96	-13	64.96	Pass	401
0.15	30	0.01	RMS	0.16	-77.76	-13	64.76	Pass	2986
30	1000	0.1	RMS	972.081	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1700	-55.71	-13	42.71	Pass	701
1700	1765	1	RMS	1730.225	18.63	60	41.37	Pass	401
1765	3000	1	RMS	2992	-54.18	-13	41.18	Pass	1236
3000	12000	1	RMS	11999	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19336	-34.79	-13	21.79	Pass	8001




2.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:20175, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78	-13	65	Pass	401
0.15	30	0.01	RMS	0.15	-77.31	-13	64.31	Pass	2986
30	1000	0.1	RMS	826.8	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1700	-56.48	-13	43.48	Pass	701
1700	1765	1	RMS	1730.225	17.99	60	42.01	Pass	401
1765	3000	1	RMS	2985	-54.21	-13	41.21	Pass	1236
3000	12000	1	RMS	11902	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19366	-34.86	-13	21.86	Pass	8001




2.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:20375, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.97	-13	64.97	Pass	401
0.15	30	0.01	RMS	0.15	-77.55	-13	64.55	Pass	2986
30	1000	0.1	RMS	820.7	-69.82	-13	56.82	Pass	9701
1000	1700	1	RMS	1697	-57.31	-13	44.31	Pass	701
1700	1765	1	RMS	1750.213	18.75	60	41.25	Pass	401
1765	3000	1	RMS	2999	-54.21	-13	41.21	Pass	1236
3000	12000	1	RMS	11998	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19369	-34.87	-13	21.87	Pass	8001




2.18 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:18, Channel:20375, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.57	-13	64.57	Pass	401
0.15	30	0.01	RMS	0.16	-77.69	-13	64.69	Pass	2986
30	1000	0.1	RMS	962.975	-69.78	-13	56.78	Pass	9701
1000	1700	1	RMS	1700	-57.77	-13	44.77	Pass	701
1700	1765	1	RMS	1750.213	18.03	60	41.97	Pass	401
1765	3000	1	RMS	3000	-54.16	-13	41.16	Pass	1236
3000	12000	1	RMS	11999	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19467	-34.86	-13	21.86	Pass	8001




2.19 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:19, Channel:20000, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.9	-13	64.9	Pass	401
0.15	30	0.01	RMS	0.15	-76.88	-13	63.88	Pass	2986
30	1000	0.1	RMS	977.185	-69.73	-13	56.73	Pass	9701
1000	1700	1	RMS	1174	-48.65	-13	35.65	Pass	701
1700	1765	1	RMS	1710.563	18.72	60	41.28	Pass	401
1765	3000	1	RMS	2991	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11997	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19312	-34.87	-13	21.87	Pass	8001




2.20 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:20, Channel:20000, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-77.71	-13	64.71	Pass	401
0.15	30	0.01	RMS	0.16	-77.67	-13	64.67	Pass	2986
30	1000	0.1	RMS	988.793	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1175	-50.13	-13	37.13	Pass	701
1700	1765	1	RMS	1710.563	18	60	42	Pass	401
1765	3000	1	RMS	2991	-54.14	-13	41.14	Pass	1236
3000	12000	1	RMS	11997	-43.09	-13	30.09	Pass	9002
12000	20000	1	RMS	19372	-34.88	-13	21.88	Pass	8001




2.21 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:21, Channel:20175, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.19	-13	65.19	Pass	401
0.15	30	0.01	RMS	0.15	-77.18	-13	64.18	Pass	2986
30	1000	0.1	RMS	942.562	-69.75	-13	56.75	Pass	9701
1000	1700	1	RMS	1700	-53.16	-13	40.16	Pass	701
1700	1765	1	RMS	1727.95	18.59	60	41.41	Pass	401
1765	3000	1	RMS	2994	-54.17	-13	41.17	Pass	1236
3000	12000	1	RMS	11990	-43.1	-13	30.1	Pass	9002
12000	20000	1	RMS	19345	-34.82	-13	21.82	Pass	8001




2.22 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:22, Channel:20175, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.48	-13	64.48	Pass	401
0.15	30	0.01	RMS	0.16	-76.89	-13	63.89	Pass	2986
30	1000	0.1	RMS	952.268	-69.8	-13	56.8	Pass	9701
1000	1700	1	RMS	1700	-53.83	-13	40.83	Pass	701
1700	1765	1	RMS	1727.95	17.7	60	42.3	Pass	401
1765	3000	1	RMS	2996	-54.14	-13	41.14	Pass	1236
3000	12000	1	RMS	11995	-43.06	-13	30.06	Pass	9002
12000	20000	1	RMS	19317	-34.85	-13	21.85	Pass	8001




2.23 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:23, Channel:20350, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-76.78	-13	63.78	Pass	2986
30	1000	0.1	RMS	945.864	-69.83	-13	56.83	Pass	9701
1000	1700	1	RMS	1154	-57.09	-13	44.09	Pass	701
1700	1765	1	RMS	1745.5	18.8	60	41.2	Pass	401
1765	3000	1	RMS	2985	-54.15	-13	41.15	Pass	1236
3000	12000	1	RMS	12000	-43.04	-13	30.04	Pass	9002
12000	20000	1	RMS	19341	-34.78	-13	21.78	Pass	8001




2.24 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:24, Channel:20350, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.56	-13	64.56	Pass	401
0.15	30	0.01	RMS	0.19	-77.6	-13	64.6	Pass	2986
30	1000	0.1	RMS	993.896	-69.7	-13	56.7	Pass	9701
1000	1700	1	RMS	1155	-57.21	-13	44.21	Pass	701
1700	1765	1	RMS	1745.5	18.09	60	41.91	Pass	401
1765	3000	1	RMS	1765	-53.7	-13	40.7	Pass	1236
3000	12000	1	RMS	11995	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19301	-34.81	-13	21.81	Pass	8001




2.25 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:25, Channel:20025, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.04	-13	64.04	Pass	2986
30	1000	0.1	RMS	969.28	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1174	-48.54	-13	35.54	Pass	701
1700	1765	1	RMS	1710.725	18.9	60	41.1	Pass	401
1765	3000	1	RMS	2985	-54.17	-13	41.17	Pass	1236
3000	12000	1	RMS	11996	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19374	-34.84	-13	21.84	Pass	8001




2.26 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:26, Channel:20025, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.95	-13	64.95	Pass	401
0.15	30	0.01	RMS	0.3	-78.04	-13	65.04	Pass	2986
30	1000	0.1	RMS	990.194	-69.7	-13	56.7	Pass	9701
1000	1700	1	RMS	1174	-50.75	-13	37.75	Pass	701
1700	1765	1	RMS	1710.725	18.04	60	41.96	Pass	401
1765	3000	1	RMS	2997	-54.2	-13	41.2	Pass	1236
3000	12000	1	RMS	11998	-42.94	-13	29.94	Pass	9002
12000	20000	1	RMS	19434	-34.84	-13	21.84	Pass	8001




2.27 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:27, Channel:20175, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.87	-13	64.87	Pass	401
0.15	30	0.01	RMS	0.15	-77.18	-13	64.18	Pass	2986
30	1000	0.1	RMS	997.899	-69.63	-13	56.63	Pass	9701
1000	1700	1	RMS	1694	-51.71	-13	38.71	Pass	701
1700	1765	1	RMS	1725.838	18.56	60	41.44	Pass	401
1765	3000	1	RMS	1765	-53.13	-13	40.13	Pass	1236
3000	12000	1	RMS	12000	-42.96	-13	29.96	Pass	9002
12000	20000	1	RMS	19304	-34.76	-13	21.76	Pass	8001




2.28 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:28, Channel:20175, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.99	-13	64.99	Pass	401
0.15	30	0.01	RMS	0.15	-77.36	-13	64.36	Pass	2986
30	1000	0.1	RMS	950.067	-69.59	-13	56.59	Pass	9701
1000	1700	1	RMS	1691	-56.02	-13	43.02	Pass	701
1700	1765	1	RMS	1725.838	17.71	60	42.29	Pass	401
1765	3000	1	RMS	1766	-53.28	-13	40.28	Pass	1236
3000	12000	1	RMS	11998	-43.03	-13	30.03	Pass	9002
12000	20000	1	RMS	19452	-34.84	-13	21.84	Pass	8001




2.29 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:29, Channel:20325, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-77.79	-13	64.79	Pass	401
0.15	30	0.01	RMS	0.15	-76.88	-13	63.88	Pass	2986
30	1000	0.1	RMS	847	-69.77	-13	56.77	Pass	9701
1000	1700	1	RMS	1161	-53.85	-13	40.85	Pass	701
1700	1765	1	RMS	1740.788	18.72	60	41.28	Pass	401
1765	3000	1	RMS	1767	-52.53	-13	39.53	Pass	1236
3000	12000	1	RMS	11905	-43.07	-13	30.07	Pass	9002
12000	20000	1	RMS	19321	-34.87	-13	21.87	Pass	8001




2.30 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:30, Channel:20325, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.92	-13	64.92	Pass	401
0.15	30	0.01	RMS	0.15	-77.26	-13	64.26	Pass	2986
30	1000	0.1	RMS	965.577	-69.65	-13	56.65	Pass	9701
1000	1700	1	RMS	1161	-53.98	-13	40.98	Pass	701
1700	1765	1	RMS	1740.788	17.94	60	42.06	Pass	401
1765	3000	1	RMS	1767	-52.45	-13	39.45	Pass	1236
3000	12000	1	RMS	11903	-43.08	-13	30.08	Pass	9002
12000	20000	1	RMS	19407	-34.79	-13	21.79	Pass	8001




2.31 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:31, Channel:20050, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.15	-13	65.15	Pass	401
0.15	30	0.01	RMS	0.15	-77.04	-13	64.04	Pass	2986
30	1000	0.1	RMS	978.286	-69.55	-13	56.55	Pass	9701
1000	1700	1	RMS	1174	-49.26	-13	36.26	Pass	701
1700	1765	1	RMS	1711.05	18.75	60	41.25	Pass	401
1765	3000	1	RMS	2991	-54.13	-13	41.13	Pass	1236
3000	12000	1	RMS	12000	-42.95	-13	29.95	Pass	9002
12000	20000	1	RMS	19303	-34.83	-13	21.83	Pass	8001




2.32 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:32, Channel:20050, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.57	-13	64.57	Pass	401
0.15	30	0.01	RMS	0.15	-77.97	-13	64.97	Pass	2986
30	1000	0.1	RMS	863.109	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1174	-50.86	-13	37.86	Pass	701
1700	1765	1	RMS	1711.05	18.08	60	41.92	Pass	401
1765	3000	1	RMS	2973	-54.1	-13	41.1	Pass	1236
3000	12000	1	RMS	11999	-42.98	-13	29.98	Pass	9002
12000	20000	1	RMS	19350	-34.8	-13	21.8	Pass	8001




2.33 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:33, Channel:20175, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.012	-76.75	-13	63.75	Pass	401
0.15	30	0.01	RMS	0.16	-77.27	-13	64.27	Pass	2986
30	1000	0.1	RMS	929.453	-69.61	-13	56.61	Pass	9701
1000	1700	1	RMS	1163	-56.71	-13	43.71	Pass	701
1700	1765	1	RMS	1723.563	18.64	60	41.36	Pass	401
1765	3000	1	RMS	1773	-52.8	-13	39.8	Pass	1236
3000	12000	1	RMS	11999	-43.02	-13	30.02	Pass	9002
12000	20000	1	RMS	19337	-34.81	-13	21.81	Pass	8001




2.34 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:34, Channel:20175, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.07	-13	65.07	Pass	401
0.15	30	0.01	RMS	0.15	-77.32	-13	64.32	Pass	2986
30	1000	0.1	RMS	957.572	-69.74	-13	56.74	Pass	9701
1000	1700	1	RMS	1163	-56.2	-13	43.2	Pass	701
1700	1765	1	RMS	1723.563	17.72	60	42.28	Pass	401
1765	3000	1	RMS	1765	-51.51	-13	38.51	Pass	1236
3000	12000	1	RMS	11993	-42.97	-13	29.97	Pass	9002
12000	20000	1	RMS	19325	-34.82	-13	21.82	Pass	8001




2.35 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:35, Channel:20300, Bandwidth:20, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-76.63	-13	63.63	Pass	401
0.15	30	0.01	RMS	0.16	-77.3	-13	64.3	Pass	2986
30	1000	0.1	RMS	956.371	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1157	-54.83	-13	41.83	Pass	701
1700	1765	1	RMS	1736.075	18.79	60	41.21	Pass	401
1765	3000	1	RMS	1765	-44.83	-13	31.83	Pass	1236
3000	12000	1	RMS	11999	-42.9	-13	29.9	Pass	9002
12000	20000	1	RMS	19349	-34.77	-13	21.77	Pass	8001



2.36 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:36, Channel:20300, Bandwidth:20, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.01	-78.11	-13	65.11	Pass	401
0.15	30	0.01	RMS	0.15	-77.59	-13	64.59	Pass	2986
30	1000	0.1	RMS	986.691	-69.72	-13	56.72	Pass	9701
1000	1700	1	RMS	1158	-55.78	-13	42.78	Pass	701
1700	1765	1	RMS	1736.075	17.93	60	42.07	Pass	401
1765	3000	1	RMS	1765	-45.6	-13	32.6	Pass	1236
3000	12000	1	RMS	11991	-43.01	-13	30.01	Pass	9002
12000	20000	1	RMS	19320	-34.72	-13	21.72	Pass	8001



3. LTE_Band7

3.1 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:1, Channel:20775, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.013	-77.23	-25	52.23	Pass	401
0.15	30	0.01	RMS	0.25	-77.47	-25	52.47	Pass	2986
30	1000	0.1	RMS	539.6	-69.39	-25	44.39	Pass	9701
1000	2490	1	RMS	1769	-53.06	-25	28.06	Pass	1491
2490	2580	1	RMS	2500.125	18.23	60	41.77	Pass	401
2580	3000	1	RMS	2999	-54.42	-25	29.42	Pass	421
3000	12000	1	RMS	11999	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25514	-56.74	-25	31.74	Pass	14002



3.2 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:2, Channel:20775, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-78.12	-25	53.12	Pass	401
0.15	30	0.01	RMS	0.16	-77.83	-25	52.83	Pass	2986
30	1000	0.1	RMS	971.381	-69.86	-25	44.86	Pass	9701
1000	2490	1	RMS	2490	-55.08	-25	30.08	Pass	1491
2490	2580	1	RMS	2500.125	17.35	60	42.65	Pass	401
2580	3000	1	RMS	2996	-54.39	-25	29.39	Pass	421
3000	12000	1	RMS	11996	-64.08	-25	39.08	Pass	9002
12000	26000	1	RMS	25497	-56.73	-25	31.73	Pass	14002



3.3 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:3, Channel:21100, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.81	-25	52.81	Pass	401
0.15	30	0.01	RMS	0.17	-77.77	-25	52.77	Pass	2986
30	1000	0.1	RMS	930.854	-69.9	-25	44.9	Pass	9701
1000	2490	1	RMS	2490	-55.5	-25	30.5	Pass	1491
2490	2580	1	RMS	2532.75	18.73	60	41.27	Pass	401
2580	3000	1	RMS	3000	-54.38	-25	29.38	Pass	421
3000	12000	1	RMS	11886	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25501	-56.72	-25	31.72	Pass	14002




3.4 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:4, Channel:21100, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.65	-25	52.65	Pass	401
0.15	30	0.01	RMS	0.15	-77.65	-25	52.65	Pass	2986
30	1000	0.1	RMS	932.856	-69.93	-25	44.93	Pass	9701
1000	2490	1	RMS	2489	-55.61	-25	30.61	Pass	1491
2490	2580	1	RMS	2532.75	17.89	60	42.11	Pass	401
2580	3000	1	RMS	2997	-54.38	-25	29.38	Pass	421
3000	12000	1	RMS	11897	-64.11	-25	39.11	Pass	9002
12000	26000	1	RMS	25498	-56.67	-25	31.67	Pass	14002




3.5 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:5, Channel:21425, Bandwidth:5, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.85	-25	52.85	Pass	401
0.15	30	0.01	RMS	0.23	-78.55	-25	53.55	Pass	2986
30	1000	0.1	RMS	604.6	-69.4	-25	44.4	Pass	9701
1000	2490	1	RMS	2488	-55.63	-25	30.63	Pass	1491
2490	2580	1	RMS	2565.15	19.04	60	40.96	Pass	401
2580	3000	1	RMS	2999	-54.39	-25	29.39	Pass	421
3000	12000	1	RMS	11992	-64.03	-25	39.03	Pass	9002
12000	26000	1	RMS	25492	-56.78	-25	31.78	Pass	14002




3.6 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:6, Channel:21425, Bandwidth:5, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.98	-25	52.98	Pass	401
0.15	30	0.01	RMS	0.15	-78.4	-25	53.4	Pass	2986
30	1000	0.1	RMS	952.969	-69.98	-25	44.98	Pass	9701
1000	2490	1	RMS	2485	-55.65	-25	30.65	Pass	1491
2490	2580	1	RMS	2565.15	18.28	60	41.72	Pass	401
2580	3000	1	RMS	2998	-54.43	-25	29.43	Pass	421
3000	12000	1	RMS	11998	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25499	-56.7	-25	31.7	Pass	14002



3.7 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:7, Channel:20800, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.29	-25	53.29	Pass	401
0.15	30	0.01	RMS	0.15	-78.25	-25	53.25	Pass	2986
30	1000	0.1	RMS	539.9	-69.11	-25	44.11	Pass	9701
1000	2490	1	RMS	2490	-53.7	-25	28.7	Pass	1491
2490	2580	1	RMS	2500.575	18.26	60	41.74	Pass	401
2580	3000	1	RMS	2991	-54.44	-25	29.44	Pass	421
3000	12000	1	RMS	11901	-64.04	-25	39.04	Pass	9002
12000	26000	1	RMS	25508	-56.8	-25	31.8	Pass	14002




3.8 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:8, Channel:20800, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.074	-77.68	-25	52.68	Pass	401
0.15	30	0.01	RMS	0.17	-78.24	-25	53.24	Pass	2986
30	1000	0.1	RMS	539.9	-69.45	-25	44.45	Pass	9701
1000	2490	1	RMS	2490	-53.8	-25	28.8	Pass	1491
2490	2580	1	RMS	2500.575	17.53	60	42.47	Pass	401
2580	3000	1	RMS	2998	-54.46	-25	29.46	Pass	421
3000	12000	1	RMS	11994	-64.05	-25	39.05	Pass	9002
12000	26000	1	RMS	25499	-56.79	-25	31.79	Pass	14002




3.9 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:9, Channel:21100, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-77.74	-25	52.74	Pass	401
0.15	30	0.01	RMS	0.16	-77.7	-25	52.7	Pass	2986
30	1000	0.1	RMS	865.911	-69.95	-25	44.95	Pass	9701
1000	2490	1	RMS	2490	-55.65	-25	30.65	Pass	1491
2490	2580	1	RMS	2530.5	18.7	60	41.3	Pass	401
2580	3000	1	RMS	2996	-54.45	-25	29.45	Pass	421
3000	12000	1	RMS	11899	-63.98	-25	38.98	Pass	9002
12000	26000	1	RMS	25501	-56.75	-25	31.75	Pass	14002



3.10 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:10, Channel:21100, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.073	-78.3	-25	53.3	Pass	401
0.15	30	0.01	RMS	0.17	-78.2	-25	53.2	Pass	2986
30	1000	0.1	RMS	852.102	-69.96	-25	44.96	Pass	9701
1000	2490	1	RMS	2488	-55.64	-25	30.64	Pass	1491
2490	2580	1	RMS	2530.5	17.68	60	42.32	Pass	401
2580	3000	1	RMS	2993	-54.47	-25	29.47	Pass	421
3000	12000	1	RMS	11991	-64.1	-25	39.1	Pass	9002
12000	26000	1	RMS	25499	-56.81	-25	31.81	Pass	14002




3.11 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:11, Channel:21400, Bandwidth:10, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-77.86	-25	52.86	Pass	401
0.15	30	0.01	RMS	0.16	-77.56	-25	52.56	Pass	2986
30	1000	0.1	RMS	599.9	-69.48	-25	44.48	Pass	9701
1000	2490	1	RMS	2483	-55.69	-25	30.69	Pass	1491
2490	2580	1	RMS	2560.425	19.2	60	40.8	Pass	401
2580	3000	1	RMS	2580	-54.35	-25	29.35	Pass	421
3000	12000	1	RMS	11998	-64.14	-25	39.14	Pass	9002
12000	26000	1	RMS	25500	-56.76	-25	31.76	Pass	14002




3.12 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:12, Channel:21400, Bandwidth:10, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-42.89	-25	17.89	Pass	401
0.15	30	0.01	RMS	0.25	-54.15	-25	29.15	Pass	2986
30	1000	0.1	RMS	999.8	-70.02	-25	45.02	Pass	9701
1000	2490	1	RMS	2412	-51.25	-25	26.25	Pass	1491
2490	2580	1	RMS	2560.425	10.58	60	49.42	Pass	401
2580	3000	1	RMS	2993	-54.46	-25	29.46	Pass	421
3000	12000	1	RMS	11898	-64.05	-25	39.05	Pass	9002
12000	26000	1	RMS	25493	-56.8	-25	31.8	Pass	14002




3.13 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:13, Channel:20825, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.109	-43.15	-25	18.15	Pass	401
0.15	30	0.01	RMS	0.25	-53.81	-25	28.81	Pass	2986
30	1000	0.1	RMS	934.957	-70.01	-25	45.01	Pass	9701
1000	2490	1	RMS	2410	-50.77	-25	25.77	Pass	1491
2490	2580	1	RMS	2500.8	9.22	60	50.78	Pass	401
2580	3000	1	RMS	2987	-54.49	-25	29.49	Pass	421
3000	12000	1	RMS	11903	-64.11	-25	39.11	Pass	9002
12000	26000	1	RMS	25501	-56.83	-25	31.83	Pass	14002




3.14 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:14, Channel:20825, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.009	-78.62	-25	53.62	Pass	401
0.15	30	0.01	RMS	0.21	-78.72	-25	53.72	Pass	2986
30	1000	0.1	RMS	924.75	-69.9	-25	44.9	Pass	9701
1000	2490	1	RMS	2487	-55.71	-25	30.71	Pass	1491
2490	2580	1	RMS	2500.8	-16.35	60	76.35	Pass	401
2580	3000	1	RMS	3000	-54.5	-25	29.5	Pass	421
3000	12000	1	RMS	11891	-64.14	-25	39.14	Pass	9002
12000	26000	1	RMS	25499	-56.84	-25	31.84	Pass	14002




3.15 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:15, Channel:21100, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.38	-25	53.38	Pass	401
0.15	30	0.01	RMS	0.19	-78.15	-25	53.15	Pass	2986
30	1000	0.1	RMS	868.413	-70.05	-25	45.05	Pass	9701
1000	2490	1	RMS	2485	-55.79	-25	30.79	Pass	1491
2490	2580	1	RMS	2528.25	-16.49	60	76.49	Pass	401
2580	3000	1	RMS	2998	-54.51	-25	29.51	Pass	421
3000	12000	1	RMS	11995	-64.08	-25	39.08	Pass	9002
12000	26000	1	RMS	25494	-56.85	-25	31.85	Pass	14002



3.16 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:16, Channel:21100, Bandwidth:15, Modulation:16QAM, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.011	-78.02	-25	53.02	Pass	401
0.15	30	0.01	RMS	0.15	-77.93	-25	52.93	Pass	2986
30	1000	0.1	RMS	956.871	-69.89	-25	44.89	Pass	9701
1000	2490	1	RMS	2487	-55.81	-25	30.81	Pass	1491
2490	2580	1	RMS	2528.25	-17.4	60	77.4	Pass	401
2580	3000	1	RMS	3000	-54.52	-25	29.52	Pass	421
3000	12000	1	RMS	11993	-64.12	-25	39.12	Pass	9002
12000	26000	1	RMS	25501	-56.7	-25	31.7	Pass	14002



3.17 LTE Spurious Emission at Antenna Terminals_Part22-24-27(NTNV)(Subtest:17, Channel:21375, Bandwidth:15, Modulation:QPSK, RB Number:1, RB Position:0)

Start Frequency (MHz)	Stop Frequency (MHz)	RBW (MHz)	Detector	Frequency (MHz)	Power (dBm)	Limit (dBm)	Margin (dB)	Verdict	Sweep Point
0.009	0.15	0.001	RMS	0.015	-78.22	-25	53.22	Pass	401
0.15	30	0.01	RMS	0.2	-78.6	-25	53.6	Pass	2986
30	1000	0.1	RMS	964.176	-69.92	-25	44.92	Pass	9701
1000	2490	1	RMS	2487	-55.78	-25	30.78	Pass	1491
2490	2580	1	RMS	2555.7	-14.65	60	74.65	Pass	401
2580	3000	1	RMS	2995	-54.5	-25	29.5	Pass	421
3000	12000	1	RMS	11996	-64.15	-25	39.15	Pass	9002
12000	26000	1	RMS	25503	-56.83	-25	31.83	Pass	14002

