

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_06.08.04

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH44 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1596.500	38.74	-16.23	74.0	35.26	Peak	152.00	150	Vertical	Pass
1**	1596.500	27.64	-16.23	54.0	26.36	AV	152.00	150	Vertical	Pass
2	3470.000	47.55	-5.53	74.0	26.45	Peak	44.00	150	Vertical	Pass
2**	3470.000	35.95	-5.53	54.0	18.05	AV	44.00	150	Vertical	Pass
3	5219.000	91.54	-2.36	74.0	-17.54	Peak	203.00	150	Vertical	N/A
3**	5219.000	84.11	-2.36	54.0	-30.11	AV	203.00	150	Vertical	N/A
4	6722.500	52.14	0.56	74.0	21.86	Peak	25.00	150	Vertical	Pass
4**	6722.500	41.66	0.56	54.0	12.34	AV	25.00	150	Vertical	Pass
5	10437.463	51.20	-3.32	74.0	22.80	Peak	6.00	150	Vertical	Pass
5**	10437.463	46.18	-3.32	54.0	7.82	AV	6.00	150	Vertical	Pass
6	15660.075	49.83	-1.50	74.0	24.17	Peak	142.00	150	Vertical	Pass
6**	15660.075	42.75	-1.50	54.0	11.25	AV	142.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_06.03.34

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11a CH44 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1677.750	39.38	-16.42	74.0	34.62	Peak	151.00	150	Horizontal	Pass
1**	1677.750	27.56	-16.42	54.0	26.44	AV	151.00	150	Horizontal	Pass
2	3598.500	45.95	-5.07	74.0	28.05	Peak	33.00	150	Horizontal	Pass
2**	3598.500	36.10	-5.07	54.0	17.90	AV	33.00	150	Horizontal	Pass
3	5217.500	101.58	-2.36	74.0	-27.58	Peak	152.00	150	Horizontal	N/A
3**	5217.500	93.41	-2.36	54.0	-39.41	AV	152.00	150	Horizontal	N/A
4	10442.687	55.05	-3.30	74.0	18.95	Peak	120.00	150	Horizontal	Pass
4**	10442.687	48.50	-3.30	54.0	5.50	AV	120.00	150	Horizontal	Pass
5	15662.963	46.53	-1.46	74.0	27.47	Peak	142.00	150	Horizontal	Pass
5**	15662.963	40.57	-1.46	54.0	13.43	AV	142.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_08.30.53

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11n20 CH44 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhou Xu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1099.500	38.72	-15.74	74.0	35.28	Peak	145.00	150	Vertical	Pass
1**	1099.500	27.59	-15.74	54.0	26.41	AV	145.00	150	Vertical	Pass
2	2047.000	40.83	-13.50	74.0	33.17	Peak	99.00	150	Vertical	Pass
2**	2047.000	30.09	-13.50	54.0	23.91	AV	99.00	150	Vertical	Pass
3	3486.000	46.14	-6.04	74.0	27.86	Peak	308.00	150	Vertical	Pass
3**	3486.000	35.74	-6.04	54.0	18.26	AV	308.00	150	Vertical	Pass
4	5218.500	92.20	-2.37	74.0	-18.20	Peak	199.00	150	Vertical	N/A
4**	5218.500	83.95	-2.37	54.0	-29.95	AV	199.00	150	Vertical	N/A
5	10438.887	55.27	-3.44	74.0	18.73	Peak	260.00	150	Vertical	Pass
5**	10438.887	48.56	-3.44	54.0	5.44	AV	260.00	150	Vertical	Pass
6	15659.025	48.66	-1.38	74.0	25.34	Peak	142.00	150	Vertical	Pass
6**	15659.025	43.99	-1.38	54.0	10.01	AV	142.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_08.24.51

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n20 CH44 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhou Xu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1143.500	39.08	-15.60	74.0	34.92	Peak	0.00	150	Horizontal	Pass
1**	1143.500	27.88	-15.60	54.0	26.12	AV	0.00	150	Horizontal	Pass
2	2021.250	40.67	-14.12	74.0	33.33	Peak	330.00	150	Horizontal	Pass
2**	2021.250	29.61	-14.12	54.0	24.39	AV	330.00	150	Horizontal	Pass
3	3382.500	46.68	-5.25	74.0	27.32	Peak	68.00	150	Horizontal	Pass
3**	3382.500	36.30	-5.25	54.0	17.70	AV	68.00	150	Horizontal	Pass
4	5222.000	101.79	-2.36	74.0	-27.79	Peak	150.00	150	Horizontal	N/A
4**	5222.000	94.57	-2.36	54.0	-40.57	AV	150.00	150	Horizontal	N/A
5	10442.450	58.91	-3.30	74.0	15.09	Peak	145.00	150	Horizontal	Pass
5**	10442.450	48.74	-3.30	54.0	5.26	AV	145.00	150	Horizontal	Pass
6	15664.012	46.67	-1.51	74.0	27.33	Peak	345.00	150	Horizontal	Pass
6**	15664.012	41.79	-1.51	54.0	12.21	AV	345.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_09.12.17

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.2G WIFI 11n40 CH38 P=15


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1109.500	38.57	-15.77	74.0	35.43	Peak	65.00	150	Vertical	Pass
1**	1109.500	27.57	-15.77	54.0	26.43	AV	65.00	150	Vertical	Pass
2	1884.500	39.78	-15.31	74.0	34.22	Peak	360.00	150	Vertical	Pass
2**	1884.500	28.60	-15.31	54.0	25.40	AV	360.00	150	Vertical	Pass
3	3384.000	47.27	-5.32	74.0	26.73	Peak	354.00	150	Vertical	Pass
3**	3384.000	36.32	-5.32	54.0	17.68	AV	354.00	150	Vertical	Pass
4	5196.000	88.34	-2.34	74.0	-14.34	Peak	12.00	150	Vertical	N/A
4**	5196.000	80.26	-2.34	54.0	-26.26	AV	12.00	150	Vertical	N/A
5	10380.937	49.53	-3.33	74.0	24.47	Peak	27.00	150	Vertical	Pass
5**	10380.937	42.64	-3.33	54.0	11.36	AV	27.00	150	Vertical	Pass
6	15569.512	46.64	-2.75	74.0	27.36	Peak	81.00	150	Vertical	Pass
6**	15569.512	40.47	-2.75	54.0	13.53	AV	81.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_09.21.51

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11n40 CH38 P=15
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1195.000	38.50	-15.75	74.0	35.50	Peak	360.00	150	Horizontal	Pass
1**	1195.000	27.60	-15.75	54.0	26.40	AV	360.00	150	Horizontal	Pass
2	2099.750	41.73	-13.53	74.0	32.27	Peak	356.00	150	Horizontal	Pass
2**	2099.750	30.18	-13.53	54.0	23.82	AV	356.00	150	Horizontal	Pass
3	3379.000	46.42	-5.05	74.0	27.58	Peak	286.00	150	Horizontal	Pass
3**	3379.000	36.14	-5.05	54.0	17.86	AV	286.00	150	Horizontal	Pass
4	5192.000	99.08	-2.30	74.0	-25.08	Peak	160.00	150	Horizontal	N/A
4**	5192.000	91.49	-2.30	54.0	-37.49	AV	160.00	150	Horizontal	N/A
5	10379.987	49.51	-3.39	74.0	24.49	Peak	148.00	150	Horizontal	Pass
5**	10379.987	45.81	-3.39	54.0	8.19	AV	148.00	150	Horizontal	Pass
6	15566.363	46.34	-2.66	74.0	27.66	Peak	318.00	150	Horizontal	Pass
6**	15566.363	40.63	-2.66	54.0	13.37	AV	318.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_10.00.05

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1295.250	39.07	-15.72	74.0	34.93	Peak	290.00	150	Vertical	Pass
1**	1295.250	28.15	-15.72	54.0	25.85	AV	290.00	150	Vertical	Pass
2	2165.500	41.88	-13.17	74.0	32.12	Peak	0.00	150	Vertical	Pass
2**	2165.500	30.56	-13.17	54.0	23.44	AV	0.00	150	Vertical	Pass
3	3430.500	46.78	-5.02	74.0	27.22	Peak	360.00	150	Vertical	Pass
3**	3430.500	36.48	-5.02	54.0	17.52	AV	360.00	150	Vertical	Pass
4	5216.500	85.41	-2.33	74.0	-11.41	Peak	192.00	150	Vertical	N/A
4**	5216.500	77.20	-2.33	54.0	-23.20	AV	192.00	150	Vertical	N/A
5	10440.549	49.13	-3.38	74.0	24.87	Peak	360.00	150	Vertical	Pass
5**	10440.549	40.96	-3.38	54.0	13.04	AV	360.00	150	Vertical	Pass
6	15654.300	45.35	-1.57	74.0	28.65	Peak	41.00	150	Vertical	Pass
6**	15654.300	40.17	-1.57	54.0	13.83	AV	41.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_10.07.21

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.2G WIFI 11ac80 CH42 P=14
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1171.250	38.69	-15.54	74.0	35.31	Peak	16.00	150	Horizontal	Pass
1**	1171.250	27.75	-15.54	54.0	26.25	AV	16.00	150	Horizontal	Pass
2	2135.250	41.20	-13.48	74.0	32.80	Peak	309.00	150	Horizontal	Pass
2**	2135.250	30.19	-13.48	54.0	23.81	AV	309.00	150	Horizontal	Pass
3	3371.000	46.79	-4.85	74.0	27.21	Peak	28.00	150	Horizontal	Pass
3**	3371.000	36.26	-4.85	54.0	17.74	AV	28.00	150	Horizontal	Pass
4	5215.500	95.13	-2.32	74.0	-21.13	Peak	150.00	150	Horizontal	N/A
4**	5215.500	86.33	-2.32	54.0	-32.33	AV	150.00	150	Horizontal	N/A
5	10436.750	48.77	-3.34	74.0	25.23	Peak	144.00	150	Horizontal	Pass
5**	10436.750	44.12	-3.34	54.0	9.88	AV	144.00	150	Horizontal	Pass
6	17251.088	49.18	-0.62	74.0	24.82	Peak	347.00	150	Horizontal	Pass
6**	17251.088	39.05	-0.62	54.0	14.95	AV	347.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-10_19.26.31

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: Normal working Link(5.2G WIFI)

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	35.093	31.09	-27.71	40.0	8.91	Peak	309.00	100	Vertical	Pass
2	40.039	30.41	-25.89	40.0	9.59	Peak	20.00	100	Vertical	Pass
3	87.424	28.88	-28.93	40.0	11.12	Peak	236.00	100	Vertical	Pass
4	144.218	22.73	-29.59	43.5	20.77	Peak	229.00	200	Vertical	Pass
5	185.734	26.99	-27.08	43.5	16.51	Peak	332.00	200	Vertical	Pass
6	847.565	29.44	-10.51	46.0	16.56	Peak	352.00	100	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-10_19.20.54

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E


Work Mode: Normal working Link(5.2G WIFI)

Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Liu Yabo

Remark: 适配器: A02+数据线: A09



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	86.357	29.87	-29.26	40.0	10.13	Peak	160.00	200	Horizontal	Pass
2	123.363	30.17	-28.61	43.5	13.33	Peak	127.00	100	Horizontal	Pass
3	162.842	30.66	-28.62	43.5	12.84	Peak	74.00	100	Horizontal	Pass
4	185.006	30.12	-27.17	43.5	13.38	Peak	279.00	100	Horizontal	Pass
5	601.621	25.29	-14.87	46.0	20.71	Peak	356.00	100	Horizontal	Pass
6	878.702	30.67	-9.67	46.0	15.33	Peak	0.00	100	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_10.32.07

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH60 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1133.500	39.10	-15.57	74.0	34.90	Peak	136.00	150	Vertical	Pass
1**	1133.500	28.00	-15.57	54.0	26.00	AV	136.00	150	Vertical	Pass
2	2131.750	41.09	-13.33	74.0	32.91	Peak	273.00	150	Vertical	Pass
2**	2131.750	30.27	-13.33	54.0	23.73	AV	273.00	150	Vertical	Pass
3	3599.000	47.21	-5.03	74.0	26.79	Peak	13.00	150	Vertical	Pass
3**	3599.000	36.27	-5.03	54.0	17.73	AV	13.00	150	Vertical	Pass
4	5299.000	90.40	-2.01	74.0	-16.40	Peak	13.00	150	Vertical	N/A
4**	5299.000	82.56	-2.01	54.0	-28.56	AV	13.00	150	Vertical	N/A
5	10603.713	53.95	-3.66	74.0	20.05	Peak	6.00	150	Vertical	Pass
5**	10603.713	46.66	-3.66	54.0	7.34	AV	6.00	150	Vertical	Pass
6	15901.312	48.81	-2.00	74.0	25.19	Peak	141.00	150	Vertical	Pass
6**	15901.312	42.96	-2.00	54.0	11.04	AV	141.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_10.26.48

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11a CH60 P=13
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1066.000	39.38	-15.14	74.0	34.62	Peak	271.00	150	Horizontal	Pass
1**	1066.000	27.90	-15.14	54.0	26.10	AV	271.00	150	Horizontal	Pass
2	2064.250	42.12	-13.82	74.0	31.88	Peak	334.00	150	Horizontal	Pass
2**	2064.250	29.91	-13.82	54.0	24.09	AV	334.00	150	Horizontal	Pass
3	3461.000	46.46	-4.96	74.0	27.54	Peak	72.00	150	Horizontal	Pass
3**	3461.000	36.63	-4.96	54.0	17.37	AV	72.00	150	Horizontal	Pass
4	5298.500	100.49	-2.03	74.0	-26.49	Peak	151.00	150	Horizontal	N/A
4**	5298.500	92.06	-2.03	54.0	-38.06	AV	151.00	150	Horizontal	N/A
5	10599.675	57.93	-3.67	74.0	16.07	Peak	144.00	150	Horizontal	Pass
5**	10599.675	50.94	-3.67	54.0	3.06	AV	144.00	150	Horizontal	Pass
6	15760.874	49.15	-1.98	74.0	24.85	Peak	212.00	150	Horizontal	Pass
6**	15760.874	37.72	-1.98	54.0	16.28	AV	212.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_11.47.09

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11n20 CH60 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1309.250	38.96	-15.70	74.0	35.04	Peak	78.00	150	Vertical	Pass
1**	1309.250	27.80	-15.70	54.0	26.20	AV	78.00	150	Vertical	Pass
2	2147.500	41.73	-13.74	74.0	32.27	Peak	200.00	150	Vertical	Pass
2**	2147.500	30.25	-13.74	54.0	23.75	AV	200.00	150	Vertical	Pass
3	3428.000	47.18	-4.91	74.0	26.82	Peak	247.00	150	Vertical	Pass
3**	3428.000	36.44	-4.91	54.0	17.56	AV	247.00	150	Vertical	Pass
4	5298.500	91.53	-2.03	74.0	-17.53	Peak	108.00	150	Vertical	N/A
4**	5298.500	83.41	-2.03	54.0	-29.41	AV	108.00	150	Vertical	N/A
5	10602.762	53.18	-3.66	74.0	20.82	Peak	121.00	150	Vertical	Pass
5**	10602.762	47.46	-3.66	54.0	6.54	AV	121.00	150	Vertical	Pass
6	15895.800	47.24	-1.72	74.0	26.76	Peak	242.00	150	Vertical	Pass
6**	15895.800	41.20	-1.72	54.0	12.80	AV	242.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_11.41.30

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11n20 CH60 P=14


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1275.250	38.55	-15.83	74.0	35.45	Peak	267.00	150	Horizontal	Pass
1**	1275.250	27.67	-15.83	54.0	26.33	AV	267.00	150	Horizontal	Pass
2	2118.750	41.48	-13.43	74.0	32.52	Peak	0.00	150	Horizontal	Pass
2**	2118.750	30.47	-13.43	54.0	23.53	AV	0.00	150	Horizontal	Pass
3	3455.000	46.33	-4.90	74.0	27.67	Peak	9.00	150	Horizontal	Pass
3**	3455.000	36.37	-4.90	54.0	17.63	AV	9.00	150	Horizontal	Pass
4	5298.500	100.12	-2.03	74.0	-26.12	Peak	151.00	150	Horizontal	N/A
4**	5298.500	92.61	-2.03	54.0	-38.61	AV	151.00	150	Horizontal	N/A
5	10600.625	59.08	-3.67	74.0	14.92	Peak	145.00	150	Horizontal	Pass
5**	10600.625	50.41	-3.67	54.0	3.59	AV	145.00	150	Horizontal	Pass
6	15905.250	45.97	-2.14	74.0	28.03	Peak	40.00	150	Horizontal	Pass
6**	15905.250	41.80	-2.14	54.0	12.20	AV	40.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_13.09.02

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11n40 CH54 P=17.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1143.500	38.73	-15.60	74.0	35.27	Peak	115.00	150	Vertical	Pass
1**	1143.500	27.72	-15.60	54.0	26.28	AV	115.00	150	Vertical	Pass
2	1979.750	40.58	-14.81	74.0	33.42	Peak	105.00	150	Vertical	Pass
2**	1979.750	29.33	-14.81	54.0	24.67	AV	105.00	150	Vertical	Pass
3	3373.000	46.59	-4.79	74.0	27.41	Peak	318.00	150	Vertical	Pass
3**	3373.000	36.27	-4.79	54.0	17.73	AV	318.00	150	Vertical	Pass
4	5273.500	90.73	-2.43	74.0	-16.73	Peak	15.00	150	Vertical	N/A
4**	5273.500	82.41	-2.43	54.0	-28.41	AV	15.00	150	Vertical	N/A
5	10548.850	54.17	-3.12	74.0	19.83	Peak	6.00	150	Vertical	Pass
5**	10548.850	47.15	-3.12	54.0	6.85	AV	6.00	150	Vertical	Pass
6	15806.026	49.99	-1.63	74.0	24.01	Peak	74.00	150	Vertical	Pass
6**	15806.026	43.17	-1.63	54.0	10.83	AV	74.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_13.04.07

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11n40 CH54 P=17.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1079.750	38.62	-15.57	74.0	35.38	Peak	320.00	150	Horizontal	Pass
1**	1079.750	27.56	-15.57	54.0	26.44	AV	320.00	150	Horizontal	Pass
2	2040.000	40.34	-13.29	74.0	33.66	Peak	356.00	150	Horizontal	Pass
2**	2040.000	30.13	-13.29	54.0	23.87	AV	356.00	150	Horizontal	Pass
3	3431.000	47.08	-5.03	74.0	26.92	Peak	355.00	150	Horizontal	Pass
3**	3431.000	36.69	-5.03	54.0	17.31	AV	355.00	150	Horizontal	Pass
4	5268.000	99.45	-2.42	74.0	-25.45	Peak	150.00	150	Horizontal	N/A
4**	5268.000	91.71	-2.42	54.0	-37.71	AV	150.00	150	Horizontal	N/A
5	10544.575	56.72	-3.05	74.0	17.28	Peak	120.00	150	Horizontal	Pass
5**	10544.575	50.49	-3.05	54.0	3.51	AV	120.00	150	Horizontal	Pass
6	15810.750	47.66	-1.69	74.0	26.34	Peak	39.00	150	Horizontal	Pass
6**	15810.750	40.78	-1.69	54.0	13.22	AV	39.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_13.50.58

EUT Name: Tablet

Temp.(°C): 23.2

Model Number: T1002

Humidity (%RH): 51

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.3G WIFI 11ac80 CH58 P=14.5


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1214.250	38.95	-15.95	74.0	35.05	Peak	0.00	150	Vertical	Pass
1**	1214.250	28.02	-15.95	54.0	25.98	AV	0.00	150	Vertical	Pass
2	2089.250	40.84	-13.68	74.0	33.16	Peak	233.00	150	Vertical	Pass
2**	2089.250	30.44	-13.68	54.0	23.56	AV	233.00	150	Vertical	Pass
3	3430.000	47.24	-5.02	74.0	26.76	Peak	297.00	150	Vertical	Pass
3**	3430.000	36.97	-5.02	54.0	17.03	AV	297.00	150	Vertical	Pass
4	5287.500	86.49	-2.07	74.0	-12.49	Peak	15.00	150	Vertical	N/A
4**	5287.500	78.70	-2.07	54.0	-24.70	AV	15.00	150	Vertical	N/A
5	10598.725	48.17	-3.67	74.0	25.83	Peak	121.00	150	Vertical	Pass
5**	10598.725	44.21	-3.67	54.0	9.79	AV	121.00	150	Vertical	Pass
6	15903.938	46.99	-2.12	74.0	27.01	Peak	76.00	150	Vertical	Pass
6**	15903.938	40.92	-2.12	54.0	13.08	AV	76.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_13.55.35

EUT Name:	Tablet	Temp.(°C):	23.2
Model Number:	T1002	Humidity (%RH):	51
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.3G WIFI 11ac80 CH58 P=14.5
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.15-5.35)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1304.500	38.63	-15.59	74.0	35.37	Peak	325.00	150	Horizontal	Pass
1**	1304.500	28.02	-15.59	54.0	25.98	AV	325.00	150	Horizontal	Pass
2	2183.750	42.35	-13.06	74.0	31.65	Peak	0.00	150	Horizontal	Pass
2**	2183.750	30.70	-13.06	54.0	23.30	AV	0.00	150	Horizontal	Pass
3	3372.500	46.77	-4.81	74.0	27.23	Peak	104.00	150	Horizontal	Pass
3**	3372.500	36.27	-4.81	54.0	17.73	AV	104.00	150	Horizontal	Pass
4	5296.000	96.47	-2.00	74.0	-22.47	Peak	153.00	150	Horizontal	N/A
4**	5296.000	87.18	-2.00	54.0	-33.18	AV	153.00	150	Horizontal	N/A
5	10599.912	54.36	-3.67	74.0	19.64	Peak	167.00	150	Horizontal	Pass
5**	10599.912	46.07	-3.67	54.0	7.93	AV	167.00	150	Horizontal	Pass
6	16558.088	48.63	-0.91	74.0	25.37	Peak	0.00	150	Horizontal	Pass
6**	16558.088	38.20	-0.91	54.0	15.80	AV	0.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_14.59.24

EUT Name: Tablet

Temp.(°C): 21.1

Model Number: T1002

Humidity (%RH): 53

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6GWIFI 11a CH116 P=10


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1215.750	38.76	-15.97	74.0	35.24	Peak	173.00	150	Vertical	Pass
1**	1215.750	27.35	-15.97	54.0	26.65	AV	173.00	150	Vertical	Pass
2	2024.750	41.08	-13.97	74.0	32.92	Peak	335.00	150	Vertical	Pass
2**	2024.750	29.95	-13.97	54.0	24.05	AV	335.00	150	Vertical	Pass
3	3460.000	47.15	-4.94	74.0	26.85	Peak	14.00	150	Vertical	Pass
3**	3460.000	36.06	-4.94	54.0	17.94	AV	14.00	150	Vertical	Pass
4	5583.000	93.40	-2.83	74.0	-19.40	Peak	142.00	150	Vertical	N/A
4**	5583.000	83.81	-2.83	54.0	-29.81	AV	142.00	150	Vertical	N/A
5	11160.175	53.50	-4.02	74.0	20.50	Peak	358.00	150	Vertical	Pass
5**	11160.175	47.36	-4.02	54.0	6.64	AV	358.00	150	Vertical	Pass
6	17340.600	49.03	0.30	74.0	24.97	Peak	245.00	150	Vertical	Pass
6**	17340.600	38.99	0.30	54.0	15.01	AV	245.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_14.53.52

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11a CH116 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1134.000	38.34	-15.56	74.0	35.66	Peak	253.00	150	Horizontal	Pass
1**	1134.000	27.80	-15.56	54.0	26.20	AV	253.00	150	Horizontal	Pass
2	1951.000	40.39	-14.84	74.0	33.61	Peak	106.00	150	Horizontal	Pass
2**	1951.000	29.53	-14.84	54.0	24.47	AV	106.00	150	Horizontal	Pass
3	3416.000	47.65	-5.14	74.0	26.35	Peak	96.00	150	Horizontal	Pass
3**	3416.000	36.24	-5.14	54.0	17.76	AV	96.00	150	Horizontal	Pass
4	5581.500	99.71	-2.85	74.0	-25.71	Peak	187.00	150	Horizontal	N/A
4**	5581.500	92.18	-2.85	54.0	-38.18	AV	187.00	150	Horizontal	N/A
5	11160.887	57.47	-4.02	74.0	16.53	Peak	145.00	150	Horizontal	Pass
5**	11160.887	50.77	-4.02	54.0	3.23	AV	145.00	150	Horizontal	Pass
6	17183.625	49.91	0.13	74.0	24.09	Peak	75.00	150	Horizontal	Pass
6**	17183.625	38.31	0.13	54.0	15.69	AV	75.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_15.19.00

EUT Name: Tablet

Temp.(°C): 21.1

Model Number: T1002

Humidity (%RH): 53

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6GWIFI 11n20 CH116 P=10


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1080.500	38.66	-15.58	74.0	35.34	Peak	75.00	150	Vertical	Pass
1**	1080.500	27.90	-15.58	54.0	26.10	AV	75.00	150	Vertical	Pass
2	2162.250	42.05	-13.27	74.0	31.95	Peak	148.00	150	Vertical	Pass
2**	2162.250	30.45	-13.27	54.0	23.55	AV	148.00	150	Vertical	Pass
3	3365.000	47.21	-5.19	74.0	26.79	Peak	346.00	150	Vertical	Pass
3**	3365.000	36.28	-5.19	54.0	17.72	AV	346.00	150	Vertical	Pass
4	5582.500	91.03	-2.84	74.0	-17.03	Peak	200.00	150	Vertical	N/A
4**	5582.500	83.28	-2.84	54.0	-29.28	AV	200.00	150	Vertical	N/A
5	11155.900	53.34	-4.04	74.0	20.66	Peak	0.00	150	Vertical	Pass
5**	11155.900	46.71	-4.04	54.0	7.29	AV	0.00	150	Vertical	Pass
6	17247.937	49.80	-0.71	74.0	24.20	Peak	360.00	150	Vertical	Pass
6**	17247.937	38.60	-0.71	54.0	15.40	AV	360.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_15.13.23

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n20 CH116 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1201.500	38.65	-15.75	74.0	35.35	Peak	223.00	150	Horizontal	Pass
1**	1201.500	27.69	-15.75	54.0	26.31	AV	223.00	150	Horizontal	Pass
2	2083.750	41.26	-13.80	74.0	32.74	Peak	102.00	150	Horizontal	Pass
2**	2083.750	29.92	-13.80	54.0	24.08	AV	102.00	150	Horizontal	Pass
3	3374.500	47.25	-4.81	74.0	26.75	Peak	327.00	150	Horizontal	Pass
3**	3374.500	36.16	-4.81	54.0	17.84	AV	327.00	150	Horizontal	Pass
4	5578.000	99.66	-2.89	74.0	-25.66	Peak	199.00	150	Horizontal	N/A
4**	5578.000	91.70	-2.89	54.0	-37.70	AV	199.00	150	Horizontal	N/A
5	11161.125	56.69	-4.02	74.0	17.31	Peak	144.00	150	Horizontal	Pass
5**	11161.125	50.39	-4.02	54.0	3.61	AV	144.00	150	Horizontal	Pass
6	17454.524	49.42	0.19	74.0	24.58	Peak	43.00	150	Horizontal	Pass
6**	17454.524	39.14	0.19	54.0	14.86	AV	43.00	150	Horizontal	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_16.21.29

EUT Name: Tablet

Temp.(°C): 21.1

Model Number: T1002

Humidity (%RH): 53

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6GWIFI 11n40 CH118 P=12


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1106.750	38.70	-15.76	74.0	35.30	Peak	31.00	150	Vertical	Pass
1**	1106.750	27.27	-15.76	54.0	26.73	AV	31.00	150	Vertical	Pass
2	1956.500	40.37	-14.94	74.0	33.63	Peak	0.00	150	Vertical	Pass
2**	1956.500	28.71	-14.94	54.0	25.29	AV	0.00	150	Vertical	Pass
3	3473.500	46.70	-5.90	74.0	27.30	Peak	360.00	150	Vertical	Pass
3**	3473.500	36.05	-5.90	54.0	17.95	AV	360.00	150	Vertical	Pass
4	5587.000	89.68	-2.83	74.0	-15.68	Peak	139.00	150	Vertical	N/A
4**	5587.000	82.12	-2.83	54.0	-28.12	AV	139.00	150	Vertical	N/A
5	11181.312	55.41	-4.15	74.0	18.59	Peak	0.00	150	Vertical	Pass
5**	11181.312	47.31	-4.15	54.0	6.69	AV	0.00	150	Vertical	Pass
6	17271.038	49.05	-1.14	74.0	24.95	Peak	12.00	150	Vertical	Pass
6**	17271.038	38.59	-1.14	54.0	15.41	AV	12.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_16.16.39

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11n40 CH118 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1204.750	38.67	-15.78	74.0	35.33	Peak	133.00	150	Horizontal	Pass
1**	1204.750	28.10	-15.78	54.0	25.90	AV	133.00	150	Horizontal	Pass
2	2036.250	41.55	-13.33	74.0	32.45	Peak	83.00	150	Horizontal	Pass
2**	2036.250	30.49	-13.33	54.0	23.51	AV	83.00	150	Horizontal	Pass
3	3459.000	47.23	-4.94	74.0	26.77	Peak	266.00	150	Horizontal	Pass
3**	3459.000	36.27	-4.94	54.0	17.73	AV	266.00	150	Horizontal	Pass
4	5588.000	98.96	-2.82	74.0	-24.96	Peak	187.00	150	Horizontal	N/A
4**	5588.000	91.13	-2.82	54.0	-37.13	AV	187.00	150	Horizontal	N/A
5	11182.262	57.23	-4.14	74.0	16.77	Peak	98.00	150	Horizontal	Pass
5**	11182.262	50.12	-4.14	54.0	3.88	AV	98.00	150	Horizontal	Pass
6	16571.213	49.29	-0.80	74.0	24.71	Peak	143.00	150	Horizontal	Pass
6**	16571.213	39.00	-0.80	54.0	15.00	AV	143.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_16.44.29

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.6GWIFI 11ac80 CH106 P=12
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1211.500	39.09	-15.87	74.0	34.91	Peak	199.00	150	Vertical	Pass
1**	1211.500	27.54	-15.87	54.0	26.46	AV	199.00	150	Vertical	Pass
2	2231.750	42.12	-13.08	74.0	31.88	Peak	297.00	150	Vertical	Pass
2**	2231.750	30.51	-13.08	54.0	23.49	AV	297.00	150	Vertical	Pass
3	3401.500	46.63	-5.60	74.0	27.37	Peak	0.00	150	Vertical	Pass
3**	3401.500	35.72	-5.60	54.0	18.28	AV	0.00	150	Vertical	Pass
4	5535.500	85.56	-2.62	74.0	-11.56	Peak	200.00	150	Vertical	N/A
4**	5535.500	76.88	-2.62	54.0	-22.88	AV	200.00	150	Vertical	N/A
5	11087.974	49.36	-3.75	74.0	24.64	Peak	360.00	150	Vertical	Pass
5**	11087.974	46.06	-3.75	54.0	7.94	AV	360.00	150	Vertical	Pass
6	17251.613	48.97	-0.65	74.0	25.03	Peak	184.00	150	Vertical	Pass
6**	17251.613	39.00	-0.65	54.0	15.00	AV	184.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_16.38.46

EUT Name: Tablet

Temp.(°C): 21.1

Model Number: T1002

Humidity (%RH): 53

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.6GWIFI 11ac80 CH106 P=12


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.47-5.725)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1106.250	38.71	-15.76	74.0	35.29	Peak	184.00	150	Horizontal	Pass
1**	1106.250	27.54	-15.76	54.0	26.46	AV	184.00	150	Horizontal	Pass
2	2183.750	42.18	-13.06	74.0	31.82	Peak	199.00	150	Horizontal	Pass
2**	2183.750	30.61	-13.06	54.0	23.39	AV	199.00	150	Horizontal	Pass
3	3360.000	46.07	-5.81	74.0	27.93	Peak	360.00	150	Horizontal	Pass
3**	3360.000	36.38	-5.81	54.0	17.62	AV	360.00	150	Horizontal	Pass
4	5523.500	95.54	-2.47	74.0	-21.54	Peak	172.00	150	Horizontal	N/A
4**	5523.500	87.26	-2.47	54.0	-33.26	AV	172.00	150	Horizontal	N/A
5	11078.950	56.46	-3.91	74.0	17.54	Peak	121.00	150	Horizontal	Pass
5**	11078.950	50.23	-3.91	54.0	3.77	AV	121.00	150	Horizontal	Pass
6	17635.387	49.42	0.21	74.0	24.58	Peak	117.00	150	Horizontal	Pass
6**	17635.387	38.34	0.21	54.0	15.66	AV	117.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_17.48.50

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11a CH157 P=9
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1150.500	38.45	-15.65	74.0	35.55	Peak	360.00	150	Vertical	Pass
1**	1150.500	27.76	-15.65	54.0	26.24	AV	360.00	150	Vertical	Pass
2	2044.750	41.48	-13.42	74.0	32.52	Peak	7.00	150	Vertical	Pass
2**	2044.750	30.09	-13.42	54.0	23.91	AV	7.00	150	Vertical	Pass
3	3365.000	46.77	-5.19	74.0	27.23	Peak	0.00	150	Vertical	Pass
3**	3365.000	36.68	-5.19	54.0	17.32	AV	0.00	150	Vertical	Pass
4	5783.500	90.19	-1.54	74.0	-16.19	Peak	221.00	150	Vertical	N/A
4**	5783.500	82.39	-1.54	54.0	-28.39	AV	221.00	150	Vertical	N/A
5	11566.537	50.33	-2.31	74.0	23.67	Peak	260.00	150	Vertical	Pass
5**	11566.537	43.88	-2.31	54.0	10.12	AV	260.00	150	Vertical	Pass
6	16576.200	48.77	-0.73	74.0	25.23	Peak	50.00	150	Vertical	Pass
6**	16576.200	38.33	-0.73	54.0	15.67	AV	50.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_17.44.17

EUT Name: Tablet

Temp.(°C): 21.1

Model Number: T1002

Humidity (%RH): 53

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11a CH157 P=9


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1294.500	39.46	-15.74	74.0	34.54	Peak	358.00	150	Horizontal	Pass
1**	1294.500	27.91	-15.74	54.0	26.09	AV	358.00	150	Horizontal	Pass
2	2161.500	41.66	-13.30	74.0	32.34	Peak	138.00	150	Horizontal	Pass
2**	2161.500	29.98	-13.30	54.0	24.02	AV	138.00	150	Horizontal	Pass
3	3434.000	46.81	-5.17	74.0	27.19	Peak	191.00	150	Horizontal	Pass
3**	3434.000	36.46	-5.17	54.0	17.54	AV	191.00	150	Horizontal	Pass
4	5784.000	97.98	-1.54	74.0	-23.98	Peak	200.00	150	Horizontal	N/A
4**	5784.000	90.12	-1.54	54.0	-36.12	AV	200.00	150	Horizontal	N/A
5	11567.725	54.49	-2.41	74.0	19.51	Peak	121.00	150	Horizontal	Pass
5**	11567.725	48.35	-2.41	54.0	5.65	AV	121.00	150	Horizontal	Pass
6	17274.974	48.96	-0.95	74.0	25.04	Peak	360.00	150	Horizontal	Pass
6**	17274.974	38.85	-0.95	54.0	15.15	AV	360.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_18.20.30

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n20 CH157 P=10
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1194.500	38.59	-15.75	74.0	35.41	Peak	105.00	150	Vertical	Pass
1**	1194.500	27.68	-15.75	54.0	26.32	AV	105.00	150	Vertical	Pass
2	2147.250	41.81	-13.75	74.0	32.19	Peak	10.00	150	Vertical	Pass
2**	2147.250	30.28	-13.75	54.0	23.72	AV	10.00	150	Vertical	Pass
3	3410.000	46.82	-5.33	74.0	27.18	Peak	163.00	150	Vertical	Pass
3**	3410.000	36.41	-5.33	54.0	17.59	AV	163.00	150	Vertical	Pass
4	5782.500	91.39	-1.53	74.0	-17.39	Peak	234.00	150	Vertical	N/A
4**	5782.500	83.40	-1.53	54.0	-29.40	AV	234.00	150	Vertical	N/A
5	11570.575	51.76	-2.35	74.0	22.24	Peak	264.00	150	Vertical	Pass
5**	11570.575	44.05	-2.35	54.0	9.95	AV	264.00	150	Vertical	Pass
6	16909.574	49.12	-0.62	74.0	24.88	Peak	286.00	150	Vertical	Pass
6**	16909.574	38.26	-0.62	54.0	15.74	AV	286.00	150	Vertical	Pass

Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_18.14.11

EUT Name: Tablet

Temp.(°C): 21.1

Model Number: T1002

Humidity (%RH): 53

Sample Number: CC26030333-001-S10

Pressure(kPa): 101

Test Standard: 47 CFR Part 15E

Work Mode: 5.8GWIFI 11n20 CH157 P=10


Test Site: 966#2

Test Voltage: AC 120V/60Hz

Test Engineer: Zhang Zhongqiu

Remark: 适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1198.250	38.85	-15.74	74.0	35.15	Peak	1.00	150	Horizontal	Pass
1**	1198.250	27.77	-15.74	54.0	26.23	AV	1.00	150	Horizontal	Pass
2	2065.750	41.17	-13.80	74.0	32.83	Peak	101.00	150	Horizontal	Pass
2**	2065.750	30.19	-13.80	54.0	23.81	AV	101.00	150	Horizontal	Pass
3	3468.000	47.11	-5.31	74.0	26.89	Peak	212.00	150	Horizontal	Pass
3**	3468.000	36.69	-5.31	54.0	17.31	AV	212.00	150	Horizontal	Pass
4	5783.500	98.66	-1.54	74.0	-24.66	Peak	184.00	150	Horizontal	N/A
4**	5783.500	90.82	-1.54	54.0	-36.82	AV	184.00	150	Horizontal	N/A
5	11570.099	57.44	-2.31	74.0	16.56	Peak	120.00	150	Horizontal	Pass
5**	11570.099	49.68	-2.31	54.0	4.32	AV	120.00	150	Horizontal	Pass
6	17239.011	49.33	-0.90	74.0	24.67	Peak	82.00	150	Horizontal	Pass
6**	17239.011	38.54	-0.90	54.0	15.46	AV	82.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_18.51.28

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n40 CH151 P=11
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1131.250	38.95	-15.53	74.0	35.05	Peak	70.00	150	Vertical	Pass
1**	1131.250	27.69	-15.53	54.0	26.31	AV	70.00	150	Vertical	Pass
2	2197.500	41.65	-13.30	74.0	32.35	Peak	104.00	150	Vertical	Pass
2**	2197.500	30.31	-13.30	54.0	23.69	AV	104.00	150	Vertical	Pass
3	3428.500	47.57	-4.96	74.0	26.43	Peak	342.00	150	Vertical	Pass
3**	3428.500	36.44	-4.96	54.0	17.56	AV	342.00	150	Vertical	Pass
4	5753.000	89.94	-2.09	74.0	-15.94	Peak	234.00	150	Vertical	N/A
4**	5753.000	82.06	-2.09	54.0	-28.06	AV	234.00	150	Vertical	N/A
5	11510.250	49.28	-3.01	74.0	24.72	Peak	144.00	150	Vertical	Pass
5**	11510.250	44.02	-3.01	54.0	9.98	AV	144.00	150	Vertical	Pass
6	16742.363	48.91	-1.87	74.0	25.09	Peak	359.00	150	Vertical	Pass
6**	16742.363	37.87	-1.87	54.0	16.13	AV	359.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_18.46.14

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11n40 CH151 P=11
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1204.750	38.56	-15.78	74.0	35.44	Peak	71.00	150	Horizontal	Pass
1**	1204.750	27.40	-15.78	54.0	26.60	AV	71.00	150	Horizontal	Pass
2	2182.500	41.93	-13.02	74.0	32.07	Peak	99.00	150	Horizontal	Pass
2**	2182.500	31.03	-13.02	54.0	22.97	AV	99.00	150	Horizontal	Pass
3	3432.500	46.60	-5.09	74.0	27.40	Peak	343.00	150	Horizontal	Pass
3**	3432.500	35.86	-5.09	54.0	18.14	AV	343.00	150	Horizontal	Pass
4	5753.500	97.22	-2.09	74.0	-23.22	Peak	194.00	150	Horizontal	N/A
4**	5753.500	90.03	-2.09	54.0	-36.03	AV	194.00	150	Horizontal	N/A
5	11508.825	53.12	-3.07	74.0	20.88	Peak	119.00	150	Horizontal	Pass
5**	11508.825	48.98	-3.07	54.0	5.02	AV	119.00	150	Horizontal	Pass
6	16978.350	49.18	-1.18	74.0	24.82	Peak	0.00	150	Horizontal	Pass
6**	16978.350	38.28	-1.18	54.0	15.72	AV	0.00	150	Horizontal	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_19.26.39

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11ac80 CH155 P=11
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1218.500	39.14	-15.97	74.0	34.86	Peak	314.00	150	Vertical	Pass
1**	1218.500	27.45	-15.97	54.0	26.55	AV	314.00	150	Vertical	Pass
2	2044.750	41.19	-13.42	74.0	32.81	Peak	360.00	150	Vertical	Pass
2**	2044.750	30.27	-13.42	54.0	23.73	AV	360.00	150	Vertical	Pass
3	3381.500	47.31	-5.19	74.0	26.69	Peak	36.00	150	Vertical	Pass
3**	3381.500	36.02	-5.19	54.0	17.98	AV	36.00	150	Vertical	Pass
4	5780.500	87.80	-1.50	74.0	-13.80	Peak	305.00	150	Vertical	N/A
4**	5780.500	78.33	-1.50	54.0	-24.33	AV	305.00	150	Vertical	N/A
5	11559.412	48.70	-2.48	74.0	25.30	Peak	264.00	150	Vertical	Pass
5**	11559.412	42.96	-2.48	54.0	11.04	AV	264.00	150	Vertical	Pass
6	17340.862	49.60	0.30	74.0	24.40	Peak	81.00	150	Vertical	Pass
6**	17340.862	39.15	0.30	54.0	14.85	AV	81.00	150	Vertical	Pass


Test Result

Project Number: P-CC26040015

Test Time: 2026-04-11_19.22.05

EUT Name:	Tablet	Temp.(°C):	21.1
Model Number:	T1002	Humidity (%RH):	53
Sample Number:	CC26030333-001-S10	Pressure(kPa):	101
Test Standard:	47 CFR Part 15E	Work Mode:	5.8GWIFI 11ac80 CH155 P=11
Test Site:	966#2	Test Voltage:	AC 120V/60Hz
Test Engineer:	Zhang Zhongqiu	Remark:	适配器: A02+数据线: A09

RE Test case_FCC Part 15E_FCC 15.407(5.725-5.85)_1GHz-18GHz



No.	Frequency (MHz)	Results (dBuV/m)	Factor (dB)	Limit (dBuV/m)	Margin (dB)	Detector	Table (Degree)	Height (cm)	Antenna	Verdict
1	1305.250	39.25	-15.60	74.0	34.75	Peak	2.00	150	Horizontal	Pass
1**	1305.250	27.70	-15.60	54.0	26.30	AV	2.00	150	Horizontal	Pass
2	2096.500	41.44	-13.58	74.0	32.56	Peak	3.00	150	Horizontal	Pass
2**	2096.500	30.03	-13.58	54.0	23.97	AV	3.00	150	Horizontal	Pass
3	3578.000	46.63	-6.45	74.0	27.37	Peak	0.00	150	Horizontal	Pass
3**	3578.000	35.40	-6.45	54.0	18.60	AV	0.00	150	Horizontal	Pass
4	5768.500	94.84	-1.70	74.0	-20.84	Peak	185.00	150	Horizontal	N/A
4**	5768.500	85.71	-1.70	54.0	-31.71	AV	185.00	150	Horizontal	N/A
5	11571.287	52.06	-2.41	74.0	21.94	Peak	124.00	150	Horizontal	Pass
5**	11571.287	46.98	-2.41	54.0	7.02	AV	124.00	150	Horizontal	Pass
6	17791.574	49.99	1.16	74.0	24.01	Peak	360.00	150	Horizontal	Pass
6**	17791.574	39.15	1.16	54.0	14.85	AV	360.00	150	Horizontal	Pass